


CONCRETE PAVEMENT DETAIL



CONCRETE PAVEMENT & DRAINAGE FEATURES CONSTRUCTION


250mm PAV 2 AIR ENTRAINED CONCRETE  
STRENGTH EQUIVALENT TO C28-35

WITH SINGLE LAYER OF A393 MESH IN TOP  
FACE ( AEA 5%)  
1000G POLYTHENE SHEETING WITH 300mm LAPS

200mmTYPE 1 SUBBASE  
300MM 125mm CRUSHER RUN  
TERAM 1000 GEOTEXTILE

ALL SUBASE LAYERS COMPACTED

DRAINAGE CONSTRUCTION DETAIL



**ENERGYBUILD**  
**ABERPERGWM COLLIERY**  
P2014-0729  
CONDITION 32  
IMPROVEMENTS TON THE WATER DRAINAGE SYSTEM-  
SURFACING OF THE ABERPERGWM YARD

PLAN REF. AC/C32.DD/161122/01

DO NOT SCALE