

PLANNING REF: P.2021-0621.

ATT ENGINEERING.

NEW FACTORY, NEATH ABBEY  
BUSINESS PARK.

# California Light Grey Glazed



**Please note**

The colours, textures, and overall appearance of bricks shown in images may vary due to differences in screen settings, display resolutions, and lighting conditions. You are advised to obtain product samples prior to purchase.

**Need support?**

If you have questions about our products, our in-house Technical team is here to help. Our team of experts focuses on sustainable construction, providing cutting-edge architectural and design support, including BIM models, planning assistance and product advice. We can offer support at every stage of the process, through planning, design, building and the operational lifespan of the development. [Contact us now.](#)

**Ready to buy?**

[Find your nearest stockist now.](#)

Technical data

|                         |                                   |
|-------------------------|-----------------------------------|
| Production Plant        | Panningen                         |
| Production Method       | extruded wirecut                  |
| Pack Quantity           | 384                               |
| Length x Width x Height | 215 x 102.5 x 65 mm               |
| Size Tolerance          | T2                                |
| Range Tolerance         | R2                                |
| Gross Dry Density       | 1700 kg/m <sup>3</sup>            |
| Compressive Strength    | >=50 N/mm <sup>2</sup> (EN 771-1) |

**Thermal Conductivity**

0.730 W/(m·K) (EN 1745:2012: S1)

**Durability Designation**

F2 (EN 771-1)

**Water Absorption**

≤6 % (EN 771-1)

**Reaction to Fire**

A1 class

**Active Soluble Salts**

S1

The content provided is correct as of date of printing. (Please see top-left corner) Due to the colour constraints of printing processes, the product colour may not be truly represented.