

- 1 All dimensions in millimetres unless otherwise stated.
2 Do not scale off drawing. All dimensions to be checked on site.

Proposed Finishes to Ramp

Concrete ramp
Galvanised steel handrails 850mm high
Face brick walls to match existing


Biodiversity Improvement (where required by Planning Officer)

Nesting site for birds shall be erected on either the main dwellinghouse or extension to one of the following specifications:


Nest Box Specifications for House Sparrow Terrace:
Wooden (or woodcrete) nest box with 3 sub-divisions to support 3 nesting pairs. To be placed under the eaves of buildings.
Entrance holes: 32mm diameter
Dimensions: H310 x W370 x D185mm

Or


Swift Nest Box Specification:
Wide box with small slit shaped entrance hole. Must be placed under or close to roofs, at least 5m from the ground.
Dimensions: H150 x W340 x D150mm




Proposed Side Section / Elevation




Proposed Front Elevation




Proposed Side Serction / Elevation



Existing Side Section / Elevation



Existing Front Elevation



Existing Side Serction / Elevation

Rev	Details	Dr	Date
 Cyngor Castell-nedd Port Talbot Neath Port Talbot Council			
Cyngor Castell-nedd Port Talbot Neath Port Talbot Council Social Services, Health and Housing Housing Renewal and Adaptations Service Civic Centre Neath SA11 3QZ			
Project 60 Heol Y Felin Caewern Neath Ramped Access to Front Elevations			
Drawn	SS/IG	Checked	Approved
Date	Sep 26	Date	Date
Scales 1:100			
Drawing No. EN 03			