

Document Control

Report reference: 2270010-1(00)

Project name: Sandvik Osprey

Report title: Preliminary Desk Study Report

Revision	Date	Description


Author



W H Sell

Principal Geotechnical
Engineer


Technical Reviewer



Victoria Tickner

Principal Geoenvironmental
Engineer

Project Manager



W H Sell

Principal Geotechnical
Engineer

Ian Farmer Associates (1998) Limited
Gwernllwyn, Trimsaran Road, Llanelli,
Carms SA15 4RF
Telephone: 01554 566566
Email: wales@ianfarmer.co.uk

SANDVIK OSPREY

**ALUMINIUM SIZING FACILITY, RED JACKET
WORKS
MILLAND ROAD, NEATH SA11 1NJ**

PRELIMINARY DESK STUDY REPORT

Contract: 2270010-1(00)

Date: October 2019

Ian Farmer Associates (1998) Limited
Gwernllwyn, Trimsaran Road, Llanelli,
Carms SA15 4RF
Telephone: 01554 566566
Email: wales@ianfarmer.co.uk

PRELIMINARY DESK STUDY REPORT

carried out at

ALUMINIUM SIZING FACILITY, RED JACKET WORKS

MILLAND ROAD, NEATH SA11 1NJ

Prepared for

**SANDVIK OSPREY
Milland Road
Neath
SA11 1NJ**

Contract: 2270010-1(00)

Date: October 2019

EXECUTIVE SUMMARY

On the instructions of Sandvik Osprey, a Preliminary Investigation in the form of a desk study and site reconnaissance has been carried out in order to assess the potential hazards on and adjacent to the site and prepare a risk assessment for further consideration.

The proposed aluminium sizing facility, storage area and lift hatch are situated at in the north west of Red Jacket Works, south and east of the Neath Canal and may be located by Grid Reference SS 748 973.

The area of the proposed aluminium sizing facility, storage area and lift hatch is 0.03 hectares and is generally level. At the time of the walkover survey, the site was occupied by an area of concrete and asphalt hardstanding with some plant located in the north of the site. The Neath Canal and some trees are located on the northern boundary of the site and the River Neath is located 100m to the north west.

Sandvik Osprey manufacture components by moulding various powders under pressure and heat on the site. A workshop is located to the south west of the site and a powder store is present to the south east. A foundry is located to the east of the site and an above ground storage tank is present to the south west. The buildings were generally of frame construction with steel cladding on the walls and roofs.

The site was part of the canal up until between 1884 and 1899 when the canal appears to have been backfilled and railway lines crossed the site. The railway lines appeared to have remained on the site until between 1965 and 1970 when the site appeared to have been vacant. By 1989 an access road was located in the north of the site and the west of the site was occupied by small buildings or plant.

The 1:50000 British Geological Map Sheet 247 indicates the site to be underlain by Glaciofluvial Sheet Deposits overlying Hughes Member of the South Wales Coal Field. The Glaciofluvial Deposits generally consist of sand and gravel and the Hughes Member consists of sandstone and mudstone with thin coal seams.

The report from the Coal Authority is included in Appendix 5, which indicates that the property is not within a surface area that could be affected by past recorded mining and no mine entries are located in the vicinity of the site.

The geological map indicates that the site is underlain by sand and gravel, however, the historical maps show the site was formerly the canal and was backfilled. It is likely that Made Ground is located below the site and may extend to below the water table.

There is the potential for current operations on the site to represent a risk to site workers, however, the site is modern and properly run and therefore, the risk is considered to be low.

There is the potential for the migration of explosive gases from the backfilling of the canal and taking into account the underlying geology the risk is considered to be high.

There is also a risk from the material used to backfill the canal, the railway lines on the site and the adjacent smelting works, coal yard, engineering works and oil and grease works. The risk is considered to be high.

The site is situated above Secondary A and Secondary Undifferentiated aquifers. The Neath Canal is located on the north western boundary of the site and the River Neath is located 100m to the west. Given the relatively permeable nature of the geological conditions anticipated to underlie the site and close proximity to surface watercourse, there is considered to be a high risk to controlled waters.

The following scope of works is suggested in order to collect the required data:

- The sinking of boreholes for the recovery of samples for geotechnical and chemical contamination analysis.
- The installation and monitoring of gas and groundwater monitoring standpipes.

CONTENTS

EXECUTIVE SUMMARY

1.0	INTRODUCTION	3
1.1	General	3
2.0	SITE	4
2.1	Site Location	4
2.2	Site Walkover and Description	4
2.3	Historical Maps	5
2.4	Summary	7
3.0	SITE SETTING	8
3.1	Geological Setting	8
3.2	Hydrogeological Setting	8
3.3	Hydrological Setting	8
3.4	Radon	9
4.0	ASSESSMENT OF GEOTECHNICAL RISK	10
4.1	Geological Constraints	10
4.2	Geotechnical Risk Assessment	10
4.3	Conclusions of Geotechnical Risk Assessment	11
5.0	ENVIRONMENTAL SEARCHES	12
5.1	Potential Sources of Contamination	12
5.2	Designated Sites	13
5.3	Nitrate Vulnerable Zone	13
6.0	ASSESSMENT OF GEOENVIRONMENTAL RISK	14
6.1	General	14
6.2	Potential Sources of Contamination Identified	14
6.3	Potential Pathways Identified	14
6.4	Hazard Identification	15
6.5	Conceptual Site Model	15
6.6	Hazard Assessment	16
6.7	Conclusions of Geoenvironmental Risk Assessment	17
6.8	Consultation	17
7.0	RECOMMENDATIONS	18
7.1	Further Work	18
7.2	Other Considerations	18
8.0	REFERENCES	19

APPENDIX 1	-	DRAWINGS	
Figure A1.1	-	Site Location Plan	
Figure A1.2	-	Site Plan	
APPENDIX 2	-	PHOTOGRAPHS	
Figures A2.1	-	Site Photographs	
APPENDIX 3	-	ENVIRONMENTAL RISK	
		Environmental Risk Assessment	iii/i-iii/vi
APPENDIX 4	-	ENVIROCHECK REPORT	
	-	Index Map	
	-	Site Sensitivity Maps (1:2500 and 1:10000)	
	-	Soil Geochemistry Maps (1:10000)	
	-	Environmental Context Maps (1:25000)	
	-	Historical Maps (1:2500 and 1:10000)	
	-	Datasheet	
	-	BGS Boreholes Datasheet	
APPENDIX 5	-	COAL AUTHORITY REPORT	

1.0 INTRODUCTION

1.1 General

- 1.1.1 On the instructions of Sandvik Osprey, a Preliminary Investigation in the form of a desk study and site reconnaissance has been carried out in order to assess the potential hazards on and adjacent to the site and prepare a risk assessment for further consideration.
- 1.1.2 It is understood that it is proposed to develop the site for an aluminium sizing facility and a smaller storage area and lift hatch.
- 1.1.3 This report has been prepared for the sole use of the Client for the purpose described and no extended duty of care to any third party is implied or offered. Third parties using any information contained within this report do so at their own risk.
- 1.1.4 It is recommended that a copy of this report be submitted to the relevant authorities to enable them to carry out their own site assessment and provide any comments.
- 1.1.5 The comments given in this report and the opinions expressed herein are based on the information obtained from the desk study and site reconnaissance. No intrusive investigation has been carried out to confirm the actual ground or environmental conditions.
- 1.1.6 Any risks identified in this report are perceived risks based on information reviewed. Actual risks can only be assessed following a physical investigation of the site.
- 1.1.7 This report has been based, in part, on information supplied by others. The report has been prepared on the basis of that information being accurate.
- 1.1.8 The conclusions presented in this report are based on the guidance available at the time of preparation of the report. No liability can be accepted for the retrospective effects of any changes or amendments to legislation or guidance.
- 1.1.9 This Preliminary Investigation has been conducted in general accordance with CLR 3, ref. 8.1, CLR 11, ref 8.2, BS 10175, ref 8.3, and GPLC 1, ref 8.4.

2.0 SITE

2.1 Site Location

2.1.1 The proposed aluminium sizing facility, storage area and lift hatch are situated in the north west of Red Jacket Works, south and east of the Neath Canal and may be located by Grid Reference SS 748 973.

2.1.2 A site location plan is included in Appendix 1, Figure A1.1.

2.2 Site Walkover and Description

2.2.1 A walkover survey of the site was conducted on the 22nd October 2019. The walkover was carried out in general accordance with CLR 2, ref. 8.5.

2.2.2 The area of the proposed aluminium sizing facility, storage area and lift hatch is approximately 0.03 hectares in size and is generally level.

2.2.3 At the time of the walkover survey, the site was occupied by an area of concrete and asphalt hardstanding with some plant located in the north of the site. The Neath Canal and some trees are located on the northern boundary of the site and the River Neath is located 100m to the north west.

2.2.4 Sandvik Osprey manufacture components by moulding various powders under pressure and heat on the site. A workshop is located to the south west of the site and a powder store is present to the south east. A foundry is located to the east of the site and an above ground storage tank is present to the south west. The buildings were generally of frame construction with steel cladding on the walls and roofs.

2.2.5 Photographs from the walkover survey are included within Appendix 2, Figure A2.1. A site plan is included in Appendix 1, Figure A1.2.

2.3 Historical Maps

2.3.1 A review of the history of the site has been conducted based on readily available historical maps. Details of the findings are provided in the table below. All maps are provided in Appendix 4.

Map, Date and Scale	Site Description	Regional Setting
Glamorganshire 1877 1:2500	The majority of the site appeared to be occupied by the Neath Canal, with the southern corner of the site encroaching on the southern bank of the canal.	The area around the site was generally industrial although the area to the east of the site was vacant. Dinas Brick Works was present north of the site on the opposite side of the canal. Old Mill-lands Brick and tile works was present 50m to 100m to the south of the site. Railway sidings were located 100m to the east of the site and a wharf and the River Neath were present 150m to the north west. A gasometer and clay pit were located 300m to the south west of the site and a timber yard and brick works were present 150m and 200m to the north.
Glamorganshire 1884 1:10560	No significant changes.	No significant changes.
Glamorganshire 1899 1:2500	The canal appeared to have been backfilled, remaining only on the north western boundary of the site. The site was occupied by two railway lines, which appeared to terminate at a station 30m to the north east of the site.	Similar to the previous map, though the brick and tile works 50m south was designated Old Mill-lands Pottery. The road 80m to the south east of the site (Milland Road) was called Gas Works Road.
Glamorganshire 1900 1:10560	No significant changes.	Mill-lands Smelting Works was located 20m to the south of the site.
Glamorganshire 1919 1:2500	No significant changes.	Mill-lands Smelting Works was located 20m to the south of the site, which included a weighting machine (WM) and some tanks. A Gas Works was located 350m to the south west of the site.
Glamorganshire 1921 1:10560	No significant changes.	No significant changes.

Map, Date and Scale	Site Description	Regional Setting
Glamorganshire 1935 1:2500	No significant changes.	The smelting works to the south of the site was indicated to be an engineering works and railway lines provided access for heavy goods around the works. An engineering works was also located 50m to the north of the site and a concrete works was present 60m to the west on the other side of the canal. An oil and grease works was also present 50m to the 100m south of the site.
Glamorganshire 1936 1:10560	No significant changes.	No significant changes.
Glamorganshire 1938 1:10560	No significant changes.	No significant changes.
Ordnance Survey Map 1951/52 1:1250	A railway line remained crossing the site and three rectangular buildings were located on the western boundary of the site.	Similar to the previous map, though an engineering works was located 20m to the north east of the site.
Ordnance Survey Map 1965 1:10000	No significant changes.	No significant changes.
Ordnance Survey Map 1970 1:2500	The railway line no longer crossed the site and was terminated 50m to the south. The site was vacant, except for a building, which appeared to be located on the western boundary.	The engineering works were indicated to the east and north of the site, and the oil and grease works to the south was indicated to be a coal yard.
Ordnance Survey Map 1978 1:1250	The site appeared to be vacant.	Works were located 20m to the north east and south of the site. The A465 Trunk Road was located 200m to the north west of the site and a new spur road was present 150m to the south west. A gas holder station was located 250m to the south west of the site.
Ordnance Survey Map 1980 1:10000	No significant changes.	No significant changes.
Additional SIMS 1989 1:1250	An access road appeared to cross the northern half of the site.	The existing building, which is located on the south eastern boundary of the site, was indicated.

Map, Date and Scale	Site Description	Regional Setting
Ordnance Survey Map 1992 1:10000	No significant changes.	No significant changes.
Large Scale National Grid Data 1993 1:1250	Similar to the previous map.	Similar to the previous map.
10k Raster Map 1999 1:10000	The southern two thirds of the site appeared to be occupied by structures.	No significant changes.
Aerial Photograph 2000	The access road could be seen in the north of the site and smaller buildings or plant occupied the western quarter. Some outbuildings were located along the eastern boundary of the site abutting the building to the south east.	Industrial buildings were located to the south east and east of the site with the canal to the north west behind a row of trees.
10k Raster Map 2006 1:10000	No significant changes.	No significant changes.
Vector Map Local 2019 1:10000	No significant changes.	No significant changes.

2.4 Summary

- 2.4.1 The site was part of the canal up until between 1884 and 1899 when the canal appears to have been backfilled and railway lines crossed the site. The railway lines remained on the site until between 1965 and 1970 when the site appeared to have been vacant. By 1989 an access road was located in the north of the site and the west of the site was occupied by small buildings or plant.

3.0 SITE SETTING

3.1 Geological Setting

- 3.1.1 The 1:50000 British Geological Map Sheet 247 indicates the site to be underlain by Glaciofluvial Sheet Deposits overlying the Hughes Member of the South Wales Coal Field. The Glaciofluvial Deposits generally consist of sand and gravel and the Hughes Member consists of sandstone and mudstone with thin coal seams.
- 3.1.2 The report from the Coal Authority is included in Appendix 5, which indicates that the property is not within a surface area that could be affected by past recorded mining and no mine entries are located in the vicinity of the site.

3.2 Hydrogeological Setting

- 3.2.1 The hydrogeological records, provided by the Environment Agency, indicate that the site is situated above a Secondary A aquifer relating to the bedrock and a Secondary Undifferentiated Aquifer relating to the overlying sand and gravel.
- 3.2.2 The Environment Agency has assigned the term Secondary Undifferentiated to aquifers where it has not been possible to attribute category A or B due to variable characteristics of the rock type.
- 3.2.3 The Environment Agency defines Secondary A aquifers as 'permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers'.
- 3.2.4 The Envirocheck vulnerability map indicates the soil to be of high vulnerability.
- 3.2.5 Soils of high vulnerability are soils that readily transmit liquid discharges because they are either shallow or susceptible to rapid by-pass flow directly to rock, gravel or groundwater.
- 3.2.6 The site is not located within a groundwater Source Protection Zone (SPZ).
- 3.2.7 There are no licensed groundwater abstractions within 1km of the site.

3.3 Hydrological Setting

- 3.3.1 The nearest surface watercourse is the Neath Canal, located on the north western boundary of the site.
- 3.3.2 The River Neath is located 100m to the west of the site.
- 3.3.3 The site is not situated within an area defined by the Environment Agency as being at risk of flooding from rivers or the sea.

- 3.3.4 The available river quality classification for the Neath Canal is Grade D for chemistry. The main parameters for this classification are provided below:

GQA Grade	Environmental Quality	Chemical Parameters			Biological Parameters	
		DO (%)	BOD (mg/l)	Ammonia (mgN/l)	EQI for ASPT	EQI for no. of taxa
D	Fair	50	8	2.5	0.65	0.45
Ref: Landmark Envirocheck						

- 3.3.5 There are no licensed surface water abstractions within 1km of the site.

3.4 Radon

- 3.4.1 The British Geological Survey, in conjunction with the Radiation Protection Division of the Health Protection Agency, ref. 8.6, indicates the site to lie within an area where there is a probability of <1% of present or future homes being above the action level of 200Bq/m³.
- 3.4.2 As such, the site is not classified as a Radon Affected Area and no radon protective measures are deemed necessary for the proposed development. This is confirmed by the Building Research Establishment, Report BR211, ref. 8.7.

4.0 ASSESSMENT OF GEOTECHNICAL RISK

4.1 Geological Constraints

4.1.1 The following are brief findings relating to factors identified during the research from the Envirocheck data that may have a potential impact upon the engineering of the proposed development.

Potential Hazard	Assessed Risk	Comment
BGS Recorded Mineral Sites	Low	None within 500m.
Coal Mining/Mining Instability	Low	See Section 3.1.
Other Shallow Mine Workings	Very Low	
Man-Made or Natural Cavities	Very Low	
Collapsible Ground	Very Low	
Compressible Ground	Moderate to High	Made ground below the site may be highly compressible.
Ground Dissolution	Very Low to None	
Landslide	Very Low	
Running Sand	Moderate	Likelihood will relate to sand strata below the water table.
Shrinking or Swelling Clay	Very Low	
Subterranean Structures	Moderate to High	Old foundations and services may be located below the site.

4.2 Geotechnical Risk Assessment

4.2.1 An assessment of the main hazards associated with the site is detailed below. Unless stated otherwise, the presence of such hazards are based on information from the research or reconnaissance and have not been confirmed by an intrusive investigation.

- Soil Conditions

The geological map indicates that the site is underlain by sand and gravel, however, the historical maps show the site was formerly the canal and was backfilled. It is likely that Made Ground is located below the site and may extend to below the water table.

- Topography

The Envirocheck data provided indicates only a very low risk of landslip subsidence.

4.3 Conclusions of Geotechnical Risk Assessment

- 4.3.1 The research has identified evidence of potential hazards associated with underlying ground conditions, either natural or man-made, and therefore it is recommended that further work be carried out to confirm the presence, nature or extent of those hazards anticipated to impact on the site.

5.0 ENVIRONMENTAL SEARCHES

5.1 Potential Sources of Contamination

5.1.1 A search was made of records held by the various regulatory authorities and other statutory bodies to determine the presence or otherwise of past and current activities on or within 500m of the site which have the potential to give rise to the presence on site of contaminants. The findings are given in the table below:

Activity	On Site	Off Site (distance / direction)	Detail
Contaminated Land Register Entries	None	None within 500m	
Discharge Consents	None	Seven up to 250m, four at 250-500m	Closest at 160m north west of the site, which is part of the sewerage network discharging into the River Neath.
Integrated and Local Authority Pollution Prevention and Controls	None	Six at 250-500m	Closest is an air pollution control relating to Sandvik Osprey 281m south of the site. (May be site centred and also apply to this site).
Pollution Incidents to Controlled Waters	None	Six within 250m, two at 250m to 500m	Nearest at 91m north of the site, which was a minor incident in 1996 of light oil contamination. A significant incident of sewage contamination occurred in 1992, which was due to overflow of a septic tank 118m to the north west of the site.
Prosecutions Relating to Authorised Processes or Controlled Waters	None	None within 500m	
Registered Radioactive Substances	None	None within 500m	
Substantiated Pollution Incident Register	None	None within 500m	
BGS Recorded Landfill Sites	None	None within 500m	
Historical Landfill Sites	None	None within 500m	
Licensed Waste Management Facilities	None	None within 500m	
Local Authority Recorded Landfill Sites	None	None within 500m	
Registered Landfill Sites	None	None within 500m	

Activity	On Site	Off Site (distance / direction)	Detail
Registered Waste Transfer Sites	None	One at 188m north	Relates to a skip hire business on the opposite side of the Neath Canal, which is authorised to accept batteries, electrical scrap, vehicles and swarf.
Registered Waste Treatment or Disposal Sites	None	None within 500m	
Hazardous Substances	None	One at 285m and 362m south west	Related to the Transco Gas works, though now inactive.
Explosive Sites	None	None within 500m	
Contemporary Trade Entries	None	Nine within 250m, sixty-seven at 250-500m	Closest at 53m east, which is a fireplace supplier. Others within 250m are car dealers, garage services and body repair shop.
Fuel Station Entries	None	Two within 500m	Nearest at 277m east, both obsolete.

5.2 Designated Sites

- 5.2.1 The enquiries indicated there are no Sites of Special Scientific Interest (SSSI), National Nature Reserves (NNR) or Local Nature Reserves (LNR) within 780m of the site.

5.3 Nitrate Vulnerable Zone

- 5.3.1 The site is not located within an area designated as a nitrate vulnerable zone.

6.0 ASSESSMENT OF GEOENVIRONMENTAL RISK

6.1 General

- 6.1.1 The definition of 'contaminated land', along with the relevant details on legislation and guidance is set out in Appendix 3.
- 6.1.2 The assessment of potential risk has been based on the guidelines given in CIRIA report C552, ref 8.8. These guidelines are summarised in Appendix 3.
- 6.1.3 The assessment of environmental risk is aimed at identifying the possible risk, if any, arising from substances used or deposited on the site, or from any other sources of land contamination, based on the principles of the pollutant linkage.
- 6.1.4 The assessment is based on the proposed development end use, taking account of present and previous use. It is based only on a review of historical maps, desk based data and site reconnaissance; therefore it contains some elements of conjecture based on professional judgement. A comprehensive risk assessment can only be made following an intrusive investigation and testing regime.
- 6.1.5 The proposed development comprises of an aluminium sizing facility and a smaller storage area and lift hatch.

6.2 Potential Sources of Contamination Identified

- 6.2.1 The research has identified the following potential sources of contamination which may form part of a pollutant linkage:
 - Current operations on the site.
 - Made Ground resulting from the backfilling of the canal.
 - Former railway lines on the site and adjacent smelting works, coal yard, engineering work and oil and grease works.
 - Potential gas associated with Made Ground used to backfill the canal.

6.3 Potential Pathways Identified

- 6.3.1 The research has identified a number of potential pathways which are relevant to the potential sources of contamination identified above and may form part of a pollutant linkage.
- 6.3.2 Those identified are detailed within the Conceptual Site Model, along with the receptors relevant to the development on a site specific basis.

6.4 Hazard Identification

6.4.1 The research has identified a number of potential sources and pathways which are considered 'likely' to be present which, taking into account the potential receptors identified, form potential pollutant linkages and have been used in the formulation of the Conceptual Site Model.

6.5 Conceptual Site Model

6.5.1 The research has therefore identified the following pollutant linkages that require further consideration and have been used to formulate the Conceptual Site Model.

Potential Contamination Sources	Potential Contaminants of Concern	Potential Pathways	Receptor Group
Made Ground/backfilled canal, railway lines smelting works, coal yard, engineering works, oil and grease works	Inorganic Compounds - Metals - Cyanide	- Soil ingestion - Vegetable uptake - Dermal contact - Inhalation of contaminated dust - Vapour inhalation	Human Health - Site occupants - Site users - Construction workers - Maintenance workers - Neighbouring site users/general public
	Organic Compounds - TPH - PAH - Phenols - PCBs	Plant uptake and accumulation of contaminants	Ecology - Landscaped areas - Sensitive or protected habitats
	Others Asbestos	- Lateral migration - Surface run-off - Infiltration	Controlled Waters - Surface waters - Groundwater - Tidal waters
		Direct contact of contaminants with building materials	Building Materials or Services - Concrete - Plastic pipes and services - Structural iron and steel work
Made Ground/backfilled canal	- Carbon dioxide - Methane - Carbon monoxide - Hydrogen sulphide	- Inhalation - Explosion	- Human Health - Property

6.6 Hazard Assessment

6.6.1 An assessment of the main sources of contamination and the potential for unacceptable risk to receptors is detailed below. Unless stated otherwise, it is considered 'likely' that a potential source is present at this stage, in order to provide a preliminary estimation of the risk and therefore determine the need for further work.

- Human Health

There is the potential for current operations on the site to represent a risk to site workers, however, the site is modern and properly run and therefore, the risk is considered to be low.

There is the potential for the migration of explosive gases from the backfilling of the canal and taking into account the underlying geology the risk is considered to be high.

There is also a risk from the material used to backfill the canal, the railway lines on the site and the adjacent smelting works, coal yard, engineering work and oil and grease works. The risk is considered to be high.

- Services and Construction Materials

There is considered to be a moderate risk due to chemical attack on services and construction materials placed within the Made Ground.

- Controlled Waters

The site is situated above Secondary A and Secondary Undifferentiated aquifers. The Neath Canal is located on the north western boundary of the site and the River Neath is located 100m to the west.

Given the relatively permeable nature of the geological conditions anticipated to underlie the site and close proximity to surface watercourses, there is considered to be a high risk to controlled waters.

6.7 Conclusions of Geoenvironmental Risk Assessment

- 6.7.1 The research has identified evidence of potential sources of contamination on or which may impact on the site, with plausible pathways to the likely receptors, and therefore potential pollutant linkages have been suggested.
- 6.7.2 It is recommended that further work be carried out to confirm the presence, nature or extent of any contamination which is anticipated to impact on the site.

6.8 Consultation

- 6.8.1 During development, consultation may be required for a number of reasons with a number of regulatory Authorities. The following provides an indication as to the most likely Authorities with which consultation may be required:
- **Local Authority.** There may be a planning condition regarding contamination and consultation will be required with a designated Contaminated Land Officer within the Environmental Health Department. The Local Authority is generally concerned with human health risks.
 - **Environment Agency.** Where a site is within a groundwater protection zone or has been designated as a special site, the Environment Agency is likely to be involved to ensure that controlled waters are protected.
 - **National House Building Council, NHBC.** Section 4.1 of the NHBC Standards, ref 8.9, requires land management to be addressed. For a new housing development to be approved by the NHBC, any contamination will require remediation accompanied by a validation report.
- 6.8.2 Based on the results of any consultation, there may be specific investigation and/or remediation requirements imposed by one or more of the Authorities.

7.0 RECOMMENDATIONS

7.1 Further Work

7.1.1 An intrusive investigation should be undertaken to address the issues raised in Chapter 4.0 and Chapter 6.0.

7.1.2 The following scope of works is suggested in order to collect the required data:

- The sinking of boreholes for the recovery of samples for geotechnical and chemical contamination analysis.
- The installation and monitoring of gas and groundwater monitoring standpipes.

7.2 Other Considerations


7.2.1 There are several other areas of research which are beyond the scope of this report. All or none of the following may be applicable to the site, either on the outcome of consultation with a regulatory body or as a result of the research for this Preliminary Investigation. They include:

- **Archaeology.** Should the site be situated on or within an area of archaeological sensitivity, the advisor to the relevant local authority should be consulted. The requirement for an archaeological report may be identified within a planning condition, if appropriate, for the site.
- **Ecology.** There may be a requirement for a detailed ecological report, dependant on the type or size of the development, or due to evidence identified during the site reconnaissance or desk study. This requirement may be identified within a planning condition, or recommended within Section 7.0.


8.0 REFERENCES

- 8.1 CLR 3, '*Documentary research on industrial sites*', Report by RPS Consultants Ltd, DoE, 1994
- 8.2 CLR 11, '*Model Procedures for the Management of Land Contamination*' Report by Defra and the Environment Agency, 2004
- 8.3 BS 10175: 2011 '*Investigation of potentially contaminated sites. Code of practice*', British Standards Institute, 2011
- 8.4 GPLC1, '*Guiding principles for land contamination*', Environment Agency, 2010
- 8.5 CLR 2, '*Guidance on preliminary site inspection of contaminated land*', Report by Applied Environmental, DoE, 1994
- 8.6 HPA-RPD-033, '*Indicative Atlas of Radon in England and Wales*', Health Protection Agency, 2007
- 8.7 BR211, '*Radon: Protective measures for new dwellings*'. BRE, 2007
- 8.8 C552, '*Contaminated Land Risk Assessment, A Guide to Good Practice*', CIRIA, 2001
- 8.9 Standards, '*Land Quality – Managing Ground Conditions*', Chapter 4, NHBC, 2010
- 8.10 The Environmental Protection Act, Part IIA, Section 78, 1990
- 8.11 Environment Act 1995, Section 57, DoE, 1995
- 8.12 Water Environment and Water Services (Scotland) Act, 2003
- 8.13 Planning Policy Statement 23: Planning and Pollution Control, ODPM, 2004
- 8.14 Science Report SC050021/SR2, '*Human health toxicological assessment of contaminants in soil*'. Environment Agency, 2009
- 8.15 Science Report SC050021/SR3, '*Updated technical background to the CLEA model*'. Environment Agency, 2009

For and on behalf of Ian Farmer Associates (1998) Limited



Victoria Tickner
Principal Environmental Engineer
BSc(Hons.) MSc PIEMA



William H Sell
Principal Geotechnical Engineer
BSc(Hons.) FGS

]

[

APPENDIX 1


DRAWINGS

Job No: 2270010

Site: Sandvik Osprey, Neath

OS Maps: online mapping and walking, running and cycling routes

17/10/2019, 15:13



<https://osmaps.ordnancesurvey.co.uk/51.66122,-3.81063,18>

Page 2 of 2


Site Location Plan

**Figure
A1.1**



Job No: 2270010

Site: Sandvik Osprey, Neath



Site Plan

**Figure
A1.2**



]

[

APPENDIX 2

SITE WALKOVER PHOTOGRAPHS

Job No: 2270010
Site: Sandvik Osprey, Neath



Site Photographs

**Figure
A2.1**



]

[

APPENDIX 3

ENVIRONMENTAL RISK

APPENDIX 3

ENVIRONMENTAL RISK ASSESSMENT

A3.1 STATUTORY FRAMEWORK AND DEFINITIONS

- A3.1.1 The statutory definition of ‘contaminated land’ is defined in Part IIA of the Environmental Protection Act 1990, ref 8.10, which was inserted by Section 57 of the Environment Act 1995, ref 8.11, and came into force in England in 2000, as;

‘any land which appears to the local authority in whose area it is situated to be in such a condition, by reason of substances in, on or under the land, that:

(a) significant harm is being caused or there is a significant possibility of such harm being caused; or

(b) pollution of controlled waters is being, or is likely to be, caused’.

- A3.1.2 In Scotland, this has been amended by the Water Environment and Water Services (Scotland) Act 2003, ref 8.12, to *‘significant pollution of the water environment is being caused or there is a significant possibility of such pollution being caused’.*

- A3.1.3 The purpose of Part IIA was to help address the problems caused by historical contamination, with the voluntary remediation of such land encouraged without the use of the Act. The planning regime assists in this, with Planning Policy Statement 23: Planning and Pollution Control (PPS23), ref 8.13, published in 2004, setting out the minimum requirements for the remediation of land affected by contamination as *‘after carrying out the development and commencement of its use, the land should not be capable of being determined as contaminated land under Part IIA of the EPA 1990’.*

- A3.1.4 The UK guidance on the assessment of contaminated has developed as a direct result of the introduction of these two Acts. The technical guidance supporting the legislation was originally summarised in a number of key documents collectively known as the Contaminated Land Reports (CLRs), a proposed series of twelve documents. Seven were originally published in March 1994, four more were published in April 2002, while the final guidance document, CLR 11 was published in 2004. CLR7 to 10 were withdrawn in 2008, with CLR 9 and 10 effectively replaced by the Environment Agency in the form of Science Reports SR2, ref 8.14 and SR3, ref 8.15.

- A3.1.5 CLR11 remains valid and sets out the framework of the investigation process, with the overall approach one of risk management, with risk given the definition of *‘a combination of the probability or frequency, of occurrence of a defined hazard and the magnitude of the consequences of the occurrence’.* In establishing whether a site fulfils the statutory definition of ‘contaminated land’ it is necessary to identify whether the three essential elements of risk exist. These are defined as:

- A contaminant - a substance which is in, on or under the land and has the potential to cause harm or to cause pollution of controlled waters;
- A receptor - something which could be adversely affected by a contaminant, such as people, an ecological system, property or a water body; and
- A pathway – a route or means by which a receptor can be exposed to, or affected by, a contaminant.

- A3.1.6 A *‘pollutant linkage’* may be defined as the link between a contaminant *‘source’* and a *‘receptor’* by means of a *‘pathway’*. There may be none, one or many pollutant linkages

existing on a site, which may utilise the same or different sources, pathways and receptors, which may change over the passage of time.

A3.1.7 Each pollutant linkage that exists in respect of the land in question must fulfil one or more of the following criteria:

- significant harm is being caused to the receptor in the pollutant linkage,
- there is a significant possibility of significant harm being caused to that receptor,
- there is (significant) pollution of controlled waters (the water environment) which constitute the receptor, or
- pollution of controlled waters is likely to be caused
- (there is a significant possibility of such pollution being caused).

A3.1.8 A pollutant linkage indicates that all three elements have been identified. The site can only be defined as 'Contaminated Land' under Part IIA if a pollutant linkage exists and the criteria above are met.

A3.1.9 The main potential receptors include:

- 1) Humans – current site occupants, construction workers, future site users and neighbouring site users.
- 2) Controlled Waters – surface water and groundwater resources
- 3) Property – including buildings, crops, livestock and pets
- 4) Ecological systems – including current/future site and neighbouring vegetation

A3.1.10 The main potential pathways to be considered include:

- a) Ingestion and/or inhalation.
- b) Uptake of contaminants via cultivated vegetables.
- c) Dermal contact
- d) Migration through permeable strata
- e) Drains or services
- f) Direct contact with building materials and services
- g) Fire and explosion

A3.2 ASSESSMENT METHODOLOGY

A3.2.1 The guidance proposes a four-stage assessment process for identifying potential pollutant linkages on a site. These stages are set out in the table below:

No.	Process	Description
1	Hazard Identification	Establishing contaminant sources, pathways and receptors (the conceptual model).
2	Hazard Assessment	Analysing the potential for unacceptable risks (what linkages may be present and what could be the effects?).
3	Risk Estimation	Trying to establish the magnitude and probability of the possible consequences (what degree of harm might result and to what receptors, and how likely is it).
4	Risk Evaluation	Deciding whether the risk is unacceptable.

A3.2.2 Stages 1 and 2 develop a ‘*conceptual model*’ based upon information collated from desk based studies, and reconnaissance of the site (a walkover survey). The walkover survey should be conducted in general accordance with CLR 2. The formation of a conceptual model is an iterative process and as such, it should be updated and refined throughout each stage of the project to reflect any additional information obtained.

A3.2.3 The extent of the desk based research and enquiries to be conducted should be in general accordance with CLR 3. The information from these enquiries is presented in a preliminary investigation report with recommendations, if necessary, for further work based upon the conceptual model. In the absence of specific information on contamination anticipated to be encountered, specific DoE ‘Industry Profiles’ provide guidance on the nature of contaminants relating to a variety of industrial processes and should be used as the basis for determining which contaminants are more likely to be present on a site.

A3.2.4 If potential pollutant linkages are identified within the conceptual model, an intrusive ground investigation and report will be recommended. The investigation should be planned in general accordance with CLR 4, and BS10175. The number of exploratory holes and samples collected for analysis should be consistent with the size of the site and the level of risk envisaged. This will enable a generic quantitative risk assessment (GQRA) to be conducted, at which point the conceptual model can be updated and relevant pollutant linkages can be identified.

A3.2.5 A two-stage investigation may be more appropriate where time constraints are less of an issue. The first stage investigation may be conducted as an initial assessment for the presence of potential sources, with the second being more refined in order to delineate or further characterise any contamination or the physical properties of the site.

A3.3 RISK EVALUATION

A3.3.1 The risk evaluation is a qualitative method for interpreting the data from the hazard estimation stage. It involves the classification of the:

- magnitude of the potential ‘consequence’ (severity) of the risk occurring and;
- magnitude of the ‘probability’ (likelihood) of the risk occurring.

A3.3.2 These are defined in the following sections:

A3.4 CLASSIFICATION OF CONSEQUENCE

Classification	Definition	Examples
Severe	Short-term (acute) risk to human health likely to result in 'significant harm' as defined by the Environment Protection Act 1990, Part IIA. Short-term risk of pollution (note: Water Resources Act contains no scope for considering significance of pollution) of sensitive water resource. Catastrophic damage to buildings property. A short-term risk to a particular ecosystem, or organism forming part of such ecosystem (note: the definitions of ecological systems within the Draft Circular on Contaminated Land, DETR, 2000).	High Concentrations of cyanide on the surface of an informal recreation area. Major spillage of contaminants from site into controlled water. Explosion, causing building collapse can also equate to a short-term human health risk if buildings are occupied.
Medium	Chronic damage to Human Health ('significant harm' as defined in DETR, 2000). Pollution of sensitive water resources (note: Water Resources Act contains no scope for considering significance of pollution). A significant change in a particular ecosystem, or organism forming part of such ecosystem, (note: the definitions of ecological systems within Draft Circular on Contaminated Land, DETR, 2000).	Concentrations of a contaminant from site exceed the generic, or site-specific assessment criteria. Leaching of contaminants from a site to a major or minor aquifer. Death of a species within a designated nature reserve.
Mild	Pollution of non-sensitive water resources. Significant damage to crops, buildings, structures and services ('significant harm' as defined in the <i>Draft Circular on Contaminated Land</i> , DETR 2000). Damage to sensitive buildings/structures/services or the environment.	Pollution of non-classified ground water. Damage to building rendering it unsafe to occupy (eg foundation damage resulting in instability).
Minor	Harm, although not necessarily significant harm, which may result in a financial loss, or expenditure to resolve. Non-permanent health effects to human health (easily prevented by means such as personal protective clothing etc). Easily repairable effects of damage to buildings, structures and services.	The presence of contaminants at such concentrations that protective equipment is required during site works. The loss of plants in landscaping scheme. Discoloration of concrete

A3.4.1 In theory, both severe and medium classification can result in death. The differential is that severe relates to short term risk while medium relates to long-term risk. Therefore, the classification of severe requires urgent action while medium may require urgent action but usually long term action would be sufficient.

A3.5 CLASSIFICATION OF PROBABILITY

Classification	Definition
High likelihood	There is a pollution linkage and an event that either appears very likely in the short term and almost inevitable over the long term, or there is evidence at the receptor of harm or pollution
Likely	There is a pollution linkage and all the elements are present and in the right place, which means that it is probable that an event will occur. Circumstances are such that an event is not inevitable, but possible in the short term and likely over the long term.
Low likelihood	There is a pollution linkage and circumstances are possible under which an event could occur However, it is by no means certain that even over a longer period such event would take place, and is less likely in the shorter term
Unlikely	There is a pollution linkage but circumstances are such that it is improbable that an event would occur even in the very long term

A3.5.1 For the purposes of this preliminary investigation, any source of contamination that has been identified by professional judgement as potentially impacting on the site has been classified as being 'likely' to be present, unless proven otherwise by intrusive investigation.

A3.6 COMPARISON OF CONSEQUENCE AGAINST PROBABILITY


A3.6.1 These classifications are compared to indicate the risk presented by each pollutant linkage. Once the consequence and probability have been classified they can be used to produce a risk category as below:

		Consequence			
		Severe	Medium	Mild	Minor
Probability	High likelihood	Very high risk	High risk	Moderate risk	Moderate/low risk
	Likely	High risk	Moderate risk	Moderate/low risk	Low risk
	Low likelihood	Moderate risk	Moderate/low risk	Low risk	Very low risk
	Unlikely	Moderate/low risk	Low risk	Very low risk	Very low risk

A3.6.2 The action required for the classified risks are as follows:

Very high risk	There is a high probability that severe harm could a risk to a designated receptor from an identified hazard, OR, there is evidence that severe harm to a designated receptor is currently happening. This risk, if realised, is likely to result in a substantial liability. Urgent investigation (if not undertaken already) and remediation are likely to be required
High risk	Harm is likely to arise to a designated receptor from an identified hazard. Realisation of the risk is likely to present a substantial liability. Urgent investigation (if not undertaken already) is required and remedial works may be necessary in the short term and are likely over the longer term
Moderate risk	It is possible that harm could arise to a designated receptor from an identified hazard. However, it is either relatively unlikely that any such harm would be severe, or if any harm were to occur it is more likely that the harm would be relatively mild Investigation (if not already undertaken) is normally required to clarify the risk and to determine the potential liability. Some remedial works may be required in the longer term
Low risk	It is possible that harm could arise to a designated receptor from an identified hazard, but it is likely that this harm, if realised, would at worst normally be mild.
Very low risk	There is a low possibility that harm could arise to a receptor. In the event of such harm being realised it is not likely to be severe.

APPENDIX 4
ENVIROCHECK REPORT



Envirocheck®

LANDMARK INFORMATION GROUP®

Groundwater Vulnerability

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological

Bedrock Aquifers

- High Vulnerability, Principal Aquifer
- High Vulnerability, Secondary Aquifer
- Medium Vulnerability, Principal Aquifer
- Medium Vulnerability, Secondary Aquifer
- Low Vulnerability, Principal Aquifer
- Low Vulnerability, Secondary Aquifer


Superficial Aquifers

- High Vulnerability, Principal Aquifer
- High Vulnerability, Secondary Aquifer
- Medium Vulnerability, Principal Aquifer
- Medium Vulnerability, Secondary Aquifer
- Low Vulnerability, Principal Aquifer
- Low Vulnerability, Secondary Aquifer

Unproductive Aquifer

Soluble Rock

Site Sensitivity Context Map - Slice A



Order Details


Order Number: 221161028_1_1
 Customer Ref: 2270010
 National Grid Reference: 274880, 197300
 Slice: A
 Site Area (Ha): 0.03
 Search Buffer (m): 1000

Site Details

Sandvik Osprey Ltd, Milland Road Industrial Estate, NEATH, SA11 1NJ

Landmark®
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

0 1 km

Envirocheck®

LANDMARK INFORMATION GROUP®

Bedrock Aquifer Designation

General


- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice A



Order Details


Order Number: 221161028_1_1
 Customer Ref: 2270010
 National Grid Reference: 274880, 197300
 Slice: A
 Site Area (Ha): 0.03
 Search Buffer (m): 1000

Site Details

Sandvik Osprey Ltd, Milland Road Industrial Estate, NEATH, SA11 1NJ

Landmark®
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

Envirocheck[®]

LANDMARK INFORMATION GROUP[®]

Superficial Aquifer Designation

General


- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice A



Order Details


Order Number: 221161028_1_1
 Customer Ref: 2270010
 National Grid Reference: 274880, 197300
 Slice: A
 Site Area (Ha): 0.03
 Search Buffer (m): 1000

Site Details

Sandvik Osprey Ltd, Milland Road Industrial Estate, NEATH, SA11 1NJ

Landmark[®]
 LANDMARK INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

0 1 km

Envirocheck®

LANDMARK INFORMATION GROUP®

Source Protection Zones


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological

- Inner zone (Zone 1)
- Inner zone - subsurface activity only (Zone 1c)
- Outer zone (Zone 2)
- Outer zone - subsurface activity only (Zone 2c)
- Total catchment (Zone 3)
- Total catchment - subsurface activity only (Zone 3c)
- Special interest (Zone 4)

Site Sensitivity Context Map - Slice A



Order Details


Order Number: 221161028_1_1
 Customer Ref: 2270010
 National Grid Reference: 274880, 197300
 Slice: A
 Site Area (Ha): 0.03
 Search Buffer (m): 1000

Site Details

Sandvik Osprey Ltd, Milland Road Industrial Estate, NEATH, SA11 1NJ

Landmark®
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

Envirocheck®

LANDMARK INFORMATION GROUP®

Sensitive Land Uses


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Sensitive Land Uses

- Ancient Woodland
- Area of Adopted Green Belt
- Area of Unadopted Green Belt
- Area of Outstanding Natural Beauty
- Environmentally Sensitive Area
- Forest Park
- Local Nature Reserve
- Marine Nature Reserve
- National Nature Reserve
- National Park
- Nitrate Sensitive Area
- Nitrate Vulnerable Zone
- Ramsar Site
- Site of Special Scientific Interest
- Special Area of Conservation
- Special Protection Area
- World Heritage Sites

Site Sensitivity Context Map - Slice A



Order Details


Order Number: 221161028_1_1
 Customer Ref: 2270010
 National Grid Reference: 274880, 197300
 Slice: A
 Site Area (Ha): 0.03
 Search Buffer (m): 1000

Site Details

Sandvik Osprey Ltd, Milland Road Industrial Estate, NEATH, SA11 1NJ

Landmark®
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

0 1 km

Envirocheck®

LANDMARK INFORMATION GROUP®

BGS Flood GFS Data


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice

Agency and Hydrological (Flood)

- Limited Potential for Groundwater Flooding to Occur
- Potential for Groundwater Flooding of Property Situated Below Ground Level
- Potential for Groundwater Flooding to Occur at Surface

Site Sensitivity Context Map - Slice A



Order Details

Order Number: 221161028_1_1
 Customer Ref: 2270010
 National Grid Reference: 274880, 197300
 Slice: A
 Site Area (Ha): 0.03
 Search Buffer (m): 1000

Site Details

Sandvik Osprey Ltd, Milland Road Industrial Estate, NEATH, SA11 1NJ

Landmark®
 LANDMARK INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

Envirocheck[®] Report:

Datasheet

Order Details:

Order Number:

221161028_1_1

Customer Reference:

2270010

National Grid Reference:

274880, 197300

Slice:

A

Site Area (Ha):

0.03

Search Buffer (m):

1000

Site Details:

Sandvik Osprey Ltd
Milland Road Industrial Estate
NEATH
SA11 1NJ

Client Details:

Mr B Sell
Ian Farmer Associates
Unit 1.2
Parc Dyfatty Park
Burry Port
SA16 0FB

Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	60
Hazardous Substances	65
Geological	66
Industrial Land Use	80
Sensitive Land Use	103
Data Currency	104
Data Suppliers	109
Useful Contacts	110

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination. For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client. In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2019. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer. A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report. © Environment Agency & United Kingdom Research and Innovation 2019. © Natural Resources Wales & United Kingdom Research and Innovation 2019.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3.0.

Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Peter Brett Associates Copyright Notice

The cavity data presented has been extracted from the PBA enhanced version of the original DEFRA national cavity databases. PBA/DEFRA retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by PBA. In no event shall PBA/DEFRA or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England.

Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2019. Land & Property Services © Crown copyright and database right.

Report Version v53.0

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Agency & Hydrological					
BGS Groundwater Flooding Susceptibility	pg 1	Yes	Yes	Yes	n/a
Contaminated Land Register Entries and Notices					
Discharge Consents	pg 2		7	4	30
Prosecutions Relating to Controlled Waters			n/a	n/a	n/a
Enforcement and Prohibition Notices					
Integrated Pollution Controls	pg 12				4
Integrated Pollution Prevention And Control					
Local Authority Integrated Pollution Prevention And Control					
Local Authority Pollution Prevention and Controls	pg 13			6	6
Local Authority Pollution Prevention and Control Enforcements					
Nearest Surface Water Feature	pg 14	Yes			
Pollution Incidents to Controlled Waters	pg 14		6	2	20
Prosecutions Relating to Authorised Processes					
Registered Radioactive Substances					
River Quality	pg 19		2		2
River Quality Biology Sampling Points					
River Quality Chemistry Sampling Points					
Substantiated Pollution Incident Register					
Water Abstractions					
Water Industry Act Referrals					
Groundwater Vulnerability Map	pg 20	Yes	n/a	n/a	n/a
Bedrock Aquifer Designations	pg 20	Yes	n/a	n/a	n/a
Superficial Aquifer Designations	pg 20	Yes	n/a	n/a	n/a
Source Protection Zones					
Extreme Flooding from Rivers or Sea without Defences	pg 20	Yes	Yes	n/a	n/a
Flooding from Rivers or Sea without Defences	pg 27	Yes	Yes	n/a	n/a
Areas Benefiting from Flood Defences				n/a	n/a
Flood Water Storage Areas				n/a	n/a
Flood Defences				n/a	n/a
OS Water Network Lines	pg 30		17	34	210

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Waste					
BGS Recorded Landfill Sites					
Historical Landfill Sites	pg 60				1
Integrated Pollution Control Registered Waste Sites					
Licensed Waste Management Facilities (Landfill Boundaries)					
Licensed Waste Management Facilities (Locations)	pg 60		2		4
Local Authority Landfill Coverage	pg 61	1	n/a	n/a	n/a
Local Authority Recorded Landfill Sites	pg 61				1
Potentially Infilled Land (Non-Water)	pg 61		3	1	6
Potentially Infilled Land (Water)	pg 62	1		4	17
Registered Landfill Sites					
Registered Waste Transfer Sites	pg 63		1		
Registered Waste Treatment or Disposal Sites	pg 64				1
Hazardous Substances					
Control of Major Accident Hazards Sites (COMAH)	pg 65			1	
Explosive Sites					
Notification of Installations Handling Hazardous Substances (NIHHS)	pg 65			1	
Planning Hazardous Substance Consents					
Planning Hazardous Substance Enforcements					

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Geological					
BGS 1:625,000 Solid Geology	pg 66	Yes	n/a	n/a	n/a
BGS Estimated Soil Chemistry	pg 66	Yes	Yes	Yes	Yes
BGS Recorded Mineral Sites	pg 73				11
BGS Urban Soil Chemistry	pg 75		Yes	Yes	Yes
BGS Urban Soil Chemistry Averages	pg 78	Yes			
CBSCB Compensation District			n/a	n/a	n/a
Coal Mining Affected Areas	pg 78	Yes	n/a	n/a	n/a
Mining Instability	pg 78	Yes	n/a	n/a	n/a
Man-Made Mining Cavities					
Natural Cavities					
Non Coal Mining Areas of Great Britain				n/a	n/a
Potential for Collapsible Ground Stability Hazards	pg 78		Yes	n/a	n/a
Potential for Compressible Ground Stability Hazards	pg 78		Yes	n/a	n/a
Potential for Ground Dissolution Stability Hazards				n/a	n/a
Potential for Landslide Ground Stability Hazards	pg 79	Yes	Yes	n/a	n/a
Potential for Running Sand Ground Stability Hazards	pg 79		Yes	n/a	n/a
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 79	Yes	Yes	n/a	n/a
Radon Potential - Radon Affected Areas			n/a	n/a	n/a
Radon Potential - Radon Protection Measures			n/a	n/a	n/a
Industrial Land Use					
Contemporary Trade Directory Entries	pg 80		9	67	64
Fuel Station Entries	pg 91			2	3
Points of Interest - Commercial Services	pg 92		10	12	18
Points of Interest - Education and Health					
Points of Interest - Manufacturing and Production	pg 95		14	13	14
Points of Interest - Public Infrastructure	pg 99			6	22
Points of Interest - Recreational and Environmental	pg 101				10
Gas Pipelines					
Underground Electrical Cables					

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Sensitive Land Use					
Ancient Woodland	pg 103				2
Areas of Adopted Green Belt					
Areas of Unadopted Green Belt					
Areas of Outstanding Natural Beauty					
Environmentally Sensitive Areas					
Forest Parks					
Local Nature Reserves	pg 103				1
Marine Nature Reserves					
National Nature Reserves					
National Parks					
Nitrate Sensitive Areas					
Nitrate Vulnerable Zones					
Ramsar Sites					
Sites of Special Scientific Interest					
Special Areas of Conservation					
Special Protection Areas					
World Heritage Sites					

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A13NE (S)	0	1	274875 197298
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A13NW (NW)	48	1	274850 197350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A13NE (E)	117	1	275000 197298
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A13NW (NW)	118	1	274800 197400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A13SE (SE)	194	1	275050 197200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A13NE (E)	217	1	275100 197298
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A13SE (S)	236	1	274875 197050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A13SE (SE)	255	1	275050 197100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A13NW (NW)	265	1	274650 197450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A13NE (E)	270	1	275150 197350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A13NE (N)	290	1	274900 197600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A13NE (N)	297	1	274950 197600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A13NE (E)	320	1	275200 197350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A13SE (SE)	325	1	275100 197050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A13NE (NE)	346	1	275200 197450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A18SE (N)	390	1	274900 197700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A12SE (SW)	411	1	274500 197100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A14NW (NE)	413	1	275250 197500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A14NW (E)	419	1	275300 197350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A8NW (SW)	424	1	274700 196900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A8NW (SW)	432	1	274600 196950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A8NW (SW)	446	1	274650 196900

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A18SE (N)	455	1	275000 197750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A8NW (SW)	464	1	274550 196950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A14NW (E)	467	1	275350 197300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A12SE (SW)	479	1	274450 197050
1	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Romanway Authority: Natural Resources Wales Catchment Area: River Neath Reference: Bp0064314 Permit Version: 1 Effective Date: 9th October 1987 Issued Date: 9th October 1987 Revocation Date: 28th August 1992 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: River Neath - Tidal Status: Consent expired Positional Accuracy: Located by supplier to within 10m	A13NW (NW)	160	2	274800 197450
2	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Gunsight Overflow (Swo 11)-Nea Authority: Natural Resources Wales Catchment Area: NEATH ESTUARY Reference: BW2902401 Permit Version: 1 Effective Date: 8th November 1972 Issued Date: 8th November 1972 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: River Neath Status: Effective Positional Accuracy: Located by supplier to within 100m	A13SW (W)	175	2	274690 197270
2	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Gunsight Overflow (Swo 11)-Nea Authority: Natural Resources Wales Catchment Area: NEATH ESTUARY Reference: Bw2902401 Permit Version: 1 Effective Date: 8th November 1972 Issued Date: 8th November 1972 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: River Neath Status: Effective Positional Accuracy: Located by supplier to within 10m	A13SW (W)	175	2	274690 197270

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
3	Discharge Consents Operator: Glenville Davies Property Type: Not Supplied Location: Davies Skips Ltd 6 Canal Rd Neath, 6 Canal Road, Neath Port Talbot, Sa11 1lj Authority: Natural Resources Wales Catchment Area: NEATH ESTUARY Reference: Bp0315401 Permit Version: 1 Effective Date: 19th December 2003 Issued Date: 19th December 2003 Revocation Date: Not Supplied Discharge Type: Trade Discharges - Site Drainage Discharge: Freshwater Stream/River Environment: Receiving Water: The Afon Nedd Status: Effective Positional Accuracy: Located by supplier to within 10m	A13NE (N)	191	2	274905 197500
4	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Gunisights Neath Authority: Natural Resources Wales Catchment Area: River Neath Reference: Bp0064315 Permit Version: 1 Effective Date: 9th October 1987 Issued Date: 9th October 1987 Revocation Date: 28th August 1992 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: River Neath - Tidal Status: Consent expired Positional Accuracy: Located by supplier to within 10m	A13SW (W)	203	2	274670 197230
4	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Swo Pnt U.Sth Roman Way Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: BB4000509 Permit Version: 1 Effective Date: 8th November 1972 Issued Date: 8th November 1972 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: River Neath Status: Surrendered Positional Accuracy: Located by supplier to within 100m	A13SW (SW)	205	2	274680 197200
4	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Swo Pnt U.Sth Roman Way Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bb4000509 Permit Version: 1 Effective Date: 8th November 1972 Issued Date: 8th November 1972 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: River Neath Status: Surrendered Positional Accuracy: Located by supplier to within 10m	A13SW (SW)	205	2	274680 197200

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
5	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Pumping Staions Location: Quay Road Ps Town Centre Neath Authority: Natural Resources Wales Catchment Area: NEATH ESTUARY Reference: BP0256201 Permit Version: 1 Effective Date: 7th January 1997 Issued Date: 19th September 1996 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Saline Estuary Environment: Receiving Water: Estuarial Waters River Neath Status: Effective Positional Accuracy: Located by supplier to within 10m	A18SE (N)	455	2	275000 197750
5	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Pumping Staions Location: Quay Road Ps Town Centre Neath Authority: Natural Resources Wales Catchment Area: NEATH ESTUARY Reference: Bp0256201 Permit Version: 1 Effective Date: 7th January 1997 Issued Date: 19th September 1996 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Saline Estuary Environment: Receiving Water: Estuarial Waters River Neath Status: Effective Positional Accuracy: Located by supplier to within 10m	A18SE (N)	455	2	275000 197750
5	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Swo. Point F.Neath South Authority: Natural Resources Wales Catchment Area: River Neath Reference: Bb4000506 Permit Version: 1 Effective Date: 8th November 1972 Issued Date: 8th November 1972 Revocation Date: 14th March 1994 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: River Neath Status: Consent expired Positional Accuracy: Located by supplier to within 10m	A18SE (N)	460	2	274980 197760
5	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Neath Road Bridge West Authority: Natural Resources Wales Catchment Area: River Neath Reference: Bp0064313 Permit Version: 1 Effective Date: 9th October 1987 Issued Date: 9th October 1987 Revocation Date: 28th August 1992 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: River Neath - Tidal Status: Consent expired Positional Accuracy: Located by supplier to within 10m	A18SE (N)	487	2	274970 197790

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
6	Discharge Consents Operator: Midland Metal Spinning Co Ltd Property Type: Undefined Or Other Location: Tower Works Neath Authority: Natural Resources Wales Catchment Area: River Neath Reference: Ba2021101 Permit Version: 1 Effective Date: 28th January 1964 Issued Date: 28th January 1964 Revocation Date: 22nd November 1993 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Crythan Brook @ Entry To R Nea Status: Consent expired Positional Accuracy: Located by supplier to within 100m	A7NE (SW)	535	2	274500 196900
7	Discharge Consents Operator: C.E.M. Day Ltd Property Type: Domestic Property (Single) Location: Car Showroom Neath Abbey Rd Neath A, Neath Abbey Rd, Neath Abbey, Neath Port Talbot Cbc, Sa10 7df Authority: Natural Resources Wales Catchment Area: Not Given Reference: BM0019201 Permit Version: 1 Effective Date: 12th November 1981 Issued Date: 12th November 1981 Revocation Date: Not Supplied Discharge Type: Unspecified Discharge: Freshwater Stream/River Environment: Receiving Water: Unnamed Trib. Of R. Clydach Status: New Consent, by Application (Water Resources Act 1991, Section 88) Positional Accuracy: Located by supplier to within 100m	A12NE (W)	555	2	274350 197500
8	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Pumping Staions Location: Melincryddan Ps Milland Road Ind Es, Milland Road Ind Est Neath Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: BP0255901 Permit Version: 1 Effective Date: 31st December 1997 Issued Date: 19th September 1996 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Saline Estuary Environment: Receiving Water: Estuarial Waters River Neath Status: Effective Positional Accuracy: Located by supplier to within 100m	A7NE (SW)	619	2	274440 196840
8	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Pumping Staions Location: Melincryddan Ps Milland Road Ind Es, Milland Road Ind Est Neath Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bp0255901 Permit Version: 1 Effective Date: 31st December 1997 Issued Date: 19th September 1996 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Saline Estuary Environment: Receiving Water: Estuarial Waters River Neath Status: Effective Positional Accuracy: Located by supplier to within 10m	A7NE (SW)	619	2	274440 196840

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
8	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Melincryddan Neath Authority: Natural Resources Wales Catchment Area: River Neath Reference: Bp0064306 Permit Version: 3 Effective Date: 29th March 1996 Issued Date: 28th March 1996 Revocation Date: 31st December 1997 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Estuarial Waters Of River Neat Status: Consent expired Positional Accuracy: Located by supplier to within 10m	A7NE (SW)	620	2	274450 196830
8	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Melincryddan Neath Authority: Natural Resources Wales Catchment Area: River Neath Reference: Bp0064306 Permit Version: 2 Effective Date: 28th November 1992 Issued Date: 28th August 1992 Revocation Date: 28th March 1996 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Estuarial Waters Of River Neat Status: Authorisation revoked Positional Accuracy: Located by supplier to within 100m	A7NE (SW)	620	2	274450 196830
8	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Melincryddan Neath Authority: Natural Resources Wales Catchment Area: River Neath Reference: Bp0064306 Permit Version: 1 Effective Date: 9th October 1987 Issued Date: 9th October 1987 Revocation Date: 27th November 1992 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Estuarial Waters Of River Neat Status: Authorisation revoked Positional Accuracy: Located by supplier to within 10m	A7NE (SW)	620	2	274450 196830
8	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Melincryddan West Authority: Natural Resources Wales Catchment Area: River Neath Reference: BB4000505 Permit Version: 2 Effective Date: 28th March 1994 Issued Date: 28th March 1994 Revocation Date: 31st March 2004 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: River Neath Status: Revoked (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 100m	A7NE (SW)	648	2	274420 196820

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
8	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Melincryddan West Authority: Natural Resources Wales Catchment Area: River Neath Reference: Bb4000505 Permit Version: 1 Effective Date: 8th November 1972 Issued Date: 8th November 1972 Revocation Date: 27th March 1994 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: River Neath Status: Authorisation revoked Positional Accuracy: Located by supplier to within 10m	A7NE (SW)	648	2	274420 196820
9	Discharge Consents Operator: Welsh Development Agency Property Type: Undefined Or Other Location: Milland Rd Est Milland Road Neath Authority: Natural Resources Wales Catchment Area: River Neath Reference: Bp0036001 Permit Version: 1 Effective Date: 16th March 1987 Issued Date: 16th March 1987 Revocation Date: 10th October 1994 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Cryddan Brook Status: Consent expired Positional Accuracy: Located by supplier to within 100m	A8NW (SW)	648	2	274600 196700
10	Discharge Consents Operator: Lidl Uk Gmbh Property Type: Sewerage Network - Pumping Staions Location: Vale Of Neath Retail Park Ps, Cadoxton Road, Neath, Sa10 7ay Authority: Natural Resources Wales Catchment Area: NEATH - CONF WITH NEDD FECHAN AND MELLTE TO TL Reference: Bp0271701 Permit Version: 1 Effective Date: 21st August 1998 Issued Date: 21st August 1998 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Neath Estuary Via Culvert Status: Effective Positional Accuracy: Located by supplier to within 10m	A18NE (N)	732	2	275157 197990
10	Discharge Consents Operator: Lidl Uk Gmbh Property Type: Sewerage Network - Pumping Station - Water Company Location: Vale Of Neath Retail Park Ps, Cadoxton Road, Neath, Sa10 7ay Authority: Natural Resources Wales Catchment Area: Not Given Reference: BP027170101 Permit Version: 1 Effective Date: 21st August 1998 Issued Date: 21st August 1998 Revocation Date: Not Supplied Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: Neath Estuary Via Culvert Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A18NE (N)	732	2	275157 197990

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
10	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Cadoxton Road Cso Cadoxton Road, Neath, Neath Port Talbot Authority: Natural Resources Wales Catchment Area: NEATH - CONF WITH NEDD FECHAN AND MELLTE TO TL Reference: Bp0353601 Permit Version: 1 Effective Date: 31st March 2006 Issued Date: 31st March 2006 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: River Neath Status: Effective Positional Accuracy: Located by supplier to within 10m	A18NE (NE)	738	2	275189 197982
10	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Cadoxton Road Cso Cadoxton Road, Neath, Neath Port Talbot Authority: Natural Resources Wales Catchment Area: NEATH - CONF WITH NEDD FECHAN AND MELLTE TO TL Reference: Bp0353601 Permit Version: 1 Effective Date: 31st March 2006 Issued Date: 31st March 2006 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: River Neath Status: Effective Positional Accuracy: Located by supplier to within 10m	A18NE (NE)	738	2	275189 197982
11	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Swo.Pt E.To Gnoll Brook Authority: Natural Resources Wales Catchment Area: River Neath Reference: BW2902101 Permit Version: 1 Effective Date: 8th November 1972 Issued Date: 8th November 1972 Revocation Date: 31st March 2003 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Gnoll Brook Status: Revoked (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 100m	A14NE (E)	817	2	275700 197300
12	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Pumping Staions Location: Farfield Ps Prince Of Wales Drive, Prince Of Wales Drive Neath Authority: Natural Resources Wales Catchment Area: NEATH - CONF WITH NEDD FECHAN AND MELLTE TO TL Reference: BP0255701 Permit Version: 1 Effective Date: 31st December 1997 Issued Date: 19th September 1996 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Saline Estuary Environment: Receiving Water: River Neath Esturial Waters Status: Effective Positional Accuracy: Located by supplier to within 100m	A19SW (NE)	818	2	275440 197910

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
12	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Pumping Staions Location: Farfield Ps Prince Of Wales Drive, Prince Of Wales Drive Neath Authority: Natural Resources Wales Catchment Area: NEATH - CONF WITH NEDD FECHAN AND MELLTE TO TL Reference: Bp0255701 Permit Version: 1 Effective Date: 31st December 1997 Issued Date: 19th September 1996 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Saline Estuary Environment: Receiving Water: River Neath Estorial Waters Status: Effective Positional Accuracy: Located by supplier to within 10m	A19SW (NE)	818	2	275440 197910
12	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Fairfield Outfall Ty'N-Y-Caeau Neat, Ty'N-Y-Caeau Neath Authority: Natural Resources Wales Catchment Area: River Neath Reference: Bp0064307 Permit Version: 3 Effective Date: 29th March 1996 Issued Date: 28th March 1996 Revocation Date: 31st December 1997 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Estuarial Waters Of River Neat Status: Consent expired Positional Accuracy: Located by supplier to within 10m	A19SW (NE)	832	2	275470 197900
12	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Fairfield Outfall Ty'N-Y-Caeau Neat, Ty'N-Y-Caeau Neath Authority: Natural Resources Wales Catchment Area: River Neath Reference: Bp0064307 Permit Version: 2 Effective Date: 28th November 1992 Issued Date: 28th August 1992 Revocation Date: 28th March 1996 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Estuarial Waters Of River Neat Status: Authorisation revoked Positional Accuracy: Located by supplier to within 100m	A19SW (NE)	832	2	275470 197900
12	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Fairfield Outfall Ty'N-Y-Caeau Neat, Ty'N-Y-Caeau Neath Authority: Natural Resources Wales Catchment Area: River Neath Reference: Bp0064307 Permit Version: 1 Effective Date: 24th November 1987 Issued Date: 24th November 1987 Revocation Date: 27th November 1992 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Estuarial Waters Of River Neat Status: Authorisation revoked Positional Accuracy: Located by supplier to within 10m	A19SW (NE)	832	2	275470 197900

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
12	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Gnoll Park Road Cso Gnoll Park Rd, Gnoll Park Road, Neath, Neath Port Talbot Authority: Natural Resources Wales Catchment Area: NEATH - CONF WITH NEDD FECHAN AND MELLTE TO TL Reference: Bp0353801 Permit Version: 1 Effective Date: 31st March 2006 Issued Date: 31st March 2006 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: River Neath Status: Effective Positional Accuracy: Located by supplier to within 10m	A19SW (NE)	863	2	275516 197898
12	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Gnoll Park Road Cso Gnoll Park Rd, Gnoll Park Road, Neath, Neath Port Talbot Authority: Natural Resources Wales Catchment Area: NEATH - CONF WITH NEDD FECHAN AND MELLTE TO TL Reference: Bp0353801 Permit Version: 1 Effective Date: 31st March 2006 Issued Date: 31st March 2006 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: River Neath Status: Effective Positional Accuracy: Located by supplier to within 10m	A19SW (NE)	863	2	275516 197898
12	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Pumping Staions Location: Cso No 38 O/S Public Health Office, Dyfed Road, Neath Authority: Natural Resources Wales Catchment Area: NEATH - CONF WITH NEDD FECHAN AND MELLTE TO TL Reference: Bp0303901 Permit Version: 1 Effective Date: 5th March 2003 Issued Date: 5th March 2003 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: The Afon Nedd Status: Effective Positional Accuracy: Located by supplier to within 10m	A19SW (NE)	863	2	275516 197897
12	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Pumping Staions Location: Cso No 38 O/S Public Health Office, Dyfed Road, Neath Authority: Natural Resources Wales Catchment Area: NEATH - CONF WITH NEDD FECHAN AND MELLTE TO TL Reference: Bp0303901 Permit Version: 1 Effective Date: 5th March 2003 Issued Date: 5th March 2003 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: The Afon Nedd Status: Effective Positional Accuracy: Located by supplier to within 10m	A19SW (NE)	863	2	275516 197897

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
13	Discharge Consents Operator: Carnaud Metal Box Plc Property Type: Trade (Unknown/Other) Location: Advance Factory Site Dafen Llanelli, Dafen, Carmarthenshire Authority: Natural Resources Wales Catchment Area: River Neath Reference: BM0000701 Permit Version: 1 Effective Date: 1st June 1979 Issued Date: 1st June 1979 Revocation Date: 30th May 2008 Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Not Supplied Environment: Receiving Water: Japan Brook Status: Revoked (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 100m	A7SE (SW)	892	2	274300 196600
14	Discharge Consents Operator: Carnaud Metal Box Plc Property Type: Undefined Or Other Location: Boiler House (Cooling Water) Factor, Factory Site Neath Authority: Natural Resources Wales Catchment Area: River Neath Reference: Bm0000702 Permit Version: 1 Effective Date: 1st June 1979 Issued Date: 1st June 1979 Revocation Date: 18th November 1992 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Japan Brook Status: Consent expired Positional Accuracy: Located by supplier to within 100m	A7SE (SW)	918	2	274400 196500
15	Discharge Consents Operator: Carnaud Metal Box Plc Property Type: Undefined Or Other Location: Factory At Canal Side (Cooling Wate, (Cooling Water) Neath Authority: Natural Resources Wales Catchment Area: River Neath Reference: BM0000703 Permit Version: 1 Effective Date: 1st June 1979 Issued Date: 1st June 1979 Revocation Date: 24th June 2005 Discharge Type: Trade Discharges - Cooling Water Discharge: Not Supplied Environment: Receiving Water: Japan Brook Status: Revoked (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 100m	A7SE (SW)	963	2	274500 196400
16	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Pumping Staions Location: Cso 32 Nr St Joeseph's Church, Cook Rees Avenue, Neath Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bw2903601 Permit Version: 2 Effective Date: 6th March 2003 Issued Date: 5th March 2003 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Eastland Brook Status: Effective Positional Accuracy: Located by supplier to within 10m	A9SW (SE)	981	2	275522 196547

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
16	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Pumping Staions Location: Cso 32 Nr St Joeseph's Church, Cook Rees Avenue, Neath Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bw2903601 Permit Version: 2 Effective Date: 6th March 2003 Issued Date: 5th March 2003 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Eastland Brook Status: Effective Positional Accuracy: Located by supplier to within 10m	A9SW (SE)	981	2	275522 196547
16	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Swo Nr St Joseph Church - Neat Authority: Natural Resources Wales Catchment Area: River Neath Reference: BW2903601 Permit Version: 1 Effective Date: 6th March 1967 Issued Date: 6th March 1967 Revocation Date: 5th March 2003 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Eastland Brook Status: New Consent, by Application (Water Resources Act 1991, Section 88) Positional Accuracy: Located by supplier to within 100m	A9SW (SE)	999	2	275540 196540
17	Integrated Pollution Controls Name: Quasar Chemicals Ltd Location: Unit 16 And 17, Briton Ferry Industrial Estate, Milland Road, NEATH, West Glamorgan, SA11 1NJ Authority: Environment Agency, Welsh Region Permit Reference: BH3088 Dated: 3rd March 2000 Process Type: IPC minor (non-substantial) variation to previous variation Description: 4.2 A (D) Manufacture and use of Organic Chemicals within the Chemical Industry Status: Authorisation revoked Positional Accuracy: Automatically positioned to the address	A8NW (S)	685	3	274615 196653
17	Integrated Pollution Controls Name: Quasar Chemicals Ltd Location: Unit 16 And 17, Briton Ferry Industrial Estate, Milland Road, NEATH, West Glamorgan, SA11 1NJ Authority: Environment Agency, Welsh Region Permit Reference: AR1400 Dated: 13th April 1995 Process Type: IPC minor (non-substantial) variation to previous variation Description: 4.2 A (D) Manufacture and use of Organic Chemicals within the Chemical Industry Status: Authorisation superseded by a substantial or non substantial variation Positional Accuracy: Automatically positioned to the address	A8NW (S)	686	3	274615 196652
17	Integrated Pollution Controls Name: Quasar Chemicals Ltd Location: Millands Road, NEATH, West Glamorgan, SA11 1NJ Authority: Environment Agency, Welsh Region Permit Reference: BD1377 Dated: 24th November 1998 Process Type: IPC minor (non-substantial) variation to previous variation Description: 4.2 A (D) Manufacture and use of Organic Chemicals within the Chemical Industry Status: Authorisation superseded by a substantial or non substantial variation Positional Accuracy: Automatically positioned to the address	A8NW (S)	689	3	274620 196647

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
17	Integrated Pollution Controls Name: Quasar Chemicals Ltd Location: Unit 16 And 17, Briton Ferry Industrial Estate, Milland Road, NEATH, West Glamorgan, SA11 1NJ Authority: Environment Agency, Welsh Region Permit Reference: AM1020 Dated: 31st May 1994 Process Type: IPC new application Description: 4.2 A (D) Manufacture and use of Organic Chemicals within the Chemical Industry Status: Authorisation superseded by a substantial or non substantial variation Positional Accuracy: Automatically positioned to the address	A8NW (S)	690	3	274615 196647
18	Local Authority Pollution Prevention and Controls Name: Sandvik Osprey Ltd Location: Red Jacket Works, Millands Road, NEATH, West Glamorgan, SA11 1NJ Authority: Neath Port Talbot County Borough Council, Environmental Health Department Permit Reference: E3/1/27 Dated: 17th November 1995 Process Type: Local Authority Air Pollution Control Description: PG6/35 Metal and other thermal spraying processes Status: Authorised Positional Accuracy: Automatically positioned to the address	A13SW (S)	281	4	274794 197017
19	Local Authority Pollution Prevention and Controls Name: Hanson Services Location: 55 Windsor Road, Neath, Sa11 1ng Authority: Neath Port Talbot County Borough Council, Environmental Health Department Permit Reference: E3/1/118 Dated: 24th August 2006 Process Type: Local Authority Air Pollution Control Description: PG6/46 Dry cleaning Status: Authorised Positional Accuracy: Located by supplier to within 10m	A13SE (E)	284	4	275163 197251
20	Local Authority Pollution Prevention and Controls Name: Neath Service Station Location: Windsor Road, NEATH, West Glamorgan, SA11 1LT Authority: Neath Port Talbot County Borough Council, Environmental Health Department Permit Reference: E3/1/72 Dated: 26th February 1999 Process Type: Local Authority Air Pollution Control Description: PG1/14 Petrol filling station Status: Authorised Positional Accuracy: Manually positioned to the address or location	A13SE (SE)	345	4	275178 197119
20	Local Authority Pollution Prevention and Controls Name: Electron Filling Station Location: 113-125 Windsor Road, NEATH, West Glamorgan, SA11 1NS Authority: Neath Port Talbot County Borough Council, Environmental Health Department Permit Reference: E3/1/82 Dated: 8th April 1999 Process Type: Local Authority Air Pollution Control Description: PG1/14 Petrol filling station Status: Authorised Positional Accuracy: Automatically positioned to the address	A13SE (SE)	387	4	275201 197075
21	Local Authority Pollution Prevention and Controls Name: Centre Garage Location: 15A Rectory Road, NEATH, West Glamorgan, SA11 1ET Authority: Neath Port Talbot County Borough Council, Environmental Health Department Permit Reference: E3/1/29 Dated: 26th September 1991 Process Type: Local Authority Air Pollution Control Description: PG1/1Waste oil burners, less than 0.4MW net rated thermal input Status: Authorised Positional Accuracy: Automatically positioned to the address	A14SW (SE)	382	4	275229 197139
22	Local Authority Pollution Prevention and Controls Name: Tarmac Topmix Ltd Location: Briton Ferry Industrial Estate, Briton Ferry, NEATH, West Glamorgan, SA11 1NJ Authority: Neath Port Talbot County Borough Council, Environmental Health Department Permit Reference: Not Given Dated: Not Supplied Process Type: Local Authority Air Pollution Control Description: PG3/1Blending, packing, loading and use of bulk cement Status: Authorisation revoked Positional Accuracy: Manually positioned within the geographical locality	A8NW (SW)	415	4	274694 196913

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
23	Local Authority Pollution Prevention and Controls Name: Ds Smith Packaging Ltd Location: D C Griffiths Way, PO Box 14, Melyn, NEATH, West Glamorgan, SA11 1BT Authority: Neath Port Talbot County Borough Council, Environmental Health Department Permit Reference: E3/1/39 Dated: 6th April 1993 Process Type: Local Authority Air Pollution Control Description: PG6/16 Printworks Status: Authorised Positional Accuracy: Manually positioned to the road within the address or location	A8NW (S)	636	4	274788 196656
23	Local Authority Pollution Prevention and Controls Name: Deoxidant Ltd Location: D C Griffiths Way, Melyn, NEATH, West Glamorgan, SA11 1BT Authority: Neath Port Talbot County Borough Council, Environmental Health Department Permit Reference: E3/1/31 Dated: 6th April 1993 Process Type: Local Authority Air Pollution Control Description: PG2/1Furnaces for the extraction of non-ferrous metal from scrap Status: Authorisation revoked Positional Accuracy: Manually positioned to the road within the address or location	A8NW (S)	639	4	274795 196652
24	Local Authority Pollution Prevention and Controls Name: Metal Processors Ltd Location: Griffiths Way, Melyn, NEATH, West Glamorgan, SA11 1BT Authority: Neath Port Talbot County Borough Council, Environmental Health Department Permit Reference: Not Given Dated: Not Supplied Process Type: Local Authority Air Pollution Control Description: PG2/6 Aluminium and aluminium alloy processes Status: Authorisation revoked Positional Accuracy: Manually positioned to the address or location	A8SW (S)	690	4	274714 196615
25	Local Authority Pollution Prevention and Controls Name: Wm Morrison Supermarkets Plc Location: Angel Street, NEATH, West Glamorgan, SA11 1RS Authority: Neath Port Talbot County Borough Council, Environmental Health Department Permit Reference: E3/1/67 Dated: 1st October 1998 Process Type: Local Authority Air Pollution Control Description: PG1/14 Petrol filling station Status: Authorised Positional Accuracy: Manually positioned to the address or location	A19SW (NE)	720	4	275294 197902
26	Local Authority Pollution Prevention and Controls Name: Tesco Stores LtdTesco Petrol Filling Station Location: Neath Abbey Road, NEATH, West Glamorgan, SA10 7FE Authority: Neath Port Talbot County Borough Council, Environmental Health Department Permit Reference: E3/1/88 Dated: 2nd September 1999 Process Type: Local Authority Pollution Prevention and Control Description: PG1/14 Petrol filling station Status: Permitted Positional Accuracy: Manually positioned to the address or location	A12NW (W)	803	4	274098 197534
27	Local Authority Pollution Prevention and Controls Name: Mr H. J. G. SmithMile End Service Station Location: 188 Mile End Row, Neath, West Glamorgan, SA11 2ED Authority: Neath Port Talbot County Borough Council, Environmental Health Department Permit Reference: E3/1/80 Dated: 26th February 1999 Process Type: Local Authority Pollution Prevention and Control Description: PG1/14 Petrol filling station Status: Permitted Positional Accuracy: Manually positioned to the address or location	A8SW (S)	947	4	274596 196381
	Nearest Surface Water Feature	A13NW (N)	0	-	274872 197308
28	Pollution Incidents to Controlled Waters Property Type: Not Given Location: Culvert Through, Mill Pond, NEATH Authority: Environment Agency, Welsh Region Pollutant: Light Oil Note: Not Supplied Incident Date: 15th November 1996 Incident Reference: 30502 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Unknown Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A13NE (N)	91	3	274900 197400

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
29	Pollution Incidents to Controlled Waters Property Type: Private Sewage (Non-PLC): Other Location: Below Quay Road Authority: Environment Agency, Welsh Region Pollutant: Sewage - Septic Tank Effluent Note: Inadequate Design/Capacity Incident Date: 11th February 1992 Incident Reference: 3019 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Direct Discharge Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m	A13NW (NW)	118	3	274800 197400
30	Pollution Incidents to Controlled Waters Property Type: Other Location: A465 River, Crossing Into, NEATH Authority: Environment Agency, Welsh Region Pollutant: Rubbish Note: Not Supplied Incident Date: 30th July 1991 Incident Reference: 1327 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Unknown Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m	A13NW (W)	164	3	274700 197300
31	Pollution Incidents to Controlled Waters Property Type: Not Given Location: Stephens Ship Hire, Canalside Authority: Environment Agency, Welsh Region Pollutant: Unknown Note: Not Supplied Incident Date: 9th April 1992 Incident Reference: 4525 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Unknown Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A13NE (N)	190	3	274900 197500
32	Pollution Incidents to Controlled Waters Property Type: Waste Handling Facilities Location: Down Stream Of, Quay Road Pumping Station Authority: Environment Agency, Welsh Region Pollutant: Unknown Note: Deliberate Act Incident Date: 11th February 1992 Incident Reference: 3153 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Direct Discharge Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m	A13NW (N)	206	3	274800 197500
33	Pollution Incidents to Controlled Waters Property Type: Not Given Location: Penywern Road Northern Authority: Environment Agency, Welsh Region Pollutant: Light Oil Note: Not Supplied Incident Date: 19th October 1994 Incident Reference: 21589 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Unknown Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m	A13SW (SW)	233	3	274650 197200
33	Pollution Incidents to Controlled Waters Property Type: Not Given Location: Opposite 18 Parr Avenue, NEATH Authority: Environment Agency, Welsh Region Pollutant: Natural Foam Note: River Neath; Natural Occurrence Incident Date: 18th August 1997 Incident Reference: 33320 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Natural Causes Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A13SW (W)	279	3	274600 197200

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
34	Pollution Incidents to Controlled Waters Property Type: Domestic/Residential Location: Dark Arches Nightclub, Commercial Street Authority: Environment Agency, Welsh Region Pollutant: Crude Sewage Note: Accidental Spillage/Leakage Incident Date: 18th May 1995 Incident Reference: 24217 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Runoff Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A13SE (SE)	311	3	275001 197001
35	Pollution Incidents to Controlled Waters Property Type: Not Given Location: NEATH Authority: Environment Agency, Welsh Region Pollutant: Foam/Soap Suds Note: Weather Incident Date: 21st April 1996 Incident Reference: 28071 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Runoff Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A18SE (N)	504	3	275001 197801
36	Pollution Incidents to Controlled Waters Property Type: Not Given Location: D C Griffith Way, Melin Y Wig Corwen, NEATH Authority: Environment Agency, Welsh Region Pollutant: Crude Sewage Note: Accidental Spillage/Leakage Incident Date: 19th February 1996 Incident Reference: 27414 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Leakage Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A8NW (S)	612	3	274700 196700
37	Pollution Incidents to Controlled Waters Property Type: Other Location: Roundabout Authority: Environment Agency, Welsh Region Pollutant: Light Oil Note: Vandalism Incident Date: 25th March 1991 Incident Reference: 1939 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Direct Discharge Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m	A12NE (NW)	643	3	274300 197600
38	Pollution Incidents to Controlled Waters Property Type: Warehouses Location: Milland Industrial Estate, NEATH Authority: Environment Agency, Welsh Region Pollutant: Unknown Note: Vandalism Incident Date: 21st August 1994 Incident Reference: 20744 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Leakage Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A8NW (SW)	648	3	274600 196700
38	Pollution Incidents to Controlled Waters Property Type: Not Given Location: Milland Road, NEATH Authority: Environment Agency, Welsh Region Pollutant: Miscellaneous - Fire water / Foam Note: Nant Crythan (Tributary Of River Neath); Direct Introduction Incident Date: 30th July 1997 Incident Reference: 33189 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Accidental Spillage/Leakage Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A8NW (SW)	652	3	274600 196695

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
39	Pollution Incidents to Controlled Waters Property Type: Road (Lost Load) Location: Dwrfein Road Authority: Environment Agency, Welsh Region Pollutant: Farm Land Run-Off Note: Accidental Spillage/Leakage Incident Date: 6th December 1995 Incident Reference: 27070 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Spillage Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m	A18NW (N)	694	3	274800 198000
40	Pollution Incidents to Controlled Waters Property Type: Water Company Sewage: Surface Water Outfall Location: Jeff Lewis, Transport, Millands Road Authority: Environment Agency, Welsh Region Pollutant: Chlorinated Water Note: Inadequate Design/Capacity Incident Date: 15th November 1995 Incident Reference: 26712 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Runoff Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A9NW (SE)	715	3	275400 196800
41	Pollution Incidents to Controlled Waters Property Type: Not Given Location: Safeways Garage, Riverside Authority: Environment Agency, Welsh Region Pollutant: Unknown Note: Not Supplied Incident Date: 6th September 1994 Incident Reference: 21047 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Unknown Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A19SW (NE)	722	3	275300 197900
42	Pollution Incidents to Controlled Waters Property Type: Warehouses Location: Dy-Oxydent Co D, C Griffiths Authority: Environment Agency, Welsh Region Pollutant: Light Oil Note: Accidental Spillage/Leakage Incident Date: 7th October 1991 Incident Reference: 4023 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Overflow Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m	A8SW (S)	722	3	274650 196600
43	Pollution Incidents to Controlled Waters Property Type: Not Given Location: Under Old Bridge, Along Footbridge Authority: Environment Agency, Welsh Region Pollutant: Crude Sewage Note: Not Supplied Incident Date: 19th June 1996 Incident Reference: 28932 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Unknown Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A18NE (N)	794	3	275001 198096
43	Pollution Incidents to Controlled Waters Property Type: Not Given Location: Bridge Authority: Environment Agency, Welsh Region Pollutant: Crude Sewage Note: Not Supplied Incident Date: 19th June 1996 Incident Reference: 28932 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Unknown Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A18NE (N)	799	3	275001 198101

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
44	Pollution Incidents to Controlled Waters Property Type: Warehouses Location: Millands Road Authority: Environment Agency, Welsh Region Pollutant: Coal Solids Note: Poor Operational Practise Incident Date: 30th April 1992 Incident Reference: 4643 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Leakage Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m	A7SE (SW)	902	3	274350 196550
45	Pollution Incidents to Controlled Waters Property Type: Not Given Location: From Llantwit Church, NEATH Authority: Environment Agency, Welsh Region Pollutant: Crude Sewage Note: Not Supplied Incident Date: 20th June 1996 Incident Reference: 28930 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Unknown Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A19NW (NE)	921	3	275500 197995
45	Pollution Incidents to Controlled Waters Property Type: Miscellaneous Premises: Surface Runoff Location: Church Neath, B And Q Stores, LLANTWIT Authority: Environment Agency, Welsh Region Pollutant: Crude Sewage Note: Not Supplied Incident Date: 20th June 1996 Incident Reference: 28930 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Unknown Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A19NW (NE)	925	3	275500 198000
46	Pollution Incidents to Controlled Waters Property Type: Not Given Location: Roundabout By, Safeways Near, Riverside Authority: Environment Agency, Welsh Region Pollutant: Crude Sewage Note: Not Supplied Incident Date: 2nd August 1994 Incident Reference: 21297 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Unknown Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m	A19SE (NE)	925	3	275600 197895
46	Pollution Incidents to Controlled Waters Property Type: Other Location: 14 Park Avenue, Maes Yr Afon Authority: Environment Agency, Welsh Region Pollutant: Mud/Clay/Soil Note: Deliberate Act Incident Date: 2nd February 1995 Incident Reference: 23042 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Direct Discharge Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A19SE (NE)	928	3	275600 197900
47	Pollution Incidents to Controlled Waters Property Type: Warehouses Location: Monastery Road, NEATH ABBEY Authority: Environment Agency, Welsh Region Pollutant: Crude Sewage Note: Not Supplied Incident Date: 21st October 1994 Incident Reference: 21619 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Runoff Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m	A12NW (W)	964	3	273900 197300

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
48	Pollution Incidents to Controlled Waters Property Type: Other Location: Opposite, Safeways Neath Authority: Environment Agency, Welsh Region Pollutant: Oils - Diesel (Including Agricultural) Note: Not Supplied Incident Date: 31st March 1992 Incident Reference: 4011 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Unknown Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m	A19NE (NE)	991	3	275600 197995
48	Pollution Incidents to Controlled Waters Property Type: Not Given Location: Adjacent To, Parr Avenue, NEATH Authority: Environment Agency, Welsh Region Pollutant: Cesspit Contents Note: Not Supplied Incident Date: 16th January 1996 Incident Reference: 27136 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Unknown Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A19NE (NE)	995	3	275600 198000
48	Pollution Incidents to Controlled Waters Property Type: Not Given Location: Adjacent To Parr Avenue, NEATH Authority: Environment Agency, Welsh Region Pollutant: Cesspit Contents Note: Not Supplied Incident Date: 16th January 1996 Incident Reference: 27136 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Unknown Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A19NE (NE)	995	3	275605 197995
	River Quality Name: Neath Canal GQA Grade: River Quality D Reach: Conf.Neath - Aberdulais Aqueduct Estimated Distance (km): 8 Flow Rate: Flow greater than 80 cumecs Flow Type: Canal Year: 2000	A13NW (NW)	32	3	274842 197318
	River Quality Name: Port Tennant Canal GQA Grade: River Quality B Reach: Neath Abbey - Conf.Neath Estimated Distance (km): 4 Flow Rate: Flow greater than 80 cumecs Flow Type: Canal Year: 2000	A13NW (NW)	151	3	274745 197388
	River Quality Name: Clydach GQA Grade: River Quality A Reach: Tidal Limit - Dyffryn Arms Bryncoch Estimated Distance (km): 4.3 Flow Rate: Flow less than 0.62 cumecs Flow Type: River Year: 2000	A12SW (W)	974	3	273894 197201
	River Quality Name: Port Tennant Canal GQA Grade: River Quality E Reach: Jersey Marine B - Neath Abbey Estimated Distance (km): 5 Flow Rate: Flow greater than 80 cumecs Flow Type: Canal Year: 2000	A12SW (W)	980	3	273905 197088

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: >550 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: >10m Superficial Recharge: No Data	A13NE (S)	0	2	274875 197298
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	A13NE (S)	0	2	274875 197298
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	A13NE (S)	0	2	274875 197298
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Models Boundary Accuracy: As Supplied	A13NE (N)	0	2	274875 197309
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	3	2	274886 197313
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (N)	8	2	274875 197318
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	8	2	274889 197317
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (N)	8	2	274871 197316
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (N)	9	2	274879 197320
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	13	2	274887 197324
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	13	2	274893 197319
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (W)	16	2	274851 197301
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (W)	24	2	274847 197309
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	30	2	274903 197334
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	31	2	274909 197329

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NW (W)	32	2	274833 197302
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NW (W)	38	2	274827 197299
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (W)	53	2	274813 197279
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	55	2	274926 197345
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (W)	57	2	274808 197284
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (W)	58	2	274807 197283
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (W)	64	2	274803 197271
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (W)	68	2	274798 197279
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (SW)	72	2	274798 197263
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (W)	73	2	274795 197269
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	75	2	274808 197343
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (W)	78	2	274788 197305
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	78	2	274825 197369
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	78	2	274812 197355
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	79	2	274810 197353
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	81	2	274828 197375

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	82	2	274799 197343
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (W)	85	2	274786 197323
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	90	2	274833 197389
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (SW)	92	2	274783 197247
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (SW)	94	2	274782 197245
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	95	2	274832 197393
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (SW)	96	2	274781 197244
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (N)	108	2	274847 197413
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (N)	118	2	274851 197425
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (SW)	126	2	274757 197226
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (W)	129	2	274741 197253
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	133	2	274763 197381
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	133	2	274763 197381
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (W)	134	2	274740 197243
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	135	2	274775 197399
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (N)	136	2	274875 197447

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (SW)	137	2	274753 197211
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	139	2	274781 197412
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (SW)	140	2	274751 197209
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (SW)	143	2	274745 197212
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (SW)	146	2	274750 197201
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (N)	148	2	274886 197459
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (SW)	149	2	274741 197208
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (SW)	151	2	274730 197223
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (SW)	163	2	274736 197191
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	164	2	274771 197436
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (SW)	168	2	274734 197185
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	169	2	274965 197459
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (SW)	171	2	274725 197192
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	175	2	274763 197444
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (SW)	177	2	274712 197201
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (SW)	182	2	274717 197184

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	183	2	274976 197469
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (SW)	185	2	274723 197173
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (SW)	186	2	274706 197195
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	186	2	274751 197448
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	189	2	274699 197383
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	189	2	274761 197460
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	189	2	274699 197383
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (S)	192	2	274947 197108
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	193	2	274769 197470
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	195	2	274707 197410
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	197	2	274773 197478
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	198	2	274701 197405
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (SW)	198	2	274698 197185
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	202	2	274781 197488
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	203	2	274787 197492
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (SW)	203	2	274737 197134

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (SW)	204	2	274706 197162
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (W)	205	2	274671 197359
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (SW)	205	2	274729 197138
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (N)	205	2	274955 197503
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (SW)	207	2	274723 197140
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (N)	209	2	274793 197501
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (SW)	211	2	274750 197115
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	213	2	274979 197502
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (W)	213	2	274661 197353
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (SW)	213	2	274701 197155
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (N)	215	2	274799 197510
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (SW)	216	2	274743 197113
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (SW)	218	2	274751 197106
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (SW)	219	2	274725 197123
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (SW)	219	2	274725 197123
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (N)	221	2	274803 197518

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (SW)	221	2	274695 197149
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	226	2	274992 197509
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (N)	227	2	274807 197525
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (N)	228	2	274811 197528
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	230	2	274709 197469
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	230	2	274709 197469
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	231	2	274725 197485
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	232	2	274704 197465
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	232	2	274719 197481
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	233	2	274711 197475
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (N)	235	2	274815 197535
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	235	2	274695 197461
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (W)	237	2	274631 197333
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	237	2	274689 197457
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	238	2	274756 197515
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	238	2	274749 197511

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	240	2	274681 197451
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (N)	241	2	274819 197543
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (SW)	241	2	274749 197081
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	242	2	274757 197521
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (SW)	242	2	274703 197111
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	247	2	274671 197449
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	248	2	274762 197529
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (SW)	248	2	274752 197071
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (N)	249	2	274827 197553
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	249	2	274665 197445
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	249	2	274660 197435
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Models Boundary Accuracy: As Supplied	A13NE (N)	0	2	274875 197309
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	75	2	274808 197343
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	78	2	274825 197369
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	78	2	274812 197355
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	81	2	274806 197351

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (W)	83	2	274786 197319
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	86	2	274831 197383
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	90	2	274833 197389
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (N)	101	2	274840 197403
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (W)	106	2	274760 197271
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (N)	107	2	274844 197411
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (W)	120	2	274747 197263
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (N)	131	2	274868 197441
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	133	2	274763 197381
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	137	2	274779 197408
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (N)	163	2	274894 197473
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (W)	167	2	274697 197291
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (N)	169	2	274817 197468
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	177	2	274747 197432
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	179	2	274743 197430
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	186	2	274751 197448

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	188	2	274792 197477
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	189	2	274699 197383
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (N)	191	2	274907 197501
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (W)	194	2	274687 197371
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (N)	195	2	274806 197491
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (N)	198	2	274911 197507
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (N)	199	2	274919 197507
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (SW)	203	2	274737 197134
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (N)	204	2	274920 197511
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (N)	205	2	274818 197505
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (N)	207	2	274855 197516
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (N)	212	2	274924 197519
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (N)	221	2	274928 197527
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (N)	221	2	274836 197527
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (N)	223	2	274809 197522
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (N)	229	2	274932 197535

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (N)	231	2	274848 197539
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	232	2	274722 197483
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	232	2	274719 197481
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	233	2	274740 197499
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	233	2	274698 197461
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (N)	235	2	274933 197541
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	238	2	274685 197453
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	243	2	274760 197523
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (N)	248	2	274938 197553
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	250	2	274773 197537
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas None				
	Flood Defences None				
49	OS Water Network Lines Watercourse Form: Canal Watercourse Length: 3084.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Neath Canal Catchment Name: Neath Primacy: 1	A13NW (N)	4	5	274871 197312
50	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 946.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Nedd Catchment Name: Neath Primacy: 1	A13NW (NW)	110	5	274784 197372

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
51	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 84.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Nedd Catchment Name: Neath Primacy: 1	A13NW (W)	117	5	274751 197325
52	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 80.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NW (W)	119	5	274753 197334
53	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 167.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Nedd Catchment Name: Neath Primacy: 1	A13SW (W)	154	5	274712 197261
54	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 55.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13SW (W)	154	5	274712 197261
55	OS Water Network Lines Watercourse Form: Canal Watercourse Length: 592.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Tennant Canal Catchment Name: Neath Primacy: 1	A13NW (NW)	171	5	274767 197442
56	OS Water Network Lines Watercourse Form: Canal Watercourse Length: 86.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Tennant Canal Catchment Name: Neath Primacy: 1	A13NW (NW)	172	5	274754 197432
57	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 226.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NW (NW)	172	5	274754 197432
58	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 74.4 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NW (NW)	175	5	274727 197404
59	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 61.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13SW (W)	198	5	274667 197279

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
60	OS Water Network Lines Watercourse Form: Canal Watercourse Length: 69.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Tennant Canal Catchment Name: Neath Primacy: 1	A13NW (NW)	213	5	274678 197395
61	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 44.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13SW (SW)	222	5	274717 197125
62	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 27.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13SW (W)	231	5	274643 197225
63	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 268.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NW (NW)	237	5	274724 197492
64	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NW (NW)	246	5	274685 197465
65	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 13.0 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NW (NW)	249	5	274684 197468
66	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 26.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NW (NW)	261	5	274676 197479
67	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 120.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13SW (SW)	265	5	274680 197102
68	OS Water Network Lines Watercourse Form: Canal Watercourse Length: 196.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Tennant Canal Catchment Name: Neath Primacy: 1	A13NW (W)	267	5	274611 197377

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
69	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 29.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NW (NW)	279	5	274702 197528
70	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 147.2 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NW (NW)	280	5	274715 197539
71	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 46.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NW (NW)	281	5	274692 197522
72	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.1 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NW (NW)	288	5	274658 197498
73	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 84.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Nedd Catchment Name: Neath Primacy: 1	A13SW (SW)	303	5	274607 197131
74	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 14.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Not Supplied Primacy: 1	A13SW (SW)	303	5	274607 197131
75	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 31.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13SW (SW)	307	5	274596 197141
76	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 125.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NW (W)	329	5	274545 197372
77	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 99.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (N)	341	5	274817 197645

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
78	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 125.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13SW (SW)	360	5	274562 197096
79	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 30.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Not Supplied Primacy: 1	A13SW (SW)	360	5	274562 197096
80	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 59.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (N)	381	5	274828 197688
81	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 84.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Nedd Catchment Name: Neath Primacy: 1	A13SW (SW)	384	5	274552 197067
82	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 32.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (SW)	410	5	274497 197110
83	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 9.4 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (N)	425	5	274858 197735
84	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 58.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (N)	425	5	274858 197735
85	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 63.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (SW)	428	5	274468 197127
86	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 19.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (N)	432	5	274852 197741

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
87	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (SW)	435	5	274471 197105
88	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (SW)	438	5	274470 197101
89	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 81.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (SW)	440	5	274467 197102
90	OS Water Network Lines Watercourse Form: Canal Watercourse Length: 22.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Tennant Canal Catchment Name: Neath Primacy: 1	A12NE (W)	447	5	274420 197344
91	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (N)	451	5	274844 197760
92	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 92.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (N)	452	5	274843 197761
93	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 33.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (SW)	461	5	274485 197030
94	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 107.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (SW)	462	5	274510 196995
95	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 97.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Nedd Catchment Name: Neath Primacy: 1	A12SE (SW)	462	5	274510 196995

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
96	OS Water Network Lines Watercourse Form: Canal Watercourse Length: 30.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Tennant Canal Catchment Name: Neath Primacy: 1	A12NE (W)	470	5	274397 197342
97	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 62.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (W)	483	5	274402 197148
98	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 260.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (W)	496	5	274382 197176
99	OS Water Network Lines Watercourse Form: Canal Watercourse Length: 377.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Tennant Canal Catchment Name: Neath Primacy: 1	A12NE (W)	499	5	274367 197337
100	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 41.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Cryddan Brook Catchment Name: Neath Primacy: 1	A8NW (SW)	509	5	274574 196873
101	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 43.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (W)	513	5	274364 197174
102	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8NW (SW)	515	5	274593 196854
103	OS Water Network Lines Watercourse Form: Canal Watercourse Length: 6.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Neath Canal Catchment Name: Neath Primacy: 1	A8NW (SW)	516	5	274540 196890
104	OS Water Network Lines Watercourse Form: Canal Watercourse Length: 5.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A8NW (SW)	516	5	274540 196890

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
105	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 73.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A7NE (SW)	518	5	274525 196900
106	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 14.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A7NE (SW)	518	5	274536 196891
107	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 175.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Cryddan Brook Catchment Name: Neath Primacy: 1	A8NW (SW)	518	5	274589 196853
108	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 19.3 Watercourse Level: Underground Permanent: True Watercourse Name: Cryddan Brook Catchment Name: Neath Primacy: 1	A8NW (SW)	518	5	274558 196874
109	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 38.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A12SE (SW)	520	5	274390 197078
110	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 36.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (SW)	520	5	274390 197078
111	OS Water Network Lines Watercourse Form: Canal Watercourse Length: 2006.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Neath Canal Catchment Name: Neath Primacy: 1	A8NW (SW)	521	5	274541 196883
112	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 40.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (SW)	526	5	274429 196995
113	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 21.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (SW)	526	5	274429 196995

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
114	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.2 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (N)	536	5	274795 197840
115	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 59.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (W)	538	5	274360 197102
116	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 174.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (N)	540	5	274793 197843
117	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 226.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (W)	549	5	274336 197141
118	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 82.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A12SE (W)	549	5	274336 197141
119	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 36.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Nedd Catchment Name: Neath Primacy: 1	A7NE (SW)	555	5	274462 196910
120	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 99.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (SW)	557	5	274393 196995
121	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 27.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Not Supplied Primacy: 1	A7NE (SW)	591	5	274433 196887
122	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 51.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Nedd Catchment Name: Neath Primacy: 1	A7NE (SW)	591	5	274433 196887

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
123	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 126.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (SW)	592	5	274320 197058
124	OS Water Network Lines Watercourse Form: Foreshore Watercourse Length: 16.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Not Supplied Primacy: 1	A7NE (SW)	596	5	274412 196904
125	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Not Supplied Primacy: 1	A7NE (SW)	597	5	274394 196923
126	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 6.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Not Supplied Primacy: 1	A7NE (SW)	599	5	274399 196915
127	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 90.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7NE (SW)	602	5	274393 196916
128	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 69.9 Watercourse Level: Underground Permanent: True Watercourse Name: Cryddan Brook Catchment Name: Neath Primacy: 1	A8NW (S)	604	5	274690 196712
129	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7NE (SW)	618	5	274460 196825
130	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 23.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A12SE (W)	630	5	274258 197120
131	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 71.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NE (NW)	636	5	274289 197563

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
132	OS Water Network Lines Watercourse Form: Canal Watercourse Length: 9.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Tennant Canal Catchment Name: Neath Primacy: 1	A18SE (N)	641	5	275040 197932
133	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 73.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Nedd Catchment Name: Neath Primacy: 1	A7NE (SW)	642	5	274399 196849
134	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 24.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Not Supplied Primacy: 1	A7NE (SW)	642	5	274399 196849
135	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 22.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Not Supplied Primacy: 1	A7NE (SW)	644	5	274377 196870
136	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 34.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7NE (SW)	648	5	274363 196880
137	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 519.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17SE (NW)	648	5	274324 197653
138	OS Water Network Lines Watercourse Form: Canal Watercourse Length: 299.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Tennant Canal Catchment Name: Neath Primacy: 1	A18SE (N)	649	5	275046 197939
139	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 85.7 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NE (W)	649	5	274258 197523
140	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 18.1 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NE (NW)	650	5	274282 197581

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
141	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 30.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (W)	653	5	274234 197117
142	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 6.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (W)	653	5	274234 197117
143	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (W)	653	5	274235 197115
144	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 15.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (W)	653	5	274235 197115
145	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 25.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (W)	655	5	274231 197123
146	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 17.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (W)	658	5	274235 197100
147	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 130.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Cryddan Brook Catchment Name: Neath Primacy: 1	A8NW (S)	667	5	274700 196643
148	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 162.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7NE (SW)	677	5	274357 196844
149	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 76.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (W)	683	5	274207 197103

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
150	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 44.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (W)	683	5	274207 197103
151	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 26.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7NE (SW)	692	5	274287 196908
152	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 13.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NW (W)	697	5	274190 197470
153	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1.6 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (N)	699	5	274789 198003
154	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 79.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (N)	701	5	274789 198005
155	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 15.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NW (W)	702	5	274182 197460
156	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 15.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A12NW (W)	702	5	274182 197460
157	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7NE (SW)	704	5	274281 196898
158	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 1.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7NE (SW)	707	5	274278 196895

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
159	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 120.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7NE (SW)	708	5	274279 196894
160	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 32.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NW (W)	712	5	274170 197450
161	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 120.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Nedd Catchment Name: Neath Primacy: 1	A7NE (SW)	715	5	274350 196794
162	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 130.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NW (W)	718	5	274147 197330
163	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 41.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SW (W)	720	5	274179 197071
164	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 158.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NW (W)	738	5	274146 197464
165	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 68.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NW (W)	739	5	274135 197411
166	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 21.3 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NW (W)	739	5	274135 197411
167	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 10.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NW (W)	740	5	274139 197441

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
168	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 1.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SW (SW)	745	5	274191 196971
169	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 144.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Cryddan Brook Catchment Name: Neath Primacy: 1	A8SW (S)	746	5	274832 196542
170	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 45.4 Watercourse Level: Underground Permanent: True Watercourse Name: Cryddan Brook Catchment Name: Neath Primacy: 1	A8SW (S)	746	5	274836 196542
171	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 104.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SW (SW)	747	5	274189 196971
172	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 595.4 Watercourse Level: Underground Permanent: True Watercourse Name: Gnoll Brook Catchment Name: Neath Primacy: 1	A14NE (E)	749	5	275615 197469
173	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 111.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Cryddan Brook Catchment Name: Neath Primacy: 1	A8SE (S)	749	5	274881 196537
174	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 9.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SW (W)	757	5	274124 197134
175	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 21.3 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (N)	758	5	274837 198068
176	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 41.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SW (W)	759	5	274134 197084

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
177	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 2.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SW (W)	760	5	274119 197142
178	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 2.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SW (W)	760	5	274144 197048
179	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 2.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SW (W)	762	5	274142 197049
180	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 19.7 Watercourse Level: Underground Permanent: True Watercourse Name: Cryddan Brook Catchment Name: Neath Primacy: 1	A8SW (S)	762	5	274706 196543
181	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 13.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SW (W)	763	5	274142 197046
182	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 371.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Gnoll Brook Catchment Name: Neath Primacy: 1	A14NE (E)	768	5	275651 197311
183	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 101.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7NE (SW)	773	5	274213 196875
184	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 140.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (N)	776	5	274848 198086
185	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 22.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7NE (SW)	776	5	274244 196825

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
186	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SW (W)	778	5	274101 197142
187	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 11.6 Watercourse Level: Underground Permanent: True Watercourse Name: Cryddan Brook Catchment Name: Neath Primacy: 1	A8SE (S)	779	5	274988 196515
188	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 8.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SW (W)	780	5	274101 197129
189	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 107.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A19SW (NE)	782	5	275323 197957
190	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 191.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Nedd Catchment Name: Neath Primacy: 1	A19SW (NE)	782	5	275323 197957
191	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 111.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Cryddan Brook Catchment Name: Neath Primacy: 1	A8SE (S)	784	5	274999 196512
192	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 9.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7NW (SW)	790	5	274182 196893
193	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 17.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7NW (SW)	790	5	274182 196893
194	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 69.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NW (W)	790	5	274078 197373

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
195	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 96.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7NW (SW)	793	5	274155 196936
196	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 64.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7NW (SW)	794	5	274155 196934
197	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 48.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SW (W)	796	5	274110 197038
198	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 152.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A12SW (W)	796	5	274110 197038
199	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 79.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7NE (SW)	796	5	274225 196817
200	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SW (W)	802	5	274109 197020
201	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 24.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (NW)	802	5	274543 198039
202	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 84.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SW (W)	804	5	274108 197016
203	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 63.6 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17NE (NW)	804	5	274521 198030

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
204	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 60.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7NW (SW)	805	5	274173 196879
205	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 51.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Not Supplied Primacy: 1	A7NE (SW)	822	5	274250 196746
206	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 47.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7NE (SW)	830	5	274278 196704
207	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 212.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Nedd Catchment Name: Neath Primacy: 1	A7NE (SW)	830	5	274278 196704
208	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 43.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SW (W)	835	5	274066 197044
209	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 43.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7NW (SW)	837	5	274130 196889
210	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 1.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SW (W)	838	5	274065 197039
211	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 36.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A12SW (W)	838	5	274066 197038
212	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 23.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7NW (SW)	840	5	274110 196921

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
213	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7NE (SW)	843	5	274302 196663
214	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 9.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7NE (SW)	844	5	274309 196656
215	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7NE (SW)	845	5	274310 196654
216	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 2.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NW (W)	845	5	274020 197332
217	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NW (W)	845	5	274020 197332
218	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 26.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NW (W)	846	5	274018 197333
219	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 10.9 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7NE (SW)	850	5	274310 196646
220	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 10.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7NW (SW)	851	5	274110 196897
221	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 42.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A7NW (SW)	854	5	274112 196886

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
222	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 13.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7NE (SW)	855	5	274315 196636
223	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 50.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7NW (SW)	860	5	274084 196931
224	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 6.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Gnoll Brook Catchment Name: Neath Primacy: 1	A19SW (NE)	860	5	275517 197891
225	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 15.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7NW (SW)	861	5	274087 196921
226	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 94.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SW (W)	862	5	274034 197058
227	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 10.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A12SW (W)	862	5	274034 197058
228	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7NW (SW)	863	5	274084 196924
229	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 29.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Gnoll Brook Catchment Name: Neath Primacy: 1	A19SW (NE)	863	5	275516 197898
230	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 40.2 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7NW (SW)	863	5	274130 196838

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
231	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 19.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7NW (SW)	863	5	274089 196910
232	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 14.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7SE (SW)	863	5	274318 196623
233	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 153.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A12SW (W)	866	5	274032 197049
234	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 17.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NW (W)	866	5	273999 197340
235	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 138.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SW (W)	870	5	274058 196965
236	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 25.3 Watercourse Level: Underground Permanent: True Watercourse Name: Cryddan Brook Catchment Name: Neath Primacy: 1	A8SE (S)	871	5	275060 196434
237	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 202.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7SE (SW)	871	5	274323 196610
238	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NW (W)	871	5	273993 197325
239	OS Water Network Lines Watercourse Form: Canal Watercourse Length: 417.4 Watercourse Level: suspendedOrElevated Permanent: True Watercourse Name: Tennant Canal Catchment Name: Neath Primacy: 1	A12NW (W)	873	5	273991 197305

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
240	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 84.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A12NW (W)	873	5	273991 197305
241	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 17.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NW (W)	873	5	273991 197316
242	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 81.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A19SW (NE)	878	5	275509 197927
243	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 290.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Nedd Catchment Name: Neath Primacy: 1	A19SW (NE)	878	5	275509 197927
244	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7NW (SW)	880	5	274078 196894
245	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 9.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7NW (SW)	890	5	274091 196850
246	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 277.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A19NW (NE)	893	5	275298 198101
247	OS Water Network Lines Watercourse Form: Canal Watercourse Length: 76.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Tennant Canal Catchment Name: Neath Primacy: 1	A19NW (NE)	894	5	275284 198110
248	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 19.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7NW (SW)	895	5	274083 196855

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
249	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 14.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Cryddan Brook Catchment Name: Neath Primacy: 1	A8SE (S)	895	5	275074 196413
250	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 13.2 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (N)	897	5	274816 198206
251	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 25.9 Watercourse Level: Underground Permanent: True Watercourse Name: Cryddan Brook Catchment Name: Neath Primacy: 1	A8SE (S)	906	5	275085 196404
252	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 16.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (N)	909	5	274809 198217
253	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7NW (SW)	913	5	274071 196841
254	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7NW (SW)	914	5	274069 196840
255	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 20.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A7NW (SW)	914	5	274069 196840
256	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 103.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SW (W)	914	5	273956 197191
257	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 21.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7NW (SW)	915	5	274069 196839

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
258	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 20.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A7NW (SW)	917	5	274051 196868
259	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 51.6 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A7NW (SW)	917	5	274029 196912
260	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 12.7 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (N)	925	5	274801 198232
261	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 190.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Cryddan Brook Catchment Name: Neath Primacy: 1	A8SE (S)	926	5	275106 196389
262	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 26.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7NW (SW)	935	5	274054 196823
263	OS Water Network Lines Watercourse Form: Marsh Watercourse Length: 56.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A7NW (SW)	935	5	274010 196910
264	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 42.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A7NW (SW)	935	5	274010 196910
265	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 49.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (N)	936	5	274794 198243
266	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 88.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7NW (W)	940	5	273990 196945

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
267	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 20.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A19NW (NE)	942	5	275519 198005
268	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 111.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7NW (SW)	945	5	274088 196753
269	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 16.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A12SW (W)	946	5	273918 197285
270	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 26.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7NW (SW)	948	5	274072 196771
271	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 21.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A12SW (W)	949	5	273958 197010
272	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 47.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A7NW (SW)	950	5	274021 196854
273	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 29.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7NW (W)	952	5	273980 196938
274	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 63.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7NW (SW)	958	5	274039 196806
275	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A7NW (SW)	958	5	274039 196806

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
276	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 34.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A7NW (SW)	960	5	274034 196810
277	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 11.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SW (W)	960	5	273904 197277
278	OS Water Network Lines Watercourse Form: Canal Watercourse Length: 19.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Tennant Canal Catchment Name: Neath Primacy: 1	A19NW (NE)	961	5	275348 198151
279	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 72.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A19NW (NE)	961	5	275529 198022
280	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 116.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A19NW (NE)	961	5	275529 198022
281	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 2.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A12SW (W)	969	5	273937 197010
282	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 90.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7NW (SW)	971	5	274059 196748
283	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 26.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Clydach Catchment Name: Neath Primacy: 1	A12SW (W)	972	5	273892 197276
284	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 20.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Clydach Catchment Name: Neath Primacy: 2	A12SW (W)	972	5	273892 197276

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
285	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 10.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7NW (SW)	972	5	273969 196911
286	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 13.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Eastland Brook Catchment Name: Neath Primacy: 1	A9SW (SE)	974	5	275522 196557
287	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 28.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A7NW (SW)	975	5	273971 196901
288	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 25.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7NW (SW)	975	5	273971 196901
289	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 41.0 Watercourse Level: Underground Permanent: True Watercourse Name: Tennant Canal Catchment Name: Neath Primacy: 1	A19NW (NE)	976	5	275366 198159
290	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 113.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (N)	981	5	274771 198285
291	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 26.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (N)	981	5	274771 198285
292	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 40.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7NW (W)	982	5	273952 196927
293	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Eastland Brook Catchment Name: Neath Primacy: 1	A9SW (SE)	983	5	275521 196544

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
294	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 10.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7SW (SW)	983	5	274195 196572
295	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 206.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A9SW (SE)	984	5	275521 196543
296	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 209.7 Watercourse Level: Underground Permanent: True Watercourse Name: Eastland Brook Catchment Name: Neath Primacy: 1	A9SW (SE)	984	5	275521 196543
297	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 9.2 Watercourse Level: Underground Permanent: True Watercourse Name: River Clydach Catchment Name: Neath Primacy: 1	A12SW (W)	984	5	273879 197296
298	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 130.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Clydach Catchment Name: Neath Primacy: 1	A12NW (W)	985	5	273879 197300
299	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 748.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A19NW (NE)	985	5	275381 198161
300	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 38.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Clydach Catchment Name: Neath Primacy: 1	A12SW (W)	986	5	273878 197291
301	OS Water Network Lines Watercourse Form: Marsh Watercourse Length: 91.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A7NW (SW)	987	5	273970 196875
302	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 516.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Clydach Catchment Name: Neath Primacy: 1	A12SW (W)	988	5	273877 197256

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
303	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 31.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7SW (SW)	991	5	274194 196562
304	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 2.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7NW (SW)	995	5	273951 196896
305	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7NW (SW)	997	5	273950 196895
306	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7NW (SW)	998	5	273952 196885
307	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 31.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Not Supplied Primacy: 1	A7NW (SW)	999	5	274089 196662
308	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 48.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A19NW (NE)	999	5	275507 198090
309	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 34.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A19NW (NE)	999	5	275507 198090

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
310	Historical Landfill Sites Licence Holder: Neath Borough Council Location: Neath, West Glamorgan Name: Neath Abbey Operator Location: Not Supplied Boundary Accuracy: As Supplied Provider Reference: EAHLD14880 First Input Date: 31st December 1980 Last Input Date: 31st December 1980 Specified Waste Type: Deposited Waste included Inert, Industrial, Commercial, Household and Special Waste EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: 6930/0011 BGS Ref: Not Supplied Other Ref: Not Supplied	A12SE (W)	516	2	274348 197290
311	Licensed Waste Management Facilities (Locations) Licence Number: 34234 Location: Lewis 4x4 Ltd, Canal Road, Neath, N P T, SA11 1LJ Operator Name: Lewis Land Rovers Ltd Operator Location: Not Supplied Authority: Natural Resources Wales Site Category: End of Life Vehicles Licence Status: Surrendered Issued: 26th October 2004 Last Modified: Not Supplied Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: 30th October 2009 IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	A13NE (NE)	159	2	274949 197455
311	Licensed Waste Management Facilities (Locations) Licence Number: MP3398FU Location: Davies Skips Ltd, Canal Road, Neath, N P T, Neath Port Talbot, SA11 1LJ Operator Name: Davies Skips Ltd Operator Location: Not Supplied Authority: Natural Resources Wales Site Category: Not Supplied Licence Status: Effective Issued: 20th September 1993 Last Modified: Not Supplied Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	A13NE (NE)	182	2	274957 197477
312	Licensed Waste Management Facilities (Locations) Licence Number: WB3897TT Location: Abbey Salvage Vehicle Dismantlers, Abbey Salvage, Neath Abbey Road, Neath, Neath Port Talbot, Neath Port Talbot, SA10 7BR Operator Name: Codoco UK Ltd Operator Location: Not Supplied Authority: Natural Resources Wales Site Category: Not Supplied Licence Status: Expired Issued: 5th July 2016 Last Modified: Not Supplied Expires: 2nd October 2018 Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	A12NE (W)	504	2	274398 197483

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
312	Licensed Waste Management Facilities (Locations) Licence Number: 900037 Location: Neath Abbey Rd, Neath, SA10 7BR Operator Name: Abbey Salvage Operator Location: Not Supplied Authority: Natural Resources Wales Site Category: Vehicle depollution facility Licence Status: Issued Issued: 15th October 2013 Last Modified: Not Supplied Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	A12NE (W)	504	2	274398 197483
313	Licensed Waste Management Facilities (Locations) Licence Number: PP3098FS Location: Fordpad Scrap, Neath, N P T, Neath Port Talbot, SA11 1AU Operator Name: Fordpad Ltd Operator Location: Not Supplied Authority: Natural Resources Wales Site Category: Not Supplied Licence Status: Effective Issued: 2nd January 1993 Last Modified: Not Supplied Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	A8SW (S)	675	2	274765 196620
313	Licensed Waste Management Facilities (Locations) Licence Number: 34035 Location: Foundry Works, D C Griffiths Way, Neath, SA11 1AU Operator Name: Fordpad Ltd Operator Location: Not Supplied Authority: Natural Resources Wales Site Category: Metal Recycling Sites (Mixed) Licence Status: Modified Issued: 2nd February 1992 Last Modified: 22nd February 2002 Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	A8SW (S)	675	2	274765 196620
	Local Authority Landfill Coverage Name: Neath Port Talbot County Borough Council - Has supplied landfill data		0	4	274875 197298
314	Local Authority Recorded Landfill Sites Location: Neath Abbey Reference: Not Supplied Authority: Neath Port Talbot County Borough Council, Environmental Health Department Last Reported Status: Not Supplied Types of Waste: Not Supplied Date of Closure: Not Supplied Positional Accuracy: Located by supplier to within 100m Boundary Quality: Not Applicable	A12SW (W)	715	4	274150 197250
315	Potentially Infilled Land (Non-Water) Bearing Ref: NW Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A13NW (NW)	6	-	274869 197312
316	Potentially Infilled Land (Non-Water) Bearing Ref: S Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A13SW (S)	26	-	274862 197264
317	Potentially Infilled Land (Non-Water) Bearing Ref: N Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A13NE (N)	162	-	274939 197463

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
318	Potentially Infilled Land (Non-Water) Bearing Ref: S Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A8NW (S)	418	-	274816 196873
319	Potentially Infilled Land (Non-Water) Bearing Ref: E Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A14SW (E)	609	-	275482 197191
320	Potentially Infilled Land (Non-Water) Bearing Ref: SE Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A9NW (SE)	641	-	275346 196849
321	Potentially Infilled Land (Non-Water) Bearing Ref: SE Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A9NW (SE)	718	-	275354 196750
322	Potentially Infilled Land (Non-Water) Bearing Ref: W Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A12NW (W)	731	-	274152 197458
323	Potentially Infilled Land (Non-Water) Bearing Ref: E Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A14NE (E)	760	-	275643 197302
324	Potentially Infilled Land (Non-Water) Bearing Ref: SW Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A7SE (SW)	819	-	274424 196601
325	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1884	A13NE (S)	0	-	274875 197298
326	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1935	A13NW (NW)	279	-	274735 197550
327	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1900	A8NW (S)	360	-	274847 196927
328	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1884	A8NE (S)	410	-	274889 196876
329	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1900	A8NE (SE)	418	-	275048 196905
330	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1921	A9NW (SE)	564	-	275261 196873
331	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1900	A18SW (N)	613	-	274753 197910
332	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1900	A7NE (SW)	627	-	274486 196791
333	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A12NE (NW)	628	-	274291 197548
334	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A12NE (W)	660	-	274252 197539
335	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A18NW (N)	689	-	274787 197993
336	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1921	A7NE (SW)	699	-	274457 196723

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
337	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1921	A9NW (SE)	710	-	275440 196854
338	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1935	A8SE (S)	719	-	274911 196568
339	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1940	A7NE (SW)	750	-	274407 196697
340	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1921	A19SW (NE)	775	-	275439 197851
341	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1884	A12NW (W)	864	-	274001 197345
342	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1900	A7SE (SW)	870	-	274399 196557
343	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1921	A9SW (SE)	933	-	275460 196558
344	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1884	A7SE (SW)	965	-	274311 196501
345	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1884	A19SE (NE)	987	-	275775 197734
346	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1900	A7SE (SW)	991	-	274392 196420
347	Registered Waste Transfer Sites Licence Holder: Stephens Brothers Skip Hire Ltd Licence Reference: NBWD 13 Site Location: 6 Canal Road, NEATH, West Glamorgan, SA11 1LJ Operator Location: As Site Address Authority: Environment Agency Wales, South West Area Site Category: Transfer Max Input Rate: Medium (Equal to or greater than 25,000 and less than 75,000 tonnes per year) Waste Source: No known restriction on source of waste Restrictions: Licence Status: Operational as far as is knownOperational Dated: 2nd September 1993 Preceded By: Not Given Licence: Superseded By: Not Given Licence: Positional Accuracy: Manually positioned to the address or location Boundary Quality: Not Supplied Authorised Waste: Batteries Max.Stor Electrical Scrap Max.Stor Ferrous Metal Scrap Max.Stor Non-Ferrous Metal Scrap Max.Stor Scrap Vehicles Max.Stor Swarf Max.Stor Prohibited Waste: Elemental Sodium/Potassium Metal In Fine Powder Form Percussive/Explosive/Similar Waste Special Wastes (As In S17 1980) N.O.S Sub'S Control. Radioactive Subs Act'60 Waste Cont'G Flam.Solvents Exc.Petrol Waste Cont'G Liquid Pcb's Waste N.O.S.	A13NE (N)	188	3	274940 197490

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
348	Registered Waste Treatment or Disposal Sites Licence Holder: Fordpad Ltd Licence Reference: NBSC 1 Site Location: Foundry Works, D C Griffiths Way, NEATH, West Glamorgan, SA11 1AU Operator Location: Abernant House, Altygraban Road, Pontarddulais, SWANSEA, West Glamorgan, SA4 1DS Authority: Environment Agency Wales, South West Area Site Category: Scrapyard Max Input Rate: Very Small (Less than 10,000 tonnes per year) Waste Source: No known restriction on source of waste Restrictions: Licence Status: Operational as far as is knownOperational Dated: 19th December 1991 Preceded By: Not Given Licence: Superseded By: Not Given Licence: Positional Accuracy: Manually positioned to the address or location Boundary Quality: Not Supplied Authorised Waste: Batteries Max.Stor Electrical Scrap Max.Stor Ferrous Metal Scrap Max.Stor Non-Ferrous Metal Scrap Max.Stor Prohibited Waste: Elemental Sodium/Potassium Metal In Fine Powder Form Percussive/Explosive/Similar Waste Special Wastes N.O.S. Sub'S Control. Radioactive Subs Act'60 Waste Cont. Flam.Solvent (Exc.Petrol) Waste N.O.S.	A8SW (S)	673	3	274780 196620

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
349	Control of Major Accident Hazards Sites (COMAH) Name: Transco Plc Location: Neath Gas Works, Milland Road, NEATH, Mid Glamorgan, SA11 1NJ Reference: Not Supplied Type: Lower Tier Status: Record Ceased To Be Supplied Under COMAH Regulations Positional Accuracy: Manually positioned to the address or location	A13SW (SW)	285	6	274692 197064
350	Notification of Installations Handling Hazardous Substances (NIHHS) Name: Transco Location: Neath Gas Works, Milland Road, Neath, Mid Glamorgan, Sa11 1Nj Status: Not Active Positional Accuracy: Manually positioned to the address or location	A13SW (SW)	362	6	274632 197014

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: South Wales Upper Coal Measures Formation	A13NE (S)	0	1	274875 197298
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 25 - 35 mg/kg Cadmium Concentration: 2.2 - 3.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A13NE (S)	0	1	274875 197298
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: 2.2 - 3.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A13NE (E)	155	1	275039 197307
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 25 - 35 mg/kg Cadmium Concentration: 2.2 - 3.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A13SE (SE)	188	1	275041 197196
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 25 - 35 mg/kg Cadmium Concentration: 3.0 - 6.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A13NE (N)	189	1	274875 197500
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 25 - 35 mg/kg Cadmium Concentration: 2.2 - 3.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A13SE (SE)	189	1	275044 197198
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: 2.2 - 3.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A13SE (SE)	193	1	275044 197192

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 15 - 25 mg/kg Concentration: Cadmium 3.0 - 6.0 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	A13NW (NW)	281	1	274762 197566
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 25 - 35 mg/kg Concentration: Cadmium 1.8 - 2.2 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	A13SE (S)	286	1	274875 197000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 15 - 25 mg/kg Concentration: Cadmium 2.2 - 3.0 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	A13NW (NW)	301	1	274641 197500
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 15 - 25 mg/kg Concentration: Cadmium 1.8 - 2.2 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	A13SE (SE)	341	1	275063 197000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 25 - 35 mg/kg Concentration: Cadmium 3.0 - 6.0 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	A12NE (W)	364	1	274500 197298
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 25 - 35 mg/kg Concentration: Cadmium 1.8 - 2.2 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	A14SW (SE)	442	1	275213 197000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 25 - 35 mg/kg Concentration: Cadmium: 2.2 - 3.0 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A12SE (SW)	466	1	274500 197000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 25 - 35 mg/kg Concentration: Cadmium: 2.2 - 3.0 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A14NW (E)	529	1	275390 197460
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 45 - 60 mg/kg Concentration: Cadmium: 1.8 - 2.2 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A8NE (SE)	544	1	275208 196855
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 15 - 25 mg/kg Concentration: Cadmium: 2.2 - 3.0 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A18SE (N)	615	1	275000 197914
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 25 - 35 mg/kg Concentration: Cadmium: 1.8 - 2.2 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel: 30 - 45 mg/kg Concentration:	A9NW (SE)	666	1	275341 196809
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 35 - 45 mg/kg Concentration: Cadmium: 3.0 - 6.0 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel: 30 - 45 mg/kg Concentration:	A17SE (NW)	700	1	274314 197728

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 25 - 35 mg/kg Concentration: Cadmium 1.8 - 2.2 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 30 - 45 mg/kg Concentration:	A8SW (S)	768	1	274827 196520
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 35 - 45 mg/kg Concentration: Cadmium 2.2 - 3.0 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 30 - 45 mg/kg Concentration:	A14SE (E)	773	1	275656 197297
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 45 - 60 mg/kg Concentration: Cadmium <1.8 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	A8SE (S)	786	1	274875 196500
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 25 - 35 mg/kg Concentration: Cadmium <1.8 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 30 - 45 mg/kg Concentration:	A8SW (S)	787	1	274833 196500
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 45 - 60 mg/kg Concentration: Cadmium 3.0 - 6.0 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	A17SE (NW)	789	1	274312 197862
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 25 - 35 mg/kg Concentration: Cadmium <1.8 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	A8SW (S)	789	1	274804 196500

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 25 - 35 mg/kg Concentration: Cadmium: 3.0 - 6.0 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel: 30 - 45 mg/kg Concentration:	A17SE (NW)	804	1	274229 197788
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 35 - 45 mg/kg Concentration: Cadmium: 1.8 - 2.2 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel: 30 - 45 mg/kg Concentration:	A9NE (SE)	813	1	275604 196923
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 15 - 25 mg/kg Concentration: Cadmium: 1.8 - 2.2 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A14SE (E)	813	1	275638 197000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 45 - 60 mg/kg Concentration: Cadmium: 3.0 - 6.0 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A17SW (NW)	835	1	274143 197713
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 25 - 35 mg/kg Concentration: Cadmium: 1.8 - 2.2 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A14SE (SE)	835	1	275649 196969
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 45 - 60 mg/kg Concentration: Cadmium: 2.2 - 3.0 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A17NE (NW)	835	1	274500 198055

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 25 - 35 mg/kg Concentration: Cadmium: 2.2 - 3.0 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A14SE (E)	860	1	275689 197000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 45 - 60 mg/kg Concentration: Cadmium: 1.8 - 2.2 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A9NE (SE)	862	1	275661 196928
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 25 - 35 mg/kg Concentration: Cadmium: 3.0 - 6.0 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: 100 - 200 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A12NW (W)	889	1	274000 197500
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 35 - 45 mg/kg Concentration: Cadmium: 2.2 - 3.0 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel: 30 - 45 mg/kg Concentration:	A18NE (N)	895	1	274975 198201
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 45 - 60 mg/kg Concentration: Cadmium: 3.0 - 6.0 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: 100 - 200 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A12NW (W)	915	1	274000 197592
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 35 - 45 mg/kg Concentration: Cadmium: 1.8 - 2.2 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel: 30 - 45 mg/kg Concentration:	A14SE (E)	941	1	275774 197000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 25 - 35 mg/kg Concentration: Cadmium 3.0 - 6.0 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: 100 - 200 mg/kg Nickel 30 - 45 mg/kg Concentration:	A12NW (W)	949	1	273963 197590
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 25 - 35 mg/kg Concentration: Cadmium 1.8 - 2.2 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 30 - 45 mg/kg Concentration:	A14SE (E)	956	1	275783 196980
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 25 - 35 mg/kg Concentration: Cadmium 2.2 - 3.0 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 30 - 45 mg/kg Concentration:	A18NW (N)	958	1	274656 198241
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 25 - 35 mg/kg Concentration: Cadmium <1.8 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 30 - 45 mg/kg Concentration:	A9SW (SE)	961	1	275430 196500
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 25 - 35 mg/kg Concentration: Cadmium 3.0 - 6.0 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 30 - 45 mg/kg Concentration:	A17NE (NW)	970	1	274500 198203
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 25 - 35 mg/kg Concentration: Cadmium 3.0 - 6.0 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: 100 - 200 mg/kg Nickel 30 - 45 mg/kg Concentration:	A17SW (NW)	978	1	274000 197749

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 35 - 45 mg/kg Concentration: Cadmium: 1.8 - 2.2 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel: 30 - 45 mg/kg Concentration:	A9SE (SE)	986	1	275561 196576
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 25 - 35 mg/kg Concentration: Cadmium: 2.2 - 3.0 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel: 30 - 45 mg/kg Concentration:	A14SE (E)	987	1	275823 197000
351	BGS Recorded Mineral Sites Site Name: Westernmoor Colliery Location: Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154409 Type: Underground Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Hughes Member Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A9NW (SE)	714	1	275353 196754
352	BGS Recorded Mineral Sites Site Name: Gnock Colliery Location: Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154408 Type: Underground Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Member Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A14SE (E)	769	1	275646 197204
353	BGS Recorded Mineral Sites Site Name: Mount Pleasant Location: Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154442 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Hughes Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A8SE (S)	774	1	275175 196572
354	BGS Recorded Mineral Sites Site Name: Gnock Colliery Location: Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154407 Type: Underground Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Member Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A14SE (E)	833	1	275703 197155

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
355	BGS Recorded Mineral Sites Site Name: Gnoll Colliery Location: Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154406 Type: Underground Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Member Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A14NE (E)	847	1	275730 197328
356	BGS Recorded Mineral Sites Site Name: Court Herbert Quarry Location: Neath Abbey, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154090 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A17SW (NW)	872	1	274165 197815
357	BGS Recorded Mineral Sites Site Name: Eagle Tin Plate Works Clay Pit Location: Neath, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154108 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Quaternary Geology: Tidal Flat Deposits Commodity: Common Clay and Shale Positional Accuracy: Located by supplier to within 10m	A7SE (SW)	878	1	274419 196535
358	BGS Recorded Mineral Sites Site Name: Neath Abbey Colliery Location: Neath Abbey, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 229860 Type: Underground Status: Ceased Operator: Main Colliery Co., Ltd. Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Five Feet Coal (South Wales) Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A12NW (W)	883	1	274027 197572
359	BGS Recorded Mineral Sites Site Name: Gnoll Colliery Location: Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154410 Type: Underground Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Member Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A14SE (E)	926	1	275778 197064
360	BGS Recorded Mineral Sites Site Name: Court Herbert Colliery Location: Neath Abbey, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 229861 Type: Underground Status: Ceased Operator: Main Colliery Co., Ltd. Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Member Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A12NW (W)	943	1	273955 197541

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
360	BGS Recorded Mineral Sites Site Name: Court Herbert Colliery Location: Neath Abbey, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 229862 Type: Underground Status: Ceased Operator: Main Colliery Co., Ltd. Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Member Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A12NW (W)	959	1	273928 197501
	BGS Measured Urban Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Grid: 274750, 197240 Soil Sample Type: Topsoil Sample Area: Swansea Arsenic Measured 67.80 mg/kg Concentration: Cadmium Measured 3.30 mg/kg Concentration: Chromium Measured 155.60 mg/kg Concentration: Lead Measured 377.50 mg/kg Concentration: Nickel Measured 199.60 mg/kg Concentration:	A13SW (SW)	125	1	274750 197240
	BGS Measured Urban Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Grid: 275210, 197250 Soil Sample Type: Topsoil Sample Area: Swansea Arsenic Measured 44.90 mg/kg Concentration: Cadmium Measured 2.80 mg/kg Concentration: Chromium Measured 96.20 mg/kg Concentration: Lead Measured 1032.10 mg/kg Concentration: Nickel Measured 71.20 mg/kg Concentration:	A13SE (E)	331	1	275210 197250
	BGS Measured Urban Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Grid: 274750, 197730 Soil Sample Type: Topsoil Sample Area: Swansea Arsenic Measured 77.60 mg/kg Concentration: Cadmium Measured 2.20 mg/kg Concentration: Chromium Measured 80.00 mg/kg Concentration: Lead Measured 480.20 mg/kg Concentration: Nickel Measured 43.30 mg/kg Concentration:	A18SW (N)	440	1	274750 197730
	BGS Measured Urban Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Grid: 274710, 196750 Soil Sample Type: Topsoil Sample Area: Swansea Arsenic Measured 214.40 mg/kg Concentration: Cadmium Measured 1.10 mg/kg Concentration: Chromium Measured 50.50 mg/kg Concentration: Lead Measured 180.40 mg/kg Concentration: Nickel Measured 26.70 mg/kg Concentration:	A8NW (S)	561	1	274710 196750

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Measured Urban Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Grid: 275300, 197740 Soil Sample Type: Topsoil Sample Area: Swansea Arsenic Measured 19.80 mg/kg Concentration: Cadmium Measured 0.70 mg/kg Concentration: Chromium Measured 95.90 mg/kg Concentration: Lead Measured 72.50 mg/kg Concentration: Nickel Measured 35.90 mg/kg Concentration:	A19SW (NE)	598	1	275300 197740
	BGS Measured Urban Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Grid: 274250, 197230 Soil Sample Type: Topsoil Sample Area: Swansea Arsenic Measured 56.80 mg/kg Concentration: Cadmium Measured 1.80 mg/kg Concentration: Chromium Measured 47.70 mg/kg Concentration: Lead Measured 135.40 mg/kg Concentration: Nickel Measured 324.20 mg/kg Concentration:	A12SE (W)	617	1	274250 197230
	BGS Measured Urban Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Grid: 275240, 196780 Soil Sample Type: Topsoil Sample Area: Swansea Arsenic Measured 76.90 mg/kg Concentration: Cadmium Measured 2.50 mg/kg Concentration: Chromium Measured 70.40 mg/kg Concentration: Lead Measured 492.20 mg/kg Concentration: Nickel Measured 80.80 mg/kg Concentration:	A9NW (SE)	623	1	275240 196780
	BGS Measured Urban Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Grid: 274280, 197740 Soil Sample Type: Topsoil Sample Area: Swansea Arsenic Measured 156.70 mg/kg Concentration: Cadmium Measured 3.00 mg/kg Concentration: Chromium Measured 57.50 mg/kg Concentration: Lead Measured 221.30 mg/kg Concentration: Nickel Measured 48.30 mg/kg Concentration:	A17SE (NW)	734	1	274280 197740
	BGS Measured Urban Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Grid: 274330, 196660 Soil Sample Type: Topsoil Sample Area: Swansea Arsenic Measured 33.00 mg/kg Concentration: Cadmium Measured 1.50 mg/kg Concentration: Chromium Measured 115.70 mg/kg Concentration: Lead Measured 157.40 mg/kg Concentration: Nickel Measured 64.20 mg/kg Concentration:	A7NE (SW)	827	1	274330 196660

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Measured Urban Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Grid: 275720, 197260 Soil Sample Type: Topsoil Sample Area: Swansea Arsenic Measured 59.60 mg/kg Concentration: Cadmium Measured 1.90 mg/kg Concentration: Chromium Measured 93.40 mg/kg Concentration: Lead Measured 698.20 mg/kg Concentration: Nickel Measured 75.10 mg/kg Concentration:	A14SE (E)	838	1	275720 197260
	BGS Measured Urban Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Grid: 274750, 198250 Soil Sample Type: Topsoil Sample Area: Swansea Arsenic Measured 90.60 mg/kg Concentration: Cadmium Measured 2.30 mg/kg Concentration: Chromium Measured 84.50 mg/kg Concentration: Lead Measured 447.70 mg/kg Concentration: Nickel Measured 47.80 mg/kg Concentration:	A18NW (N)	949	1	274750 198250
	BGS Measured Urban Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Grid: 275750, 197750 Soil Sample Type: Topsoil Sample Area: Swansea Arsenic Measured 82.90 mg/kg Concentration: Cadmium Measured 3.20 mg/kg Concentration: Chromium Measured 73.10 mg/kg Concentration: Lead Measured 801.30 mg/kg Concentration: Nickel Measured 69.70 mg/kg Concentration:	A19SE (NE)	972	1	275750 197750
	BGS Measured Urban Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Grid: 275260, 198230 Soil Sample Type: Topsoil Sample Area: Swansea Arsenic Measured 48.30 mg/kg Concentration: Cadmium Measured 2.80 mg/kg Concentration: Chromium Measured 127.90 mg/kg Concentration: Lead Measured 661.00 mg/kg Concentration: Nickel Measured 106.90 mg/kg Concentration:	A19NW (N)	993	1	275260 198230

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Urban Soil Chemistry Averages Source: British Geological Survey, National Geoscience Information Service Sample Area: Swansea Count Id: 368 Arsenic Minimum Concentration: 8.00 mg/kg Arsenic Average Concentration: 79.00 mg/kg Arsenic Maximum Concentration: 2161.00 mg/kg Cadmium Minimum Concentration: 0.10 mg/kg Cadmium Average Concentration: 2.90 mg/kg Cadmium Maximum Concentration: 61.90 mg/kg Chromium Minimum Concentration: 13.00 mg/kg Chromium Average Concentration: 72.00 mg/kg Chromium Maximum Concentration: 562.00 mg/kg Lead Minimum Concentration: 23.00 mg/kg Lead Average Concentration: 413.00 mg/kg Lead Maximum Concentration: 10000.00 mg/kg Nickel Minimum Concentration: 8.00 mg/kg Nickel Average Concentration: 52.00 mg/kg Nickel Maximum Concentration: 384.00 mg/kg	A13NE (S)	0	1	274875 197298
	Coal Mining Affected Areas Description: In an area which may be affected by coal mining activity. It is recommended that a coal mining report is obtained from the Coal Authority. Contact details are included in the Useful Contacts section of this report.	A13NE (S)	0	7	274875 197298
	Mining Instability Mining Evidence: Inconclusive Coal Mining Source: Ove Arup & Partners Boundary Quality: As Supplied	A13NE (S)	0	-	274875 197298
	Non Coal Mining Areas of Great Britain No Hazard				
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13NE (S)	0	1	274875 197298
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13NE (E)	117	1	275000 197298
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A13NE (E)	156	1	275039 197317
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13NE (S)	0	1	274875 197298
	Potential for Compressible Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	A13NE (NE)	70	1	274932 197360
	Potential for Compressible Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	A13NE (E)	117	1	275000 197298
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13NE (E)	156	1	275039 197317
	Potential for Compressible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A13NW (NW)	158	1	274739 197389
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13SW (S)	192	1	274820 197103

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13NE (S)	0	1	274875 197298
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13NE (E)	117	1	275000 197298
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A13NE (S)	0	1	274875 197298
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A13NW (NW)	61	1	274836 197356
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A13NW (N)	90	1	274860 197398
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A13NE (E)	117	1	275000 197298
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A13NE (N)	161	1	274908 197470
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A13NW (N)	210	1	274836 197515
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A13SW (SW)	222	1	274678 197170
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13NE (S)	0	1	274875 197298
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	A13NE (NE)	70	1	274932 197360
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	A13NE (E)	117	1	275000 197298
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A13NE (E)	156	1	275039 197317
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A13NW (NW)	158	1	274739 197389
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13SW (S)	192	1	274820 197103
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A13NE (S)	0	1	274875 197298
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A13NE (E)	117	1	275000 197298
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13NE (E)	156	1	275039 197317
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	A13NE (S)	0	1	274875 197298
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	A13NE (S)	0	1	274875 197298

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
361	Contemporary Trade Directory Entries Name: Valley Services Location: The Fireplace & Heating Centre, Milland Road Industrial Estate, Neath, West Glamorgan, SA11 1NJ Classification: Fireplaces & Mantelpieces Status: Active Positional Accuracy: Automatically positioned to the address	A13NE (E)	53	-	274936 197311
361	Contemporary Trade Directory Entries Name: The Car Giant Wales Location: Waterside House, Milland Road, Neath, SA11 1NJ Classification: Car Dealers - Used Status: Inactive Positional Accuracy: Automatically positioned to the address	A13NE (NE)	71	-	274949 197336
362	Contemporary Trade Directory Entries Name: Mike Saunders Motors Ltd Location: Milland Road Industrial Estate, NEATH, West Glamorgan, SA11 1NJ Classification: Car Dealers - Used Status: Active Positional Accuracy: Automatically positioned to the address	A13SW (S)	117	-	274837 197176
363	Contemporary Trade Directory Entries Name: Clive Sinclair Motors Location: Neath, SA11 1SB Classification: Garage Services Status: Active Positional Accuracy: Automatically positioned to the address	A13NE (NE)	119	-	274986 197371
364	Contemporary Trade Directory Entries Name: Neath M O T Centre Location: Ambulance Station, Canal Road, Neath, SA11 1LJ Classification: Garage Services Status: Active Positional Accuracy: Automatically positioned to the address	A13NE (NE)	148	-	274944 197446
364	Contemporary Trade Directory Entries Name: Lewis 4 X 4 Location: Ambulance Station, Canal Road, Neath, SA11 1LJ Classification: Garage Services Status: Active Positional Accuracy: Automatically positioned to the address	A13NE (NE)	148	-	274944 197446
364	Contemporary Trade Directory Entries Name: Lewis Land Rover Ltd Location: Ambulance Station, Canal Road, Neath, West Glamorgan, SA11 1LJ Classification: Car Body Repairs Status: Inactive Positional Accuracy: Automatically positioned to the address	A13NE (NE)	148	-	274944 197446
364	Contemporary Trade Directory Entries Name: Mikes Motors Ltd Location: 4 Canal Road, Neath, West Glamorgan, SA11 1LJ Classification: Garage Services Status: Active Positional Accuracy: Manually positioned within the geographical locality	A13NE (N)	148	-	274921 197454
365	Contemporary Trade Directory Entries Name: Evans & Reid Ltd Location: Staffordshire Warehouse, Canal Road, Neath, West Glamorgan, SA11 1LJ Classification: Plant & Machinery Manufacturers Status: Inactive Positional Accuracy: Automatically positioned to the address	A13NE (N)	240	-	274957 197539
366	Contemporary Trade Directory Entries Name: Travis Perkins Plc Location: 12, Commercial Street, Neath, SA11 1SB Classification: Builders' Merchants Status: Active Positional Accuracy: Automatically positioned to the address	A13NE (NE)	251	-	275018 197523
366	Contemporary Trade Directory Entries Name: M C Motors Location: Commercial Street, Neath, West Glamorgan, SA11 1SB Classification: Garage Services Status: Inactive Positional Accuracy: Automatically positioned in the proximity of the address	A13NE (NE)	289	-	275058 197542

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
367	Contemporary Trade Directory Entries Name: Total Location: 66, Windsor Road, Neath, West Glamorgan, SA11 1NH Classification: Petrol Filling Stations Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (E)	274	-	275144 197217
367	Contemporary Trade Directory Entries Name: Hanson Services Location: 55, Windsor Road, Neath, West Glamorgan, SA11 1NG Classification: Dry Cleaners Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (E)	286	-	275165 197252
368	Contemporary Trade Directory Entries Name: Foundry Autos Location: Milland Road Industrial Estate, Neath, West Glamorgan, SA11 1NJ Classification: Car Body Repairs Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SW (S)	281	-	274794 197017
368	Contemporary Trade Directory Entries Name: Sandvik Osprey Ltd Location: Milland Road Industrial Estate, Neath, West Glamorgan, SA11 1NJ Classification: Manufacturers Status: Active Positional Accuracy: Automatically positioned to the address	A13SW (S)	281	-	274794 197017
368	Contemporary Trade Directory Entries Name: Timber Builders Merchants Ltd Location: Milland Road Industrial Estate, Neath, West Glamorgan, SA11 1NJ Classification: Builders' Merchants Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SW (S)	281	-	274794 197017
368	Contemporary Trade Directory Entries Name: Trick & Aubrey Location: Milland Road Industrial Estate, Neath, West Glamorgan, SA11 1NJ Classification: Car Body Repairs Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SW (S)	281	-	274794 197017
368	Contemporary Trade Directory Entries Name: J S Jones Buildbase Ltd Location: Milland Road Industrial Estate, Neath, West Glamorgan, SA11 1NJ Classification: Builders' Merchants Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SW (S)	281	-	274794 197017
368	Contemporary Trade Directory Entries Name: Hale Joinery Location: Briton Ferry Indust Est, Milland Rd, Neath, West Glamorgan, SA11 1NJ Classification: Joinery Manufacturers Status: Inactive Positional Accuracy: Manually positioned to the road within the address or location	A13SW (S)	305	-	274764 197002
369	Contemporary Trade Directory Entries Name: Alison Peter Cleaning Service Location: 40, Pendrill Street, Neath, West Glamorgan, SA11 1BP Classification: Cleaning Services - Domestic Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (S)	302	-	274935 196989
369	Contemporary Trade Directory Entries Name: Alice & Peter Cleaning Services Location: 40, Pendrill Street, Neath, West Glamorgan, SA11 1BP Classification: Cleaning Services - Domestic Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (S)	302	-	274935 196989
369	Contemporary Trade Directory Entries Name: First Choice Princess Blinds Location: 45a, Pendrill Street, Neath, SA11 1BW Classification: Blinds, Awnings & Canopies Status: Active Positional Accuracy: Automatically positioned to the address	A13SE (S)	304	-	274908 196984
370	Contemporary Trade Directory Entries Name: First Cymru Location: 1b, Station Square, Neath, West Glamorgan, SA11 1BY Classification: Bus & Coach Operators & Stations Status: Inactive Positional Accuracy: Automatically positioned to the address	A13NE (NE)	321	-	275143 197498

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
371	Contemporary Trade Directory Entries Name: Bravegate Location: 1, Commercial Street, Neath, West Glamorgan, SA11 1SB Classification: Mot Testing Centres Status: Inactive Positional Accuracy: Automatically positioned to the address	A13NE (NE)	324	-	275073 197574
371	Contemporary Trade Directory Entries Name: Bravegate Ltd Location: Commercial Street, Neath, West Glamorgan, SA11 1SB Classification: Mot Testing Centres Status: Inactive Positional Accuracy: Automatically positioned to the address	A13NE (NE)	341	-	275095 197578
371	Contemporary Trade Directory Entries Name: Bravegate Ltd Location: Commercial Street, Neath, West Glamorgan, SA11 1SB Classification: Mot Testing Centres Status: Inactive Positional Accuracy: Automatically positioned to the address	A13NE (NE)	341	-	275095 197578
372	Contemporary Trade Directory Entries Name: The Aga Shop Location: 79, Windsor Road, Neath, West Glamorgan, SA11 1NS Classification: Cookers - Sales & Service Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (SE)	325	-	275180 197171
372	Contemporary Trade Directory Entries Name: Neath Dental Laboratory Ltd Location: 81, Windsor Road, Neath, West Glamorgan, SA11 1NS Classification: Medical & Dental Laboratories Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (SE)	328	-	275181 197166
372	Contemporary Trade Directory Entries Name: E Hoile & Sons Location: Centre Garage 15a, Rectory Road, Neath, SA11 1ET Classification: Garage Services Status: Active Positional Accuracy: Automatically positioned to the address	A14SW (SE)	363	-	275214 197152
373	Contemporary Trade Directory Entries Name: West Coast Cooling Location: 8, The Parade, Neath, SA11 1PU Classification: Air Conditioning & Refrigeration Contractors Status: Active Positional Accuracy: Automatically positioned to the address	A13NE (NE)	367	-	275154 197559
374	Contemporary Trade Directory Entries Name: Transworld Communication Location: 96, Windsor Road, Neath, West Glamorgan, SA11 1NR Classification: Radio Communication Equipment Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (SE)	369	-	275174 197068
374	Contemporary Trade Directory Entries Name: Electron Filling Station Location: 113, Windsor Road, Neath, West Glamorgan, SA11 1NS Classification: Petrol Filling Stations Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (SE)	387	-	275201 197075
375	Contemporary Trade Directory Entries Name: A S W Scaffolding Location: 27, New Henry Street, Neath, West Glamorgan, SA11 1PH Classification: Scaffolding & Work Platforms Status: Inactive Positional Accuracy: Automatically positioned to the address	A8NE (S)	385	-	274933 196905
375	Contemporary Trade Directory Entries Name: Neath Office Cleaning Location: 27, New Henry Street, Neath, West Glamorgan, SA11 1PH Classification: Commercial Cleaning Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A8NE (S)	385	-	274933 196905
375	Contemporary Trade Directory Entries Name: South Wales Office Cleaning Location: 27, New Henry Street, Neath, West Glamorgan, SA11 1PH Classification: Commercial Cleaning Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A8NE (S)	385	-	274933 196905

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
375	Contemporary Trade Directory Entries Name: Cardiff Office Cleaning Location: 27, New Henry Street, Neath, West Glamorgan, SA11 1PH Classification: Commercial Cleaning Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A8NE (S)	385	-	274933 196905
375	Contemporary Trade Directory Entries Name: Newport Cleaning Co Location: 27, New Henry Street, Neath, West Glamorgan, SA11 1PH Classification: Commercial Cleaning Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A8NE (S)	385	-	274933 196905
375	Contemporary Trade Directory Entries Name: Bridgend Office Cleaning Location: 27, New Henry Street, Neath, West Glamorgan, SA11 1PH Classification: Commercial Cleaning Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A8NE (S)	385	-	274933 196905
376	Contemporary Trade Directory Entries Name: Alice Peter Location: Brookdale st, Neath, West Glamorgan, SA11 1PB Classification: Commercial Cleaning Services Status: Active Positional Accuracy: Manually positioned within the geographical locality	A8NE (SE)	395	-	275075 196945
376	Contemporary Trade Directory Entries Name: B Clean Location: 22, Brookdale Street, Neath, West Glamorgan, SA11 1PB Classification: Waste Disposal Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A8NE (SE)	408	-	275100 196945
377	Contemporary Trade Directory Entries Name: Westbury Flexographic Ltd Location: Milland Rd Ind Est, Neath, West Glamorgan, SA11 1NJ Classification: Packaging & Wrapping Equipment & Supplies Status: Inactive Positional Accuracy: Manually positioned within the geographical locality	A8NW (SW)	396	-	274685 196938
378	Contemporary Trade Directory Entries Name: C S N Precision Engineering Location: Neath Abbey Road, Neath, West Glamorgan, SA10 7BR Classification: Machine Tools - Manufacturers & Distributors Status: Active Positional Accuracy: Automatically positioned to the address	A12NE (NW)	397	-	274530 197507
379	Contemporary Trade Directory Entries Name: Homestyle By Fads Location: 27, Green Street, Neath, West Glamorgan, SA11 1DF Classification: Wallpapers & Wall Coverings Status: Inactive Positional Accuracy: Automatically positioned to the address	A14NW (NE)	398	-	275218 197527
379	Contemporary Trade Directory Entries Name: E R V Electrical Location: 47, General Market, Green Street, Neath, West Glamorgan, SA11 1DP Classification: Electrical Goods Sales, Manufacturers & Wholesalers Status: Inactive Positional Accuracy: Automatically positioned to the address	A14NW (NE)	431	-	275227 197571
379	Contemporary Trade Directory Entries Name: Aromacare Location: Stall 33 Neath Market, Green Street, Neath, West Glamorgan, SA11 1DP Classification: Power Transmission Services Status: Inactive Positional Accuracy: Manually positioned within the geographical locality	A14NW (NE)	431	-	275227 197571
379	Contemporary Trade Directory Entries Name: Neath Electrics Location: 34, General Market, Green Street, Neath, West Glamorgan, SA11 1DP Classification: Electrical Goods Sales, Manufacturers & Wholesalers Status: Inactive Positional Accuracy: Automatically positioned to the address	A14NW (NE)	431	-	275227 197571
379	Contemporary Trade Directory Entries Name: Tom Thomas Of Neath Location: 28-29, General Market, Green Street, Neath, West Glamorgan, SA11 1DP Classification: Pet Foods & Animal Feeds Status: Inactive Positional Accuracy: Automatically positioned to the address	A14NW (NE)	431	-	275227 197571

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
380	Contemporary Trade Directory Entries Name: Uk Flooring Distribution Location: Unit 4, Milland Road Industrial Estate, Neath, SA11 1NJ Classification: Floorcoverings - Manufacturers & Wholesalers Status: Active Positional Accuracy: Automatically positioned to the address	A8NW (S)	415	-	274746 196892
380	Contemporary Trade Directory Entries Name: Roma Flooring Location: Unit 4, Milland Road Industrial Estate, Neath, West Glamorgan, SA11 1NJ Classification: Floorcoverings - Manufacturers & Wholesalers Status: Inactive Positional Accuracy: Automatically positioned to the address	A8NW (S)	415	-	274746 196892
381	Contemporary Trade Directory Entries Name: The Bag Boutique Location: 26, Queen Street, Neath, West Glamorgan, SA11 1DL Classification: Bags, Belts & Accessories - Manufacturers & Suppliers Status: Inactive Positional Accuracy: Automatically positioned to the address	A14NW (E)	429	-	275287 197453
382	Contemporary Trade Directory Entries Name: Johnson Cleaners Uk Ltd Location: 30, Queen Street, Neath, West Glamorgan, SA11 1DL Classification: Dry Cleaners Status: Inactive Positional Accuracy: Automatically positioned to the address	A14NW (E)	432	-	275294 197442
382	Contemporary Trade Directory Entries Name: Keltic Prints Location: 42, Queen Street, Neath, West Glamorgan, SA11 1DL Classification: Photographic Processors Status: Inactive Positional Accuracy: Automatically positioned to the address	A14NW (E)	446	-	275320 197402
383	Contemporary Trade Directory Entries Name: D J Hitchman & Son Location: Quay Road, Neath, West Glamorgan, SA11 1SL Classification: Engineers - General Status: Inactive Positional Accuracy: Automatically positioned to the address	A18SE (N)	440	-	275028 197727
384	Contemporary Trade Directory Entries Name: The Safety Letter Box Company Ltd Location: Unit 1b, Milland Road Industrial Estate, Neath, West Glamorgan, SA11 1NJ Classification: Aluminium Fabricators Status: Active Positional Accuracy: Automatically positioned to the address	A8NW (SW)	442	-	274586 196948
384	Contemporary Trade Directory Entries Name: Pressure Washer Services Location: Unit 1, Milland Road Industrial Estate, Neath, West Glamorgan, SA11 1NJ Classification: Cleaning Materials & Equipment Status: Active Positional Accuracy: Automatically positioned to the address	A8NW (SW)	473	-	274574 196919
385	Contemporary Trade Directory Entries Name: South Wales Tinting Location: Unit 5, Croft Garages, Croft Road, Neath, SA11 1RW Classification: Window Tinting Status: Active Positional Accuracy: Automatically positioned to the address	A18SE (NE)	448	-	275170 197655
385	Contemporary Trade Directory Entries Name: Mike English Vehicle Repairs Location: Unit 1-3, Croft Garages, Croft Road, Neath, SA11 1RW Classification: Garage Services Status: Active Positional Accuracy: Automatically positioned to the address	A18SE (NE)	448	-	275170 197655
385	Contemporary Trade Directory Entries Name: Tyre & Exhaust World Ltd Location: Castle Garage, Croft Road, Neath, West Glamorgan, SA11 1RW Classification: Tyre Dealers Status: Inactive Positional Accuracy: Automatically positioned to the address	A18SE (NE)	471	-	275181 197677
385	Contemporary Trade Directory Entries Name: Polar Print Location: Castle Garage, Croft Road, Neath, West Glamorgan, SA11 1RW Classification: Printers Status: Inactive Positional Accuracy: Automatically positioned to the address	A18SE (NE)	471	-	275181 197677

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
385	Contemporary Trade Directory Entries Name: Croft Joinery Location: Castle Garage, Croft Road, Neath, West Glamorgan, SA11 1RW Classification: Joinery Manufacturers Status: Inactive Positional Accuracy: Automatically positioned to the address	A18SE (NE)	471	-	275181 197677
385	Contemporary Trade Directory Entries Name: Ford Spares-Neath Location: Castle Garage, Croft Road, Neath, West Glamorgan, SA11 1RW Classification: Car Breakers & Dismantlers Status: Inactive Positional Accuracy: Manually positioned to an adjacent address or location	A18SE (NE)	472	-	275181 197677
385	Contemporary Trade Directory Entries Name: Croft Auto Repairs Location: Croft Rd, Neath, West Glamorgan, SA11 1RW Classification: Garage Services Status: Inactive Positional Accuracy: Manually positioned to the road within the address or location	A18SE (NE)	485	-	275176 197697
385	Contemporary Trade Directory Entries Name: Blinds 2000 Location: 8, Croft Road, Neath, West Glamorgan, SA11 1RW Classification: Blinds, Awnings & Canopies Status: Inactive Positional Accuracy: Automatically positioned to the address	A18SE (NE)	494	-	275197 197691
385	Contemporary Trade Directory Entries Name: Blinds 2000 Location: The Blinds Factory, Croft Road, Neath, West Glamorgan, SA11 1RW Classification: Blinds, Awnings & Canopies Status: Inactive Positional Accuracy: Automatically positioned to the address	A18SE (NE)	494	-	275197 197691
385	Contemporary Trade Directory Entries Name: Powerbits Location: Granfield House, Croft Road, Neath, West Glamorgan, SA11 1RW Classification: Electrical Goods Sales, Manufacturers & Wholesalers Status: Inactive Positional Accuracy: Manually positioned to the address or location	A18SE (NE)	494	-	275189 197699
386	Contemporary Trade Directory Entries Name: Blake Industrial Cleaning Supplies Location: 147, Windsor Road, Neath, West Glamorgan, SA11 1NU Classification: Cleaning Materials & Equipment Status: Inactive Positional Accuracy: Automatically positioned to the address	A14SW (SE)	456	-	275211 196977
387	Contemporary Trade Directory Entries Name: At Your Service Location: 11, The Parade, Neath, West Glamorgan, SA11 1RB Classification: Cleaning Services - Domestic Status: Inactive Positional Accuracy: Manually positioned to the address or location	A14NW (NE)	457	-	275215 197625
387	Contemporary Trade Directory Entries Name: Fibreclean Location: The Parade, Neath, West Glamorgan, SA11 1RB Classification: Cleaning Services - Domestic Status: Inactive Positional Accuracy: Automatically positioned to the address	A14NW (NE)	473	-	275240 197622
387	Contemporary Trade Directory Entries Name: Valley Sealants Location: 8a, New Street, Neath, West Glamorgan, SA11 1RT Classification: Adhesives, Glues & Sealants Status: Inactive Positional Accuracy: Automatically positioned to the address	A19SW (NE)	502	-	275253 197651
387	Contemporary Trade Directory Entries Name: Brown'S Of Neath Location: 16, Angel Street, Neath, SA11 1RS Classification: Washing Machines - Servicing & Repairs Status: Active Positional Accuracy: Automatically positioned to the address	A19SW (NE)	503	-	275219 197684
388	Contemporary Trade Directory Entries Name: Robinson Webster Production Ltd Location: Unit 9, Milland Road Industrial Estate, Neath, West Glamorgan, SA11 1NJ Classification: Clothing & Fabrics - Manufacturers Status: Inactive Positional Accuracy: Automatically positioned to the address	A8NW (SW)	458	-	274642 196891

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
389	Contemporary Trade Directory Entries Name: L B S Builders Merchants Location: Neath Abbey Road, Neath, West Glamorgan, SA10 7BR Classification: Builders' Merchants Status: Active Positional Accuracy: Automatically positioned to the address	A12NE (NW)	458	-	274450 197487
390	Contemporary Trade Directory Entries Name: Supasnaps Location: 7, Green Street, Neath, West Glamorgan, SA11 1DR Classification: Photographic Processors Status: Inactive Positional Accuracy: Automatically positioned to the address	A14NW (NE)	484	-	275284 197581
390	Contemporary Trade Directory Entries Name: Currys Location: 4, Orchard Street, Neath, West Glamorgan, SA11 1DU Classification: Electrical Goods Sales, Manufacturers & Wholesalers Status: Inactive Positional Accuracy: Automatically positioned to the address	A14NW (NE)	495	-	275298 197580
390	Contemporary Trade Directory Entries Name: Style Mobiles Location: 2, General Market, Green Street, Neath, West Glamorgan, SA11 1DP Classification: Mobile Phone Accessories and Car Kits Status: Inactive Positional Accuracy: Automatically positioned to the address	A14NW (NE)	499	-	275285 197607
391	Contemporary Trade Directory Entries Name: Central Garage Location: Bridge Street, Neath, West Glamorgan, SA11 1RP Classification: Car Body Repairs Status: Inactive Positional Accuracy: Automatically positioned to the address	A18SE (N)	488	-	275014 197781
392	Contemporary Trade Directory Entries Name: D S Smith Location: Dc Griffiths Way, Neath, SA11 1BT Classification: Boxes & Cartons Status: Active Positional Accuracy: Automatically positioned to the address	A8NW (S)	496	-	274823 196793
393	Contemporary Trade Directory Entries Name: Tip Top Cleaning Location: 4, Creswell Road, Neath, West Glamorgan, SA11 1HE Classification: Commercial Cleaning Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A14SW (E)	497	-	275379 197264
394	Contemporary Trade Directory Entries Name: Radiance Blinds Location: 12, Briton Ferry Road, Neath, West Glamorgan, SA11 1AA Classification: Blinds, Awnings & Canopies Status: Active Positional Accuracy: Automatically positioned to the address	A8NE (SE)	505	-	275176 196879
395	Contemporary Trade Directory Entries Name: Buildbase Ltd Location: Milland Road, Neath, West Glamorgan, SA11 1NJ Classification: Builders' Merchants Status: Active Positional Accuracy: Manually positioned within the geographical locality	A8NW (S)	506	-	274681 196819
395	Contemporary Trade Directory Entries Name: Book Print (2000) Ltd Location: Unit 8, Milland Road Industrial Estate, Neath, West Glamorgan, SA11 1NJ Classification: Bookbinding & Equipment Status: Inactive Positional Accuracy: Automatically positioned to the address	A8NW (S)	506	-	274681 196819
395	Contemporary Trade Directory Entries Name: Express Transport Ltd Location: Unit 8, Milland Road Industrial Estate, Neath, West Glamorgan, SA11 1NJ Classification: Road Haulage Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A8NW (S)	506	-	274681 196819
395	Contemporary Trade Directory Entries Name: Ultra Glass Wales Location: Unit 5, Milland Road Industrial Estate, Neath, West Glamorgan, SA11 1NJ Classification: Window Frame Manufacturers Status: Inactive Positional Accuracy: Automatically positioned to the address	A8NW (S)	512	-	274714 196800

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
395	Contemporary Trade Directory Entries Name: City Centre Plastics Location: Unit 5, Milland Rd Ind Est, Neath, West Glamorgan, SA11 1NJ Classification: PVC-U Products - Manufacturers & Suppliers Status: Inactive Positional Accuracy: Manually positioned to the address or location	A8NW (S)	512	-	274714 196800
396	Contemporary Trade Directory Entries Name: W J Jones Location: Bridge Street, Neath, West Glamorgan, SA11 1RP Classification: Agricultural Merchants Status: Inactive Positional Accuracy: Automatically positioned to the address	A18SE (NE)	516	-	275094 197781
397	Contemporary Trade Directory Entries Name: Abbey Salvage Location: Neath Abbey Road, Neath, West Glamorgan, SA10 7BR Classification: Car Breakers & Dismantlers Status: Inactive Positional Accuracy: Automatically positioned to the address	A12NE (W)	517	-	274375 197458
397	Contemporary Trade Directory Entries Name: Remploy Ltd Location: Neath Abbey Road, Neath, West Glamorgan, SA10 7BL Classification: Furniture Manufacturers - Home & Office Status: Inactive Positional Accuracy: Automatically positioned to the address	A12NE (W)	517	-	274375 197458
398	Contemporary Trade Directory Entries Name: Dragon Oven Cleaning Service Ltd Location: 18, Arthur Street, Neath, West Glamorgan, SA11 1HP Classification: Cleaning Services - Domestic Status: Inactive Positional Accuracy: Automatically positioned to the address	A14SW (E)	527	-	275379 197123
399	Contemporary Trade Directory Entries Name: Neath Airgun Centre Location: 44, Briton Ferry Road, NEATH, West Glamorgan, SA11 1AA Classification: Gunsmiths Status: Active Positional Accuracy: Automatically positioned to the address	A8NE (SE)	535	-	275111 196806
400	Contemporary Trade Directory Entries Name: Fonehouse Location: 56, Wind Street, Neath, West Glamorgan, SA11 3EN Classification: Electronic Engineers Status: Inactive Positional Accuracy: Automatically positioned to the address	A14NW (NE)	539	-	275318 197629
401	Contemporary Trade Directory Entries Name: Fox Transport Services Location: Milland Rd Ind Est, Neath, West Glamorgan, SA11 1NJ Classification: Road Haulage Services Status: Inactive Positional Accuracy: Manually positioned within the geographical locality	A8NW (SW)	551	-	274650 196784
401	Contemporary Trade Directory Entries Name: Menter Location: Unit 13, Milland Road Industrial Estate, Neath, West Glamorgan, SA11 1NJ Classification: Printers Status: Active Positional Accuracy: Automatically positioned to the address	A8NW (S)	565	-	274686 196754
402	Contemporary Trade Directory Entries Name: Formagrand Ltd Location: Unit 10, Milland Road Industrial Estate, Neath, SA11 1NJ Classification: Precision Engineers Status: Active Positional Accuracy: Automatically positioned to the address	A8NW (SW)	559	-	274574 196814
402	Contemporary Trade Directory Entries Name: Bodycote Location: Unit 10, Milland Road Industrial Estate, Neath, West Glamorgan, SA11 1NJ Classification: Precision Engineers Status: Inactive Positional Accuracy: Automatically positioned to the address	A8NW (SW)	559	-	274574 196814
403	Contemporary Trade Directory Entries Name: Reddi Plastics Location: Unit 1, Abbey Road Industrial Estate, Neath, West Glamorgan, SA10 7DN Classification: PVC-U Products - Manufacturers & Suppliers Status: Inactive Positional Accuracy: Automatically positioned to the address	A12NE (W)	561	-	274330 197464

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
403	Contemporary Trade Directory Entries Name: Interfit Ltd Location: Unit 2, Abbey Road Industrial Estate, Neath, West Glamorgan, SA10 7DN Classification: Tyre Manufacturers & Distributors Status: Inactive Positional Accuracy: Automatically positioned to the address	A12NE (W)	567	-	274324 197463
403	Contemporary Trade Directory Entries Name: Classical Group Ltd Location: Cwrt Herbert House, Abbey Road Industrial Estate, Neath, West Glamorgan, SA10 7DN Classification: Joinery Manufacturers Status: Inactive Positional Accuracy: Automatically positioned to the address	A12NE (W)	576	-	274307 197440
403	Contemporary Trade Directory Entries Name: Classical Joinery Ltd Location: Cwrt Herbert House, Abbey Road Industrial Estate, Neath, West Glamorgan, SA10 7DN Classification: Joinery Manufacturers Status: Inactive Positional Accuracy: Automatically positioned to the address	A12NE (W)	576	-	274307 197440
403	Contemporary Trade Directory Entries Name: Propshafts B A R Location: Unit 3, Abbey Road Industrial Estate, Neath, West Glamorgan, SA10 7DN Classification: Commercial Vehicle Servicing, Repairs, Parts & Accessories Status: Inactive Positional Accuracy: Automatically positioned to the address	A12NE (W)	576	-	274314 197463
403	Contemporary Trade Directory Entries Name: Sportec Embroidery & Printing Location: Unit 5, Abbey Road Industrial Estate, NEATH, West Glamorgan, SA10 7DN Classification: Sports Equipment Manufacturers & Distributors Status: Inactive Positional Accuracy: Automatically positioned to the address	A12NE (W)	595	-	274294 197463
403	Contemporary Trade Directory Entries Name: Sportec Location: Unit 5, Abbey Road Industrial Estate, Neath, West Glamorgan, SA10 7DN Classification: Sports Equipment Manufacturers & Distributors Status: Inactive Positional Accuracy: Automatically positioned to the address	A12NE (W)	595	-	274294 197463
403	Contemporary Trade Directory Entries Name: Bailey Location: Unit 7, Abbey Road Industrial Estate, Neath, West Glamorgan, SA10 7DN Classification: Blinds, Awnings & Canopies Status: Active Positional Accuracy: Automatically positioned to the address	A12NE (W)	616	-	274273 197464
404	Contemporary Trade Directory Entries Name: Danygraig Motors Location: 7 Quar Rd, Neath, West Glamorgan, SA11 1AE Classification: Garage Services Status: Inactive Positional Accuracy: Manually positioned to the road within the address or location	A8NE (SE)	565	-	275186 196814
404	Contemporary Trade Directory Entries Name: Pac Trade Cars Location: Flat 7, Edward Jarvis Court, Quar Road, Neath, West Glamorgan, SA11 1AE Classification: Car Dealers - Used Status: Inactive Positional Accuracy: Automatically positioned to the address	A8NE (SE)	571	-	275203 196818
404	Contemporary Trade Directory Entries Name: Morgans M O T Centre Location: Neath, SA11 1AE Classification: Garage Services Status: Active Positional Accuracy: Automatically positioned to the address	A8NE (SE)	602	-	275204 196781
405	Contemporary Trade Directory Entries Name: Brighthouse Location: 50, Wind Street, Neath, West Glamorgan, SA11 3EN Classification: Electrical Goods Sales, Manufacturers & Wholesalers Status: Inactive Positional Accuracy: Automatically positioned to the address	A19SW (NE)	577	-	275351 197648

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
405	Contemporary Trade Directory Entries Name: Girlie Things Location: 47, Wind Street, Neath, West Glamorgan, SA11 3EN Classification: Lingerie & Hosiery Manufacturers & Wholesalers Status: Inactive Positional Accuracy: Manually positioned to the address or location	A19SW (NE)	608	-	275381 197661
406	Contemporary Trade Directory Entries Name: Morrisons Petrol Station Location: Angel Street, Neath, West Glamorgan, SA11 3LN Classification: Petrol Filling Stations Status: Active Positional Accuracy: Manually positioned within the geographical locality	A19SW (NE)	585	-	275276 197744
406	Contemporary Trade Directory Entries Name: Neath Port Authority Location: Woodfield House, Castle Walk, Neath, SA11 3LN Classification: Ports, Docks & Harbours Status: Active Positional Accuracy: Automatically positioned to the address	A19SW (NE)	585	-	275276 197744
407	Contemporary Trade Directory Entries Name: F & T Refrigeration Ltd Location: Dc Griffiths Way, Neath, West Glamorgan, SA11 1BT Classification: Refrigeration Equipment - Commercial Status: Inactive Positional Accuracy: Automatically positioned to the address	A8NW (S)	598	-	274783 196695
407	Contemporary Trade Directory Entries Name: F & T Refrigeration Ltd Location: Dc Griffiths Way, Neath, West Glamorgan, SA11 1BT Classification: Refrigeration Equipment - Commercial Status: Active Positional Accuracy: Automatically positioned to the address	A8NW (S)	598	-	274783 196695
408	Contemporary Trade Directory Entries Name: Forward Freight Location: 11, Milland Road Industrial Estate, Neath, West Glamorgan, SA11 1NJ Classification: Road Haulage Services Status: Inactive Positional Accuracy: Manually positioned to the address or location	A8NW (SW)	618	-	274574 196746
409	Contemporary Trade Directory Entries Name: Razzle Dazzle Location: 8, Edwards Street, Neath, West Glamorgan, SA11 1TU Classification: Carpet, Curtain & Upholstery Cleaners Status: Active Positional Accuracy: Automatically positioned to the address	A8NE (SE)	647	-	275206 196730
410	Contemporary Trade Directory Entries Name: Lase Ltd Location: Unit 15, Milland Road Industrial Estate, Neath, West Glamorgan, SA11 1NJ Classification: Coating Specialists Status: Inactive Positional Accuracy: Automatically positioned to the address	A8NW (S)	651	-	274632 196683
410	Contemporary Trade Directory Entries Name: L Pugh & Son Location: 15, Milland Road Industrial Estate, Neath, West Glamorgan, SA11 1NJ Classification: Printers Status: Inactive Positional Accuracy: Automatically positioned to the address	A8NW (S)	651	-	274632 196683
410	Contemporary Trade Directory Entries Name: Equipment Supply Services Location: Unit 15, Milland Road Industrial Estate, Neath, West Glamorgan, SA11 1NJ Classification: Agricultural Machinery - Sales & Service Status: Inactive Positional Accuracy: Automatically positioned to the address	A8NW (S)	651	-	274632 196683
410	Contemporary Trade Directory Entries Name: Acorn Chemical Services Location: Unit 16, Milland Road Industrial Estate, Neath, West Glamorgan, SA11 1NJ Classification: Chemical Engineers Status: Inactive Positional Accuracy: Automatically positioned to the address	A8NW (S)	685	-	274615 196653
410	Contemporary Trade Directory Entries Name: Acorn Chemical Services Ltd Location: Unit 16, Milland Road Industrial Estate, Neath, West Glamorgan, SA11 1NJ Classification: Chemical Manufacturers Status: Inactive Positional Accuracy: Automatically positioned to the address	A8NW (S)	685	-	274615 196652

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
410	Contemporary Trade Directory Entries Name: Acorn Chemical Services Location: Unit 16, Milland Road Industrial Estate, Neath, West Glamorgan, SA11 1NJ Classification: Chemical Manufacturers Status: Inactive Positional Accuracy: Automatically positioned to the address	A8NW (S)	685	-	274615 196653
410	Contemporary Trade Directory Entries Name: C I S Contract Packaging Ltd Location: Unit 17, Milland Road Industrial Estate, Neath, West Glamorgan, SA11 1NJ Classification: Packaging & Wrapping Equipment & Supplies Status: Active Positional Accuracy: Automatically positioned to the address	A8NW (S)	685	-	274615 196653
410	Contemporary Trade Directory Entries Name: Equilibrium Chemical Services Ltd Location: 16 Milland Rd Ind Est, Neath, West Glamorgan, SA11 1NJ Classification: Chemical Manufacturers Status: Inactive Positional Accuracy: Manually positioned to the address or location	A8NW (S)	686	-	274614 196652
411	Contemporary Trade Directory Entries Name: Rise 'N' Shine Location: 12, Rugby Avenue, Neath, West Glamorgan, SA11 1YT Classification: Commercial Cleaning Services Status: Active Positional Accuracy: Automatically positioned to the address	A14SW (E)	660	-	275505 197081
411	Contemporary Trade Directory Entries Name: Industrial Rope Access Location: 12, Rugby Avenue, Neath, West Glamorgan, SA11 1YT Classification: Commercial Cleaning Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A14SW (E)	660	-	275505 197081
412	Contemporary Trade Directory Entries Name: Fordpad Ltd Location: Foundry Works, Dc Griffiths Way, Neath, SA11 1AU Classification: Scrap Metal Merchants Status: Active Positional Accuracy: Automatically positioned to the address	A8NW (S)	669	-	274779 196624
413	Contemporary Trade Directory Entries Name: Lewis Road Motors Location: Lewis Road, Neath, West Glamorgan, SA11 1DX Classification: Garage Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A9NW (SE)	687	-	275342 196781
414	Contemporary Trade Directory Entries Name: Milland Tyre & Auto Location: Unit 18, Milland Road Industrial Estate, Neath, West Glamorgan, SA11 1NJ Classification: Exhaust & Shock Absorber Centres Status: Inactive Positional Accuracy: Automatically positioned to the address	A8NW (SW)	715	-	274560 196644
414	Contemporary Trade Directory Entries Name: Precision Sealing Ltd Location: Unit 19, Milland Road Industrial Estate, Neath, West Glamorgan, SA11 1NJ Classification: Pumps - Sales, Servicing & Repairs Status: Inactive Positional Accuracy: Automatically positioned to the address	A8NW (SW)	715	-	274560 196644
414	Contemporary Trade Directory Entries Name: South Wales Transport Location: Unit 19, Milland Road Industrial Estate, Neath, SA11 1NJ Classification: Bus & Coach Operators & Stations Status: Inactive Positional Accuracy: Automatically positioned to the address	A8NW (SW)	715	-	274560 196644
415	Contemporary Trade Directory Entries Name: Morrisons Petrol Station Location: Angel Street, Neath, West Glamorgan, SA11 3LN Classification: Petrol Filling Stations Status: Inactive Positional Accuracy: Manually positioned to the address or location	A19SW (NE)	724	-	275301 197902
415	Contemporary Trade Directory Entries Name: Safeway Petrol Station Location: Riverside Dr, Neath, West Glamorgan, SA11 1RS Classification: Petrol Filling Stations Status: Inactive Positional Accuracy: Manually positioned to the road within the address or location	A19SW (NE)	741	-	275304 197920

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
416	Contemporary Trade Directory Entries Name: Melanies Cleaning Service Ltd Location: 12, Exchange Road, Neath, West Glamorgan, SA11 1TD Classification: Carpet, Curtain & Upholstery Cleaners Status: Inactive Positional Accuracy: Automatically positioned to the address	A8SE (S)	731	-	274960 196559
417	Contemporary Trade Directory Entries Name: Kwik Fit Location: Groll Park Road, Neath, West Glamorgan, SA11 3BT Classification: Tyre Dealers Status: Active Positional Accuracy: Automatically positioned to the address	A14NE (E)	773	-	275630 197510
418	Contemporary Trade Directory Entries Name: Crynant Plant & Transport Ltd Location: Eaglebush Works, Milland Road Industrial Estate, Neath, West Glamorgan, SA11 1NJ Classification: Road Haulage Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A8SW (S)	790	-	274568 196558
419	Contemporary Trade Directory Entries Name: Tesco Filling Station Location: Petrol Filling Station, Tesco Supermarket, Neath Abbey Road, Neath, SA10 7FE Classification: Petrol Filling Stations Status: Active Positional Accuracy: Automatically positioned to the address	A12NW (W)	822	-	274083 197547
420	Contemporary Trade Directory Entries Name: Tynygarth Meat Supplies Location: 15, Firwd Vale, Neath, West Glamorgan, SA10 7BA Classification: Meat - Wholesale Status: Inactive Positional Accuracy: Automatically positioned to the address	A18NW (N)	848	-	274772 198151
421	Contemporary Trade Directory Entries Name: Esso Location: Mile End Row, Neath, SA11 2ED Classification: Petrol Filling Stations Status: Active Positional Accuracy: Automatically positioned to the address	A8SW (S)	935	-	274606 196391
421	Contemporary Trade Directory Entries Name: Mile End Service Station Location: Neath, West Glamorgan, Sa11 2ed Classification: Petrol Filling Stations Status: Inactive Positional Accuracy: Manually positioned to the address or location	A8SW (S)	935	-	274606 196391
421	Contemporary Trade Directory Entries Name: Mile End Service Station Location: Mile End Row, NEATH, West Glamorgan, SA11 2ED Classification: Petrol Filling Stations - 24 Hour Status: Inactive Positional Accuracy: Manually positioned to the address or location	A8SW (S)	947	-	274596 196381
422	Contemporary Trade Directory Entries Name: Day'S Location: Neath Abbey Road, Neath, West Glamorgan, SA10 7DF Classification: Car Dealers Status: Active Positional Accuracy: Manually positioned within the geographical locality	A12NW (W)	942	-	273982 197623
423	Contemporary Trade Directory Entries Name: Taylors Of Neath Location: 14, Park Street, Neath, West Glamorgan, SA11 3DF Classification: Carpet, Curtain & Upholstery Cleaners Status: Inactive Positional Accuracy: Automatically positioned to the address	A19SE (NE)	968	-	275710 197814
424	Fuel Station Entries Name: Windsor Road Service Station Location: 66, Windsor Road , , Neath, Neath Port Talbot, SA11 1LT Brand: Obsolete Premises Type: Not Applicable Status: Obsolete Positional Accuracy: Manually positioned to the address or location	A13SE (E)	277	-	275144 197208

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
425	Fuel Station Entries Name: Electron Filling Station Location: 113-125, Windsor Road , , Neath, Neath Port Talbot, SA11 1NS Brand: Obsolete Premises Type: Not Applicable Status: Obsolete Positional Accuracy: Automatically positioned to the address	A13SE (SE)	387	-	275201 197075
426	Fuel Station Entries Name: Morrisons Neath Location: Angel Street , , Neath, Neath Port Talbot, SA11 1RS Brand: Morrisons Premises Type: Hypermarket Status: Open Positional Accuracy: Manually positioned to the address or location	A19SW (NE)	724	-	275301 197902
427	Fuel Station Entries Name: Tesco Neath Abbey Location: Neath Abbey Road , Neath Abbey , Neath, Neath Port Talbot, SA10 7FE Brand: TESCO Premises Type: Hypermarket Status: Open Positional Accuracy: Manually positioned to the address or location	A12NW (W)	805	-	274096 197534
428	Fuel Station Entries Name: Mile End Service Station Location: 188, Mile End Row , Melyn , Neath, Neath Port Talbot, SA11 2ED Brand: ESSO Premises Type: Petrol Station Status: Open Positional Accuracy: Manually positioned to the address or location	A8SW (S)	935	-	274607 196391
429	Points of Interest - Commercial Services Name: Afan Auto Electrics Location: Milland Road Industrial Estate, Neath, SA11 1NJ Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A13NE (E)	53	8	274936 197311
429	Points of Interest - Commercial Services Name: Clive Sinclair Motors Location: Commercial Street, Neath, SA11 1SB Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A13NE (NE)	118	8	274985 197371
429	Points of Interest - Commercial Services Name: Clive Sinclair Location: Commercial Street, Neath, SA11 1SB Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A13NE (NE)	119	8	274986 197371
430	Points of Interest - Commercial Services Name: Mikes Motors Ltd Location: Ambulance Station, Canal Road, Neath, SA11 1LJ Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A13NE (NE)	148	8	274943 197446
430	Points of Interest - Commercial Services Name: Neath M O T Centre Location: Ambulance Station, Canal Road, Neath, SA11 1LJ Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A13NE (NE)	148	8	274944 197446
430	Points of Interest - Commercial Services Name: Lewis (4x4) Ltd Location: Ambulance Station, Canal Road, Neath, SA11 1LJ Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A13NE (NE)	148	8	274944 197446
430	Points of Interest - Commercial Services Name: C & S Port Talbot Ltd Location: Canal Road, Neath, SA11 1LJ Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A13NE (N)	148	8	274921 197454

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
430	Points of Interest - Commercial Services Name: Lewis 4 X 4 Location: Ambulance Station, Canal Road, Neath, SA11 1LJ Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A13NE (NE)	148	8	274944 197446
430	Points of Interest - Commercial Services Name: Cabana Wales Ltd Location: Ambulance Station, Canal Road, Neath, SA11 1LJ Category: Transport, Storage and Delivery Class Code: Distribution and Haulage Positional Accuracy: Positioned to address or location	A13NE (NE)	148	8	274944 197446
430	Points of Interest - Commercial Services Name: Mike's Motors Ltd Location: 6 Canal Road, Neath, SA11 1LJ Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A13NE (N)	148	8	274921 197454
431	Points of Interest - Commercial Services Name: Foundry Autos Location: Milland Road Industrial Estate, Neath, SA11 1NJ Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A13SW (S)	281	8	274794 197017
431	Points of Interest - Commercial Services Name: Trick & Aubrey Location: Milland Road Industrial Estate, Neath, SA11 1NJ Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A13SW (S)	281	8	274794 197017
431	Points of Interest - Commercial Services Name: Trick & Aubrey Location: Milland Road Industrial Estate, Neath, SA11 1NJ Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A13SW (S)	281	8	274794 197017
431	Points of Interest - Commercial Services Name: Foundry Autos Location: Milland Road Industrial Estate, Neath, SA11 1NJ Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A13SW (S)	281	8	274794 197017
432	Points of Interest - Commercial Services Name: Watkins Welding & Tyres Location: 4 Commercial Street, Neath, SA11 1SB Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A13NE (NE)	305	8	275060 197559
432	Points of Interest - Commercial Services Name: Watkins Welding & Tyres Location: 4 Commercial Street, Neath, SA11 1SB Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A13NE (NE)	306	8	275061 197560
432	Points of Interest - Commercial Services Name: Bravegate Location: 1 Commercial Street, Neath, SA11 1SB Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A13NE (NE)	324	8	275073 197574
432	Points of Interest - Commercial Services Name: Bravegate Ltd Location: Commercial Street, Neath, SA11 1SB Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A13NE (NE)	340	8	275094 197578
433	Points of Interest - Commercial Services Name: E Hoile & Sons Location: Centre Garage 15a, Rectory Road, Neath, SA11 1ET Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A14SW (SE)	363	8	275214 197152

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
433	Points of Interest - Commercial Services Name: E Hoile & Sons Location: 15 Rectory Road, Neath, SA11 1ET Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A14SW (SE)	382	8	275229 197139
434	Points of Interest - Commercial Services Name: UK Flooring Distribution Location: Unit 4, Milland Road Industrial Estate, Neath, SA11 1NJ Category: Transport, Storage and Delivery Class Code: Distribution and Haulage Positional Accuracy: Positioned to address or location	A8NW (S)	416	8	274745 196891
435	Points of Interest - Commercial Services Name: Mike English Vehicle Repairs Location: Unit 1-3 Croft Garages, Croft Road, Neath, SA11 1RW Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A18SE (NE)	442	8	275152 197662
436	Points of Interest - Commercial Services Name: Express Transport Ltd Location: Unit 8, Milland Road Industrial Estate, Neath, SA11 1NJ Category: Transport, Storage and Delivery Class Code: Distribution and Haulage Positional Accuracy: Positioned to address or location	A8NW (S)	506	8	274681 196819
436	Points of Interest - Commercial Services Name: Express Transport Ltd Location: Unit 8, Milland Road Industrial Estate, Neath, SA11 1NJ Category: Transport, Storage and Delivery Class Code: Distribution and Haulage Positional Accuracy: Positioned to address or location	A8NW (S)	506	8	274681 196819
437	Points of Interest - Commercial Services Name: Freemans Beverages Location: Unit 1, Abbey Road Industrial Estate, Neath, SA10 7DN Category: Transport, Storage and Delivery Class Code: Distribution and Haulage Positional Accuracy: Positioned to address or location	A12NE (W)	561	8	274330 197464
437	Points of Interest - Commercial Services Name: Nicholls Dispense Location: Unit 1 Abbey Road Industrial Estate, Neath, SA10 7DF Category: Transport, Storage and Delivery Class Code: Distribution and Haulage Positional Accuracy: Positioned to address or location	A12NE (W)	561	8	274330 197464
437	Points of Interest - Commercial Services Name: B A R Propshafts Location: Unit 3, Abbey Road Industrial Estate, Neath, SA10 7DN Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A12NE (W)	576	8	274314 197463
437	Points of Interest - Commercial Services Name: Propshafts B A R Location: Unit 3, Abbey Road Industrial Estate, Neath, SA10 7DN Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A12NE (W)	576	8	274314 197462
438	Points of Interest - Commercial Services Name: Danygraig Motors Location: Flat 7 Edward Jarvis Court, Quar Road, Neath, SA11 1AE Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A8NE (SE)	571	8	275203 196818
439	Points of Interest - Commercial Services Name: Fordpad Ltd Location: Foundry Works, Dc Griffiths Way, Neath, SA11 1AU Category: Recycling Services Class Code: Scrap Metal Merchants Positional Accuracy: Positioned to address or location	A8NW (S)	669	8	274779 196624
439	Points of Interest - Commercial Services Name: Fordpad Ltd Location: Foundry Works, Dc Griffiths Way, Neath, SA11 1AU Category: Recycling Services Class Code: Scrap Metal Merchants Positional Accuracy: Positioned to address or location	A8NW (S)	669	8	274779 196624

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
440	Points of Interest - Commercial Services Name: Lewis Road Motors Location: Lewis Road, Neath, SA11 1DX Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A9NW (SE)	687	8	275342 196781
440	Points of Interest - Commercial Services Name: Morgans M O T Centre Location: Lewis Road, Neath, SA11 1DX Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A9NW (SE)	687	8	275342 196781
441	Points of Interest - Commercial Services Name: Milland Tyre & Auto Location: Unit 18, Milland Road Industrial Estate, Neath, SA11 1NJ Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A8NW (SW)	715	8	274560 196644
442	Points of Interest - Commercial Services Name: Kwik-Fit (GB) Limited Location: Gnoll Park Road, Neath, SA11 3BT Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A14NE (E)	773	8	275630 197510
442	Points of Interest - Commercial Services Name: Kwik-Fit (GB) Limited Location: Gnoll Park Road, Neath, SA11 3BT Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A14NE (E)	773	8	275630 197510
443	Points of Interest - Commercial Services Name: Tesco Neath Abbey Location: Neath Abbey Road, Neath Abbey, Neath, SA10 7DF Category: Personal, Consumer and other Services Class Code: Vehicle Cleaning Services Positional Accuracy: Positioned to address or location	A12NW (W)	798	8	274101 197527
443	Points of Interest - Commercial Services Name: Car Wash Location: Neath Abbey Road, Neath Abbey, Neath, West Glamorgan, SA10 7DF Category: Personal, Consumer and other Services Class Code: Vehicle Cleaning Services Positional Accuracy: Positioned to address or location	A12NW (W)	805	8	274096 197534
444	Points of Interest - Commercial Services Name: Mile End Service Station Location: Mile End Row, Neath, SA11 2ED Category: Personal, Consumer and other Services Class Code: Vehicle Cleaning Services Positional Accuracy: Positioned to address or location	A8SW (S)	935	8	274607 196391
444	Points of Interest - Commercial Services Name: Car Wash Location: Mile End Row, Neath, SA11 2ED Category: Personal, Consumer and other Services Class Code: Vehicle Cleaning Services Positional Accuracy: Positioned to address or location	A8SW (S)	935	8	274607 196391
445	Points of Interest - Manufacturing and Production Name: Works Location: Not Supplied Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A13NE (E)	51	8	274934 197307
445	Points of Interest - Manufacturing and Production Name: Works Location: Not Supplied Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A13SE (S)	51	8	274890 197237
445	Points of Interest - Manufacturing and Production Name: Works Location: SA11 Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A13NE (E)	51	8	274934 197308

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
446	Points of Interest - Manufacturing and Production Name: Works Location: Not Supplied Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A13NW (N)	55	8	274866 197363
446	Points of Interest - Manufacturing and Production Name: Works Location: SA11 Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A13NW (N)	55	8	274866 197363
447	Points of Interest - Manufacturing and Production Name: Tanks Location: SA11 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A13SW (W)	83	8	274782 197280
448	Points of Interest - Manufacturing and Production Name: Tanks Location: SA11 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A13SE (SE)	169	8	275031 197218
448	Points of Interest - Manufacturing and Production Name: Tank Location: SA11 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to address or location	A13SE (SE)	173	8	275033 197214
448	Points of Interest - Manufacturing and Production Name: Tank Location: SA11 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to address or location	A13SE (SE)	174	8	275035 197216
449	Points of Interest - Manufacturing and Production Name: Tanks Location: SA11 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A13NE (N)	171	8	274925 197477
450	Points of Interest - Manufacturing and Production Name: Works Location: Not Supplied Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A13NE (NE)	196	8	275015 197456
450	Points of Interest - Manufacturing and Production Name: Works Location: SA11 Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A13NE (NE)	197	8	275016 197456
451	Points of Interest - Manufacturing and Production Name: Tank Location: SA11 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A13SE (E)	208	8	275091 197298
452	Points of Interest - Manufacturing and Production Name: Tank Location: SA11 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A13SW (SW)	246	8	274718 197094
453	Points of Interest - Manufacturing and Production Name: Works Location: SA11 Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A13SW (S)	283	8	274807 197012

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
453	Points of Interest - Manufacturing and Production Name: Works Location: Not Supplied Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A13SW (S)	284	8	274807 197011
454	Points of Interest - Manufacturing and Production Name: Works Location: Not Supplied Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A14NW (NE)	397	8	275239 197487
454	Points of Interest - Manufacturing and Production Name: Works Location: SA11 Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A14NW (NE)	397	8	275239 197487
455	Points of Interest - Manufacturing and Production Name: Works Location: SA11 Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A18SE (N)	400	8	275010 197690
455	Points of Interest - Manufacturing and Production Name: Works Location: Not Supplied Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A18SE (N)	407	8	274988 197704
456	Points of Interest - Manufacturing and Production Name: Works Location: Not Supplied Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A12NE (NW)	408	8	274517 197506
456	Points of Interest - Manufacturing and Production Name: Works Location: SA10 Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A12NE (NW)	412	8	274512 197505
456	Points of Interest - Manufacturing and Production Name: Tank Location: SA10 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A12NE (NW)	457	8	274465 197514
457	Points of Interest - Manufacturing and Production Name: Milland Road Industrial Estate Location: SA11 Category: Industrial Features Class Code: Business Parks and Industrial Estates Positional Accuracy: Positioned to an adjacent address or location	A8NW (S)	440	8	274722 196874
458	Points of Interest - Manufacturing and Production Name: Factory Location: SA11 Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to address or location	A8NW (S)	475	8	274832 196813
458	Points of Interest - Manufacturing and Production Name: Factory Location: Not Supplied Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A8NW (S)	481	8	274825 196808
459	Points of Interest - Manufacturing and Production Name: Tank Location: SA10 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A12NE (NW)	490	8	274420 197498

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
459	Points of Interest - Manufacturing and Production Name: Factory Location: Not Supplied Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A12NE (W)	515	8	274375 197452
459	Points of Interest - Manufacturing and Production Name: Factory Location: SA10 Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A12NE (W)	515	8	274375 197452
459	Points of Interest - Manufacturing and Production Name: Factory Location: Not Supplied Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A12NE (W)	529	8	274379 197503
459	Points of Interest - Manufacturing and Production Name: Factory Location: SA10 Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A12NE (W)	529	8	274379 197503
459	Points of Interest - Manufacturing and Production Name: Abbey Road Industrial Estate Location: SA10 Category: Industrial Features Class Code: Business Parks and Industrial Estates Positional Accuracy: Positioned to an adjacent address or location	A12NE (W)	588	8	274297 197448
460	Points of Interest - Manufacturing and Production Name: Tank Location: SA10 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A18SE (N)	509	8	274919 197818
461	Points of Interest - Manufacturing and Production Name: Tank Location: SA11 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A8NW (S)	586	8	274741 196716
462	Points of Interest - Manufacturing and Production Name: Works Location: Not Supplied Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A8SW (S)	687	8	274770 196607
463	Points of Interest - Manufacturing and Production Name: Works Location: Not Supplied Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A8SW (S)	791	8	274578 196554
463	Points of Interest - Manufacturing and Production Name: Eaglesbush Works Location: SA11 Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A8SW (S)	798	8	274569 196550
463	Points of Interest - Manufacturing and Production Name: Eaglesbush Works Location: Not Supplied Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A8SW (S)	875	8	274563 196469
464	Points of Interest - Manufacturing and Production Name: Vale of Neath Business Park Location: SA10 Category: Industrial Features Class Code: Business Parks and Industrial Estates Positional Accuracy: Positioned to an adjacent address or location	A18NE (N)	839	8	275075 198128

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
465	Points of Interest - Manufacturing and Production Name: Quarry (Disused) Location: SA10 Category: Extractive Industries Class Code: Unspecified Quarries Or Mines Positional Accuracy: Positioned to an adjacent address or location	A17SW (NW)	868	8	274170 197816
466	Points of Interest - Manufacturing and Production Name: Works Location: Not Supplied Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A7SE (SW)	952	8	274318 196512
467	Points of Interest - Public Infrastructure Name: Neath Rail Station Location: Windsor Road, SA11 Category: Public Transport, Stations and Infrastructure Class Code: Railway Stations, Junctions and Halts Positional Accuracy: Positioned to address or location	A13NE (NE)	283	8	275113 197475
467	Points of Interest - Public Infrastructure Name: Neath General Station Location: Windsor Road, SA11 Category: Public Transport, Stations and Infrastructure Class Code: Railway Stations, Junctions and Halts Positional Accuracy: Positioned to address or location	A13NE (NE)	283	8	275113 197475
468	Points of Interest - Public Infrastructure Name: Graveyard Location: Not Supplied Category: Infrastructure and Facilities Class Code: Cemeteries and Crematoria Positional Accuracy: Positioned to an adjacent address or location	A18SE (NE)	391	8	275091 197642
469	Points of Interest - Public Infrastructure Name: B Clean Location: 22 Brookdale Street, Neath, SA11 1PB Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to address or location	A8NE (SE)	408	8	275100 196945
469	Points of Interest - Public Infrastructure Name: B Clean Rubbish Removal Services Location: 22 Brookdale Street, Neath, SA11 1PB Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to address or location	A8NE (SE)	408	8	275100 196945
470	Points of Interest - Public Infrastructure Name: Bus Station Location: SA11 Category: Public Transport, Stations and Infrastructure Class Code: Bus and Coach Stations, Depots and Companies Positional Accuracy: Positioned to address or location	A14NW (E)	497	8	275369 197416
471	Points of Interest - Public Infrastructure Name: Sluice Location: SA11 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A7NE (SW)	613	8	274467 196824
471	Points of Interest - Public Infrastructure Name: Outfall Location: SA11 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	A7NE (SW)	613	8	274448 196841
472	Points of Interest - Public Infrastructure Name: Sluice Location: SA11 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A19SW (NE)	639	8	275217 197856
472	Points of Interest - Public Infrastructure Name: Morrisons Petrol Station Location: Angel Street, Neath, SA11 3LN Category: Road And Rail Class Code: Petrol and Fuel Stations Positional Accuracy: Positioned to address or location	A19SW (NE)	724	8	275301 197902

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
472	Points of Interest - Public Infrastructure Name: Morrisons Neath Location: Angel Street, Neath, SA11 1RS Category: Road And Rail Class Code: Petrol and Fuel Stations Positional Accuracy: Positioned to address or location	A19SW (NE)	724	8	275301 197902
472	Points of Interest - Public Infrastructure Name: Morrisons Petrol Station Location: Angel Street, Neath, SA11 3LN Category: Road And Rail Class Code: Petrol and Fuel Stations Positional Accuracy: Positioned to address or location	A19SW (NE)	725	8	275300 197904
473	Points of Interest - Public Infrastructure Name: Tesco Petrol Filling Station Location: Water Street, Neath, SA11 3ET Category: Road And Rail Class Code: Petrol and Fuel Stations Positional Accuracy: Positioned to address or location	A19SW (NE)	668	8	275461 197646
474	Points of Interest - Public Infrastructure Name: South Wales Transport Location: Unit 19, Milland Road Industrial Estate, Neath, SA11 1NJ Category: Public Transport, Stations and Infrastructure Class Code: Bus and Coach Stations, Depots and Companies Positional Accuracy: Positioned to address or location	A8NW (SW)	715	8	274560 196644
475	Points of Interest - Public Infrastructure Name: Neath Police Station Location: Gnoll Park Road, Neath, SA11 3BW Category: Central and Local Government Class Code: Police Stations Positional Accuracy: Positioned to address or location	A14NE (E)	746	8	275611 197472
475	Points of Interest - Public Infrastructure Name: Neath Police Station Location: Gnoll Park Road, Neath, SA11 Category: Central and Local Government Class Code: Police Stations Positional Accuracy: Positioned to address or location	A14NE (E)	746	8	275611 197472
475	Points of Interest - Public Infrastructure Name: Neath Police Station Location: Neath Police Station, Gnoll Park Road, Neath, SA11 3BG Category: Central and Local Government Class Code: Police Stations Positional Accuracy: Positioned to address or location	A14NE (E)	746	8	275611 197472
476	Points of Interest - Public Infrastructure Name: Tesco Neath Abbey Location: Neath Abbey Road, Neath Abbey, Neath, SA10 7DF Category: Road And Rail Class Code: Petrol and Fuel Stations Positional Accuracy: Positioned to address or location	A12NW (W)	805	8	274096 197534
476	Points of Interest - Public Infrastructure Name: Tesco Filling Station Location: Petrol Filling Station Tesco Supermarket, Neath Abbey Road, Neath, SA10 7FE Category: Road And Rail Class Code: Petrol and Fuel Stations Positional Accuracy: Positioned to address or location	A12NW (W)	822	8	274083 197547
476	Points of Interest - Public Infrastructure Name: Tesco Petrol Filling Station Location: Neath Abbey Road, Neath, SA10 7FE Category: Road And Rail Class Code: Petrol and Fuel Stations Positional Accuracy: Positioned to address or location	A12NW (W)	851	8	274039 197502
477	Points of Interest - Public Infrastructure Name: Weir Location: SA11 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A8SE (S)	850	8	275055 196455
478	Points of Interest - Public Infrastructure Name: Outfall Location: SA11 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	A19SW (NE)	861	8	275517 197893

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
479	Points of Interest - Public Infrastructure Name: Esso Location: Mile End Row, Neath, SA11 2ED Category: Road And Rail Class Code: Petrol and Fuel Stations Positional Accuracy: Positioned to address or location	A8SW (S)	934	8	274606 196391
479	Points of Interest - Public Infrastructure Name: Mile End Service Station Location: Mile End Row, Neath, SA11 2ED Category: Road And Rail Class Code: Petrol and Fuel Stations Positional Accuracy: Positioned to address or location	A8SW (S)	934	8	274606 196391
479	Points of Interest - Public Infrastructure Name: Esso Location: Mile End Row, Neath, SA11 2ED Category: Road And Rail Class Code: Petrol and Fuel Stations Positional Accuracy: Positioned to address or location	A8SW (S)	935	8	274606 196391
479	Points of Interest - Public Infrastructure Name: Mile End Service Station Location: Mile End Row, Neath, SA11 2ED Category: Road And Rail Class Code: Petrol and Fuel Stations Positional Accuracy: Positioned to address or location	A8SW (S)	935	8	274607 196391
479	Points of Interest - Public Infrastructure Name: Mile End Service Station Location: Mile End Row, Neath, SA11 2ED Category: Road And Rail Class Code: Petrol and Fuel Stations Positional Accuracy: Positioned to address or location	A8SW (S)	947	8	274596 196381
480	Points of Interest - Public Infrastructure Name: Filter Beds Location: SA11 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	A7SE (SW)	999	8	274225 196524
481	Points of Interest - Recreational and Environmental Name: Playground Location: Bowen Street, SA11 Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to an adjacent address or location	A8NE (S)	542	8	274971 196752
481	Points of Interest - Recreational and Environmental Name: Playground Location: Not Supplied Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to an adjacent address or location	A8NE (S)	543	8	274971 196751
482	Points of Interest - Recreational and Environmental Name: Playground Location: Maes-Y-Ffynnon Close, SA11 Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to address or location	A9NW (SE)	673	8	275411 196878
482	Points of Interest - Recreational and Environmental Name: Playground Location: Not Supplied Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to an adjacent address or location	A9NW (SE)	675	8	275411 196874
483	Points of Interest - Recreational and Environmental Name: Playground Location: Not Supplied Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to an adjacent address or location	A14SE (SE)	778	8	275591 196979
483	Points of Interest - Recreational and Environmental Name: Playground Location: Wellfield Avenue, SA11 Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to address or location	A14SE (SE)	783	8	275594 196974

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
484	Points of Interest - Recreational and Environmental Name: Playground Location: Not Supplied Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to an adjacent address or location	A9SW (SE)	913	8	275249 196452
484	Points of Interest - Recreational and Environmental Name: Playground Location: Bryn Road, SA11 Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to address or location	A9SW (SE)	916	8	275247 196448
485	Points of Interest - Recreational and Environmental Name: Playground Location: Not Supplied Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to an adjacent address or location	A19SE (NE)	928	8	275675 197794
485	Points of Interest - Recreational and Environmental Name: Playground Location: (Pen-Y-Dre), SA11 Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to address or location	A19SE (NE)	928	8	275673 197797

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
486	Ancient Woodland Name: Not Supplied Reference: 12255 Area(m ²): 5217.98 Type: Ancient and Semi-Natural Woodland	A8SE (S)	904	2	275107 196412
487	Ancient Woodland Name: Not Supplied Reference: 7766 Area(m ²): 4327.93 Type: Ancient and Semi-Natural Woodland	A8SE (S)	947	2	275103 196367
488	Local Nature Reserves Name: Eaglesbush Valley Multiple Area: N Area (m2): 79888.24 Source: Neath Port Talbot County Borough Council Designation Date: 31st December 2008	A8SE (S)	786	9	274998 196510

Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices City and County of Swansea - Environmental Health Department Neath Port Talbot County Borough Council - Environmental Health Department	January 2015 March 2015	Annual Rolling Update Annual Rolling Update
Discharge Consents Environment Agency - Welsh Region Natural Resources Wales	August 2014 July 2019	Quarterly Quarterly
Enforcement and Prohibition Notices Environment Agency - Welsh Region	March 2013	Annual Rolling Update
Integrated Pollution Controls Environment Agency - Welsh Region	October 2008	Variable
Integrated Pollution Prevention And Control Natural Resources Wales Environment Agency - Welsh Region	April 2019 July 2019	Quarterly Quarterly
Local Authority Integrated Pollution Prevention And Control Swansea Bay Port Health Authority Neath Port Talbot County Borough Council - Environmental Health Department City and County of Swansea - Environmental Health Department	April 2014 August 2012 June 2014	Variable Variable Variable
Local Authority Pollution Prevention and Controls Swansea Bay Port Health Authority City and County of Swansea - Environmental Health Department Neath Port Talbot County Borough Council - Environmental Health Department	April 2014 June 2014 March 2014	Annually Annual Rolling Update Annual Rolling Update
Local Authority Pollution Prevention and Control Enforcements Swansea Bay Port Health Authority City and County of Swansea - Environmental Health Department Neath Port Talbot County Borough Council - Environmental Health Department	April 2014 June 2014 March 2014	Variable Variable Variable
Nearest Surface Water Feature Ordnance Survey	January 2019	
Pollution Incidents to Controlled Waters Environment Agency - Welsh Region	December 1998	Not Applicable
Prosecutions Relating to Authorised Processes Environment Agency - Welsh Region Natural Resources Wales	March 2013 March 2013	Annual Rolling Update Annual Rolling Update
Prosecutions Relating to Controlled Waters Environment Agency - Welsh Region Natural Resources Wales	March 2013 March 2013	Annual Rolling Update Annual Rolling Update
Registered Radioactive Substances Natural Resources Wales Environment Agency - Welsh Region	January 2015 June 2016	Annually
River Quality Environment Agency - Head Office	November 2001	Not Applicable
Substantiated Pollution Incident Register Environment Agency Wales - South West Area Natural Resources Wales	July 2019 July 2019	Quarterly Quarterly
Water Abstractions Environment Agency - Welsh Region Natural Resources Wales	July 2019 July 2019	Quarterly Quarterly
Water Industry Act Referrals Natural Resources Wales Environment Agency - Welsh Region	July 2019 October 2017	Quarterly Quarterly
Groundwater Vulnerability Map Natural Resources Wales	June 2018	As notified

Agency & Hydrological	Version	Update Cycle
Bedrock Aquifer Designations Natural Resources Wales	January 2018	Annually
Superficial Aquifer Designations Natural Resources Wales	January 2018	Annually
Source Protection Zones Natural Resources Wales	November 2016	Annual Rolling Update
Extreme Flooding from Rivers or Sea without Defences Natural Resources Wales	August 2019	Quarterly
Flooding from Rivers or Sea without Defences Natural Resources Wales	August 2019	Quarterly
Areas Benefiting from Flood Defences Natural Resources Wales	August 2019	Quarterly
Flood Water Storage Areas Natural Resources Wales	August 2019	Quarterly
Flood Defences Natural Resources Wales	August 2019	Quarterly
OS Water Network Lines Ordnance Survey	July 2019	Quarterly
Surface Water 1 in 30 year Flood Extent Natural Resources Wales	October 2013	Annually
Surface Water 1 in 100 year Flood Extent Natural Resources Wales	October 2013	Annually
Surface Water 1 in 1000 year Flood Extent Natural Resources Wales	October 2013	Annually
Surface Water Suitability Natural Resources Wales	October 2013	Annually
BGS Groundwater Flooding Susceptibility British Geological Survey - National Geoscience Information Service	May 2013	Annually

Waste	Version	Update Cycle
BGS Recorded Landfill Sites British Geological Survey - National Geoscience Information Service	June 1996	Not Applicable
Historical Landfill Sites Natural Resources Wales	July 2017	Quarterly
Integrated Pollution Control Registered Waste Sites Environment Agency - Welsh Region	October 2008	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries) Environment Agency Wales - South West Area Natural Resources Wales	July 2018 July 2018	Quarterly Quarterly
Licensed Waste Management Facilities (Locations) Environment Agency Wales - South West Area Natural Resources Wales	July 2019 July 2019	Quarterly Quarterly
Local Authority Landfill Coverage City and County of Swansea - Environmental Health Department Neath Port Talbot County Borough Council - Environmental Health Department	May 2000 May 2000	Not Applicable Not Applicable
Local Authority Recorded Landfill Sites City and County of Swansea - Environmental Health Department Neath Port Talbot County Borough Council - Environmental Health Department	May 2000 September 2003	Not Applicable Not Applicable
Potentially Infilled Land (Non-Water) Landmark Information Group Limited	December 1999	Not Applicable
Potentially Infilled Land (Water) Landmark Information Group Limited	December 1999	Not Applicable
Registered Landfill Sites Environment Agency Wales - South West Area	March 2003	Not Applicable
Registered Waste Transfer Sites Environment Agency Wales - South West Area	March 2003	Not Applicable
Registered Waste Treatment or Disposal Sites Environment Agency Wales - South West Area	March 2003	Not Applicable
Hazardous Substances	Version	Update Cycle
Control of Major Accident Hazards Sites (COMAH) Health and Safety Executive	April 2018	Bi-Annually
Explosive Sites Health and Safety Executive	March 2017	Annually
Notification of Installations Handling Hazardous Substances (NIHHS) Health and Safety Executive	November 2000	Not Applicable
Planning Hazardous Substance Enforcements City and County of Swansea - Planning Department Neath Port Talbot County Borough Council - Planning Department	January 2016 October 2015	Variable Variable
Planning Hazardous Substance Consents City and County of Swansea - Planning Department Neath Port Talbot County Borough Council - Planning Department	January 2016 October 2015	Variable Variable

Geological	Version	Update Cycle
BGS 1:625,000 Solid Geology British Geological Survey - National Geoscience Information Service	January 2009	Not Applicable
BGS Estimated Soil Chemistry British Geological Survey - National Geoscience Information Service	October 2015	Annually
BGS Recorded Mineral Sites British Geological Survey - National Geoscience Information Service	April 2019	Bi-Annually
BGS Urban Soil Chemistry British Geological Survey - National Geoscience Information Service	October 2015	Annually
BGS Urban Soil Chemistry Averages British Geological Survey - National Geoscience Information Service	October 2015	Annually
CBSCB Compensation District Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011	Not Applicable
Coal Mining Affected Areas The Coal Authority - Property Searches	March 2014	Annual Rolling Update
Mining Instability Ove Arup & Partners	October 2000	Not Applicable
Non Coal Mining Areas of Great Britain British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Potential for Collapsible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	Annually
Potential for Compressible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	Annually
Potential for Ground Dissolution Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	Annually
Potential for Landslide Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	Annually
Potential for Running Sand Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	Annually
Potential for Shrinking or Swelling Clay Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	Annually
Radon Potential - Radon Affected Areas British Geological Survey - National Geoscience Information Service	July 2011	Annually
Radon Potential - Radon Protection Measures British Geological Survey - National Geoscience Information Service	July 2011	Annually

Industrial Land Use	Version	Update Cycle
Contemporary Trade Directory Entries Thomson Directories	July 2019	Quarterly
Fuel Station Entries Catalist Ltd - Experian	September 2019	Quarterly
Gas Pipelines National Grid	July 2014	
Points of Interest - Commercial Services PointX	September 2019	Quarterly
Points of Interest - Education and Health PointX	September 2019	Quarterly
Points of Interest - Manufacturing and Production PointX	September 2019	Quarterly
Points of Interest - Public Infrastructure PointX	September 2019	Quarterly
Points of Interest - Recreational and Environmental PointX	September 2019	Quarterly
Underground Electrical Cables National Grid	December 2015	
Sensitive Land Use	Version	Update Cycle
Ancient Woodland Natural Resources Wales	August 2018	Bi-Annually
Areas of Adopted Green Belt City and County of Swansea	March 2019	As notified
Areas of Outstanding Natural Beauty Natural Resources Wales	June 2019	Bi-Annually
Environmentally Sensitive Areas The National Assembly for Wales - GI Services (Department of Planning & Countryside)	January 2017	
Forest Parks Forestry Commission	April 1997	Not Applicable
Local Nature Reserves City and County of Swansea Neath Port Talbot County Borough Council	August 2018 August 2018	Bi-Annually Bi-Annually
Marine Nature Reserves Natural Resources Wales	August 2018	Bi-Annually
National Nature Reserves Natural Resources Wales	June 2019	Bi-Annually
National Parks Natural Resources Wales	August 2018	Annually
Nitrate Vulnerable Zones Natural Resources Wales The National Assembly for Wales - GI Services (Department of Planning & Countryside)	July 2019 October 2005	Bi-Annually
Ramsar Sites Natural Resources Wales	July 2019	Bi-Annually
Sites of Special Scientific Interest Natural Resources Wales	March 2019	Bi-Annually
Special Areas of Conservation Natural Resources Wales	August 2018	Bi-Annually
Special Protection Areas Natural Resources Wales	August 2018	Bi-Annually

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	
Environment Agency	
Scottish Environment Protection Agency	
The Coal Authority	
British Geological Survey	 British Geological Survey NATURAL ENVIRONMENT RESEARCH COUNCIL
Centre for Ecology and Hydrology	 Centre for Ecology & Hydrology NATURAL ENVIRONMENT RESEARCH COUNCIL
Natural Resources Wales	
Scottish Natural Heritage	
Natural England	
Public Health England	
Ove Arup	
Peter Brett Associates	

Contact	Name and Address	Contact Details
1	British Geological Survey - Enquiry Service British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
2	Natural Resources Wales Ty Cambria, 29 Newport Road, Cardiff, CF24 0TP	Telephone: 0300 065 3000 Email: enquiries@naturalresourceswales.gov.uk
3	Environment Agency - National Customer Contact Centre (NCCC) PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk
4	Neath Port Talbot County Borough Council - Environmental Health Department Room 322, Neath Civic Centre, Neath, West Glamorgan, SA11 3QZ	Telephone: 01639 763333 Fax: 01693 763444 Website: www.neath-porttalbot.gov.uk
5	Ordnance Survey Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: 03456 05 05 05 Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.gov.uk
6	Health and Safety Executive 5S.2 Redgrave Court, Merton Road, Bootle, L20 7HS	Website: www.hse.gov.uk
7	The Coal Authority - Property Searches 200 Lichfield Lane, Mansfield, Nottinghamshire, NG18 4RG	Telephone: 0345 762 6848 Fax: 01623 637 338 Email: groundstability@coal.gov.uk Website: www2.groundstability.com
8	PointX 7 Abbey Court, Eagle Way, Sowton, Exeter, Devon, EX2 7HY	Website: www.pointx.co.uk
9	Neath Port Talbot County Borough Council Civic Centre, Port Talbot, West Glamorgan, SA13 1PJ	Telephone: 01639 763333 Fax: 01693 763444 Website: www.neath-porttalbot.gov.uk
-	Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org
-	Landmark Information Group Limited Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9952 Fax: 0844 844 9951 Email: customerservices@landmarkinfo.co.uk Website: www.landmarkinfo.co.uk

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.

Historical Mapping Legends

Ordnance Survey County Series 1:10,560

	Gravel Pit		Sand Pit		Other Pits
	Quarry		Shingle		Orchard
	Osiers		Reeds		Marsh
	Mixed Wood		Deciduous		Brushwood
	Fir		Furze		Rough Pasture
	Arrow denotes flow of water		Trigonometrical Station		
	Site of Antiquities		Bench Mark		
	Pump, Guide Post, Signal Post		Well, Spring, Boundary Post		
	•285 Surface Level				
	Sketched Contour		Instrumental Contour		
	Main Roads		Minor Roads		
	Sunken Road		Raised Road		
	Road over Railway		Railway over River		
	Railway over Road		Level Crossing		
	Road over River or Canal		Road over Stream		
	Road over Stream				
	County Boundary (Geographical)				
	County & Civil Parish Boundary				
	Administrative County & Civil Parish Boundary				
	County Borough Boundary (England)				
	County Burgh Boundary (Scotland)				
	Rural District Boundary				
	Civil Parish Boundary				

Ordnance Survey Plan 1:10,000

	Chalk Pit, Clay Pit or Quarry		Gravel Pit
	Sand Pit		Disused Pit or Quarry
	Refuse or Slag Heap		Lake, Loch or Pond
	Dunes		Boulders
	Coniferous Trees		Non-Coniferous Trees
	Orchard		Scrub
	Bracken		Heath
	Marsh		Reeds
	Building		Glasshouse
	Sloping Masonry		Pylon
	Cutting		Embankment
	Road Under		Road Over
	Level Crossing		Foot Bridge
	Standard Gauge Multiple Track		Standard Gauge Single Track
	Siding, Tramway or Mineral Line		Narrow Gauge
	Geographical County		Administrative County, County Borough or County of City
	Municipal Borough, Urban or Rural District, Burgh or District Council		Borough, Burgh or County Constituency
	Civil Parish		
	BP, BS Boundary Post or Stone		Police Station
	Church		Post Office
	Club House		Public Convenience
	Fire Engine Station		Public House
	Foot Bridge		Signal Box
	Fountain		Spring
	Guide Post		Telephone Call Box
	Mile Post		Telephone Call Post
	Mile Stone		Well

1:10,000 Raster Mapping

	Gravel Pit		Refuse tip or slag heap
	Rock		Rock (scattered)
	Boulders		Boulders (scattered)
	Shingle		Mud
	Sand		Sand Pit
	Slopes		Top of cliff
	General detail		Underground detail
	Overhead detail		Narrow gauge railway
	Multi-track railway		Single track railway
	County boundary (England only)		Civil, parish or community boundary
	District, Unitary, Metropolitan, London Borough boundary		Constituency boundary
	Area of wooded vegetation		Non-coniferous trees
	Non-coniferous trees (scattered)		Coniferous trees
	Coniferous trees (scattered)		Positioned tree
	Orchard		Coppice or Osiers
	Rough Grassland		Heath
	Scrub		Marsh, Salt Marsh or Reeds
	Water feature		Flow arrows
	Mean high water (springs)		Mean low water (springs)
	Telephone line (where shown)		Electricity transmission line (with poles)
	Bench mark (where shown)		Triangulation station
	Point feature (e.g. Guide Post or Mile Stone)		Pylon, flare stack or lighting tower
	Site of (antiquity)		Glasshouse
	General Building		Important Building


Envirocheck®

LANDMARK INFORMATION GROUP®

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Glamorganshire	1:10,560	1884	3
Glamorganshire	1:10,560	1900	4
Glamorganshire	1:10,560	1921	5
Glamorganshire	1:10,560	1921	6
Glamorganshire	1:10,560	1936	7
Glamorganshire	1:10,560	1938 - 1940	8
Historical Aerial Photography	1:10,560	1945 - 1949	9
Glamorganshire	1:10,560	1951 - 1952	10
Ordnance Survey Plan	1:10,000	1964 - 1965	11
Ordnance Survey Plan	1:10,000	1970 - 1973	12
Swansea	1:10,000	1976	13
Ordnance Survey Plan	1:10,000	1980 - 1983	14
Ordnance Survey Plan	1:10,000	1992	15
10K Raster Mapping	1:10,000	1999	16
10K Raster Mapping	1:10,000	2006	17
VectorMap Local	1:10,000	2019	18

Historical Map - Slice A



Order Details

Order Number: 221161028_1_1
Customer Ref: 2270010
National Grid Reference: 274880, 197300
Slice: A
Site Area (Ha): 0.03
Search Buffer (m): 1000

Site Details

Sandvik Osprey Ltd, Milland Road Industrial Estate, NEATH, SA11 1NJ

Landmark®
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Russian Military Mapping Legends

1:5,000 and 1:10,000 mapping

a. Not drawn to scale b. Drawn to scale

Government and Administrative Buildings Military and Industrial Buildings

Military and Communication Areas Subway Entrance

Fireproof Building Prominent Fireproof Building

Non-fireproof Building Non-fireproof Building (non-dwelling)

Factory, mill, and flour mill, with chimneys Factory, mill, and flour mill, without chimneys

Power Station, drawn to scale Hydroelectric Power Station

Radio Station, drawn to scale Telephone Station, drawn to scale

Abandoned Open-pit Mine or Quarry Open-pit Salt Mine

Pit Oil Deposit or Well Oil Seepage

Tailings Pile Fuel Storage Tanks Natural Gas Tank

Bench Mark Drill Hole Burial Mound Triangulation Point on Burial Mound

Single-track Railroad Small Bridge Double-track Railroad and Station Building

Coniferous Forest Deciduous Forest Mixed Forest

Lawns Citrus Orchard Wet Ground Scattered Vegetation

243.8 Values for prominent elevations

186.0 Numbers for spot elevations, depth soundings, contour lines, etc.

0.2 Velocity of the current, width of river bed, depth of river

180/12 Fractional terms: length and capacity of bridges; depth of fords and condition of the river bottom; height of forest and the diameter of trees

Russian Alphabet (For reference and phonetic interpretation of map text)

А а (A) З з (Z) П п (P) Ч ч (CH)

Б б (B) И и (I) Р р (R) Ш ш (SH)

В в (V) Й й (Y) С с (S) Щ щ (SHCH)

Г г (G) К к (K) Т т (T) Ъ ъ (-)

Д д (D) Л л (L) У у (U) Ы ы (Y)

Е е (E) М м (M) Ф ф (F) Ь ь (')

Ё ё (YO) Н н (N) Х х (KH) Э э (E)

Ж ж (ZH) О о (O) Ц ц (TS) Ю ю (YU or IU)

Я я (YA or IA)

1:25,000 mapping

a. Not drawn to scale b. Drawn to scale

Government and Administrative Buildings Military and Industrial Buildings

Military and Communication Areas Subway Entrance

Partly Demolished Buildings Demolished Buildings

Built-Up Area with Fireproof Buildings Predominant Built-Up Area with Non-Fireproof Buildings Predominant

Individual Fireproof Building Prominent Industrial Building

Individual Dwelling, Fireproof Ruins of an Individual Dwelling

Factory or Mill Chimney Factory or Mill with Chimney Factory or Mill without Chimney Mine or Open Pit Mine

Operating Shaft or Mine Non-Operating Shaft or Mine Salt Mine Tailings Pile

Pit Stone Quarry Gas Pump or Service Station Fuel Storage or Natural Gas Tank

Oil or Natural Gas Derrick Small Hydroelectric Power Station Power Station Transformer Station

Cemetery Burial Mound (height in metres) Triangulation Point on Burial Mound Triangulation Point

Bench Mark Bench Mark (monumented) Telegraph Office Telephone Station

Radio Station Radio Tower Airfield or Seaplane Base Landing Strip

Telegraph/Telephone Lines Main Highway Highway under Construction Improved Dirt Road (former truck road)

Double-track Railroad with First Class Station Dismantled Railroad Railroad Under Construction

Shore Embankment River or Ditch with Embankment Water Gauge Water Level Mark

Well Water Reservoir or Rain Water Pit Spring Isobath with value

Heavy (Index) Contour Line Contour Line and Value Half Contour Line Spot Elevation Value

Coniferous Deciduous Mixed Scrub

Key to Numbers on Mapping


Envirocheck®

LANDMARK INFORMATION GROUP®

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Glamorganshire	1:10,560	1884	3
Glamorganshire	1:10,560	1900	4
Glamorganshire	1:10,560	1921	5
Glamorganshire	1:10,560	1921	6
Glamorganshire	1:10,560	1936	7
Glamorganshire	1:10,560	1938 - 1940	8
Historical Aerial Photography	1:10,560	1945 - 1949	9
Glamorganshire	1:10,560	1951 - 1952	10
Ordnance Survey Plan	1:10,000	1964 - 1965	11
Ordnance Survey Plan	1:10,000	1970 - 1973	12
Swansea	1:10,000	1976	13
Ordnance Survey Plan	1:10,000	1980 - 1983	14
Ordnance Survey Plan	1:10,000	1992	15
10K Raster Mapping	1:10,000	1999	16
10K Raster Mapping	1:10,000	2006	17
VectorMap Local	1:10,000	2019	18

Russian Map - Slice A



Order Details

Order Number: 221161028_1_1

Customer Ref: 2270010

National Grid Reference: 274880, 197300

Slice: A

Site Area (Ha): 0.03

Search Buffer (m): 1000

Site Details

Sandvik Osprey Ltd, Milland Road Industrial Estate, NEATH, SA11 1NJ


Landmark®

INFORMATION GROUP

Tel: 0844 844 9952

Fax: 0844 844 9951

Web: www.envirocheck.co.uk




Glamorganshire

Published 1884


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)




Historical Map - Slice A



Order Details	
Order Number:	221161028_1_1
Customer Ref:	2270010
National Grid Reference:	274880, 197300
Slice:	A
Site Area (Ha):	0.03
Search Buffer (m):	1000

Site Details

Sandvik Osprey Ltd, Milland Road Industrial Estate, NEATH, SA11 1NJ



Envirocheck®

LANDMARK INFORMATION GROUP®


Glamorganshire

Published 1900


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number: 221161028_1_1
Customer Ref: 2270010
National Grid Reference: 274880, 197300
Slice: A
Site Area (Ha): 0.03
Search Buffer (m): 1000

Site Details

Sandvik Osprey Ltd, Milland Road Industrial Estate, NEATH, SA11 1NJ

Landmark®
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


Glamorganshire

Published 1921


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number: 221161028_1_1
Customer Ref: 2270010
National Grid Reference: 274880, 197300
Slice: A
Site Area (Ha): 0.03
Search Buffer (m): 1000

Site Details

Sandvik Osprey Ltd, Milland Road Industrial Estate, NEATH, SA11 1NJ

Landmark®
LANDMARK INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


Glamorganshire

Published 1921


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number:	221161028_1_1
Customer Ref:	2270010
National Grid Reference:	274880, 197300
Slice:	A
Site Area (Ha):	0.03
Search Buffer (m):	1000

Site Details

Sandvik Osprey Ltd, Milland Road Industrial Estate, NEATH,
SA11 1NJ

Landmark®
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2019. All Rights Reserved.


Glamorganshire

Published 1936


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A




Order Details

Order Number: 221161028_1_1
Customer Ref: 2270010
National Grid Reference: 274880, 197300
Slice: A
Site Area (Ha): 0.03
Search Buffer (m): 1000

Site Details

Sandvik Osprey Ltd, Milland Road Industrial Estate, NEATH, SA11 1NJ



Envirocheck®

LANDMARK INFORMATION GROUP®


Glamorganshire

Published 1938 - 1940


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number: 221161028_1_1
Customer Ref: 2270010
National Grid Reference: 274880, 197300
Slice: A
Site Area (Ha): 0.03
Search Buffer (m): 1000

Site Details

Sandvik Osprey Ltd, Milland Road Industrial Estate, NEATH, SA11 1NJ

Landmark®
LANDMARK INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2019. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Glamorganshire

Published 1951 - 1952


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number: 221161028_1_1
Customer Ref: 2270010
National Grid Reference: 274880, 197300
Slice: A
Site Area (Ha): 0.03
Search Buffer (m): 1000

Site Details

Sandvik Osprey Ltd, Milland Road Industrial Estate, NEATH, SA11 1NJ

Landmark®
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2019. All Rights Reserved.

Ordnance Survey Plan

Published 1964 - 1965

Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

SS79NW 1965 1:10,560	SS79NE 1964 1:10,560
----------------------------	----------------------------

Historical Map - Slice A


North Arrow

Order Details

Order Number:	221161028_1_1
Customer Ref:	2270010
National Grid Reference:	274880, 197300
Slice:	A
Site Area (Ha):	0.03
Search Buffer (m):	1000

Site Details

Sandvik Osprey Ltd, Milland Road Industrial Estate, NEATH, SA11 1NJ



© Crown copyright and Landmark Information Group Limited 2019. All Rights Reserved.


Ordnance Survey Plan

Published 1970 - 1973


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A




Order Details

Order Number: 221161028_1_1
Customer Ref: 2270010
National Grid Reference: 274880, 197300
Slice: A
Site Area (Ha): 0.03
Search Buffer (m): 1000

Site Details

Sandvik Osprey Ltd, Milland Road Industrial Estate, NEATH, SA11 1NJ



© Copyright Landmark Information Group Ltd. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Swansea


Published 1976

Source map scale - 1:10,000


These maps were produced by the Russian military during the Cold War between 1950 and 1997, and cover 103 towns and cities throughout the U.K. The maps are produced at 1:25,000, 1:10,000 and 1:5,000 scale, and show detailed land use, with colour-coded areas for development, green areas, and non-developed areas. Buildings are coloured black and important building uses (such as hospitals, post offices, factories etc.) are numbered, with a numbered key describing their use.

They were produced by the Russians for the benefit of navigation, as well as strategic military sites and transport hubs, for use if they were to have invaded the U.K. The detailed information provided indicates that the areas were surveyed using land-based personnel, on the ground, in the cities that are mapped.

Map Name(s) and Date(s)



Russian Map - Slice A



Order Details


Order Number: 221161028_1_1
Customer Ref: 2270010
National Grid Reference: 274880, 197300
Slice: A
Site Area (Ha): 0.03
Search Buffer (m): 1000

Site Details

Sandvik Osprey Ltd, Milland Road Industrial Estate, NEATH, SA11 1NJ

Landmark®
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2019. All Rights Reserved.


Envirocheck®

LANDMARK INFORMATION GROUP®


Ordnance Survey Plan Published 1980 - 1983 Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)




Historical Map - Slice A



Order Details
Order Number: 221161028_1_1
Customer Ref: 2270010
National Grid Reference: 274880, 197300
Slice: A
Site Area (Ha): 0.03
Search Buffer (m): 1000

Site Details
Sandvik Osprey Ltd, Milland Road Industrial Estate, NEATH, SA11 1NJ

Landmark®
INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2019. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Ordnance Survey Plan

Published 1992


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)




Historical Map - Slice A



Order Details
Order Number: 221161028_1_1
Customer Ref: 2270010
National Grid Reference: 274880, 197300
Slice: A
Site Area (Ha): 0.03
Search Buffer (m): 1000

Site Details
Sandvik Osprey Ltd, Milland Road Industrial Estate, NEATH, SA11 1NJ

Landmark®
INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright. All Rights Reserved. Licence Number 100022432.

Envirocheck®

LANDMARK INFORMATION GROUP®


10k Raster Mapping

Published 1999


Source map scale - 1:10,000

The historical maps shown were produced from the Ordnance Survey's 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number: 221161028_1_1
Customer Ref: 2270010
National Grid Reference: 274880, 197300
Slice: A
Site Area (Ha): 0.03
Search Buffer (m): 1000

Site Details

Sandvik Osprey Ltd, Milland Road Industrial Estate, NEATH, SA11 1NJ

Landmark®
LANDMARK INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright. All Rights Reserved. Licence Number 100022432.

Envirocheck®

LANDMARK INFORMATION GROUP®


10k Raster Mapping

Published 2006


Source map scale - 1:10,000

The historical maps shown were produced from the Ordnance Survey's 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number: 221161028_1_1
Customer Ref: 2270010
National Grid Reference: 274880, 197300
Slice: A
Site Area (Ha): 0.03
Search Buffer (m): 1000

Site Details

Sandvik Osprey Ltd, Milland Road Industrial Estate, NEATH, SA11 1NJ

Landmark®
LANDMARK INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright. All Rights Reserved. Licence Number 100022432.

Envirocheck®

LANDMARK INFORMATION GROUP®


VectorMap Local

Published 2019


Source map scale - 1:10,000

VectorMap Local (Raster) is Ordnance Survey's highest detailed 'backdrop' mapping product. These maps are produced from OS's VectorMap Local, a simple vector dataset at a nominal scale of 1:10,000, covering the whole of Great Britain, that has been designed for creating graphical mapping. OS VectorMap Local is derived from large-scale information surveyed at 1:1250 scale (covering major towns and cities), 1:2500 scale (smaller towns, villages and developed rural areas), and 1:10 000 scale (mountain, moorland and river estuary areas).

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number: 221161028_1_1
Customer Ref: 2270010
National Grid Reference: 274880, 197300
Slice: A
Site Area (Ha): 0.03
Search Buffer (m): 1000

Site Details

Sandvik Osprey Ltd, Milland Road Industrial Estate, NEATH, SA11 1NJ

Landmark®
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk




© Crown Copyright. All Rights Reserved. License Number 100022432.

Envirocheck®

LANDMARK INFORMATION GROUP®

- General**
 - Specified Site
 - Specified Buffer(s)
 - Bearing Reference Point
 - Map ID
 - Several of Type at Location
 - Pylon
 - Overhead Transmission Line
- Agency and Hydrological**
 - Contaminated Land Register Entry or Notice (Location)
 - Contaminated Land Register Entry or Notice
 - Discharge Consent
 - Enforcement or Prohibition Notice
 - Integrated Pollution Control
 - Integrated Pollution Prevention Control
 - Local Authority Integrated Pollution Prevention and Control
 - Local Authority Pollution Prevention and Control
 - Local Authority Pollution Prevention and Control Enforcement
 - Pollution Incident to Controlled Waters
 - Prosecution Relating to Authorised Processes
 - Prosecution Relating to Controlled Waters
 - Registered Radioactive Substance
 - River Network or Water Feature
 - River Quality Sampling Point
 - Substantiated Pollution Incident Register
 - Water Abstraction
 - Water Industry Act Referral
- Waste**
 - BGS Recorded Landfill Site (Location)
 - BGS Recorded Landfill Site
 - EA Historic Landfill (Buffered Point)
 - EA Historic Landfill (Polygon)
 - Integrated Pollution Control Registered Waste Site
 - Licensed Waste Management Facility (Landfill Boundary)
 - Licensed Waste Management Facility (Location)
 - Local Authority Recorded Landfill Site (Location)
 - Local Authority Recorded Landfill Site
 - Potentially Infilled Land (Non-water)
 - Potentially Infilled Land (Non-water)
 - Potentially Infilled Land (Water)
 - Potentially Infilled Land (Water)
 - Potentially Infilled Land (Water)
 - Registered Landfill Site
 - Registered Landfill Site (Location)
 - Registered Landfill Site (Point Buffered to 100m)
 - Registered Landfill Site (Point Buffered to 250m)
 - Registered Waste Transfer Site (Location)
 - Registered Waste Transfer Site
 - Registered Waste Treatment or Disposal Site (Location)
 - Registered Waste Treatment or Disposal Site
- Hazardous Substances**
 - COMAH Site
 - Explosive Site
 - NIHHS Site
 - Planning Hazardous Substance Consent
 - Planning Hazardous Substance Enforcement
- Geological**
 - BGS Recorded Mineral Site


Site Sensitivity Map - Segment A13



Order Details
Order Number: 221161028_1_1
Customer Ref: 2270010
National Grid Reference: 274880, 197300
Slice: A
Site Area (Ha): 0.03
Plot Buffer (m): 100

Site Details
Sandvik Osprey Ltd, Milland Road Industrial Estate, NEATH, SA11 1NJ

Landmark®
INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk




© Crown Copyright. All Rights Reserved. License Number 100022432.

Envirocheck®

LANDMARK INFORMATION GROUP®

- General**
 - Specified Site
 - Specified Buffer(s)
 - Bearing Reference Point
 - Map ID
 - Several of Type at Location
- Agency and Hydrological**
 - Contaminated Land Register Entry or Notice (Location)
 - Contaminated Land Register Entry or Notice
 - Discharge Consent
 - Enforcement or Prohibition Notice
 - Integrated Pollution Control
 - Integrated Pollution Prevention and Control
 - Local Authority Integrated Pollution Prevention and Control
 - Local Authority Pollution Prevention and Control Enforcement
 - Pollution Incident to Controlled Waters
 - Prosecution Relating to Authorised Processes
 - Prosecution Relating to Controlled Waters
 - Registered Radioactive Substance
 - River Network or Water Feature
 - River Quality Sampling Point
 - Substantiated Pollution Incident Register
 - Water Abstraction
 - Water Industry Act Referral
- Waste**
 - BGS Recorded Landfill Site (Location)
 - BGS Recorded Landfill Site
 - EA Historic Landfill (Buffered Point)
 - EA Historic Landfill (Polygon)
 - Integrated Pollution Control Registered Waste Site
 - Licensed Waste Management Facility (Landfill Boundary)
 - Licensed Waste Management Facility (Location)
 - Local Authority Recorded Landfill Site (Location)
 - Local Authority Recorded Landfill Site
 - Potentially Infilled Land (Non-water)
 - Potentially Infilled Land (Non-water)
 - Potentially Infilled Land (Non-water)
 - Potentially Infilled Land (Water)
 - Potentially Infilled Land (Water)
 - Potentially Infilled Land (Water)
 - Registered Landfill Site (Location)
 - Registered Landfill Site (Point Buffered to 100m)
 - Registered Landfill Site (Point Buffered to 250m)
 - Registered Waste Transfer Site (Location)
 - Registered Waste Transfer Site
 - Registered Waste Treatment or Disposal Site (Location)
 - Registered Waste Treatment or Disposal Site
- Hazardous Substances**
 - COMAH Site
 - Explosive Site
 - NIHHS Site
 - Planning Hazardous Substance Consent
 - Planning Hazardous Substance Enforcement
 - BGS Recorded Mineral Site
- Geological**
 - BGS Recorded Mineral Site


Site Sensitivity Map - Slice A



Order Details
Order Number: 221161028_1_1
Customer Ref: 2270010
National Grid Reference: 274880, 197300
Slice: A
Site Area (Ha): 0.03
Search Buffer (m): 1000

Site Details
Sandvik Osprey Ltd, Milland Road Industrial Estate, NEATH, SA11 1NJ

Landmark®
INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

Envirocheck®

LANDMARK INFORMATION GROUP®

Industrial Land Use Map


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Industrial Land Use

- Contemporary Trade Directory Entry
- Fuel Station Entry
- Gas Pipeline
- Points of Interest - Commercial Services
- Points of Interest - Education and Health
- Points of Interest - Manufacturing and Production
- Points of Interest - Public Infrastructure
- Points of Interest - Recreational and Environmental
- Underground Electrical Cables

Industrial Land Use Map - Slice A



Order Details


Order Number: 221161028_1_1
Customer Ref: 2270010
National Grid Reference: 274880, 197300
Slice: A
Site Area (Ha): 0.03
Search Buffer (m): 1000

Site Details

Sandvik Osprey Ltd, Milland Road Industrial Estate, NEATH, SA11 1NJ

Landmark®
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

Envirocheck®

LANDMARK INFORMATION GROUP®



General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point

Agency and Hydrological (Flood)

- Extreme Flooding from Rivers or Sea without Defences (Zone 2)
- Flooding from Rivers or Sea without Defences (Zone 3)
- Area Benefiting from Flood Defence
- Flood Water Storage Areas
- Flood Defence

Flood Map - Slice A



Order Details


Order Number: 221161028_1_1
Customer Ref: 2270010
National Grid Reference: 274880, 197300
Slice: A
Site Area (Ha): 0.03
Search Buffer (m): 1000

Site Details

Sandvik Osprey Ltd, Milland Road Industrial Estate, NEATH, SA11 1NJ

Landmark®
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

Envirocheck®

LANDMARK INFORMATION GROUP®

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Map ID
- Several of Type at Location


Agency and Hydrological (Boreholes)

- BGS Borehole Depth 0 - 10m
- BGS Borehole Depth 10 - 30m
- BGS Borehole Depth 30m +
- Confidential
- Other

For Borehole information please refer to the Borehole .csv file which accompanied this slice.

A copy of the BGS Borehole Ordering Form is available to download from the Support section of www.envirocheck.co.uk.

Borehole Map - Slice A



Order Details


Order Number: 221161028_1_1
Customer Ref: 2270010
National Grid Reference: 274880, 197300
Slice: A
Site Area (Ha): 0.03
Search Buffer (m): 1000

Site Details

Sandvik Osprey Ltd, Milland Road Industrial Estate, NEATH, SA11 1NJ

Landmark®
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

Envirocheck®

LANDMARK INFORMATION GROUP®

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point


OS Water Network Data

- | | |
|--------------|-------------------------|
| Canal | Drain |
| Reservoir | Other |
| Foreshore | Lake |
| Marsh | Transfer |
| Tidal River | Lock Or Flight Of Locks |
| Inland River | Sea |

Contours (height in meters)

- | | | | | | |
|------------------|-------|-----|----|-----|-----------------|
| Standard Contour | 105 | 100 | 95 | MLW | Mean Low Water |
| Master Contour | | | | MHW | Mean High Water |
| Spot Height | 167.3 | | | | |

OS Water Network Map - Slice A



Order Details


Order Number: 221161028_1_1
Customer Ref: 2270010
National Grid Reference: 274880, 197300
Slice: A
Site Area (Ha): 0.03
Search Buffer (m): 1000

Site Details

Sandvik Osprey Ltd, Milland Road Industrial Estate, NEATH, SA11 1NJ

Landmark®
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

Envirocheck®

LANDMARK INFORMATION GROUP®

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point


Risk of Flooding from Surface Water

- High - 30 Year Return
- Medium - 100 Year Return
- Low - 1000 Year Return

Suitability

- See the suitability map below
- National to county
 - County to town
 - Town to street
 - Street to parcels of land
 - Property

EAN/RW Suitability Map - Slice A



Order Details


Order Number: 221161028_1_1
Customer Ref: 2270010
National Grid Reference: 274880, 197300
Slice: A
Site Area (Ha): 0.03
Search Buffer (m): 1000

Site Details

Sandvik Osprey Ltd, Milland Road Industrial Estate, NEATH, SA11 1NJ

Landmark®
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General

Specified Site Specified Buffer(s) Bearing Reference Point

Urban Soil Chemistry Arsenic

BGS Urban Soil Chemistry Measured Concentration Values (mg/kg)

Arsenic Concentrations mg/kg

< 15
15 - 25
25 - 35
35 - 45
45 - 60
60 - 120
> 120

Urban Soil Chemistry Arsenic - Slice A

Order Details

Order Details:	221161028_1_1
Customer Ref:	2270010
National Grid Reference:	274880, 197300
Slice:	A
Site Area (Ha):	0.03
Search buffer (m):	1000

Site Details

Sandvik Osprey Ltd, Milland Road Industrial Estate, NEATH, SA11 1NJ


Landmark®

INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

v50.0 11-Oct-2019

Page 1 of 10



© Crown Copyright. All Rights Reserved. License Number 100022432.

Envirocheck[®]

● LANDMARK INFORMATION GROUP[®]

General

● Specified Site ● Specified Buffer(s) X Bearing Reference Point

Estimated Soil Chemistry Arsenic

Arsenic Concentrations mg/kg

< 15
15 - 25
25 - 35
35 - 45
45 - 60
60 - 120
> 120

Estimated Soil Chemistry Arsenic - Slice A

Order Details

Order Details:	221161028_1_1
Customer Ref:	2270010
National Grid Reference:	274880, 197300
Slice:	A
Site Area (Ha):	0.03
Search buffer (m):	1000

Site Details

Sandvik Osprey Ltd, Milland Road Industrial Estate, NEATH, SA11 1NJ


Landmark[®]

● ● ● INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

v50.0 11-Oct-2019

Page 2 of 10



© Crown Copyright. All Rights Reserved. License Number 100022432.

Envirocheck[®]

● LANDMARK INFORMATION GROUP[®]

General

● Specified Site ● Specified Buffer(s) X Bearing Reference Point

Urban Soil Chemistry Cadmium

● BGS Urban Soil Chemistry Measured Concentration Values (mg/kg)

Cadmium Concentrations mg/kg

< 1.8
1.8 - 2.2
2.2 - 3.0
> 3.0

Urban Soil Chemistry Cadmium - Slice A

Order Details

Order Details:	221161028_1_1
Customer Ref:	2270010
National Grid Reference:	274880, 197300
Slice:	A
Site Area (Ha):	0.03
Search buffer (m):	1000

Site Details

Sandvik Osprey Ltd, Milland Road Industrial Estate, NEATH, SA11 1NJ


Landmark[®]

● ● INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

v50.0 11-Oct-2019

Page 3 of 10



Envirocheck[®]

● LANDMARK INFORMATION GROUP[®]

General

● Specified Site ● Specified Buffer(s) X Bearing Reference Point

Urban Soil Chemistry Chromium

● BGS Urban Soil Chemistry Measured Concentration Values (mg/kg)

Chromium Concentrations mg/kg

< 20
20 - 40
40 - 60
60 - 90
90 - 120
120 - 180
> 180

Urban Soil Chemistry Chromium - Slice A

Order Details

Order Details: 221161028_1_1
Customer Ref: 2270010
National Grid Reference: 274880, 197300
Slice: A
Site Area (Ha): 0.03
Search buffer (m): 1000

Site Details

Sandvik Osprey Ltd, Milland Road Industrial Estate, NEATH, SA11 1NJ


Landmark[®]

● ● ● INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

v50.0 11-Oct-2019

Page 5 of 10



© Crown Copyright. All Rights Reserved. License Number 100022432.

Envirocheck®


LANDMARK INFORMATION GROUP®

General


Specified Site Specified Buffer(s) Bearing Reference Point

Estimated Soil Chemistry Chromium

Chromium Concentrations mg/kg



Estimated Soil Chemistry Chromium - Slice A



Order Details


Order Details: 221161028_1_1
Customer Ref: 2270010
National Grid Reference: 274880, 197300
Slice: A
Site Area (Ha): 0.03
Search buffer (m): 1000

Site Details

Sandvik Osprey Ltd, Milland Road Industrial Estate, NEATH, SA11 1NJ

Landmark®
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General

Specified Site Specified Buffer(s) Bearing Reference Point

Urban Soil Chemistry Lead

BGS Urban Soil Chemistry Measured Concentration Values (mg/kg)

Lead Concentrations mg/kg

< 150
150 - 300
300 - 600
600 - 900
> 900

Urban Soil Chemistry Lead - Slice A

Order Details

Order Details:	221161028_1_1
Customer Ref:	2270010
National Grid Reference:	274880, 197300
Slice:	A
Site Area (Ha):	0.03
Search buffer (m):	1000

Site Details

Sandvik Osprey Ltd, Milland Road Industrial Estate, NEATH, SA11 1NJ


Landmark®

INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

v50.0 11-Oct-2019

Page 9 of 10



© Crown Copyright. All Rights Reserved. License Number 100022432.

Envirocheck[®]

● LANDMARK INFORMATION GROUP[®]

General

● Specified Site ● Specified Buffer(s) X Bearing Reference Point

Estimated Soil Chemistry Lead

Lead Concentrations mg/kg

<100 mg/kg
100 - 200
200 - 300
300 - 600
600 - 1200
>1200

Estimated Soil Chemistry Lead - Slice A

Order Details

Order Details:	221161028_1_1
Customer Ref:	2270010
National Grid Reference:	274880, 197300
Slice:	A
Site Area (Ha):	0.03
Search buffer (m):	1000

Site Details

Sandvik Osprey Ltd, Milland Road Industrial Estate, NEATH, SA11 1NJ


Landmark[®]

● INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

v50.0 11-Oct-2019

Page 8 of 10



Envirocheck®

● LANDMARK INFORMATION GROUP®

General

● Specified Site ● Specified Buffer(s) X Bearing Reference Point

Urban Soil Chemistry Nickel

● BGS Urban Soil Chemistry Measured Concentration Values (mg/kg)

Nickel Concentrations mg/kg

< 15
15 - 30
30 - 45
45 - 60
60 - 80
80 - 100
> 100

Urban Soil Chemistry Nickel - Slice A

Order Details

Order Details:	221161028_1_1
Customer Ref:	2270010
National Grid Reference:	274880, 197300
Slice:	A
Site Area (Ha):	0.03
Search buffer (m):	1000

Site Details

Sandvik Osprey Ltd, Milland Road Industrial Estate, NEATH, SA11 1NJ


Landmark®

● ● INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

v50.0 11-Oct-2019

Page 9 of 10



General


 Specified Site

 Specified Buffer(s)


X Bearing Reference Point

Estimated Soil Chemistry Nickel

Nickel Concentrations mg/kg



Estimated Soil Chemistry Nickel - Slice A




Order Details

Order Details:	221161028_1_1
Customer Ref:	2270010
National Grid Reference:	274880, 197300
Slice:	A
Site Area (Ha):	0.03
Search buffer (m):	1000

Site Details

Sandvik Osprey Ltd, Milland Road Industrial Estate, NEATH,
SA11 1NJ



Glamorganshire

Published 1877 - 1878

Source map scale - 1:500


The 1:500 scale Ordnance Survey mapping was introduced in 1855 as a replacement for the 1:528 scale and to complement the 1:2500 scale that had been implemented in 1853. By 1895, the 1:500 scale covered most towns over a population of about 4000 at the time of survey, although very few towns were mapped more than once at this scale, and none have been since 1910. The 1:500 scale gives particular emphasis to such features as lamp posts, man holes, arched passages and minor building projections. Also often featured are divisions between tenements, interior ground floor layouts of public buildings, and on earlier plans, the functions of the various parts of larger industrial premises are also indicated. Content of the plans does vary however, from one town to the next in terms of, for example, the completeness of railway tracks and the coverage of public buildings.

Please note: Due to the partial coverage of Historical Town Plans, it is possible that not all segments within an order will contain mapping. Only the segments that have Town Plan coverage will be generated.

Map Name(s) and Date(s)

		016_09_017	
		1878	
		1:500	
016_09_021	016_09_022		
1877	1878		
1:500	1:500		
016_13_001	016_13_002		
1878	1878		
1:500	1:500		

Historical Town Plan - Segment A13



Order Details


Order Number: 221161028_1_1
Customer Ref: 2270010
National Grid Reference: 274880, 197300
Slice: A
Site Area (Ha): 0.03
Search Buffer (m): 0

Site Details

Sandvik Osprey Ltd, Milland Road Industrial Estate, NEATH, SA11 1NJ

Historical Mapping Legends


Ordnance Survey County Series and Ordnance Survey Plan 1:2,500



Ordnance Survey Plan, Additional SIMs and Supply of Unpublished Survey Information 1:2,500 and 1:1,250



Large-Scale National Grid Data 1:2,500 and 1:1,250




Envirocheck®

LANDMARK INFORMATION GROUP®

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Glamorganshire	1:2,500	1877 - 1881	2
Glamorganshire	1:2,500	1899	3
Glamorganshire	1:2,500	1919	4
Glamorganshire	1:2,500	1935	5
Ordnance Survey Plan	1:1,250	1951	6
Ordnance Survey Plan	1:2,500	1952 - 1965	7
Ordnance Survey Plan	1:1,250	1952 - 1967	8
Ordnance Survey Plan	1:2,500	1964 - 1965	9
Ordnance Survey Plan	1:2,500	1964 - 1970	10
Ordnance Survey Plan	1:1,250	1965 - 1978	11
Additional SIMs	1:1,250	1967 - 1989	12
Ordnance Survey Plan	1:1,250	1974 - 1978	13
Additional SIMs	1:1,250	1982 - 1989	14
Additional SIMs	1:1,250	1989	15
Ordnance Survey Plan	1:1,250	1990	16
Additional SIMs	1:1,250	1990	17
Large-Scale National Grid Data	1:1,250	1993	18
Historical Aerial Photography	1:2,500	2000	19

Historical Map - Segment A13



Order Details


Order Number: 221161028_1_1
Customer Ref: 2270010
National Grid Reference: 274880, 197300
Slice: A
Site Area (Ha): 0.03
Search Buffer (m): 100

Site Details

Sandvik Osprey Ltd, Milland Road Industrial Estate, NEATH, SA11 1NJ

Landmark®
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2019. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Glamorganshire

Published 1877 - 1881


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A13



Order Details


Order Number: 221161028_1_1
Customer Ref: 2270010
National Grid Reference: 274880, 197300
Slice: A
Site Area (Ha): 0.03
Search Buffer (m): 100

Site Details

Sandvik Osprey Ltd, Milland Road Industrial Estate, NEATH, SA11 1NJ

Landmark®
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2019. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Glamorganshire

Published 1899



Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A13



Order Details

Order Number: 221161028_1_1
Customer Ref: 2270010
National Grid Reference: 274880, 197300
Slice: A
Site Area (Ha): 0.03
Search Buffer (m): 100

Site Details

Sandvik Osprey Ltd, Milland Road Industrial Estate, NEATH, SA11 1NJ

Landmark®
LANDMARK INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2019. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Glamorganshire

Published 1919


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A13



Order Details


Order Number: 221161028_1_1
Customer Ref: 2270010
National Grid Reference: 274880, 197300
Slice: A
Site Area (Ha): 0.03
Search Buffer (m): 100

Site Details

Sandvik Osprey Ltd, Milland Road Industrial Estate, NEATH, SA11 1NJ

Landmark®
LANDMARK INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2019. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Glamorganshire

Published 1935


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A13



Order Details


Order Number: 221161028_1_1
Customer Ref: 2270010
National Grid Reference: 274880, 197300
Slice: A
Site Area (Ha): 0.03
Search Buffer (m): 100

Site Details

Sandvik Osprey Ltd, Milland Road Industrial Estate, NEATH, SA11 1NJ

Landmark®
LANDMARK INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2019. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Ordnance Survey Plan
Published 1951
Source map scale - 1:1,250

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)

SS7497NESS7597NW	1951	951
1:1,250	1:1,250	1
SS7497SESS7597SW	1951	951
1:1,250	1:1,250	1
SS7496NESS7596NW	1951	951
1:1,250	1:1,250	1


Historical Map - Segment A13



Order Details
Order Number: 221161028_1_1
Customer Ref: 2270010
National Grid Reference: 274880, 197300
Slice: A
Site Area (Ha): 0.03
Search Buffer (m): 100

Site Details
Sandvik Osprey Ltd, Milland Road Industrial Estate, NEATH, SA11 1NJ

Landmark®
INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2019. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®



Ordnance Survey Plan Published 1952 - 1965 Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)

SS7497 1952 12,500	SS7597 1965 12,500
SS7496 1952 12,500	SS7596 1952 12,500


Historical Map - Segment A13



Order Details
Order Number: 221161028_1_1
Customer Ref: 2270010
National Grid Reference: 274880, 197300
Slice: A
Site Area (Ha): 0.03
Search Buffer (m): 100

Site Details
Sandvik Osprey Ltd, Milland Road Industrial Estate, NEATH, SA11 1NJ

Landmark®
INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Ordnance Survey Plan

Published 1952 - 1967


Source map scale - 1:1,250

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)

SS7497NESS7597NW	
1952	963
1:1,250	1:1,250
SS7497SESS7597SW	
1965	967
1:1,250	1:1,250
SS7496NESS7596NW	
1961	965
1:1,250	1:1,250

Historical Map - Segment A13




Order Details

Order Number: 221161028_1_1
Customer Ref: 2270010
National Grid Reference: 274880, 197300
Slice: A
Site Area (Ha): 0.03
Search Buffer (m): 100

Site Details

Sandvik Osprey Ltd, Milland Road Industrial Estate, NEATH, SA11 1NJ



© Crown copyright and Landmark Information Group Limited 2019. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Ordnance Survey Plan

Published 1964 - 1965

Source map scale - 1:2,500


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)

SS7497
1965
1:2,500

SS7496
1964
1:2,500

Historical Map - Segment A13



Order Details


Order Number: 221161028_1_1
Customer Ref: 2270010
National Grid Reference: 274880, 197300
Slice: A
Site Area (Ha): 0.03
Search Buffer (m): 100

Site Details

Sandvik Osprey Ltd, Milland Road Industrial Estate, NEATH, SA11 1NJ

Landmark®
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2019. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®



Ordnance Survey Plan
Published 1964 - 1970
Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)

SS7497 1970 12,500	SS7597 1970 12,500
	SS7596 1964 12,500


Historical Map - Segment A13



Order Details
Order Number: 221161028_1_1
Customer Ref: 2270010
National Grid Reference: 274880, 197300
Slice: A
Site Area (Ha): 0.03
Search Buffer (m): 100

Site Details
Sandvik Osprey Ltd, Milland Road Industrial Estate, NEATH,
SA11 1NJ

Landmark®
INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2019. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Ordnance Survey Plan

Published 1965 - 1978


Source map scale - 1:1,250

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)

SS7497NESS7597NW	
1965	1967
1:1,250	1:1,250
SS7497SESS7597SW	
1978	1974
1:1,250	1:1,250
SS7496NESS7596NW	
1967	1975
1:1,250	1:1,250

Historical Map - Segment A13



Order Details


Order Number: 221161028_1_1
Customer Ref: 2270010
National Grid Reference: 274880, 197300
Slice: A
Site Area (Ha): 0.03
Search Buffer (m): 100

Site Details

Sandvik Osprey Ltd, Milland Road Industrial Estate, NEATH, SA11 1NJ

Landmark®
LANDMARK INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck[®]

● LANDMARK INFORMATION GROUP[®]

Ordnance Survey Plan

Published 1974 - 1978

Source map scale - 1:1,250

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)

S7497N1
1978
1:1,250

S7496N1
1974
1:1,250

Historical Map - Segment A13

A21 A22 A23 A24 A25

A16 A17 A18 A19 A20

A11 A12 A13 A14 A15

A6 A7 A8 A9 A10

A1 A2 A3 A4 A5

Order Details

Order Number:	221161028_1_1
Customer Ref:	2270010
National Grid Reference:	274880, 197300
Slice:	A
Site Area (Ha):	0.03
Search Buffer (m):	100

Site Details


Sandvik Osprey Ltd, Milland Road Industrial Estate, NEATH, SA11 1NJ

Landmark[®]

● INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

A Landmark Information Group Service v50.0 11-Oct-2019 Page 13 of 19



Envirocheck®

● LANDMARK INFORMATION GROUP®

Additional SIMs

Published 1982 - 1989

Source map scale - 1:1,250

The SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') are further, minor editions of mapping which were produced and published in between the main editions as an area was updated. They date from 1947 to 1994, and contain detailed information on buildings, roads and land-use. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)

£S7597NW

1982

1:1,250

£S7496NE

1989

1:1,250

£S7596NW

1989

1:1,250

Historical Map - Segment A13

A21

A22

A23

A24

A25

A16

A17

A18

A19

A20

A11

A12

A13

A14

A15

A6

A7

A8

A9

A10

A1

A2

A3

A4

A5

N

Order Details

Order Number:

221161028_1_1

Customer Ref:

2270010

National Grid Reference:

274880, 197300

Slice:

A

Site Area (Ha):

0.03

Search Buffer (m):

100

Site Details

Sandvik Osprey Ltd, Milland Road Industrial Estate, NEATH, SA11 1NJ

Landmark®

● INFORMATION GROUP

Tel:

0844 844 9952

Fax:


0844 844 9951

Web:

www.envirocheck.co.uk

A Landmark Information Group Service v50.0 11-Oct-2019

Page 14 of 19



Ordnance Survey Plan

Published 1990

Source map scale - 1:1,250


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



SS7496NE
1 1990
1:1,250

Historical Map - Segment A13




Order Details

Order Number: 221161028_1_1
Customer Ref: 2270010
National Grid Reference: 274880, 197300
Slice: A
Site Area (Ha): 0.03
Search Buffer (m): 100

Site Details

Sandvik Osprey Ltd, Milland Road Industrial Estate, NEATH, SA11 1NJ



© Crown copyright and Landmark Information Group Limited 2019. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Additional SIMs

Published 1990


Source map scale - 1:1,250

The SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') are further, minor editions of mapping which were produced and published in between the main editions as an area was updated. They date from 1947 to 1994, and contain detailed information on buildings, roads and land-use. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment A13



Order Details


Order Number: 221161028_1_1
Customer Ref: 2270010
National Grid Reference: 274880, 197300
Slice: A
Site Area (Ha): 0.03
Search Buffer (m): 100

Site Details

Sandvik Osprey Ltd, Milland Road Industrial Estate, NEATH, SA11 1NJ

Landmark®
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Copyright Getmapping plc

0 100 m

Envirocheck®


LANDMARK INFORMATION GROUP®

Historical Aerial Photography

Published 2000

This aerial photography was produced by Getmapping, these vertical aerial photographs provide a seamless, full colour survey of the whole of Great Britain

Historical Aerial Photography - Segment A13



Order Details


Order Number: 221161028_1_1
Customer Ref: 2270010
National Grid Reference: 274880, 197300
Slice: A
Site Area (Ha): 0.03
Search Buffer (m): 100

Site Details

Sandvik Osprey Ltd, Milland Road Industrial Estate, NEATH, SA11 1NJ

Landmark®
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Index Map

For ease of identification, your site and buffer have been split into Slices, Segments and Quadrants. These are illustrated on the Index Map opposite and explained further below.

Slice

Each slice represents a 1:10,000 plot area (2.7km x 2.7km) for your site and buffer. A large site and buffer may be made up of several slices (represented by a red outline), that are referenced by letters of the alphabet, starting from the bottom left corner of the slice "grid". This grid does not relate to National Grid lines but is designed to give best fit over the site and buffer.

Segment

A segment represents a 1:2,500 plot area. Segments that have plot files associated with them are shown in dark green, others in light blue. These are numbered from the bottom left hand corner within each slice.

Quadrant

A quadrant is a quarter of a segment. These are labelled as NW, NE, SW, SE and are referenced in the datasheet to allow features to be quickly located on plots. Therefore a feature that has a quadrant reference of A7NW will be in Slice A, Segment 7 and the NW Quadrant.

A selection of organisations who provide data within this report:



Envirocheck reports are compiled from 136 different sources of data.

Client Details

Mr B Sell, Ian Farmer Associates, Unit 1.2, Parc Dyfatty Park, Burry Port, SA16 0FB

Order Details

Order Number: 221161028_1_1
Customer Ref: 2270010
National Grid Reference: 274880, 197300
Site Area (Ha): 0.03
Search Buffer (m): 1000

Site Details

Sandvik Osprey Ltd, Milland Road Industrial Estate, NEATH, SA11 1NJ

Full Terms and Conditions can be found on the following link:
<http://www.landmarkinfo.co.uk/Terms/Show/515>

APPENDIX 5
COAL AUTHORITY REPORT



The Coal
Authority

CON29M

coal mining report

SANDVIK OSPREY LTD, MILLAND ROAD INDUSTRIAL ESTATE, NEATH, NEATH
PORT TALBOT, SA11 1NJ



Known or potential coal mining risks

Future underground coal mining

Page 3



Further action

No further reports from the Coal Authority are required. Further information on any next steps can be found in our Professional opinion.

For more information on our reports please visit
www.groundstability.com



Professional opinion

According to the official mining information records held by the Coal Authority at the time of this search, evidence of, or the potential for, coal mining related features have been identified. It is unlikely that these features will impact on the stability of the enquiry boundary.

Your reference: **221161028_2**
Our reference: **51002184619001**
Date: **11 October 2019**

Client name:
**LANDMARK INFORMATION
GROUP LIMITED**

If you require any further assistance please
contact our experts on:
0345 762 6848
groundstability@coal.gov.uk




The Law
Society

Enquiry boundary

Key

Approximate position of enquiry boundary shown



We can confirm that the location is
on the coalfield



Reproduced by permission of Ordnance Survey on behalf of HMSO. © Crown copyright and database right 2018. All rights reserved.
Ordnance Survey Licence number: 100020315.

This report is prepared in accordance with the latest Law Society's Guidance Notes 2018, the User Guide 2018 and the Coal Authority's Terms and Conditions applicable at the time the report was produced.



Accessibility

If you would like this information in an alternative format, please contact our communications team on 0345 762 6848 or email communications@coal.gov.uk.

Detailed findings

Information provided by the Coal Authority in this report is compiled in response to the Law Society's CON29M Coal Mining enquiries. The said enquiries are protected by copyright owned by the Law Society of 113 Chancery Lane, London WC2A 1PL.

The Coal Authority owns the copyright in this report and the information used to produce this report is protected by our database rights. All rights are reserved and unauthorised use is prohibited. If we provide a report for you, this does not mean that copyright and any other rights will pass to you. However, you can use the report for your own purposes.

1 Past underground coal mining

The property is not within a surface area that could be affected by any past recorded underground coal mining.

2 Present underground coal mining

The property is not within a surface area that could be affected by present underground mining.

3 Future underground coal mining

The property is not in an area where the Coal Authority has received an application for, and is currently considering whether to grant a licence to remove or work coal by underground methods.

The property is not in an area where a licence has been granted to remove or otherwise work coal using underground methods.

The property is not in an area likely to be affected from any planned future underground coal mining.

However, reserves of coal exist in the local area which could be worked at some time in the future.

No notices have been given, under section 46 of the Coal Mining Subsidence Act 1991, stating that the land is at risk of subsidence.

4 Mine entries

There are no recorded coal mine entries known to the Coal Authority within, or within 20 metres, of the boundary of the property.

5 Coal mining geology

The Coal Authority is not aware of any damage due to geological faults or other lines of weakness that have been affected by coal mining.

6 Past opencast coal mining

The property is not within the boundary of an opencast site from which coal has been removed by opencast methods.

7 Present opencast coal mining

The property does not lie within 200 metres of the boundary of an opencast site from which coal is being removed by opencast methods.

8 Future opencast coal mining

There are no licence requests outstanding to remove coal by opencast methods within 800 metres of the boundary.

The property is not within 800 metres of the boundary of an opencast site for which a licence to remove coal by opencast methods has been granted.

9 Coal mining subsidence

The Coal Authority has not received a damage notice or claim for the subject property, or any property within 50 metres of the enquiry boundary, since 31 October 1994.

There is no current Stop Notice delaying the start of remedial works or repairs to the property.

The Coal Authority is not aware of any request having been made to carry out preventive works before coal is worked under section 33 of the Coal Mining Subsidence Act 1991.

10 Mine gas

The Coal Authority has no record of a mine gas emission requiring action.

11 Hazards related to coal mining

The property has not been subject to remedial works, by or on behalf of the Coal Authority, under its Emergency Surface Hazard Call Out procedures.

12 Withdrawal of support

The property is not in an area where a notice to withdraw support has been given.

The property is not in an area where a notice has been given under section 41 of the Coal Industry Act 1994, cancelling the entitlement to withdraw support.

13 Working facilities order

The property is not in an area where an order has been made, under the provisions of the Mines (Working Facilities and Support) Acts 1923 and 1966 or any statutory modification or amendment thereof.

14 Payments to owners of former copyhold land

The property is not in an area where a relevant notice has been published under the Coal Industry Act 1975/Coal Industry Act 1994.

Statutory cover



Coal mining subsidence

In the unlikely event of any coal mining related subsidence damage, the Coal Authority or the mine operator has a duty to take remedial action in respect of subsidence caused by the withdrawal of support from land or property in connection with lawful coal mining operations.

When the works are the responsibility of the Coal Authority, our dedicated public safety and subsidence team will manage the claim. The house or land owner ("the owner") is covered for these works under the terms of the Coal Mining Subsidence Act 1991 (as amended by the Coal Industry Act 1994). Please note, this Act does not apply where coal was worked or gotten by virtue of the grant of a gale in the Forest of Dean, or any other part of the Hundred of St. Briavels in the county of Gloucester.

If you believe your land or property is suffering from coal mining subsidence damage and you need more information on what to do next, please use the following link to our website which sets out what your rights are and what you need to consider before making a claim.

www.gov.uk/government/publications/coal-mining-subsidence-damage-notice-form



Coal mining hazards

Our public safety and subsidence team provide a 24 hour a day, 7 days a week hazard reporting service, to help protect the public from hazards caused by past coal workings, such as a mine shaft or shallow working collapse. To report any hazards please call **01623 646 333**. Further information can be found on our website: www.gov.uk/coalauthority.

Glossary



Key terms

adit - horizontal or sloped entrance to a mine

coal mining subsidence - ground movement caused by the removal of coal by underground mining

Coal Mining Subsidence Act 1991 - the Act setting out the duties of the Coal Authority to repair damage caused by coal mining subsidence

coal mining subsidence damage - damage to land, buildings or structures caused by the removal of coal by underground mining

coal seams - bed of coal of varying thickness

future opencast coal mining - a licence granted, or licence application received, by the Coal Authority to excavate coal from the surface

future underground coal mining - a licence granted, or licence application received, by the Coal Authority to excavate coal underground. Although it is unlikely, remaining coal reserves could create a possibility for future mining, which would be licensed by the Coal Authority

mine entries - collective name for shafts and adits

payments to owners of former copyhold land - historically, copyhold land gave rights to coal to the copyholder. Legislation was set up to allow others to work this coal, but they had to issue a notice and pay compensation if a copyholder came forward

shaft - vertical entry into a mine

site investigation - investigations of coal mining risks carried out with the Coal Authority's permission

stop notice - a delay to repairs because further coal mining subsidence damage may occur and it would be unwise to carry out permanent repairs

subsidence claim - a formal notice of subsidence damage to the Coal Authority since it was established on 31 October 1994

withdrawal of support - a historic notice informing landowners that the coal beneath their property was going to be worked

working facilities orders - a court order which gave permission, restricted or prevented coal mine workings