

3305EO	293	NW	Unspecified Old Quarry	1948
3306ET	294	SE	Old Coal Drift	1901
3307ET	295	S	Air Shaft	1876
3308ED	297	SE	Unspecified Ground Workings	1914
3309ED	297	SE	Unspecified Ground Workings	1914
3310EZ	298	NE	Old Ironstone Level	1921
3311ET	298	S	Air Shaft	1877
3312EQ	302	S	Refuse Heap	1988
3313EQ	302	S	Refuse Heap	1964
3314FB	302	NE	Cuttings	1914
3315FB	304	NE	Cuttings	1948
3316FB	304	NE	Cuttings	1903
3317FB	304	NE	Cuttings	1877
3318ES	306	S	Refuse Heap	1964
3319ES	306	S	Refuse Heap	1988
3320GH	307	N	Unspecified Pit	1877
3321EU	308	NW	Old Ironstone Level	1948
3322ET	310	S	Unspecified Old Quarries	1901
3323EP	310	N	Mill Pond	1903
3324EP	310	N	Mill Pond	1877
3325ES	312	S	Refuse Heap	1988
3326ES	312	S	Refuse Heap	1964
3327EC	313	NW	Unspecified Heap	1903
3328EJ	313	S	Unspecified Pit	1877
3329ET	313	S	Unspecified Pit	1914
3330ET	313	S	Unspecified Pit	1914
3331ET	315	S	Unspecified Heap	1948
3332ET	315	S	Unspecified Ground Workings	1921
3333ET	315	S	Unspecified Ground Workings	1921
3334ET	315	S	Unspecified Ground Workings	1921
3335ET	315	SE	Unspecified Heaps	1876
3336ET	315	S	Unspecified Heap	1903
3337ET	316	S	Unspecified Ground Workings	1876
3338ET	317	SE	Unspecified Heap	1903
3339ET	318	SE	Unspecified Heap	1948
3340ET	318	S	Unspecified Heap	1988
3341ET	318	S	Unspecified Heap	1964
3342EU	318	NW	Unspecified Ground Workings	1914
3343EU	318	NW	Unspecified Ground Workings	1914
3344ET	319	S	Unspecified Ground Workings	1877

3345EG	319	NW	Unspecified Ground Workings	1914
3346ET	319	S	Old Coal Drift	1903
3347EG	320	NW	Unspecified Pit	1921
3348EG	320	NW	Unspecified Pit	1921
3349ET	322	S	Unspecified Ground Workings	1921
3350EG	322	NW	Unspecified Pit	1921
3351EG	323	NW	Unspecified Pit	1903
3352EG	323	NW	Unspecified Pit	1948
3353EU	324	NW	Unspecified Pit	1921
3354EU	324	NW	Unspecified Pit	1921
3355ET	324	SE	Reservoir	1921
3356EZ	325	NE	Old Ironstone Level	1877
3357EU	325	NW	Old Ironstone Level	1914
3358EU	325	NW	Old Ironstone Level	1914
3359EU	325	NW	Unspecified Pit	1903
3360EU	325	NW	Unspecified Pit	1948
3361EU	326	NW	Unspecified Pit	1921
3362EU	326	NW	Disused Old Ironstone Level	1877
3363EU	326	NW	Unspecified Pit	1901
3364EG	329	NW	Unspecified Pit	1965
3365EV	334	NE	Unspecified Heap	1921
3366EV	334	NE	Unspecified Heap	1921
3367EW	334	NW	Unspecified Ground Workings	1914
3368EW	334	NW	Unspecified Ground Workings	1921
3369EW	334	NW	Unspecified Ground Workings	1921
3370EV	335	NE	Unspecified Heap	1914
3371FB	335	NE	Cuttings	1877
3372ET	336	S	Unspecified Pit	1948
3373EV	336	NE	Unspecified Ground Workings	1921
3374EY	337	S	Unspecified Heap	1877
3375EO	338	NW	Unspecified Old Quarry	1914
3376ET	338	S	Unspecified Pit	1903
3377EV	339	NE	Unspecified Heap	1948
3378EV	339	NE	Unspecified Heap	1903
3379EV	339	NE	Old Ironstone Quarry	1877
3380GI	339	NW	Unspecified Old Quarry	1921
3381EW	339	NW	Unspecified Ground Workings	1948
3382EW	340	NW	Unspecified Old Quarry	1877
3383EO	340	NW	Unspecified Old Quarry	1921
3384EQ	340	S	Unspecified Pit	1988

3385EQ	340	S	Unspecified Pit	1964
3386EW	341	NW	Unspecified Ground Workings	1903
3387EW	343	NW	Unspecified Heap	1965
3388EY	343	S	Air Shaft	1876
3389EO	343	NW	Colliery	1877
3390EY	345	S	Air Shaft	1877
3391EV	347	NE	Unspecified Pit	1921
3392EV	347	NE	Unspecified Pit	1921
3393EO	348	NW	Unspecified Quarry	1965
3394EV	349	NE	Unspecified Pit	1948
3395EV	349	NE	Unspecified Pit	1903
3396EV	349	NE	Unidentified Pit	1914
3397EQ	350	S	Unspecified Old Quarries	1901
3398EX	352	S	Unspecified Ground Workings	1876
3399EQ	353	S	Unspecified Pit	1914
3400EQ	353	S	Unspecified Pit	1914
3401EQ	353	S	Unspecified Pits	1921
3402EQ	353	S	Unspecified Pits	1921
3403EQ	353	S	Unspecified Pits	1921
3404EV	353	NE	Unspecified Pit	1877
3405EQ	353	S	Unspecified Heap	1948
3406EQ	353	S	Unspecified Heap	1903
3407EU	354	NW	Old Ironstone Level	1921
3408EX	354	S	Unspecified Ground Workings	1921
3409EQ	354	S	Unspecified Ground Workings	1877
3410EX	355	S	Unspecified Ground Workings	1914
3411EX	355	S	Unspecified Ground Workings	1914
3412EQ	355	S	Unspecified Heaps	1876
3413EX	355	S	Old Coal Level	1901
3414EX	355	S	Unspecified Ground Workings	1948
3415EZ	355	NE	Unspecified Disused Level	1987
3416EX	356	S	Unspecified Ground Workings	1903
3417EU	356	NW	Unspecified Old Level	1903
3418EX	356	S	Unspecified Ground Workings	1921
3419EX	356	S	Unspecified Ground Workings	1921
3420EX	357	S	Unspecified Ground Workings	1877
3421EU	357	NW	Old Ironstone Level	1921
3422EU	358	NW	Unspecified Ground Workings	1914

3423EU	358	NW	Unspecified Ground Workings	1914
3424EU	358	NW	Disused Old Ironstone Level	1901
3425EU	359	NW	Old Ironstone Level	1921
3426GJ	361	W	Unspecified Disused Shaft	1965
3427EU	361	NW	Unspecified Pit	1948
3428EX	361	S	Unspecified Heap	1988
3429EX	361	S	Unspecified Heap	1964
3430FA	362	W	Old Ironstone Shaft	1921
3431EQ	362	S	Unspecified Ground Workings	1921
3432EU	362	NW	Unspecified Pit	1965
3433EU	362	NW	Unspecified Pit	1921
3434FA	363	W	Old Ironstone Shaft	1921
3435FA	364	W	Old Ironstone Shaft	1921
3436EZ	364	NE	Old Ironstone Level	1914
3437FA	364	W	Old Ironstone Level	1914
3438FA	364	W	Old Ironstone Level	1914
3439FA	366	W	Old Ironstone Pit	1901
3440EZ	366	NE	Old Ironstone Level	1921
3441EX	367	S	Unspecified Ground Workings	1921
3442FA	367	W	Unspecified Old Shaft	1903
3443FA	367	W	Old Limestone Pit	1877
3444FA	367	W	Old Ironstone Shaft	1948
3445ET	367	SE	Old Level (Coal)	1914
3446ET	367	SE	Old Level (Coal)	1914
3447EX	368	S	Unspecified Ground Workings	1964
3448EX	368	S	Unspecified Ground Workings	1988
3449FC	376	W	Unspecified Pit	1921
3450FC	378	W	Unspecified Heap	1914
3451FC	378	W	Unspecified Heap	1914
3452FC	379	W	Unspecified Heap	1877
3453EQ	379	S	Unspecified Pit	1877
3454FC	379	W	Unspecified Heap	1948
3455FC	380	W	Unspecified Heap	1921
3456FC	380	W	Unspecified Heap	1921
3457FD	383	N	Unspecified Heap	1900
3458FR	387	N	Unspecified Heap	1877
3459FR	387	N	Unspecified Heap	1948
3460EQ	388	S	Unspecified Pit	1948
3461EQ	388	S	Unspecified Pit	1903
3462EZ	388	NE	Unspecified Old Level	1903
3463FR	388	N	Unspecified Heap	1921
3464FD	388	N	Unspecified Heap	1921

3465FD	388	N	Unspecified Heap	1921
3466EQ	389	S	Unspecified Pit	1914
3467EQ	389	S	Unspecified Pit	1914
3468EQ	389	S	Unspecified Pit	1948
3469FE	390	SW	Cuttings	1876
3470FR	391	N	Unspecified Heap	1921
3471FE	392	SW	Cuttings	1877
3472FC	392	W	Unspecified Heap	1965
3473FC	392	W	Unspecified Heap	1987
3474EQ	393	S	Unspecified Pit	1876
3475FG	394	E	Unspecified Old Quarries	1903
3476EW	394	NW	Unspecified Heap	1914
3477FF	394	S	Refuse Heap	1988
3478FF	394	S	Refuse Heap	1964
3479FG	395	E	Old Ironstone Quarry	1877
3480FH	397	S	Unspecified Ground Workings	1877
3481FH	398	S	Unspecified Ground Workings	1988
3482FH	398	S	Unspecified Ground Workings	1964
3483EU	399	NW	Unspecified Ground Workings	1921
3484EW	399	NW	Unspecified Heap	1948
3485EW	399	NW	Unspecified Heap	1903
3486FS	399	E	Pond	1948
3487FH	400	S	Unspecified Old Quarries	1901
3488EQ	400	S	Unspecified Pit	1921
3489FH	400	S	Unspecified Ground Workings	1921
3490FH	400	S	Old Coal Level	1948
3491EL	400	NW	Disused Old Ironstone Level	1877
3492FH	400	S	Unspecified Heap	1914
3493FH	400	S	Unspecified Heap	1914
3494FS	401	E	Pond	1921
3495EW	401	NW	Unspecified Heap	1965
3496FH	401	S	Old Coal Level	1921
3497FH	401	S	Old Coal Level	1921
3498EU	402	NW	Unspecified Pit	1903
3499FE	402	SW	Cuttings	1914
3500FE	402	SW	Cuttings	1914
3501EQ	403	S	Old Coal Level	1903
3502EU	403	NW	Unspecified Pit	1901
3503EU	404	NW	Unspecified Pit	1965
3504EU	404	NW	Unspecified Ground Workings	1914
3505EU	404	NW	Unspecified Ground	1914


Workings				
3506FS	404	E	Pond	1965
3507FS	404	E	Pond	1987
3508FE	404	SE	Cuttings	1948
3509EL	404	NW	Brick Works	1921
3510EL	404	NW	Unspecified Ground Workings	1921
3511EL	404	NW	Brick Works	1921
3512EL	404	NW	Unspecified Ground Workings	1921
3513EX	405	SE	Old Coal Level	1921
3514EL	405	NW	Unspecified Ground Workings	1948
3515EL	406	NW	Unspecified Ground Workings	1921
3516FE	408	SE	Cuttings	1921
3517FH	408	S	Unspecified Ground Workings	1921
3518FE	410	SE	Cuttings	1921
3519FE	412	SW	Cuttings	1921
3520FJ	413	SE	Old Coal Level	1921
3521FJ	414	SE	Old Coal Level	1948
3522EU	414	NW	Unspecified Heap	1921
3523FK	415	E	Unspecified Ground Workings	1948
3524FK	415	E	Unspecified Ground Workings	1921
3525FK	415	E	Unspecified Ground Workings	1921
3526FJ	417	SE	Old Coal Level	1921
3527FJ	417	SE	Old Coal Level	1921
3528EU	417	NW	Unspecified Heap	1877
3529FJ	417	SE	Old Coal Level	1921
3530EU	420	NW	Unspecified Heap	1948
3531EU	420	NW	Unspecified Heap	1921
3532EU	420	NW	Unspecified Heap	1921
3533FK	425	E	Old Ironstone Quarry	1877
3534FK	425	E	Unspecified Ground Workings	1903
3535FA	429	W	Unspecified Pit	1901
3536GK	430	W	Old Coal Pit	1877
3537FK	431	E	Unspecified Ground Workings	1921
3538GJ	431	W	Unspecified Ground Workings	1903
3539FL	432	NW	Unspecified Drift	1948
3540FK	434	E	Unspecified Ground Workings	1914
3541FK	434	E	Unspecified Ground Workings	1914

3542FA	434	W	Unspecified Heap	1914
3543FA	434	W	Unspecified Heap	1914
3544EW	439	NW	Unspecified Pit	1877
3545EN	440	S	Pond	1964
3546EN	440	S	Pond	1988
3547FN	441	NE	Unspecified Ground Workings	1977
3548FN	441	NE	Unspecified Ground Workings	1877
3549FP	444	NE	Cuttings	1877
3550EW	445	NW	Unspecified Ground Workings	1965
3551EW	445	NW	Unspecified Ground Workings	1903
3552EW	445	NW	Unspecified Ground Workings	1948
3553FN	447	NE	Unspecified Ground Workings	1962
3554FI	448	NE	Cuttings	1877
3555FN	448	NE	Unspecified Ground Workings	1921
3556FN	451	NE	Unspecified Ground Workings	1921
3557FN	451	NE	Unspecified Ground Workings	1921
3558FN	453	NE	Unspecified Ground Workings	1900
3559FN	454	NE	Unspecified Ground Workings	1903
3560EW	455	NW	Unspecified Heap	1877
3561FL	458	N	Colliery	1914
3562FL	458	N	Colliery	1914
3563EX	461	SE	Old Coal Level	1921
3564FL	462	N	Colliery	1921
3565FL	462	N	Colliery	1921
3566FL	463	N	Colliery	1921
3567FO	463	S	Old Coal Level	1921
3568FO	465	S	Old Coal Level	1921
3569FO	466	S	Old Coal Level	1948
3570FO	467	S	Old Coal Level	1921
3571FO	467	S	Old Coal Level	1921
3572FG	467	E	Unspecified Heap	1948
3573FH	469	S	Unspecified Ground Workings	1948
3574FG	470	E	Unspecified Ground Workings	1921
3575FG	470	E	Unspecified Ground Workings	1914
3576FG	470	E	Unspecified Ground Workings	1914
3577FG	470	E	Unspecified Heap	1921

3578FG	470	E	Unspecified Heap	1921
3579FS	471	E	Unspecified Heap	1877
3580EW	471	NW	Cuttings	1921
3581FL	471	N	Unspecified Drift	1921
3582FL	472	NW	Refuse Heap	1987
3583FH	474	S	Unspecified Ground Workings	1921
3584FH	474	S	Unspecified Ground Workings	1921
3585FN	476	NE	Unspecified Ground Workings	1877
3586GI	478	NW	Unspecified Old Quarry	1877
3587FH	479	S	Unspecified Ground Workings	1988
3588FH	479	S	Unspecified Ground Workings	1964
3589FP	480	NE	Cuttings	1921
3590FQ	481	S	Unspecified Ground Workings	1921
3591EL	481	W	Pond	1901
3592FQ	483	S	Unspecified Ground Workings	1921
3593FH	484	S	Unspecified Ground Workings	1903
3594FH	485	S	Unspecified Ground Workings	1876
3595FQ	485	S	Old Coal Level	1948
3596FQ	485	S	Unspecified Heap	1921
3597FQ	485	S	Unspecified Heap	1921
3598FK	486	E	Unspecified Ground Workings	1921
3599FQ	487	S	Unspecified Ground Workings	1876
3600FQ	487	S	Old Coal Level	1900
3601FP	488	NE	Cuttings	1948
3602FP	488	NE	Cuttings	1903
3603FL	488	N	Unspecified Heap	1965
3604FQ	489	S	Old Coal Level	1903
3605FR	491	N	Unspecified Ground Workings	1903
3606FR	491	N	Old Ironstone Quarry	1877
3607FS	491	E	Unspecified Heap	1948
3608FK	491	E	Unspecified Ground Workings	1914
3609FK	491	E	Unspecified Ground Workings	1914
3610FG	492	E	Unspecified Heap	1965
3611FG	492	E	Unspecified Heap	1987
3612FL	493	N	Refuse Heap	1914
3613FL	493	N	Refuse Heap	1914
3614FS	493	E	Unspecified Heap	1903

3615EX	493	SE	Unspecified Pit	1964
3616EX	493	SE	Unspecified Pit	1988
3617FG	494	E	Unspecified Ground Workings	1921
3618FG	494	E	Unspecified Ground Workings	1921
3619FS	496	E	Unspecified Ground Workings	1921
3620FS	496	E	Unspecified Ground Workings	1921
3621FS	496	E	Unspecified Heap	1877
3622FS	496	E	Unspecified Heap	1903
3623FL	497	N	Refuse Heap	1948
3624FO	497	S	Unspecified Ground Workings	1921
3625FO	497	S	Unspecified Ground Workings	1921
3626FO	498	S	Old Coal Level	1948
3627FL	499	N	Refuse Heap	1921
3628FL	499	N	Refuse Heap	1921
3629FO	499	S	Unspecified Ground Workings	1921
3630FO	499	S	Unspecified Ground Workings	1921

2. Environmental Permits, Incidents and Registers Map



© Crown copyright and database rights 2019.
Ordnance Survey licence 100035207.



2. Environmental Permits, Incidents and Registers

2.1 Industrial Sites Holding Licences and/or Authorisations

Searches of information provided by the Environment Agency/Natural Resources Wales and Local Authorities reveal the following information:

2.1.1 Records of historic IPC Authorisations within 500m of the study site:

0

Database searched and no data found.

2.1.2 Records of Part A(1) and IPPC Authorised Activities within 500m of the study site:

0

Database searched and no data found.

2.1.3 Records of Red List Discharge Consents (potentially harmful discharges to controlled waters) within 500m of the study site:

0

Database searched and no data found.

2.1.4 Records of List 1 Dangerous Substances Inventory Sites within 500m of the study site:

0

Database searched and no data found.

2.1.5 Records of List 2 Dangerous Substance Inventory Sites within 500m of the study site:

2

The following List 2 Dangerous Substance Inventory Site records are represented as points on the Environmental Permits, Incidents and Registers Map:

ID	Distance (m)	Direction	NGR	Details	
10D	0	On Site	284200	Name: Onllwyn Washery	Authorised Substances: Iron

ID	Distance (m)	Direction	NGR	Details
			210500	Status: Active Receiving Water: River Dulais
11Q	456	NW	281028 211744	Name: Nant Helen Occs Treatment Area H Status: Active Receiving Water: None Authorised Substances: pH

2.1.6 Records of Part A(2) and Part B Activities and Enforcements within 500m of the study site:

4

The following Part A(2) and Part B Activities are represented as points on the Environmental Permits, Incidents and Registers Map:

ID	Distance (m)	Direction	NGR	Details
62	0	On Site	284534 210463	Address: Celtic Energy, Nant Helen Opencast Site, Coelbren, Neath, West Glamorgan, SA10 9NL Process: Other Mineral Processes Status: Current Permit Permit Type: Part B Enforcement: No Enforcements Notified Date of Enforcement: No Enforcements Notified Comment: No Enforcements Notified
63	0	On Site	284669 210494	Address: Celtic Energy Limited, Onllwyn Central Washery, Onllwyn, Neath Port Talbot, SA10 9HN Process: Coal & Coke Status: Current Permit Permit Type: Part B Enforcement: No enforcements issued Date of Enforcement: No enforcements issued Comment: No enforcements issued
64	0	On Site	285022 210523	Address: CPL Distribution Limited, CPL Onllwyn Depot, Onllwyn Washery, Seven Sisters, Neath Port Talbot, SA10 9HN Process: Coal & Coke Status: Current Permit Permit Type: Part B Enforcement: No enforcements issued Date of Enforcement: No enforcements issued Comment: No enforcements issued
65	123	S	283784 210155	Address: Celtic Energy Limited/CPL Distribution Limited, Onllwyn Central Washery, Onllwyn, Neath, Port Talbot, SA10 9HN Process: Coal & Coke Status: Historical Permit Permit Type: Part B Enforcement: No enforcements issued Date of Enforcement: 08/04/2003 Comment: No enforcements issued

2.1.7 Records of Category 3 or 4 Radioactive Substances Authorisations:

0

Database searched and no data found.

2.1.8 Records of Licensed Discharge Consents within 500m of the study site:

50

The following Licensed Discharge Consents records are represented as points on the Environmental Permits, Incidents and Registers Map:

ID	Distance (m)	Direction	NGR	Details
12B	0	On Site	282510 210470	Address: STORM OUTLET B2 NANT HELEN OCCS , STORM OUTLET B2 NANT HELEN OCCS, NANT HELEN OCCS , Effluent Type: TRADE DISCHARGES - UNSPECIFIED Permit Number: BM0032102 Permit Version: -9999 Receiving Water: RIVER DULAIS Status: Effective Issue date: 12/03/1997 Effective Date: 13-Mar-1997 Revocation Date:
13B	0	On Site	282510 210470	Address: STORM OUTLET B2 NANT HELEN OCCS , STORM OUTLET B2 NANT HELEN OCCS, NANT HELEN OCCS , Effluent Type: MINEWATER Permit Number: BM0032107 Permit Version: -9999 Receiving Water: R DULAIS Status: Effective Issue date: 12/03/1997 Effective Date: 12-Mar-1997 Revocation Date:
14C	0	On Site	285420 210370	Address: HEOL GAER ONLLWYN SWO 1, ONLLWYN SWO 1 Effluent Type: UNSPECIFIED Permit Number: BW2903101 Permit Version: -9999 Receiving Water: CAMNANT (DYFFRYN CELLWEN) Status: NEW CONSENT, BY APPLICATION (WRA 91, SECTION 88) Issue date: 17/06/1963 Effective Date: 17-Jun-1963 Revocation Date: 30/03/2008
15C	0	On Site	285420 210370	Address: HEOL GAER ONLLWYN SWO 1, ONLLWYN SWO 1 Effluent Type: SEWAGE DISCHARGES - SEWER STORM OVERFLOW - WATER COMPANY Permit Number: BW2903101 Permit Version: -9999 Receiving Water: CAMNANT (DYFFRYN CELLWEN) Status: REVOKED (WRA 91, S88 & SCHED 10 AS AMENDED BY ENV Issue date: 07/03/2005 Effective Date: 01-Apr-2008 Revocation Date: 31/03/2009
16D	0	On Site	284200 210500	Address: ONLLWYN WASHERY NEATH , NEATH Effluent Type: TRADE DISCHARGES - UNSPECIFIED Permit Number: BA2010001 Permit Version: -9999 Receiving Water: AFON DULAIS (TRIB OF RIVER NEA Status: Effective Issue date: 30/03/1994 Effective Date: 30-Mar-1994 Revocation Date:
17E	0	On Site	284120 210500	Address: ONLLWYN WASHERY NEATH , NEATH Effluent Type: TRADE DISCHARGES - UNSPECIFIED Permit Number: BA2010001 Permit Version: -9999 Receiving Water: AFON DULAIS (TRIB OF RIVER NEA Status: REVOKED - UNSPECIFIED Issue date: 30/07/1985 Effective Date: 30-Jul-1985 Revocation Date: 29/03/1994
18F	0	On Site	281970 210370	Address: STORM OUTLET A2 NANT HELEN OCCS , STORM OUTLET A2 NANT HELEN OCCS, NANT HELEN OCCS Effluent Type: MINEWATER Permit Number: BM0032106 Permit Version: -9999 Receiving Water: RIVER DULAIS Status: REVOKED - UNSPECIFIED Issue date: 14/09/1992 Effective Date: 14-Sep-1992 Revocation Date: 12/03/1997
19E	0	On Site	284110 210510	Address: ONLLWYN OPENCAST SITE - POINTS Effluent Type: UNSPECIFIED Permit Number: BB3024801 Permit Version: -9999 Receiving Water: RIVER DULAIS Status: CONSENT EXPIRED - TIME LIMIT Issue date: 28/06/1971 Effective Date: 28-Jun-1971 Revocation Date: 02/03/1992
20	0	On Site	282900 211600	Address: ONLLWYN OPENCAST SITE POINT B (ABAN, ONLLWYN OPENCAST SITE POINT B (A, POINT B (ABANDONED) Effluent Type: UNSPECIFIED Permit Number: BC0013002 Receiving Water: NANT HELEN Status: CONSENT EXPIRED - TIME LIMIT Issue date: 01/07/1971 Effective Date: 01-Jul-1971 Revocation Date: 02/03/1992

ID	Distance (m)	Direction	NGR	Details	
Permit Version: -9999					
21F	0	On Site	281970 210370	Address: STORM OUTLET A2 NANT HELEN OCCS , STORM OUTLET A2 NANT HELEN OCCS, NANT HELEN OCCS Effluent Type: MINEWATER Permit Number: BM0032106 Permit Version: -9999	Receiving Water: RIVER DULAIS Status: REVOKED (WRA 91, S88 & SCHED 10 AS AMENDED BY ENV Issue date: 12/03/1997 Effective Date: 13-Mar-1997 Revocation Date: 10/07/2001
22F	0	On Site	281970 210370	Address: STORM OUTLET A2 NANT HELEN OCCS , STORM OUTLET A2 NANT HELEN OCCS, NANT HELEN OCCS Effluent Type: MINEWATER Permit Number: BM0032106 Permit Version: -9999	Receiving Water: RIVER DULAIS Status: REVOKED - UNSPECIFIED Issue date: 11/07/1990 Effective Date: 11-Jul-1990 Revocation Date: 13/09/1992
23I	0	On Site	285290 210550	Address: VEDMORE SIDINGS OUTLET B , Effluent Type: TRADE DISCHARGES - SITE DRAINAGE Permit Number: BB4027002 Permit Version: -9999	Receiving Water: NANT CAMNANT Status: Effective Issue date: 20/03/1989 Effective Date: 20-Mar-1989 Revocation Date:
24G	0	On Site	282410 212080	Address: NANT HELEN OCCS OUTLET D , OUTLET D , Effluent Type: TRADE DISCHARGES - UNSPECIFIED Permit Number: BM0032104 Permit Version: -9999	Receiving Water: UNNAMED TRIB OF RIVER TAWE Status: REVOKED - UNSPECIFIED Issue date: 11/07/1990 Effective Date: 11-Jul-1990 Revocation Date: 13/09/1992
25G	0	On Site	282410 212080	Address: NANT HELEN OCCS OUTLET D , OUTLET D , Effluent Type: UNSPECIFIED Permit Number: BM0032104 Permit Version: -9999	Receiving Water: UNNAMED TRIB OF RIVER TAWE Status: REVOKED - UNSPECIFIED Issue date: 30/01/1985 Effective Date: 30-Jan-1985 Revocation Date: 10/07/1990
26G	0	On Site	282410 212080	Address: NANT HELEN OCCS OUTLET D , OUTLET D , Effluent Type: TRADE DISCHARGES - UNSPECIFIED Permit Number: BM0032104 Permit Version: -9999	Receiving Water: UNNAMED TRIB OF RIVER TAWE Status: REVOKED (WRA 91, S88 & SCHED 10 AS AMENDED BY ENV Issue date: 14/09/1992 Effective Date: 14-Sep-1992 Revocation Date: 18/11/1998
27F	0	On Site	282010 210380	Address: NANT HELEN OCCS OUTLET A1 , OUTLET A1 , Effluent Type: TRADE DISCHARGES - UNSPECIFIED Permit Number: BM0032101 Permit Version: -9999	Receiving Water: RIVER DULAIS Status: REVOKED - UNSPECIFIED Issue date: 11/07/1990 Effective Date: 11-Jul-1990 Revocation Date: 13/09/1992
28F	0	On Site	282010 210380	Address: NANT HELEN OCCS OUTLET A1 , OUTLET A1 , Effluent Type: UNSPECIFIED Permit Number: BM0032101 Permit Version: -9999	Receiving Water: RIVER DULAIS Status: REVOKED - UNSPECIFIED Issue date: 30/01/1985 Effective Date: 30-Jan-1985 Revocation Date: 10/07/1990
29F	0	On Site	282010 210380	Address: NANT HELEN OCCS OUTLET A1 , OUTLET A1 , Effluent Type: TRADE DISCHARGES - UNSPECIFIED Permit Number: BM0032101 Permit Version: -9999	Receiving Water: RIVER DULAIS Status: REVOKED (WRA 91, S88 & SCHED 10 AS AMENDED BY ENV Issue date: 14/09/1992 Effective Date: 14-Sep-1992 Revocation Date: 10/07/2001
30H	0	On Site	285450 210270	Address: ONLLWYN STORM WATER OVERFLOW, STORM WATER OVERFLOW Effluent Type: UNSPECIFIED Permit Number: BP0058701 Permit Version: -9999	Receiving Water: RIVER CAMNANT Status: NEW CONSENT (WRA 91, S88 & SCHED 10 AS AMENDED BY Issue date: 02/09/1987 Effective Date: 02-Sep-1987 Revocation Date: 17/02/1988
31	0	On Site	283030 210560	Address: OUTLET C NANT HELEN OCCS , NANT HELEN OCCS ,	Receiving Water: RIVER DULAIS Status: Effective

ID	Distance (m)	Direction	NGR	Details	
				Effluent Type: MINEWATER Permit Number: BM0032103 Permit Version: -9999	Issue date: 08/01/1998 Effective Date: 09-Jan-1998 Revocation Date:
32I	0	On Site	285290 210550	Address: VEDMORE SIDINGS OUTLET B , Effluent Type: TRADE DISCHARGES - UNSPECIFIED Permit Number: BB4027001 Permit Version: -9999	Receiving Water: NANT CAMNANT Status: Effective Issue date: 20/03/1989 Effective Date: 20-Mar-1989 Revocation Date:
33H	5	E	285382 210231	Address: DYFFRYN CELLWEN, NR 7 SISTERS Effluent Type: SEWAGE DISCHARGES - PUMPING STATION - WATER COMPANY Permit Number: BP0135001 Permit Version: -9999	Receiving Water: AFON CAMNANT TO PYRDDIN - R. N Status: Effective Issue date: 20/02/2009 Effective Date: 20-Feb-2009 Revocation Date:
34J	54	E	285570 210280	Address: DYFFRYN CELLWEN, NR 7 SISTERS Effluent Type: SEWAGE DISCHARGES - SEWER STORM OVERFLOW - WATER COMPANY Permit Number: BP0135001 Permit Version: -9999	Receiving Water: AFON CAMNANT TO PYRDDIN - R. N Status: VARIED BY APPLICATION - (WRA 91 SCHD 10 - AS AMENDED BY ENV ACT 1995) Issue date: 01/08/1990 Effective Date: 01-Aug-1990 Revocation Date: 19/02/2009
35J	54	E	285570 210280	Address: DYFFRYN CELLWEN, NR 7 SISTERS Effluent Type: UNSPECIFIED Permit Number: BP0135001 Permit Version: -9999	Receiving Water: AFON CAMNANT TO PYRDDIN - R. N Status: REVOKED - UNSPECIFIED Issue date: 10/07/1990 Effective Date: 10-Jul-1990 Revocation Date: 31/07/1990
36	60	NE	284000 211800	Address: ONLLWYN OPENCAST SITE POINT A (ABAN, ONLLWYN OPENCAST SITE POINT A (A, POINT A (ABANDONED) Effluent Type: UNSPECIFIED Permit Number: BC0013001 Permit Version: -9999	Receiving Water: UNNAMED TRIB OF NANT LLECH Status: CONSENT EXPIRED - TIME LIMIT Issue date: 01/07/1971 Effective Date: 01-Jul-1971 Revocation Date: 02/03/1992
37K	62	S	284710 210240	Address: ONLLWYN A.R'WAY TIP, AERIAL ROPEWAY TIP, PT.B Effluent Type: UNSPECIFIED Permit Number: BP0155502 Permit Version: -9999	Receiving Water: RIVER DULAIS Status: REVOKED - UNSPECIFIED Issue date: 01/01/1901 Effective Date: 01-Jan-1901 Revocation Date: 13/03/1990
38K	62	S	284710 210240	Address: ONLLWYN A.R'WAY TIP, AERIAL ROPEWAY TIP, PT.B Effluent Type: UNSPECIFIED Permit Number: BP0155502 Permit Version: -9999	Receiving Water: RIVER DULAIS Status: CONSENT EXPIRED - TIME LIMIT Issue date: 14/03/1990 Effective Date: 14-Mar-1990 Revocation Date: 18/05/1993
39L	67	S	283560 210150	Address: DRYM OPENCAST SITE - POINT E () Effluent Type: MINEWATER Permit Number: BB4004401 Permit Version: -9999	Receiving Water: UNNAMED TRIB OF RIVER DULAIS Status: CONSENT EXPIRED - TIME LIMIT Issue date: 09/08/1973 Effective Date: 09-Aug-1973 Revocation Date: 24/12/1991
40L	68	S	283650 210170	Address: DRYM OPENCAST SITE - POINT C () Effluent Type: MINEWATER Permit Number: BB3025802 Permit Version: -9999	Receiving Water: UNNAMED TRIB OF RIVER DULAIS Status: CONSENT EXPIRED - TIME LIMIT Issue date: 09/08/1971 Effective Date: 09-Aug-1971 Revocation Date: 11/06/1986
41M	70	E	285586 210280	Address: DYFFRYN CELLWEN, NR 7 SISTERS Effluent Type: SEWAGE DISCHARGES - PUMPING STATION - WATER COMPANY Permit Number: BP0135001 Permit Version: -9999	Receiving Water: AFON CAMNANT TO PYRDDIN - R. N Status: Effective Issue date: 20/02/2009 Effective Date: 20-Feb-2009 Revocation Date:

ID	Distance (m)	Direction	NGR	Details	
42N	71	NW	281560 211840	Address: OUTLET E NANT HELEN OCCS , NANT HELEN OCCS , Effluent Type: TRADE DISCHARGES - UNSPECIFIED Permit Number: BM0032105 Permit Version: -9999	Receiving Water: UNNAMED TRIB OF RIVER TAWE Status: REVOKED - UNSPECIFIED Issue date: 11/07/1990 Effective Date: 11-Jul-1990 Revocation Date: 13/09/1992
43N	71	NW	281560 211840	Address: OUTLET E NANT HELEN OCCS , NANT HELEN OCCS , Effluent Type: TRADE DISCHARGES - UNSPECIFIED Permit Number: BM0032105 Permit Version: -9999	Receiving Water: UNNAMED TRIB OF RIVER TAWE Status: REVOKED - UNSPECIFIED Issue date: 14/09/1992 Effective Date: 14-Sep-1992 Revocation Date: 12/03/1997
44N	71	NW	281560 211840	Address: OUTLET E NANT HELEN OCCS , NANT HELEN OCCS , Effluent Type: TRADE DISCHARGES - UNSPECIFIED Permit Number: BM0032105 Permit Version: -9999	Receiving Water: UNNAMED TRIB OF RIVER TAWE Status: REVOKED (WRA 91, S88 & SCHED 10 AS AMENDED BY ENV Issue date: 12/03/1997 Effective Date: 13-Mar-1997 Revocation Date: 01/11/2002
45N	71	NW	281560 211840	Address: OUTLET E NANT HELEN OCCS , NANT HELEN OCCS , Effluent Type: UNSPECIFIED Permit Number: BM0032105 Permit Version: -9999	Receiving Water: UNNAMED TRIB OF RIVER TAWE Status: REVOKED - UNSPECIFIED Issue date: 30/01/1985 Effective Date: 30-Jan-1985 Revocation Date: 10/07/1990
46	116	N	283310 210310	Address: ONLLWYN RD SWO1A GOLWG Y BRY, ONLLWYN RD SWO1A GOLWG Y, SWO1A GOLWG Y BRYN Effluent Type: SEWAGE DISCHARGES - SEWER STORM OVERFLOW - WATER COMPANY Permit Number: BW2903001 Permit Version: -9999	Receiving Water: RIVER DULAIS Status: Surrendered Issue date: 17/06/1963 Effective Date: 17-Jun-1963 Revocation Date:
47	172	SE	283990 210190	Address: DRYM OPENCAST SITE - POINT D () Effluent Type: MINEWATER Permit Number: BB3025803 Permit Version: -9999	Receiving Water: UNNAMED TRIB OF RIVER DULAIS Status: CONSENT EXPIRED - TIME LIMIT Issue date: 09/08/1971 Effective Date: 09-Aug-1971 Revocation Date: 22/01/1992
48	180	S	283430 210010	Address: DRYM OPENCAST SITE - POINT B () Effluent Type: UNSPECIFIED Permit Number: BB3025801 Permit Version: -9999	Receiving Water: UNNAMED TRIB OF RIVER DULAIS Status: CONSENT EXPIRED - TIME LIMIT Issue date: 09/08/1971 Effective Date: 09-Aug-1971 Revocation Date: 22/01/1992
49O	250	S	284270 210060	Address: ONLLWYN AERIAL ROPEWAY, (POINT A) Effluent Type: UNSPECIFIED Permit Number: BP0155501 Permit Version: -9999	Receiving Water: RIVER DULAIS Status: CONSENT EXPIRED - TIME LIMIT Issue date: 14/03/1990 Effective Date: 14-Mar-1990 Revocation Date: 18/05/1993
50	253	SE	285700 210100	Address: TAVERN Y BANWEN BANWEN, BANWEN Effluent Type: UNSPECIFIED Permit Number: BM0046101 Permit Version: -9999	Receiving Water: UNDERGROUND STRATA Status: CONSENT EXPIRED - TIME LIMIT Issue date: 26/04/1985 Effective Date: 26-Apr-1985 Revocation Date: 11/07/1994
51O	255	S	284270 210055	Address: ONLLWYN AERIAL ROPEWAY, (POINT A) Effluent Type: UNSPECIFIED Permit Number: BP0155501 Permit Version: -9999	Receiving Water: RIVER DULAIS Status: REVOKED - UNSPECIFIED Issue date: 01/01/1901 Effective Date: 01-Jan-1901 Revocation Date: 13/03/1990
52	307	NW	281871 212355	Address: INTERNATIONAL TIPS RECLAMATION AREA, INTERNATIONAL TIPS RECLAMATION, NANT HELEN	Receiving Water: A TRIB OF THE RIVER TAWE Status: NEW CONSENT (WRA 91, S88 &

ID	Distance (m)	Direction	NGR	Details	
				EXTENSION OCCS, COELBREN, NR ABERCRAF Effluent Type: TRADE DISCHARGES - SITE DRAINAGE Permit Number: BP0300901 Permit Version: -9999	SCHED 10 AS AMENDED BY Issue date: 28/02/2003 Effective Date: 28-Feb-2003 Revocation Date:
53	316	N	283500 212300	Address: CEFN YR ERW FARM, ABERCRAF, SWANSEA VALLEY, Swansea, SA9 1UD Effluent Type: SEWAGE DISCHARGES - FINAL/TREATED EFFLUENT - NOT WATER COMPANY Permit Number: BP0100601 Permit Version: -9999	Receiving Water: UNDERGROUND STRATA Status: Effective Issue date: 26/11/2012 Effective Date: 26-Nov-2012 Revocation Date:
54	329	S	285500 209900	Address: PLAYGROUND MAIN ROAD DYFFRYN C Effluent Type: UNSPECIFIED Permit Number: BB4024401 Permit Version: -9999	Receiving Water: RIVER PYRDDIN VIA NANT CAMNANT Status: CONSENT EXPIRED - TIME LIMIT Issue date: 07/11/1977 Effective Date: 07-Nov-1977 Revocation Date: 19/10/1992
55P	391	E	285900 210200	Address: 11 CWMCELYN BUNGALOWS CAMNANT RD. B, 11 CWMCELYN BUNGALOWS CAMNANT RD, CAMNANT RD. BANWEN NEATH., BANWEN NEATH., NEATH. Effluent Type: UNSPECIFIED Permit Number: BP0133301 Permit Version: -9999	Receiving Water: TO LAND Status: CONSENT EXPIRED - TIME LIMIT Issue date: 23/08/1989 Effective Date: 23-Aug-1989 Revocation Date: 11/07/1994
56P	391	E	285900 210200	Address: 11 CWMCELYN BUNGALOWS CAMNANT RD. B, 11 CWMCELYN BUNGALOWS CAMNANT RD, CAMNANT RD. BANWEN NEATH., BANWEN NEATH., NEATH. Effluent Type: UNSPECIFIED Permit Number: BP0133302 Permit Version: -9999	Receiving Water: TO LAND Status: CONSENT EXPIRED - TIME LIMIT Issue date: 27/11/1989 Effective Date: 27-Nov-1989 Revocation Date: 11/07/1994
57	393	N	283200 212450	Address: BRONWYDD CAEHOPKIN ABERCRAVE SWANSE, BRONWYDD CAEHOPKIN ABERCRAVE SWA, CAEHOPKIN ABERCRAVE SWANSEA, ABERCRAVE SWANSEA, SWANSEA Effluent Type: UNSPECIFIED Permit Number: BM0033201 Permit Version: -9999	Receiving Water: UNDERGROUND STRATA Status: CONSENT EXPIRED - TIME LIMIT Issue date: 21/10/1983 Effective Date: 21-Oct-1983 Revocation Date: 24/02/1995
58	420	NE	285870 210500	Address: TY SARN HELEN CAMNANT BANWEN NEATH, TY SARN HELEN CAMNANT BANWEN NEA, CAMNANT BANWEN NEATH, BANWEN NEATH, NEATH Effluent Type: UNSPECIFIED Permit Number: BM0006301 Permit Version: -9999	Receiving Water: UNDERGROUND STRATA Status: NEW CONSENT, BY APPLICATION (WRA 91, SECTION 88) Issue date: 16/06/1980 Effective Date: 16-Jun-1980 Revocation Date:
59	436	SE	285870 210020	Address: POINT C - BANWEN DISPOSAL PT BANW, POINT C - BANWEN DISPOSAL PT B, BANWEN, NEATH Effluent Type: MINEWATER Permit Number: BA2014403 Permit Version: -9999	Receiving Water: RIVER CAMNANT Status: CONSENT EXPIRED - TIME LIMIT Issue date: 21/06/1993 Effective Date: 21-Jun-1993 Revocation Date: 05/06/1996
60Q	456	NW	281028 211744	Address: NANT HELEN OCCS TREATM'T AREA H, COELBREN, ABERCRAVE, SWANSEA Effluent Type: TRADE DISCHARGES - SITE DRAINAGE Permit Number: BP0345401 Permit Version: -9999	Receiving Water: UNNAMED TRIB OF TAWE Status: NEW CONSENT (WRA 91, S88 & SCHED 10 AS AMENDED BY Issue date: 27/06/2005 Effective Date: 27-Jun-2005 Revocation Date: 19/03/2008

ID	Distance (m)	Direction	NGR	Details
61	497	S	282604 209695	Address: TYNEWYDD FARM SEVEN SISTERS NEATH, TYNEWYDD FARM, SEVEN SISTERS, NEATH, NEATH PORT TALBOT, SA10 9BP Effluent Type: SEWAGE DISCHARGES - FINAL/TREATED EFFLUENT - NOT WATER COMPANY Permit Number: BP0318401 Permit Version: -9999 Receiving Water: RIVER DULAIS Status: NEW CONSENT (WRA 91, S88 & SCHED 10 AS AMENDED BY Issue date: 06/08/2004 Effective Date: 06-Aug-2004 Revocation Date:

2.1.9 Records of Water Industry Referrals (potentially harmful discharges to the public sewer) within 500m of the study site:

0

Database searched and no data found.

2.1.10 Records of Planning Hazardous Substance Consents and Enforcements within 500m of the study site:

0

Database searched and no data found.

2.2 Dangerous or Hazardous Sites

Records of COMAH & NIHHS sites within 500m of the study site:

0

Database searched and no data found.

2.3 Environment Agency/Natural Resources Wales Recorded Pollution Incidents

2.3.1 Records of National Incidents Recording System, List 2 within 500m of the study site:

8

The following NIRS List 2 records are represented as points on the Environmental Permits, Incidents and Registers Map:

ID	Distance (m)	Direction	NGR	Details
1	0	On Site	283823.0 210346.0	Incident Date: 16-Oct-2013 Incident Identification: 1168129.0 Pollutant: Inert Materials and Wastes Pollutant Description: Coal Water Impact: Category 2 (Significant) Land Impact: Category 4 (No Impact) Air Impact: Category 4 (No Impact)
2H	0	On Site	285452.0 210250.0	Incident Date: 21-Jun-2001 Incident Identification: 10516.0 Pollutant: Sewage Materials Water Impact: Category 3 (Minor) Land Impact: Category 4 (No Impact) Air Impact: Category 4 (No Impact)

ID	Distance (m)	Direction	NGR	Details	
Pollutant Description: Crude Sewage					
3	1	S	285288.0 210222.0	Incident Date: 16-Jun-2014 Incident Identification: 1245993.0 Pollutant: Inert Materials and Wastes Pollutant Description: Construction and Demolition Materials and Wastes	Water Impact: Land Impact: Category 3 (Minor) Air Impact: Category 3 (Minor)
4J	4	NE	285503.0 210298.0	Incident Date: 25-May-2001 Incident Identification: 6652.0 Pollutant: Sewage Materials Pollutant Description: Crude Sewage	Water Impact: Category 3 (Minor) Land Impact: Category 4 (No Impact) Air Impact: Category 4 (No Impact)
5M	67	E	285582.0 210288.0	Incident Date: 10-Apr-2014 Incident Identification: 1226179.0 Pollutant: Sewage Materials Pollutant Description: Other Sewage Material	Water Impact: Land Impact: Category 4 (No Impact) Air Impact: Category 4 (No Impact)
6A	123	NE	284109.0 211768.0	Incident Date: 06-Feb-2016 Incident Identification: 1408918.0 Pollutant: Oils and Fuel Pollutant Description: Gas and Fuel Oils	Water Impact: Land Impact: Category 4 (No Impact) Air Impact: Category 4 (No Impact)
7A	123	NE	284109.0 211768.0	Incident Date: 02-Feb-2016 Incident Identification: 1407834.0 Pollutant: Oils and Fuel Pollutant Description: Gas and Fuel Oils	Water Impact: Land Impact: Category 4 (No Impact) Air Impact: Category 4 (No Impact)
8	134	NW	284860.0 211020.0	Incident Date: 09-May-2012 Incident Identification: 989062.0 Pollutant: Inert Materials and Wastes Pollutant Description: Other Inert Material or Waste	Water Impact: Category 4 (No Impact) Land Impact: Category 2 (Significant) Air Impact: Category 4 (No Impact)

2.3.2 Records of National Incidents Recording System, List 1 within 500m of the study site:

1

The following NIRS List 1 records are represented as points on the Environmental Permits, Incidents and Registers Map:



ID	Distance (m)	Direction	NGR	Details	
9	272	SW		Incident Date: 04-Dec-1999 Incident Identification: 6335.0 Catchments Name: DULAIS Water Description: RIVER STRETCH (FRESHWATER) Water Course: DULAIS Incident Substantiated: Yes	Priority Description: Immediate (2 Hours) Waste Description: Not Available Water Impact: Significant Impact Land Impact: No Impact Air Impact: No Impact Action Taken: Not Available

2.4 Sites Determined as Contaminated Land under Part 2A EPA 1990

Records of sites determined as contaminated land under Section 78R of the Environmental Protection Act 1990 are there within 500m of the study site 0

Database searched and no data found.

3. Landfill and Other Waste Sites Map



3. Landfill and Other Waste Sites

3.1 Landfill Sites

3.1.1 Records from Environment Agency/Natural Resources Wales landfill data within 1000m of the study site:

0

Database searched and no data found.

3.1.2 Records of Environment Agency/Natural Resources Wales historic landfill sites within 1500m of the study site:

4

The following landfill records are represented as either points or polygons on the Landfill and Other Waste Sites map:

ID	Distance (m)	Direction	NGR	Details
2A	473	NW		Site Address: Moorside Villas Waste Licence: - Site Reference: CS11/38 Waste Type: Commercial, Household Environmental Permitting Regulations (Waste) Reference: - Licence Issue: Licence Surrendered: Licence Holder Address: - Operator: - Licence Holder: - First Recorded: - Last Recorded: 31-Dec-1974
3	612	N		Site Address: Coelbren Waste Licence: - Site Reference: CS11/43 Waste Type: - Environmental Permitting Regulations (Waste) Reference: - Licence Issue: Licence Surrendered: Licence Holder Address: - Operator: - Licence Holder: - First Recorded: - Last Recorded: -
Not shown	1391	W		Site Address: Land at 295-297 Brecon Road Waste Licence: - Site Reference: CS11/35 Waste Type: Commercial, Household Environmental Permitting Regulations (Waste) Reference: - Licence Issue: Licence Surrendered: Licence Holder Address: - Operator: - Licence Holder: - First Recorded: - Last Recorded: 31-Dec-1950
Not shown	1496	NE		Site Address: Ynyswen Tip Waste Licence: - Site Reference: CS11/39 Waste Type: Commercial, Household Environmental Permitting Regulations (Waste) Reference: - Licence Issue: Licence Surrendered: Licence Holder Address: - Operator: Ystradgynlais Rural District Council Licence Holder: - First Recorded: - Last Recorded: 31-Dec-1974

3.1.3 Records of BGS/DoE non-operational landfill sites within 1500m of the study site:

0

Database searched and no data found.

3.1.4 Records of Landfills from Local Authority and Historical Mapping Records within 1500m of the study site:

16

The following landfill records are represented as points or polygons on the Landfill and Other Waste Sites map:

ID	Distance (m)	Direction	NGR	Site Address	Source	Data Type
13	0	On Site	283918 210294	Refuse Tip	1961 mapping	Polygon
14	0	On Site	283668 210235	Refuse Tip	1961 mapping	Polygon
15	290	S	281966 209849	Refuse Tip	1961 mapping	Polygon
16	310	S	282031 209830	Refuse Tip	1962 mapping	Polygon
17	350	S	283898 209942	Refuse Tip	1962 mapping	Polygon
18A	469	NW	284747 211387	Refuse Tip	1987 mapping	Polygon
19A	471	NW	284746 211388	Refuse Tip	1986 mapping	Polygon
20A	497	NW	284716 211376	Refuse Tip	1979 mapping	Polygon
21A	499	NW	284721 211380	Refuse Tip	1962 mapping	Polygon
22	587	S	282035 209654	Refuse Tip	1962 mapping	Polygon
23	687	S	282106 209306	Refuse Tip	1962 mapping	Polygon
24	1015	S	281921 209243	Refuse Tip	1961 mapping	Polygon
25	1097	NW	280861 212598	Refuse Tip	1962 mapping	Polygon
Not shown	1467	S	284486 208749	Refuse Tip	1961 mapping	Polygon
Not shown	1494	S	284544 208749	Refuse Tip	1961 mapping	Polygon
Not shown	1496	NE	284316 213306	Refuse Tip	1962 mapping	Polygon

3.2 Other Waste Sites

3.2.1 Records of waste treatment, transfer or disposal sites within 500m of the study site:

1

The following waste treatment, transfer or disposal sites records are represented as points on the Landfill and Other Waste Sites map:

ID	Distance (m)	Direction	NGR	Details	
1	211	NE	284273 211703	Type of Site: Waste Transfer Station (Conversion/Extension) Site Address: Maesgwyn Open Cast Site, Banwen, Coelbren, NEATH, West Glamorgan, SA10 9NY Planning Application Reference: P2008/0869 Date: -	Further Details: Scheme comprises change of use to transfer station and construction of ancillary offices with car parking spaces and landscaping. Construction - black top surfacing, planting site works. An application (ref: P2008/0869) for detailed planning permission was granted by Neath & Port Talbot B.C. Planning decision obtained Data Source: Historic Planning Application Data Type: Point

3.2.2 Records of Environment Agency/Natural Resources Wales licensed waste sites within 1500m of the study site:


7

The following waste treatment, transfer or disposal sites records are represented as points on the Landfill and Other Waste Sites map:

ID	Distance (m)	Direction	NGR	Details	
Not shown	1230	W	280308 212027	Site Address: Dan Y Parc Council Depot, Caerbont, Abercrave, Powys, SA9 1SP Type: Household, Commercial & Industrial Waste T Stn Size: Unknown Environmental Permitting Regulations (Waste) Licence Number: POW070 EPR reference: UP3290VF/A001 Operator: Powys County Council Waste Management licence No: 102481 Annual Tonnage: 0.0	Issue Date: 28/06/2012 Effective Date: - Modified: - Surrendered Date: 0 Expiry Date: 0 Cancelled Date: 0 Status: Issued Site Name: Dan Y Parc Council Depot Correspondence Address: -
Not shown	1230	W	280307 212026	Site Address: Dan Y Parc Council Depot, Caerbont, Abercrave, Powys, SA9 1SP Type: - Size: Unknown Environmental Permitting Regulations (Waste) Licence Number: UP3290VF EPR reference: - Operator: Powys County Council Waste Management licence No: 0 Annual Tonnage: 6860.0	Issue Date: 28/06/2012 Effective Date: 28/06/2012 Modified: - Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Effective Site Name: - Correspondence Address: -
Not	1230	W	280307	Site Address: Dan Y Parc Council Depot,	Issue Date: 28/06/2012

ID	Distance (m)	Direction	NGR	Details
shown			212026	Caerbont, Abercrave, Powys, SA9 1SP Type: Household, Commercial & Industrial Waste T Stn Size: < 25000 tonnes Environmental Permitting Regulations (Waste) Licence Number: POW070 EPR reference: EA/EPR/UP3290VF/A001 Operator: Powys County Council Waste Management licence No: 102481 Annual Tonnage: 6860.0 Effective Date: - Modified: - Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Issued Site Name: Dan Y Parc Council Depot Correspondence Address: -
Not shown	1230	W	280307 212026	Site Address: Dan Y Parc Council Depot, Caerbont, Abercrave, Powys, SA9 1SP Type: Household, Commercial & Industrial Waste T Stn Size: Unknown Environmental Permitting Regulations (Waste) Licence Number: UP3290VF EPR reference: - Operator: - Waste Management licence No: 102481 Annual Tonnage: 6860.0 Issue Date: 28/06/2012 Effective Date: 28/06/2012 Modified: - Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Effective Site Name: - Correspondence Address: -
Not shown	1230	W	280307 212026	Site Address: Dan Y Parc Council Depot, Caerbont, , Abercrave, Powys, SA9 1SP Type: Household, Commercial & Industrial Waste T Stn Size: - Environmental Permitting Regulations (Waste) Licence Number: UP3290VF EPR reference: - Operator: Powys County Council Waste Management licence No: 102481 Annual Tonnage: 6860.0 Issue Date: 28/06/2012 Effective Date: 28/06/2012 Modified: - Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Effective Site Name: - Correspondence Address: -
Not shown	1230	W	280307 212026	Site Address: Dan Y Parc Council Depot, Caerbont, , Abercrave, Powys, SA9 1SP Type: Household, Commercial & Industrial Waste T Stn Size: - Environmental Permitting Regulations (Waste) Licence Number: UP3290VF EPR reference: - Operator: Powys County Council Waste Management licence No: 102481 Annual Tonnage: 6860.0 Issue Date: 28/06/2012 Effective Date: 28/06/2012 Modified: - Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Effective Site Name: - Correspondence Address: -
Not shown	1230	W	280307 212026	Site Address: Dan Y Parc Council Depot, Caerbont, Powys, Abercrave, Powys, SA9 1SP Type: - Size: Unknown Environmental Permitting Regulations (Waste) Licence Number: UP3290VF EPR reference: - Operator: Powys County Council Waste Management licence No: 102481 Annual Tonnage: 6860.0 Issue Date: 28/06/2012 Effective Date: 28/06/2012 Modified: - Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Effective Site Name: - Correspondence Address: -

4. Current Land Use Map



© Crown copyright and database rights 2019.
Ordnance Survey licence 100035207.



4. Current Land Uses

4.1 Current Industrial Data

Records of potentially contaminative industrial sites within 250m of the study site:

43

The following records are represented as points on the Current Land Uses map.

ID	Distance (m)	Direction	Company	NGR	Address	Activity	Category
1	0	On Site	Opencast Mine Workings	281919 211486	Powys, SA9	Unspecified Quarries Or Mines	Extractive Industries
2	0	On Site	Nant-Helen Opencast Coal Mine	282540 211432	Powys, SA9	Unspecified Quarries Or Mines	Extractive Industries
3	0	On Site	Pylon	282853 210520	Powys, SA10	Electrical Features	Infrastructure and Facilities
4	0	On Site	Pylon	282874 210396	West Glamorgan, SA10	Electrical Features	Infrastructure and Facilities
5	0	On Site	Pylon	283188 210579	Powys, SA10	Electrical Features	Infrastructure and Facilities
6	0	On Site	Pylon	283477 210630	Powys, SA10	Electrical Features	Infrastructure and Facilities
7	0	On Site	Opencast Workings	283159 210831	Powys, SA10	Unspecified Quarries Or Mines	Extractive Industries
8	0	On Site	Tank	282408 212116	Powys, SA9	Tanks (Generic)	Industrial Features
9	0	On Site	Tank	283248 210867	Powys, SA10	Tanks (Generic)	Industrial Features
10	0	On Site	Pylon	285045 210751	West Glamorgan, SA10	Electrical Features	Infrastructure and Facilities
11	0	On Site	Pylon	282570 210470	Powys, SA10	Electrical Features	Infrastructure and Facilities
12	0	On Site	Pylon	282244 210412	Powys, SA10	Electrical Features	Infrastructure and Facilities
13	0	On Site	Pylon	282058 210379	Powys, SA10	Electrical Features	Infrastructure and Facilities
14	0	On Site	Pylon	283490 210499	West Glamorgan, SA10	Electrical Features	Infrastructure and Facilities
15B	0	On Site	Celtic Energy	284538 210462	Coelbren, Neath, West Glamorgan, SA10 9NL	Fuel Distributors and Suppliers	Household, Office, Leisure and Garden
16	0	On Site	Pylon	282567 210346	West Glamorgan, SA10	Electrical Features	Infrastructure and Facilities
17	0	On Site	Pylon	282196 210283	West Glamorgan, SA10	Electrical Features	Infrastructure and Facilities
18A	0	On Site	Tank	284292 210584	West Glamorgan, SA10	Tanks (Generic)	Industrial Features
19A	0	On Site	Tank	284309 210604	West Glamorgan, SA10	Tanks (Generic)	Industrial Features

ID	Distance (m)	Direction	Company	NGR	Address	Activity	Category
20	0	On Site	Pylon	284431 210769	West Glamorgan, SA10	Electrical Features	Infrastructure and Facilities
21	0	On Site	Pumping Station	285384 210245	West Glamorgan, SA10	Water Pumping Stations	Industrial Features
22B	0	On Site	Works	284525 210509	West Glamorgan, SA10	Unspecified Works Or Factories	Industrial Features
23A	0	On Site	Tank	284285 210568	West Glamorgan, SA10	Tanks (Generic)	Industrial Features
24A	0	On Site	Tank	284282 210571	West Glamorgan, SA10	Tanks (Generic)	Industrial Features
25	0	On Site	Gantry	284586 210690	West Glamorgan, SA10	Travelling Cranes and Gentries	Industrial Features
26	0	On Site	CPL Distribution Ltd	284464 210442	Weighbridge, Onllwyn, Neath, West Glamorgan, SA10 9HN	Fuel Distributors and Suppliers	Household, Office, Leisure and Garden
27	20	N	Pylon	284748 210761	West Glamorgan, SA10	Electrical Features	Infrastructure and Facilities
28	22	NE	Pylon	285250 210634	West Glamorgan, SA10	Electrical Features	Infrastructure and Facilities
29	23	S	Pylon	283160 210444	West Glamorgan, SA10	Electrical Features	Infrastructure and Facilities
30	23	S	Pylon	283740 210245	West Glamorgan, SA10	Electrical Features	Infrastructure and Facilities
31	23	S	Pylon	281793 210332	Powys, SA10	Electrical Features	Infrastructure and Facilities
32C	28	N	Electricity Sub Station	283469 212011	Powys, SA9	Electrical Features	Infrastructure and Facilities
33	31	S	Electricity Sub Station	285286 210192	West Glamorgan, SA10	Electrical Features	Infrastructure and Facilities
34C	36	N	Electricity Sub Station	283468 212019	Powys, SA9	Electrical Features	Infrastructure and Facilities
35	56	NW	Pylon	284284 210772	West Glamorgan, SA10	Electrical Features	Infrastructure and Facilities
36	81	S	Pylon	283741 210676	Powys, SA10	Electrical Features	Infrastructure and Facilities
37	104	NW	Slag Heap (Disused)	282048 212236	Powys, SA9	Refuse Disposal Facilities	Infrastructure and Facilities
38	110	SW	R C Davies Skip Hire	283163 210054	48, Golwg y Bryn, Seven Sisters, Neath, West Glamorgan, SA10 9BY	Construction and Tool Hire	Hire Services
39	121	S	Pylon	281824 210219	West Glamorgan, SA10	Electrical Features	Infrastructure and Facilities
40	136	NE	Pylon	285545 210465	West Glamorgan, SA10	Electrical Features	Infrastructure and Facilities
41	144	S	R C Davies Skip Hire	285203 210077	49, Main Road, Dyffryn Cellwen, West Glamorgan, SA10 9HR	Construction and Tool Hire	Hire Services
42	160	N	Pylon	283997 210721	Powys, SA10	Electrical Features	Infrastructure and Facilities
43	233	E	Pylon	285735 210354	West Glamorgan, SA10	Electrical Features	Infrastructure and Facilities

4.2 Petrol and Fuel Sites

Records of petrol or fuel sites within 500m of the study site:

0

Database searched and no data found.

4.3 National Grid High Voltage Underground Electricity Transmission Cables

This dataset identifies the high voltage electricity transmission lines running between generating power plants and electricity substations. The dataset does not include the electricity distribution network (smaller, lower voltage cables distributing power from substations to the local user network). This information has been extracted from databases held by National Grid and is provided for information only with no guarantee as to its completeness or accuracy. National Grid do not offer any warranty as to the accuracy of the available data and are excluded from any liability for any such inaccuracies or errors.

Records of National Grid high voltage underground electricity transmission cables within 500m of the study site:

0

Database searched and no data found.

4.4 National Grid High Pressure Gas Transmission Pipelines

This dataset identifies high-pressure, large diameter pipelines which carry gas between gas terminals, power stations, compressors and storage facilities. The dataset does not include the Local Transmission System (LTS) which supplies gas directly into homes and businesses. This information has been extracted from databases held by National Grid and is provided for information only with no guarantee as to its completeness or accuracy. National Grid do not offer any warranty as to the accuracy of the available data and are excluded from any liability for any such inaccuracies or errors.

Records of National Grid high pressure gas transmission pipelines within 500m of the study site:

0

Database searched and no data found.

5. Geology

5.1 Artificial Ground and Made Ground

The database has been searched on site, including a 50m buffer.

Lex Code	Description	Rock Type
MGR-ARTDP	MADE GROUND (UNDIVIDED)	ARTIFICIAL DEPOSIT
WGR-VOID	WORKED GROUND (UNDIVIDED)	VOID
WGR-VOID	WORKED GROUND (UNDIVIDED)	VOID
MGR-ARTDP	MADE GROUND (UNDIVIDED)	ARTIFICIAL DEPOSIT
MGR-ARTDP	MADE GROUND (UNDIVIDED)	ARTIFICIAL DEPOSIT
WGR-VOID	WORKED GROUND (UNDIVIDED)	VOID
WGR-VOID	WORKED GROUND (UNDIVIDED)	VOID
WGR-VOID	WORKED GROUND (UNDIVIDED)	VOID
WGR-VOID	WORKED GROUND (UNDIVIDED)	VOID
MGR-ARTDP	MADE GROUND (UNDIVIDED)	ARTIFICIAL DEPOSIT
MGR-ARTDP	MADE GROUND (UNDIVIDED)	ARTIFICIAL DEPOSIT
MGR-ARTDP	MADE GROUND (UNDIVIDED)	ARTIFICIAL DEPOSIT
MGR-ARTDP	MADE GROUND (UNDIVIDED)	ARTIFICIAL DEPOSIT
WGR-VOID	WORKED GROUND (UNDIVIDED)	VOID
MGR-ARTDP	MADE GROUND (UNDIVIDED)	ARTIFICIAL DEPOSIT

5.2 Superficial Ground and Drift Geology

The database has been searched on site, including a 50m buffer.

Lex Code	Description	Rock Type
TILLD-DMTN	TILL, DEVENSIAN	DIAMICTON
ALV-XCZSV	ALLUVIUM	CLAY, SILT, SAND AND GRAVEL
TILLD-DMTN	TILL, DEVENSIAN	DIAMICTON
TILLD-DMTN	TILL, DEVENSIAN	DIAMICTON
PEAT-P	PEAT	PEAT
PEAT-P	PEAT	PEAT
TILLD-DMTN	TILL, DEVENSIAN	DIAMICTON
TILLD-DMTN	TILL, DEVENSIAN	DIAMICTON
TILLD-DMTN	TILL, DEVENSIAN	DIAMICTON

5.3 Bedrock and Solid Geology


The database has been searched on site, including a 50m buffer.

Lex Code	Description	Rock Type
SWLCM-MDSS	SOUTH WALES LOWER COAL MEASURES FORMATION	MUDSTONE, SILTSTONE AND SANDSTONE
SWLCM-MDSS	SOUTH WALES LOWER COAL MEASURES FORMATION	MUDSTONE, SILTSTONE AND SANDSTONE
SWMCM-MDSS	SOUTH WALES MIDDLE COAL MEASURES FORMATION	MUDSTONE, SILTSTONE AND SANDSTONE
SWLCM-MDSS	SOUTH WALES LOWER COAL MEASURES FORMATION	MUDSTONE, SILTSTONE AND SANDSTONE
SWMCM-MDSS	SOUTH WALES MIDDLE COAL MEASURES FORMATION	MUDSTONE, SILTSTONE AND SANDSTONE
SWMCM-SDST	SOUTH WALES MIDDLE COAL MEASURES FORMATION	SANDSTONE
SWMCM-MDSS	SOUTH WALES MIDDLE COAL MEASURES FORMATION	MUDSTONE, SILTSTONE AND SANDSTONE


(Derived from the BGS 1:50,000 Digital Geological Map of Great Britain)

6 Hydrogeology and Hydrology


6a. Aquifer Within Superficial Geology




© Crown copyright and database rights 2019
Ordnance Survey licence 100035207.




6b. Aquifer Within Bedrock Geology and Abstraction Licences



© Crown copyright and database rights 2019
Ordnance Survey licence 100035207.




6c. Hydrogeology – Source Protection Zones and Potable Water Abstraction Licences



© Crown copyright and database rights 2019
Ordnance Survey licence 100035207.




6d. Hydrogeology – Source Protection Zones within confined aquifer



© Crown copyright and database rights 2019
Ordnance Survey licence 100035207.



6e. Hydrology – Watercourse Network and River Quality



© Crown copyright and database rights 2019.
Ordnance Survey licence 100035207.



6. Hydrogeology and Hydrology

6.1 Aquifer within Superficial Deposits

Records of strata classification within the superficial geology at or in proximity to the property Yes

From 1 April 2010, the Environment Agency/Natural Resources Wales's Groundwater Protection Policy has been using aquifer designations consistent with the Water Framework Directive. For further details on the designation and interpretation of this information, please refer to the Groundsure Enviro Insight User Guide.

The following aquifer records are shown on the Aquifer within Superficial Geology Map (6a):

ID	Distance (m)	Direction	Designation	Description
1	0	On Site	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers
12	0	On Site	Secondary (undifferentiated)	Assigned where it is not possible to attribute either category A or B to a rock type. In general these layers have previously been designated as both minor and non-aquifer in different locations due to the variable characteristics of the rock type
13	0	On Site	Secondary (undifferentiated)	Assigned where it is not possible to attribute either category A or B to a rock type. In general these layers have previously been designated as both minor and non-aquifer in different locations due to the variable characteristics of the rock type
14	0	On Site	Secondary (undifferentiated)	Assigned where it is not possible to attribute either category A or B to a rock type. In general these layers have previously been designated as both minor and non-aquifer in different locations due to the variable characteristics of the rock type
15	0	On Site	Secondary (undifferentiated)	Assigned where it is not possible to attribute either category A or B to a rock type. In general these layers have previously been designated as both minor and non-aquifer in different locations due to the variable characteristics of the rock type
16	0	On Site	Secondary (undifferentiated)	Assigned where it is not possible to attribute either category A or B to a rock type. In general these layers have previously been designated as both minor and non-aquifer in different locations due to the variable characteristics of the rock type
31	0	On Site	Unproductive	These are rock layers or drift deposits with low permeability that have negligible significance for water supply or river base flow
32	0	On Site	Unproductive	These are rock layers or drift deposits with low permeability that have negligible significance for water supply or river base flow
33	0	On Site	Unproductive	These are rock layers or drift deposits with low permeability that have negligible significance for water supply or river base flow
17	4	NE	Secondary (undifferentiated)	Assigned where it is not possible to attribute either category A or B to a rock type. In general these layers have previously been designated as both minor and non-aquifer in different locations due to the variable characteristics of the rock type
18	10	N	Secondary (undifferentiated)	Assigned where it is not possible to attribute either category A or B to a rock type. In general these layers have previously been designated as both minor and non-aquifer in different locations due to the variable characteristics of the rock type
19	70	N	Secondary (undifferentiated)	Assigned where it is not possible to attribute either category A or B to a rock type. In general these layers have previously been designated as both minor and non-aquifer in different locations due to the variable characteristics of the rock type
20	71	NE	Secondary (undifferentiated)	Assigned where it is not possible to attribute either category A or B to a rock type. In general these layers have previously been designated as both minor and non-aquifer in different locations due to the variable characteristics of the rock type
21	81	NE	Secondary (undifferentiated)	Assigned where it is not possible to attribute either category A or B to a rock type. In general these layers have previously been designated as both minor and non-aquifer in different locations due to the variable characteristics of the rock type
34	94	NE	Unproductive	These are rock layers or drift deposits with low permeability that have negligible

ID	Distance (m)	Direction	Designation	Description
				significance for water supply or river base flow
35	118	E	Unproductive	These are rock layers or drift deposits with low permeability that have negligible significance for water supply or river base flow
36	129	NE	Unproductive	These are rock layers or drift deposits with low permeability that have negligible significance for water supply or river base flow
37	136	N	Unproductive	These are rock layers or drift deposits with low permeability that have negligible significance for water supply or river base flow
22	175	S	Secondary (undifferentiated)	Assigned where it is not possible to attribute either category A or B to a rock type. In general these layers have previously been designated as both minor and non-aquifer in different locations due to the variable characteristics of the rock type
23	179	SW	Secondary (undifferentiated)	Assigned where it is not possible to attribute either category A or B to a rock type. In general these layers have previously been designated as both minor and non-aquifer in different locations due to the variable characteristics of the rock type
24	223	S	Secondary (undifferentiated)	Assigned where it is not possible to attribute either category A or B to a rock type. In general these layers have previously been designated as both minor and non-aquifer in different locations due to the variable characteristics of the rock type
2	228	S	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers
3	245	S	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers
4	306	SW	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers
25	316	SE	Secondary (undifferentiated)	Assigned where it is not possible to attribute either category A or B to a rock type. In general these layers have previously been designated as both minor and non-aquifer in different locations due to the variable characteristics of the rock type
5	327	SE	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers
6	373	SE	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers
26	377	NE	Secondary (undifferentiated)	Assigned where it is not possible to attribute either category A or B to a rock type. In general these layers have previously been designated as both minor and non-aquifer in different locations due to the variable characteristics of the rock type
7	431	N	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers
27A	481	SE	Secondary (undifferentiated)	Assigned where it is not possible to attribute either category A or B to a rock type. In general these layers have previously been designated as both minor and non-aquifer in different locations due to the variable characteristics of the rock type

6.2 Aquifer within Bedrock Deposits

Records of strata classification within the bedrock geology at or in proximity to the property Yes

From 1 April 2010, the Environment Agency/Natural Resources Wales's Groundwater Protection Policy has been using aquifer designations consistent with the Water Framework Directive. For further details on the designation and interpretation of this information, please refer to the Groundsure Enviro Insight User Guide.

The following aquifer records are shown on the Aquifer within Bedrock Geology Map (6b):

ID	Distance (m)	Direction	Designation	Description
1	0	On Site	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers
2	0	On Site	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers
3	131	S	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers
4	217	S	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers

6.3 Groundwater Abstraction Licences

Groundwater Abstraction Licences within 2000m of the study site Identified

The following Abstraction Licences records are represented as points, lines and regions on the Aquifer within Bedrock Geology Map (6b):

ID	Distance (m)	Direction	NGR	Details
5A	647	NW	281020 212100	Status: Active Licence No: 22/59/1/0119 Details: Unknown (Impounding) - Direct Source: - Point: - Data Type: Point Name: - Annual Volume (m³): - Max Daily Volume (m³): - Original Application No: - Original Start Date: Expiry Date: Issue No: Version Start Date: - Version End Date:
6	781	NE	284400 212400	Status: Historical Licence No: 22/59/1/0032 Details: General Farming & Domestic Direct Source: EAW Groundwater Point: SPRING AT GLYNLLECH Data Type: Point Name: Millward Annual Volume (m³): - Max Daily Volume (m³): - Original Application No: - Original Start Date: Expiry Date: Issue No: Version Start Date: 28/12/1966 Version End Date:

6.4 Surface Water Abstraction Licences

Surface Water Abstraction Licences within 2000m of the study site

Identified

The following Surface Water Abstraction Licences records are represented as points, lines and regions on the Aquifer within Bedrock Geology Map (6b):

ID	Distance (m)	Direction	NGR	Details
7A	647	NW	281020 212100	Status: Historical Licence No: 22/59/1/0105 Details: Make-Up Or Top Up Water Direct Source: EAW Surface Water Point: RESERVOIR AT GWAUNCLAWDD FARM, CAERLAN Data Type: Point Name: Morgan Annual Volume (m³): 1,310 Max Daily Volume (m³): 164 Application No: - Original Start Date: - Expiry Date: - Issue No: 100 Version Start Date: 01/04/2007 Version End Date:
8B	655	N	282590 212760	Status: Historical Licence No: 22/59/1/0126 Details: Fish Farm/Cress Pond Throughflow Direct Source: EAW Surface Water Point: RIVER TAWE Data Type: Point Name: Tawe and Tributaries Angling Association Limited Annual Volume (m³): 1,401,600 Max Daily Volume (m³): 3,840 Application No: - Original Start Date: 17/05/2005 Expiry Date: 31/03/2014 Issue No: 3 Version Start Date: 17/11/2009 Version End Date:
9A	670	NW	281030 212150	Status: Historical Licence No: 22/59/1/0105 Details: Make-Up Or Top Up Water Direct Source: EAW Surface Water Point: RESERVOIR AT GWAUNCLAWDD FARM, CAERLAN Data Type: Point Name: Morgan Annual Volume (m³): 1,310 Max Daily Volume (m³): 164 Application No: - Original Start Date: 30/07/1991 Expiry Date: - Issue No: 100 Version Start Date: 01/04/2007 Version End Date:
10C	672	N	282690 212770	Status: Historical Licence No: 22/59/1/0103 Details: Fish Farm/Cress Pond Throughflow Direct Source: EAW Surface Water Point: UNAMED TRIBUTARY OF RIVER TAWE Data Type: Point Name: Tawe and Tributaries Angling Association Annual Volume (m³): - Max Daily Volume (m³): - Application No: - Original Start Date: - Expiry Date: - Issue No: 100 Version Start Date: 07/06/1991 Version End Date:
11B	688	N	282530 212810	Status: Historical Licence No: 22/59/1/0126 Details: Fish Farm/Cress Pond Throughflow Direct Source: EAW Surface Water Point: CRAF TRIBUTARY Data Type: Point Name: Tawe and Tributaries Angling Association Limited Annual Volume (m³): 1,401,600 Max Daily Volume (m³): 3,840 Application No: - Original Start Date: 17/05/2005 Expiry Date: 31/03/2014 Issue No: 3 Version Start Date: 17/11/2009 Version End Date:
12C	699	N	282660 212800	Status: Historical Licence No: 22/59/1/0126 Details: Fish Farm/Cress Pond Throughflow Direct Source: EAW Surface Water Point: UN NAMED TRIB OF RIVER TAWE Data Type: Point Name: Tawe and Tributaries Angling Association Limited Annual Volume (m³): 1,401,600 Max Daily Volume (m³): 3,840 Application No: - Original Start Date: 17/05/2005 Expiry Date: 31/03/2014 Issue No: 3 Version Start Date: 17/11/2009 Version End Date:
13	728	N	282530 212850	Status: Historical Licence No: 22/59/1/0126 Details: Fish Farm/Cress Pond Throughflow Direct Source: EAW Surface Water Point: CRAF TRIBUTARY Data Type: Point Name: Tawe and Tributaries Angling Association Annual Volume (m³): 1,401,600 Max Daily Volume (m³): 3,840 Application No: - Original Start Date: 17/05/2005 Expiry Date: 31/03/2014 Issue No: 1 Version Start Date: 17/05/2005 Version End Date:

ID	Distance (m)	Direction	NGR	Details	
14	798	N	282650 212900	Status: Historical Licence No: 22/59/1/0126 Details: Fish Farm/Cress Pond Throughflow Direct Source: EAW Surface Water Point: UN NAMED TRIB OF RIVER TAW Data Type: Point Name: Tawe and Tributaries Angling Association	Annual Volume (m³): 1,401,600 Max Daily Volume (m³): 3,840 Application No: - Original Start Date: 17/05/2005 Expiry Date: 31/03/2014 Issue No: 1 Version Start Date: 17/05/2005 Version End Date:
15D	1066	N	282460 213200	Status: Active Licence No: 22/59/1/0132 Details: Hydro-electric Power Generation - Very Low Direct Source: pond at Garwleisau Point: - Data Type: Point Name: -	Annual Volume (m³): 65,000 Max Daily Volume (m³): - Application No: - Original Start Date: 04/04/2017 Expiry Date: Mar 31 2029 12:00AM Issue No: - Version Start Date: - Version End Date:
16D	1066	N	282460 213200	Status: Historical Licence No: 22/59/1/0132 Details: Hydroelectric Power Generation Direct Source: EAW Surface Water Point: UNNAMED POND AT GARW LEISIAU, ABERCRAF Data Type: Point Name: Bull	Annual Volume (m³): 65,000 Max Daily Volume (m³): 432 Application No: - Original Start Date: 15/11/2007 Expiry Date: 31/03/2017 Issue No: 1 Version Start Date: 15/11/2007 Version End Date:
17E	1083	N	282640 213190	Status: Historical Licence No: 22/59/1/0131 Details: Hydroelectric Power Generation Direct Source: EAW Surface Water Point: ABERCRAF FARM Data Type: Point Name: Williams	Annual Volume (m³): 630,720 Max Daily Volume (m³): 1,728 Application No: - Original Start Date: 28/11/2007 Expiry Date: 31/3/2017 Issue No: 1 Version Start Date: 28/11/2007 Version End Date:
18E	1083	N	282640 213190	Status: Active Licence No: WA/059/0001/011 Details: Hydro-electric Power Generation - Very Low Direct Source: - Point: - Data Type: Point Name: -	Annual Volume (m³): - Max Daily Volume (m³): - Application No: - Original Start Date: 07/03/2013 Expiry Date: - Issue No: - Version Start Date: - Version End Date:
Not shown	1110	N	282622 213221	Status: Active Licence No: WA/059/0001/008 Details: Hydro-electric Power Generation - Very Low Direct Source: unnamed trib' of Afon Tawe Point: - Data Type: Point Name: -	Annual Volume (m³): - Max Daily Volume (m³): - Application No: - Original Start Date: 03/11/2016 Expiry Date: - Issue No: - Version Start Date: - Version End Date:
Not shown	1110	N	282622 213221	Status: Active Licence No: WA/059/0001/010 Details: Hydro-electric Power Generation - Very Low Direct Source: unnamed trib' of Afon Tawe Point: - Data Type: Point Name: -	Annual Volume (m³): 589,248 Max Daily Volume (m³): - Application No: - Original Start Date: 03/11/2016 Expiry Date: Mar 30 2029 12:00AM Issue No: - Version Start Date: - Version End Date:
Not shown	1110	N	282622 213221	Status: Historical Licence No: WA/059/0001/010 Details: Hydroelectric Power Generation Direct Source: EAW Surface Water Point: UN-NAMED TRIBUTARY OF THE AFON TAW Data Type: Point Name: Williams	Annual Volume (m³): 589,248 Max Daily Volume (m³): 2,678 Application No: - Original Start Date: 07/03/2013 Expiry Date: 31/03/2029 Issue No: 1 Version Start Date: 07/03/2013 Version End Date:
Not	1274	N	281820	Status: Historical	Annual Volume (m³): -

ID	Distance (m)	Direction	NGR	Details
shown			213390	Licence No: 22/59/1/0122 Details: Drinking, Cooking, Sanitary, Washing, (Small Garden) - Commercial/Industrial/Public Services Direct Source: EAW Surface Water Point: SPRING, UNNAMED TRIB OF AFON TAWA AT MAES-Y-FRON Data Type: Point Name: Call of the Wild (Adventure Activities) Ltd. Max Daily Volume (m³): - Application No: - Original Start Date: - Expiry Date: 31/03/2014 Issue No: 2 Version Start Date: 01/04/2005 Version End Date: -

6.5 Potable Water Abstraction Licences

Potable Water Abstraction Licences within 2000m of the study site

Identified

The following Potable Water Abstraction Licences records are represented as points, lines and regions on the SPZ and Potable Water Abstraction Licences Map (6c):

ID	Distance (m)	Direction	NGR	Details
Not shown	1274	N	281820 213390	Status: Historical Licence No: 22/59/1/0122 Details: Drinking, Cooking, Sanitary, Washing, (Small Garden) - Commercial/Industrial/Public Services Direct Source: EAW Surface Water Point: SPRING, UNNAMED TRIB OF AFON TAWA AT MAES-Y-FRON Data Type: Point Name: Call of the Wild (Adventure Activities) Ltd. Annual Volume (m³): - Max Daily Volume (m³): - Original Application No: - Original Start Date: - Expiry Date: 31/03/2014 Issue No: 2 Version Start Date: - Version End Date: -

6.6 Source Protection Zones

Source Protection Zones within 500m of the study site

None identified

Database searched and no data found.

6.7 Source Protection Zones within Confined Aquifer

Source Protection Zones within the Confined Aquifer within 500m of the study site None identified

Historically, Source Protection Zone maps have been focused on regulation of activities which occur at or near the ground surface, such as prevention of point source pollution and bacterial contamination of water supplies. Sources in confined aquifers were often considered to be protected from these surface pressures due to the presence of a low permeability confining layer (e.g. glacial till, clay). The increased interest in subsurface activities such as onshore oil and gas exploration, ground source heating and cooling requires protection zones for confined sources to be marked on SPZ maps where this has not already been done.

Database searched and no data found.

6.8 Groundwater Vulnerability and Soil Leaching Potential

Environment Agency/Natural Resources Wales information on groundwater vulnerability and soil leaching potential within 500m of the study site Identified

Distance (m)	Direction	Classification	Soil Vulnerability Category	Description
0	On Site	Minor Aquifer/High Leaching Potential	HU	Soil information for urban areas and restored mineral workings. These soils are therefore assumed to be highly permeable in the absence of site-specific information.
0	On Site	Minor Aquifer/Low Leaching Potential	L	Soils in which pollutants are unlikely to penetrate the soil layer because either water movement is largely horizontal, or they have the ability to attenuate diffuse pollutants.
31	S	Minor Aquifer/High Leaching Potential	HU	Soil information for urban areas and restored mineral workings. These soils are therefore assumed to be highly permeable in the absence of site-specific information.
131	S	Minor Aquifer/Low Leaching Potential	L	Soils in which pollutants are unlikely to penetrate the soil layer because either water movement is largely horizontal, or they have the ability to attenuate diffuse pollutants.
324	N	Minor Aquifer/Intermediate Leaching Potential	I1	Soils which can possibly transmit a wide range of pollutants.

6.9 River Quality

Environment Agency/Natural Resources Wales information on river quality within 1500m of the study site Identified

6.9.1 Biological Quality:

Biological Quality data describes water quality in terms of 83 groups of macroinvertebrates, some of which are pollution sensitive. The results are graded from A ('Very Good') to F ('Bad').

The following Biological Quality records are shown on the Hydrology Map (6e):

ID	Distance (m)	Direction	NGR	River Quality Grade	Biological Quality Grade				
					2005	2006	2007	2008	2009
466C	0	On Site	284200 210500	River Name: Neath Dulais Reach: Conf.nant Hir (7 Sisters)-onllwyn Rd.br. End/Start of Stretch: Start of Stretch NGR	B	B	B	B	B
467A	531	NW	281700 212500	River Name: Tawe Reach: Conf.r.giedd - Abercraf R.b. End/Start of Stretch: Start of Stretch NGR	A	A	A	A	A
468A	531	NW	281700 212500	River Name: Tawe Reach: Abercraf R.b. - Conf. Nant Llech End/Start of Stretch: End of Stretch NGR	A	A	A	A	A
469B	645	N	283300 212700	River Name: Tawe Reach: Abercraf R.b. - Conf. Nant Llech End/Start of Stretch: Start of Stretch NGR	A	A	A	A	A
470B	645	N	283300 212700	River Name: Tawe Reach: Conf. Nant Llech - Conf.nant Tawe Fechan End/Start of Stretch: End of Stretch NGR	A	A	A	A	A
Not shown	849	NE	286300 210600	River Name: Nedd Fechan Reach: Conf.r.nedd Fechan - Conf.r.camnant End/Start of Stretch: Start of Stretch NGR	B	B	B	B	B

6.9.2 Chemical Quality:

Chemical quality data is based on the General Quality Assessment Headline Indicators scheme (GQAH). In England, each chemical sample is measured for ammonia and dissolved oxygen. In Wales, the samples are measured for biological oxygen demand (BOD), ammonia and dissolved oxygen. The results are graded from A ('Very Good') to F ('Bad').

The following Chemical Quality records are shown on the Hydrology Map (6e):

ID	Distance (m)	Direction	NGR	River Quality Grade	Chemical Quality Grade				
					2005	2006	2007	2008	2009
472C	0	On Site	284200 210500	River Name: Dulais Reach: Conf.nant Hir (7 Sisters)-onllwyn Rd.br. End/Start of Stretch: Start of Stretch NGR	A	B	B	C	-
473A	531	NW	281700 212500	River Name: Tawe Reach: Abercraf R.b. - Conf. Nant Llech End/Start of Stretch: End of Stretch NGR	A	A	A	A	-
474A	531	NW	281700 212500	River Name: Tawe Reach: Conf.r.giedd - Abercraf R.b. End/Start of Stretch: Start of Stretch NGR	A	A	A	A	-
475B	645	N	283300 212700	River Name: Tawe Reach: Conf. Nant Llech - Conf.nant Tawe Fechan End/Start of Stretch: End of Stretch NGR	A	A	A	A	-
476B	645	N	283300 212700	River Name: Tawe Reach: Abercraf R.b. - Conf. Nant Llech End/Start of Stretch: Start of Stretch NGR	A	A	A	A	-
Not shown	849	NE	286300 210600	River Name: Pyrdin Reach: Conf.r.nedd Fechan - Conf.r.camnant End/Start of Stretch: Start of Stretch NGR	A	A	A	A	-
478	879	S	282060 209380	River Name: Dulais Reach: Conf.nant Hir (7 Sisters)-onllwyn Rd.br. End/Start of Stretch: Sample Point NGR	A	B	B	C	-

6.10 Ordnance Survey MasterMap Water Network

Ordnance Survey MasterMap Water Network entries within 500m of the study site

This watercourse information is provided by Ordnance Survey MasterMap Water Network. The data provides a detailed centre line following the curve of the waterway precisely, so all distances provided in the report should be understood as measurements to the centreline rather than a measurement to the nearest point of the watercourse. Underground watercourses are inferred from entry and exit points so caution is advised in using these to indicate precise locations of underground watercourses when planning site investigation and development.

The following Ordnance Survey MasterMap Water Network records are represented on the Hydrology Map (6e):

ID	Distance/ Direction	Name	Type of Watercourse	Additional Details
1	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
2	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
3	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
4	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
5	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
6	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
7	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
8	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
9	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
10	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
11	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
12	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions)

ID	Distance/ Direction	Name	Type of Watercourse	Additional Details
				Average Width in Watercourse Section (m): 2.3
13	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
14	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 2.3
15	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
16	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
17	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
18	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
19	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
20	0 On Site	Nant Helen	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
21	0 On Site	Nant Helen	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
22	0 On Site	Nant Helen	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
23	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
24	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided

ID	Distance/ Direction	Name	Type of Watercourse	Additional Details
25	0 On Site	Nant Helen	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
26	0 On Site	-	Lake, loch or reservoir.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
27	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
28	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
29	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
30	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
31	0 On Site	Nant Helen	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
32	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
33	0 On Site	Nant Helen	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
34	0 On Site	Nant Helen	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
35	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
36	0 On Site	Nant Helen	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
37	0	Nant Helen	Lake, loch or reservoir.	Catchment Area: Tawe Relationship to Ground Level: On ground surface

ID	Distance/ Direction	Name	Type of Watercourse	Additional Details
	On Site			Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 3.8
38	0 On Site	Nant Helen	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
39	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
40	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
41	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
42	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
43	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
44	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
45	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
46	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
47	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
48	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
49	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions)

ID	Distance/ Direction	Name	Type of Watercourse	Additional Details
				Average Width in Watercourse Section (m): Not Provided
50	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
51	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
52	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
53	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
54	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 1.8
55	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 2.5
56	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
57	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 2.3
58	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
59	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 2.6
60	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
61	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 2.6

ID	Distance/ Direction	Name	Type of Watercourse	Additional Details
62	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
63	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
64	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: Not provided Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
65	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
66	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 1.9
67	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
68	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 1.6
69	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
70	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
71	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
72	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
73	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
74	0	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface

ID	Distance/ Direction	Name	Type of Watercourse	Additional Details
	On Site			Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
75	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
76	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
77	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
78	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
79	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
80	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
81	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
82	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
83	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
84	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
85	0 On Site	-	Lake, loch or reservoir.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
86	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions)

ID	Distance/ Direction	Name	Type of Watercourse	Additional Details
				Average Width in Watercourse Section (m): Not Provided
87	0 On Site	Nant Ystalwyn	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
88	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
89	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
90	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
91	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
92	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
93	0 On Site	-	Lake, loch or reservoir.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
94	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
95	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
96	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
97	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
98	0 On Site	-	Lake, loch or reservoir.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided

ID	Distance/ Direction	Name	Type of Watercourse	Additional Details
99	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
100	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
101	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
102	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
103	0 On Site	-	Lake, loch or reservoir.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 32.8
104	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
105	0 On Site	-	Lake, loch or reservoir.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 8.4
106	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
107	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
108	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
109	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
110	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
111	0	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface

ID	Distance/ Direction	Name	Type of Watercourse	Additional Details
	On Site			Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
112	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 1.2
113	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
114	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
115	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
116	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 1.9
117	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
118	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
119	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
120	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
121	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
122	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
123	0 On Site	-	Lake, loch or reservoir.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions)

ID	Distance/ Direction	Name	Type of Watercourse	Additional Details
				Average Width in Watercourse Section (m): 22.4
124	0 On Site	-	Lake, loch or reservoir.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 23.3
125	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
126	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
127	0 On Site	Dulais	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 2.9
128	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
129	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
130	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
131	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
132	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
133	0 On Site	-	Lake, loch or reservoir.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 1.9
134	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
135	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided

ID	Distance/ Direction	Name	Type of Watercourse	Additional Details
136	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
137	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 2.1
138	0 On Site	Dulais	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
139	0 On Site	Dulais	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 1.9
140	0 On Site	Dulais	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 1.9
141	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
142	0 On Site	Dulais	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
143	0 On Site	Dulais	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 1.9
144	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
145	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
146	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
147	0 On Site	Dulais	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
148	0	Dulais	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface

ID	Distance/ Direction	Name	Type of Watercourse	Additional Details
	On Site			Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
149	0 On Site	Dulais	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
150	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
151	0 On Site	Dulais	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
152	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
153	0 On Site	Dulais	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
154	0 On Site	-	Lake, loch or reservoir.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 12.3
155	0 On Site	Dulais	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
156	0 On Site	Dulais	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 2.4
157	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
158	0 On Site	Dulais	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 2.4
159	0 On Site	-	Lake, loch or reservoir.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
160	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions)

ID	Distance/ Direction	Name	Type of Watercourse	Additional Details
				Average Width in Watercourse Section (m): Not Provided
161	0 On Site	Dulais	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 2.4
162	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
163	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
164	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
165	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 2.9
166	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
167	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
168	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
169	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Not provided Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
170	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
171	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
172	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided

ID	Distance/ Direction	Name	Type of Watercourse	Additional Details
173	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
174	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
175	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
176	0 N	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
177	0 NE	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
178	0 N	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 2.3
179	0 N	Nant Helen	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 1.9
34	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
35	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
36	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
37	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
38	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
39	0	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface

ID	Distance/ Direction	Name	Type of Watercourse	Additional Details
	On Site			Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
40	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
41	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
42	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
43	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
44	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
45	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 2.3
46	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
47	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 2.3
48	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
49	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
50	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
51	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions)

ID	Distance/ Direction	Name	Type of Watercourse	Additional Details
				Average Width in Watercourse Section (m): Not Provided
52	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
53	0 On Site	Nant Helen	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
54	0 On Site	Nant Helen	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
55	0 On Site	Nant Helen	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
56	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
57	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
58	0 On Site	Nant Helen	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
59	0 On Site	-	Lake, loch or reservoir.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
60	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
61	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
62	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
63	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided

ID	Distance/ Direction	Name	Type of Watercourse	Additional Details
64	0 On Site	Nant Helen	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
65	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
66	0 On Site	Nant Helen	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
67	0 On Site	Nant Helen	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
68	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
69	0 On Site	Nant Helen	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
70	0 On Site	Nant Helen	Lake, loch or reservoir.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 3.8
71	0 On Site	Nant Helen	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
72	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
73	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
74	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
75	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
76	0	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface

ID	Distance/ Direction	Name	Type of Watercourse	Additional Details
	On Site			Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
77	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
78	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
79	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
80	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
81	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
82	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
83	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
84	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
85	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
86	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
87	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 1.8
88	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions)

ID	Distance/ Direction	Name	Type of Watercourse	Additional Details
				Average Width in Watercourse Section (m): 2.5
89	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
90	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 2.3
91	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
92	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 2.6
93	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
94	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 2.6
95	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
96	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
97	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: Not provided Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
98	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
99	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 1.9
100	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided

ID	Distance/ Direction	Name	Type of Watercourse	Additional Details
101	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 1.6
102	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
103	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
104	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
105	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
106	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
107	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
108	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
109	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
110	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
111	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
112	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
113	0	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Underground

ID	Distance/ Direction	Name	Type of Watercourse	Additional Details
	On Site			Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
114	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
115	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
116	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
117	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
118	0 On Site	-	Lake, loch or reservoir.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
119	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
120	0 On Site	Nant Ystalwyn	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
121	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
122	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
123	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
124	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
125	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions)

ID	Distance/ Direction	Name	Type of Watercourse	Additional Details
				Average Width in Watercourse Section (m): Not Provided
126	0 On Site	-	Lake, loch or reservoir.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
127	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
128	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
129	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
130	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
131	0 On Site	-	Lake, loch or reservoir.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
132	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
133	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
134	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
135	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
136	0 On Site	-	Lake, loch or reservoir.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 32.8
137	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided

ID	Distance/ Direction	Name	Type of Watercourse	Additional Details
138	0 On Site	-	Lake, loch or reservoir.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 8.4
139	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
140	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
141	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
142	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
143	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
144	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
145	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 1.2
146	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
147	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
148	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
149	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 1.9
150	0	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface

ID	Distance/ Direction	Name	Type of Watercourse	Additional Details
	On Site			Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
151	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
152	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
153	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
154	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
155	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
156	0 On Site	-	Lake, loch or reservoir.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 22.4
157	0 On Site	-	Lake, loch or reservoir.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 23.3
158	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
159	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
160	0 On Site	Dulais	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 2.9
161	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
162	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions)

ID	Distance/ Direction	Name	Type of Watercourse	Additional Details
				Average Width in Watercourse Section (m): Not Provided
163	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
164	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
165	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
166	0 On Site	-	Lake, loch or reservoir.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 1.9
167	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
168	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
169	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
170	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 2.1
171	0 On Site	Dulais	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
172	0 On Site	Dulais	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 1.9
173	0 On Site	Dulais	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 1.9
174	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided

ID	Distance/ Direction	Name	Type of Watercourse	Additional Details
175	0 On Site	Dulais	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
176	0 On Site	Dulais	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 1.9
177	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
178	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
179	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
180	0 On Site	Dulais	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
181	0 On Site	Dulais	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
182	0 On Site	Dulais	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
183	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
184	0 On Site	Dulais	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
185	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
186	0 On Site	Dulais	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
187	0	-	Lake, loch or reservoir.	Catchment Area: Neath Relationship to Ground Level: On ground surface

ID	Distance/ Direction	Name	Type of Watercourse	Additional Details
	On Site			Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 12.3
188	0 On Site	Dulais	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
189	0 On Site	Dulais	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 2.4
190	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
191	0 On Site	Dulais	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 2.4
192	0 On Site	-	Lake, loch or reservoir.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
193	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
194	0 On Site	Dulais	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 2.4
195	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
196	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
197	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
198	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 2.9
199	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions)

ID	Distance/ Direction	Name	Type of Watercourse	Additional Details
				Average Width in Watercourse Section (m): Not Provided
200	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
201	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
202	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Not provided Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
203	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
204	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
205	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
206	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
207	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
208	0 On Site	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
209	0 N	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
210	0 NE	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
211	0 N	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 2.3

ID	Distance/ Direction	Name	Type of Watercourse	Additional Details
212	0 N	Nant Helen	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 1.9
180	1 S	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
181	1 SE	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
182	1 SE	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 1.8
213	1 S	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
214	1 SE	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
215	1 SE	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 1.8
183	2 NE	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
184	2 S	Nant Ystalwyn	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
185	2 E	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 2.1
216	2 NE	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
217	2 S	Nant Ystalwyn	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
218	2	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface

ID	Distance/ Direction	Name	Type of Watercourse	Additional Details
	E			Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 2.1
186	5 N	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
219	5 N	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
187	11 N	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
220	11 N	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
188	12 N	Dulais	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 3.4
221	12 N	Dulais	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 3.4
189	17 S	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
222	17 S	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
190	22 N	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 1.9
223	22 N	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 1.9
191	23 N	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
224	23 N	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions)

ID	Distance/ Direction	Name	Type of Watercourse	Additional Details
				Average Width in Watercourse Section (m): Not Provided
192	24 SE	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
225	24 SE	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
193	25 NW	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
226	25 NW	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
194	30 NE	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Not provided Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
227	30 NE	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: Not provided Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
195	35 N	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 2.1
228	35 N	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 2.1
196	38 S	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
229	38 S	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
197	40 NE	Camnant	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 3.2
230	40 NE	Camnant	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 3.2

ID	Distance/ Direction	Name	Type of Watercourse	Additional Details
198	41 NE	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
231	41 NE	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
199	43 NE	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
200	43 S	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
232	43 NE	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
233	43 S	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
201	45 NE	Camnant	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 3.2
234	45 NE	Camnant	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 3.2
202	47 NW	Dulais	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 3.3
235	47 NW	Dulais	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 3.3
203	51 S	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
204	51 NE	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
236	51	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface

ID	Distance/ Direction	Name	Type of Watercourse	Additional Details
	S			Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
237	51 NE	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
205	53 NE	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
206	53 NE	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
207	53 NE	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
238	53 NE	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
239	53 NE	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
240	53 NE	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
208	54 SE	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
241	54 SE	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
209	55 NE	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
242	55 NE	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
210	57 NE	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions)

ID	Distance/ Direction	Name	Type of Watercourse	Additional Details
				Average Width in Watercourse Section (m): Not Provided
243	57 NE	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
211	62 S	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
212	62 N	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
244	62 S	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
245	62 N	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
213	63 S	Nant Ystalwyn	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
246	63 S	Nant Ystalwyn	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
214	69 S	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
247	69 S	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
215	71 N	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
216	71 N	-	Inland river not influenced by normal tidal action.	Catchment Area: Neath Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
248	71 N	-	Inland river not influenced by normal tidal action.	Catchment Area: Tawe Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided