


YYG Pitch Lighting


Site 1



Glamox O92 LED 110000 750 ASY

No.	X [m]	Y [m]	Mounting height [m]	Maintenance factor
1	37.019	0.661	15.000	0.80
2	38.219	0.661	15.000	0.80
3	59.838	0.661	15.000	0.80
4	61.038	0.661	15.000	0.80
5	38.219	58.660	15.000	0.80
6	59.838	58.660	15.000	0.80
7	37.019	58.660	15.000	0.80
8	61.038	58.660	15.000	0.80
9	11.306	0.661	15.000	0.80
10	10.106	0.661	15.000	0.80
11	10.106	58.660	15.000	0.80
12	11.306	58.660	15.000	0.80
13	84.917	58.660	15.000	0.80
14	86.117	58.660	15.000	0.80
15	86.117	0.661	15.000	0.80
16	84.917	0.661	15.000	0.80


Calculation surface 1 / Perpendicular illuminance



Maintenance factor: 0.80


Calculation surface 1: Perpendicular illuminance (Grid)
Light scene: Light scene 1
Average: 229 lx, Min: 42.2 lx, Max: 380 lx, Min/average: 0.18, Min/max: 0.11
Height: 0.000 m

Isolines [lx]



Scale: 1 : 750

False colours [lx]



Scale: 1 : 750

Value grid [lx]

49	215	120	146	183	149	208	131	196	128
97	286	225	215	257	242	281	224	284	205
119	340	308	298	302	336	274	320	373	249
119	310	345	266	257	357	238	345	360	220
111	254	265	218	203	249	182	256	301	190
105	202	235	176	166	203	149	217	251	157
105	200	234	175	164	200	148	215	248	156
110	245	260	212	198	242	178	250	294	185
120	308	342	265	254	348	232	338	362	220
120	347	313	300	304	341	272	325	380	252
100	288	236	221	261	254	279	236	291	207
54	227	130	154	197	157	217	139	209	139

Scale: 1 : 750

Value chart [lx]

m	-45.972	-41.133	-36.294	-31.455	-26.616	-21.776	-16.937	-12.098	-7.259	-2.420	2.420	7.259	12.098	16.937	21.776	26.616
27.404	48.7	143	215	180	120	114	146	205	183	151	149	174	208	166	131	137
22.421	97.0	217	286	271	225	198	215	269	257	243	242	248	281	235	224	253
17.439	119	261	340	362	308	280	298	270	302	351	336	318	274	302	320	343
12.456	119	228	310	343	345	321	266	228	257	332	357	281	238	270	345	374
7.474	111	195	254	291	265	244	218	175	203	242	249	220	182	219	256	281
2.491	105	158	202	243	235	209	176	144	166	199	203	181	149	180	217	246

m	-45.972	-41.133	-36.294	-31.455	-26.616	-21.776	-16.937	-12.098	-7.259	-2.420	2.420	7.259	12.098	16.937	21.776	26.616
-2.491	105	157	200	241	234	207	175	142	164	197	200	179	148	178	215	244
-7.474	110	189	245	283	260	239	212	170	198	236	242	214	178	213	250	276
-12.456	120	228	308	345	342	318	265	223	254	327	348	279	232	270	338	370
-17.439	120	264	347	365	313	286	300	268	304	357	341	323	272	305	325	350
-22.421	100	220	288	278	236	208	221	269	261	255	254	255	279	241	236	265
-27.404	53.7	154	227	193	130	122	154	214	197	160	157	184	217	175	139	148

m	31.455	36.294	41.133	45.972
27.404	196	215	128	42.2
22.421	284	289	205	86.8
17.439	373	334	249	108
12.456	360	316	220	108
7.474	301	259	190	104
2.491	251	205	157	101
-2.491	248	203	156	101
-7.474	294	251	185	103
-12.456	362	313	220	108
-17.439	380	343	252	109
-22.421	291	289	207	90.1
-27.404	209	226	139	46.5