

BS5837:2012 Tree Survey

GC Arb

Client: Huw Jenkins
 Project: 5. 22 Maes Y Cornel, Rhos, Pontardawe, SA8 3DR.
 Survey Date: 13/11/2020
 Surveyor: Graham Chesterton



7 Porfa Ballas
 Rhose Point
 Barry
 Vale of Glamorgan
 CF62 3LF
 Phone: 07709 276702

Tree and Tag No Species		Hght (m)	Stems		Crown		Age	RP A (m²) R (m)	Phys Condition	Structural Condition	Preliminary Recommendations			Cat ERC
			No	Ø (mm)	Spread (m)	Clear (m)					Survey Comment			
T1														
Common Oak <i>Quercus robur</i>		16	2	558 (Eq)	N E S W	7 6 5 8	6 6 5 3	M	A: 140.6 R: 6.68	Good	C: Fair S: Good B: Good	No action :: Unspecified		B.1.2 20 to 40 yrs
T2														
Common Oak <i>Quercus robur</i>		15	1	375	N E S W	3 6 4 7	6 7 5 3	M	A: 63.6 R: 4.49	Good	C: Fair S: Good B: Good	Ivy :: Sever only		A.1.2 20 to 40 yrs
T3														
Common Hazel <i>Corylus avellana</i>		6	8	184 (Eq)	N E S W	2 2 2 4	3 3 3 2	M	A: 15.3 R: 2.2	Good	C: Fair S: Fair B: Good	No action :: Unspecified		C.1.2 10 to 20 yrs
Age Classifications:		N Y SM	Newly planted Young Semi-mature	EM M OM	Early Mature Mature Over Mature	Condition:		C S B	Crown Stem Basal area	Stems:		Ø (Eq)	Diameter Equivalent stem diameter using BS5837:2012 definition	

Tree and Tag No Species		Hght (m)	Stems		Crown		Age	RP A (m²) R (m)	Phys Condition	Structural Condition	Preliminary Recommendations			Cat ERC
			No	Ø (mm)	Spread (m)	Clear (m)					Survey Comment			
T4														
Silver Birch		13	1	280	N	3	6	M	A: 35.5	Good	C: Fair	Ivy :: Sever only		B.1.2
Betula pendula					E	4	4		R: 3.36		S: Good			20 to 40 yrs
					S	2	6				B: Good			
					W	3	5					Relevant protected birch on bank forming old field boundary hedgerow to the rear of no.23 just over NW boundary of rear garden. Suppressed by other trees along field boundary line with minor branch dieback & build-up of deadwood caused by grey squirrel damage. Sever invasive climbing ivy around base of stem..		
T5														
Common Oak		16	3	456 (Eq)	N	4	6	M	A: 94	Good	C: Fair	Ivy :: Sever only		B.1.2
Quercus robur					E	5	5		R: 5.47		S: Good			20 to 40 yrs
					S	2	4				B: Good			
					W	8	3					Relevant protected triple-stemmed oak on bank forming old field boundary hedgerow to the rear of no.23 just over NW boundary of rear garden. Suppressed by other trees along field boundary line with minor branch dieback & build-up of deadwood caused by grey squirrel damage. Sever invasive climbing ivy around base of stem..		

Report selection criteria.

Projects.

5. 22 Maes Y Cornel, Rhos, Pontardawe, SA8 3DR.

Date Range.

Any Date

Work types.

----> Ivy :: Sever only
----> No action :: Unspecified

Latest Survey.

All surveys for the selected trees.
---> Last survey for each selected tree.

Work Completed.

---> Work Completed
---> Work Not Completed

Number of trees in selected Project(s) **5**

Number of trees in Report selection **5**

Age Classifications:	N	Newly planted	EM	Early Mature
	Y	Young	M	Mature
	SM	Semi-mature	OM	Over Mature

Condition:	C	Crown
	S	Stem
	B	Basal area

Stems:	Ø	Diameter
	(Eq)	Equivalent stem diameter using BS5837:2012 definition