

NPT

Basic Tree Survey pro-forma: EXAMPLE 1

Surveyor: STUART MICHAEL	Client: MISS MELANIE OWEN	Location: 14, RHINCLAS WYNCEWELT. SAID TRB
Date:		

Tree No:	Species / conifer / broadleaf	Observations			Action required? Yes / No	Priority? A / B / C
		Height	Age	Condition		
T1	ALDER (ALNUS)	17m (APPROX)	M	POOR	YES	B

PCO FOR
KEY.



Key to Basic Tree Survey pro-forma – Example 1

Tree No:	Refer to plan or sketch of area, or tree tag	
Species:	Botanical name, common name or description (e.g. 'Conifer', 'Broadleaf')	
Height:	Tree height, approximately measured in metres to top of crown	
Age:	NP	Newly planted
	Y	Young
	MA	Mid-aged
	M	Mature
	OM	Over mature
Condition:	Good	Healthy, full crown, long life expectancy, no significant defects
	Fair	Generally healthy, some thinning of crown, some defects of low significance, limited life expectancy
	Poor	Lacking vigour, short life expectancy, sparse leaf cover, significant defects
	Dangerous/Dead	Urgent removal required
	Include observations of relevant information, e.g. Leaning over road, branch habit, tree defects, etc.	
Action required?	This allows you to record whether further action is required. Complete with 'Yes' or 'No'	
Priority	If 'Action required' column states 'Yes', specify level of urgency for professional arboricultural inspection:	
	A	Urgent action required: If necessary, phone line manager / arboriculturist for immediate action
	B	Further inspection required within one month
	C	Further inspection required within six months
	If Action column states 'No', provide comments to justify leaving the tree for a specified period before further inspection (only trees in "Good" condition will automatically justify 'No' in the Action column)	

Basic Tree Survey pro-forma: EXAMPLE 2

Surveyor: STUART MICHAEL	Client: MISS MELANIE OWEN	Location: 14, RHILLAS WAINCERCH. SA10 7RB
Date:		

Tree No	Species	Height (m)	Trunk Diam (cm) measured at 1.5 m	Crown radius (m)	Vigour Low/nor	Age	Surrounding features	Condition	Recommendations / Priority	
									Action?	Notes
T1	ALDER (ALNUS)	17m APPROX	3-6m N-5m S-6m E-4m W 6m		L	M	HOUSE WALL PAVEMENT ROADSIDE PUBLIC LIGHTING	POOR	YES	REMOVE TO GROUND LEVEL WITHIN 6 MONTHS

PTO
for KEY.

Key to Basic Tree Survey pro-forma - Example 2

Tree No: Refer to plan or tree tag

Species: Botanical name or common name

Height: Tree height measured in metres to top of crown

Trunk Dia: Trunk diameter measured in centimetres at 1.5 metres from ground

Crown radius: Crown radius measured in metres from trunk to drip line (branch tips), recorded north, east, south, west.

Vigour: Measurement of general health and vitality noted as either low or normal

Age class:

NP	Newly planted
Y	Young
MA	Mid-aged
M	Mature
OM	Over mature

Surrounding Features: Note: all features which could effect tree management e.g. roads, lights, wires, disturbed ground, etc

Condition:

Good	Healthy, full crown, long life expectancy, no significant defects
Fair	Generally healthy, some thinning of crown, some defects of low significance, limited life expectancy
Poor	Lacking vigour, short life expectancy, sparse leaf cover, significant defects
Dangerous/Dead	Urgent removal required

Recommendations: This section is divided into to columns:

Action? This allows you to record whether further action is required. Complete with 'Yes' or 'No'

Notes

If Action column states 'Yes', specify defects observed and any obvious remedial action. Specify level of urgency for professional arboricultural inspection

If Action column states 'No', provide comments to justify leaving the tree for a specified period before further inspection (only trees in "Good" condition will automatically justify 'No' in the Action column)