




Overall TV Positions



TV Gantry Position & Cabling



Biased Left of Halfway Camera 1 in
Line with Halfway
(See Example Plans)


TV Cables around the
Perimeter in gully between
the stand and handrail



Cables would need
ramp way here




TVC Parking Areas



TV Compound Areas


Areas to be considered for adoption
From the local council

Side View



1100mm Handrail Across Front with Removable 350mm Sections for Cameras - Two Vertical Scaffold Tubes for Standard Camera Scaffold Pod Mounts i.e Cameras fill 350mm gap in Handrail to Maintain Handrail Integrity

Top View Upper Level






Method for Hoisting Equipment onto Gantry + Stair Access for Production Team




TV Gantry - Camera Mount Requirement

Scaffold Mount Details -
Provided by Broadcaster OB Company





GuiBroadcast


Example Tubed Gantry Required for Basic FAW TV Coverage - Front View (with out Cross Bracing)



Example of Personality Camera Platform Below main Camera Gantry



1100mm Handrail Across Front with Removable 350mm Sections for Cameras – Two Vertical Scaffold Tubes for Standard Camera Scaffold Pod Mounts i.e. Cameras fill 350mm gap in Handrail to Maintain Handrail Integrity



**Example
Match
Camera Plan**

