



PROPOSED



Proposed sign.

Part Side Elevation

Front Elevation




Side Elevation

Note: Proposed sign; Hardwood framed Perspex sign with applied preformed lettering illuminated with 3 No external quality angled lights.

Note: Fix electric water heaters in w.c. & kitchen. Capacity and location to be agreed with Mr Thomas prior to fixing.

Note: Wash-hand basins and stainless steel sink unit to be fitted with puc traps & waste pipes and to be connected to existing soil pipe.



Pavement


Means of Escape

Floor space factor (4) for Take-Away
 $1.00 \text{ m}^2/\text{person}$. Floor Area: 52 m^2
 Maxim travel distance where travel is possible in one direction only 18.00m
 Minimum number of escape routes & exits 1. Storey exit can be reached within the travel distance limit for travel in one direction.

Note: Provide mechanical extract ventilation to W/C capable of a rate of extraction at a rate not less than 15 litres per second with override switch.

Note: Fix Arico or equal multi-sensor (Heat/Smoke) in Kitchen and Preparation Area wired into mains circuit.

Refix fire blanket in kitchen.
 Supply two fire extinguishers 1 foam filled and 1 CO_2



Stainless steel extractor flue.

Note: Extraction pipework to be Lindab or equal to comply with HVCA specification DW144 or equal to include all ducting lengths, bends, roof saddle & cow and to be fitted with single phase axial flow extractor fan & silencer. Exact details to be submitted to Building Inspector for approval prior to installation.

Side Elevation

Ground Floor Plan