

**NEATH PORT TALBOT COUNTY BOROUGH COUNCIL
CYNGOR BWRDEISTREF SIROL CASTELL-NEDD PORT TALBOT**

**TOWN AND COUNTRY PLANNING ACT 1990
THE TOWN AND COUNTRY PLANNING (DEVELOPMENT
MANAGEMENT PROCEDURE)(WALES) ORDER 2012**

APPROVAL OF OUTLINE PLANNING PERMISSION

Name and address of the applicant

W Goodridge
1 Park Row
Cwmavon
Port Talbot
SA12 9PW
United Kingdom

Name and address of the agent

Mr Robert Bowen
Robert Bowen Planning & Development LTD
7 Llys Sant Teilo
Llangyfelach
Swansea
SA5 7HQ
United Kingdom

DATE REGISTERED: 27 November 2020

APPLICATION NO: P2020/1071

LOCATION: Land At, Heol Tabor, Cwmavon, Port Talbot, SA12 9PS

PROPOSAL: Construction of 4 x detached bungalows and 2 x semi-detached dwellings (Outline application with all matters reserved)

NEATH PORT TALBOT COUNTY BOROUGH COUNCIL as the Local Planning Authority in pursuance of its power under the above mentioned Act and Order hereby **PERMITS** the development as described above to be carried out in accordance with the application and the plans submitted therewith, subject to compliance with the following conditions:

Conditions:-

Time Limit Conditions

- 1 Details of the access, appearance, landscaping, layout, and scale, (hereinafter called "the reserved matters") shall be submitted to and approved in writing by the Local Planning Authority before any development begins and the development shall be carried out as approved.

Reason:

The application was made for outline planning permission.

- 2 The development shall begin either before the expiration of five years from the date of this permission or before the expiration of two years from the date of approval of the last of the reserved matters to be approved, whichever is the later.

Reason:

To comply with the requirements of Section 92 of the Town and Country Planning Act 1990.

List of Approved Plans

- 3 The development shall be carried out in accordance with the following approved plans and documents:

Dwg. No. A100 Rev C.

Dwg. No. A101 Rev A.

Planning Statement.

Ecological Walkover (Koru Ecology Associates - Oct 2020).

Assessment of Land Quality/Preliminary Risk Assessment (Q0353/DS - Oct 2020).

Reason:

In the interests of clarity.

Pre-Commencement Conditions

- 4 As part of the first reserved matters application, a scheme shall be provided indicating the provision of a 2.4m x 33m visibility splay for plot 6 as identified on Dwg. No. A100 Rev C, including details of the removal or re-location of any boundary structure, gate or vegetation/hedge greater than 600mm in height behind the marked vision-splay, together with the finished appearance of such cleared area. No development shall commence on site until such time as the vision splay for Plot 6, as detailed on Dwg. No. A100 Rev C, has been provided on site in accordance with the approved details, with the vision splay thereafter retained and maintained in accordance with the approved details in perpetuity thereafter.

Reason:

In the interest of highway and pedestrian safety and to comply with Policy TR2 of the Neath Port Talbot Local Development Plan.

- 5 Notwithstanding the submitted details and as part of the first reserved matters application an assessment of the nature and extent of contamination affecting the application site area shall be submitted to and approved in writing by the Local Planning Authority. This assessment must be carried out by or under the direction of a suitably qualified competent person in accordance with BS10175 (2011) 'Investigation of Potentially Contaminated Sites Code of Practice' and shall assess any contamination on the site, whether or not it originates on the site. The report of the findings shall include:

(i) a desk top study to identify all previous uses at the site and potential contaminants associated with those uses and the impacts from those contaminants on land and controlled waters. The desk study shall establish a 'conceptual site model' (CSM) which identifies and assesses all identified potential source, pathway, and receptor linkages;

(ii) an intrusive investigation to assess the extent, scale and nature of contamination which may be present, if identified as required by the desk top study;

(iii) an assessment of the potential risks to:

- human health,
- groundwater and surface waters
- adjoining land,
- property (existing or proposed) including buildings, crops, livestock, pets, woodland and service lines and pipes,
- ecological systems,

- archaeological sites and ancient monuments; and-
 - any other receptors identified at (i)
- (iv) an appraisal of remedial options, and justification for the preferred remedial option(s).

Reason:

To ensure that information provided for the assessment of the risks from land contamination to the future users of the land, neighbouring land, controlled waters, property and ecological systems is sufficient to enable a proper assessment, and to ensure compliance with Policies SP16 and EN8 of the Neath Port Talbot Local Development Plan.

- 6 No development shall commence on site until a remediation scheme to bring the site to a condition suitable for the intended use by removing any unacceptable risks to human health, buildings, other property and the natural and historic environment shall be prepared and submitted to and approved in writing with the Local Planning Authority. The scheme shall include all works to be undertaken, proposed remediation objectives, remediation criteria and site management procedures. The measures proposed within the remediation scheme shall be implemented in accordance with an agreed programme of works.

Reason:

To ensure that risks from land contamination to the future users of the land and neighbouring land are minimised, together with those to controlled waters, property and ecological systems, and to ensure that the development can be carried out safely without unacceptable risks to workers, neighbours and other offsite receptors, and to ensure compliance with Policies SP16 and EN8 of the Neath Port Talbot Local Development Plan.

- 7 The first reserved matters application seeking approval of a detailed layout of development for the site shall be accompanied by the results of a detailed scheme for intrusive investigations which shall have been carried out on site in accordance with the recommendations contained in the supporting Assessment of Land Quality/ Preliminary Risk Assessment (Desk Study) , in order to establish the exact situation in respect of coal mining legacy at the site. The intrusive site investigations shall be carried out in accordance with authoritative UK guidance. Any reserved matters application seeking approval of a detailed layout of development for the site, shall include as a minimum the following details for consideration and approval by the Local Planning Authority:
- (i) A report of findings arising from the intrusive site investigations;
 - (ii) The submission of a proposed layout plan which: - identifies the positions of the recorded mine entry; identifies the potential zones of influence of the mine entry; and defines a suitable 'no build' zone around this feature; and the submission of details of remedial / mitigatory measures required to protect the development and site from the effects of coal mining related land instability, together with a timetable for their implementation.

The scheme, as approved, including the remedial / mitigatory measures required to protect the development and site from the effects of coal mining related land instability shall be fully implemented on site in accordance with the agreed timetable and retained as such thereafter.

Reason:

As the application site is located within a High Risk Coal Mining Legacy and to establish the exact situation in respect of coal mining legacy at the site in compliance with Policy BE1 of the Neath Port Talbot Local Development Plan.

- 8 Prior to the commencement of works on site commencing, the Fallopia Japonica (Japanese Knotweed) that is located on the site shall be treated and controlled in accordance with the Environment Agency Knotweed Code of Practice.

Reason:

In the interests of amenity, and to ensure that the treatment is carried out in accordance with recognised good practice and to accord with Policy SP15 of the adopted Neath Port Talbot Local Development Plan.

- 9 Prior to the commencement of any works on site including site clearance, and in accordance with the Ecological Report (Koru Ecology Associates - October 2020), an Ecological Walkover shall be undertaken on site by a suitably competent Ecological Clerk of Works (ECoW). The ECoW will conduct a finger-tip search for common reptile and amphibian species, as well as small mammals, and these shall be removed to a suitable location.

Reason:

In the interest of Biodiversity and to comply with Policies EN6 and EN7 of the Neath Port Talbot Local Development Plan.

Action Conditions

- 10 As part of the first reserved matters application a detailed scheme shall be submitted to and approved in writing by the Local Planning Authority detailing the provision of a 2m wide footway across the frontage of the application site, plus vehicle footway cross-over for the respective drive areas. The scheme, as approved, shall be fully implemented on site prior to the first beneficial occupation of any dwelling, and shall be retained open and free for public use thereafter.

Reason:

In the interest of highway and pedestrian safety and to comply with Policy TR2 of the Neath Port Talbot Local Development Plan.

- 11 As part of the first reserved matters application a scheme shall be submitted to and approved in writing by the Local Planning Authority detailing the provision of obstruction-free (i.e. nothing greater than 600mm in height shall be constructed or planted) pedestrian vision splays of 2.4m by 2.4m (measured from the back of footway) each side of the respective drive access. The approved scheme shall be fully implemented on site prior to the occupation of the respective dwelling, and retained as such thereafter.

Reason:

In the interest of highway and pedestrian safety and to comply with Policy TR2 of the Neath Port Talbot Local Development Plan.

- 12 As part of the first reserved matters application a scheme shall be submitted to and approved in writing by the Local Planning Authority detailing the provision of one off-street parking space per bedroom, up to a maximum of three per dwelling. Each drive shall be a minimum length of 6.0 metres from back of footway to front of garage structure, 3.6 metres minimum width and shall be surfaced to its finished level to a maximum gradient of 1 in 9, with no surface water allowed to flow out onto the Public Highway. The scheme, as approved, shall be provided on site prior to the first beneficial occupation of the respective dwelling, and retained for such use thereafter.

Reason:

In the interest of highway and pedestrian safety and to comply with Policy TR2 of the Neath Port Talbot Local Development Plan.

- 13 As part of the first reserved matters application a surface water drainage strategy shall be submitted to and approved in writing by the Local Planning Authority detailing the existing watercourses within and that discharge within the boundary of the site, together with overland flow routes for the land to the western boundary of the site. This strategy shall also include any easements that may be deemed necessary to maintain the existing culvert inlet grill by the Lead Local Flood Authority. The submitted scheme shall also include a timetable for implementation on site. The scheme, as approved, shall be fully implemented on site prior to the first beneficial occupation of any dwelling, and retained as such thereafter.

Reason:

In the interest of adequate drainage of the site and to comply with Policy BE1 of the Neath Port Talbot Local Development Plan.

- 14 Prior to beneficial use of the proposed development commencing, a verification report which demonstrates the effectiveness of the agreed remediation works carried out in accordance with Condition 6 shall have been submitted to and approved in writing by the Local Planning Authority.

Reason:

To ensure that risks from land contamination to the future users of the land and neighbouring land are minimised, together with those to controlled waters, property and ecological systems, and to ensure that the development can be carried out safely without unacceptable risks to workers, neighbours and other offsite receptors and to ensure compliance with Policies SP16 and EN8 of the Neath Port Talbot Local Development Plan.

- 15 In the event that contamination is found at any time when carrying out the approved development that was not previously identified, work on site shall cease immediately and shall be reported in writing to the Local Planning Authority. A Desk Study, Site Investigation, Risk Assessment and where necessary a Remediation Strategy must be undertaken in accordance with the following document:- Land Contamination: A Guide for Developers (WLGA, WAG & EAW, July 2006). This document shall be submitted to and agreed in writing with the Local Planning Authority. Prior to occupation of the development, a verification report which demonstrates the effectiveness of the agreed remediation, shall be submitted to and agreed in writing with the Local Planning Authority.

Reason:

To ensure that risks from land contamination to the future users of the land and neighbouring land are minimised, together with those to controlled waters, property and ecological systems, and to ensure that the development can be carried out safely without unacceptable risks to workers, neighbours and other off site receptors, and to ensure compliance with Policies SP16 and EN8 of the Neath Port Talbot Local Development Plan.

- 16 As part of the first reserved matters application a scheme indicating the positions, height, design, materials and type of boundary treatment to be erected to all boundaries shall be submitted to and approved in writing by the Local Planning Authority. The boundary treatment shall be completed, as approved, prior the first beneficial use is of the respective dwelling and retained as such thereafter.

Reason:

In the interest of visual amenity and to ensure compliance with Policy BE1 of the Neath Port Talbot Local Development Plan.

- 17 As part of the first reserved matters application details of proposed ground levels and finished floor levels shall be submitted to and approved in writing with the Local Planning Authority. The development shall be carried out in accordance with the approved details and retained as such thereafter.

Reason:

In the interest of visual amenity and to ensure compliance with Policy BE1 of the Neath Port Talbot Local Development Plan.

- 18 As part of the first reserved matters application, a foul water drainage scheme for the site shall be submitted to and approved in writing by the Local Planning Authority. The scheme shall provide for the disposal of foul water flows and thereafter implemented in accordance with the approved details prior to the occupation of any dwelling, and retained as such thereafter.

Reason:

To prevent hydraulic overloading of the public sewerage system, to protect the health and safety of existing residents and ensure no pollution of or detriment to the environment, and ensure the development complies with Policy SP16 and BE1 of the Neath Port Talbot Local Development Plan.

- 19 Prior to their use in the construction of the development hereby permitted, details and samples of the materials to be used in the construction of the external surfaces of the development shall have been submitted to and approved in writing by the Local Planning Authority. Development shall be carried out in accordance with the approved details.

Reason:

In the interest of the visual amenity of the area and to ensure the development complies with Policy BE1 of the Neath Port Talbot Local Development Plan.

- 20 As part of the first reserved matters application a detailed scheme shall be submitted to and approved in writing by the Local Planning Authority detailing the provision of artificial nesting sites for birds, together with roosting opportunities for bats in the form of manufactured bat boxes onto the buildings or incorporation of manufactured bat bricks into the building. The scheme, as approved, shall be fully implemented on site prior to the first beneficial occupation of the respective dwelling, and retained as such thereafter.

Reason:

In the interest of Biodiversity as the proposals will remove potential bird nesting/foraging habitats which must be mitigated for under the Habitat Regulations 2017, together with Biodiversity enhancement for bats, in order to comply with Policies EN6 and EN7 of the Neath Port Talbot Local Development Plan.

Regulatory Conditions

- 21 Any gates provided across the access drive(s) shall be of a type which open inward only and can be seen through, and shall be retained as such thereafter.

Reason:

In the interest of highway and pedestrian safety and to ensure compliance with Policy TR2 of the Neath Port Talbot Local Development Plan.

- 22 Notwithstanding the provisions of Schedule 2, Part 1, Class E of the Town and Country Planning (General Permitted Development) Order 1995 (as amended for Wales) (or any order revoking and re-enacting that order with or without modification), no buildings shall be erected other than those expressly authorised by this permission and identified on the approved drawings.

Reason:

In order to safeguard the amenities of the area by enabling the Local Planning Authority to consider whether planning permission should be granted for garages or outbuildings having regard to the particular layout and design of the development, residential amenity, and Coal Mining Legacy, and to accord with Policies BE1 and SC1 of the Neath Port Talbot Local Development Plan.

- 23 Notwithstanding the provisions of the Town and Country Planning (General Permitted Development) Order 1995 (as amended for Wales) (or any order revoking and re-enacting that Order with or without modification), there shall be no extension or external alteration to any building forming part of the development hereby permitted without the prior grant of planning permission in that behalf.

Reason:

In order to safeguard the amenities of the area by enabling the Local Planning Authority to consider whether planning permission should be granted for extensions, having regard to the particular layout and design of the development and need to protect the amenity of nearby properties, and Coal Mining Legacy, and to accord with Policies BE1 and SC1 of the Neath Port Talbot Local Development Plan.

- 24 Notwithstanding the provisions of the Town and Country Planning (General Permitted Development) Order 1995 (as amended for Wales) (or any order revoking and re-enacting that Order with or without modification), no fences, gates or walls shall be erected to the frontage of the site greater than 600mm in height.

Reason:

In the interest of highway and pedestrian safety and to comply with Policy TR2 of the Neath Port Talbot Local Development Plan.

Informatives:

1 Please note that SAB approval will be required prior to any work commencing. It is a breach of approval required under Paragraph 7 (1) Schedule 3 of the Flood and Water Management Act 2010 whereby action will be taken by the Authority under The Sustainable Drainage (Enforcement) (Wales) Order 2018.

2 The applicant may need to apply to Dwr Cymru / Welsh Water for any connection to the public sewer under S106 of the Water Industry Act 1991. If the connection to the public sewer network is either via a lateral drain (i.e. a drain which extends beyond the connecting property boundary) or via a new sewer (i.e. serves more than one property), it is now a mandatory requirement to first enter into a Section 104 Adoption Agreement (Water Industry Act 1991). The design of the sewers and lateral drains must also conform to the Welsh Ministers Standards for Gravity Foul Sewers and Lateral Drains, and conform with the publication "Sewers for Adoption"- 7th Edition. Further information can be obtained via the Developer Services pages of www.dwrcymru.com The applicant is also advised that some public sewers and lateral drains may not be recorded on Welsh Water maps of public sewers because they were originally privately owned and were transferred into public ownership by nature of the Water Industry (Schemes for Adoption of Private Sewers) Regulations 2011. The presence of such assets may affect the proposal. In order to assist Welsh Water in dealing with the proposal the applicant may contact Dwr Cymru Welsh Water to establish the location and status of the apparatus. Under the Water Industry Act 1991 Dwr Cymru Welsh Water has rights of access to its apparatus at all times.

Reason for Decision:

The decision to recommend planning permission has been taken in accordance with Section 38 of The Planning and Compulsory Purchase Act 2004, which requires that, in determining a planning application the determination must be in accordance with the Development Plan unless material considerations indicate otherwise. The Development Plan comprises the Neath Port Talbot Local Development Plan (2011-2026) adopted January 2016.

While the proposal would constitute a 'departure' from the Local Development Plan, there are considered to be material considerations which justify approval of the application, notably that the Coal Mining Legacy issued have been suitably addressed and the site is surrounded by residential development on three sides, which in this particular instance allow a conclusion that the development would amount to appropriate 'infill' development. In addition, it would not have a detrimental impact upon residential amenity or upon the character and appearance of the surrounding area/open countryside, and there would be no adverse impact upon highway and pedestrian safety. Accordingly, while the proposal would be contrary to Policy SC1, it would otherwise comply with Policies AH1, OS1, EN6, EN7, EN8, M1, M2, TR2 and BE1 of the Neath Port Talbot Local Development Plan.

It is further considered that the decision complies with the Council's well-being objectives and the sustainable development principle in accordance with the requirements of the Well-being of Future Generations (Wales) Act 2015.

Signed: 

Ceri Morris – Head of Planning & Public Protection

Date: 9 September 2021

IMPORTANT:

(1) Please note that for all decisions issued after 16th March 2016 for outline or full planning permission, a revised decision notice will be issued whenever a subsequent consent is given, for example providing details of any Reserved Matters approvals (outline applications only) and/or approval of conditions (including on Reserved Matters). This will ensure that the current status of the conditions applied to a consent is clear. Accordingly you are advised to visit www.npt.gov.uk/planning to view the application documentation to see if this is the current version, or whether it has been superseded by a more up-to-date revision of this Decision Notice. For Reserved Matters approvals the revised Decision Notice will only be shown under the Outline approval.

(2) Please note that this consent is specific to the plans and particulars approved as part of the application. Any departure from the approved plans will constitute unauthorised development and may be liable to enforcement action. You (or any subsequent developer) should advise the Council of any actual or proposed variations from the approved plans immediately so that you can be advised how to best resolve the matter.

(3) In addition, any conditions that the Council has imposed on this consent will be listed above and should be read carefully. It is your (or any subsequent developers) responsibility to ensure that the terms of all conditions are met in full at the appropriate time (as outlined in the specific condition). Please note that any works carried out without compliance with the conditions attached to this approval will be entirely at the risk of the persons involved and may result in formal action being taken by the Local Planning Authority.

(4) The developer should have regard to Sections 4, 7, 8 and 8A of the Chronically Sick and Disabled Persons Act 1970 and to the British Standards Institution's Code of Practice for "Design of buildings and their approaches to meet the needs of disabled people" (BS 8300:2009+A1:2010).

(5) From 1st October 2012 it has been an offence to install a public sewer or lateral drain without having an adoption agreement in place. From the 1st October 2012 the vast majority of all existing private sewers and lateral drains which link with the public sewer network were transferred to Welsh Water. For further details on how this will affect your development please contact: Welsh Water Developer Services, PO Box 3146, Cardiff, CF30 0EH. Telephone No. 0800 9172652 or email: developer.services@dwrcymru.com.

IMPORTANT INFORMATION: TOWN AND COUNTRY PLANNING ACT 1990

The applicant's attention is drawn to the notes below.

- (1) If the applicant is aggrieved by the decision of the Local Planning Authority to refuse permission for the proposed development or to grant it subject to conditions, then you can appeal to the Welsh Government under Section 78 of the Town and Country Planning Act 1990 (as amended).
- (2) You can also appeal to the Welsh Government against a decision to refuse permission or grant subject to conditions in respect of applications made for :- Listed Building or Conservation Area Consent; Consent under a Tree Preservation Order; Advertisement Consent.
- (3) You can also appeal If your application for a Certificate of Lawful Existing Use or Lawful Proposed Use is partly or wholly refused or is granted differently from what you asked for (under Section 195/196) of the Town and Country Planning Act 1990 (as amended).
- (4) If you are aggrieved of the LPAs decision, the following deadlines apply for appeals to be submitted to the Welsh Government (from the date of the Council's decision):-

(1) Planning Permission (with the exception of Minor Commercial and Householder applications – see below)	Within 6 Months
(2) Householder Appeal ^{see endnote i}	Within 12 weeks
(3) Minor Commercial Appeal ^{see endnote i}	Within 12 weeks
(4) Listed Building or Conservation Area Consent appeals	Within 6 months
(5) Tree Preservation Order (TPO) Consent	Within 28 days
(6) Advertisement Consent	Within 8 weeks
(7) Certificate of Lawfulness of Existing (Section 191) or Proposed (Section 192) Use or Development	Within 6 months
(8) Hazardous Substances Consent	Within 6 months
- (5) Appeals must be made on a form which is obtainable from the Planning Inspectorate, Crown Buildings, Cathays Park, Cardiff, CF10 3NQ – Tel 0303 444 5940, or online at www.planningportal.gov.uk/pcs .
- (6) The Welsh Government has power to allow a longer period for the giving of notice of appeal but they will not normally be prepared to exercise this power unless there are special circumstances which excuse the delay in giving notice of appeal.
- (7) The Welsh Government is not required to entertain an appeal if it appears to them that permission for the proposed development could not have been granted having regard to the statutory requirements to the provisions of the development order, and to any directions given under the Order. They do not in practice refuse to entertain appeals solely because the decision of the Local Planning Authority was based on a direction given by them.
- (8) If permission to develop land is refused or granted subject to conditions, whether by the Local Planning Authority or by the Welsh Government, and the owner of the land claims that the land has become incapable of reasonable beneficial use in its existing state and cannot be rendered capable of reasonable beneficial use by the carrying out of any development which has been or would be permitted, he may serve on the County Borough Council, in which the land is situated, as the case may be, a **purchase notice** requiring that Council purchase his interest in the land in accordance with the provisions of Part VI of the Town and Country Planning Act 1990.

Making an Appeal

- (9) Please note that for all applications received by the LPA after 5th May 2017, it is now a requirement that any appeal made to the Planning Inspectorate (other than Householder and Minor Commercial Appeals, and appeals against refusal to grant advertisement consent) must be accompanied by all the information and evidence you intend to rely upon (a “**full statement of case**”). You must also send a copy of the notice of appeal and full statement of case to the LPA.
- (10) In addition, for ‘planning appeals’ an amendment to an application following notice of appeal may only be made to correct an error.
- (11) Additional details and information on making an appeal to the Welsh Government is available from the Planning Inspectorate at the above address and website. The relevant documents are entitled “making your planning appeal” and “planning appeals Public Local Inquiries”.
- (12) Further correspondence regarding this application should bear the reference number quoted on the top of the decision notice.
-

THIS NOTICE RELATES ONLY TO A PLANNING DECISION AND DOES NOT RELATE TO OTHER LEGISLATION INCLUDING ANY LEGISLATION UNDER:

- BUILDING REGULATIONS – Please contact buildingcontrol@npt.gov.uk or 01639 686949 to discuss all aspects of the service that is offered by Building Control
- HIGHWAY LEGISLATION

IF PLANNING CONSENT HAS BEEN GRANTED IT IS ADVISABLE TO ESTABLISH WHETHER ANY OTHER FORM OF CONSENT IS REQUIRED AND TO OBTAIN SUCH CONSENT BEFORE COMMENCING DEVELOPMENT

ⁱ Please see the [Town and Country Planning \(Referred Applications and Appeals Procedure\) \(Wales\) Regulations 2017](#) for appeal procedures and for full definitions of:

- “*householder application*” (essentially an application for the enlargement, improvement or other alteration of a dwellinghouse, or development within the curtilage of such a dwellinghouse, or change of use to enlarge the curtilage of a dwelling house)
- “*householder appeal*” means an appeal in relation to a householder application, but excludes an appeal against conditions on the grant of planning permission; or an appeal which is accompanied by an enforcement or listed building consent appeal.
- “*minor commercial application*” (essentially relates to existing buildings of no more than 250 square metres gross external floor space at ground floor level, currently in use for any of the purposes set out in Schedule 1A to The Town and Country Planning (Development Management Procedure) (Wales) (Amendment) Order 2015 which is an application for change of use from Class A1 to A2 or A3; or Class A2 to A3); or the carrying out of building or other operations to a shop front.
- “*minor commercial appeal*” means an appeal in relation to a minor commercial application but excludes an appeal against conditions on the grant of planning permission; or an appeal which is accompanied by an enforcement or listed building consent appeal.