





Historical Aerial Photography

Published 2000

This aerial photography was produced by Getmapping, these vertical aerial photographs provide a seamless, full colour survey of the whole of Great Britain

Historical Aerial Photography - Segment A16




Order Details

Order Number: 283848248_1_1
Customer Ref: 05474 - Coed Darcy
National Grid Reference: 270480, 195220
Slice: A
Site Area (Ha): 131.44
Search Buffer (m): 100

Site Details

Site at 271220, 195880



© Crown Copyright. All Rights Reserved. License Number 100022432.

Envirocheck[®]

LANDMARK INFORMATION GROUP[®]

Groundwater Vulnerability

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological

Bedrock Aquifers

- High Vulnerability, Principal Aquifer
- High Vulnerability, Secondary Aquifer
- Medium Vulnerability, Principal Aquifer
- Medium Vulnerability, Secondary Aquifer
- Low Vulnerability, Principal Aquifer
- Low Vulnerability, Secondary Aquifer


Superficial Aquifers

- High Vulnerability, Principal Aquifer
- High Vulnerability, Secondary Aquifer
- Medium Vulnerability, Principal Aquifer
- Medium Vulnerability, Secondary Aquifer
- Low Vulnerability, Principal Aquifer
- Low Vulnerability, Secondary Aquifer

Unproductive Aquifer

Soluble Rock

Site Sensitivity Context Map - Slice B



Order Details


Order Number: 283848248_1_1
 Customer Ref: 05474 - Coed Darcy
 National Grid Reference: 272300, 195470
 Slice: B
 Site Area (Ha): 131.44
 Search Buffer (m): 1000

Site Details

Site at 271220, 195880

Landmark[®]
 LANDMARK INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

Envirocheck[®]

LANDMARK INFORMATION GROUP[®]

Bedrock Aquifer Designation

General


- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice B



Order Details


Order Number: 283848248_1_1
 Customer Ref: 05474 - Coed Darcy
 National Grid Reference: 272300, 195470
 Slice: B
 Site Area (Ha): 131.44
 Search Buffer (m): 1000

Site Details

Site at 271220, 195880

Landmark[®]
 LANDMARK INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

Envirocheck[®]

LANDMARK INFORMATION GROUP[®]

Superficial Aquifer Designation

General


- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice B



Order Details


Order Number: 283848248_1_1
 Customer Ref: 05474 - Coed Darcy
 National Grid Reference: 272300, 195470
 Slice: B
 Site Area (Ha): 131.44
 Search Buffer (m): 1000

Site Details

Site at 271220, 195880

Landmark[®]
 LANDMARK INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

Envirocheck[®]

LANDMARK INFORMATION GROUP[®]

Source Protection Zones


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological

- Inner zone (Zone 1)
- Inner zone - subsurface activity only (Zone 1c)
- Outer zone (Zone 2)
- Outer zone - subsurface activity only (Zone 2c)
- Total catchment (Zone 3)
- Total catchment - subsurface activity only (Zone 3c)
- Special interest (Zone 4)

Site Sensitivity Context Map - Slice B



Order Details


Order Number: 283848248_1_1
 Customer Ref: 05474 - Coed Darcy
 National Grid Reference: 272300, 195470
 Slice: B
 Site Area (Ha): 131.44
 Search Buffer (m): 1000

Site Details

Site at 271220, 195880

Landmark[®]
 LANDMARK INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

Envirocheck[®]

LANDMARK INFORMATION GROUP[®]

Sensitive Land Uses


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Sensitive Land Uses

- Ancient Woodland
- Area of Adopted Green Belt
- Area of Unadopted Green Belt
- Area of Outstanding Natural Beauty
- Environmentally Sensitive Area
- Forest Park
- Local Nature Reserve
- Marine Nature Reserve
- National Nature Reserve
- National Park
- Nitrate Sensitive Area
- Nitrate Vulnerable Zone
- Ramsar Site
- Site of Special Scientific Interest
- Special Area of Conservation
- Special Protection Area
- World Heritage Sites

Site Sensitivity Context Map - Slice B



Order Details

Order Number: 283848248_1_1
 Customer Ref: 05474 - Coed Darcy
 National Grid Reference: 272300, 195470
 Slice: B
 Site Area (Ha): 131.44
 Search Buffer (m): 1000

Site Details

Site at 271220, 195880

Landmark[®]
 LANDMARK INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

Envirocheck[®] Report:

Datasheet

Order Details:

Order Number:

283848248_1_1

Customer Reference:

05474 - Coed Darcy

National Grid Reference:

272300, 195470

Slice:

B

Site Area (Ha):

131.44

Search Buffer (m):

1000

Site Details:

Site at 271220, 195880

Client Details:

Mr L Clark
PJA Civil Engineering Ltd
Seven House
High Street
Longbridge
Birmingham
B31 2UQ

Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	27
Hazardous Substances	31
Geological	33
Industrial Land Use	43
Sensitive Land Use	48
Data Currency	50
Data Suppliers	55
Useful Contacts	56

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination. For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client. In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2021. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer. A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report. © Environment Agency & United Kingdom Research and Innovation 2021. © Natural Resources Wales & United Kingdom Research and Innovation 2021.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3.0.

Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Stantec Copyright Notice

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England.

Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2021. Land & Property Services © Crown copyright and database right.

Report Version v53.0

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Agency & Hydrological					
BGS Groundwater Flooding Susceptibility	pg 1	Yes	Yes	Yes	n/a
Contaminated Land Register Entries and Notices					
Discharge Consents	pg 5				3
Prosecutions Relating to Controlled Waters			n/a	n/a	n/a
Enforcement and Prohibition Notices					
Integrated Pollution Controls	pg 6	8			
Integrated Pollution Prevention And Control					
Local Authority Integrated Pollution Prevention And Control					
Local Authority Pollution Prevention and Controls	pg 7	1			3
Local Authority Pollution Prevention and Control Enforcements					
Nearest Surface Water Feature	pg 8		Yes		
Pollution Incidents to Controlled Waters	pg 8				1
Prosecutions Relating to Authorised Processes					
Registered Radioactive Substances					
River Quality	pg 8				2
River Quality Biology Sampling Points					
River Quality Chemistry Sampling Points					
Substantiated Pollution Incident Register					
Water Abstractions					
Water Industry Act Referrals	pg 8	1			
Groundwater Vulnerability Map	pg 8	Yes	n/a	n/a	n/a
Bedrock Aquifer Designations	pg 10	Yes	n/a	n/a	n/a
Superficial Aquifer Designations	pg 10	Yes	n/a	n/a	n/a
Source Protection Zones					
Extreme Flooding from Rivers or Sea without Defences				n/a	n/a
Flooding from Rivers or Sea without Defences				n/a	n/a
Areas Benefiting from Flood Defences				n/a	n/a
Flood Water Storage Areas				n/a	n/a
Flood Defences				n/a	n/a
OS Water Network Lines	pg 11		23	16	104

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Waste					
BGS Recorded Landfill Sites					
Historical Landfill Sites	pg 27				1
Integrated Pollution Control Registered Waste Sites					
Licensed Waste Management Facilities (Landfill Boundaries)	pg 27				2
Licensed Waste Management Facilities (Locations)	pg 27	1			7
Local Authority Landfill Coverage	pg 29	1	n/a	n/a	n/a
Local Authority Recorded Landfill Sites					
Potentially Infilled Land (Non-Water)	pg 29	1	3	1	1
Potentially Infilled Land (Water)	pg 29	2	5		10
Registered Landfill Sites					
Registered Waste Transfer Sites					
Registered Waste Treatment or Disposal Sites	pg 30				1
Hazardous Substances					
Control of Major Accident Hazards Sites (COMAH)	pg 31	1			2
Explosive Sites					
Notification of Installations Handling Hazardous Substances (NIHHS)	pg 31	1			
Planning Hazardous Substance Consents	pg 31	3			6
Planning Hazardous Substance Enforcements					

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Geological					
BGS 1:625,000 Solid Geology	pg 33	Yes	n/a	n/a	n/a
BGS Estimated Soil Chemistry	pg 33	Yes	Yes	Yes	Yes
BGS Recorded Mineral Sites	pg 38	1	5	2	2
BGS Urban Soil Chemistry	pg 39				Yes
BGS Urban Soil Chemistry Averages	pg 40	Yes			
CBSCB Compensation District			n/a	n/a	n/a
Coal Mining Affected Areas	pg 40	Yes	n/a	n/a	n/a
Mining Instability	pg 40	Yes	n/a	n/a	n/a
Man-Made Mining Cavities					
Natural Cavities					
Non Coal Mining Areas of Great Britain				n/a	n/a
Potential for Collapsible Ground Stability Hazards	pg 40	Yes	Yes	n/a	n/a
Potential for Compressible Ground Stability Hazards	pg 40	Yes		n/a	n/a
Potential for Ground Dissolution Stability Hazards				n/a	n/a
Potential for Landslide Ground Stability Hazards	pg 40	Yes	Yes	n/a	n/a
Potential for Running Sand Ground Stability Hazards	pg 41	Yes	Yes	n/a	n/a
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 41	Yes	Yes	n/a	n/a
Radon Potential - Radon Affected Areas	pg 42	Yes	n/a	n/a	n/a
Radon Potential - Radon Protection Measures	pg 42	Yes	n/a	n/a	n/a
Industrial Land Use					
Contemporary Trade Directory Entries	pg 43	21			6
Fuel Station Entries					
Points of Interest - Commercial Services	pg 45	2			3
Points of Interest - Education and Health					
Points of Interest - Manufacturing and Production	pg 46	2	2		11
Points of Interest - Public Infrastructure	pg 47			4	3
Points of Interest - Recreational and Environmental					
Gas Pipelines					
Underground Electrical Cables					

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Sensitive Land Use					
Ancient Woodland	pg 48	2	4		3
Areas of Adopted Green Belt					
Areas of Unadopted Green Belt					
Areas of Outstanding Natural Beauty					
Environmentally Sensitive Areas					
Forest Parks					
Local Nature Reserves	pg 48				1
Marine Nature Reserves					
National Nature Reserves	pg 48				1
National Parks					
Nitrate Sensitive Areas					
Nitrate Vulnerable Zones					
Ramsar Sites	pg 48				1
Sites of Special Scientific Interest	pg 49				1
Special Areas of Conservation	pg 49				1
Special Protection Areas					
World Heritage Sites					

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B9NE (SE)	0	1	272297 195475
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	0	1	271200 195450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	0	1	271250 195100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	0	1	271100 195350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B9NW (W)	0	1	271950 195350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13SW (NW)	0	1	271900 195650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	271600 195950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(NW)	0	1	271650 195950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13NW (NW)	0	1	271750 195950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13NW (NW)	0	1	271800 195950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13NW (NW)	0	1	271850 195950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B13NW (NW)	0	1	271900 195950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13NW (NW)	0	1	271750 196150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B13SW (NW)	0	1	271950 195750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	0	1	271300 195475
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13NW (NW)	0	1	271950 196000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B13NW (NW)	0	1	272050 196000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B13NE (N)	0	1	272100 196000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	0	1	272050 196350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	0	1	271650 196100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13NW (NW)	0	1	271850 196100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13NW (NW)	0	1	272000 196100

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B13NW (N)	0	1	272050 196100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	0	1	271400 196200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13NW (NW)	0	1	271850 196200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	0	1	271200 195750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	0	1	271700 196050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	0	1	271350 195800
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B13SE (NW)	0	1	272100 195850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13NW (NW)	0	1	272000 196050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13NW (NW)	0	1	272050 196050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B13NE (N)	0	1	272100 196050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(N)	0	1	272000 196300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13SW (W)	0	1	271850 195600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	0	1	271500 195900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	271550 195900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	0	1	271700 195900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13NE (N)	0	1	272150 195900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	0	1	271900 196600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	0	1	271250 196250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	0	1	271900 196250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	271950 196250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(N)	0	1	272100 196250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B13SW (NW)	0	1	271900 195700

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	0	1	271450 195850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	2	1	272050 196500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13SW (NW)	4	1	272000 195750
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B13NE (N)	8	1	272150 196000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13NE (N)	15	1	272100 196100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	27	1	272297 196350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B13NE (N)	33	1	272150 196200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B9NW (W)	37	1	271850 195500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13NE (N)	41	1	272150 196100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13SE (NW)	41	1	272100 195800
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	47	1	271300 195050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B9NW (W)	53	1	271850 195475
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13NE (N)	58	1	272200 196000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B13NE (N)	58	1	272200 195900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(N)	71	1	272250 196350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	74	1	271200 196450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B13NE (N)	76	1	272250 195900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B9SE (SW)	85	1	272100 195000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	96	1	271700 195475
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13SE (N)	101	1	272200 195800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13SE (NW)	102	1	272100 195750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	118	1	271400 195000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B13NE (N)	133	1	272250 196200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B9NW (W)	135	1	271900 195475
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13NE (N)	139	1	272250 196100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(N)	140	1	272250 196300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B13NE (N)	143	1	272250 196150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B13SE (N)	148	1	272297 195800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13SE (NW)	151	1	272150 195750
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B13NE (N)	158	1	272297 195950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B9NW (W)	162	1	271750 195475
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B9NW (W)	171	1	271750 195450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13NE (N)	183	1	272297 196200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(N)	188	1	272297 196300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B9NW (W)	189	1	271950 195450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13NE (N)	190	1	272297 196150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13SE (N)	199	1	272200 195750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	227	1	271650 194950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13SE (NE)	228	1	272400 195550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13NE (N)	233	1	272300 196200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B9NW (W)	239	1	271950 195400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B9NW (W)	252	1	272000 195400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B13NE (N)	277	1	272350 196100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B13NE (N)	283	1	272350 196150

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	292	1	272300 196500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B9NW (SW)	299	1	272000 195350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B9NW (SW)	347	1	272000 195300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B9NW (SW)	363	1	272050 195300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13SE (N)	396	1	272350 195650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	409	1	272450 196400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13SE (NE)	430	1	272350 195600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B9SW (SW)	442	1	271800 195000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13SE (NE)	467	1	272400 195600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B9NE (SW)	475	1	272100 195200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B9NE (S)	477	1	272297 195300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B9NE (SW)	482	1	272200 195250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B5NW (SW)	487	1	271850 194550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B9SW (SW)	493	1	272050 195150
1	Discharge Consents Operator: Mr R G Williams Property Type: Domestic Property (Single) Location: Gellibwch Farm Llandarcy Neath Authority: Natural Resources Wales Catchment Area: River Neath Reference: BP0004001 Permit Version: 1 Effective Date: 28th October 1985 Issued Date: 28th October 1985 Revocation Date: Not Supplied Discharge Type: Unspecified Discharge: Into Land Environment: To Land Receiving Water: To Land Status: New Consent, by Application (Water Resources Act 1991, Section 88) Positional Accuracy: Located by supplier to within 100m	B9SW (SW)	665	2	271900 194900

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
2	Discharge Consents Operator: Sims Group Uk Limited Property Type: Trade (Unknown/Other) Location: Sims Group Uk Limited Neath Abbey, Neath Abbey Wharf, Skewen, Neath, SA10 6bl Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bp0328001 Permit Version: 1 Effective Date: 28th October 2004 Issued Date: 28th October 2004 Revocation Date: 11th October 2007 Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Open Culvert To River Neath Status: Revoked (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	B14NW (NE)	677	2	272757 195873
3	Discharge Consents Operator: Sims Group Uk Limited Property Type: Dealing In Scrap Metals Location: Neath Abbey Wharf Skewen Authority: Natural Resources Wales Catchment Area: River Neath Reference: BP0234501 Permit Version: 1 Effective Date: 14th March 1994 Issued Date: 14th March 1994 Revocation Date: 11th October 2007 Discharge Type: Trade Discharge - Process Water Discharge: Not Supplied Environment: Receiving Water: The Neath Estuary Status: Revoked (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 100m	B14NE (NE)	814	2	272900 196100
4	Integrated Pollution Controls Name: Bp Oil (Uk) Ltd Location: Britannic House, Llandarcy, Neath, West Glamorgan, SA10 6HJ Authority: Environment Agency, Welsh Region Permit Reference: BD9033 Dated: 24th November 1998 Process Type: IPC minor (non-substantial) variation to previous variation Description: 1.4 A (A) Petroleum processes within the Fuel & Power Industry Status: Authorisation revoked Positional Accuracy: Automatically positioned to the address	B13SW (NW)	0	3	271879 195809
4	Integrated Pollution Controls Name: Bp Oil (Uk) Ltd Location: Britannic House, Llandarcy, Neath, West Glamorgan, SA10 6HJ Authority: Environment Agency, Welsh Region Permit Reference: AY2869 Dated: 27th March 1998 Process Type: IPC minor (non-substantial) variation to previous variation Description: 1.4 A (A) Petroleum processes within the Fuel & Power Industry Status: Authorisation superseded by a substantial or non substantial variation Positional Accuracy: Automatically positioned to the address	B13SW (NW)	0	3	271879 195809
4	Integrated Pollution Controls Name: Bp Oil (Uk) Ltd Location: Britannic House, Llandarcy, Neath, West Glamorgan, SA10 6HJ Authority: Environment Agency, Welsh Region Permit Reference: AU3499 Dated: 25th March 1996 Process Type: IPC minor (non-substantial) variation to previous variation Description: 1.4 A (A) Petroleum processes within the Fuel & Power Industry Status: Authorisation superseded by a substantial or non substantial variation Positional Accuracy: Automatically positioned to the address	B13SW (NW)	0	3	271879 195809
4	Integrated Pollution Controls Name: Bp Oil (Uk) Ltd Location: Britannic House, Llandarcy, Neath, West Glamorgan, SA10 6HJ Authority: Environment Agency, Welsh Region Permit Reference: AU3251 Dated: 21st March 1996 Process Type: IPC minor (non-substantial) variation to previous variation Description: 1.3 A (A) Combustion processes within the Fuel & Power Industry Status: Authorisation revoked Positional Accuracy: Automatically positioned to the address	B13SW (NW)	0	3	271879 195809

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
4	Integrated Pollution Controls Name: Bp Oil (Uk) Ltd Location: Britannic House, Llandarcy, Neath, West Glamorgan, SA10 6HJ Authority: Environment Agency, Welsh Region Permit Reference: AP4700 Dated: 27th March 1995 Process Type: IPC minor (non-substantial) variation to previous variation Description: 1.4 A (A) Petroleum processes within the Fuel & Power Industry Status: Authorisation superseded by a substantial or non substantial variation Positional Accuracy: Automatically positioned to the address	B13SW (NW)	0	3	271879 195809
4	Integrated Pollution Controls Name: Bp Oil (Uk) Ltd Location: Britannic House, Llandarcy, Neath, West Glamorgan, SA10 6HJ Authority: Environment Agency, Welsh Region Permit Reference: AF7843 Dated: 1st January 1994 Process Type: IPC application for process that was regulated by HMIP for air releases under previous legislation Description: 1.4 A (A) Petroleum processes within the Fuel & Power Industry Status: Authorisation superseded by a substantial or non substantial variation Positional Accuracy: Automatically positioned to the address	B13SW (NW)	0	3	271879 195809
4	Integrated Pollution Controls Name: Bp Oil (Uk) Ltd Location: Britannic House, Llandarcy, Neath, West Glamorgan, SA10 6HJ Authority: Environment Agency, Welsh Region Permit Reference: AJ0329 Dated: 6th August 1993 Process Type: IPC minor (non-substantial) variation to previous variation Description: 1.3 A (A) Combustion processes within the Fuel & Power Industry Status: Authorisation superseded by a substantial or non substantial variation Positional Accuracy: Automatically positioned to the address	B13SW (NW)	0	3	271879 195809
4	Integrated Pollution Controls Name: Bp Oil (Uk) Ltd Location: Britannic House, Llandarcy, Neath, West Glamorgan, SA10 6HJ Authority: Environment Agency, Welsh Region Permit Reference: AA3743 Dated: 2nd April 1992 Process Type: IPC application for process that was regulated by HMIP for air releases under previous legislation Description: 1.3 A (A) Combustion processes within the Fuel & Power Industry Status: Authorisation superseded by a substantial or non substantial variation Positional Accuracy: Automatically positioned to the address	B13SW (NW)	0	3	271879 195809
5	Local Authority Pollution Prevention and Controls Name: Bp Oil Uk LimitedBp Bitumen Opu (Bit) Location: Britannic House, Llandarcy, NEATH, West Glamorgan, SA10 6HJ Authority: Neath Port Talbot County Borough Council, Environmental Health Department Permit Reference: E3/1/87 Dated: 10th November 1999 Process Type: Local Authority Air Pollution Control Description: PG6/42 Bitumen and tar processes Status: Permitted Positional Accuracy: Automatically positioned to the address	B13SW (NW)	0	4	271879 195809
6	Local Authority Pollution Prevention and Controls Name: S & G Soils Ltd Location: Area 1 Neath Abbey Wharf, Skewen, Sa10 6bl Authority: Neath Port Talbot County Borough Council, Environmental Health Department Permit Reference: E2/1/120 Dated: 23rd November 2006 Process Type: Local Authority Air Pollution Control Description: PG3/16 Mobile screening and crushing processes Status: Authorised Positional Accuracy: Located by supplier to within 10m	B14NE (NE)	691	4	272770 195870
7	Local Authority Pollution Prevention and Controls Name: Express Asphalt Location: Grove Road, Skewen, Neath, Sa10 6bl Authority: North West Leicestershire District Council, Environmental Health Department Permit Reference: S/58/3.1(B)(b) Dated: 7th January 2005 Process Type: Local Authority Air Pollution Control Description: PG3/1Blending, packing, loading and use of bulk cement Status: Authorisation certificate surrendered by operator Positional Accuracy: Manually positioned within the geographical locality	B14NE (NE)	777	5	272847 196183

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
8	Local Authority Pollution Prevention and Controls Name: East West Demolition Ltd Location: Adj To Flogas, Llandarcy, Neath Port Talbot Authority: Neath Port Talbot County Borough Council, Environmental Health Department Permit Reference: E3/1/110 Dated: Not Supplied Process Type: Local Authority Air Pollution Control Description: PG3/16 Mobile screening and crushing processes Status: Authorised Positional Accuracy: Located by supplier to within 10m	B10SW (SE)	836	4	272541 195150
	Nearest Surface Water Feature	B13NE (N)	18	-	272101 195969
9	Pollution Incidents to Controlled Waters Property Type: Abandoned mine Location: Bp, Abstraction Point Authority: Environment Agency, Welsh Region Pollutant: Coal Solids Note: Not Supplied Incident Date: 15th December 1994 Incident Reference: 22120 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Effluent Discharge Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	B14SW (NE)	590	3	272600 195700
	River Quality Name: Port Tennant Canal GQA Grade: River Quality E Reach: Jersey Marine B - Neath Abbey Estimated Distance (km): 5 Flow Rate: Flow greater than 80 cumecs Flow Type: Canal Year: 2000	B10NW (SE)	699	3	272585 195317
	River Quality Name: Neath Canal GQA Grade: River Quality D Reach: Conf.Neath - Aberdulais Aqueduct Estimated Distance (km): 8 Flow Rate: Flow greater than 80 cumecs Flow Type: Canal Year: 2000	B14SE (E)	872	3	272912 195551
10	Water Industry Act Referrals Name: Bp Oil (Uk) Ltd Location: LLANDARCY REFINERY, SKEWEN, NEATH, WEST GLAMORGAN, SA10 6HJ Authority: Natural Resources Wales Permit Reference: AQ9022 Dated: 24th March 1995 Process Type: Permissions or amendments to discharge under the Water Industry Act 1991 Description: Processes which result in the discharge of Special Category effluents under The Trade Effluents (Prescribed Processes and Substances) Regulations Status: Application cancelled Positional Accuracy: Automatically positioned to the address	B13SW (NW)	0	2	271874 195814
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Low Vulnerability Combined Vulnerability: Low Combined Aquifer: Productive Bedrock Aquifer, Unproductive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: >550 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Medium	(W)	0	2	271590 195472

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: >550 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: Medium	B13NW (NW)	0	2	272000 196000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Low Vulnerability Combined Vulnerability: Low Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: >550 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Medium	(N)	0	2	272157 196299
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Low Vulnerability Combined Vulnerability: Low Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: >550 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Medium	B13NE (N)	0	2	272274 196000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Low Vulnerability Combined Vulnerability: Low Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: >550 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: Medium	B9NW (W)	0	2	271923 195475

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Low Vulnerability Combined Vulnerability: Low Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: >550 mm/year Baseflow Index: <40% Superficial: <90% Patchiness: Superficial 3-10m Thickness: Superficial Medium Recharge:	B9NW (W)	0	2	272000 195475
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: >550 mm/year Baseflow Index: >70% Superficial: <90% Patchiness: Superficial 3-10m Thickness: Superficial High Recharge:	B9NE (SE)	0	2	272297 195475
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: >550 mm/year Baseflow Index: <40% Superficial: <90% Patchiness: Superficial <3m Thickness: Superficial Medium Recharge:	B13NW (NW)	0	2	272000 196190
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Low Vulnerability Combined Vulnerability: Low Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: >550 mm/year Baseflow Index: <40% Superficial: <90% Patchiness: Superficial 3-10m Thickness: Superficial Medium Recharge:	B13NE (N)	0	2	272257 196143
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	B9NE (SE)	0	2	272297 195475
	Superficial Aquifer Designations Aquifer Designation: Unproductive Strata	(W)	0	2	271590 195472
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	B9NE (SE)	0	2	272297 195475
	Extreme Flooding from Rivers or Sea without Defences None				

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Flooding from Rivers or Sea without Defences None				
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas None				
	Flood Defences None				
11	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 427.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B13SE (N)	18	6	272282 195618
12	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 85.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B13NW (N)	22	6	272054 196125
13	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 33.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B13NE (N)	33	6	272109 196035
14	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 300.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B9NW (W)	53	6	272083 195492
15	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 40.2 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B13SW (W)	68	6	271895 195577
16	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 9.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B13SW (W)	68	6	271903 195580
17	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 22.7 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B13SW (W)	69	6	271925 195580
18	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 16.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B13SW (W)	78	6	271860 195557

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
19	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B13SW (W)	86	6	271931 195584
20	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 182.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B13SE (W)	87	6	272107 195539
21	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 49.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B13SW (W)	88	6	271846 195549
22	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 18.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B13NE (N)	92	6	272163 196201
23	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 157.3 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B13NE (N)	109	6	272305 196134
24	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 211.4 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B9NW (W)	124	6	271807 195519
25	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 291.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B13SE (N)	162	6	272292 195825
26	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 42.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B9NW (W)	210	6	272049 195500
27	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 26.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B13NE (N)	216	6	272300 196100

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
28	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 151.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B13NE (N)	217	6	272274 196180
29	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 63.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B13SE (NW)	220	6	272177 195687
30	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 70.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B13SE (W)	233	6	272107 195539
31	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 9.5 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B13NE (N)	238	6	272306 196104
32	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 28.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B13NE (N)	247	6	272314 196109
33	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 29.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B13NE (N)	249	6	272320 196130
34	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 161.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B13SE (NW)	265	6	272253 195554
35	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 34.1 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B13SE (N)	266	6	272310 195796
36	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B13NE (N)	273	6	272341 196111

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
37	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 125.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B13NE (N)	273	6	272394 196073
38	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 13.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B13NE (N)	274	6	272339 196118
39	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B13NE (N)	275	6	272334 196131
40	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 314.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B13NE (N)	276	6	272334 196132
41	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 70.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B13SE (N)	299	6	272348 195737
42	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 256.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B14NW (N)	335	6	272433 196052
43	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B14NW (N)	340	6	272424 196072
44	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 145.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B13SE (N)	342	6	272394 195840
45	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 8.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B13SE (NW)	385	6	272261 195551

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
46	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 19.0 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B13SE (NW)	394	6	272266 195532
47	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 318.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B13SE (N)	408	6	272306 195527
48	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 165.6 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B14SW (NE)	449	6	272621 195755
49	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 62.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B9SW (SW)	465	6	271747 194921
50	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 192.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	B9SW (SW)	504	6	271864 195053
51	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 174.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B9SW (SW)	520	6	271778 194917
52	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 31.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B9SW (SW)	522	6	271778 194917
53	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 286.1 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B14SW (NE)	529	6	272621 195755
54	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 483.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B9SE (S)	549	6	272297 195162

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
55	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 72.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B9SW (SW)	550	6	271843 194947
56	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 63.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B9SW (SW)	552	6	271925 195048
57	OS Water Network Lines Watercourse Form: Canal Watercourse Length: 1135.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Tennant Canal Catchment Name: Neath Primacy: 1	B10NW (SE)	557	6	272447 195367
58	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 36.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	B9SW (SW)	558	6	271894 195033
59	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 234.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B9SW (SW)	563	6	271843 194946
60	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 206.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B9NE (S)	580	6	272318 195270
61	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 35.0 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B14SW (NE)	583	6	272641 195726
62	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 39.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B9SW (SW)	589	6	271963 195054
63	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 135.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B9SW (SW)	590	6	271963 195054

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
64	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 35.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	B9SW (SW)	590	6	271925 195048
65	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 4.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B9SW (SW)	592	6	271847 194947
66	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 4.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B9SW (SW)	593	6	271847 194947
67	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 20.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B9SW (SW)	595	6	271867 194954
68	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 8.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B9SW (SW)	608	6	271873 194961
69	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 24.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B14SW (NE)	613	6	272641 195726
70	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 13.9 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B14SW (NE)	637	6	272661 195715
71	OS Water Network Lines Watercourse Form: Canal Watercourse Length: 116.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Tennant Canal Catchment Name: Neath Primacy: 1	B10NW (SE)	643	6	272447 195367
72	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 63.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B14SW (NE)	650	6	272675 195713

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
73	OS Water Network Lines Watercourse Form: Canal Watercourse Length: 128.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Tennant Canal Catchment Name: Neath Primacy: 1	B9NE (SE)	661	6	272404 195260
74	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 13.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B14SW (NE)	711	6	272733 195694
75	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 32.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B10NW (SE)	714	6	272444 195223
76	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 97.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B14SE (E)	724	6	272770 195634
77	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 41.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B10NW (SE)	727	6	272469 195238
78	OS Water Network Lines Watercourse Form: Canal Watercourse Length: 495.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Tennant Canal Catchment Name: Neath Primacy: 1	B9SE (S)	731	6	272391 195132
79	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 312.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B10NW (E)	738	6	272568 195395
80	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 81.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B10NW (E)	752	6	272660 195487
81	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 105.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	B14SW (E)	753	6	272703 195560

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
82	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 16.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	B14SW (E)	753	6	272703 195560
83	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	B14SW (E)	753	6	272701 195552
84	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 13.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B14SW (E)	756	6	272701 195552
85	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 51.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B14SW (E)	768	6	272712 195546
86	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 143.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B14SE (E)	770	6	272770 195633
87	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 85.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B14SW (E)	775	6	272731 195562
88	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 5.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B10NW (E)	810	6	272733 195500
89	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 63.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B10NW (E)	813	6	272717 195461
90	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 38.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B10NW (E)	813	6	272733 195500

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
91	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 1261.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Nedd Catchment Name: Neath Primacy: 1	B10NE (E)	823	6	272886 195490
92	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 55.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B14SE (E)	826	6	272785 195551
93	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 16.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B10NW (SE)	832	6	272639 195329
94	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B10NW (E)	839	6	272721 195442
95	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 11.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B10NW (E)	839	6	272724 195449
96	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 9.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B10NW (E)	841	6	272721 195442
97	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B10NW (E)	841	6	272717 195437
98	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 2.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B10NW (E)	841	6	272720 195440
99	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 46.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Not Supplied Primacy: 1	B10NE (E)	841	6	272769 195502

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
100	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 9.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Not Supplied Primacy: 1	B10NE (E)	841	6	272769 195499
101	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 8.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B10NW (E)	842	6	272720 195440
102	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 112.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B10NE (E)	859	6	272775 195444
103	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 37.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B10NE (E)	878	6	272812 195493
104	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 91.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B10NE (E)	884	6	272811 195476
105	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 100.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B10NW (SE)	896	6	272691 195291
106	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 27.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	B10NW (SE)	905	6	272678 195249
107	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 17.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B10NW (E)	906	6	272727 195336
108	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 27.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B10NW (SE)	908	6	272681 195246

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
109	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 11.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B10NW (E)	910	6	272742 195354
110	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 16.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B10NW (E)	910	6	272742 195354
111	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 15.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B14SE (E)	916	6	272962 195707
112	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 94.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B14SE (E)	918	6	272959 195631
113	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 10.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B14SE (E)	918	6	272962 195707
114	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 26.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B14NE (NE)	924	6	273012 195924
115	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 104.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B10NW (SE)	929	6	272698 195235
116	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B10NW (SE)	931	6	272703 195240
117	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 162.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B14SE (E)	932	6	273063 195766

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
118	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 57.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B10NW (E)	933	6	272756 195332
119	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 34.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B10NE (E)	937	6	272810 195397
120	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 41.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Not Supplied Primacy: 1	B10NE (E)	939	6	272780 195360
121	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 118.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B10NW (SE)	940	6	272700 195212
122	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 43.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B10NW (SE)	941	6	272739 195285
123	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 54.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B14SE (E)	943	6	273004 195762
124	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 119.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B14SE (E)	945	6	272958 195578
125	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 8.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B14SE (E)	945	6	272960 195627
126	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B14NE (NE)	945	6	273033 195908

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
127	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 18.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Not Supplied Primacy: 1	B10NE (E)	954	6	272803 195353
128	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 33.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B10NE (E)	960	6	272768 195298
129	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 18.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B10NE (E)	962	6	272803 195353
130	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 62.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B14SE (E)	962	6	273006 195700
131	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 215.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B10NE (E)	965	6	272856 195410
132	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 12.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B14SE (E)	965	6	272989 195644
133	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 24.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B14SE (E)	973	6	273040 195781
134	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 2.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B14SE (E)	976	6	273001 195642
135	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 6.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B10NE (SE)	976	6	272774 195275

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
136	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 59.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B14SE (E)	977	6	273001 195641
137	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 9.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Not Supplied Primacy: 1	B10NE (E)	977	6	272778 195280
138	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 21.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B10NE (E)	979	6	272808 195331
139	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 17.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B10NE (E)	979	6	272811 195336
140	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 14.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Not Supplied Primacy: 1	B10NE (E)	980	6	272785 195286
141	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 41.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B14SE (E)	982	6	273021 195682
142	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 14.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Not Supplied Primacy: 1	B10NE (E)	984	6	272803 195309
143	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 15.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B10NE (E)	984	6	272805 195315
144	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 14.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Not Supplied Primacy: 1	B10NE (E)	987	6	272801 195301

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
145	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 14.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Not Supplied Primacy: 1	B14SE (E)	991	6	273055 195757
146	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 11.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Not Supplied Primacy: 2	B14SE (E)	991	6	273054 195761
147	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 39.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Not Supplied Primacy: 1	B10NE (E)	991	6	272798 195286
148	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 39.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B10SW (SE)	994	6	272743 195179
149	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 51.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B10SW (SE)	996	6	272733 195155
150	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 51.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B10NW (SE)	997	6	272755 195197
151	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 13.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Not Supplied Primacy: 1	B14SE (E)	999	6	273063 195753
152	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 6.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B10NE (E)	999	6	272817 195306
153	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 9.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	B10NE (E)	999	6	272817 195306

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
154	Historical Landfill Sites Licence Holder: Not Supplied Location: Pen-yr-Heol, Skewen Name: Refuse Tip South East of M4 Junction 43 Operator Location: Not Supplied Boundary Accuracy: As Supplied Provider Reference: EAHLD34822 First Input Date: Not Supplied Last Input Date: Not Supplied Specified Waste: Not Supplied Type: EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: Not Supplied BGS Ref: Not Supplied Other Ref: Not Supplied	B10NW (E)	721	2	272574 195415
155	Licensed Waste Management Facilities (Landfill Boundaries) Name: Giants Grave Landfill Licence Number: 34060 Location: The Saltings, Giants Grave Road, Briton Ferry, Neath, N P T, SA11 2LN Licence Holder: Neath Port Talbot Waste Management Co Ltd Authority: Natural Resources Wales Site Category: Other Landfill Sites Taking Special Waste Max Input Rate: Not Supplied Licence Status: Closure Issued: 1st April 1993 Positional Accuracy: Positioned by the supplier Boundary Accuracy: As Supplied	B10NE (E)	866	2	272945 195512
156	Licensed Waste Management Facilities (Landfill Boundaries) Name: Giants Grave Landfill Site (Ppc) Licence Number: 34272 Location: Giants Grave, Giants Grave Road, Briton Ferry, Neath, N P T, SA11 2LN Licence Holder: Neath Port Talbot Waste Management Co Ltd Authority: Natural Resources Wales Site Category: Household, Commercial And Industrial Waste Landfills Max Input Rate: Not Supplied Licence Status: PPC Issued: 24th June 2005 Positional Accuracy: Positioned by the supplier Boundary Accuracy: As Supplied	B10NE (E)	870	2	272946 195518
157	Licensed Waste Management Facilities (Locations) Licence Number: 30379 Location: Coed Darcy Urban Village, Former B P Llandarcy Refinery, Llandarcy, Neath Port Talbot, South Wales, SA10 6HJ Operator Name: Celtic Technologies Ltd Operator Location: Not Supplied Authority: Environment Agency - South East Region, West Thames Area Site Category: Mobile Plant Licence Status: Modified Issued: 4th November 2005 Last Modified: 28th March 2012 Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	B13SW (NW)	0	3	271882 195808
158	Licensed Waste Management Facilities (Locations) Licence Number: 101409 Location: Neath Abbey Wharf, Skewen, Neath, SA10 6BL Operator Name: Derwen Plant Company Ltd Operator Location: Not Supplied Authority: Natural Resources Wales Site Category: Special Waste Transfer Stations Licence Status: Modified Issued: 9th March 2010 Last Modified: 2nd September 2014 Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	B14NE (NE)	683	2	272774 196031

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
159	Licensed Waste Management Facilities (Locations) Licence Number: FP3494VK Location: Parle Recycling Ltd, Neath Abbey Wharf, Skewen, Neath, N P T, Neath Port Talbot, SA10 6BL Operator Name: Parle Recycling Ltd Operator Location: Not Supplied Authority: Natural Resources Wales Site Category: Household, Commercial And Industrial Transfer Stations Licence Status: Expired Issued: 29th May 2008 Last Modified: Not Supplied Expires: 14th August 2012 Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	B14NE (NE)	687	2	272774 195919
159	Licensed Waste Management Facilities (Locations) Licence Number: 100359 Location: Land / Premises At, Neath Abbey Wharf, Skewen, Neath, SA10 6BL Operator Name: Parle Recycling Ltd Operator Location: Not Supplied Authority: Natural Resources Wales Site Category: Household, Commercial And Industrial Transfer Stations Licence Status: Expired Issued: 29th May 2008 Last Modified: Not Supplied Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	B14NE (NE)	687	2	272774 195919
159	Licensed Waste Management Facilities (Locations) Licence Number: KB3232RE Location: The Recycling Centre, Neath, N P T, Neath Port Talbot, SA10 6BL Operator Name: Agresol Ltd Operator Location: Not Supplied Authority: Natural Resources Wales Site Category: Composting Licence Status: Expired Issued: 18th August 2010 Last Modified: Not Supplied Expires: 23rd December 2013 Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	B14NE (NE)	691	2	272770 195870
160	Licensed Waste Management Facilities (Locations) Licence Number: BB3394CL Location: Morris & Co (Handlers) Ltd, Top Shed, Neath Abbey Wharf, Skewen, Neath Port Talbot, SA10 6BL Operator Name: Morris & Co (Handlers) Ltd Operator Location: Not Supplied Authority: Natural Resources Wales Site Category: Metal Recycling Sites (Mixed) Licence Status: Effective Issued: 26th July 2019 Last Modified: Not Supplied Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	B14NE (NE)	706	2	272785 195866

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
161	Licensed Waste Management Facilities (Locations) Licence Number: UP3898FQ Location: Neath Abbey Wharf, Skewen, Neath, N P T, Neath Port Talbot, SA10 6BL Operator Name: Sims Group U K Ltd Operator Location: Not Supplied Authority: Natural Resources Wales Site Category: Metal Recycling Sites (Mixed) Licence Status: Effective Issued: 29th June 2017 Last Modified: Not Supplied Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	B14NE (NE)	742	2	272829 196081
161	Licensed Waste Management Facilities (Locations) Licence Number: 34092 Location: Neath Abbey Wharf, Skewen, Neath, SA10 6BL Operator Name: Sims Group U K Ltd Operator Location: Not Supplied Authority: Natural Resources Wales Site Category: Metal Recycling Sites (Mixed) Licence Status: Modified Issued: 3rd March 1994 Last Modified: 7th December 2012 Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	B14NE (NE)	742	2	272829 196081
	Local Authority Landfill Coverage Name: Neath Port Talbot County Borough Council - Has supplied landfill data		0	4	272297 195475
162	Potentially Infilled Land (Non-Water) Bearing Ref: NE Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	B14SW (NE)	0	-	272459 195548
163	Potentially Infilled Land (Non-Water) Bearing Ref: W Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	B13SW (W)	107	-	271886 195531
164	Potentially Infilled Land (Non-Water) Bearing Ref: W Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	B9NW (W)	124	-	271847 195512
165	Potentially Infilled Land (Non-Water) Bearing Ref: W Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	B9NW (W)	136	-	271934 195521
166	Potentially Infilled Land (Non-Water) Bearing Ref: W Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	B9NW (W)	256	-	271768 195396
167	Potentially Infilled Land (Non-Water) Bearing Ref: NE Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	B14SW (NE)	637	-	272745 195712
168	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1940	B13NW (NW)	0	-	271935 196146
169	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1884	B13NW (NW)	0	-	271774 196085
170	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1900	B13NW (NW)	8	-	271781 196176
171	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1884	B13SW (W)	82	-	272032 195551

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
172	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1940	B13NE (N)	92	-	272181 195976
173	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1940	B13SE (NW)	133	-	272171 195778
174	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1884	B13SE (NW)	155	-	272105 195581
175	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1884	B14NW (NE)	552	-	272630 196120
176	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1940	B14NW (NE)	602	-	272665 196182
177	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1884	B10NW (SE)	707	-	272506 195348
178	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1884	B10NW (SE)	742	-	272469 195212
179	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1938	B10NW (SE)	746	-	272527 195302
180	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1900	B10NW (SE)	756	-	272503 195237
181	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1884	B10SW (SE)	770	-	272481 195180
182	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1884	B10SW (SE)	832	-	272484 195085
183	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1884	B10SW (SE)	920	-	272575 195056
184	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1884	B10SW (S)	944	-	272436 194887
185	Registered Waste Treatment or Disposal Sites Licence Holder: Simsmetal Uk (South West) Ltd Licence Reference: NBSC 4 Site Location: Neath Abbey Wharf, Skewen, NEATH, West Glamorgan, SA10 6BL Operator Location: Allied House, Beaufort Square, CHEPSTOW, Gwent, NP6 5EP Authority: Environment Agency Wales, South West Area Site Category: Scrapyard Max Input Rate: Large (Equal to or greater than 75,000 and less than 250,000 tonnes per year) Waste Source: No known restriction on source of waste Restrictions: Licence Status: Operational as far as is knownOperational Dated: 3rd March 1994 Preceded By: Not Given Licence: Superseded By: Not Given Licence: Positional Accuracy: Manually positioned to the address or location Boundary Quality: Not Supplied Authorised Waste: Scrap Metal Prohibited Waste: Elemental Sodium/Potassium Highly Flammable Waste Fl.Pt < 20 C Percussive/Explosive/Similar Waste Powdered Metals Special Wastes Sub'S Control. Radioactive Subs Act'60	B14NE (NE)	773	3	272850 196150

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
186	Control of Major Accident Hazards Sites (COMAH) Name: BP Oil Amoco Ltd Location: Britannic House, Llandarcy, Neath, West Glamorgan, SA10 6HJ Reference: Not Supplied Type: Upper Tier Status: Record Ceased To Be Supplied Under COMAH Regulations Positional Accuracy: Automatically positioned to the address	B13SW (NW)	0	7	271879 195809
187	Control of Major Accident Hazards Sites (COMAH) Name: Flogas Britain Limited Location: E M Edwards Works, Llandarcy, Neath, West Glamorgan, SA10 6JY Reference: Not Supplied Type: Upper Tier Status: Active Positional Accuracy: Automatically positioned to the address	B10SW (SE)	881	7	272538 195072
188	Control of Major Accident Hazards Sites (COMAH) Name: BG PLC TransCo Location: E M Edwards Works, Earlswood Bypass, Jersey Marine, NEATH, West Glamorgan, SA10 6JY Reference: Not Supplied Type: Upper Tier Status: Record Ceased To Be Supplied Under COMAH Regulations Positional Accuracy: Automatically positioned to the address	B10SW (SE)	982	7	272613 195005
189	Notification of Installations Handling Hazardous Substances (NIHHS) Name: B P Oil Limited Location: Llandarcy Refinery, Llandarcy, NEATH, West Glamorgan, SA10 6HJ Status: Not Active Positional Accuracy: Automatically positioned to the address	B13SW (NW)	0	7	271884 195809
190	Planning Hazardous Substance Consents Name: Bp Oil Llandarcy Refinery Ltd Location: Llandarcy, Neath Authority: Neath Port Talbot County Borough Council, Planning Department Application Ref: 05/1088 Hazardous Substance: Combination of Dangerous Substances Maximum Quantity: 194794 Application date: 8th October 2004 Decision: Application revoked or cancelledCancelled Positional Accuracy: Located by supplier to within 10m	B13SW (NW)	0	8	271815 195859
191	Planning Hazardous Substance Consents Name: B P Bitumen Location: Britannic House, Llandarcy, NEATH, West Glamorgan, SA10 6JQ Authority: Neath Port Talbot County Borough Council, Planning Department Application Ref: PH5/003 Hazardous Substance: Part C, Flammable Substance (Not in Parts A&B), All other liquid or liquids with flashpoint less than 21C, where amount held is >= 10,000 tonnes Maximum Quantity: 0 Application date: Not Supplied Decision: Deemed consent granted between June 1992 and November 1992Granted Positional Accuracy: Automatically positioned to the address	B13SW (NW)	0	8	271874 195799
191	Planning Hazardous Substance Consents Name: Bp Oil Location: Britannic House, Llandarcy, Neath, West Glamorgan, Sa10 6jq Authority: Neath Port Talbot County Borough Council, Planning Department Application Ref: Phs 003 Hazardous Substance: Flammable (flammable liquids with flash point >=21C and <=55C supporting combustion) Maximum Quantity: 0 Application date: Not Supplied Decision: Deemed Consent GrantedGranted Positional Accuracy: Automatically positioned to the address	B13SW (NW)	0	8	271880 195800
192	Planning Hazardous Substance Consents Name: British Gas Plc Location: E M Edwards Works, Llandarcy, Neath, West Glamorgan, Sa10 6jy Authority: Neath Port Talbot County Borough Council, Planning Department Application Ref: Phs 005 Hazardous Substance: Liquefied extremely flammable gas (including LPG) and natural gas (whether liquefied or not) Maximum Quantity: 0 Application date: Not Supplied Decision: Deemed Consent GrantedGranted Positional Accuracy: Manually positioned to the address or location	B10NW (SE)	784	8	272533 195232

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
192	Planning Hazardous Substance Consents Name: British Gas Plc Location: E M Edwards Works, Llandarcy, Neath, West Glamorgan, Sa10 6jy Authority: Neath Port Talbot County Borough Council, Planning Department Application Ref: Phs 006 Hazardous Substance: Part C, Flammable Substance (Not in Parts A&B), Liquefied petroleum gas held at >1.4 bar where amount held is greater than or equal to 25 tonnes Maximum Quantity: 0 Application date: Not Supplied Decision: Deemed consent granted between June 1992 and November 1992Granted Positional Accuracy: Manually positioned to the address or location	B10NW (SE)	784	8	272532 195230
192	Planning Hazardous Substance Consents Name: British Gas Plc Location: E M Edwards Works, Llandarcy, NEATH, West Glamorgan, SA10 6JY Authority: Neath Port Talbot County Borough Council, Planning Department Application Ref: PH5/006 Hazardous Substance: Part C, Flammable Substance (Not in Parts A&B), All other liquid or liquids with flashpoint less than 21C, where amount held is >= 10,000 tonnes Maximum Quantity: 0 Application date: Not Supplied Decision: Deemed consent granted between June 1992 and November 1992Granted Positional Accuracy: Manually positioned to the address or location	B10NW (SE)	788	8	272537 195232
192	Planning Hazardous Substance Consents Name: British Gas Plc Location: E M Edwards Works, Llandarcy, NEATH, West Glamorgan, SA10 6JY Authority: Neath Port Talbot County Borough Council, Planning Department Application Ref: PH5/006 Hazardous Substance: Part A, Toxic Substance, Sulphur dioxide, where amount held is greater than or equal to 20 tonnes Maximum Quantity: 0 Application date: Not Supplied Decision: Deemed consent granted between June 1992 and November 1992Granted Positional Accuracy: Manually positioned to the address or location	B10NW (SE)	790	8	272537 195227
193	Planning Hazardous Substance Consents Name: British Gas Plc Location: Neath Gas Works, Milland Road, NEATH, West Glamorgan, SA10 Authority: Neath Port Talbot County Borough Council, Planning Department Application Ref: Phs 004 Hazardous Substance: Liquefied extremely flammable gas (including LPG) and natural gas (whether liquefied or not) Maximum Quantity: 0 Application date: Not Supplied Decision: Deemed Consent GrantedGranted Positional Accuracy: Manually positioned to the address or location	B10SW (SE)	874	8	272534 195079
194	Planning Hazardous Substance Consents Name: Flogas Britain Ltd Location: Llandarcy, Sa10 6jy Authority: Neath Port Talbot County Borough Council, Planning Department Application Ref: P2014/0921 Hazardous Substance: Liquefied extremely flammable gas (including LPG) and natural gas (whether liquefied or not) Maximum Quantity: 0 Application date: 19th September 2014 Decision: Unknown at time of reportUnknown Positional Accuracy: Manually positioned to the address or location	B10SW (SE)	969	8	272570 194976

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: South Wales Upper Coal Measures Formation	B9NE (SE)	0	1	272297 195475
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 35 - 45 mg/kg Cadmium Concentration: 3.0 - 6.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	B13NW (NW)	0	1	271965 196036
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 35 - 45 mg/kg Cadmium Concentration: 3.0 - 6.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	B9NE (N)	0	1	272297 195500
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 25 - 35 mg/kg Cadmium Concentration: 3.0 - 6.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	(N)	0	1	272225 196217
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 25 - 35 mg/kg Cadmium Concentration: 3.0 - 6.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	B13NW (NW)	0	1	272000 195987
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 35 - 45 mg/kg Cadmium Concentration: 3.0 - 6.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	B13NW (NW)	0	1	272007 195989
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 35 - 45 mg/kg Cadmium Concentration: 3.0 - 6.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	B13NW (N)	0	1	272058 196199

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 45 - 60 mg/kg Concentration: Cadmium 3.0 - 6.0 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 30 - 45 mg/kg Concentration:	B13NW (NW)	0	1	272000 196190
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 25 - 35 mg/kg Concentration: Cadmium 3.0 - 6.0 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 30 - 45 mg/kg Concentration:	B9NW (W)	7	1	271782 195506
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 25 - 35 mg/kg Concentration: Cadmium 2.2 - 3.0 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 30 - 45 mg/kg Concentration:	B9NW (W)	43	1	271772 195500
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 35 - 45 mg/kg Concentration: Cadmium 3.0 - 6.0 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 30 - 45 mg/kg Concentration:	B13NE (N)	53	1	272257 196143
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 45 - 60 mg/kg Concentration: Cadmium 2.2 - 3.0 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	B9SW (SW)	85	1	272000 195000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 35 - 45 mg/kg Concentration: Cadmium 3.0 - 6.0 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 30 - 45 mg/kg Concentration:	B13SE (N)	92	1	272214 195807

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 25 - 35 mg/kg Concentration: Cadmium 2.2 - 3.0 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 30 - 45 mg/kg Concentration:	B9SW (SW)	93	1	272000 195144
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 35 - 45 mg/kg Concentration: Cadmium 2.2 - 3.0 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	B9NE (SE)	135	1	272297 195475
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 35 - 45 mg/kg Concentration: Cadmium 3.0 - 6.0 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 30 - 45 mg/kg Concentration:	B13NE (N)	176	1	272260 196051
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 35 - 45 mg/kg Concentration: Cadmium 3.0 - 6.0 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 30 - 45 mg/kg Concentration:	B13NE (N)	180	1	272297 196000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 25 - 35 mg/kg Concentration: Cadmium 3.0 - 6.0 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 30 - 45 mg/kg Concentration:	B13NE (N)	196	1	272279 196059
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 45 - 60 mg/kg Concentration: Cadmium 2.2 - 3.0 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	B5SW (SW)	206	1	271870 194509

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 25 - 35 mg/kg Concentration: Cadmium 2.2 - 3.0 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 30 - 45 mg/kg Concentration:	B5NW (S)	390	1	271922 194541
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 35 - 45 mg/kg Concentration: Cadmium 2.2 - 3.0 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 30 - 45 mg/kg Concentration:	B14NW (NE)	408	1	272500 195909
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 35 - 45 mg/kg Concentration: Cadmium 2.2 - 3.0 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	B10NW (E)	418	1	272500 195521
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 25 - 35 mg/kg Concentration: Cadmium 3.0 - 6.0 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	B14NW (NE)	459	1	272556 196016
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 35 - 45 mg/kg Concentration: Cadmium 2.2 - 3.0 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 30 - 45 mg/kg Concentration:	B9NE (S)	490	1	272347 195353
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 25 - 35 mg/kg Concentration: Cadmium 2.2 - 3.0 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	B10NW (E)	508	1	272437 195435

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 35 - 45 mg/kg Concentration: Cadmium 2.2 - 3.0 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	B9NE (SE)	527	1	272372 195304
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 35 - 45 mg/kg Concentration: Cadmium 2.2 - 3.0 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	B9SW (SW)	578	1	271927 194984
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 25 - 35 mg/kg Concentration: Cadmium 3.0 - 6.0 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	B10NW (E)	602	1	272471 195500
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 45 - 60 mg/kg Concentration: Cadmium 2.2 - 3.0 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	B5NW (S)	890	1	271972 194542
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 25 - 35 mg/kg Concentration: Cadmium <1.8 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	B10SW (SE)	901	1	272500 195000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 25 - 35 mg/kg Concentration: Cadmium 1.8 - 2.2 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	B5SE (S)	977	1	272297 194500

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
195	BGS Recorded Mineral Sites Site Name: Cwrt-Y-Bettws Colliery Location: Llandarcy, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154112 Type: Underground Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Hughes Member Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	B13NW (NW)	0	1	272046 196038
196	BGS Recorded Mineral Sites Site Name: Henbarc Farm Location: Llandarcy, Port Talbot, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 156432 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Llynfi Member, Rhondda Member And Brithdir Member (Undifferentiated) Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	B13SW (W)	108	1	271895 195533
197	BGS Recorded Mineral Sites Site Name: Wern Edmond Location: Gorseinon, Swansea, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154187 Type: Underground Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Llynfi Member, Rhondda Member And Brithdir Member (Undifferentiated) Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	B13NE (N)	116	1	272152 195901
198	BGS Recorded Mineral Sites Site Name: Gelli-Bwch Plantation Location: Llandarcy, Port Talbot, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 156444 Type: Underground Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Llynfi Member, Rhondda Member And Brithdir Member (Undifferentiated) Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	B9NW (W)	153	1	271968 195526
199	BGS Recorded Mineral Sites Site Name: Cwrt-Y-Bettws Colliery Location: Llandarcy, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154113 Type: Underground Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Llynfi Member, Rhondda Member And Brithdir Member (Undifferentiated) Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	B13NE (N)	185	1	272234 195882
200	BGS Recorded Mineral Sites Site Name: Henbarc Farm Location: Llandarcy, Port Talbot, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 156434 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Llynfi Member, Rhondda Member And Brithdir Member (Undifferentiated) Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	B9NW (W)	203	1	271914 195439

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
201	BGS Recorded Mineral Sites Site Name: Henbarc Farm Location: Llandarcy, Port Talbot, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 156433 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Llynfi Member, Rhondda Member And Brithdir Member (Undifferentiated) Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	B9NW (W)	259	1	271764 195395
202	BGS Recorded Mineral Sites Site Name: Cwrt-Y-Bettws Colliery Location: Skewen, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154111 Type: Underground Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Llynfi Member, Rhondda Member And Brithdir Member (Undifferentiated) Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	B14SW (N)	381	1	272447 195862
203	BGS Recorded Mineral Sites Site Name: Wern-Andrew Gravel Pit Location: Skewen, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154128 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Quaternary Geology: Tidal Flat Deposits Commodity: Sand and Gravel Positional Accuracy: Located by supplier to within 10m	B14NE (NE)	686	1	272778 195986
204	BGS Recorded Mineral Sites Site Name: Wern-Andrew Gravel Pit Location: Skewen, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154110 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Quaternary Geology: Tidal Flat Deposits Commodity: Sand and Gravel Positional Accuracy: Located by supplier to within 10m	B14NE (NE)	738	1	272829 196038
	BGS Measured Urban Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Grid: 272230, 194800 Soil Sample Type: Topsoil Sample Area: Swansea Arsenic Measured Concentration: 36.90 mg/kg Cadmium Measured Concentration: 0.20 mg/kg Chromium Measured Concentration: 71.30 mg/kg Lead Measured Concentration: 125.50 mg/kg Nickel Measured Concentration: 44.20 mg/kg	B5NE (S)	913	1	272230 194800

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Urban Soil Chemistry Averages Source: British Geological Survey, National Geoscience Information Service Sample Area: Swansea Count Id: 368 Arsenic Minimum Concentration: 8.00 mg/kg Arsenic Average Concentration: 79.00 mg/kg Arsenic Maximum Concentration: 2161.00 mg/kg Cadmium Minimum Concentration: 0.10 mg/kg Cadmium Average Concentration: 2.90 mg/kg Cadmium Maximum Concentration: 61.90 mg/kg Chromium Minimum Concentration: 13.00 mg/kg Chromium Average Concentration: 72.00 mg/kg Chromium Maximum Concentration: 562.00 mg/kg Lead Minimum Concentration: 23.00 mg/kg Lead Average Concentration: 413.00 mg/kg Lead Maximum Concentration: 10000.00 mg/kg Nickel Minimum Concentration: 8.00 mg/kg Nickel Average Concentration: 52.00 mg/kg Nickel Maximum Concentration: 384.00 mg/kg	B9NE (E)	0	1	272300 195475
	Coal Mining Affected Areas Description: In an area which may be affected by coal mining activity. It is recommended that a coal mining report is obtained from the Coal Authority. Contact details are included in the Useful Contacts section of this report.	B9NE (SE)	0	9	272297 195475
	Mining Instability Mining Evidence: Inconclusive Coal Mining Source: Ove Arup & Partners Boundary Quality: As Supplied	B9NE (SE)	0	-	272297 195475
	Non Coal Mining Areas of Great Britain No Hazard				
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B9NE (SE)	0	1	272297 195475
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B9SE (S)	85	1	272297 195000
	Potential for Compressible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B13SE (NE)	0	1	272361 195625
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B9NE (SE)	0	1	272297 195475
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B9SE (S)	85	1	272297 195000
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B9NE (SE)	0	1	272297 195475
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B9SE (S)	85	1	272297 195000
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	B13NW (NW)	0	1	271815 196159
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	B13NW (N)	0	1	272045 196178

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	B13NE (N)	0	1	272203 196167
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B9NE (SE)	0	1	272297 195475
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	B13SW (W)	20	1	271924 195576
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B9SE (S)	85	1	272258 195000
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	B9NE (W)	139	1	272119 195402
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	B9NW (W)	149	1	271790 195504
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	B13NE (N)	157	1	272305 195866
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	B9NW (W)	192	1	271756 195431
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B13SE (NW)	0	1	272212 195594
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B9NE (SE)	0	1	272297 195475
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B9SE (S)	129	1	272297 195000
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B13NE (N)	209	1	272318 195948
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	(N)	0	1	272107 196221
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B9NE (SE)	0	1	272297 195475
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B9NW (W)	33	1	271928 195497
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B13NE (N)	73	1	272296 196117
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B9SE (S)	85	1	272225 195000
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B13NE (N)	209	1	272318 195948
	Radon Potential - Radon Affected Areas Affected Area: The property is an Intermediate probability radon area (3 to 5% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	B13NE (N)	0	1	272297 195976
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	B9NE (SE)	0	1	272297 195475

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Radon Potential - Radon Protection Measures Protection Measure: Basic radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	B13NE (N)	0	1	272297 195976
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	B9NE (SE)	0	1	272297 195475

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
205	Contemporary Trade Directory Entries Name: Anchem Laboratories Ltd Location: Unit 5a, D'Arcy Business Park, Llandarcy, Neath, SA10 6EJ Classification: Laboratories Status: Active Positional Accuracy: Automatically positioned to the address	B13NW (NW)	0	-	271828 196099
206	Contemporary Trade Directory Entries Name: Mills (Gorseinon) Ltd Location: Unit 3, The Courtyard, D'Arcy Business Centre, D'Arcy Business Park, Llandarcy, Neath, West Glamorgan, SA10 6EJ Classification: Engineers - General Status: Inactive Positional Accuracy: Automatically positioned to the address	B13NW (NW)	0	-	271964 196104
206	Contemporary Trade Directory Entries Name: Smarta Systems Ltd Location: Unit 5, The Courtyard, D'Arcy Business Centre, D'Arcy Business Park, Llandarcy, Neath, West Glamorgan, SA10 6EJ Classification: Disability Equipment - Manufacturers & Suppliers Status: Inactive Positional Accuracy: Automatically positioned to the address	B13NW (NW)	0	-	271922 196117
206	Contemporary Trade Directory Entries Name: Screwfix Location: The Courtyard, D'Arcy Business Park, Llandarcy, Neath, West Glamorgan, SA10 6EJ Classification: Builders' Merchants Status: Active Positional Accuracy: Automatically positioned to the address	B13NW (NW)	0	-	271939 196077
206	Contemporary Trade Directory Entries Name: Electrical Wholesale Specialists Location: Unit 6, The Courtyard, D'Arcy Business Park, Llandarcy, Neath, SA10 6EJ Classification: Electrical Goods Sales, Manufacturers & Wholesalers Status: Inactive Positional Accuracy: Automatically positioned to the address	B13NW (NW)	0	-	271919 196116
207	Contemporary Trade Directory Entries Name: Whiterock Products Ltd Location: Unit 1, The Courtyard, D'Arcy Business Centre, D'Arcy Business Park, Llandarcy, Neath, West Glamorgan, SA10 6EJ Classification: Do It Yourself Wholesalers Status: Inactive Positional Accuracy: Automatically positioned to the address	B13NW (NW)	0	-	271957 195971
207	Contemporary Trade Directory Entries Name: Timber Craft Door Systems Ltd Location: Unit 1G & 1u, D'Arcy Business Centre, D'Arcy Business Park, Llandarcy, Neath, West Glamorgan, SA10 6EJ Classification: Door Manufacturers - Domestic Status: Inactive Positional Accuracy: Automatically positioned to the address	B13NW (NW)	0	-	271957 195971
207	Contemporary Trade Directory Entries Name: Valve Tech Services Ltd Location: Unit 4, The Courtyard, D'Arcy Business Centre, D'Arcy Business Park, Llandarcy, Neath, West Glamorgan, SA10 6EJ Classification: Valve Manufacturers & Suppliers Status: Inactive Positional Accuracy: Automatically positioned to the address	B13NW (NW)	0	-	271957 195971
207	Contemporary Trade Directory Entries Name: Princess Blinds Location: Unit 1j, D'Arcy Business Centre, D'Arcy Business Park, Llandarcy, Neath, West Glamorgan, SA10 6EJ Classification: Blinds, Awnings & Canopies Status: Inactive Positional Accuracy: Automatically positioned to the address	B13NW (NW)	0	-	271957 195971
207	Contemporary Trade Directory Entries Name: Princess Blinds Location: Unit 1J, D'Arcy Business Centre, D'Arcy Business Park, Llandarcy, Neath, West Glamorgan, SA10 6EJ Classification: Blinds, Awnings & Canopies Status: Inactive Positional Accuracy: Automatically positioned to the address	B13NW (NW)	0	-	271957 195971

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
207	Contemporary Trade Directory Entries Name: Blue Devil Cleaning Group Location: Unit 2D, D'Arcy Business Centre, D'Arcy Business Park, Llandarcy, Neath, West Glamorgan, SA10 6EJ Classification: Cleaning Services - Commercial Status: Inactive Positional Accuracy: Automatically positioned to the address	B13NW (NW)	0	-	271957 195971
207	Contemporary Trade Directory Entries Name: Sweeney Engineering South Wales Ltd Location: D'Arcy Business Centre, D'Arcy Business Park, Llandarcy, Neath, West Glamorgan, SA10 6EJ Classification: Engineers - General Status: Inactive Positional Accuracy: Automatically positioned to the address	B13NW (NW)	0	-	271957 195971
207	Contemporary Trade Directory Entries Name: Darcy Upvc Windows Location: D'Arcy Business Centre, D'Arcy Business Park, Llandarcy, Neath, West Glamorgan, SA10 6EJ Classification: Window Frame Manufacturers Status: Inactive Positional Accuracy: Automatically positioned to the address	B13NW (NW)	0	-	271957 195971
207	Contemporary Trade Directory Entries Name: Esg Engineering Location: Unit 1P & 1r, D'Arcy Business Centre, D'Arcy Business Park, Llandarcy, Neath, West Glamorgan, SA10 6EJ Classification: Engineers - General Status: Inactive Positional Accuracy: Automatically positioned to the address	B13NW (NW)	0	-	271957 195971
207	Contemporary Trade Directory Entries Name: Space Engineering Services Ltd Location: 5, D'Arcy Business Centre, D'Arcy Business Park, Llandarcy, Neath, West Glamorgan, SA10 6EJ Classification: Air Conditioning & Refrigeration Contractors Status: Inactive Positional Accuracy: Manually positioned within the geographical locality	B13NW (NW)	0	-	271957 195971
208	Contemporary Trade Directory Entries Name: Hofa Group Head Office Location: William Knox House, Britannic Way, Llandarcy, Neath, West Glamorgan, SA10 6EL Classification: Railway Equipment Manufacturers Status: Inactive Positional Accuracy: Manually positioned to the address or location	B13SW (NW)	0	-	271877 195752
209	Contemporary Trade Directory Entries Name: Ashworth Location: Unit E Britannic House, Britannic Way, Llandarcy, Neath, SA10 6EL Classification: Air Conditioning Equipment & Systems Status: Active Positional Accuracy: Manually positioned to the address or location	B13SW (NW)	0	-	271876 195809
210	Contemporary Trade Directory Entries Name: M'Star Automotive Location: Unit 6, The Courtyard, D'Arcy Business Centre, D'Arcy Business Park, Llandarcy, Neath, West Glamorgan, SA10 6EJ Classification: Garage Services Status: Inactive Positional Accuracy: Automatically positioned to the address	B13NW (NW)	0	-	271971 196042
210	Contemporary Trade Directory Entries Name: M Star Autoservices Location: Unit 7, The Courtyard, D'Arcy Business Centre, D'Arcy Business Park, Llandarcy, Neath, West Glamorgan, SA10 6EJ Classification: Garage Services Status: Inactive Positional Accuracy: Manually positioned to the address or location	B13NW (NW)	0	-	271971 196042
211	Contemporary Trade Directory Entries Name: Servicemaster Clean Location: Unit 7, The Courtyard, D'Arcy Business Park, Llandarcy, Neath, SA10 6EJ Classification: Commercial Cleaning Services Status: Active Positional Accuracy: Automatically positioned to the address	B13NW (NW)	0	-	271908 196117

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
211	Contemporary Trade Directory Entries Name: Neath Engineering Services Location: Unit 8, Tank Farm Road, Llandarcy, Neath, West Glamorgan, SA10 6EN Classification: Engineers - General Status: Inactive Positional Accuracy: Manually positioned to the address or location	B13NW (NW)	0	-	271891 196100
212	Contemporary Trade Directory Entries Name: Sims Metal Management Location: Neath Abbey Wharf, Skewen, Neath, West Glamorgan, SA10 6BL Classification: Scrap Metal Merchants Status: Active Positional Accuracy: Automatically positioned to the address	B14NE (NE)	689	-	272781 196028
213	Contemporary Trade Directory Entries Name: L P Gas Wales Direct Location: E M Edwards Works, Llandarcy, Neath, West Glamorgan, SA10 6JY Classification: Gas Suppliers Status: Active Positional Accuracy: Automatically positioned to the address	B10SW (SE)	881	-	272538 195072
213	Contemporary Trade Directory Entries Name: Portacover Machinery Movements Ltd Location: Llandarcy, Neath, West Glamorgan, SA10 6JY Classification: Mechanical Handling Engineers Status: Active Positional Accuracy: Automatically positioned to the address	B10SW (SE)	896	-	272531 195041
213	Contemporary Trade Directory Entries Name: Ferry Bridge Auto Spares Location: E M Edwards Works, Llandarcy, Neath, West Glamorgan, SA10 6JY Classification: Commercial Vehicle Breakdown & Recovery Services Status: Inactive Positional Accuracy: Manually positioned within the geographical locality	B10SW (SE)	907	-	272548 195044
214	Contemporary Trade Directory Entries Name: Flo Gas Plc Location: E M Edwards Works, Llandarcy, Neath, West Glamorgan, SA10 6JY Classification: Gas Suppliers Status: Active Positional Accuracy: Automatically positioned to the address	B10SW (SE)	968	-	272570 194976
214	Contemporary Trade Directory Entries Name: P & O Transeuropean Location: E M Edwards Works, Llandarcy, Neath, West Glamorgan, SA10 6JY Classification: Road Haulage Services Status: Inactive Positional Accuracy: Automatically positioned to the address	B10SW (SE)	978	-	272608 195005
215	Points of Interest - Commercial Services Name: M Star Autoservices Location: Unit 6 The Courtyard D'Arcy Business Centre, D'Arcy Business Park, Llandarcy, Neath, SA10 6EJ Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	B13NW (NW)	0	10	271971 196042
215	Points of Interest - Commercial Services Name: Graypen Ltd Location: Unit 2f D'Arcy Business Centre, D'Arcy Business Park, Llandarcy, SA10 6EJ Category: Transport, Storage and Delivery Class Code: Distribution and Haulage Positional Accuracy: Positioned to address or location	B13NW (NW)	0	10	271932 195994
216	Points of Interest - Commercial Services Name: Scrapyard Location: SA10 Category: Recycling Services Class Code: Scrap Metal Merchants Positional Accuracy: Positioned to address or location	B14NE (NE)	677	10	272768 195977
216	Points of Interest - Commercial Services Name: Scrap Yard Location: Not Supplied Category: Recycling Services Class Code: Scrap Metal Merchants Positional Accuracy: Positioned to an adjacent address or location	B14NE (NE)	685	10	272777 195986
216	Points of Interest - Commercial Services Name: Scrap Yard Location: SA10 Category: Recycling Services Class Code: Scrap Metal Merchants Positional Accuracy: Positioned to address or location	B14NE (NE)	724	10	272814 196048

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
217	Points of Interest - Manufacturing and Production Name: Parc Busnes Darcy / Darcy Business Park Location: SA10 Category: Industrial Features Class Code: Business Parks and Industrial Estates Positional Accuracy: Positioned to an adjacent address or location	B13NW (NW)	0	10	271778 196057
218	Points of Interest - Manufacturing and Production Name: D'Arcy Business Centre Location: SA10 Category: Industrial Features Class Code: Business Parks and Industrial Estates Positional Accuracy: Positioned to an adjacent address or location	B13NW (NW)	0	10	271947 195942
218	Points of Interest - Manufacturing and Production Name: Tank Location: SA10 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	B13NW (NW)	21	10	272009 195929
219	Points of Interest - Manufacturing and Production Name: Oil Refinery Location: SA10 Category: Extractive Industries Class Code: Oil and Gas Extraction, Refinery and Product Manufacture Positional Accuracy: Positioned to an adjacent address or location	B13SW (NW)	31	10	271786 195807
220	Points of Interest - Manufacturing and Production Name: Tank Location: SA10 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	B9SW (SW)	599	10	271835 194920
220	Points of Interest - Manufacturing and Production Name: Ronald G Williams Location: Llandarcy, Neath, SA10 6JU Category: Farming Class Code: Livestock Farming Positional Accuracy: Positioned to address or location	B9SW (SW)	660	10	271918 194940
220	Points of Interest - Manufacturing and Production Name: Ronald G Williams Location: Gelli Bwch Farm, Llandarcy, Neath, SA10 6JU Category: Farming Class Code: Livestock Farming Positional Accuracy: Positioned to address or location	B9SW (SW)	660	10	271918 194940
221	Points of Interest - Manufacturing and Production Name: Tank Location: SA10 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	B10SW (SE)	808	10	272467 195101
222	Points of Interest - Manufacturing and Production Name: Tank Location: SA10 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	B9SE (S)	818	10	272414 195033
222	Points of Interest - Manufacturing and Production Name: Tank Location: SA10 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	B10SW (S)	850	10	272439 195013
223	Points of Interest - Manufacturing and Production Name: Works Location: SA10 Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	B10SW (SE)	900	10	272570 195081
223	Points of Interest - Manufacturing and Production Name: Works Location: Not Supplied Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	B10SW (SE)	907	10	272580 195083

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
224	Points of Interest - Manufacturing and Production Name: Tanks Location: SA10 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	B10SW (SE)	928	10	272528 194991
224	Points of Interest - Manufacturing and Production Name: Tank Location: SA10 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to address or location	B10SW (SE)	933	10	272523 194979
224	Points of Interest - Manufacturing and Production Name: Tank Location: SA10 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to address or location	B10SW (SE)	945	10	272541 194980
225	Points of Interest - Public Infrastructure Name: Sluice Location: SA10 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	B13NE (N)	253	10	272319 196112
225	Points of Interest - Public Infrastructure Name: Sluice Location: SA10 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	B13NE (N)	255	10	272320 196113
225	Points of Interest - Public Infrastructure Name: Sluice Location: SA10 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	B13NE (N)	300	10	272378 196089
225	Points of Interest - Public Infrastructure Name: Sluice Location: SA10 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	B13NE (N)	305	10	272383 196090
226	Points of Interest - Public Infrastructure Name: Sluice Location: SA10 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	B10NW (E)	648	10	272515 195485
227	Points of Interest - Public Infrastructure Name: Refuse Tip Location: SA11 Category: Infrastructure and Facilities Class Code: Refuse Disposal Facilities Positional Accuracy: Positioned to an adjacent address or location	B10NW (E)	812	10	272667 195423
228	Points of Interest - Public Infrastructure Name: L P Gas Wales Location: E M Edwards Works, Llandarcy, Neath, SA10 6JY Category: Road And Rail Class Code: Petrol and Fuel Stations Positional Accuracy: Positioned to address or location	B10SW (SE)	968	10	272570 194976

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
229	Ancient Woodland Name: Not Supplied Reference: 12261 Area(m²): 3579.08 Type: Ancient and Semi-Natural Woodland	(NW)	0	2	271198 196372
230	Ancient Woodland Name: Not Supplied Reference: 12262 Area(m²): 5337.61 Type: Ancient and Semi-Natural Woodland	(NW)	0	2	271084 196355
231	Ancient Woodland Name: Not Supplied Reference: 12259 Area(m²): 3589.83 Type: Ancient and Semi-Natural Woodland	B13NE (N)	59	2	272199 196136
232	Ancient Woodland Name: Not Supplied Reference: 40820 Area(m²): 5668.51 Type: Plantation on Ancient Woodland	B13NE (N)	134	2	272225 196034
233	Ancient Woodland Name: Not Supplied Reference: 12260 Area(m²): 33552.87 Type: Ancient and Semi-Natural Woodland	B13SE (N)	240	2	272392 195831
234	Ancient Woodland Name: Not Supplied Reference: 18273 Area(m²): 52539.92 Type: Ancient and Semi-Natural Woodland	B9NE (W)	243	2	272258 195474
235	Ancient Woodland Name: Not Supplied Reference: 18269 Area(m²): 5868.24 Type: Ancient and Semi-Natural Woodland	(SW)	673	2	271548 194476
236	Ancient Woodland Name: Not Supplied Reference: 10084 Area(m²): 36776.87 Type: Ancient and Semi-Natural Woodland	(SW)	703	2	271369 194399
237	Ancient Woodland Name: Not Supplied Reference: 18268 Area(m²): 4545.99 Type: Ancient and Semi-Natural Woodland	(SW)	741	2	271391 194344
238	Local Nature Reserves Name: Pant-Y-Sais Multiple Area: N Area (m2): 189244.13 Source: Neath Port Talbot County Borough Council Designation Date: 31st December 1984	B5NW (S)	791	11	272013 194553
239	National Nature Reserves Name: Crymlyn Bog And Pant Y Sais Multiple Areas: Y Total Area (m2): 1308383.06 Source: Natural Resources Wales Reference: 45 Designation Date: 27th September 1991	B5NW (S)	791	2	272008 194542
240	Ramsar Sites Name: Crymlyn Bog Multiple Areas: Y Total Area (m2): 2675566.42 Source: Natural Resources Wales Reference: UK14006 Designation Date: 8th June 1993	B5NW (S)	791	2	272013 194553

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
241	Sites of Special Scientific Interest Name: Pant-Y-Sais Multiple Areas: N Total Area (m2): 190260.33 Source: Natural Resources Wales Reference: 83733wxq Designation Details: Biological Designation Date: 1st January 1979 Date Type: Notified	B5NW (S)	791	2	272013 194553
242	Special Areas of Conservation Name: Crymlyn Bog / Cors Crymlyn Multiple Areas: Y Total Area (m2): 2997434.94 Source: Natural Resources Wales Reference: Uk0012885 Status: Designated	B5NW (S)	791	2	272013 194553

Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices Natural Resources Wales Neath Port Talbot County Borough Council - Environmental Health Department	June 2020 October 2017	Annually Annual Rolling Update
Discharge Consents Environment Agency - Welsh Region Natural Resources Wales	August 2014 July 2021	Quarterly Quarterly
Enforcement and Prohibition Notices Environment Agency - Welsh Region	March 2013	
Integrated Pollution Controls Environment Agency - Welsh Region	January 2009	
Integrated Pollution Prevention And Control Environment Agency - Welsh Region Natural Resources Wales	January 2021 July 2021	Quarterly Quarterly
Local Authority Integrated Pollution Prevention And Control Neath Port Talbot County Borough Council - Environmental Health Department	March 2014	Variable
Local Authority Pollution Prevention and Controls North West Leicestershire District Council - Environmental Health Department Neath Port Talbot County Borough Council - Environmental Health Department	July 2014 March 2014	Annual Rolling Update Annual Rolling Update
Local Authority Pollution Prevention and Control Enforcements Neath Port Talbot County Borough Council - Environmental Health Department	March 2015	Variable
Nearest Surface Water Feature Ordnance Survey	June 2021	
Pollution Incidents to Controlled Waters Environment Agency - Welsh Region	December 1998	
Prosecutions Relating to Authorised Processes Environment Agency - Welsh Region Natural Resources Wales	July 2015 July 2015	
Prosecutions Relating to Controlled Waters Environment Agency - Welsh Region Natural Resources Wales	March 2013 March 2013	
Registered Radioactive Substances Natural Resources Wales Environment Agency - Welsh Region	January 2015 June 2016	Annually Annually
River Quality Environment Agency - Head Office	November 2001	Not Applicable
Substantiated Pollution Incident Register Environment Agency Wales - South West Area Natural Resources Wales	January 2021 July 2021	Quarterly Quarterly
Water Abstractions Environment Agency - Welsh Region Natural Resources Wales	July 2021 July 2021	Quarterly Quarterly
Water Industry Act Referrals Natural Resources Wales Environment Agency - Welsh Region	July 2021 October 2017	Quarterly Quarterly
Groundwater Vulnerability Map Natural Resources Wales	June 2018	As notified
Bedrock Aquifer Designations Natural Resources Wales	January 2018	Annually
Superficial Aquifer Designations Natural Resources Wales	January 2018	Annually
Source Protection Zones Natural Resources Wales	July 2017	Annual Rolling Update

Agency & Hydrological	Version	Update Cycle
Extreme Flooding from Rivers or Sea without Defences Natural Resources Wales	September 2020	Quarterly
Flooding from Rivers or Sea without Defences Natural Resources Wales	September 2020	Quarterly
Areas Benefiting from Flood Defences Natural Resources Wales	November 2019	Quarterly
Flood Water Storage Areas Natural Resources Wales	August 2019	Quarterly
Flood Defences Natural Resources Wales	November 2019	Quarterly
OS Water Network Lines Ordnance Survey	July 2021	Quarterly
Surface Water 1 in 30 year Flood Extent Natural Resources Wales	May 2018	Annually
Surface Water 1 in 100 year Flood Extent Natural Resources Wales	May 2018	Annually
Surface Water 1 in 1000 year Flood Extent Natural Resources Wales	May 2018	Annually
Surface Water Suitability Natural Resources Wales	February 2016	Annually
BGS Groundwater Flooding Susceptibility British Geological Survey - National Geoscience Information Service	May 2013	Annually
Waste	Version	Update Cycle
BGS Recorded Landfill Sites British Geological Survey - National Geoscience Information Service	November 2002	Not Applicable
Historical Landfill Sites Natural Resources Wales	July 2019	Quarterly
Integrated Pollution Control Registered Waste Sites Environment Agency - Welsh Region	January 2009	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries) Environment Agency Wales - South West Area Natural Resources Wales	July 2021 July 2021	Quarterly Quarterly
Licensed Waste Management Facilities (Locations) Natural Resources Wales Environment Agency - South East Region - West Thames Area Environment Agency Wales - South West Area	April 2021 July 2021 July 2021	Quarterly Quarterly Quarterly
Local Authority Landfill Coverage Neath Port Talbot County Borough Council - Environmental Health Department	February 2003	Not Applicable
Local Authority Recorded Landfill Sites Neath Port Talbot County Borough Council - Environmental Health Department	October 2018	
Potentially Infilled Land (Non-Water) Landmark Information Group Limited	December 1999	Not Applicable
Potentially Infilled Land (Water) Landmark Information Group Limited	December 1999	
Registered Landfill Sites Environment Agency Wales - South West Area	March 2006	Not Applicable
Registered Waste Transfer Sites Environment Agency Wales - South West Area	April 2018	
Registered Waste Treatment or Disposal Sites Environment Agency Wales - South West Area	June 2015	

Hazardous Substances	Version	Update Cycle
Control of Major Accident Hazards Sites (COMAH) Health and Safety Executive	April 2018	Bi-Annually
Explosive Sites Health and Safety Executive	March 2017	Annually
Notification of Installations Handling Hazardous Substances (NIHHS) Health and Safety Executive	August 2001	
Planning Hazardous Substance Enforcements Neath Port Talbot County Borough Council - Planning Department	October 2015	Variable
Planning Hazardous Substance Consents Neath Port Talbot County Borough Council - Planning Department	October 2015	Variable
Geological	Version	Update Cycle
BGS 1:625,000 Solid Geology British Geological Survey - National Geoscience Information Service	January 2009	Not Applicable
BGS Estimated Soil Chemistry British Geological Survey - National Geoscience Information Service	December 2015	Annually
BGS Recorded Mineral Sites British Geological Survey - National Geoscience Information Service	May 2021	Bi-Annually
BGS Urban Soil Chemistry British Geological Survey - National Geoscience Information Service	December 2015	Annually
BGS Urban Soil Chemistry Averages British Geological Survey - National Geoscience Information Service	December 2015	Annually
CBSCB Compensation District Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011	As notified
Coal Mining Affected Areas The Coal Authority - Property Searches	March 2014	Annual Rolling Update
Mining Instability Ove Arup & Partners	June 1998	Not Applicable
Non Coal Mining Areas of Great Britain British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Potential for Collapsible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	April 2020	Annually
Potential for Compressible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	Annually
Potential for Ground Dissolution Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	Annually
Potential for Landslide Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	Annually
Potential for Running Sand Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	Annually
Potential for Shrinking or Swelling Clay Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	Annually
Radon Potential - Radon Affected Areas British Geological Survey - National Geoscience Information Service	July 2011	Annually
Radon Potential - Radon Protection Measures British Geological Survey - National Geoscience Information Service	July 2011	Annually

Industrial Land Use	Version	Update Cycle
Contemporary Trade Directory Entries Thomson Directories	July 2021	Quarterly
Fuel Station Entries Catalist Ltd - Experian	June 2021	Quarterly
Gas Pipelines National Grid	May 2021	Annually
Points of Interest - Commercial Services PointX	June 2021	Quarterly
Points of Interest - Education and Health PointX	June 2021	Quarterly
Points of Interest - Manufacturing and Production PointX	June 2021	Quarterly
Points of Interest - Public Infrastructure PointX	June 2021	Quarterly
Points of Interest - Recreational and Environmental PointX	June 2021	Quarterly
Underground Electrical Cables National Grid	May 2021	Annually

Sensitive Land Use	Version	Update Cycle
Ancient Woodland Natural Resources Wales	September 2018	Bi-Annually
Areas of Adopted Green Belt Neath Port Talbot County Borough Council - Planning Services	October 2020	Quarterly
Areas of Unadopted Green Belt Neath Port Talbot County Borough Council - Planning Services	October 2020	Quarterly
Areas of Outstanding Natural Beauty Natural Resources Wales	June 2019	Bi-Annually
Environmentally Sensitive Areas The National Assembly for Wales - GI Services (Department of Planning & Countryside)	January 2017	
Forest Parks Forestry Commission	April 1997	Not Applicable
Local Nature Reserves Neath Port Talbot County Borough Council	August 2018	Bi-Annually
Marine Nature Reserves Natural Resources Wales	August 2018	Bi-Annually
National Nature Reserves Natural Resources Wales	July 2019	Bi-Annually
National Parks Natural Resources Wales	February 2018	Annually
Nitrate Vulnerable Zones The National Assembly for Wales - GI Services (Department of Planning & Countryside) Natural Resources Wales	April 2016 July 2019	Bi-Annually
Ramsar Sites Natural Resources Wales	July 2019	Bi-Annually
Sites of Special Scientific Interest Natural Resources Wales	March 2020	Bi-Annually
Special Areas of Conservation Natural Resources Wales	August 2020	Bi-Annually
Special Protection Areas Natural Resources Wales	August 2018	Bi-Annually

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	
Environment Agency	
Scottish Environment Protection Agency	
The Coal Authority	
British Geological Survey	 British Geological Survey NATURAL ENVIRONMENT RESEARCH COUNCIL
Centre for Ecology and Hydrology	 Centre for Ecology & Hydrology NATURAL ENVIRONMENT RESEARCH COUNCIL
Natural Resources Wales	
Scottish Natural Heritage	
Natural England	
Public Health England	
Ove Arup	
Stantec UK Ltd	

Contact	Name and Address	Contact Details
1	British Geological Survey - Enquiry Service British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
2	Natural Resources Wales Ty Cambria, 29 Newport Road, Cardiff, CF24 0TP	Telephone: 0300 065 3000 Email: enquiries@naturalresourceswales.gov.uk
3	Environment Agency - National Customer Contact Centre (NCCC) PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk
4	Neath Port Talbot County Borough Council - Environmental Health Department Room 322, Neath Civic Centre, Neath, West Glamorgan, SA11 3QZ	Telephone: 01639 763333 Fax: 01693 763444 Website: www.neath-porttalbot.gov.uk
5	North West Leicestershire District Council - Environmental Health Department Council Offices, Coalville, Leicestershire, LE67 3FJ	Telephone: 01530 454545 Fax: 01530 510290 Website: www.nwleics.gov.uk
6	Ordnance Survey Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: 03456 05 05 05 Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.gov.uk
7	Health and Safety Executive 5S.2 Redgrave Court, Merton Road, Bootle, L20 7HS	Website: www.hse.gov.uk
8	Neath Port Talbot County Borough Council - Planning Department Port Talbot Civic Centre, Port Talbot, SA13 1PJ	Telephone: 01639 763333 Fax: 01639 763444 Website: www.neath-porttalbot.gov.uk
9	The Coal Authority - Property Searches 200 Lichfield Lane, Mansfield, Nottinghamshire, NG18 4RG	Telephone: 0345 762 6848 Fax: 01623 637 338 Email: groundstability@coal.gov.uk Website: www2.groundstability.com
10	PointX 7 Abbey Court, Eagle Way, Sowton, Exeter, Devon, EX2 7HY	Website: www.pointx.co.uk
11	Neath Port Talbot County Borough Council Civic Centre, Port Talbot, West Glamorgan, SA13 1PJ	Telephone: 01639 763333 Fax: 01693 763444 Website: www.neath-porttalbot.gov.uk
-	Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org
-	Landmark Information Group Limited Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9952 Fax: 0844 844 9951 Email: customerservices@landmarkinfo.co.uk Website: www.landmarkinfo.co.uk

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.

Historical Mapping Legends

Ordnance Survey County Series 1:10,560

	Gravel Pit		Sand Pit		Other Pits
	Quarry		Shingle		Orchard
	Osiers		Reeds		Marsh
	Mixed Wood		Deciduous		Brushwood
	Fir		Furze		Rough Pasture
	Arrow denotes flow of water		Trigonometrical Station		
	Site of Antiquities		Bench Mark		
	Pump, Guide Post, Signal Post		Well, Spring, Boundary Post		
	•285 Surface Level				
	Sketched Contour		Instrumental Contour		
	Main Roads		Minor Roads		
	Sunken Road		Raised Road		
	Road over Railway		Railway over River		
	Railway over Road		Level Crossing		
	Road over River or Canal		Road over Stream		
	Road over Stream				
	County Boundary (Geographical)				
	County & Civil Parish Boundary				
	Administrative County & Civil Parish Boundary				
	County Borough Boundary (England)				
	County Burgh Boundary (Scotland)				
	Rural District Boundary				
	Civil Parish Boundary				

Ordnance Survey Plan 1:10,000

	Chalk Pit, Clay Pit or Quarry		Gravel Pit
	Sand Pit		Disused Pit or Quarry
	Refuse or Slag Heap		Lake, Loch or Pond
	Dunes		Boulders
	Coniferous Trees		Non-Coniferous Trees
	Orchard		Scrub
	Bracken		Heath
	Marsh		Reeds
	Building		Glasshouse
	Sloping Masonry		Pylon
	Cutting		Embankment
	Road Under		Road Over
	Level Crossing		Foot Bridge
	Standard Gauge Multiple Track		Standard Gauge Single Track
	Siding, Tramway or Mineral Line		Narrow Gauge
	Geographical County		Administrative County, County Borough or County of City
	Municipal Borough, Urban or Rural District, Burgh or District Council		Borough, Burgh or County Constituency
	Civil Parish		
	BP, BS Boundary Post or Stone		Police Station
	Church		Post Office
	Club House		Public Convenience
	Fire Engine Station		Public House
	Foot Bridge		Signal Box
	Fountain		Spring
	Guide Post		Telephone Call Box
	Mile Post		Telephone Call Post
	Mile Stone		Well

1:10,000 Raster Mapping

	Gravel Pit		Refuse tip or slag heap
	Rock		Rock (scattered)
	Boulders		Boulders (scattered)
	Shingle		Mud
	Sand		Sand Pit
	Slopes		Top of cliff
	General detail		Underground detail
	Overhead detail		Narrow gauge railway
	Multi-track railway		Single track railway
	County boundary (England only)		Civil, parish or community boundary
	District, Unitary, Metropolitan, London Borough boundary		Constituency boundary
	Area of wooded vegetation		Non-coniferous trees
	Non-coniferous trees (scattered)		Coniferous trees
	Coniferous trees (scattered)		Positioned tree
	Orchard		Coppice or Osiers
	Rough Grassland		Heath
	Scrub		Marsh, Salt Marsh or Reeds
	Water feature		Flow arrows
	Mean high water (springs)		Mean low water (springs)
	Telephone line (where shown)		Electricity transmission line (with poles)
	Bench mark (where shown)		Triangulation station
	Point feature (e.g. Guide Post or Mile Stone)		Pylon, flare stack or lighting tower
	Site of (antiquity)		Glasshouse
	General Building		Important Building


Envirocheck®

LANDMARK INFORMATION GROUP®

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Glamorganshire	1:10,560	1884	3
Glamorganshire	1:10,560	1900	4
Glamorganshire	1:10,560	1921	5
Glamorganshire	1:10,560	1921	6
Glamorganshire	1:10,560	1936	7
Glamorganshire	1:10,560	1938 - 1951	8
Historical Aerial Photography	1:10,560	1945 - 1949	9
Glamorganshire	1:10,560	1951 - 1952	10
Ordnance Survey Plan	1:10,000	1964 - 1965	11
Ordnance Survey Plan	1:10,000	1970	12
Swansea	1:10,000	1976	13
Ordnance Survey Plan	1:10,000	1980	14
Ordnance Survey Plan	1:10,000	1992	15
10K Raster Mapping	1:10,000	1999	16
10K Raster Mapping	1:10,000	2006	17
VectorMap Local	1:10,000	2021	18

Historical Map - Slice B



Order Details

Order Number: 283848248_1_1
Customer Ref: 05474 - Coed Darcy
National Grid Reference: 272300, 195470
Slice: B
Site Area (Ha): 131.44
Search Buffer (m): 1000

Site Details

Site at 271220, 195880

Landmark®
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Russian Military Mapping Legends

1:5,000 and 1:10,000 mapping

a. Not drawn to scale b. Drawn to scale

Government and Administrative Buildings

Military and Industrial Buildings

Military and Communication Areas

Subway Entrance

Fireproof Building

Prominent Fireproof Building

Non-fireproof Building

Non-fireproof Building (non-dwelling)

Factory, mill, and flour mill, with chimneys

Factory, mill, and flour mill, without chimneys

Power Station, drawn to scale

Hydroelectric Power Station

Radio Station, drawn to scale

Telephone Station, drawn to scale

Abandoned Open-pit Mine or Quarry

Open-pit Salt Mine

Pit

Oil Deposit or Well

Oil Seepage

Tailings Pile

Fuel Storage Tanks

Natural Gas Tank

Bench Mark

Drill Hole

Burial Mound

Triangulation Point on Burial Mound

Single-track Railroad

Double-track Railroad and Station Building

Coniferous Forest

Deciduous Forest

Mixed Forest

Lawns

Citrus Orchard

Wet Ground

Scattered Vegetation

243.8 Values for prominent elevations
186.0 Numbers for spot elevations, depth soundings, contour lines, etc.
0.2 Velocity of the current, width of river bed, depth of river
180/12 Fractional terms: length and capacity of bridges; depth of fords and condition of the river bottom; height of forest and the diameter of trees

Russian Alphabet (For reference and phonetic interpretation of map text)

А а (A)	З з (Z)	П п (P)	Ч ч (CH)
Б б (B)	И и (I)	Р р (R)	Ш ш (SH)
В в (V)	Й й (Y)	С с (S)	Щ щ (SHCH)
Г г (G)	К к (K)	Т т (T)	Ъ (-)
Д д (D)	Л л (L)	У у (U)	Ы (Y)
Е е (E)	М м (M)	Ф ф (F)	Ь (')
Ё ё (YO)	Н н (N)	Х х (KH)	Э э (E)
Ж ж (ZH)	О о (O)	Ц ц (TS)	Ю ю (YU or IU)
			Я я (YA or IA)

1:25,000 mapping

a. Not drawn to scale b. Drawn to scale

Government and Administrative Buildings

Military and Industrial Buildings

Military and Communication Areas

Subway Entrance

Partly Demolished Buildings

Demolished Buildings

Built-Up Area with Fireproof Buildings Predominant

Built-Up Area with Non-Fireproof Buildings Predominant

Individual Fireproof Building

Prominent Industrial Building

Individual Dwelling, Fireproof

Ruins of an Individual Dwelling

Factory or Mill Chimney

Factory or Mill with Chimney

Factory or Mill without Chimney

Mine or Open Pit Mine

Operating Shaft or Mine

Non-Operating Shaft or Mine

Salt Mine

Tailings Pile

Pit

Stone Quarry

Gas Pump or Service Station

Fuel Storage or Natural Gas Tank

Oil or Natural Gas Derrick

Small Hydroelectric Power Station

Power Station

Transformer Station

Cemetery

Burial Mound (height in metres)

Triangulation Point on Burial Mound

Triangulation Point

Bench Mark

Bench Mark (monumented)

Telegraph Office

Telephone Station

Radio Station

Radio Tower

Airfield or Seaplane Base

Landing Strip

Cut, Fill, Km Post, Plantings

Telegraph/Telephone Lines

Main Highway

Highway under Construction

Improved Dirt Road (former truck road)

Small Bridge, Pipe (Culvert), Tunnel

Double-track Railroad with First Class Station

Dismantled Railroad

Railroad Under Construction

Shore Embankment

River or Ditch with Embankment

Direction and velocity of current

Water Gauge

Water Level Mark

Well

Water Reservoir or Rain Water Pit

Spring

Isobath with value

Heavy (Index) Contour Line

Contour Line and Value

Half Contour Line

Spot Elevation Value

Coniferous

Deciduous

Mixed

Scrub

Key to Numbers on Mapping


Envirocheck®

LANDMARK INFORMATION GROUP®

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Glamorganshire	1:10,560	1884	3
Glamorganshire	1:10,560	1900	4
Glamorganshire	1:10,560	1921	5
Glamorganshire	1:10,560	1921	6
Glamorganshire	1:10,560	1936	7
Glamorganshire	1:10,560	1938 - 1951	8
Historical Aerial Photography	1:10,560	1945 - 1949	9
Glamorganshire	1:10,560	1951 - 1952	10
Ordnance Survey Plan	1:10,000	1964 - 1965	11
Ordnance Survey Plan	1:10,000	1970	12
Swansea	1:10,000	1976	13
Ordnance Survey Plan	1:10,000	1980	14
Ordnance Survey Plan	1:10,000	1992	15
10K Raster Mapping	1:10,000	1999	16
10K Raster Mapping	1:10,000	2006	17
VectorMap Local	1:10,000	2021	18

Russian Map - Slice B



Order Details


Order Number: 283848248_1_1
Customer Ref: 05474 - Coed Darcy
National Grid Reference: 272300, 195470
Slice: B
Site Area (Ha): 131.44
Search Buffer (m): 1000

Site Details

Site at 271220, 195880

Landmark®
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2021. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Glamorganshire
Published 1884
Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

01500 1884 1:10,560	01600 1884 1:10,560
02400 1884 1:10,560	02500 1884 1:10,560


Historical Map - Slice B



Order Details
Order Number: 283848248_1_1
Customer Ref: 05474 - Coed Darcy
National Grid Reference: 272300, 195470
Slice: B
Site Area (Ha): 131.44
Search Buffer (m): 1000

Site Details
Site at 271220, 195880

Landmark®
INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2021. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Glamorganshire

Published 1900


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

015SE 1900 1:10,560	016SW 1900 1:10,560
024NE 1900 1:10,560	025NW 1900 1:10,560

Historical Map - Slice B



Order Details

Order Number: 283848248_1_1
Customer Ref: 05474 - Coed Darcy
National Grid Reference: 272300, 195470
Slice: B
Site Area (Ha): 131.44
Search Buffer (m): 1000

Site Details

Site at 271220, 195880

Landmark
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk