

			RBSSL Parks >1m										432,000										48,000										478,000												
Trial P#	Sample Depth	SDG ID	Date Sampled	Received On	Date Complete																																								
TP#0677	4.00-	150221-45	16/02/2015	21/02/2015	10/03/2015	<100	730000	2170000	1720000	849000	<100	<100	<100	<100	78900	368000	1830000	802000	264000	<100	<100	<100	<100	<30	76	<440	<60	<50	<30	<24	<9	<20	8550000	5470000	3080000										
PI#078	0.50-	141104-40	28/10/2014	04/11/2014	21/11/2014	94	452	1710	18100	14000	<40	<40	61.9	61.9	<100	393	11300	13700	6480	<40	<40	44	<40	<12	106	292	<24	<20	<12	<24	<9	<8	59800	34200	25300										
PI#078	1.50-	141104-40	28/10/2014	04/11/2014	20/11/2014	184	<100	<100	<100	<100	<40	<40	167	123	<100	268	1790	1960	1030	<40	<40	111	<40	<12	81	642	<24	<20	<12	<24	<9	<8	4660	<100	4020										
PI#078	2.50-	141104-40	28/10/2014	04/11/2014	20/11/2014	549	2210	<100	<100	<100	<40	<40	41.8	231	366	<100	<100	<100	<100	<40	<40	157	<40	<12	106	1360	<24	<20	<12	<24	<9	<8	3570	2210	<100										
PI#079	0.50-	141104-40	28/10/2014	04/11/2014	21/11/2014	<40	8750	29000	101000	37700	<40	<40	<40	<40	4450	19200	127000	67300	26500	<40	<40	<40	<40	<12	83	<176	<24	<20	<12	<24	<9	<8	394000	176000	218000										
PI#079	1.50-	141104-40	28/10/2014	04/11/2014	21/11/2014	98500	2180000	2820000	1160000	367000	<200	603	22800	65700	276000	859000	1180000	352000	126000	<200	<200	15300	<200	91.7	88	203000	<120	<100	<60	91.7	<9	<40	940000	653000	267000										
PI#079	2.50-	141104-40	28/10/2014	04/11/2014	21/11/2014	27000	105000	18600	2290	<100	111	1660	12800	18000	260000	142000	114000	22800	6040	<40	<40	8500	<40	<12	94	68000	<24	<20	<12	<24	<9	<8	733000	126000	539000										
PI#079	3.50-	141104-40	28/10/2014	04/11/2014	21/11/2014	6010	68300	69500	55500	20900	73.5	1430	4820	4000	10200	26200	65500	29700	10900	<40	<40	3210	<40	<12	118	19600	<24	<20	<12	<24	<9	<8	365000	214000	132000										
PI#080	0.50-	141104-40	28/10/2014	04/11/2014	21/11/2014	3810	128000	185000	1600000	557000	<40	117	1140	2540	20900	93800	934000	331000	117000	<40	<40	761	<40	<12	77	8400	<24	<20	<12	<24	<9	<8	385000	246000	138000										
PI#080	1.50-	141104-40	28/10/2014	04/11/2014	20/11/2014	<40	<100	3400	13200	5230	<40	<40	<40	<40	<100	1260	11900	5370	1860	<40	<40	<40	<40	<12	92	<176	<24	<20	<12	<24	<9	<8	40400	21800	18600										
PI#080	2.50-	141104-40	28/10/2014	04/11/2014	20/11/2014	1860	<100	<100	<100	<100	<40	72.3	913	1240	<100	<100	<100	<100	<100	<40	<40	608	<40	<12	83	4700	<24	<20	<12	<24	<9	<8	4710	<100	<100										
PI#097	1.00-	141104-40	28/10/2014	04/11/2014	21/11/2014	<200	13000	45000	120000	37200	<200	<200	<200	6070	50600	233000	88200	30400	<200	<200	<200	<200	<60	101	<880	<120	<100	<60	<24	<9	<40	593000	215000	378000											
PI#097	2.00-	141104-40	28/10/2014	04/11/2014	20/11/2014	<40	<100	<100	<100	<100	<40	<40	<40	<40	<100	<100	744	1170	580	<40	<40	<40	<40	<12	111	<176	<24	<20	<12	<24	<9	<8	1910	<100	1910										
PI#097	3.00-	141104-40	28/10/2014	04/11/2014	21/11/2014	54900	519000	253000	67100	<100	115	7920	34900	36600	1030000	661000	628000	148000	52200	<40	<40	23300	<40	<12	76	158000	<24	<20	<12	<24	<9	<8	3460000	839000	2470000										
PI#099	0.50-	141107-18	30/10/2014	07/11/2014	17/12/2014	5330	183000	258000	419000	395000	<40	1640	4530	3560	38500	129000	496000	642000	295000	<40	<40	3060	<40	<12	74	18300	42.8	<20	<12	42.8	42.8	<8	258000	126000	1310000										
PI#100	0.50-	141107-18	30/10/2014	07/11/2014	19/11/2014	5620	273000	400000	490000	339000	<200	580	3520	3750	48600	191000	592000	602000	274000	<200	<200	24500	<200	<60	80	16000	<120	<100	103	103	103	<40	2950000	1500000	1430000										
PI#101	0.50-	141107-3	31/10/2014	07/11/2014	12/01/2015	8630	233000	310000	355000	92300	110	4920	10000	5750	36400	150000	356000	186000	87900	<40	<40	6680	<40	<12	86	36100	<24	<20	<12	<96	<36	<8	175000	991000	727000										
PI#101	1.50-	141107-3	31/10/2014	07/11/2014	27/11/2014	69.5	13100	32200	175000	182000	<40	67.1	98.8	46.4	2020	9980	128000	157000	82900	<40	<40	81.7	<40	<12	45	388	<24	<20	<12	<24	<9	<8	70000	403000	297000										
PI#101	2.50-	141107-3	31/10/2014	07/11/2014	27/11/2014	<40	<100	<100	<100	<100	<40	<40	<40	<40	<100	<100	<100	<100	<40	<40	<40	<40	<12	103	<176	<24	<20	<12	<96	<36	<8	<100	<100	<100											
PI#101	4.00-	141107-3	31/10/2014	07/11/2014	27/11/2014	36900	18600	4750	4950	5200	<40	51.6	4460	24600	35800	107000	40700	3830	1390	<40	<40	2980	<40	<12	92	69000	<24	<20	<12	<96	<36	<8	290000	33500	187000										
PI#102	0.50-	141104-40	28/10/2014	04/11/2014	21/11/2014	<40	9090	71800	209000	59200	<40	<40	<40	<40	3080	20600	172000	92600	36400	<40	<40	<40	<40	<12	87	<176	<24	<20	<12	<24	<9	<8	638000	349000	288000										
PI#102	1.50-	141104-40	28/10/2014	04/11/2014	20/11/2014	<200	39100	170000	530000	480000	<200	<200	<200	<200	9860	53000	263000	112000	<200	<200	<200	<200	<60	80	<880	<120	<100	<60	<24	<9	<40	1960000	1220000	745000											
PI#102	3.00-	141104-40	28/10/2014	04/11/2014	20/11/2014	<40	<100	<100	<100	<100	<40	<40	<40	<40	<100	365	4250	2930	1400	<40	<40	<40	<40	<12	86	<176	<24	<20	<12	<24	<9	<8	7550	<100	7540										
PI#102	4.00-	141104-40	28/10/2014	04/11/2014	20/11/2014	<40	<100	<100	<100	<100	<40	<40	<40	<40	<100	<100	<100	<100	<40	<40	<40	<40	<12	76	<176	<24	<20	<12	<24	<9	<8	107	<100	<100											
PI#104	1.00-	141104-40	28/10/2014	04/11/2014	21/11/2014	<40	<100	<100	6000	3870	<40	<40	<40	<40	436	738	2570	934	<100	<40	<40	<40	<12	78	<176	<24	<20	<12	<24	<9	<8	14600	9870	4680											
PI#104	2.00-	141104-40	28/10/2014	04/11/2014	21/11/2014	<200	1530	3040	13100	5890	<200	<200	<200	637	2060	12800	7120	2810	<200	<200	<200	<200	<60	71	<880	<120	<100	<60	<24	<9	<40	46200	23600	22600											
PI#104	3.00-	141104-40	28/10/2014	04/11/2014	21/11/2014	681	<100	<100	<100	<100	<40	72.5	498	454	<100	<100	<100	<100	<100	<40	<40	332	<40	<12	92	2060	<24	<20	<12	<24	<9	<8	2060	<100	<100										
PI#104	4.00-	141104-40	28/10/2014	04/11/2014	20/11/2014	27400	32200	41600	33800	309	114	331	18600	18300	5220	15500	19500	287	<100	<40	<40	12400	<40	<12	112	77000	<24	<20	<12	<24	<9	<8	225000	108000	40000										
PI#105	1.00-	141104-40	28/10/2014	04/11/2014	21/11/2014	<200	<100	<100	5140	1510	<200	<200	<200	<200	748	2620	8940	6660	3260	<200	<200	<200	<200	<60	71	<880	<120	<100	<60	<24	<9	<40	25600	6640	19000										
PI#105	2.00-	141104-40	28/10/2014	04/11/2014	20/11/2014	<200	<100	<100	<100	<100	<200	<200	254	<200	<100	<100	<100	<100	<100	<200	<200	<200	<200	<60	76	<880	<120	<100	<60	<24	<9	<40	833	<100	<100										
PI#105	3.00-	141104-40	28/10/2014	04/11/2014	20/11/2014	<40	<100	<100	<100	<100	<40	<40	<40	<40	<100	440	1580	<100	<100	<40	<40	<40	<40	<12	78	<176	<24	<20	<12	<24	<9	<8	2030	<100	2020										
PI#105	4.00-	141104-40	28/10/2014	04/11/2014	20/11/2014	<40	<100	<100	1750	<100	<40	<40	<40	<40	<100	159	3920	3350	1520	<40	<40	<40	<40	<12	76	<176	<24	<20	<12	<24	<9	<8	9210	1750	7430										
PI#106	1.00-	141104-40	28/10/2014	04/11/2014	21/11/2014	<200	1800	3110	14700	2460	<200	<200	<200	305	<100	5870	3330	1630	<200	<200	<200	<200	<60	65	<880	<120	<100	<60	<24	<9	<40	31600	22100	9500											
PI#106	2.00-	141104-40	28/10/2014	04/11/2014	20/11/2014	<40	<100	<100	<100	<100	<40	<40	<40	<40	<100	<100	<100	<100	<100	<40	<40	<40	<40	<12	112	<176</																			

Monitor Phase 57 - Southern Section

RBSL Parks >1m						Aliphatics >C10-C12	Aliphatics >C12-C16	Aliphatics >C16-C21	Aliphatics >C21-C35	Aliphatics >C35-C44	Aliphatics >C5-C6	Aliphatics >C6-C8	Aliphatics >C8-C10	Aromatics >EC10- EC12	Aromatics >EC12- EC16	Aromatics >EC16- EC21	Aromatics >EC21- EC35	Aromatics >EC35- EC44	Aromatics >EC40- EC44	Aromatics >EC5-EC7	Aromatics >EC7-EC8	Aromatics >EC8-EC10	Benzene	Ethylbenzene	GRO Surrogate % recovery**	GRO TOT (Moisture Corrected)	Methyl tertiary butyl ether (MTBE)	o-Xylene	sum of detected BTEX by GC	detected mpo xylene by GC	Toluene	Aliphatics & Aromatics >C5-C44	Total Aliphatics >C12-C44	Total Aromatics >EC12-EC44	
Trial Pit	Sample Depth	SDG ID.	Date Sampled	Received On	Date Complete															432,000				48,000						478,000					
TPE548	1.50-	141107-3	31/10/2014	07/11/2014	27/11/2014	<200	3420	13600	49100	17100	<200	<200	<200	<200	1220	4990	32600	11800	4840	<200	<200	<200	<200	<60	70	<880	<120	<100	<60	<24	<9	<40	134000	83100	50600
TPE548	2.50-	141107-3	31/10/2014	07/11/2014	27/11/2014	<40	2690	1780	2020	<100	<40	<40	<40	<40	600	1110	5610	4940	2530	<40	<40	<40	<40	<12	97	<176	<24	<20	<12	<24	<9	<8	18800	6500	12300
TPE548	3.50-	141107-3	31/10/2014	07/11/2014	27/11/2014	<200	2990	3510	10900	4290	<200	<200	<200	<200	920	1960	16600	6640	2500	<200	<200	<200	<200	<60	82	<880	<120	<100	<60	<24	<9	<40	47800	21700	26100
TPE549	0.50-	141107-3	31/10/2014	07/11/2014	11/01/2015	<40	12600	32900	69300	18600	<40	<40	<40	<40	846	12400	66300	40900	17800	<40	<40	<40	<40	<12	98	<176	<24	<20	<12	<96	<36	<8	254000	133000	120000
TPE549	1.50-	141107-3	31/10/2014	07/11/2014	27/11/2014	<40	<100	3960	14900	4890	<40	<40	<40	<40	<100	<100	<100	<100	<100	<40	<40	<40	<40	<12	43	<176	<24	<20	<12	<24	<9	<8	23700	23700	<100
TPE549	2.50-	141107-3	31/10/2014	07/11/2014	27/11/2014	<40	<100	5620	26400	10400	<40	<40	<40	<40	<100	1480	14300	4680	1390	<40	<40	<40	<40	<12	61	<176	<24	<20	<12	<24	<9	<8	62800	42400	20400
TPE549	3.50-	141107-3	31/10/2014	07/11/2014	27/11/2014	<40	604	304	<100	<100	<40	<40	<40	<40	1470	133	1500	<100	<100	<40	<40	<40	<40	<12	104	<176	<24	<20	<12	<96	<36	<8	4060	908	3100
TPE550	0.50-	141028-25	23/10/2014	28/10/2014	11/12/2014	400	35100	60500	131000	39200	<40	<40	108	267	4580	26800	140000	66000	26600	<40	<40	80.2	<40	<12	76	909	<24	<20	<12	<24	<9	<8	504000	266000	237000
TPE550	1.50-	141028-25	23/10/2014	28/10/2014	11/12/2014	1230	208000	258000	668000	518000	<200	267	358	818	87000	142000	337000	117000	46500	<200	<200	268	<200	<60	81	3030	<120	<100	<60	<24	<9	<40	2340000	1650000	683000
TPE550	2.50-	141028-25	23/10/2014	28/10/2014	13/11/2014	82000	3040000	1490000	1330000	277000	<200	699	3080	54600	4190000	2360000	2020000	168000	30900	<200	<200	2110	<200	<60	83	143000	<120	<100	<60	<24	<9	<40	15000000	6140000	8740000
TPE550	3.00-	141028-25	23/10/2014	28/10/2014	13/11/2014	16100	298000	390000	1090000	827000	<200	450	4100	10800	174000	241000	603000	205000	79700	<200	<200	2740	<200	<60	102	34300	<120	<100	<60	<24	<9	<40	3860000	2610000	1220000
TPE550	4.00-	141028-25	23/10/2014	28/10/2014	13/11/2014	7800	58100	52100	113000	128000	239	2740	5050	5200	50600	48400	82000	24900	9890	<40	<40	3370	<40	<12	92	24400	<24	<20	<12	<24	<9	<8	582000	351000	206000
TPE551	0.50-	141028-25	23/10/2014	28/10/2014	13/11/2014	14700	218000	195000	351000	92800	<40	1940	10400	9820	45500	100000	377000	175000	69800	<40	<40	6930	<40	<12	88	43800	<24	<20	<12	<24	<9	<8	1600000	857000	697000
TPE551	1.50-	141028-25	23/10/2014	28/10/2014	12/11/2014	54500	228000	293000	930000	597000	<200	618	23100	36400	49800	120000	460000	177000	69100	<200	<200	15400	<200	<60	82	130000	<120	<100	<60	<24	<9	<40	2990000	2050000	808000
TPE551	2.50-	141028-25	23/10/2014	28/10/2014	11/12/2014	104000	170000	240000	585000	294000	<200	1320	50400	69100	66700	164000	625000	177000	63200	<200	<200	33600	<200	<60	82	258000	<120	<100	<60	<24	<9	<40	2580000	1290000	1030000
TPE551	3.50-	141028-25	23/10/2014	28/10/2014	13/11/2014	19900	83800	138000	265000	72200	48.8	2610	11400	13300	82700	156000	434000	136000	51200	<40	<40	7600	<40	<12	122	54900	<24	<40	<12	<24	<9	<8	1420000	559000	808000
TPE551	4.50-	141028-25	23/10/2014	28/10/2014	12/11/2014	1490	5460	26100	71600	26500	<40	270	961	993	2860	6960	63300	26000	9880	<40	<40	744	<40	<12	95	4500	<24	<20	71.3	71.3	71.3	<8	233000	130000	99100
TPE552	0.50-	141029-29	21/10/2014	29/10/2014	12/11/2014	645	106000	146000	282000	71700	<10	37.1	223	430	10200	64000	211000	83400	32300	<10	<10	151	<10	<3	81	1500	<6	<5	<3	<24	<9	<2	975000	605000	369000
TPE552	1.50-	141029-29	21/10/2014	29/10/2014	12/11/2014	<200	8160	33900	229000	68000	<200	<200	<200	<200	1740	10700	165000	108000	42600	<200	<200	<200	<200	<60	63	<880	<120	<100	<60	<24	<9	<40	625000	339000	286000
TPE552	2.50-	141029-29	21/10/2014	29/10/2014	12/11/2014	2160	81300	324000	3050000	689000	<200	217	247	1440	9820	221000	4980000	1600000	450000	<200	<200	<200	<200	<60	92	4320	<120	<100	<60	<24	<9	<40	11000000	4150000	6810000
TPE552	3.50-	141029-29	21/10/2014	29/10/2014	12/11/2014	654	72600	275000	1640000	518000	<40	118	273	436	5570	84800	1610000	574000	188000	<40	<40	201	<40	<12	81	1730	<24	<20	<12	<24	<9	13.8	4780000	2500000	2280000
TPE553	0.50-	141028-25	23/10/2014	28/10/2014	12/11/2014	9410	304000	500000	477000	107000	101	4590	8120	6270	11000	82700	283000	123000	47700	<40	<40	5410	<40	<12	77	33900	<24	<20	<12	<24	<9	<8	1920000	1390000	500000
TPE553	1.50-	141028-25	23/10/2014	28/10/2014	11/12/2014	<200	72400	342000	707000	450000	<200	<200	<200	<200	46000	127000	802000	623000	237000	<200	<200	<200	<200	<60	71	<880	<120	<100	<60	<24	<9	<40	3170000	1570000	1600000
TPE553	2.50-	141028-25	23/10/2014	28/10/2014	13/11/2014	333	751000	309000	236000	29600	<200	326	294	222	4670000	2800000	3610000	648000	197000	<200	<200	247	<200	<60	90	<880	<120	<100	<60	<24	<9	<40	13100000	1330000	11700000
TPE553	3.50-	141028-25	23/10/2014	28/10/2014	13/11/2014	578000	14300	67900	317000	122000																									

Monitor Phase 57 - Southern Section

Sheet 57 - Southern Section						Acenaphthene	Acenaphthene-d10 % recovery**	Acenaphthylene	Anthracene	Benz(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Chrysene	Chrysene-d12 % recovery**	Dibenzo(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Naphthalene-d8 % recovery**	PAH, Total Detected USEPA 16	Perylene-d12 % recovery**	Phenanthrene	Phenanthrene-d10 % recovery**	Pyrene		
						%	%	%	%	%	µg/kg	µg/kg	µg/kg	µg/kg	µg/kg	%	µg/kg	µg/kg	µg/kg	µg/kg	µg/kg	%	µg/kg	%	µg/kg	%	µg/kg		
RBSL Parks >1m																													
Trial Pit	Sample Depth	SDG ID	Date Sampled	Received On	Date Complete																								
IP0958	0.50-	141128-120	26/11/2014	28/11/2014	05/02/2015			42.8	94		210	154	334	119	105	236	109		41.6	433	79.6	97.2	81.7	119	2760	104	366	116	327
IP0958	1.50-	141128-120	26/11/2014	28/11/2014	05/02/2015			381	565	1900	2010	3200	1400	1030	1710	110		475	3420	361	1280	107	100	22500	115	1980	106	2560	
IP0958	2.50-	141128-120	26/11/2014	28/11/2014	05/02/2015			<12	<16	<14	<15	<15	<24	<24	<14	32.8	89.1	<23	<17	<10	<18	<9	103	122	74.9	46.7	99.5	<15	
IP0958	3.50-	141128-120	26/11/2014	28/11/2014	05/02/2015			<12	<16	<14	<14	17.2	63	<24	<14	41	92.1	<23	26.1	<10	<18	<9	103	224	85.5	44	99.9	32.7	
TPE 382	0.30-0.30	140522-119	16/05/2014	22/05/2014	07/06/2014	<8	86.8	<12	<16	<16	37.5	36.3	69	<24	21.4	100	64.2	<23	132	<10	<18	15.4	89	685	65	179	78.6	94.2	
TPE 382	1.00-1.00	140522-119	16/05/2014	22/05/2014	07/06/2014	<8	90.2	<12	<16	<16	<14	<15	<15	<24	<14	<10	83.1	<23	<17	<10	<18	<9	90.9	<118	81.4	<15	88.3	<15	
TPE 382	2.00-2.00	140522-119	16/05/2014	22/05/2014	06/06/2014	171	97.2	<12	45.9	<14	<15	59.2	<24	<14	42	98.5	<23	<17	393	<18	33	94	1220	101	478	98.4	<15		
TPE 382	3.00-3.00	140522-119	16/05/2014	22/05/2014	07/06/2014	<8	94.3	<12	<16	<14	<15	71.4	<24	<14	<10	89.9	<23	27	<10	<18	12.6	94	246	90.3	117	94.5	17.5		
TPE 382	4.00-4.00	140522-119	16/05/2014	22/05/2014	07/06/2014	<8	98.7	<12	<16	<14	<15	59.7	<24	<14	66.3	80	<23	38.5	<10	<18	28.9	98.7	441	67.9	223	94.2	24.6		
TPE 382	5.00-5.00	140522-119	16/05/2014	22/05/2014	06/06/2014	<8	94.8	<12	<16	<16	23.2	<15	<24	<14	43.9	90.3	<23	<17	<10	<18	<9	94.6	199	91.1	87.9	95	<15		
TPE 383	0.10-0.10	140522-119	16/05/2014	22/05/2014	07/06/2014	<8	88	<12	<16	<16	<14	<15	<15	<24	<14	<10	79	<23	<17	<10	<18	<9	89.5	<118	76.6	46.9	85	<15	
TPE 383	1.10-1.10	140522-119	16/05/2014	22/05/2014	07/06/2014	<8	96	<12	<16	<16	22.3	<15	21.6	<24	<14	24.7	96.4	<23	<17	32.8	<18	10.8	92.3	173	100	61.2	96.5	<15	
TPE 383	2.20-2.20	140522-119	16/05/2014	22/05/2014	07/06/2014	<8	96.2	<12	19.9	<14	<15	72.9	<24	<14	<10	98.5	<23	<17	167	<18	34.6	93.7	578	99.2	284	99.3	<15		
TPE 383	3.30-3.30	140522-119	16/05/2014	22/05/2014	07/06/2014	<8	95.9	<12	<16	<16	<14	<15	44.6	<24	<14	53.2	79.1	<23	19.3	<10	<18	25.5	97	306	67.8	145	92.6	18.6	
TPE 383	4.40-4.40	140522-119	16/05/2014	22/05/2014	07/06/2014	51.9	91.3	<12	<16	<16	<14	<15	65.3	<24	20.8	76.6	88.7	<23	28.9	39.8	<18	12.7	90.7	443	87	117	91.4	30	
TPE 543	0.30-0.00	140530-49	28/05/2014	30/05/2014	12/06/2014	525	104	7060	8290	19200	17600	23800	10400	7550	15900	93.7	3210	42500	2330	9800	346	102	223000	107	24800	104	29900		
TPE 543	1.30-0.00	140530-49	28/05/2014	30/05/2014	12/06/2014	<8	97.3	<12	<16	<16	<14	<15	<15	<24	<14	<10	39.4	<23	26.1	<10	<18	96.9	103	286	19.8	163	77.7	<15	
TPE 543	2.50-0.00	140530-49	28/05/2014	30/05/2014	12/06/2014	<8	89.8	<12	<16	<16	<14	31.6	77	<24	<14	84.6	82.6	<23	24.6	<10	<18	<9	92	407	78.2	169	86	20.7	
TPE 543	3.30-0.00	140530-49	28/05/2014	30/05/2014	12/06/2014	<8	92.6	<12	<16	<16	<14	<15	35.7	<24	<14	<10	89	<23	<17	<10	<18	<9	94.3	136	88.8	80.7	88.6	19.8	
TPE 544	0.30-0.00	140530-49	28/05/2014	30/05/2014	19/06/2014	204	109	113	288	1230	1700	1770	1260	750	1440	97.8	384	2030	171	1060	144	105	15800	111	1260	107	1980		
TPE 544	1.30-0.00	140530-49	28/05/2014	30/05/2014	13/06/2014	24.4	92.9	<12	23.8	<16	25.1	34	50.2	<24	19.2	37.9	94	<23	75.8	33.5	<18	30.5	92.2	531	93.1	95	90.9	81.3	
TPE 544	2.30-0.00	140530-49	28/05/2014	30/05/2014	12/06/2014	30.4	98.2	66.6	99.2	193	162	265	110	87.3	359	95.9	41.3	493	109	83.4	136	105	3350	80.7	560	91.9	557		
TPE 544	3.30-0.00	140530-49	28/05/2014	30/05/2014	12/06/2014	<8	104	<12	<16	<16	<14	<15	<15	<24	<14	<10	99	<23	<17	<10	<18	<9	102	<118	103	<15	95.9	<15	
TPE 544	4.30-0.00	140530-49	28/05/2014	30/05/2014	12/06/2014	<8	102	<12	<16	<16	<14	<15	<15	<24	<14	<10	99.4	<23	<17	<10	<18	<9	98.2	<118	100	<15	99.1	<15	
TPE 545	0.30-0.00	140530-49	28/05/2014	30/05/2014	18/06/2014	40	103	30.3	89.1	294	412	414	353	153	359	92.5	103	453	61.6	276	38.1	101	4070	105	388	102	602		
TPE 545	1.30-0.00	140530-49	28/05/2014	30/05/2014	12/06/2014	117	94.4	72.2	244	1100	1230	1220	1050	606	1410	99.4	304	1750	131	806	105	105	12900	102	996	84.6	1780		
TPE 545	2.30-0.00	140530-49	28/05/2014	30/05/2014	13/06/2014	94.7	102	141	294	1040	1070	1380	909	502	1320	89.8	284	1600	151	736	176	103	12400	86.9	1200	87.8	1510		
TPE 545	3.30-0.00	140530-49	28/05/2014	30/05/2014	13/06/2014	114	102	68.7	202	950	1170	1790	968	624	1030	97.7	279	1440	139	783	151	102	12200	104	1120	99.1	1390		
TPE 546	0.20-0.00	140530-49	28/05/2014	30/05/2014	12/06/2014	186	104	27.7	382	1290	855	1200	438	477	1060	87.2	192	2400	153	407	69.9	100	13000	90.2	2160	101	1660		
TPE 546	1.20-0.00	140530-49	28/05/2014	30/05/2014	13/06/2014	12.2	88.4	<12	23.4	<16	56.1	33.5	65	<24	23.5	99.5	66	<23	182	<10	<18	31.5	88.9	862	65	204	73.3	132	
TPE 546	2.40-0.00	140530-49	28/05/2014	30/05/2014	12/06/2014	<8	98	<12	<16	<16	<14	<15	<15	<24	<14	<10	83.3	<23	<17	<10	<18	<9	99.						

Monitor Phase 57 - Southern Section

RBSL Parks >1m						Acenaphthene	Acenaphthene-d10 % recovery**	Acenaphthylene	Anthracene	Benz(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Chrysene	Chrysene-d12 % recovery**	Dibenzo(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Naphthalene-d8 % recovery**	PAH, Total Detected USEPA 16	Perylene-d12 % recovery**	Phenanthrene	Phenanthrene-d10 % recovery**	Pyrene
Trial Pk	Sample Depth	SDG ID.	Date Sampled	Received On	Date Complete	%	%	%	%	µg/kg	µg/kg	µg/kg	µg/kg	µg/kg	µg/kg	%	µg/kg	µg/kg	µg/kg	µg/kg	µg/kg	%	µg/kg	%	µg/kg	%	µg/kg
IP0888	1.50-	141202-60	27/11/2014	02/12/2014	20/12/2014	<8	98.9	<12	<16	<14	<15	30.6	<24	<14	18.6	88.7	<23	<17	<10	<18	<9	101	<118	91.3	49.4	96	<15
IP0888	2.50-	141202-60	27/11/2014	02/12/2014	20/12/2014	<8	99.3	<12	<16	<14	<15	<15	<24	<14	18.3	88.3	<23	<17	12.2	<18	<9	102	<118	86.3	54.9	97	<15
IP0889	0.50-	141202-60	27/11/2014	02/12/2014	20/12/2014	<8	103	<12	<16	<14	<15	122	<24	21.9	76.8	94.1	<23	<17	<10	<18	<9	105	423	88.6	156	101	47.2
IP0889	1.50-	141202-60	27/11/2014	02/12/2014	20/12/2014	<8	102	<12	<16	<14	<15	39.1	<24	<14	22.2	95.8	<23	<17	<10	<18	<9	105	131	95.9	41.4	101	<15
IP0891	0.50-	141128-120	26/11/2014	28/11/2014	19/12/2014	<8	90.7	<12	<16	<14	<15	72.4	<24	<14	50.3	85.6	<23	<17	<10	<18	<9	92	204	83.3	48.4	90.7	32.8
IP0891	1.50-	141128-120	26/11/2014	28/11/2014	19/12/2014	<8	102	<12	<16	<14	<15	156	<24	<14	60.3	99.1	<23	20	<10	<18	<9	101	407	98.7	90.2	102	23.1
IP0892	0.50-	141128-120	26/11/2014	28/11/2014	19/12/2014	<8	102	<12	<16	<14	<15	86.2	<24	<14	40.7	98.6	<23	<17	<10	<18	10.8	102	221	96.3	56.2	103	27.7
IP0892	1.50-	141128-120	26/11/2014	28/11/2014	19/12/2014	<8	102	<12	<16	<14	<15	35.8	<24	<14	19.2	98.3	<23	<17	<10	<18	<9	102	<118	96.6	34.6	103	<15
IP0894	0.50-	141202-60	27/11/2014	02/12/2014	22/12/2014	<8	96.3	<12	<16	<14	<15	45.4	<24	<14	65.3	92.6	<23	19.6	<10	<18	<9	98.2	220	92.6	89.7	95.4	<15
IP0894	1.50-	141202-60	27/11/2014	02/12/2014	20/12/2014	<8	104	<12	<16	<14	<15	62.1	<24	<14	52.2	103	<23	<17	<10	<18	<9	109	169	109	54.8	105	<15
IP0894	2.50-	141202-60	27/11/2014	02/12/2014	20/12/2014	<8	102	<12	<16	<14	<15	26.5	<24	<14	21.2	87.3	<23	<17	<10	<18	<9	105	<118	84.4	27.1	98.8	<15
IP957	0.50-	141202-60	27/11/2014	02/12/2014	20/12/2014	10.5	106	37.5	29.3	97.3	100	167	95	52.1	117	104	<23	209	<10	79.2	40.4	106	1390	108	179	104	172
IP957	1.50-	141202-60	27/11/2014	02/12/2014	20/12/2014	<8	110	<12	<16	<14	21.2	47.5	<24	<14	<10	106	<23	<17	19.8	<18	<9	114	165	108	47.3	111	29.6
IP959	0.50-	141202-60	27/11/2014	02/12/2014	20/12/2014	67.2	104	58.6	226	277	386	373	276	170	325	107	73.6	611	178	213	84.8	105	4560	117	512	102	729
IP959	1.50-	141202-60	27/11/2014	02/12/2014	20/12/2014	<8	102	<12	<16	<14	<15	30	<24	<14	15.7	95.5	<23	<17	<10	<18	<9	104	<118	96.2	45.5	100	<15
IP959	2.50-	141202-60	27/11/2014	02/12/2014	20/12/2014	<8	103	<12	<16	<14	<15	26.4	<24	<14	43.1	99.8	<23	28.1	<10	<18	<9	105	182	104	59.5	102	24.9
IP960	0.50-	141202-60	27/11/2014	02/12/2014	20/12/2014	12.2	105	25.7	46.8	68.4	118	191	97	50	115	106	31.4	153	47.3	72.7	30.2	105	1400	115	144	104	193
IP960	1.50-	141202-60	27/11/2014	02/12/2014	20/12/2014	16.2	97.5	20.9	50.2	79.4	101	177	93.7	55.3	124	99.2	26.2	180	64.9	68.9	36.3	98.6	1480	107	150	96.6	238
IP960	2.50-	141202-60	27/11/2014	02/12/2014	20/12/2014	<8	102	<12	<16	<14	<15	42.2	<24	<14	24.3	98.9	<23	<17	<10	<18	<9	104	120	105	53.4	101	<15
IP960	3.50-	141202-60	27/11/2014	02/12/2014	20/12/2014	<8	109	<12	<16	<14	<15	43.7	<24	<14	54.7	102	<23	<17	<10	<18	13.6	111	242	90.4	130	108	<15
IP961	0.50-	141126-46	25/11/2014	26/11/2014	19/12/2014	260	96.1	<12	358	596	648	892	405	284	53.2	106	116	804	622	307	187	94.8	7560	121	687	105	867
IP962	0.50-	141126-46	25/11/2014	26/11/2014	18/12/2014	<8	102	13.9	24.8	78.6	48.2	190	33.5	33.1	111	98.8	<23	141	30.8	28.2	262	103	1320	104	229	101	101
IP962	1.50-	141126-46	25/11/2014	26/11/2014	18/12/2014	<8	95.7	<12	<16	43.9	16.8	93.4	<24	<14	56	102	<23	44.2	17.9	<18	43.1	98.7	460	102	104	96.5	40.2
IP963	0.50-	141126-70	24/11/2014	26/11/2014	08/12/2014	<8	94.9	<12	<16	<14	<15	40.1	<24	<14	<10	86.9	<23	<17	<10	<18	<9	101	<118	89.6	67.8	93	<15
IP963	1.50-	141126-70	24/11/2014	26/11/2014	07/12/2014	<8	94.7	<12	23.4	35.9	22.9	116	<24	<14	32.7	89	<23	104	21	<18	12.5	98.1	688	86.3	221	96.5	79.4
IP964	0.50-	141126-70	24/11/2014	26/11/2014	08/12/2014	<8	94.9	<12	<16	21.5	<15	172	<24	<14	53.8	83.2	<23	57.2	<10	<18	41.2	99.5	1260	83.9	911	91.1	<15
IP964	1.50-	141126-70	24/11/2014	26/11/2014	08/12/2014	<8	91.8	<12	<16	<14	<15	34.1	<24	<14	28	82.9	<23	<17	<10	<18	<9	96	126	84.7	63.9	88.7	<15
IP965	0.50-	141126-70	24/11/2014	26/11/2014	08/12/2014	<8	98	<12	<16	<14	<15	55.3	<24	<14	<10	83.9	<23	<17	<10	<18	<9	102	<118	89.2	60.1	95.9	<15
IP965	1.50-	141126-70	24/11/2014	26/11/2014	07/12/2014	<8	97.3	<12	<16	<14	<15	37.2	<24	<14	<10	88.9	<23	<17	<10	<18	<9	102	<118	81.8	80.3	94.1	<15
IP965	2.50-	141126-70	24/11/2014	26/11/2014	07/12/2014	<8	98.5	<12	<16	<14	<15	29.8	<24	<14	<10	92.7	<23	<17	<10	<18	<9	102	<118	84.8	81.2	96	<15
IP965	3.50-	141126-70	24/11/2014	26/11/2014	07/12/2014	<8	101	<12	<16	<14	<15	26.3	<24	<14	<10	94.2	<23	<17	<10	<18	<9	104	<118	86.4	67	98.8	<15
IP0966	0.50-	141128-120	26/11/2014	28/11/2014	19/12/2014	<8	98.6	<12	<16	<14	<15	45.2	<24	<14	35.5	110	<23	32.8	<10	<18	<9	101	186	112	47	99.1	25.8
IP0975	0.50-	141128-120	26/11/2014	28/11/2014	20/12/2014	228	97.7	91.6	487	433	364	587	265	220	347	111	82.6	945	439	202	1420	101	7810	122	751	98.5	955
IP0977	0.50-	141128-120	26/11/2014	28/11/2014	19/12/2014	<8	96.7	<12	<16	<14	<15	83.9	<24	<14	81.8	104	<23	<17	<10	<18	<9	98.5	310	103	144	97	<15
IP0978	0.50-	141128-120	26/11/2014	28/11/2014	19/12/2014	<8	96	<12	<16	<14	24.9	56.4	<24	<14	34.1	105	<23	28.5	<10	<18	<9	98.4	221	106	50.6	95.2	26.5
IP0979	0.50-	141128-120	26/11/2014	28/11/2014	19/12/2014	<8	99.4	17.5	27.5	200	246	434	216	133	197	96.9	70.8	214	<10	186	16.3	100	2220	100	102	98.8	161
IP0980	0.50-	141128-120	26/11/2014	28/11/2014	22/12/2014	47.4	96.9	38.8	95.2	1160	996	1860	587	595	1170	92.1	294	1440	66.7	560	120	99.6	10500	86.3	540	93.7	978
IP0980	1.50-	141128-120	26/11/2014	28/11/2014	19/12/2014	<8	93.7	15.7	27.3	192	191	333	134	110	200	97.4	55.2	252	18.3	112	52.1	96.5	2040	97.6	151	93.2	191
IP0981	0.50-	141202-60	27/11/2014	02/12/2014	20/12/2014	<8	101	<12	<16	<14	<15	<15	<24	<14	<10	97.7	<23	<17	<10	<18	<9	101	<118	102	20.5	98.8	<15
IP0981	1.50-	141202-60	27/11/2014	02/12/2014	20/12/2014	10.4	106	34.6	41.4	170	184	370	108	242	102	160	59.1	278	16.4	132	21.9	108	2260	96.1	217	106	212
IP0982	0.50-	141202-60	27/11/2014	02/12/2014	20/12/2014	<8	101	30.5	24.6	84	56	111	40.2	30.3	104	82.9	<23	156	<10	35.6	28	107	987	70.3	168	98.2	118
IP0984	0.50-	141202-60	27/11/2014	02/12/2014	22/12/2014	17.2	107	53.7	54.1	360	390	638	314	212	315	105	90.6	624	16.8	263	12.2	111	4100	107	251	108	488
IP0985	0.50-	141128-120	26/11/2014	28/11/2014	05/02/2015	354	99.7	129	592	937	816	1270	540	383	833	109	185	1450	674	443	325	101	12000	111	1660	99.7	1420
IP0986	0.50-	141128-120	26/11/2014	28/11/2014	19/12/2014	112	99	<12	597																		

Monitor Phase 57 - Southern Section

Site #7 - Southern Section					Acenaphthene %	Acenaphthene- d10 % recovery**	Acenaphthylene %	Anthracene %	Benz(a)anthracene %	Benzo(a)pyrene µg/kg	Benzo(b)fluoranthene µg/kg	Benzo(g,h,i)perylene µg/kg	Benzo(k)fluoranthene µg/kg	Chrysene µg/kg	Chrysene- d12 % recovery**	Dibenzo(a,h)anthracene µg/kg	Fluoranthene µg/kg	Fluorene µg/kg	Indeno(1,2,3-cd)pyrene µg/kg	Naphthalene µg/kg	Naphthalene-d8 % recovery**	PAH, Total Detected USEPA 16 µg/kg	Perylene-d12 % recovery**	Phenanthrene µg/kg	Phenanthrene- d10 % recovery**	Pyrene µg/kg
RBSL Parks >1m																										
Trial Pit	Sample Depth	SDG ID.	Date Sampled	Received On	Date Complete																					
IP1190	2.50-	141114-1	11/11/2014	14/11/2014	03/12/2014	<8	93.2	<12	<16	<14	<15	24.3	<24	<14	34.1	86.6	<23	<17	<10	<18	21.4	97.9	159	88.2	79.4	90.8
IP1191	1.00-	141114-1	11/11/2014	14/11/2014	03/12/2014	<8	103	19.5	31.4	128	99.5	188	59.1	59.6	149	100	<23	226	17.4	47.6	17.8	102	1480	101	229	102
IP1191	2.00-	141114-1	11/11/2014	14/11/2014	04/12/2014	<8	102	<12	<16	<14	<15	89.3	<24	<14	91.3	73.8	<23	37	<10	<18	52	102	461	67.5	169	86.1
IP1191	3.00-	141114-1	11/11/2014	14/11/2014	04/12/2014	<8	103	<12	<16	20.5	<15	<15	<24	<14	<10	102	<23	<17	<10	<18	<9	101	<118	115	<15	100
IP1192	1.00-	141114-1	11/11/2014	14/11/2014	28/01/2015	97.3	111	75	196	968	1050	1680	924	523	1060	113	267	1670	124	719	144	112	12200	118	1150	112
IP1192	2.00-	141114-1	11/11/2014	14/11/2014	03/12/2014	16.6	93.6	<12	<16	35.3	24.8	68.8	<24	18.9	78.2	73.4	<23	84.2	<10	<18	148	95.7	726	63.1	175	86.7
IP1192	3.00-	141114-1	11/11/2014	14/11/2014	03/12/2014	247	102	<12	315	945	560	857	255	293	881	87.9	124	1820	229	239	60.7	103	10000	82.6	2040	94.4
IP1192	4.00-	141114-1	11/11/2014	14/11/2014	03/12/2014	<8	106	<12	<16	<14	24.9	42.9	<24	<14	25.8	102	<23	29.9	<10	<18	22.6	106	203	115	31.7	104
IP1194	1.00-	141114-122	12/11/2014	14/11/2014	08/12/2014	<8	112	73.5	21.9	33	<15	49.9	<24	<14	95.2	68.9	<23	71.6	45.1	<18	535	115	1460	50.9	430	96.5
IP1194	2.00-	141114-122	12/11/2014	14/11/2014	07/12/2014	<8	97	<12	<16	19.9	<15	<15	<24	<14	15.5	85.2	<23	<17	<10	<18	33.1	99.6	<118	83.2	42.9	91.7
IP1194	3.00-	141114-122	12/11/2014	14/11/2014	08/12/2014	<8	98	<12	<16	<14	<15	32.1	<24	<14	42.3	94	<23	<17	<10	<18	<9	97.8	173	100	73.6	95
IP1195	0.50-	141114-122	12/11/2014	14/11/2014	08/12/2014	202	89.7	257	755	3400	3550	5330	2420	1800	3260	88	702	6120	227	2060	196	92.6	37400	85.8	2330	86.6
IP1195	1.50-	141114-122	12/11/2014	14/11/2014	08/12/2014	<8	94.7	52.9	<16	<14	<15	32.3	<24	<14	39.1	35.9	<23	58.9	17.5	<18	363	96.8	816	16.4	207	74.2
IP1195	2.50-	141114-122	12/11/2014	14/11/2014	08/12/2014	19.1	111	<12	<16	27.7	<15	57.2	<24	<14	21.6	87.1	<23	<17	<10	<18	74.1	111	268	85	46.7	105
IP1195	3.50-	141114-122	12/11/2014	14/11/2014	07/12/2014	<8	93.4	<12	<16	<14	<15	30.8	<24	<14	12.9	89.7	<23	<17	<10	<18	9.94	96.7	<118	91.8	21.3	91.2
IP1196	0.50-	141114-122	12/11/2014	14/11/2014	05/12/2014	<8	93	<12	<16	<14	<15	33.5	<24	<14	31.2	88.5	<23	<17	<10	<18	<9	94.5	<118	92.4	48.7	90.7
IP1196	1.50-	141114-122	12/11/2014	14/11/2014	07/12/2014	<8	105	<12	<16	<14	<15	<15	<24	<14	22.7	52.1	<23	31.3	<10	<18	79.3	108	279	31.9	123	87.4
IP1196	2.50-	141114-122	12/11/2014	14/11/2014	07/12/2014	<8	92.2	<12	<16	<14	<15	43.4	<24	<14	30.5	84.3	<23	<17	<10	<18	14	94.1	144	84.7	56.4	89.2
IP1196	3.50-	141114-122	12/11/2014	14/11/2014	05/12/2014	<8	97.2	<12	<16	26	31.5	88.2	48.1	22.1	72.4	95.2	<23	39.1	<10	31.5	16.9	98.3	495	91.8	89.5	94.2
IP1197	0.50-	141114-122	12/11/2014	14/11/2014	07/12/2014	80.2	96.7	30.7	303	1650	1180	1680	688	748	1340	100	271	2370	160	663	104	96.4	14500	106	1410	95.5
IP1197	1.50-	141114-122	12/11/2014	14/11/2014	07/12/2014	<8	117	<12	60	93.7	75.7	134	171	36.4	132	96.9	44.7	81.6	<10	64.1	367	113	1730	95.4	286	107
IP1197	2.50-	141114-122	12/11/2014	14/11/2014	05/12/2014	<40	109	<60	<80	197	204	273	264	<70	323	93.8	<115	149	<50	<90	792	108	3740	95.1	974	98.4
IP1197	3.50-	141114-122	12/11/2014	14/11/2014	05/12/2014	<8	88	<12	40.8	74.1	65	127	76.1	32.4	109	78	<23	68	<10	34.4	280	85.5	1330	76	247	82
IP1198	0.50-	141114-122	12/11/2014	14/11/2014	07/12/2014	<8	93.8	<12	<16	29.4	37	50.4	28	17.9	29.3	96.5	<23	24.7	<10	<18	<9	94.9	288	105	26.8	91.7
IP1198	1.50-	141114-122	12/11/2014	14/11/2014	07/12/2014	<8	102	43	50.2	176	160	402	174	67.8	393	81.6	79.5	249	19.5	113	643	102	4320	82.9	1450	94.1
IP1198	2.50-	141114-122	12/11/2014	14/11/2014	07/12/2014	246	101	57.6	336	1610	1660	2810	1280	816	2320	91.5	448	2400	200	939	373	102	19800	85.9	2120	93.9
IP1198	3.50-	141114-122	12/11/2014	14/11/2014	05/12/2014	<80	129	<120	324	632	535	919	963	252	817	123	<230	544	<100	323	843	133	8000	130	979	125
IP1199	0.50-	141114-122	12/11/2014	14/11/2014	07/12/2014	59.1	103	46.9	142	481	564	551	370	280	559	92.6	102	712	119	287	87.8	100	5570	102	447	99
IP1215	0.50-	141107-6	03/11/2014	07/11/2014	08/01/2015	430	102	61.3	189	340	340	541	208	137	454	105	89.3	571	349	168	82.5	97.9	5240	118	525	105
IP1216	1.00-	141107-6	03/11/2014	07/11/2014	25/11/2014	56.1	102	51.3	146	476	571	888	388	270	479	107	130									

Monitor Phase 57 - Southern Section

Site #7 - Southern Section					Acenaphthene %	Acenaphthene- d10 % recovery**	Acenaphthylene %	Anthracene %	Benz(a)anthracene %	Benzo(a)pyrene µg/kg	Benzo(b)fluoranthene µg/kg	Benzo(g,h,i)perylene µg/kg	Benzo(k)fluoranthene µg/kg	Chrysene µg/kg	Chrysene- d12 % recovery**	Dibenzo(a,h)anthracene µg/kg	Fluoranthene µg/kg	Fluorene µg/kg	Indeno(1,2,3-cd)pyrene µg/kg	Naphthalene µg/kg	Naphthalene-d8 % recovery**	PAH, Total Detected USEPA 16 µg/kg	Perylene-d12 % recovery**	Phenanthrene µg/kg	Phenanthrene- d10 % recovery**	Pyrene µg/kg		
RBSL Parks >1m																												
Trial Pit	Sample Depth	SDG ID.	Date Sampled	Received On	Date Complete																							
IP1324	1.00-	141107-53	04/11/2014	07/11/2014	13/01/2015	20.4	97.7	20	56.5	243	354	563	342	179	284	103		95.1	274	44.8	261	71.8	99	3280	106	199	99.5	269
IP1324	2.00-	141107-53	04/11/2014	07/11/2014	29/11/2014	51.4	87.6	28.9	94.1	804	677	1230	399	414	773	73.4		179	1050	62.5	365	63.5	87.5	7340	69.7	326	81.1	829
IP1324	3.00-	141107-53	04/11/2014	07/11/2014	29/11/2014	32.7	92.3	<12	51.5	270	282	525	202	170	310	68.7		79.4	353	24.7	153	64.4	94.7	3000	60.9	202	84.1	282
IP1324	4.00-	141107-53	04/11/2014	07/11/2014	29/11/2014	10.2	100	<12	21.8	117	124	226	117	62.5	170	72.8		42.6	158	12.5	61.7	73	99.4	1450	64.3	135	91.6	156
IP1325	0.50-	141107-53	04/11/2014	07/11/2014	12/01/2015	33.2	102	16	73.4	354	358	571	278	209	394	104		99.2	520	53.6	242	26.8	102	3890	94.5	237	101	421
IP1325	1.50-	141107-53	04/11/2014	07/11/2014	29/11/2014	<8	84.4	<12	<16	20.1	<15	64.8	<24	<14	107	82.3		<23	22.5	<10	<18	13.7	85.4	505	85.1	276	84.9	<15
IP1325	3.00-	141107-53	04/11/2014	07/11/2014	29/11/2014	46.1	108	52	88.7	125	105	167	60.8	55.6	215	63.1		35.5	339	143	69	237	106	2750	52.1	641	88.7	368
IP1325	4.00-	141107-53	04/11/2014	07/11/2014	29/11/2014	17.6	118	28.3	32.5	54.5	55.9	113	54.4	26.9	162	72.8		<23	121	29.6	30.4	153	116	1260	62	246	102	139
IP1326	1.00-	141107-53	04/11/2014	07/11/2014	12/01/2015	77.7	99.8	37	394	2180	1570	1970	825	853	1850	100		341	2890	162	795	111	99.2	17300	107	1250	102	1960
IP1326	2.00-	141107-53	04/11/2014	07/11/2014	29/11/2014	14.8	101	49.9	93.4	255	204	334	160	105	405	75.5		66.6	485	58.8	124	432	96.1	4130	68.7	825	92.6	516
IP1326	3.00-	141107-53	04/11/2014	07/11/2014	29/11/2014	30.1	96.9	39.9	58.5	129	127	227	116	78.4	210	71		47.4	296	47.3	62.2	182	92.9	2320	63.6	355	89.2	314
IP1326	4.00-	141107-53	04/11/2014	07/11/2014	28/11/2014	42.8	108	18.6	90.5	370	334	525	236	182	349	72.7		72.5	572	46.9	168	105	109	4260	64.6	510	91.6	638
IP1327	1.00-	141107-53	04/11/2014	07/11/2014	12/01/2015	49.5	99	24.5	112	431	430	574	265	215	426	98.8		77.6	600	78.2	225	81.4	98.9	4520	106	383	99.9	549
IP1327	2.00-	141107-53	04/11/2014	07/11/2014	29/11/2014	30.9	96.9	41	60.2	133	131	233	119	80.5	216	71		48.7	305	48.6	63.9	187	92.9	2390	63.6	364	89.2	323
IP1327	3.00-	141107-53	04/11/2014	07/11/2014	28/11/2014	17	98.1	28.6	63.1	172	164	252	153	73.8	383	80.3		56	336	35.6	91.1	259	94.2	2950	74.8	500	93.4	367
IP1327	4.00-	141107-53	04/11/2014	07/11/2014	28/11/2014	<8	98.5	<12	59.3	292	314	603	343	202	392	82.4		94.3	641	42.6	236	120	98	4390	80.6	541	92	510
IP1328	1.00-	141107-97	05/11/2014	07/11/2014	15/01/2015	20.9	103	20.2	78.3	246	239	389	221	146	322	105		71.3	344	49.5	170	85.8	103	2930	96.2	230	102	295
IP1328	2.00-	141107-97	05/11/2014	07/11/2014	29/11/2014	51.2	93.6	69.6	147	1430	1680	2810	1220	929	1710	86.5		384	2540	62.7	994	121	94.9	17700	88.4	1260	90.3	2330
IP1328	3.00-	141107-97	05/11/2014	07/11/2014	29/11/2014	56.2	104	<60	461	1440	970	1550	804	485	2720	92.9		367	1560	384	498	405	103	20900	95.5	6310	99.2	2930
IP1328	4.00-	141107-97	05/11/2014	07/11/2014	28/11/2014	61.9	108	59.1	166	980	1420	1880	1160	807	1550	94.5		319	1910	154	820	696	107	16700	92.7	2190	103	2500
IP1328	5.00-	141107-97	05/11/2014	07/11/2014	28/11/2014	81.8	97.4	<12	210	215	200	325	181	104	228	92.7		45.4	297	212	112	126	95.6	3150	102	242	96.1	572
IP1329	1.00-	141107-97	05/11/2014	07/11/2014	15/01/2015	21.3	99.4	25.9	63.9	323	332	391	247	157	306	99.9		67.9	464	57.2	204	107	98.9	3460	108	249	101	443
IP1329	2.00-	141107-97	05/11/2014	07/11/2014	29/11/2014	29.8	112	26.8	76.8	130	120	185	108	56.7	305	83		65.3	146	64.7	57.2	297	109	3280	74.2	760	102	857
IP1329	3.00-	141107-97	05/11/2014	07/11/2014	29/11/2014	<8	125	24.5	48.1	92.7	119	167	116	51.8	225	101		43	145	<10	75.2	228	123	1900	95	362	118	201
IP1330	1.00-	141107-97	05/11/2014	07/11/2014	15/01/2015	<40	93.3	<60	<80	165	223	315	246	133	483	79.3		<115	242	<50	165	81.6	92.3	2560	81.4	260	88.8	245
IP1330	2.00-	141107-97	05/11/2014	07/11/2014	29/11/2014	<8	118	29.1	<16	34.6	<15	57.1	<24	<14	45	67.6		<23	32.6	<10	<18	215	117	590	54.4	135	99.2	41.7
IP1330	3.00-	141107-97	05/11/2014	07/11/2014	29/11/2014	21.6	104	<12	<16	57.1	52.9	104	50.4	34.3	213	74.6		<23	88.1	14.5	31.8	76.2	106	1010	66	185	95.2	85.9
IP1330	4.00-	141107-97	05/11/2014	07/11/2014	29/11/2014	1600	76.7	<12	4490	2220	473	512	182	117	5110	65.3		124	3870	11600	88.8	1350	82.5	144000	69.8	102000	72.4	10200
IP1331	1.00-	141107-97	05/11/2014	07/11/2014	15/01/2015	<40	98.9	117	159	522	533	825	482	274	753	79.7		165	883	124	359	276	102	6830	81.5	597		

Monitor Phase 57 - Southern Section

RBSL Parks >1m						Acenaphthene	Acenaphthene-d10 % recovery**	Acenaphthylene	Anthracene	Benz(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Chrysene	Chrysene-d12 % recovery**	Dibenzo(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Naphthalene-d8 % recovery**	PAH, Total Detected USEPA 16	Perylene-d12 % recovery**	Phenanthrene	Phenanthrene-d10 % recovery**	Pyrene
Trial Pk	Sample Depth	SDG ID.	Date Sampled	Received On	Date Complete	%	%	%	%	%	µg/kg	µg/kg	µg/kg	µg/kg	µg/kg	%	µg/kg	µg/kg	µg/kg	µg/kg	µg/kg	%	µg/kg	%	µg/kg	%	µg/kg
TPE457	2.50-	141126-70	24/11/2014	26/11/2014	08/12/2014	<8	98.7	<12	74.1	341	249	383	198	142	330	93.6	70.9	572	17.8	160	28.9	103	3180	86.5	241	96.1	371
TPE647	0.50-	141114-1	11/11/2014	14/11/2014	27/01/2015	1260	119	101	510	475	598	685	490	246	733	121	135	826	1290	325	15000	116	26200	125	2130	113	1460
TPE647	2.00-	141114-1	11/11/2014	14/11/2014	04/12/2014	48.6	101	22.2	102	1580	1840	2820	1260	1080	2010	90.2	445	1870	54.7	1090	104	98.7	16700	90.4	708	93.9	1660
TPE647	3.00-	141114-1	11/11/2014	14/11/2014	03/12/2014	<8	114	<12	251	224	221	432	248	82.6	250	97.9	76.6	341	918	115	4580	105	10200	104	1790	107	658
TPE647	4.00-	141114-1	11/11/2014	14/11/2014	03/12/2014	6000	123	<60	1670	1050	433	768	267	250	1670	94.8	<115	1690	7570	189	24700	112	65300	88.6	15600	103	3400
TPE648	1.00-	141114-1	11/11/2014	14/11/2014	27/01/2015	394	107	109	472	1830	2040	2210	1240	892	1740	114	396	3470	462	1060	438	107	22200	121	2600	105	2820
TPE648	2.00-	141114-1	11/11/2014	14/11/2014	04/12/2014	19.1	97.4	<12	28.7	71.6	79.2	159	102	52.5	143	72.5	<23	127	26.7	61.5	90.8	96.5	1270	67.1	159	87	148
TPE648	3.00-	141114-1	11/11/2014	14/11/2014	03/12/2014	<8	109	<12	<16	78.1	58.3	156	50	25.4	80.6	77.1	<23	96.9	<10	26.6	157	109	922	71.4	108	97.9	85.3
TPE648	4.00-	141114-1	11/11/2014	14/11/2014	03/12/2014	12.2	90.7	<12	27.9	60.1	33.6	86.7	39.9	24.6	115	65.1	<23	87.8	29.2	<18	205	89.1	1200	63.2	342	78	140
IP0794	0.50-	150227-69	24/02/2015	27/02/2015	19/03/2015	<8	92	<12	<16	<14	<15	49.3	<24	<14	24.3	90.6	<23	<17	<10	<18	<9	92.5	<118	104	36.4	88.9	<15
IP0872	0.50-	150227-69	24/02/2015	27/02/2015	19/03/2015	13.6	97	<12	20.2	106	88.7	158	70.2	55.4	121	89.8	<23	201	<10	54.6	15.9	97.4	1210	98.8	153	94	157
IP0872	1.50-	150227-69	24/02/2015	27/02/2015	19/03/2015	<8	100	19.7	46.6	269	182	283	117	104	290	95.2	52.8	385	<10	109	<9	101	2290	103	178	97.6	256
IP0872	2.50-	150227-69	24/02/2015	27/02/2015	18/03/2015	<8	95.3	<12	<16	<14	<15	33.2	<24	<14	31.8	90.2	<23	<17	<10	<18	<9	96.4	129	100	64	93.2	<15
IP0872	3.50-	150227-69	24/02/2015	27/02/2015	18/03/2015	<8	98.4	<12	<16	33.5	<15	45.4	<24	<14	37.1	93.9	<23	32.3	<10	<18	<9	101	222	97.6	50.9	95.9	22.8
IP0873	0.50-	150227-69	24/02/2015	27/02/2015	19/03/2015	74.4	103	161	218	1360	1440	3010	1130	911	1840	95.4	394	2710	86.3	1000	115	104	17600	103	1140	98.5	2040
IP0873	1.50-	150227-69	24/02/2015	27/02/2015	19/03/2015	<8	99.7	24.1	29.5	77.4	138	182	158	92.8	152	91.5	39.8	147	<10	118	<9	95.2	1350	100	57.5	95.6	135
IP0873	2.50-	150227-69	24/02/2015	27/02/2015	20/03/2015	<8	96.9	13.4	20.8	89.5	109	208	107	48.7	174	83.1	33.3	197	<10	80.4	<9	97.1	1360	91.8	131	91.6	152
IP0873	3.50-	150227-69	24/02/2015	27/02/2015	19/03/2015	<8	98.1	<12	<16	24.4	<15	49.3	<24	16.5	33.7	87.4	<23	32.4	<10	<18	<9	98.8	238	94.2	56.5	92.5	25
IP0874	0.50-	150214-75	11/02/2015	14/02/2015	03/03/2015	19.1	101	<12	29.6	30.2	<15	20.6	<14	21.6	95	<23	64.7	83.3	<18	15.9	101	400	89.5	60	101	55.4	
IP0874	1.50-	150214-75	11/02/2015	14/02/2015	04/03/2015	12.1	106	<12	<16	70.1	63.3	99.9	51	39.9	89.3	92.5	<23	139	<10	37.3	28.1	109	884	92.9	132	105	121
IP0968	0.50-	150214-75	11/02/2015	14/02/2015	04/03/2015	<8	101	<12	<16	17.8	<15	28.7	<24	<14	22.1	96.4	<23	<17	<10	<18	<9	101	<118	96.3	40.8	100	<15
IP1082	1.00-	150214-75	11/02/2015	14/02/2015	04/03/2015	84.1	98.5	159	263	229	170	454	162	143	368	74.9	55.9	665	151	130	1300	99.1	5750	64.6	860	87.7	553
IP1082	2.00-	150214-75	11/02/2015	14/02/2015	04/03/2015	626	104	<12	657	<14	<15	74.7	<24	<14	165	103	<23	<17	1250	<18	316	106	4650	109	1170	105	388
IP1083	1.00-	150214-75	11/02/2015	14/02/2015	22/04/2015	134	115	70.2	973	772	648	969	432	349	795	112	144	2180	754	338	340	115	12500	114	1520	114	2110
IP1083	2.00-	150214-75	11/02/2015	14/02/2015	04/03/2015	134	113	<12	191	37.9	34.1	58.2	29.6	<14	68	99.6	<23	89	587	<18	138	109	2260	109	781	113	111
IP1094	0.50-	150227-69	24/02/2015	27/02/2015	29/04/2015	118	88.9	31.4	121	1050	1450	2320	1340	772	1250	87.6	366	1540	78.5	1030	55	90.7	13500	101	689	87.5	1270
IP1094	1.50-	150227-69	24/02/2015	27/02/2015	19/03/2015	281	118	144	626	1420	1300	1380	922	859	1650	108	318	2570	257	831	453	118	16900	109	1770	115	2150
IP1094	2.50-	150227-69	24/02/2015	27/02/2015	19/03/2015	22.4	114	<12	26.9	43.1	33.1	75.3	<24	35.2	90	69.8	<23	122	24.5	<18	101	114	869	54.4	190	98.7	105
IP1095	0.50-	150227-71	25/02/2015	27/02/2015	23/03/2015	146	95.2	544	1370	2390	1600	2640	860	1200	3070	91.2	296	6380	185	806	235	93.8	28500	100	1000	93.3	5780
IP1095	1.50-	150227-71	25/02/2015	27/02/2015	23/03/2015	<8	109	<12	<16	25.6	<15	22.6	<24	<14	28.8	90	<23	<17	<10	<18	39.3	107	183	83.4	67	99.5	<15
IP1095	2.50-	150227-71	25/02/2015	27/02/2015	23/03/2015	22.2	105	31.8	78.5	156	156	236	138	77.4	192	98.5	42.4	283	37.1	95.7	92.6	101	2100	101	191	99.8	273
IP1096	0.50-	150227-71	25/02/2015	27/02/2015	23/03/2015	28.3	91.4	22.6	68.1	326	338	565	236	187	315	92.4	70.8	543	23.1	188	46.7	92.4	3730	108	324	90.4	450
IP1096	1.50-	150227-71	25/02/2015	27/02/2015	24/03/2015	3190	119	252	3760	18100	16200	24800	9080	8130	16800	109	3630	25600	223	8510	299	115	173000	120	14700	111	18100
IP1096	2.50-	150227-71	25/02/2015	27/02/2015	23/03/2015	27.1	104	66	205	652	898	1720	706	572	714	90.6	284	875	330	651	169	104	8780	97.8	485	96.2	727
IP1096	3.40-	150227-71	25/02/2015	27/02/2015	24/03/2015	<8	98.7	<12	<16	<14	<15	<15	<24	<14	<10	69.4	<23	<17	<10	<18	174	99.8	229	65.8	55.8	84	<15
IP1203	0.50-	150227-71	25/02/2015	27/02/2015	11/05/2015	105	95.2	298	746	1550	1300	2560	885	980	1760	93.1	306	4090	112	831	267	94.3	20100	104	822	93.3	3470
IP1203	1.50-	150227-71	25/02/2015	27/02/2015	24/03/2015	<8	120	<12	22.1	28	28.3	59.8	62.6	<14	57.2	86.9	<23	47.1	<10	<18	121	117	657	90.9	159	106	71.6
IP1204	1.00-	150214-75	11/02/2015	14/02/2015	23/04/2015	1340	109	78.9	2220	6510	6750	6730	4560	2890	5130	106	1060	13200	1030	3540	1210	109	76900	113	10200	106	10500
IP1204	2.00-	150214-75	11/02/2015	14/02/2015	04/03/2015	79	104	23	224	1110	1030	1040	741	451	977	101	224	1590	59.9	601	122	104	10300	108	810	104	1260
IP1204	3.00-	150214-75	11/02/2015	14/02/2015	04/03/2015	194	111	19.7	47.2	1390	1500	1750	980	751	1390	101	273	3210	145	828	83.7	108	17500	111	1950	110	2490
IP1204	4.00-	150214-75	11/02/2015	14/02/2015	04/03/2015	1120	112	<12	1730	103	109	148	78.9	58.9	267	90.7	<23	240	4270	36.6	821	104	14200	104	4550	112	623
IP1209	0.50-	150227-71	25/02/2015	27/02/2015	12/05/2015	84.5	88.9	<12	151	905	1250	1690	764	525	830	90.6	245	1090	80.3	662	88.7	89.3	9860	113	554	88.3	945
IP1209	1.50-	150227-71	25/02/2015	27/02/2015	21/03/2015	<8	94.7	20.3	<16	19.1	<15	30.8	<24	<14	56.3	56.6	<23	33.6	<10	<18	139	92.2	476	41.8	146	79.7	31.2
IP1209	2.50-	150227-71	25/02/2015	27/02/2015	21/03/2015	31.4	116	17.5	44.7	78.4	50.5	86.1	<24	28.4													

Monitor Phase 57 - Southern Section

Phase 57 - Southern Section						Acenaphthene %	Acenaphthene-d10 % recovery**	Acenaphthylene %	Anthracene %	Benzo(a)anthracene %	Benzo(a)pyrene µg/kg	Benzo(b)fluoranthene µg/kg	Benzo(g,h,i)perylene µg/kg	Benzo(k)fluoranthene µg/kg	Chrysene µg/kg	Chrysene- d12 % recovery**	Dibenzo(a,h)anthracene µg/kg	Fluoranthene µg/kg	Fluorene µg/kg	Indeno(1,2,3-cd)pyrene µg/kg	Naphthalene µg/kg	Naphthalene-d8 % recovery**	PAH, Total Detected USEPA 16 µg/kg	Perylene-d12 % recovery**	Phenanthrene µg/kg	Phenanthrene- d10 % recovery**	Pyrene µg/kg
RBSL Parks >1m						%	%	%	%	%	µg/kg	µg/kg	µg/kg	µg/kg	µg/kg	%	µg/kg	µg/kg	µg/kg	µg/kg	%	µg/kg	%	µg/kg	%	µg/kg	
Trial PK	Sample Depth	SDG ID.	Date Sampled	Received On	Date Complete																						
TPE0677	4.00-	150221-45	16/02/2015	21/02/2015	10/03/2015	64	120	44.1	73.2	<14	64.7	48.3	175	<14	<10	115	<23	<17	<10	<18	196	120	902	114	123	113	114
IP1078	0.50-	141104-40	28/10/2014	04/11/2014	21/11/2014	<8	101	<12	47.6	90.2	90.4	148	75.7	43.5	161	93.2	<23	158	<10	59.2	54.7	99.5	1230	94.4	163	101	135
IP1078	1.50-	141104-40	28/10/2014	04/11/2014	20/11/2014	<8	97.3	<12	<16	<14	<15	<15	<24	<14	<10	89.9	<23	<17	<10	<18	<9	99.7	<118	92.3	30.6	97	<15
IP1078	2.50-	141104-40	28/10/2014	04/11/2014	20/11/2014	<8	96.9	<12	<16	<14	<15	<15	<24	<14	<10	96.6	<23	<17	<10	<18	15.4	101	<118	99.6	34.2	93.7	<15
IP1079	0.50-	141104-40	28/10/2014	04/11/2014	21/11/2014	184	99.7	155	360	2570	4170	6050	5230	2170	3070	96.4	1160	3310	131	3730	115	97.1	36400	97.5	1000	101	3020
IP1079	1.50-	141104-40	28/10/2014	04/11/2014	21/11/2014	1450	102	337	4970	6610	6440	7140	4070	3090	5230	95.8	1380	10500	3310	3570	1460	96.8	79500	96.3	11700	109	8300
IP1079	2.50-	141104-40	28/10/2014	04/11/2014	21/11/2014	56.6	98.1	<12	61.7	128	85.7	173	77.6	57	157	105	<23	321	81.3	61.6	123	97.4	2050	105	402	98.3	264
IP1079	3.50-	141104-40	28/10/2014	04/11/2014	21/11/2014	64.5	102	56.8	172	1300	1910	2880	1660	1220	1440	118	515	1400	73.6	1360	82.4	104	15800	112	468	104	1240
IP1080	0.50-	141104-40	28/10/2014	04/11/2014	21/11/2014	79	105	31.6	118	490	681	950	516	390	732	101	155	809	91.5	439	79.3	101	6840	99.7	463	107	817
IP1080	1.50-	141104-40	28/10/2014	04/11/2014	20/11/2014	<8	96.2	<12	<16	<14	<15	<15	<24	<14	<10	102	<23	<17	<10	<18	<9	102	<118	101	<15	97.1	<15
IP1080	2.50-	141104-40	28/10/2014	04/11/2014	20/11/2014	<8	97.5	<12	<16	<14	<15	<15	<24	<14	<10	106	<23	<17	<10	<18	<9	103	142	103	62.4	98.2	<15
IP1097	1.00-	141104-40	28/10/2014	04/11/2014	21/11/2014	1310	108	220	2370	11300	9020	14500	5910	5220	9450	112	2460	15000	1310	5590	200	110	103000	112	9470	103	9820
IP1097	2.00-	141104-40	28/10/2014	04/11/2014	20/11/2014	<8	97.2	<12	<16	<14	<15	<15	<24	<14	<10	93.1	<23	<17	<10	<18	<9	100	<118	92.9	22.7	92.6	<15
IP1097	3.00-	141104-40	28/10/2014	04/11/2014	21/11/2014	295	104	60.7	261	146	129	95.3	73.4	42.3	153	99.3	<23	302	304	48.3	306	100	3850	100	1120	102	516
IP1099	0.50-	141107-18	30/10/2014	07/11/2014	17/12/2014	81.3	87.2	77.2	239	794	1010	1100	788	511	820	90.4	255	1060	135	645	81	88.2	9360	104	591	86.9	1170
IP1100	0.50-	141107-18	30/10/2014	07/11/2014	19/11/2014	49.6	100	71	175	388	525	888	534	270	462	98.1	158	513	105	365	89.7	99.3	5630	92.8	311	95.8	725
IP1101	0.50-	141107-3	31/10/2014	07/11/2014	12/01/2015	120	96.9	423	471	3560	4370	5460	2860	1880	3240	101	845	5030	186	2640	101	95.7	36800	111	1190	101	4380
IP1101	1.50-	141107-3	31/10/2014	07/11/2014	27/11/2014	208	103	2070	3240	8580	6190	9900	3340	3800	7300	87.5	1210	20000	1040	3300	590	107	97300	79.9	13300	95.1	13100
IP1101	2.50-	141107-3	31/10/2014	07/11/2014	27/11/2014	<8	107	<12	<16	<14	<15	<15	<24	<14	<10	93.8	<23	<17	<10	<18	<9	108	<118	88.5	<15	104	<15
IP1101	4.00-	141107-3	31/10/2014	07/11/2014	27/11/2014	14.7	97	16.6	32	43.7	50.5	74.3	107	30	74.8	105	<23	112	28.7	30.7	49.3	98.3	819	106	126	97.5	95.4
IP1102	0.50-	141104-40	28/10/2014	04/11/2014	21/11/2014	57.2	123	265	440	1840	2010	3120	1570	1230	2200	113	453	3560	107	1370	201	121	22500	113	1170	123	2920
IP1102	1.50-	141104-40	28/10/2014	04/11/2014	20/11/2014	<40	97.7	176	184	594	696	1330	581	494	788	99.5	208	1120	<50	429	327	104	8610	93.2	622	97.6	1050
IP1102	3.00-	141104-40	28/10/2014	04/11/2014	20/11/2014	<8	96.4	<12	<16	<14	<15	<15	<24	<14	<10	104	<23	<17	<10	<18	<9	105	<118	102	<15	96.8	<15
IP1102	4.00-	141104-40	28/10/2014	04/11/2014	20/11/2014	<8	100	<12	<16	<14	<15	<15	<24	<14	<10	104	<23	<17	<10	<18	<9	105	<118	98.2	56	97.3	<15
IP1104	1.00-	141104-40	28/10/2014	04/11/2014	21/11/2014	<8	118	<12	<16	<14	<15	<15	<24	<14	<10	98.8	<23	35.3	<10	<18	107	116	531	31.7	296	96.8	<15
IP1104	2.00-	141104-40	28/10/2014	04/11/2014	21/11/2014	<8	99.9	16.6	<16	47.6	49.1	130	57.7	33.8	149	73.2	<23	94.6	<10	35.9	93.6	102	1030	65.1	240	84.3	81.4
IP1104	3.00-	141104-40	28/10/2014	04/11/2014	21/11/2014	<8	94.3	<12	<16	<14	<15	<15	<24	<14	<10	84.9	<23	<17	<10	<18	<9	93.8	<118	81.8	42.6	94.5	<15
IP1104	4.00-	141104-40	28/10/2014	04/11/2014	20/11/2014	<8	99.1	<12	<16	<14	<15	<15	<24	<14	<10	110	<23	<17	<10	<18	<9	106	<118	109	<15	101	<15
IP1105	1.00-	141104-40	28/10/2014	04/11/2014	21/11/2014	20.5	107	<12	50.1	184																	

Monitor Phase 57 - Southern Section

Phase 57 - Southern Section						Acenaphthene	Acenaphthene-d10 % recovery**	Acenaphthylene	Anthracene	Benz(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Chrysene	Chrysene-d12 % recovery**	Dibenzo(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Naphthalene-d8 % recovery**	PAH, Total Detected USEPA 16	Perylene-d12 % recovery**	Phenanthrene	Phenanthrene-d10 % recovery**	Pyrene	
						%	%	%	%	%	µg/kg	µg/kg	µg/kg	µg/kg	µg/kg	%	µg/kg	µg/kg	µg/kg	µg/kg	µg/kg	%	µg/kg	%	µg/kg	%	µg/kg	
RBSL Parks >1m																												
Trial Pit	Sample Depth	SDG ID.	Date Sampled	Received On	Date Complete																							
TPE548	1.50-	141107-3	31/10/2014	07/11/2014	27/11/2014	<8	91.7	<12	<16		21.5	<15	17.7	<24	<14	15.3	84.2	<23	<17	<10	<18	<9	93.7	<118	79.8	35.2	91.5	19.7
TPE548	2.50-	141107-3	31/10/2014	07/11/2014	27/11/2014	<8	91.7	<12	<16		26.3	<15	21.7	<24	<14	18.7	84.2	<23	<17	<10	<18	12.5	93.7	146	79.8	43	91.5	24.1
TPE548	3.50-	141107-3	31/10/2014	07/11/2014	27/11/2014	<8	108	<12	<16		44.7	<15	69.4	<24	<14	70.8	93	<23	26	<10	<18	21.1	106	419	91.3	145	106	42.3
TPE549	0.50-	141107-3	31/10/2014	07/11/2014	11/01/2015	10.2	94	<12	26.2		93.6	114	154	121	58.2	156	91.5	34.2	176	18.7	92.2	36.7	97.3	1350	93	98.2	93.1	164
TPE549	1.50-	141107-3	31/10/2014	07/11/2014	27/11/2014	<8	113	22	<16		<14	<15	<15	<24	<14	24.6	44	<23	29.8	<10	<18	183	115	465	22	205	89.3	<15
TPE549	2.50-	141107-3	31/10/2014	07/11/2014	27/11/2014	<8	90.6	<12	<16		26.8	<15	44	<24	<14	57.7	62.2	<23	54.9	<10	<18	121	93.1	511	50	156	84	51.5
TPE549	3.50-	141107-3	31/10/2014	07/11/2014	27/11/2014	<8	113	<12	<16		<14	<15	<15	<24	<14	<10	100	<23	<17	<10	<18	46.2	113	<118	107	<15	110	<15
TPE550	0.50-	141028-25	23/10/2014	28/10/2014	11/12/2014	9.45	97.7	20.8	39.7		164	257	264	384	105	156	96.3	61	187	19.7	244	77.8	97.5	2290	105	114	92.9	185
TPE550	1.50-	141028-25	23/10/2014	28/10/2014	11/12/2014	70.3	125	154	65.1		118	102	99.4	56.2	45.4	172	70.6	<23	194	90.5	31.3	883	123	3190	53	526	106	588
TPE550	2.50-	141028-25	23/10/2014	28/10/2014	13/11/2014	642	92.2	19	70.2		<14	83	96.4	<24	<14	28	87.8	<23	33	22.1	<18	113	96.5	1380	94.3	69.9	83.5	202
TPE550	3.00-	141028-25	23/10/2014	28/10/2014	13/11/2014	50.1	96.4	36.6	49.4		50.2	60.1	95.9	52.7	31.3	45.1	71.7	<23	86.2	30.2	<18	668	96.1	1910	65.9	384	85.5	266
TPE550	4.00-	141028-25	23/10/2014	28/10/2014	13/11/2014	22.6	101	<12	<16		<14	<15	31.9	<24	<14	<10	97.1	<23	<17	25	<18	77.5	100	280	104	62.1	98.2	61.1
TPE551	0.50-	141028-25	23/10/2014	28/10/2014	13/11/2014	23	94.4	46.1	112		397	494	471	443	211	287	96.6	87.6	680	64.1	343	84.5	94.4	4740	105	327	91.2	671
TPE551	1.50-	141028-25	23/10/2014	28/10/2014	12/11/2014	721	114	147	524		355	326	356	<24	<14	770	97.9	<23	330	629	62.8	1320	114	8560	111	1930	98.6	1090
TPE551	2.50-	141028-25	23/10/2014	28/10/2014	11/12/2014	15.6	95.9	259	446		935	692	606	348	268	831	81.6	112	1720	205	244	401	94.7	10300	77.8	1520	84.7	1680
TPE551	3.50-	141028-25	23/10/2014	28/10/2014	13/11/2014	132	102	44.6	153		528	609	894	432	221	604	103	163	391	124	259	148	103	5640	114	360	96.7	582
TPE551	4.50-	141028-25	23/10/2014	28/10/2014	12/11/2014	<8	93.6	17.6	36.3		58.3	74.8	123	52.7	28.5	128	87.2	<23	129	<10	31	23.8	95.6	971	88.7	77.8	89.9	191
TPE552	0.50-	141029-29	21/10/2014	29/10/2014	12/11/2014	18.5	103	17	62.1		209	262	299	207	124	130	99.3	65.2	280	77.7	152	77.2	102	2680	105	324	99.3	372
TPE552	1.50-	141029-29	21/10/2014	29/10/2014	12/11/2014	18.4	106	22.9	119		736	884	964	667	315	542	94.5	225	625	48.8	472	321	105	8060	96.9	1150	97	947
TPE552	2.50-	141029-29	21/10/2014	29/10/2014	12/11/2014	3680	91.6	2000	2210		2680	3030	4650	2440	1070	9920	80.3	227	3060	3550	211	26200	78	86400	70	12000	89.7	9540
TPE552	3.50-	141029-29	21/10/2014	29/10/2014	12/11/2014	105	96	164	226		970	1010	1210	818	418	2480	89.5	345	1230	172	448	1010	94.5	15100	89.7	2400	91.2	2090
TPE553	0.50-	141028-25	23/10/2014	28/10/2014	12/11/2014	33.1	105	22.8	186		349	411	498	288	196	247	102	71.4	503	113	213	82.9	106	4320	116	361	104	744
TPE553	1.50-	141028-25	23/10/2014	28/10/2014	11/12/2014	380	87	546	1110		6560	5310	7910	3340	2750	6010	86.9	1510	6890	463	3170	1580	86.9	58400	93.5	3330	81.2	7590
TPE553	2.50-	141028-25	23/10/2014	28/10/2014	13/11/2014	631	111	<12	534		391	301	460	222	100	320	103	137	576	1430	165	15400	95.7	28400	107	7180	93.7	610
TPE553	3.50-	141028-25	23/10/2014	28/10/2014	13/11/2014	45.5	99.9	234	719		7080	5400	8510	3470	2730	9600	107	1960	5960	175	3040	207	99.4	57300	113	2170	96.4	5990
TPE556	0.50-	141107-18	30/10/2014	07/11/2014	19/11/2014	60.6	91.5	41.5	122		465	515	911	447	257	532	95.7	136	652	48.9	355	77.2	94.9	5660	98.9	458	91.4	586
TPE556	2.00-	141107-18	30/10/2014	07/11/2014	20/11/2014	<8	114	54.2	55.1		47	85.9	331	153	55.2	66	96.8	61.6	129	21.4	55.6	271	116	1720	102	224	101	114
TPE556	3.50-	141107-18	30/10/2014	07/11/2014	20/11/2014	11.7	113	<12	<16		41.9	55.6	237	96.5	39.9	109	92.4	51.9	76.4	16	52.2	107	112	1120	81.5	161	100	62
TPE557	1.00-	141107-18	30/10/2014	07/11/2014	16/12/2014	27.1	89.9	<12	38.8		251	332	552	310	173	311	91.8	86.7	336	24	240	32.5	93.1	3230	94.1	218	89	299
TPE558	0.50-	141107-18	30/10/2014	07/11/2014	19/11/2014	277	93.2	664	965		3860	5080	6940	4430	2340	4310	94.9	1190	6000	398	3430	268	98.7	47700	94.7	2970	90.8	4590
TPE558	1.00-	141107-18	30/10/2014	07/11/2014	20/11/2014	55.1	90.5	129	179		737	1050	1230	883	538	1010	89.1	262	1130	69.6	685	130	95.6	9610	91.3	577	87.2	943
TPE559	1.00-	141107-18	30/10/2014	07/11/2014	16/12/2014	<8	99.2	<12	<16		20.6	<15	53.4	<24	<14	89.2	68.3	<23	34.2	<10	<18	92.9	100	548	56.3	235	83.1	22.6
TPE559	2.00-	141107-18	30/10/2014	07/11/2014	19/11/2014	<8	97.3	<12	<16		<14	<15	44	<24	<14	68	62.9	<23	34.5	<10	<18	117	100	497	49.7	208	81.1	25.2
TPE559	3.00-	141107-18	30/10/2014	07/11/2014	19/11/2014	<8	104	<12	<16		<14	<15	53.3	<24	<14	63.3	68.8	<23	25.7	<10	<18	58.5	105	370	58.2	169	89.5	<15
TPE559	4.00-	141107-18	30/10/2014	07/11/2014	20/11/2014	<8	103	<12	<16		56.3	28.9	73.4	<24	<14	76.2	74.											

Monitor Phase 57 - Southern Section

[illegible]

Monitor Phase 57 - Southern Section

Phase 57 - Southern Section										Asbestos Fibres Detected		Additional Asbestos Components (Using TMO48)		Amosite (Brown) Asbestos		Analysts Comments		Quantification - Gravimetric - %		Quantification - PCOM Evaluation - %		Asbestos Quantification - Total - %		Chrysotile (White) Asbestos		Crocidolite (Blue) Asbestos		Date of Analysis		Fibrous Actinolite		Fibrous Anthophyllite		Fibrous Tremolite		Non-Asbestos Fibre			
										Actinolite*		Amosite*		Anthophyllite*		Chrysotile*		Crocidolite*																					
RBSL Parks >1m																																							
Trial Pit	Sample Depth	SDG ID	Date Sampled	Received On	Date Complete																																		
IP0888	1.50	141202-60	27/11/2014	02/12/2014	20/12/2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
IP0888	2.50	141202-60	27/11/2014	02/12/2014	20/12/2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
IP0889	0.50	141202-60	27/11/2014	02/12/2014	20/12/2014	Not Detected	Not Detected	-	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
IP0889	1.50	141202-60	27/11/2014	02/12/2014	20/12/2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
IP0891	0.50	141128-120	26/11/2014	28/11/2014	19/12/2014	Not Detected	Not Detected	-	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
IP0891	1.50	141128-120	26/11/2014	28/11/2014	19/12/2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
IP0892	0.50	141128-120	26/11/2014	28/11/2014	19/12/2014	Not Detected	Not Detected	-	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
IP0892	1.50	141128-120	26/11/2014	28/11/2014	19/12/2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
IP0894	0.50	141202-60	27/11/2014	02/12/2014	22/12/2014	Not Detected	Not Detected	-	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
IP0894	1.50	141202-60	27/11/2014	02/12/2014	20/12/2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
IP0894	2.50	141202-60	27/11/2014	02/12/2014	20/12/2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
IP957	0.50	141202-60	27/11/2014	02/12/2014	20/12/2014	Not Detected	Not Detected	-	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
IP957	1.50	141202-60	27/11/2014	02/12/2014	20/12/2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
IP959	0.50	141202-60	27/11/2014	02/12/2014	20/12/2014	Not Detected	Not Detected	-	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
IP959	1.50	141202-60	27/11/2014	02/12/2014	20/12/2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
IP959	2.50	141202-60	27/11/2014	02/12/2014	20/12/2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
IP960	0.50	141202-60	27/11/2014	02/12/2014	20/12/2014	Not Detected	Not Detected	-	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
IP960	1.50	141202-60	27/11/2014	02/12/2014	20/12/2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
IP960	2.50	141202-60	27/11/2014	02/12/2014	20/12/2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
IP960	3.50	141202-60	27/11/2014	02/12/2014	20/12/2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
IP961	0.50	141126-46	25/11/2014	26/11/2014	19/12/2014	Not Detected	Not Detected	-	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
IP962	0.50	141126-46	25/11/2014	26/11/2014	18/12/2014	Not Detected	Not Detected	-	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
IP962	1.50	141126-46	25/11/2014	26/11/2014	18/12/2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
IP963	0.50	141126-70	24/11/2014	26/11/2014	08/12/2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
IP963	1.50	141126-70	24/11/2014	26/11/2014	07/12/2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
IP964	0.50	141126-70	24/11/2014	26/11/2014	08/12/2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
IP964	1.50	141126-70	24/11/2014	26/11/2014	08/12/2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
IP965	0.50	141126-70	24/11/2014	26/11/2014	08/12/2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
IP965	1.50	141126-70	24/11/2014	26/11/2014	07/12/2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
IP965	2.50	141126-70	24/11/2014	26/11/2014	07/12/2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
IP965	3.50	141126-70	24/11/2014	26/11/2014	07/12/2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
IP0966	0.50	141128-120	26/11/2014	28/11/2014	19/12/2014	Not Detected	Not Detected	-	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
IP0975	0.50	141128-120	26/11/2014	28/11/2014	20/12/2014	Not Detected	Not Detected	-	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
IP0977	0.50	141128-120	26/11/2014	28/11/2014	19/12/2014	Not Detected	Not Detected	-	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
IP0978	0.50	141128-120	26/11/2014	28/11/2014	19/12/2014	Not Detected	Not Detected	-	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
IP0979	0.50	141128-120	26/11/2014	28/11/2014	19/12/2014	Not Detected	Not Detected	-	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
IP0980	0.50	141128-120	26/11/2014	28/11/2014	22/12/2014	Not Detected	Not Detected	-	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
IP0980	1.50	141128-120	26/11/2014	28/11/2014	19/12/2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
IP0981	0.50	141202-60	27/11/2014	02/12/2014	20/12/2014	Not Detected	Not Detected	-	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
IP0981	1.50	141202-60	27/11/2014	02/12/2014	20/12/2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
IP0982	0.50	141202-60	27/11/2014	02/12/2014	20/12/2014	Not Detected	Not Detected	-	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
IP0984	0.50	141202-60	27/11/2014	02/12/2014	22/12/2014	Not Detected	Not Detected	-	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
IP0985	0.50	141128-120	26/11/2014	28/11/2014	05/02/2015	Not Detected	Detected	-	Not Detected	Detected	Not Detected	Not Detected	Not Detected	Not Detected	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
IP0986	0.50	141128-120	26/11/2014	28/11/2014	19/12/2014	Not Detected	Not Detected	-	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
IP0986	1.50	141128-120	26/11/2014	28/11/2014	19/12/2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
IP0986	2.50	141128-120	26/11/2014	28/11/2014	19/12/2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
IP0986	3.50	141128-120	26/11/2014	28/11/2014	19/12/2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
IP0987	0.50	141128-120	26/11/2014	28/11/2014	05/02/2015	Not Detected	Not Detected	-	Not Detected	Detected	Not Detected	Not Detected	Not Detected	Not Detected	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
IP0																																							

Monitor Phase 57 - Southern Section

[illegible]

Monitor Phase 57 - Southern Section

						Actinolite*	Amosite*	Anthophyllite*	Chrysotile*	Crocidolite*	Asbestos Fibres Detected	Tremolite*	Additional Asbestos Components (Using TM048)	Amosite (Brown) Asbestos	Analysed By	Analysts Comments	Quantification - Gravimetric - %	Quantification - PCM Evaluation - %	Quantification - PCM Evaluation - %	Asbestos Quantification - Total - %	Chrysotile (White) Asbestos	Comments	Crocidolite (Blue) Asbestos	Date of Analysis	Fibrous Actinolite	Fibrous Anthophyllite	Fibrous Tremolite	Non- Asbestos Fibre	
RBSL Parks >1m																	%	%	%	%									
Trial Pk	Sample Depth	SDG ID.	Date Sampled	Received On	Date Complete																								
IP1324	1.00	141107-53	04/11/2014	07/11/2014	13/01/2015	-	-	-	-	-	-	-	None	Not Detected	Iartin Cotterell	N/C		0.001	0.001	0.001		Detected e fibres in soil	Not Detected		27/11/14	Not Detected	Not Detected	Not Detected	Not Detected
IP1324	2.00	141107-53	04/11/2014	07/11/2014	29/11/2014	-	-	-	-	-	-	-	-	-	-	-					-	-	-	-	-	-	-	-	
IP1324	3.00	141107-53	04/11/2014	07/11/2014	29/11/2014	-	-	-	-	-	-	-	-	-	-	-					-	-	-	-	-	-	-	-	
IP1324	4.00	141107-53	04/11/2014	07/11/2014	29/11/2014	-	-	-	-	-	-	-	-	-	-	-					-	-	-	-	-	-	-	-	
IP1325	0.50	141107-53	04/11/2014	07/11/2014	12/01/2015	-	-	-	-	-	-	-	Chrysotile	Not Detected	Iartin Cotterell	e fibres in soil		0.001	0.001	0.001		Not Detected e fibres in soil	Detected		27/11/14	Not Detected	Not Detected	Not Detected	Not Detected
IP1325	1.50	141107-53	04/11/2014	07/11/2014	29/11/2014	-	-	-	-	-	-	-	-	-	-	-					-	-	-	-	-	-	-	-	
IP1325	3.00	141107-53	04/11/2014	07/11/2014	29/11/2014	-	-	-	-	-	-	-	-	-	-	-					-	-	-	-	-	-	-	-	
IP1325	4.00	141107-53	04/11/2014	07/11/2014	29/11/2014	-	-	-	-	-	-	-	-	-	-	-					-	-	-	-	-	-	-	-	
IP1326	1.00	141107-53	04/11/2014	07/11/2014	12/01/2015	-	-	-	-	-	-	-	None	Detected	Iartin Cotterell	N/C		0.001	0.001	0.0014		Detected e fibres in soil	Not Detected		27/11/14	Not Detected	Not Detected	Not Detected	Not Detected
IP1326	2.00	141107-53	04/11/2014	07/11/2014	29/11/2014	-	-	-	-	-	-	-	-	-	-	-					-	-	-	-	-	-	-	-	
IP1326	3.00	141107-53	04/11/2014	07/11/2014	29/11/2014	-	-	-	-	-	-	-	-	-	-	-					-	-	-	-	-	-	-	-	
IP1326	4.00	141107-53	04/11/2014	07/11/2014	28/11/2014	-	-	-	-	-	-	-	-	-	-	-					-	-	-	-	-	-	-	-	
IP1327	1.00	141107-53	04/11/2014	07/11/2014	12/01/2015	-	-	-	-	-	-	-	None	Detected	Iartin Cotterell	N/C		0.001	0.001	0.001		Detected e fibres in soil	Not Detected		27/11/14	Not Detected	Not Detected	Not Detected	Not Detected
IP1327	2.00	141107-53	04/11/2014	07/11/2014	29/11/2014	-	-	-	-	-	-	-	-	-	-	-					-	-	-	-	-	-	-	-	
IP1327	3.00	141107-53	04/11/2014	07/11/2014	28/11/2014	-	-	-	-	-	-	-	-	-	-	-					-	-	-	-	-	-	-	-	
IP1327	4.00	141107-53	04/11/2014	07/11/2014	28/11/2014	-	-	-	-	-	-	-	-	-	-	-					-	-	-	-	-	-	-	-	
IP1328	1.00	141107-97	05/11/2014	07/11/2014	15/01/2015	-	-	-	-	-	-	-	None	Detected	Kevin Hughes	N/C		0.001	0.001	0.001		Not Detected e fibres in soil	Not Detected		27/11/14	Not Detected	Not Detected	Not Detected	Not Detected
IP1328	2.00	141107-97	05/11/2014	07/11/2014	29/11/2014	-	-	-	-	-	-	-	-	-	-	-					-	-	-	-	-	-	-	-	
IP1328	3.00	141107-97	05/11/2014	07/11/2014	29/11/2014	-	-	-	-	-	-	-	-	-	-	-					-	-	-	-	-	-	-	-	
IP1328	4.00	141107-97	05/11/2014	07/11/2014	28/11/2014	-	-	-	-	-	-	-	-	-	-	-					-	-	-	-	-	-	-	-	
IP1328	5.00	141107-97	05/11/2014	07/11/2014	28/11/2014	-	-	-	-	-	-	-	-	-	-	-					-	-	-	-	-	-	-	-	
IP1329	1.00	141107-97	05/11/2014	07/11/2014	15/01/2015	-	-	-	-	-	-	-	None	Not Detected	Paul Fenney	PCM analysis		0.001	0.0031	0.0033		Detected e fibres in soil	Not Detected		27/11/14	Not Detected	Not Detected	Not Detected	Not Detected
IP1329	2.00	141107-97	05/11/2014	07/11/2014	29/11/2014	-	-	-	-	-	-	-	-	-	-	-					-	-	-	-	-	-	-	-	
IP1329	3.00	141107-97	05/11/2014	07/11/2014	29/11/2014	-	-	-	-	-	-	-	-	-	-	-					-	-	-	-	-	-	-	-	
IP1330	1.00	141107-97	05/11/2014	07/11/2014	15/01/2015	-	-	-	-	-	-	-	Amosite	Not Detected	Kevin Hughes	e fibres in soil		0.001	0.001	0.001		Detected e fibres in soil	Not Detected		27/11/14	Not Detected	Not Detected	Not Detected	Not Detected
IP1330	2.00	141107-97	05/11/2014	07/11/2014	29/11/2014	-	-	-	-	-	-	-	-	-	-	-					-	-	-	-	-	-	-	-	
IP1330	3.00	141107-97	05/11/2014	07/11/2014	29/11/2014	-	-	-	-	-	-	-	-	-	-	-					-	-	-	-	-	-	-	-	
IP1330	4.00	141107-97	05/11/2014	07/11/2014	29/11/2014	-	-	-	-	-	-	-	-	-	-	-					-	-	-	-	-	-	-	-	
IP1331	1.00	141107-97	05/11/2014	07/11/2014	15/01/2015	-	-	-	-	-	-	-	Amosite	Not Detected	Kevin Hughes	e fibres in soil		0.0017	0.0012	0.0029		Detected e fibres in soil	Not Detected		27/11/14	Not Detected	Not Detected	Not Detected	Not Detected
IP1331	2.00	141107-97	05/11/2014	07/11/2014	29/11/2014	-	-	-	-	-	-	-	-	-	-	-					-	-	-	-	-	-	-	-	
IP1331	3.00	141107-97	05/11/2014	07/11/2014	28/11/2014	-	-	-	-	-	-	-	-	-	-	-					-	-	-	-	-	-	-	-	
IP1333	1.00	141107-97	05/11/2014	07/11/2014	15/01/2015	-	-	-	-	-	-	-	None	Detected	Iartin Cotterell	N/C		0.0424	0.0015	0.044		Detected d ACM debris	Detected		27/11/14	Not Detected	Not Detected	Not Detected	Not Detected
IP1333	2.00	141107-97	05/11/2014	07/11/2014	28/11/2014	-	-	-	-	-	-	-	-	-	-	-					-	-	-	-	-	-	-	-	
IP1333	3.00	141107-97	05/11/2014	07/11/2014	28/11/2014	-	-	-	-	-	-	-	-	-	-	-					-	-	-	-	-	-	-	-	
IP1333	4.00	141107-97	05/11/2014	07/11/2014	29/11/2014	-	-	-	-	-	-	-	-	-	-	-					-	-	-	-	-	-	-	-	
IP1334	0.50	141107-97	05/11/2014	07/11/2014	14/01/2015	-	-	-	-	-	-	-	None	Not Detected	Paul Fenney	N/C		0.0037	0.0026	0.0063		Detected sstos bitumen	Detected		27/11/14	Not Detected	Not Detected	Not Detected	Not Detected
IP1334	1.50	141107-97	05/11/2014	07/11/2014	28/11/2014	-	-	-	-	-	-	-	-	-	-	-					-	-	-	-	-	-	-	-	
IP1334	3.00	141107-97	05/11/2014	07/11/2014	29/11/2014	-	-	-	-	-	-	-	-	-	-	-					-	-	-	-	-	-	-	-	
IP1334	4.00	141107-97	05/11/2014	07/11/2014	29/11/2014	-	-	-	-	-	-	-	-	-	-	-					-	-	-	-	-	-	-	-	
IP1335	0.50	141111-55	10/11/2014	11/11/2014	20/01/2015	-	-	-	-	-	-	-	None	Not Detected	Iartin Cotterell	N/C		0.0015	0.001	0.0017		Detected e fibres in soil	Not Detected		1/12/14	Not Detected	Not Detected	Not Detected	Not Detected
IP1335	1.00	141111-55	10/11/2014	11/11/2014	21/01/2015	-	-	-	-	-	-	-	None	Detected	Kevin Hughes	N/C		0.046	0.001	0.0462		Detected e fibres in soil	Not Detected		1/12/14	Not Detected	Not Detected	Not Detected	Not Detected
IP1335	2.00	141111-55	10/11/2014	11/11/2014	01/12/2014	-	-	-	-	-	-	-	-	-	-	-					-	-	-	-	-	-	-	-	
IP1335	3.50	141111-55	10/11/2014	11/11/2014	02/12/2014	-	-	-	-	-	-	-	-	-	-	-					-	-	-	-	-	-	-	-	
IP1336	0.50	141111-55	10/11/2014	11/11/2014	20/01/2015	-	-	-	-	-	-	-	- 1 (Loose fibres in soil).	Not Detected	Kevin Hughes	N/C		0.001	0.001	0.001		Detected e fibres in soil	Not Detected		1/12/14	Not Detected	Not Detected	Not Detected	Not Detected
IP1336	1.50	141111-55	10/11/2014	11/11/2014	01/12/2014	-	-	-	-	-	-	-	-	-	-	-					-	-	-	-	-	-	-	-	
IP1336	2.50	141111-55	10/11/2014	11/11/2014	01/12/2014	-	-	-	-	-	-	-	-	-	-	-					-	-	-	-	-	-	-	-	
IP1336	3.50	141111-55	10/11/2014	11/11/2014	02/12/2014	-	-	-	-	-	-	-	-	-	-	-					-	-	-	-	-	-	-	-	
IP1337	0.50	141111-55	10/11/2014	11/11/2014	20/01/2015	-	-	-	-	-	-	-	None	Not Detected	Iartin Cotterell	N/C		0.0012	0.001	0.0015		Detected e fibres in soil.	Not Detected		28/11/14	Not Detected	Not Detected	Not Detected	Not Detected
IP1337	1.00	141111-55	10/11/2014	11/11/2014	01/12/2014	-	-	-	-	-	-	-	-	-	-	-					-	-	-	-	-	-	-	-	
IP1337	2.00	141111-55	10/11/2014	11/11/2014	01/12/2014	-	-	-	-	-	-	-	-	-	-	-					Not Detected	0 Not Detected		11/2/14	Not Detected	Not Detected	Not Detected	Not Detected	
IP1337	3.00	141111-55	10/11/2014	11/11/2014	01/12/2014	-	-	-	-	-	-	-	-	-	-	-					-	-	-	-	-	-	-	-	
IP1337	4.00	141111-55	10/11/2014	11/11/2014	01/12/2014	-	-	-	-	-	-	-	-	-	-	-					-	-	-	-	-	-	-	-	
IP1338	1.00	141111-55	10/11/2014	11/11/2014	21/01/2015	-	-	-	-	-	-	-	- 1 (Loose fibres in soil).	Detected	Paul Fenney	N/A		0.001	0.001	0.0013		Not Detected e fibres in soil	Not Detected		28/11/14	Not Detected	Not Detected	Not Detected	Not Detected
IP1338	2.00	141111-55	10/11/2014	11/11/2014	01/12/2014	-	-	-	-	-	-	-	-	-	-	-					-	-	-	-	-	-	-	-	
IP1338	3.00	141111-55	10/11/2014	11/11/2014	02/12/2014	-	-	-	-	-	-	-	-	-	-	-					-	-	-	-	-	-	-	-	
IP1338	4.00	141111-55	10/11/2014	11/11/2014	01/12/2014	-	-	-	-	-	-	-	-	-	-	-					-	-	-	-	-	-	-	-	