



MOT NOTES CLASS 1 & 2 BAY

1. Entrance/exits to be min 2000mm high & 2100mm wide.
2. Headroom above bay to be at least 2100mm.
3. A clearly identified viewing area to be allocated where the test can be clearly observed.
4. Adequate off road parking.
5. Headlamp test area to be 2.5m long x 2m wide certified to be level within +/-6mm.
6. Headlamp tester rails to be certified level to +/-2mm.
7. Brake test area to be 4.0m long by 1.2m wide. Brake test area to be level +/-12mm
8. Inspection area to be 3.2m wide x 3.7m long x 2.1m high.

WITH 524 JC 4 POST LIFT

	Client:		Mr. K. Evans
	Project Title:		PROVISION OF NEW MOT BAY (in existing industrial unit) Unit 1C Cwmgoris Workshops Cwmgoris
	General Notes: 1. Do not scale from this drawing, take figured dimensions only. 2. Dimensions are in millimeters unless otherwise stated.		
	Drawing Issue:		
	PLANNING		
	Drawing Title:	EXISTING & PROPOSED DETAILS	
	Drawing No:	002	Revision:
	Date:	04-10-2022	Revised:
	Scale(s):	1:250 / 1:200	Paper Size: A3



Cwm Planning & Design Ltd.
(Civil, Structural & Architectural)