

Superseded

NEATH PORT TALBOT COUNTY BOROUGH COUNCIL
CYNGOR BWRDEISTREF SIROL CASTELL-NEDD PORT TALBOT

TOWN AND COUNTRY PLANNING ACT 1990
THE TOWN AND COUNTRY PLANNING (DEVELOPMENT MANAGEMENT
PROCEDURE)(WALES) ORDER 2012

APPROVAL OF FULL PLANNING PERMISSION

Name and address of the applicant

Mr Johnson
C/O Agent

Name and address of the agent

Mr Cellan Jones
Prime Architecture Ltd
Unit 4
3 Llandeilo Road
Cross Hands
Llanelli
SA14 6NA
Carmarthenshire

DATE REGISTERED: 14 December 2021

APPLICATION NO: P2021/1206

LOCATION: Plot 1, Glannant Place, Cwmgwrach

PROPOSAL: Two-storey detached dwelling with parking and associated works

NEATH PORT TALBOT COUNTY BOROUGH COUNCIL as the Local Planning Authority in pursuance of its power under the above mentioned Act and Order hereby **GRANTS PLANNING PERMISSION** for the development as described above to be carried out in accordance with the application and the plans submitted therewith, subject to compliance with the following conditions:

Conditions:-

Time Limit Conditions

- 1 The development shall begin no later than five years from the date of this decision.

Reason:
To comply with the requirements of Section 91 of the Town and Country Planning Act 1990.

List of Approved Plans

- 2 The development shall be carried out in accordance with the following approved plans and documents:

Superseded

Dwg. No. 01.
Dwg. No. 02A.
Dwg. No. 03A.
Dwg. No. 04.
Dwg. No. 05A.
Dwg. No. 06A.
Dwg. No. 07A.

Reason:
In the interests of clarity.

Pre-Commencement Conditions

- 3 Prior to the commencement of any works on site a detailed scheme shall be submitted to and approved in writing by the Local Planning Authority detailing the design of any retaining walls, including full structural calculations for any walls 1.5m high together with detailed cross-sections. The approved retaining walls shall be fully implemented on site prior to the first beneficial occupation of the dwelling, and retained as such thereafter.

Reason:
In the interest of visual amenity, residential amenity of the neighbouring properties and land stability, and to ensure compliance with Policy BE1 of the Neath Port Talbot Local Development Plan.

- 4 No development shall commence, including any works of demolition, until a Construction Method Statement has been submitted to and approved in writing by the Local Planning Authority. The approved statement shall be adhered to throughout the construction period. The statement shall provide for:

- a) the parking of vehicles of site operatives and visitors;
- b) loading and unloading of plant and materials;
- c) storage of plant and materials used in constructing the development;
- d) the erection and maintenance of security hoarding including decorative displays and facilities for public viewing, where appropriate;
- e) measures to control the emission of dust and dirt during demolition and construction; and
- f) the phasing of the retaining works and culvert diversion.

Reason:
In the interest of highway and pedestrian safety, the environment, and the amenity of residents, and to ensure accordance with Policies BE1 and TR2 of the adopted Neath Port Talbot Local Development Plan.

Action Conditions

- 5 Prior to the occupation of the dwelling hereby approved, the three parking spaces, as detailed on Dwg. No. 7A, shall be provided on site, and the driveway shall measure 6.0 metres in length from back of footway to front of property by 8.8 metres minimum width and they shall be positioned at least 2.5 metres to any boundary. The driveway shall be hardsurfaced in block paving or asphalt, and shall be retained for parking use as such thereafter.

Superseded

Reason:

In the interest of highway safety and to ensure the development complies with Policy TR2 of the Neath Port Talbot Local Development Plan.

- 6 Prior to first beneficial occupation of the dwelling hereby approved a vehicular footway crossing shall be provided across the driveway to Highway Authority specification, and retained as such thereafter.

Reason:

In the interest of highway and pedestrian safety and to comply with Policy TR2 of the Neath Port Talbot Local Development Plan.

- 7 Prior to the first beneficial occupation of the dwelling, the front forecourt boundary shall be set back 1.8 metres from kerb-line and the extra width shall be made up as footway construction to tie in with the existing footway fronting number 10a. The footway shall only be constructed to the front of the boundary, which shall be retained open and free for public use thereafter.

Reason:

In the interest of highway and pedestrian safety, and to comply with Policy TR2 of the Neath Port Talbot Local Development Plan.

- 8 Prior to their use in the construction of the development hereby permitted, details and samples of the materials to be used in the construction of the external surfaces of the development shall have been submitted to and approved in writing by the Local Planning Authority. Development shall be carried out in accordance with the approved details.

Reason:

In the interest of the visual amenity of the area and to ensure the development complies with Policy BE1 of the Neath Port Talbot Local Development Plan.

- 9 Notwithstanding the submitted details and prior to the first beneficial occupation of the dwelling hereby approved a scheme indicating the positions, height, design, materials and type of boundary treatment to be erected to all boundaries shall be submitted to and approved in writing by the Local Planning Authority. The boundary treatment shall be completed, as approved, prior the first beneficial occupation of the dwelling, and retained as such thereafter.

Reason:

In the interest of visual amenity and to ensure compliance with Policy BE1 of the Neath Port Talbot Local Development Plan.

- 10 Notwithstanding the submitted details, no development shall commence on the superstructure of the dwelling hereby until details of the finished floor levels have been submitted to and approved in writing by the Local Planning Authority. The development shall be carried out in accordance with the approved details.

Reason

In the interest of the amenities of the area and to ensure the development complies with Policy BE1 of the Neath Port Talbot Local Development Plan.

Superseded

- 11 Notwithstanding the details submitted, prior to the first beneficial use of the dwelling hereby approved, the windows on the side elevations serving the ground-floor W/C and first-floor en-suite and bathroom shall be fitted with obscured glazing, and any part of the windows that is less than 1.7m above the floor of the room in which it is installed shall be non-opening. The windows shall be permanently retained as such thereafter.

Reason :

In the interest of the amenities of the adjoining property, and to ensure accordance with Policy BE1 of the adopted Neath Port Talbot Local Development Plan.

- 12 Prior to the first beneficial occupation of the dwelling hereby permitted, artificial roosting boxes for bats, as detailed on Dwg. No. 1, shall be provided on site, and retained as such thereafter.

Reason:

In the interest of Biodiversity, and to mitigate to loss of bird nesting/foraging habitats under the Habitats Regulations (amended 2012) and to accord with Policy SP15 of the adopted Neath Port Talbot Local Development Plan.

- 13 The development hereby approved shall be connected to the mains sewerage system prior to the first beneficial occupation of the dwelling hereby approved, and retained as such thereafter.

Reason:

In the interest of satisfactory drainage of the site, and ensure the development complies with Policy SP16 and BE1 of the Neath Port Talbot Local Development Plan.

- 14 Prior to the installation of the solar panels a detailed scheme shall be submitted to and approved in writing by the Local Planning Authority detailing the size, number and projection from the roof of the solar panels. The scheme shall be implemented on site as approved.

Reason:

In the interest of visual amenity and to comply with Policy BE1 of the Neath Port Talbot Local Development Plan.

Regulatory Conditions

- 15 No surface water and/or land drainage shall be allowed to connect directly or indirectly with the public sewerage network.

Reason:

To prevent hydraulic overloading of the public sewerage system, to protect the health and safety of existing residents and ensure no pollution of or detriment to the environment, and to and ensure the development complies with Policy SP16 and BE1 of the Neath Port Talbot Local Development Plan.

- 16 Notwithstanding the provisions of the Town and Country Planning (General Permitted Development) Order 1995 (as amended for Wales) (or any order revoking

Superseded

and re-enacting that Order with or without modification), there shall be no extension or external alteration to any building forming part of the development hereby permitted without the prior grant of planning permission in that behalf.

Reason:

In order to safeguard the amenities of the area by enabling the Local Planning Authority to consider whether planning permission should be granted for extensions, having regard to the particular layout and design of the development and need to protect the amenity of nearby properties, and to accord with Policies BE1 and SC1 of the Neath Port Talbot Local Development Plan.

- 17 Notwithstanding the provisions of Schedule 2, Part 1, Class E of the Town and Country Planning (General Permitted Development) Order 1995 (as amended for Wales) (or any order revoking and re-enacting that order with or without modification), no buildings shall be erected other than those expressly authorised by this permission and identified on the approved drawings.

Reason:

In order to safeguard the amenities of the area by enabling the Local Planning Authority to consider whether planning permission should be granted for garages or outbuildings having regard to the particular layout and design of the development, residential amenity, and to accord with Policies BE1 and SC1 of the Neath Port Talbot Local Development Plan.

- 18 Any gates provided across the access drive shall be of a type which open inward only and can be seen through, and shall be retained as such thereafter.

Reason:

In the in interest of highway and pedestrian safety and to ensure compliance with Policy TR2 of the Neath Port Talbot Local Development Plan.

Informatives:

1 Prior to commencement of any of the drainage works permanent and temporary works consents under Section 23 of the Land Drainage Act 1991 must be obtained from the Authority. You are therefore advised prior to commencing any work on these works to contact the Head of Engineering & Transport at, The Quays, Brunel Way, Baglan Energy Park, Neath SA11 2GG (f.a.o. Mrs J. Weeks - Tel No 01639 686395 or email j.weeks@npt.gov.uk). Please note such consents can take up to 8 weeks to be processed after registration and early application is advised.

2 Please note that SAB approval will be required prior to any work commencing. It is a breach of approval required under Paragraph 7 (1) Schedule 3 of the Flood and Water Management Act 2010 whereby action will be taken by the Authority under The Sustainable Drainage (Enforcement) (Wales) Order 2018. The required SAB permission is separate from any planning permission that might be granted and any works commenced without SAB approval will be deemed a breach of approval required under Paragraph 7 (1) Schedule 3 of the Flood and Water Management Act 2010 whereby action will be taken by the Authority under The Sustainable Drainage (Enforcement) (Wales) Order 2018, which could mean removing any work that has commenced. As such under this legislation you are not permitted to start work on site until SAB approval has

Superseded

been granted for your proposed development. You can search the Authority's web site for further information using the link <https://www.npt.gov.uk/sab> or contact the Highway Development Control Section using hdc@npt.gov.uk or 01639 686850.

3 As of 7th January 2019, this proposed development may be subject to Schedule 3 of the Flood and Water Management Act 2010. In the event this proposed development amounts to a total impermeable area of 100sqm or more, approval of Sustainable Drainage Systems (SuDS) features will be required in accordance with the 'Statutory standards for sustainable drainage systems - designing, constructing, operating and maintaining surface water drainage systems'. It would therefore be recommended that the developer engage in consultation with the Neath Port Talbot County Borough Council, as the determining SuDS Approval Body (SAB), in relation to their proposals for SuDS features. Please note, Dwr Cymru Welsh Water is a statutory consultee to the SAB application process and will provide comments to any SuDS proposals by response to SAB consultation. The applicant may need to apply to Dwr Cymru / Welsh Water for any connection to the public sewer under S106 of the Water industry Act 1991. If the connection to the public sewer network is either via a lateral drain (i.e. a drain which extends beyond the connecting property boundary) or via a new sewer (i.e. serves more than one property), it is now a mandatory requirement to first enter into a Section 104 Adoption Agreement (Water Industry Act 1991). The design of the sewers and lateral drains must also conform to the Welsh Ministers Standards for Gravity Foul Sewers and Lateral Drains, and conform with the publication "Sewers for Adoption"- 7th Edition. Further information can be obtained via the Developer Services pages of www.dwrcymru.com. The applicant is also advised that some public sewers and lateral drains may not be recorded on our maps of public sewers because they were originally privately owned and were transferred into public ownership by nature of the Water Industry (Schemes for Adoption of Private Sewers) Regulations 2011. The presence of such assets may affect the proposal. In order to assist us in dealing with the proposal the applicant may contact Dwr Cymru Welsh Water to establish the location and status of the apparatus. Under the Water Industry Act 1991 Dwr Cymru Welsh Water has rights of access to its apparatus at all times.

4 For the construction of a vehicular crossing over the footway, you should contact the Highways and Engineering Manager of Neath Port Talbot County Borough Council at The Quays, Brunel Way, Baglan Energy Park, Neath, SA11 2GG (Tel.No. 01639-686344 or 686407). If you propose to do the work yourself you should contact the above prior to commencing any works within the highway in order to arrange the necessary indemnity and specification for the works.

The decision to recommend planning permission has been taken in accordance with Section 38 of The Planning and Compulsory Purchase Act 2004, which requires that, in determining a planning application the determination must be in accordance with the Development Plan unless material considerations indicate otherwise. The Development Plan comprises Future Wales - the National Plan 2040 and the Neath Port Talbot Local Development Plan (2011-2026) adopted January 2016.

It is noted that the proposal would constitute a 'departure' from the Local Development Plan. Notwithstanding this however, as the site is surrounded by residential development on three sides it is considered that, in this particular instance, the development would be appropriate 'in-fill' development. In addition, it would not have a detrimental impact upon residential amenity or upon the character and appearance of the surrounding area/open

Superseded

countryside/Special Landscape Area, and there would be no adverse impact upon highway and pedestrian safety. Hence, the proposed development would be in accordance with Policies SC1, EN2, M1, EN8, TR2 and BE1 of the Neath Port Talbot Local Development Plan.

It is further considered that the decision complies with Future Wales - the National Plan 2040 and the Council's well-being objectives and the sustainable development principle in accordance with the requirements of the Well-being of Future Generations (Wales) Act 2015.

Signed: 

Ceri Morris – Head of Planning & Public Protection

Date: 17 February 2022

Superseded

IMPORTANT:

(1) Please note that for all decisions issued after 16th March 2016 for outline or full planning permission, a revised decision notice will be issued whenever a subsequent consent is given, for example providing details of any Reserved Matters approvals (outline applications only) and/or approval of conditions (including on Reserved Matters). This will ensure that the current status of the conditions applied to a consent is clear. Accordingly you are advised to visit www.npt.gov.uk/planning to view the application documentation to see if this is the current version, or whether it has been superseded by a more up-to-date revision of this Decision Notice. For Reserved Matters approvals the revised Decision Notice will only be shown under the Outline approval.

(2) Please note that this consent is specific to the plans and particulars approved as part of the application. Any departure from the approved plans will constitute unauthorised development and may be liable to enforcement action. You (or any subsequent developer) should advise the Council of any actual or proposed variations from the approved plans immediately so that you can be advised how to best resolve the matter.

(3) In addition, any conditions that the Council has imposed on this consent will be listed above and should be read carefully. It is your (or any subsequent developers) responsibility to ensure that the terms of all conditions are met in full at the appropriate time (as outlined in the specific condition). Please note that any works carried out without compliance with the conditions attached to this approval will be entirely at the risk of the persons involved and may result in formal action being taken by the Local Planning Authority.

(4) The developer should have regard to Sections 4, 7, 8 and 8A of the Chronically Sick and Disabled Persons Act 1970 and to the British Standards Institution's Code of Practice for "Design of buildings and their approaches to meet the needs of disabled people" (BS 8300:2009+A1:2010).

(5) From 1st October 2012 it has been an offence to install a public sewer or lateral drain without having an adoption agreement in place. From the 1st October 2012 the vast majority of all existing private sewers and lateral drains which link with the public sewer network were transferred to Welsh Water. For further details on how this will affect your development please contact: Welsh Water Developer Services, PO Box 3146, Cardiff, CF30 0EH. Telephone No. 0800 9172652 or email: developer.services@dwrcymru.com.

Superseded

IMPORTANT INFORMATION: TOWN AND COUNTRY PLANNING ACT 1990

The applicant's attention is drawn to the notes below.

- (1) If the applicant is aggrieved by the decision of the Local Planning Authority to refuse permission for the proposed development or to grant it subject to conditions, then you can appeal to the Welsh Government under Section 78 of the Town and Country Planning Act 1990 (as amended).
- (2) You can also appeal to the Welsh Government against a decision to refuse permission or grant subject to conditions in respect of applications made for :- Listed Building or Conservation Area Consent; Consent under a Tree Preservation Order; Advertisement Consent.
- (3) You can also appeal If your application for a Certificate of Lawful Existing Use or Lawful Proposed Use is partly or wholly refused or is granted differently from what you asked for (under Section 195/196) of the Town and Country Planning Act 1990 (as amended).
- (4) If you are aggrieved of the LPAs decision, the following deadlines apply for appeals to be submitted to the Welsh Government (from the date of the Council's decision):-
 - (1) Planning Permission (with the exception of Minor Commercial and Householder applications – see below) Within 6 Months
 - (2) Householder Appeal see endnote i Within 12 weeks
 - (3) Minor Commercial Appeal see endnote i Within 12 weeks
 - (4) Listed Building or Conservation Area Consent appeals Within 6 months
 - (5) Tree Preservation Order (TPO) Consent Within 28 days
 - (6) Advertisement Consent Within 8 weeks
 - (7) Certificate of Lawfulness of Existing (Section 191) or Proposed (Section 192) Use or Development Within 6 months
 - (8) Hazardous Substances Consent Within 6 months
- (5) Appeals must be made on a form which is obtainable from the Planning Inspectorate, Crown Buildings, Cathays Park, Cardiff, CF10 3NQ – Tel 0303 444 5940, or online at www.planningportal.gov.uk/pcs .
- (6) The Welsh Government has power to allow a longer period for the giving of notice of appeal but they will not normally be prepared to exercise this power unless there are special circumstances which excuse the delay in giving notice of appeal.
- (7) The Welsh Government is not required to entertain an appeal if it appears to them that permission for the proposed development could not have been granted having regard to the statutory requirements to the provisions of the development order, and to any directions given under the Order. They do not in practice refuse to entertain appeals solely because the decision of the Local Planning Authority was based on a direction given by them.
- (8) If permission to develop land is refused or granted subject to conditions, whether by the Local Planning Authority or by the Welsh Government, and the owner of the land claims that the land has become incapable of reasonable beneficial use in its existing state and cannot be rendered capable of reasonable beneficial use by the carrying out of any development which has been or would be permitted, he may serve on the County Borough Council, in which the land is situated, as the case may be, a **purchase notice** requiring that Council purchase his interest in the land in

Superseded

accordance with the provisions of Part VI of the Town and Country Planning Act 1990.

Making an Appeal

- (9) Please note that for all applications received by the LPA after 5th May 2017, it is now a requirement that any appeal made to the Planning Inspectorate (other than Householder and Minor Commercial Appeals, and appeals against refusal to grant advertisement consent) must be accompanied by all the information and evidence you intend to rely upon (a **“full statement of case”**). You must also send a copy of the notice of appeal and full statement of case to the LPA.
- (10) In addition, for ‘planning appeals’ an amendment to an application following notice of appeal may only be made to correct an error.
- (11) Additional details and information on making an appeal to the Welsh Government is available from the Planning Inspectorate at the above address and website. The relevant documents are entitled “making your planning appeal” and “planning appeals Public Local Inquiries”.
- (12) Further correspondence regarding this application should bear the reference number quoted on the top of the decision notice.

THIS NOTICE RELATES ONLY TO A PLANNING DECISION AND DOES NOT RELATE TO OTHER LEGISLATION INCLUDING ANY LEGISLATION UNDER:

- BUILDING REGULATIONS – Please contact buildingcontrol@npt.gov.uk or 01639 686820 to discuss all aspects of the service that is offered by Building Control
- HIGHWAY LEGISLATION

IF PLANNING CONSENT HAS BEEN GRANTED IT IS ADVISABLE TO ESTABLISH WHETHER ANY OTHER FORM OF CONSENT IS REQUIRED AND TO OBTAIN SUCH CONSENT BEFORE COMMENCING DEVELOPMENT

ⁱ Please see the [Town and Country Planning \(Referred Applications and Appeals Procedure\) \(Wales\) Regulations 2017](#) for appeal procedures and for full definitions of:

- *“householder application”* (essentially an application for the enlargement, improvement or other alteration of a dwellinghouse, or development within the curtilage of such a dwellinghouse, or change of use to enlarge the curtilage of a dwelling house)
- *“householder appeal”* means an appeal in relation to a householder application, but excludes an appeal against conditions on the grant of planning permission; or an appeal which is accompanied by an enforcement or listed building consent appeal.
- *“minor commercial application”* (essentially relates to existing buildings of no more than 250 square metres gross external floor space at ground floor level, currently in use for any of the purposes set out in Schedule 1A to The Town and Country Planning (Development Management Procedure) (Wales) (Amendment) Order 2015 which is an application for change of use from Class A1 to A2 or A3; or Class A2 to A3); or the carrying out of building or other operations to a shop front.
- *“minor commercial appeal”* means an appeal in relation to a minor commercial application but excludes an appeal against conditions on the grant of planning permission; or an appeal which is accompanied by an enforcement or listed building consent appeal.