


SHOP >

SEPARATORS, TRAPS & SPILLCARE, BYPASS SEPARATORS, PREMIER TECH WATER & ENVIRONMENT: REWATEC BYPASS SEPARATOR



Premier Tech Water & Environment: Rewatec Bypass Separator - CNSB20S/21 - up to 11,111 sq/metres

From **£2,215.00 +VAT**

SKU: 601756

HIGH LEVEL OIL ALARM:

☒ INCLUDE HIGH LEVEL OIL ALARM

D400 COVER & FRAME:

☒ INCLUDE KD100 - 600MM X 600

PIPEWORK SIZE:

☒ 300MM PIPEWORK

CLEAR



CNSB20S/21 Bypass Separator complete with High Level Oil Alarm and D400 Cover.

£2,658.00 +VAT £3,189.60 Inc. VAT

In stock



1



ADD TO CART

ADD TO WISHLIST

DESCRIPTION

SPECIFICATION

DOWNLOADS

DELIVERY

Premier Tech Water and Environment: Rewatec Bypass Separator CNSB20S/21 for Areas up to 11,111 sq/metres

Bypass separators fully treat all flows generated by rainfall rates of up to 6.5mm/hr. These separators are used when it is considered an acceptable risk not to provide full treatment for high flows, for example where only small spillages occur and the risk of spillage is small.

Rewatec Bypass Separators have been designed to treat all flow up to the designed nominal size. Any flow in excess of the nominal

size is allowed to bypass the separation chamber thereby keeping the separated and trapped oil safe.

Features & Benefits

- Fully compliant to the Environment Agency's PPG3 guidelines
- Innovative design
- Fully tested and verified with a range from CNSB 3 to CNSB 1000 (Class 1)
- Full BSI certification
- Exceeds industry standards
- Compact and easy to handle/install
- Available with 150mm, 225mm, 300mm or 375mm pipework (450mm available on request)
- Low product and install costs
- Easy to service

Application Areas

- Car parks
- Roadways & major trunk roads
- Light industrial & goods yards

The Environment Agency PPG3 Guidelines require that all oil separators are to be installed with a robust visual and audible warning device to indicate that the chamber needs emptying.

The standard cost of delivery* is included with this product, **however offloading is the responsibility of the customer.**

*Delivery to the following post codes may incur an additional delivery charge:

G, KW, IV, AB, PH, DD, PA, FK, KY, EH, KA, ML, TD and DG.

Please contact the Sales team on 01773 306726 for further details.

Please note all images are for illustration only and may differ slightly from the actual product supplied.

YOU MAY ALSO LIKE...



Solar Powered Separator GSM and Beacon Alarm


£1,360.00 +VAT **£1,632.00** Inc. VAT

Premier Tech Aqua GRP Extension Shaft

From £209.00 +VAT

Solar Powered Separator Beacon Alarm

£1,145.00 +VAT **£1,374.00** Inc. VAT



Solar Powered Separator Beacon Alarm

£1,145.00 +VAT **£1,374.00** Inc. VAT

AVAILABILITY: IN STOCK

SKU: 602899

- 1 +

ADD TO CART



DESCRIPTION

SPECIFICATION

DOWNLOADS

Solar Powered Separator Beacon Alarm

The Solar Alarm removes the need for digging ducts and laying long cable runs, making installation efficient and cost effective. The solar separator alarm alerts the user of a fault by means of a flashing amber xenon beacon or via mobile phone text messaging.

The control unit is capable of monitoring up to 6 probe units in 2 separator tanks (3 probes per tank), to automatically monitor oil, silt and liquid levels notifying immediately when the