

CYRCHFAN WILDFOX RESORTS Lodge Finished Floor Levels		Project Name:	Internal Project No.:	Originated:	Revision:	powelldobson ARCHITECTS Suite 1F, Building One, Eastern Business Park, Wern Fawr Lane, Old St. Mellons, Cardiff CF3 5EA	
		Wildfox - Afan Valley	21055	21.10.2022	/		
Lodge Identifier	Lodge Type	Entry Level (in m AOD)	Lower Floor Level	Upper Floor Level	Chimney Level (highest point)	Error Range	
P1-1	1	254.4	-	-	258.4	+/- 0.5m	
P1-2	1	254.2	-	-	258.2	+/- 0.5m	
P1-3	1	254.3	-	-	258.3	+/- 0.5m	
P1-4	1	254.4	-	-	258.5	+/- 0.5m	
P1-5	2	255.3	252.4	-	259.3	+/- 0.5m	
P1-6	2	256.4	253.5	-	260.4	+/- 0.5m	
P1-7	2	257.3	254.5	-	261.4	+/- 0.5m	
P1-8	2	258.0	255.2	-	262.1	+/- 0.5m	
P1-9	3	258.4	-	261.3	265.3	+/- 0.5m	
P1-10	2	258.7	255.8	-	262.7	+/- 0.5m	
P1-11	2	259.4	256.5	-	263.4	+/- 0.5m	
P1-12	2	260.2	257.3	-	264.2	+/- 0.5m	
P1-13	2	261.4	258.5	-	265.4	+/- 0.5m	
P1-14	4	261.4	258.6	-	265.5	+/- 0.5m	
P1-15	2	261.1	258.2	-	265.1	+/- 0.5m	
P1-16	4	260.8	257.9	-	264.8	+/- 0.5m	
P1-17	2	260.8	257.9	-	264.8	+/- 0.5m	
P1-18	4	261.7	258.8	-	265.7	+/- 0.5m	
P1-19	4	262.1	259.3	-	266.2	+/- 0.5m	
P1-20	2	262.7	259.8	-	266.7	+/- 0.5m	
P1-21	2	263.2	260.3	-	267.2	+/- 0.5m	
P1-22	2	263.7	260.9	-	267.8	+/- 0.5m	
P1-23	2	264.3	261.5	-	268.4	+/- 0.5m	
P1-24	2	265.1	262.3	-	269.2	+/- 0.5m	
P1-25	1	266.2	-	-	270.3	+/- 0.5m	
P1-26	1	266.7	-	-	270.8	+/- 0.5m	
P1-27	1	267.2	-	-	271.2	+/- 0.5m	
P1-28	1	267.6	-	-	271.7	+/- 0.5m	
P1-29	1	262.2	-	-	266.3	+/- 0.5m	
P1-30	1	262.1	-	-	266.2	+/- 0.5m	
P1-31	1	262.1	-	-	266.2	+/- 0.5m	
P1-32	1	262.3	-	-	266.3	+/- 0.5m	
P1-33	1	262.5	-	-	266.5	+/- 0.5m	
P1-34	3	262.1	-	264.9	269.0	+/- 0.5m	
P1-35	3	262.4	-	265.3	269.3	+/- 0.5m	
P1-36	3	263.2	-	266.1	270.1	+/- 0.5m	
P1-37	3	264.0	-	266.9	270.9	+/- 0.5m	
P1-38	4	264.6	261.7	-	268.6	+/- 0.5m	
P1-39	4	265.8	262.9	-	269.8	+/- 0.5m	
P1-40	3	266.8	-	269.6	273.7	+/- 0.5m	
P1-41	2	267.0	264.2	-	271.1	+/- 0.5m	
P1-42	3	267.5	-	270.4	274.4	+/- 0.5m	
P1-43	2	268.1	265.3	-	272.2	+/- 0.5m	
P1-44	4	269.2	266.3	-	273.2	+/- 0.5m	
P1-45	3	269.8	-	272.6	276.7	+/- 0.5m	
P1-46	2	269.9	267.0	-	273.9	+/- 0.5m	
P1-47	3	270.0	-	272.9	276.9	+/- 0.5m	
P1-48	2	270.0	267.2	-	274.1	+/- 0.5m	
P1-49	4	269.9	267.0	-	273.9	+/- 0.5m	
P1-50	3	269.7	-	272.6	276.6	+/- 0.5m	
P1-51	4	269.7	266.9	-	273.8	+/- 0.5m	
P1-52	2	269.5	266.7	-	273.6	+/- 0.5m	
P1-53	3	269.4	-	272.3	276.3	+/- 0.5m	
P1-54	4	269.4	266.5	-	273.4	+/- 0.5m	
P1-55	2	269.0	266.1	-	273.0	+/- 0.5m	
P1-56	3	268.9	-	271.8	275.8	+/- 0.5m	
P1-57	4	268.9	266.1	-	273.0	+/- 0.5m	
P1-58	3	268.9	-	271.7	275.8	+/- 0.5m	
P1-59	4	268.9	266.0	-	272.9	+/- 0.5m	
P1-60	2	268.9	266.1	-	273.0	+/- 0.5m	
P1-61	2	269.0	266.2	-	273.1	+/- 0.5m	
P1-62	1	269.2	-	-	273.2	+/- 0.5m	
P1-63	1	269.3	-	-	273.3	+/- 0.5m	
P1-64	1	269.4	-	-	273.4	+/- 0.5m	
P1-65	1	269.5	-	-	273.5	+/- 0.5m	
P1-66	1	269.5	-	-	273.6	+/- 0.5m	
P1-67	1	271.8	-	-	275.9	+/- 0.5m	
P1-68	1	272.6	-	-	276.6	+/- 0.5m	
P1-69	1	273.3	-	-	277.3	+/- 0.5m	
P1-70	1	274.0	-	-	278.1	+/- 0.5m	
P1-71	1	274.7	-	-	278.7	+/- 0.5m	
P1-72	2	276.1	273.2	-	280.1	+/- 0.5m	
P1-73	3	276.8	-	279.7	283.7	+/- 0.5m	
P1-74	2	276.9	274.1	-	281.0	+/- 0.5m	
P1-75	3	277.4	-	280.3	284.3	+/- 0.5m	
P1-76	2	277.6	274.8	-	281.7	+/- 0.5m	
P1-77	2	277.5	274.6	-	281.5	+/- 0.5m	
P1-78	3	277.3	-	280.2	284.2	+/- 0.5m	
P1-79	4	277.3	274.4	-	281.3	+/- 0.5m	
P1-80	3	277.1	-	280.0	284.0	+/- 0.5m	
P1-81	4	277.1	274.3	-	281.2	+/- 0.5m	
P1-82	3	277.2	-	280.1	284.1	+/- 0.5m	
P1-83	2	277.3	274.4	-	281.3	+/- 0.5m	
P1-84	2	277.4	274.6	-	281.5	+/- 0.5m	
P1-85	2	277.6	274.7	-	281.6	+/- 0.5m	
P1-86	2	277.4	274.5	-	281.4	+/- 0.5m	
P1-87	4	277.3	274.4	-	281.3	+/- 0.5m	
P1-88	4	277.2	274.3	-	281.2	+/- 0.5m	
P1-89	2	277.4	274.5	-	281.4	+/- 0.5m	
P1-90	4	277.5	274.6	-	281.5	+/- 0.5m	
P1-91	3	277.6	-	280.5	284.5	+/- 0.5m	
P1-92	4	277.6	274.8	-	281.7	+/- 0.5m	
P1-93	3	277.8	-	280.7	284.7	+/- 0.5m	
P1-94	3	277.8	-	280.7	284.7	+/- 0.5m	
P1-95	2	278.0	275.2	-	282.1	+/- 0.5m	
P1-96	2	278.4	275.5	-	282.4	+/- 0.5m	
P1-97	4	279.4	276.6	-	283.5	+/- 0.5m	
P1-98	4	280.9	278.1	-	285.0	+/- 0.5m	
P1-99	4	282.5	279.6	-	286.5	+/- 0.5m	
P1-100	2	283.7	280.9	-	287.8	+/- 0.5m	
P1-101	2	284.0	281.1	-	288.0	+/- 0.5m	
P1-102	1	283.7	-	-	287.8	+/- 0.5m	
P1-103	1	283.5	-	-	287.5	+/- 0.5m	
P1-104	1	283.0	-	-	287.1	+/- 0.5m	
P1-105	1	282.5	-	-	286.6	+/- 0.5m	
P1-106	3	269.8	-	272.6	276.7	+/- 0.5m	
P1-107	3	269.9	-	272.8	276.8	+/- 0.5m	
P1-108	1	270.2	-	-	274.2	+/- 0.5m	
P1-109	1	270.3	-	-	274.3	+/- 0.5m	
P1-110	3	271.5	-	274.4	278.4	+/- 0.5m	
P1-111	3	272.6	-	275.5	279.5	+/- 0.5m	
P1-112	1	274.2	-	-	278.2	+/- 0.5m	
P1-113	1	274.9	-	-	279.0	+/- 0.5m	
P1-114	1	275.8	-	-	279.8	+/- 0.5m	
P1-115	1	276.4	-	-	280.4	+/- 0.5m	
P1-116	2	277.2	274.3	-	281.2	+/- 0.5m	
P1-117	2	277.4	274.5	-	281.4	+/- 0.5m	
P1-118	4	277.9	275.0	-	281.9	+/- 0.5m	
P1-119	4	278.8	276.0	-	282.9	+/- 0.5m	
P1-120	2	280.1	277.3	-	284.2	+/- 0.5m	
P1-121	2	278.9	276.0	-	282.9	+/- 0.5m	
P1-122	2	277.4	274.6	-	281.5	+/- 0.5m	
P1-123	4	271.7	268.9	-	275.8	+/- 0.5m	
P1-124	4	270.4	267.6	-	274.5	+/- 0.5m	
P1-125	4	269.5	266.6	-	273.5	+/- 0.5m	
P1-126	2	268.3	265.4	-	272.3	+/- 0.5m	
P1-127	4	264.8	262.0	-	268.9	+/- 0.5m	
P1-128	2	263.8	261.0	-	267.9	+/- 0.5m	
P1-129	2	263.5	260.6	-	267.5	+/- 0.5m	
P1-130	2	263.6	260.7	-	267.6	+/- 0.5m	
P1-131	4	263.6	260.7	-	267.6	+/- 0.5m	
P1-132	1	263.2	-	-	267.3	+/- 0.5m	
P1-133	1	262.9	-	-	266.9	+/- 0.5m	
P1-134	1	262.4	-	-	266.4	+/- 0.5m	
P1-135	4	257.2	254.3	-	261.2	+/- 0.5m	
P1-136	3	262.5	-	265.3	269.4	+/- 0.5m	
P1-137	2	264.6	261.8	-	268.7	+/- 0.5m	
P1-138	4	264.0	261.1	-	268.0	+/- 0.5m	
P1-139	4	263.2	260.4	-	267.3	+/- 0.5m	

P1-140	2	262.2	259.3	-	266.2	+/- 0.5m
P1-141	2	260.4	257.5	-	264.4	+/- 0.5m
P1-142	2	259.6	256.8	-	263.7	+/- 0.5m
P1-143	4	257.3	254.4	-	261.3	+/- 0.5m
P1-144	4	257.1	254.2	-	261.1	+/- 0.5m
P1-145	4	256.9	254.1	-	261.0	+/- 0.5m
P1-146	4	256.7	253.9	-	260.8	+/- 0.5m
P1-147	4	256.5	253.7	-	260.6	+/- 0.5m
P1-148	1	256.2	-	-	260.2	+/- 0.5m
P1-149	1	255.8	-	-	259.9	+/- 0.5m
P1-150	1	255.5	-	-	259.5	+/- 0.5m
P1-151	1	255.5	-	-	259.6	+/- 0.5m
P1-152	1	253.5	-	-	257.5	+/- 0.5m
P1-153	1	252.8	-	-	256.9	+/- 0.5m
P1-154	1	251.3	-	-	255.4	+/- 0.5m
P1-155	2	255.4	252.5	-	259.4	+/- 0.5m
P1-156	2	255.5	252.7	-	259.6	+/- 0.5m
P1-157	2	253.2	250.3	-	257.2	+/- 0.5m
P1-158	2	251.8	248.9	-	255.8	+/- 0.5m
P1-159	2	249.5	246.7	-	253.6	+/- 0.5m
P1-160	2	249.2	246.3	-	253.2	+/- 0.5m
P1-161	2	248.9	246.0	-	252.9	+/- 0.5m
P1-162	2	248.6	245.8	-	252.7	+/- 0.5m
P1-163	2	248.2	245.4	-	252.3	+/- 0.5m
P1-164	2	247.9	245.1	-	252.0	+/- 0.5m
P1-165	2	247.7	244.8	-	251.7	+/- 0.5m
P1-166	2	247.5	244.6	-	251.5	+/- 0.5m
P1-167	2	247.3	244.4	-	251.3	+/- 0.5m
P1-168	1	247.1	-	-	251.2	+/- 0.5m
P1-169	1	247.1	-	-	251.2	+/- 0.5m
P1-170	1	247.2	-	-	251.3	+/- 0.5m
P1-171	1	247.3	-	-	251.4	+/- 0.5m
P1-172	1	247.4	-	-	251.5	+/- 0.5m
P1-173	1	247.5	-	-	251.6	+/- 0.5m
P1-174	1	247.6	-	-	251.7	+/- 0.5m
P1-175	1	278.0	-	-	282.1	+/- 0.5m
P1-176	1	278.7	-	-	282.8	+/- 0.5m
P1-177	1	279.3	-	-	283.4	+/- 0.5m
P1-178	1	279.9	-	-	284.0	+/- 0.5m
P1-179	1	280.3	-	-	284.4	+/- 0.5m
P1-180	1	280.9	-	-	284.9	+/- 0.5m
P1-181	1	281.0	-	-	285.0	+/- 0.5m
P1-182	1	281.1	-	-	285.1	+/- 0.5m
P1-183	1	281.2	-	-	285.2	+/- 0.5m
P1-184	2	281.3	278.5	-	285.4	+/- 0.5m
P1-185	2	282.4	279.6	-	286.5	+/- 0.5m
P1-186	4	282.9	280.1	-	287.0	+/- 0.5m
P1-187	4	283.4	280.5	-	287.4	+/- 0.5m
P1-188	2	283.9	281.0	-	287.9	+/- 0.5m
P1-189	2	284.4	281.5	-	288.4	+/- 0.5m
P1-190	4	285.0	282.1	-	289.0	+/- 0.5m
P1-191	4	285.5	282.7	-	289.6	+/- 0.5m
P1-192	4	286.0	283.1	-	290.0	+/- 0.5m
P1-193	2	286.5	283.6	-	290.5	+/- 0.5m
P1-194	2	286.8	283.9	-	290.8	+/- 0.5m
P1-195	4	286.9	284.0	-	290.9	+/- 0.5m
P1-196	4	287.0	284.2	-	291.1	+/- 0.5m
P1-197	1	284.6	-	-	288.7	+/- 0.5m
P1-198	1	284.7	-	-	288.8	+/- 0.5m
P1-199	1	284.8	-	-	288.9	+/- 0.5m
P1-200	3	284.8	-	287.6	291.7	+/- 0.5m
P1-201	3	285.2	-	288.1	292.1	+/- 0.5m
P1-202	2	285.3	282.5	-	289.4	+/- 0.5m
P1-203	4	286.1	283.3	-	290.2	+/- 0.5m
P1-204	3	286.6	-	289.5	293.5	+/- 0.5m
P1-205	4	287.2	284.3	-	291.2	+/- 0.5m
P1-206	3	288.0	-	290.9	294.9	+/- 0.5m
P1-207	2	288.4	285.5	-	292.4	+/- 0.5m
P1-208	1	288.9	-	-	292.9	+/- 0.5m
P1-209	1	289.1	-	-	293.1	+/- 0.5m
P1-210	1	289.2	-	-	293.3	+/- 0.5m
P1-211	1	289.2	-	-	293.2	+/- 0.5m
P1-212	2	289.0	286.1	-	293.0	+/- 0.5m
P1-213	2	289.2	286.3	-	293.2	+/- 0.5m
P1-214	1	289.2	-	-	293.2	+/- 0.5m
P1-215	1	289.1	-	-	293.1	+/- 0.5m
P1-216	1	289.0	-	-	293.1	+/- 0.5m
P2-217	1	292.7	-	-	296.7	+/- 0.5m
P2-218	1	292.2	-	-	296.3	+/- 0.5m
P2-219	1	291.7	-	-	295.7	+/- 0.5m
P2-220	1	293.3	-	-	297.3	+/- 0.5m
P2-221	1	293.1	-	-	297.1	+/- 0.5m
P2-222	1	287.7	-	-	291.8	+/- 0.5m
P2-223	1	287.2	-	-	291.3	+/- 0.5m
P2-224	1	286.7	-	-	290.8	+/- 0.5m
P2-225	3	285.6	-	288.4	292.5	+/- 0.5m
P2-226	1	286.0	-	-	290.0	+/- 0.5m
P2-227	1	285.5	-	-	289.6	+/- 0.5m
P2-228	1	285.1	-	-	289.1	+/- 0.5m
P2-229	1	284.6	-	-	288.6	+/- 0.5m
P2-230	2	283.6	280.7	-	287.6	+/- 0.5m
P2-231	2	283.2	280.4	-	287.3	+/- 0.5m
P2-232	2	282.9	280.0	-	286.9	+/- 0.5m
P2-233	2	282.5	279.7	-	286.6	+/- 0.5m
P2-234	1	282.0	-	-	286.0	+/- 0.5m
P2-235	1	281.7	-	-	285.7	+/- 0.5m
P2-236	1	281.2	-	-	285.3	+/- 0.5m
P2-237	1	280.7	-	-	284.7	+/- 0.5m
P2-238	1	279.3	-	-	283.3	+/- 0.5m
P2-239	1	278.7	-	-	282.7	+/- 0.5m
P2-240	1	278.2	-	-	282.2	+/- 0.5m
P2-241	1	277.8	-	-	281.9	+/- 0.5m
P2-242	1	277.6	-	-	281.7	+/- 0.5m
P2-243	2	277.1	274.2	-	281.1	+/- 0.5m
P2-244	2	276.7	273.9	-	280.8	+/- 0.5m
P2-245	2	276.4	273.5	-	280.4	+/- 0.5m
P2-246	1	276.1	-	-	280.1	+/- 0.5m
P2-247	1	275.9	-	-	279.9	+/- 0.5m
P2-248	1	275.7	-	-	279.8	+/- 0.5m
P2-249	3	275.9	-	278.8	282.8	+/- 0.5m
P2-250	3	275.5	-	278.4	282.4	+/- 0.5m
P2-251	2	275.5	272.7	-	279.6	+/- 0.5m
P2-252	3	275.7	-	278.5	282.6	+/- 0.5m
P2-253	2	275.6	272.8	-	279.7	+/- 0.5m
P2-254	2	275.8	273.0	-	279.9	+/- 0.5m
P2-255	4	276.5	273.6	-	280.5	+/- 0.5m
P2-256	4	277.4	274.6	-	281.5	+/- 0.5m
P2-257	4	278.3	275.4	-	282.3	+/- 0.5m
P2-258	3	278.3	-	281.1	285.2	+/- 0.5m
P2-259	3	278.3	-	281.1	285.2	+/- 0.5m
P2-260	3	278.9	-	281.7	285.8	+/- 0.5m
P2-261	5	279.2	-	282.1	286.1	+/- 0.5m
P2-262	2	279.3	276.4	-	283.3	+/- 0.5m
P2-263	4	279.4	276.5	-	283.4	+/- 0.5m
P2-264	5	279.4	-	282.3	286.3	+/- 0.5m
P2-265	4	279.5	276.6	-	283.5	+/- 0.5m
P2-266	5	279.5	-	282.4	286.4	+/- 0.5m
P2-267	4	279.5	276.7	-	283.6	+/- 0.5m
P2-268	3	279.6	-	282.4	286.5	+/- 0.5m
P2-269	4	279.6	-	-	-	+/- 0.5m
P2-270	2	279.2	276.4	-	283.3	+/- 0.5m
P2-271	3	279.1	-	281.9	286.0	+/- 0.5m
P2-272	2	279.2	276.4	-	283.3	+/- 0.5m
P2-273	2	280.1	277.2	-	284.1	+/- 0.5m
P2-274	2	281.0	278.2	-	285.1	+/- 0.5m
P2-275	1	291.7	-	-	295.7	+/- 0.5m
P2-276	1	291.4	-	-	295.5	+/- 0.5m
P2-277	1	291.1	-	-	295.2	+/- 0.5m
P2-278	1	290.9	-	-	294.9	+/- 0.5m
P2-279	1	290.4	-	-	294.4	+/- 0.5m
P2-280	1	290.2	-	-	294.3	+/- 0.5m
P2-281	1	290.1	-	-	294.1	+/- 0.5m
P2-282	2	289.7	286.8	-	293.7	+/- 0.5m
P2-283	2	289.6	286.8	-	293.7	+/- 0.5m
P2-284	2	289.5	286.7	-	293.6	+/- 0.5m
P2-285	2	289.5	286.6	-	293.5	+/- 0.5m
P2-286	1	289.4	-	-	293.4	+/- 0.5m
P2-287	1	289.3	-	-	293.4	+/- 0.5m
P2-288	1	289.2	-	-	293.3	+/- 0.5m
P2-289	1	289.1	-	-	293.1	+/- 0.5m
P2-290	1	288.9	-	-	292.9	+/- 0.5m
P2-291	1	288.6	-	-	292.7	+/- 0.5m
P2-292	1	288.2	-	-	292.3	+/- 0.5m

P2-293	1	288.0	-	-	292.1	+/- 0.5m
P2-294	1	287.7	-	-	291.8	+/- 0.5m
P2-295	2	287.2	284.4	-	291.3	+/- 0.5m
P2-296	2	286.7	283.8	-	290.7	+/- 0.5m
P2-297	3	286.3	-	289.1	293.2	+/- 0.5m
P2-298	4	286.1	283.2	-	290.1	+/- 0.5m
P2-299	3	285.8	-	288.6	292.7	+/- 0.5m
P2-300	4	285.7	282.9	-	289.8	+/- 0.5m
P2-301	3	285.4	-	288.2	292.3	+/- 0.5m
P2-302	4	285.3	282.5	-	289.4	+/- 0.5m
P2-303	3	285.0	-	287.9	291.9	+/- 0.5m
P2-304	2	284.9	282.0	-	288.9	+/- 0.5m
P2-305	2	285.1	282.3	-	289.2	+/- 0.5m
P2-306	2	285.8	283.0	-	289.9	+/- 0.5m
P2-307	4	286.8	284.0	-	290.9	+/- 0.5m
P2-308	2	287.9	285.1	-	292.0	+/- 0.5m
P2-309	2	289.0	286.2	-	293.1	+/- 0.5m
P2-310	2	290.3	287.5	-	294.4	+/- 0.5m
P2-311	3	291.5	-	294.4	298.4	+/- 0.5m
P2-312	3	290.8	-	293.6	297.7	+/- 0.5m
P2-313	1	297.6	-	-	301.6	+/- 0.5m
P2-314	1	297.4	-	-	301.5	+/- 0.5m
P2-315	1	297.3	-	-	301.3	+/- 0.5m
P2-316	1	297.1	-	-	301.2	+/- 0.5m
P2-317	2	296.8	294.0	-	300.9	+/- 0.5m
P2-318	2	296.5	293.7	-	300.6	+/- 0.5m
P2-319	2	295.9	293.0	-	299.9	+/- 0.5m
P2-320	2	295.6	292.7	-	299.6	+/- 0.5m
P2-321	2	295.7	292.9	-	299.8	+/- 0.5m
P2-322	2	296.1	293.3	-	300.2	+/- 0.5m
P2-323	2	296.4	293.5	-	300.4	+/- 0.5m
P2-324	2	297.5	294.6	-	301.5	+/- 0.5m
P2-325	2	297.6	294.8	-	301.7	+/- 0.5m
P2-326	2	297.4	294.5	-	301.4	+/- 0.5m
P2-327	2	296.9	294.1	-	301.0	+/- 0.5m
P2-328	4	296.5	293.6	-	300.5	+/- 0.5m
P2-329	4	296.0	293.1	-	300.0	+/- 0.5m
P2-330	4	295.5	292.6	-	299.5	+/- 0.5m
P2-331	4	294.8	292.0	-	298.9	+/- 0.5m
P2-332	2	294.5	291.7	-	298.6	+/- 0.5m
P2-333	2	294.3	291.4	-	298.3	+/- 0.5m
P2-334	4	294.0	291.2	-	298.1	+/- 0.5m
P2-335	2	294.4	291.6	-	298.5	+/- 0.5m
P2-336	2	292.9	290.0	-	296.9	+/- 0.5m
P2-337	4	292.4	289.5	-	296.4	+/- 0.5m
P2-338	4	292.3	289.5	-	296.4	+/- 0.5m
P2-339	4	292.4	289.6	-	296.5	+/- 0.5m
P2-340	2	295.9	293.1	-	300.0	+/- 0.5m
P2-341	2	297.1	294.3	-	301.2	+/- 0.5m
P2-342	4	297.9	295.1	-	302.0	+/- 0.5m
P2-343	4	298.5	295.6	-	302.5	+/- 0.5m
P2-344	3	297.7	-	300.6	304.6	+/- 0.5m
P2-345	3	298.4	-	301.2	305.3	+/- 0.5m
P2-346	1	299.1	-	-	303.2	+/- 0.5m
P2-347	1	299.4	-	-	303.4	+/- 0.5m
P2-348	1	299.7	-	-	303.8	+/- 0.5m
P2-349	1	300.2	-	-	304.3	+/- 0.5m
P2-350	1	300.8	-	-	304.9	+/- 0.5m
P2-351	2	301.9	299.0	-	305.9	+/- 0.5m
P2-352	4	301.6	298.8	-	305.7	+/- 0.5m
P2-353	4	301.5	298.6	-	305.5	+/- 0.5m
P2-354	2	301.2	298.4	-	305.3	+/- 0.5m
P2-355	2	302.1	299.2	-	306.1	+/- 0.5m
P2-356	2	302.7	299.9	-	306.8	+/- 0.5m
P2-357	2	303.1	300.2	-	307.1	+/- 0.5m
P2-358	2	303.0	300.2	-	307.1	+/- 0.5m
P2-359	2	302.8	299.9	-	306.8	+/- 0.5m
P2-360	2	301.9	299.0	-	305.9	+/- 0.5m
P2-361	2	301.8	299.0	-	305.9	+/- 0.5m
P2-362	2	301.8	298.9	-	305.8	+/- 0.5m
P2-363	4	301.8	298.9	-	305.8	+/- 0.5m
P2-364	4	301.5	298.6	-	305.5	+/- 0.5m
P2-365	4	301.1	298.2	-	305.1	+/- 0.5m
P2-366	2	301.1	298.3	-	305.2	+/- 0.5m
P2-367	2	301.5	298.6	-	305.5	+/- 0.5m
P2-368	2	301.9	299.0	-	305.9	+/- 0.5m
P2-369	4	302.3	299.5	-	306.4	+/- 0.5m
P2-370	3	302.7	-	305.5	309.6	+/- 0.5m
P2-371	4	302.7	299.9	-	306.8	+/- 0.5m
P2-372	4	303.1	300.3	-	307.2	+/- 0.5m
P2-373	4	303.4	300.5	-	307.4	+/- 0.5m
P2-374	2	303.6	300.8	-	307.7	+/- 0.5m
P2-375	4	304.1	301.3	-	308.2	+/- 0.5m
P2-376	2	305.7	302.8	-	309.7	+/- 0.5m
P2-377	1	302.3	-	-	306.3	+/- 0.5m
P2-378	1	302.9	-	-	307.0	+/- 0.5m
P2-379	1	303.6	-	-	307.7	+/- 0.5m
P2-380	3	306.1	-	308.9	313.0	+/- 0.5m
P2-381	4	306.1	303.2	-	310.1	+/- 0.5m
P2-382	2	306.1	303.3	-	310.2	+/- 0.5m
P2-383	3	306.1	-	308.9	313.0	+/- 0.5m
P2-384	2	306.0	303.2	-	310.1	+/- 0.5m
P2-385	2	305.6	302.7	-	309.6	+/- 0.5m
P2-386	3	302.5	-	305.4	309.4	+/- 0.5m
P2-387	3	304.6	-	307.4	311.5	+/- 0.5m
P2-388	3	305.4	-	308.2	312.3	+/- 0.5m
P2-389	2	305.7	302.8	-	309.7	+/- 0.5m
P2-390	3	306.4	-	309.2	313.3	+/- 0.5m
P2-391	2	306.6	303.7	-	310.6	+/- 0.5m
P2-392	4	307.1	304.3	-	311.2	+/- 0.5m
P2-393	4	307.3	304.5	-	311.4	+/- 0.5m
P2-394	2	307.2	304.3	-	311.2	+/- 0.5m
P2-395	2	306.6	303.7	-	310.6	+/- 0.5m
P2-396	2	305.7	302.8	-	309.7	+/- 0.5m
P2-397	4	305.5	302.6	-	309.5	+/- 0.5m
P2-398	4	305.4	302.5	-	309.4	+/- 0.5m
P2-399	4	305.5	302.7	-	309.6	+/- 0.5m
P2-400	4	305.7	302.8	-	309.7	+/- 0.5m
P2-401	5	307.0	-	309.8	313.9	+/- 0.5m
P2-402	1	307.2	-	-	311.3	+/- 0.5m
P2-403	1	307.3	-	-	311.4	+/- 0.5m
P2-404	1	307.3	-	-	311.3	+/- 0.5m
P2-405	1	307.4	-	-	311.4	+/- 0.5m
P2-406	1	307.5	-	-	311.5	+/- 0.5m
P2-407	1	307.6	-	-	311.6	+/- 0.5m
P2-408	3	307.5	-	310.3	314.4	+/- 0.5m
P2-409	2	307.9	305.1	-	312.0	+/- 0.5m
P2-410	2	308.3	305.4	-	312.3	+/- 0.5m
P2-411	2	308.7	305.9	-	312.8	+/- 0.5m
P2-412	2	308.7	305.9	-	312.8	+/- 0.5m
P2-413	1	309.2	-	-	313.3	+/- 0.5m
P2-414	1	309.6	-	-	313.7	+/- 0.5m
P2-415	1	310.0	-	-	314.1	+/- 0.5m
P2-416	1	310.3	-	-	314.4	+/- 0.5m
P2-417	3	310.6	-	313.5	317.5	+/- 0.5m
P2-418	2	310.6	307.8	-	314.7	+/- 0.5m
P2-419	3	310.5	-	313.4	317.4	+/- 0.5m
P2-420	4	310.5	307.7	-	314.6	+/- 0.5m
P2-421	3	310.0	-	312.9	316.9	+/- 0.5m
P2-422	4	309.8	306.9	-	313.8	+/- 0.5m
P3-423	1	275.0	-	-	279.0	+/- 0.5m
P3-424	1	275.3	-	-	279.4	+/- 0.5m
P3-425	1	275.8	-	-	279.9	+/- 0.5m
P3-426	1	276.1	-	-	280.2	+/- 0.5m
P3-427	1	276.4	-	-	280.5	+/- 0.5m
P3-428	1	276.5	-	-	280.6	+/- 0.5m
P3-429	1	276.5	-	-	280.5	+/- 0.5m
P3-430	3	276.0	-	278.9	282.9	+/- 0.5m
P3-431	3	275.3	-	278.1	282.2	+/- 0.5m
P3-432	1	283.6	-	-	287.7	+/- 0.5m
P3-433	1	283.5	-	-	287.5	+/- 0.5m
P3-434	1	283.4	-	-	287.4	+/- 0.5m
P3-435	1	283.5	-	-	287.5	+/- 0.5m
P3-436	3	283.5	-	286.3	290.4	+/- 0.5m
P3-437	3	283.4	-	286.3	290.3	+/- 0.5m
P3-438	3	283.6	-	286.4	290.5	+/- 0.5m
P3-439	2	283.6	280.8	-	287.7	+/- 0.5m
P3-440	4	283.7	280.9	-	287.8	+/- 0.5m
P3-441	4	283.8	281.0	-	287.9	+/- 0.5m
P3-442	3	283.7	-	286.6	290.6	+/- 0.5m
P3-443	4	283.1	280.3	-	287.2	+/- 0.5m
P3-444	3	283.0	-	285.8	289.9	+/- 0.5m

P3-445	4	282.5	279.6	-	286.5	+/- 0.5m
P3-446	4	282.2	279.4	-	286.3	+/- 0.5m
P3-447	3	282.2	-	285.1	289.1	+/- 0.5m
P3-448	2	282.6	279.7	-	286.6	+/- 0.5m
P3-449	2	283.3	280.4	-	287.3	+/- 0.5m
P3-450	2	287.1	284.3	-	291.2	+/- 0.5m
P3-451	2	288.3	285.4	-	292.3	+/- 0.5m
P3-452	4	288.7	285.8	-	292.7	+/- 0.5m
P3-453	4	289.1	286.3	-	293.2	+/- 0.5m
P3-454	4	289.6	286.7	-	293.6	+/- 0.5m
P3-455	4	290.1	287.2	-	294.1	+/- 0.5m
P3-456	2	290.2	287.4	-	294.3	+/- 0.5m
P3-457	2	289.9	287.1	-	294.0	+/- 0.5m
P3-458	3	289.6	-	292.5	296.5	+/- 0.5m
P3-459	2	289.6	286.8	-	293.7	+/- 0.5m
P3-460	3	289.7	-	292.6	296.6	+/- 0.5m
P3-461	2	289.8	287.0	-	293.9	+/- 0.5m
P3-462	2	290.0	287.2	-	294.1	+/- 0.5m
P3-463	4	290.2	287.4	-	294.3	+/- 0.5m
P3-464	4	290.5	287.6	-	294.5	+/- 0.5m
P3-465	4	290.8	287.9	-	294.8	+/- 0.5m
P3-466	4	291.7	288.9	-	295.8	+/- 0.5m
P3-467	2	292.9	290.0	-	296.9	+/- 0.5m
P3-468	2	294.0	291.1	-	298.0	+/- 0.5m
P3-469	2	291.2	288.4	-	295.3	+/- 0.5m
P3-470	2	292.9	290.0	-	296.9	+/- 0.5m
P3-471	2	294.4	291.5	-	298.4	+/- 0.5m
P3-472	2	295.6	292.8	-	299.7	+/- 0.5m
P3-473	2	296.5	293.6	-	300.5	+/- 0.5m
P3-474	4	296.9	294.0	-	300.9	+/- 0.5m
P3-475	4	296.7	293.8	-	300.7	+/- 0.5m
P3-476	2	296.4	293.5	-	300.4	+/- 0.5m
P3-477	3	296.1	-	299.0	303.0	+/- 0.5m
P3-478	2	296.1	293.2	-	300.1	+/- 0.5m
P3-479	2	295.8	293.0	-	299.9	+/- 0.5m
P3-480	3	295.6	-	298.5	302.5	+/- 0.5m
P3-481	4	295.6	292.8	-	299.7	+/- 0.5m
P3-482	4	295.8	292.9	-	299.8	+/- 0.5m
P3-483	4	297.7	294.8	-	301.7	+/- 0.5m
P3-484	2	299.4	296.5	-	303.4	+/- 0.5m
P3-485	2	300.6	297.7	-	304.6	+/- 0.5m
P3-486	2	301.8	299.0	-	305.9	+/- 0.5m
P3-487	1	303.2	-	-	307.3	+/- 0.5m
P3-488	1	303.3	-	-	307.4	+/- 0.5m
P3-489	1	303.5	-	-	307.6	+/- 0.5m
P3-490	1	303.5	-	-	307.5	+/- 0.5m
P3-491	1	303.4	-	-	307.4	+/- 0.5m
P3-492	1	303.2	-	-	307.3	+/- 0.5m
P3-493	3	303.2	-	306.0	310.1	+/- 0.5m
P3-494	1	302.9	-	-	306.9	+/- 0.5m
P3-495	1	302.6	-	-	306.6	+/- 0.5m
P3-496	1	302.1	-	-	306.1	+/- 0.5m
P3-497	1	301.7	-	-	305.8	+/- 0.5m
P3-498	1	301.4	-	-	305.5	+/- 0.5m
P3-499	1	301.9	-	-	305.9	+/- 0.5m
P3-500	1	301.4	-	-	305.5	+/- 0.5m
P3-501	1	300.9	-	-	304.9	+/- 0.5m
P3-502	1	300.7	-	-	304.7	+/- 0.5m
P3-503	1	300.8	-	-	304.9	+/- 0.5m
P3-504	1	300.7	-	-	304.7	+/- 0.5m
P3-505	2	301.3	298.4	-	305.3	+/- 0.5m
P3-506	4	302.2	299.3	-	306.2	+/- 0.5m
P3-507	4	302.8	300.0	-	306.9	+/- 0.5m
P3-508	2	303.0	300.1	-	307.0	+/- 0.5m
P3-509	2	302.6	299.8	-	306.7	+/- 0.5m
P3-510	2	302.2	299.3	-	306.2	+/- 0.5m
P3-511	2	301.6	298.8	-	305.7	+/- 0.5m
P3-512	2	299.5	296.7	-	303.6	+/- 0.5m
P3-513	2	298.2	295.3	-	302.2	+/- 0.5m
P3-514	2	297.0	294.2	-	301.1	+/- 0.5m
P3-515	2	296.0	293.1	-	300.0	+/- 0.5m
P3-516	2	294.4	291.6	-	298.5	+/- 0.5m
P4-517	2	295.4	292.5	-	299.4	+/- 0.5m
P4-518	1	302.0	-	-	306.0	+/- 0.5m
P4-519	1	301.7	-	-	305.8	+/- 0.5m
P4-520	1	301.3	-	-	305.4	+/- 0.5m
P4-521	1	300.9	-	-	305.0	+/- 0.5m
P4-522	1	300.3	-	-	304.3	+/- 0.5m
P4-523	3	302.0	-	304.8	308.9	+/- 0.5m
P4-524	3	301.5	-	304.4	308.4	+/- 0.5m
P4-525	3	299.4	-	302.3	306.3	+/- 0.5m
P4-526	3	298.7	-	301.6	305.6	+/- 0.5m
P4-527	4	308.9	306.0	-	312.9	+/- 0.5m
P4-528	3	308.9	-	311.7	315.8	+/- 0.5m
P4-529	4	308.8	305.9	-	312.8	+/- 0.5m
P4-530	3	308.8	-	311.6	315.7	+/- 0.5m
P4-531	3	308.5	-	311.4	315.4	+/- 0.5m
P4-532	4	308.4	305.6	-	312.5	+/- 0.5m
P4-533	3	308.2	-	311.1	315.1	+/- 0.5m
P4-534	4	308.1	305.2	-	312.1	+/- 0.5m
P4-535	4	307.6	304.7	-	311.6	+/- 0.5m
P4-536	2	306.6	303.7	-	310.6	+/- 0.5m
P4-537	1	316.6	-	-	320.6	+/- 0.5m
P4-538	1	316.7	-	-	320.7	+/- 0.5m
P4-539	1	316.8	-	-	320.8	+/- 0.5m
P4-540	3	316.6	-	319.4	323.5	+/- 0.5m
P4-541	3	316.7	-	319.5	323.6	+/- 0.5m
P4-542	1	316.9	-	-	321.0	+/- 0.5m
P4-543	1	317.0	-	-	321.1	+/- 0.5m
P4-544	1	317.1	-	-	321.2	+/- 0.5m
P4-545	3	317.0	-	319.8	323.9	+/- 0.5m
P4-546	3	317.2	-	320.0	324.1	+/- 0.5m
P4-547	2	317.0	314.2	-	321.1	+/- 0.5m
P4-548	3	316.9	-	319.7	323.8	+/- 0.5m
P4-549	4	315.8	313.0	-	319.9	+/- 0.5m
P4-550	3	315.9	-	318.7	322.8	+/- 0.5m
P4-551	4	314.4	311.6	-	318.5	+/- 0.5m
P4-552	3	314.6	-	317.4	321.5	+/- 0.5m
P4-553	4	313.4	310.6	-	317.5	+/- 0.5m
P4-554	3	313.5	-	316.3	320.4	+/- 0.5m
P4-555	4	313.0	310.1	-	317.0	+/- 0.5m
P4-556	3	312.9	-	315.8	319.8	+/- 0.5m
P4-557	4	312.4	309.6	-	316.5	+/- 0.5m
P4-558	3	312.3	-	315.1	319.2	+/- 0.5m
P4-559	4	311.4	308.5	-	315.4	+/- 0.5m
P4-560	3	311.3	-	314.1	318.2	+/- 0.5m
P4-561	3	310.1	-	313.0	317.0	+/- 0.5m
P1-562	3	254.5	-	257.3	261.4	+/- 0.5m
P1-563	3	254.2	-	257.0	261.1	+/- 0.5m
P1-564	3	254.5	-	257.3	261.4	+/- 0.5m
P1-565	3	256.1	-	258.9	263.0	+/- 0.5m
P1-566	3	257.3	-	260.1	264.2	+/- 0.5m
P1-567	3	258.3	-	261.2	265.2	+/- 0.5m
P1-568	3	259.2	-	262.1	266.1	+/- 0.5m
P3-569	6	303.1	-	305.9	310.0	+/- 0.5m
P3-570	7	302.9	-	305.7	309.8	+/- 0.5m