



**19 Prettyman Drive, Llandarcy,
Neath, Neath Port Talbot, SA10 6HZ**

Bat Survey Report for Mrs R. Mellin



***A European Protected Species Licence will not be required
for this development to be undertaken***

Report type	Bat Survey Report
Report reference	IG202219PrettymanDrive
Site	19 Prettyman Drive, Llandarcy, Neath, Neath Port Talbot, SA10 6HZ
Grid reference	SS 71611 95338
Client	Mrs R. Mellin
Date(s)/time(s)/type(s) of survey(s)	Scoping survey: 11 th August 2022 Dawn activity survey: 14 th August 2022 between 03:55 and 06:00
Surveyor details	Scoping survey: Mr Glyn Lloyd-Jones, Natural Resources Wales Licence number S091520/1 Activity survey: as above with assistance from Ms Sharon Doherty, and Mr Lewis Jones
Architect	Mr O. Lloyd, Ferndale Architectural Solutions Ltd

Version	Status	Changes	Name	Position	Date
1	Draft	Sent for review on 20/11/2022	Ceri Daugherty	Author	18/11/22

	Name	Position	Date
Reviewed by	Ceri Daugherty	Author	20/11/2022
Approved by	Glyn Lloyd-Jones	Director	20/11/2022
Sent to Client	Glyn Lloyd-Jones	Director	21/11/2022

I&G Ecological Consulting Ltd, Awelfryn, Llannon, Llanelli, Carmarthenshire, SA14 6BY.
www.I&Gecology.com email: Office.igecol@gmail.com, lestyn.igecol@gmail.com, and
Glyn.igecol@gmail.com or call Office on 07733 214829 and Glyn on 07973 685423

Executive summary

- ✧ 19 Prettyman Drive (the property) is a detached, south-east facing, predominantly two-storey dwelling with existing single storey rear extension that is subject to proposed plans for extension to the side and rear. It is constructed of brick walls that have been rendered and painted to the ground floor and has hanging tiles on the upper floor, with the original part having a pitched tile roof and the rear extension having a flat roof. It is generally in very good condition, well maintained, and well-sealed. The walls on the ground floor are intact with no potentially exploitable cracks or crevices while the uPVC/timber soffits/fascia/barge boards are tight to the walls with no potentially exploitable gaps, and the uPVC/timber framed windows and doors are intact and remain closed when not in use with no gaps around any of the frames. In addition, the flat roof has no damage. However, there are some gaps under the hanging tiles on the upper floor as well as on the roof following damage sustained during recent Storms Eunice and Franklin – although only a small number have potentially exploitable gaps. Internally, within the loft (not currently in use) the bitumastic felt lining is in very good condition with no damage and no light enters either through the roof or at wall tops. In addition, there are no potentially exploitable in-wall gaps.
- ✧ On 11th August 2022, I&G Ecological Consulting Ltd undertook a daytime bat scoping survey of the property. To provide extra confidence a dawn activity survey was undertaken on 14th August 2022. The weather conditions present at the property were conducive to bat activity and access was available to all parts of the property.
- ✧ This report confirms the findings of these surveys, completed in accordance with current best practice (Collins, J. (Ed.) 2016) and current government and CIEEM guidelines in relation to the COVID-19 pandemic. They were conducted by experienced, licensed ecologists and assistants.
- ✧ The property is located within the village of Llandarcy, approximately 4km south-west of the town of Neath. **It is within close proximity to moderately favourable bat habitat but is not within 2km of any sites designated for their bat interest.**
- ✧ As part of the scoping survey undertaken by I&G Ecological Consulting Ltd, no bats or their signs were found. The property is considered to have **low** potential to support roosting bats, and a **low** risk of bats using the features present. During the activity survey three species: **Soprano pipistrelle, Noctule and Myotis species** were using the surrounding environment for foraging and commuting, but no bats were seen to leave or enter any part of the property. **There are therefore currently no bats using the building**, it receives no ecological protection under wildlife legislation and there are no ecological constraints to the proposed works.
- ✧ **No evidence of bats, nesting birds, or signs of owl activity were discovered.** However, biodiversity enhancement measures are required to be submitted to ensure the development complies with the Environment (Wales) Act 2016, Future Wales 2040, and PPW (Edition 11, February 2021). Recommendations are as follows and all locations will be provided on the plans to be submitted (see appendix 5 for recommended locations and appendix 7 for examples):
 - ✧ **Recommendation 1 (Enhancement):** 1 x Beaumaris Woodstone (or similar) bat box to be affixed to the south-west elevation of the property. See [Putting up your box - Bat Boxes - Bat Conservation Trust \(bats.org.uk\)](https://www.bats.org.uk/putting-up-your-box-bat-boxes-bat-conservation-trust)
 - ✧ **Recommendation 2 (Enhancement):** 1 x Sparrow terrace to be affixed to the south-east elevation of the property. See [Where To Put A Bird Box | Nestboxes - The RSPB](https://www.rspb.org.uk/where-to-put-a-bird-box-nestboxes-the-rspb)
 - ✧ **Recommendation 3 (Broadscale Enhancement):** Wider ecological benefit could be delivered by ensuring (where possible) that all boundaries are planted with native species to retain connectivity to the surrounding habitat as well as retaining (where possible and relevant) any mature trees on site. See [17 bats & hedges leaflet.pdf \(hedgelink.org.uk\)](https://www.hedgelink.org.uk/17-bats-hedges-leaflet.pdf).

Contents

Executive summary	ii
Contents	iii
1. Introduction	1
1.1 Scope and purpose of survey.....	1
1.2 Site characteristics and proposed works	1
2. Desk study methods and results.....	3
2.1 Methods.....	3
2.2 Results	3
3. Field survey methods and results	4
3.1 Methods.....	4
3.2 Survey results.....	5
4. Interpretation, conclusions and recommendations.....	6
4.1 Interpretation and conclusions.....	6
4.2 Recommendations	7
5. Outline method statement for planning	8
5.1 Outline method statement for planning.....	8
LIST OF FIGURES	
Figure 1: Aerial view of the property	1
Figure 2: Map showing the wider environment	2
Figure 3: Location and block plan	2
Figure 4: Surveyor positions during the activity surveys.....	4
Figure 5: Aerial map showing the flight lines of bats detected	6
LIST OF APPENDICES	
Appendix 1: An introduction to bat surveys	9
Appendix 2: Overview of the legislation	11
Appendix 3: Types of bat roost and survey timings	14
Appendix 4: List of surveyors	16
Appendix 5: Site plans.....	17
Appendix 6: Site survey images	19
Appendix 7: Roost compensation & enhancement measures	23
Appendix 8: I&G Ecological Consulting Ltd legal disclaimer	25
Appendix 9: References, bibliography and sources of information	26

1. Introduction

1.1 Scope and purpose of survey

1.1.1 Any sign of use of a site by bats is enough to confirm that the space has ‘bat interest’ and is enough to confirm the importance of the location to bat species. All species, as well as their resting places, are protected by law and the site is protected even when bats are not present. See appendix 1 for an introduction to bat surveys, including the aims of the scoping survey, appendix 2 for an overview of the legislation, and appendix 3 for information on roost types and survey timings. Appendix 4 lists all surveyors who undertake work for I&G Ecological Consulting Ltd and includes their experience.

1.1.2 This report confirms the results of, and conclusions and recommendations from, the surveys undertaken. It aims to provide the local planning authority with sufficient information to enable a full assessment of the potential ecological impacts of the proposed development. The CIEEM Guidelines for Ecological Report Writing (2017) state that it is important that the structure and content of a report should be proportionate to the predicted degree of risk to biodiversity and to the nature and scale of the proposed development. This report has therefore been written in line with these guidelines.

1.1.3 For the purposes of this survey report, the site boundary is defined as the building(s) and surfaces within the overall site footprint.

1.2 Site characteristics and proposed works

1.2.1 19 Prettyman Drive (the property) is located within the village of Llandarcy, approximately 4km south-west of the town of Neath. Despite its location within a growing residential area only 830m west of the M4, it is within close proximity to moderately favourable bat habitat. The site itself has mature trees while the surrounding residences have sizeable mature gardens. In addition, within 100m to the east and south are small fields with some mature hedgerows while within 1km to the south and west, respectively, are Pant y Sais and Crymlyn Bog with their reed beds and mires. There are also small woodlands – including ancient woodland – within 2km, including the alder carr of Crymlyn Bog. In relation to waterbodies and watercourses, 780m to the east is the Tennant Canal, 1km to the north is a waterbody believed to be the old settlement pond for the former BP

Llandarcy site, 1.3km to the west is Crymlyn Brook, and 1.3km to the east is the Afon Nedd.

1.2.2 The property is subject to proposed plans for extension. Figure 1 is an aerial view of the property, figure 2 on the following page is of the wider environment around the property, and figure 3 is a location and block plan. Additional plans are included in Appendix 5.

Figure 1: Aerial view of the property which is outlined in red (from Apple® Maps)





Block Plan 1-500

Location Plan 1-1250

This drawing is copyright ©
NOTE: All dimensions to be checked on
site and not scaled from the drawing

CLIENT Mr Rachel Meilin	PROJECT Extension to 15 Prettyman Drive	DRAWING 06 Extract
DATE December 2021	SCALE As Shown	DRAWING NO. 21.16.04
	A3	SHEET — Planning

Ferndale Architectural Solutions Ltd
98 North Road, Rushmore, Northants NN11 4AN Tel: 07704817818 Email: sales@ferndale.co.uk

Figure 3: Location and block plan (provided by the architect)

2. Desk study methods and results

2.1 Methods

2.1.1 A 2km search area is used which covers the predicted zone of influence of the proposed development. Multi-Agency Geographic Information for the Countryside (MAGIC) and Lle are both used to establish the proximity of National and International Statutory Designations, particularly in relation to designations for bat interest. Species searches are also conducted through the Local Records Centre (LRC) where appropriate. An online search of planning applications at the property is undertaken to understand its planning history, especially relating to bats.

2.2 Results

2.2.1 The property is not within, nor adjacent to, any statutory or non-statutory protected features of ecological significance. Within 2km, 870m to the south is Pant y Sais Site of Special Scientific Interest (SSSI)/Local Nature Reserve as well as Crymlyn Bog Special Area of Conservation/RAMSAR site, and Crymlyn Bog and Pant y Sais National Nature Reserve. In addition, 1km to the west is Crymlyn Bog SSSI/SAC. Further, 2km to the south is Crymlyn Burrows SSSI; none of these sites are designated for their bat interest. Further, within 2km are 16 areas of Ancient Semi Natural Woodland (ASNW), two Restored Ancient Woodland Sites, one Plantation on Ancient Woodland Site, and five Ancient Woodland Sites of Unknown Classification; the closest being an ASNW 480m to the north-east. There is also one Wildlife Trust Site within 2km: Red Jacket Fen 900m to the south-east while details of Sites of Importance for Nature Conservation are only available through a species search and this was not undertaken (see 2.2.2).

2.2.2 A formal LRC data search was not undertaken due to the small size, low predicted impact, and nature of the development. The overall impact on biodiversity is likely to be localised and of low significance and current proposals suggest no land will be lost or linear features severed. It is considered very unlikely that the development will have any impact outside the footprint of the works. The data search results would be considered unlikely to impact on the decision-making process as appropriate well-staffed surveys were undertaken at optimum times of year. This approach is consistent with the CIEEM Guidelines for Accessing and Using Biodiversity Data (2020). **An online search of publicly accessible records found one record for Daubenton's (*Myotis daubentonii*) within 2km of the property.**

2.2.3 In relation to bird interest at sites within 2km, at Crymlyn Bog there are sizeable breeding populations of reed warbler (*Acrocephalus scirpaceus*) and sedge warbler (*Acrocephalus schoenobaenus*) associated with the denser areas of *Phragmites*. In addition, at Crymlyn Burrows, this part of the Neath estuary is also used by part of the population of small waders overwintering in Swansea Bay.

2.2.4 An online search found one current and one previous planning application for the property. Application P2022/0034 for a two storey side extension and first floor extension to the rear was validated on 13th January 2022 and is the application for which this Bat Survey Report is being produced. In addition, Application N1979/0330 for a kitchen dining and lobby extension was approved on 24th July 1979. There were no associated documents available to view online. An online search for other applications within the postcode found a

2019 Preliminary Ecological Appraisal for Land at Coed Darcy. This reported 106 bat records from the 2km. None were recorded from the Site itself but a large number were from the wider Coed Darcy site and nearby areas. Bat droppings were found in a bat box fitted to an adjacent building to the east and also recorded from the adjacent Prettyman Drive area; these records were approximately 50 and 100 metres from the site centre, respectively. The species recorded were **Brown long-eared (*Plecotus species*)**, **Common pipistrelle (*Pipistrellus pipistrellus*)**, ***M. daubentonii***, **Lesser horseshoe (*Rhinolophus hipposideros*)**, ***Plecotus species***, **Noctule (*Nyctalus noctula*)**, **Soprano pipistrelle (*Pipistrellus pygmaeus*)**. The report also noted that as well as these species there were a small number of records unidentified to species level, including ***Myotis*** and ***Pipistrellus species***.

3. Field survey methods and results

3.1 Methods

3.1.1 A Preliminary Roost Assessment (PRA) was undertaken on 11th August 2022 to identify Potential Roost Features (PRF). Details of the equipment used by I&G Ecological Consulting Ltd can be found in appendix 1, and the survey was undertaken by Glyn Lloyd-Jones.

3.1.2 In relation to survey limitations, many of the UK species of bat are crevice dwelling, and bats or signs of bats can be difficult to find within a building. In addition, there may be areas that are inaccessible to the surveyor. Externally, sufficient access was available to enable a thorough survey from ground level while internally, access was available to all areas. In addition, one activity survey was undertaken in good weather conditions to provide confidence in the results, and to understand how bats are using the surroundings. Therefore, using the equipment available to them all areas were thoroughly surveyed by the surveyors to maximise effectiveness.

3.1.3 The dawn activity survey was undertaken on 14th August 2022, and the surveyors were Glyn Lloyd-Jones, Sharon Doherty, and Lewis Jones. Sunrise was at 05:58, the survey started at 03:55 and ended at 06:00. The weather remained dry throughout the survey and was

sunny with light cloud (<20%) at the end, humidity was 55%, there was a light north-easterly wind of 3mph, and the temperature started at 21.5°C and ended at 22.3°C.

3.1.4 Figure 4 shows the position of surveyors during the activity surveys. Each surveyor had a Magenta 5 or an Elekon Batscanner bat detector to assist in identification and detection of bats and their behaviour.



Figure 4: Surveyor positions during the activity surveys (from Apple® Maps)

3.2 Survey results

3.2.1 The PRA found that the property is a detached, south-east facing, predominantly two-storey dwelling with existing single storey rear extension. It is constructed of brick walls that have been rendered and painted to the ground floor and has hanging tiles on the upper floor, with the original part having a pitched tile roof and the rear extension having a flat roof. It is generally in very good condition, well maintained, and well-sealed. The walls on the ground floor are intact with no potentially exploitable cracks or crevices while the uPVC/timber soffits/fascia/barge boards are tight to the walls with no potentially exploitable gaps, and the uPVC/timber framed windows and doors are intact and remain closed when not in use with no gaps around any of the frames. In addition, the flat roof has no damage. However, there are some gaps under the hanging tiles on the upper floor as well as on the roof following damage sustained during recent Storms Eunice and Franklin – although only a small number have potentially exploitable gaps. Internally, within the loft (not currently in use) the bitumastic felt lining is in good condition with no damage and no light enters either through the roof or at wall tops. In addition, there are no potentially exploitable in-wall gaps, and **none of the items or surfaces within had any signs indicating the presence of bats (e.g., live or dead bats, droppings, urine stains, smells)**. As a result of the findings, it is considered that the property has **low** potential to support roosting bats, and a **low** risk of bats using the features present. There are currently **no bats** using the building. Site survey images are included in appendix 6.


3.2.2 Figure 5 on the following page shows the flight lines of bats detected and the times they were detected. The species of bats detected during the surveys, and the nature of their activity was as follows:

- ***P. pipistrellus***: Bats were detected foraging and commuting along the road to the front between 45 and 38 minutes before sunrise, and an individual bat had been detected commuting in a westerly direction across the garden to the rear around 29 minutes before sunrise.
- ***N. nyctalus***: No bats were detected on site but several calls were heard to the west between 50 and 45 minutes before sunrise.
- ***Myotis* species**: No bats were detected on site but calls were heard to the north/north-east between 58 and 64 minutes before sunrise.

3.2.3 **Activity summary**: No bats were seen to leave or enter the property, nor fly across any part of it but three species (***P. pipistrellus***, and ***N. nyctalus***, and ***Myotis* species**) were using the surroundings for foraging and commuting.

3.2.4 **No evidence of nesting birds** was found and **no signs of owl activity** were discovered.

Figure 5: Aerial map showing the flight lines of bats detected (from Apple® Maps)



14/08/2022: Sunrise was at 05:58, the survey started at 03:55 and ended at 06:00

4. Interpretation, conclusions and recommendations

4.1 Interpretation and conclusions

4.1.1 The results for each at species were interpreted as follows:

- ***P. pipistrellus***: There are no sites within 2km that are designated for this species, but there are publicly accessible records for the species within 2km. No bats or their signs were found either externally or internally, and no bats were seen to either enter or leave the property. However, during the dawn survey bats were detected foraging and commuting along the road to the front between 45 and 38 minutes before sunrise, and an individual bat had been detected commuting in a westerly direction across the garden to the rear around 29 minutes before sunrise. The evidence as a whole therefore suggests that this species is using the area as part of its foraging and commuting habitat.
- ***N. noctula***: There are no sites within 2km that are designated for this species, but there are publicly accessible records for the species within 2km. No bats or their signs were found either externally or internally, and no bats were seen to either enter or leave the property. However, during the dawn survey while no bats were detected on site several calls were heard to the west between 50 and 45 minutes before sunrise. The evidence as

a whole therefore suggests that this species is using the area as part of its foraging and commuting habitat.

- **Myotis species:** There are no sites within 2km that are designated for this species, but there are publicly accessible records for the species within 2km. No bats or their signs were found either externally or internally, and no bats were seen to either enter or leave the property. However, during the dawn survey while no bats were detected on site but calls were heard to the north/north-east between 58 and 64 minutes before sunrise.. The evidence as a whole therefore suggests that this species is using the area as part of its foraging and commuting habitat.

4.1.2 Using the findings of the desk study and field surveys, it is **concluded that the property is located within close proximity to moderately favourable bat habitat** but presently has **low** potential to support bats. Three bat species (*P. pygmaeus*, *N. noctula*, and *Myotis species*) were using the surroundings for foraging and commuting, **but bats are not currently using the property.** It is therefore considered that proposed development will not have a negative impact upon the favourable conservation status of the bat species using the area. The localised scale of the proposed development also suggests that the impact on the local ecology, and it is anticipated that the proposed enhancements detailed in 4.2 will result in a positive impact and net gain for biodiversity.

4.1.3 There are not considered to be any survey limitations which would impact upon the findings and recommendations of this report.

4.2 Recommendations

4.2.1 Enhancement measures will be required to help meet obligations within the Environment (Wales) Act 2016, Future Wales 2040, and Planning Policy Wales 11th Edition (February 2021); as well as to compensate for the loss of roosting opportunity. Excellent long-term enhancement can be delivered by implementing measures outlined within appendix 7. Proposed enhancements are as follows:

- ✦ **Recommendation 1 (Enhancement):** 1 x Beaumaris Woodstone (or similar) bat box to be affixed to the south-west elevation of the property. See [Putting up your box - Bat Boxes - Bat Conservation Trust \(bats.org.uk\)](#)
- ✦ **Recommendation 2 (Enhancement):** 1 x Sparrow terrace to be affixed to the south-east elevation of the property. See [Where To Put A Bird Box | Nestboxes - The RSPB](#)
- ✦ **Recommendation 3 (Broadscale Enhancement):** Wider ecological benefit could be achieved by ensuring (where possible) that all boundaries are planted with native species to retain connectivity to the surrounding habitat as well as retaining (where possible and relevant) any mature trees on site. See [17 bats & hedges leaflet.pdf \(hedgeline.org.uk\)](#).

4.2.2 This ecological **report will remain valid** for a period of 18–24 months from the date of the last survey **i.e. until the period 14/02/2024 to 14/08/2024 (CIEEM, 2019)**. A further scoping survey may be required to update the site information if planning is not obtained or works do not commence within a two-year period following the activity survey, especially if the property has fallen into disrepair.

5. Outline method statement for planning

5.1 Outline method statement for planning

5.1.1 **No bats** were detected utilising the property and there are no restrictions on the timing of the work in relation to bats. Where proposed plans involve works to the roof(s) extra care will be taken at wall tops and when stripping any part of the roof(s). All materials are to be lifted and not slid as – despite a negative survey – bats can still be found in these areas. **If bats are found at any stage, all works will stop and a qualified ecologist called for advice and guidance.** As no bats or bat signs were detected at the property, no monitoring is proposed (Mitchell-Jones, 2004 – figure 4, page 39).

5.1.2 Current **lighting** plans for the site are not known but should any be proposed they must ensure that exterior lighting is kept to a minimum to prevent any adverse impacts on bats. In particular, external lighting around the recommended enhancement must be carefully designed to avoid any impact upon bats (Institution of Lighting Professionals, 2018). If an external lighting scheme is proposed for this application a plan will be produced that demonstrates compliance with the lighting principles outlined within the guidance referenced above.

5.1.3 Where **external lighting** is necessary, this should utilise a number of key design points to limit any impact, as follows: Low level lighting pointed towards the ground; LED bulbs to be used of 2700 Kelvin (*p.18 of the lighting guidelines referenced above*) and below (warm white light and not daylight); use of light shields and hoods to direct the light downwards and prevent vertical and horizontal light spill; and use of passive infrared (PIR) motion sensors on timers to ensure lights only come on when necessary.

Appendix 1: An introduction to bat surveys

A note on bat surveys

- ✧ All bats and their roosts, irrespective of the number of bats, species, and whether bats are present or not, are fully protected by the Conservation of Habitats and Species Regulations 2017 and the Wildlife and Countryside Act 1981 (as amended). Bats are the only mammal capable of true flight. They are notoriously difficult to survey for as they cannot be heard unaided and are difficult to see due to their nocturnal behaviour. They are also small and can live in the smallest of crevices, so may often be overlooked because of their size.
- ✧ Wales has relatively high numbers of most of the species that occur in Britain; the rural landscape with its abundance of wooded areas, river valleys and hedgerows means that buildings are commonly used as roosting sites by bats. This is particularly the case for older buildings (typically with stone walls and slate roofs) that are located close to good feeding areas, on the edge of settlements, or that are rarely disturbed.
- ✧ Bats may also change their resting and feeding places regularly throughout the year, depending on the time of year and weather conditions. Thus, other signs of use are also looked for such as their droppings or signs of feeding.
- ✧ To gain an understanding as to how bats are using a building, a survey may also involve dusk and/or dawn observations which may need to be repeated at different times throughout the year.
- ✧ The search buffers implemented as part of the survey are considered to more than adequately cover the predicted zone of influence of the proposed development. The reasons for the site designations have also been considered when discussing potential impacts on the biodiversity of these sites. If the sites are designated for their bat or bird interest, this will be mentioned.
- ✧ Survey methodologies are implemented as appropriate, based on the surveyors' assessment of the site features and with particular reference to the advice in Bat Surveys for Professional Ecologists: Good practice guidelines, 3rd edition (Collins, J. (Ed.), 2016) & The Bat Workers' Manual, 3rd edition. (Mitchell-Jones, A.J., & McLeish, A.P. (Ed.), 2004). Reports are written with reference to the CIEEM (2015) Guidelines as well as BS42020.
- ✧ A PRA visit (scoping survey) is used to identify all potential access and egress points for bats in the building, and to identify crevices and possible dwelling places. Internal and external inspections are aided using powerful binoculars and close-focussing monoculars, as well as ladders, high powered Cree flashlights and head-torches. We also have thermal imaging cameras and night vision devices at our disposal as well as full spectrum photographic cameras which can photograph a bat in complete darkness with an infrared flash. Exploitable crevices are also endoscoped with either a hand-held digital scope or a smart phone compatible scope. Digital thermometers and hygrometers are also at our disposal.
- ✧ The survey consists of a visual inspection of the interior and exterior of the building for evidence of bat use, including droppings, smells, feeding remains, staining, and scratching around roost exit and entry points. Potential features conducive (but not necessarily predictive) to bat presence include voids in the stonework, wooden beams, any associated rot holes, gaps behind soffits or within walls and fascia boards, raised tiles, any raised render, and any sufficiently large crevices. The general condition of the building is

examined, including the structure of the roof, condition of walls, the potential for disturbance, and the position of the building in relation to connectivity to good bat habitat.

✧ If positive bat signs are discovered, or the construction style suggests cryptic bats *may* be present, a passive recorder is often deployed within the space of the building surveyed. These commonly record all bats from within and to the exterior of a building as they have extremely sensitive microphones so clusters of calls or high frequency of calls over short periods that are repeated (not just a vocal (Chatty) bat passing the microphone once on a foraging /socialising expedition) may indicate a presence within the building. Supporting evidence is then needed to make a decision, such as bats seen during surveys, droppings and feeding signs as well as building suitability for a given species. For example, we have had clear sonograms for Serotine bats (*Eptesicus serotinus*) from a loft space deployed recorder where no gaps existed anywhere and no droppings from serotines were present. These large bats must have been present elsewhere on site or use the site for foraging.

✧ The outcomes have been used to specify whether further surveys are required, or to establish the need for, and extent of, any mitigation or compensation measures required as part of the proposed works.

✧ If positive signs of bat activity are found then it will be necessary to assess whether a licence is needed at all (damage and disturbance to the roost and harm to bats can be avoided through thoughtful and planned working practices), or whether a licence is recommended as damage, disturbance or harm are unlikely to be avoided.

Appendix 2: Overview of the legislation

- ✦ All bats and their roosts, irrespective of the number of bats, species, and whether bats are present or not, are fully protected by the Conservation of Habitats and Species Regulations 2017 and the Wildlife and Countryside Act 1981 (as amended).
- ✦ There is a risk that works could result in the damage or destruction of a bat roost or roosts, the disturbance of bats, and the potential killing or injury of bats, sufficient survey effort (where indicated) helps to minimise this risk.
- ✦ All wild birds, their nests, eggs, and dependent young are afforded protection under the Wildlife and Countryside Act 1981 (as amended), with the bird nesting season generally from 1st March until 31st August.
- ✦ Technical Advice Note (TAN) 5 (Welsh Government, 2009) specifically provides advice about how the land use planning system should contribute to protecting and enhancing biodiversity and geological conservation. The TAN provides advice for local planning authorities on the key principles of positive planning for nature conservation; nature conservation and Local Development Plans; nature conservation in development management procedures; development affecting protected internationally and nationally designated sites and habitats; and development affecting protected and priority habitats and species. Under Section 2.4 within the TAN 5, 'when deciding planning applications that may affect nature conservation local planning authorities should':
 - Pay particular attention to the principles of sustainable development, including respect for environmental limits, applying the precautionary principle, using scientific knowledge to aid decision making and taking account of the full range of costs and benefits in a long- term perspective;
 - Contribute to the protection and improvement of the environment, so as to improve the quality of life and protect local and global ecosystems, seeking to avoid irreversible harmful effects on the natural environment;
 - Promote the conservation and enhancement of statutorily designated areas and undeveloped coast;
 - Ensure that appropriate weight is attached to designated sites of international, national and local importance;
 - Protect wildlife and natural features in the wider environment, with appropriate weight attached to priority habitats and species in Biodiversity Action Plans;
 - Ensure that all material considerations are taken into account, and decisions are informed by adequate information about the potential effects of development on nature conservation;
 - Ensure that the range and population of protected species is sustained; and
 - Adopt a step-wise approach to avoid harm to nature conservation, minimise unavoidable harm by mitigation measures, offset residual harm by compensation measures and look for new opportunities to enhance nature conservation; where there may be significant harmful effects local planning authorities will need to be satisfied that any reasonable alternative sites that would result in less or no harm have been fully considered.

✧ Bats are listed under Schedule 5 and 6 of the Wildlife and Countryside Act 1981 and protected under sections 9 and 11 (as amended by the Countryside and Rights of Way (CROW) Act 2000).

✧ The Environmental Damage (Prevention & Remediation) Regulations 2009 – A protected species and its habitat are protected under this legislation as well as others.

✧ The Conservation of Habitats and Species Regulations 2017 – (regulation 43) fully protects all bats and their roosts, making it **an offence to deliberately kill, injure or capture** (take) bats; *to deliberately disturb bats; damage or destroy bat roosts* or resting places (this is considered an ‘Absolute Offence’ as damage and destruction may detrimentally effect the Continuous Ecological Functionality of that roost/resting place); possess or transport a bat or any part of a bat; sell (or offer for sale) or exchange bats or parts of bats.

✧ Bats are also protected by: Appendix III of the Bern Convention; Appendix II of the Bonn Convention (including the Convention's Agreement on the conservation of Bats in Europe); Natural Environment and Rural Communities Act 2006 (in England); and The Environment (Wales) Act 2016: specifically, Sections 6 (*places a duty upon Local Authorities to enhance biodiversity and the **resilience of ecosystems***) and 7 (*Creating local biodiversity lists and a duty to take steps to **maintain and enhance biodiversity***).

✧ For any offence to occur a derogation or **European Protected Species (EPS) licence** must be gained from Natural Resources Wales. To gain an EPS Licence, they must be satisfied that;

- i. granting the licence would not be detrimental to the Favourable Conservation Status (FCS) of the populations of species concerned within its natural range;
- ii. the derogation (licence) is in the public interest of Health and Safety or for other reasons of over-riding public interest, including those of a socio-economic nature or will have a benefit of primary importance to the environment; and
- iii. there is no satisfactory alternative to the derogation which would allow the described development to proceed but which would avoid or reduce, the need for any adverse impact to the species.

✧ All bats are listed in Annex IV of The Conservation of Habitats and Species (Amendment) (EU Exit) Regulations 2019 and are therefore designated as *European Protected Species*. These *protected* species are afforded enhanced protection and more stringent licensing provisions than those protected by the Wildlife and Countryside Act (WACA) alone. There are also biodiversity obligations to be met within the Well-being of Future Generations (Wales) Act 2015 [WFG] and the seven well-being goals which include an emphasis on socio-economic resilience as well as protecting culture, heritage and the Welsh language. One Act does not take precedence over the other.

✧ Planning Policy Wales (11th Ed.) also emphasises the importance of ensuring – wherever possible – a net gain to biodiversity from any development. Future Wales (The National Plan 2040) highlights in the 10th of 11 outcomes that the aim is for a “Wales where people live...in places with biodiverse, resilient and connected ecosystems”. Highlighting the importance for creating and enhancing resilient and diverse eco-systems.

- ✦ Future Wales – the National Plan 2040 states the following:
 - Outcome 10 focuses on places with biodiverse, resilient and connected ecosystems. As such, the variety of flora and fauna found across Wales make Wales a special place. Biodiversity underpins the functioning of healthy, resilient ecosystems and the multiple benefits they provide. While biodiversity has declined in recent decades, we will reverse these losses and enhance the resilience of ecosystems. The planning system will ensure wildlife is able to thrive in healthy, diverse habitats, both in urban and rural areas, recognising and valuing the multiple benefits to people and nature.
 - Policy 9 concerns Resilient Ecological Networks and Green Infrastructure. To ensure the enhancement of biodiversity, the resilience of ecosystems and the provision of green infrastructure, the Welsh Government will work with key partners to:
 - identify areas which should be safeguarded and created as ecological networks for their importance for adaptation to climate change, for habitat protection, restoration or creation, to protect species, or which provide key ecosystems services, to ensure they are not unduly compromised by future development; and
 - identify opportunities where existing and potential green infrastructure could be maximised as part of placemaking, requiring the use of nature-based solutions as a key mechanism for securing sustainable growth, ecological connectivity, social equality and well-being.Planning authorities should include these areas and/or opportunities in their development plan strategies and policies in order to promote and safeguard the functions and opportunities they provide. In all cases, action towards securing the maintenance and enhancement of biodiversity (to provide a net benefit), the resilience of ecosystems and green infrastructure assets must be demonstrated as part of development proposals through innovative, nature-based approaches to site planning and the design of the built environment.

Appendix 3: Types of bat roost and survey timings

As the mitigation guidelines state: The presence of a significant (important) bat roost... can normally be determined on a single visit at any time of year; providing that the entire structure is accessible and that any signs of bat activity have not been removed by others. The table below shows the applicability of survey methods. The table has been reproduced from Bat Mitigation Guidelines (table 5.2) (2004).

Season	Roost type	Inspection	Bat detectors and emergence counts
Spring (Mar – May)	Building	Suitable (signs, perhaps bats)	Limited, weather dependent
	Trees	Difficult (best for signs before leaves appear)	Very limited, weather dependent
	Underground	Suitable (signs only)	Static detectors may be useful
Summer (June – August)	Building	Suitable (signs and bats)	Suitable
	Trees	Difficult	Limited: use sunrise survey
	Underground	Suitable (signs only)	Rarely useful
Autumn (September – November)	Building	Suitable (signs and bats)	Limited, weather dependent
	Trees	Difficult	Rather limited, weather dependent; use sunrise survey?
	Underground	Suitable (signs, perhaps bats)	Static detectors may be useful
Winter (December – February)	Building	Suitable (signs, perhaps bats)	Rarely useful
	Trees	Difficult (best for signs after leaves have gone)	Rarely useful
	Underground	Suitable (signs and bats)	Static detectors may be useful

The table below shows the recommended survey timings and is reproduced from the Good Practice Guidelines (table 7.1) (3rd Edition, 2016). This is for presence/absence surveys to give confidence in a negative result for structures (also recommended for trees but unlikely to give confidence in a negative result).

Low roost suitability	Moderate roost suitability	High roost suitability
May to August (structures) No further surveys required (trees)	May to September ^a with at least one of the surveys between May and August ^b	May to September ^a with at least two of the surveys between May and August ^b

^a September surveys are both weather and location dependent. Conditions may become more unsuitable in these months, particularly in more northerly latitudes, which may reduce the length of the survey season.

^b Multiple survey visits should be spread out to sample as much of the recommended survey period as possible; it is recommended that surveys are spaced at least two weeks apart, preferably more, unless there are specific ecological reasons for the surveys to be closer together (for example, a more accurate count of a maternity colony is required but it is likely that the colony will soon disperse). If there is potential for a maternity colony then consideration should be given to detectability. A survey on 31 August followed by a mid-September survey is unlikely to pick up a maternity colony. An ecologist should use their professional judgement to design the most appropriate survey regime.

The table below shows the recommended minimum number of surveys to be carried out according to roost potential. It is reproduced from the Good Practice Guidelines (table 7.3) (3rd Edition, 2016).

Low roost suitability	Moderate roost suitability	High roost suitability
One survey visit. One dusk emergence or dawn re-entry ^a (structures). No further surveys required (trees)	Two separate survey visits. One dusk emergence and a separate dawn re-entry survey ^b	Three separate survey visits. At least one dusk emergence and a separate dawn re-entry survey. The third visit could be either dusk or dawn ^b

^aStructures that have been categorised as low potential can be problematic and the number of surveys required should be judged on a case-by-case basis (as noted in section 5.2.9 of the guidelines). If there is a possibility that quiet calling, late-emerging species are present then a dawn survey may be more appropriate, providing weather conditions are suitable. In some cases, more than one survey may be needed, particularly where there are several buildings in this category.

^b Multiple survey visits should be spread out to sample as much of the recommended survey period (see table 7.1 above) as possible; it is recommended that surveys are spaced at least two weeks apart, preferably more. A dawn survey immediately after a dusk one is considered only one visit.

Roosts required by bats

Hibernation sites (hibernacula). Sheltered areas with relatively stable winter temperatures.

Underground cavities, caves, mines, cellars, hollow trees and cavities and crevices in buildings or similar structures are examples.

Nursery roosts (maternity roosts). Places usually warm, where adult females of a colony gather to give birth and rear their young. These are often traditional sites with a history of such use and include roof voids, walls, soffit boxes, hollows and cracks/splits in trees and cavities in bridges and similar structures.

Night roosts/feeding perches. Places where bats may gather at night away from the day roost after initial feeding. These places are often quite exposed and may not be suitable for day roosting. They are often recognisable by deposits of droppings and insect remains.

Intermediate/dispersal roosts. Sites where small numbers of bats may gather after hibernation before taking up residence in the nursery roost. Bats may return to these sites after dispersal from the nursery roost and before entering hibernation.

Mating/male roosts. Places that an individual male may defend from other males and to which he will attempt to lure females. These will include small holes/cavities in trees, stonework, caves, mines and buildings.

Access, size of roost space and structure

- *Crevise-dwelling bats* (such as Soprano pipistrelles) can crawl into roosts via small gaps in the range of 15–20mm high by 20–50mm wide. The roost area should maintain a crevice of this approximate size gap that the bats can roost between. The area this roost provision covers can be small but about 1m² would be useful for summer nursery roosts. The height of entry can be from 2–7m.
- *Roof-void dwelling bats* require similar dimensions to access the roost but typically need timber joists or beams on which to roost. The height of entry can be from 2–7m.
- *Bats needing a flying area* require the same access dimension as mentioned above, 15–20mm (h) x 20–50mm (w) situated over 2m in height. The roosting area should not be trussed, to allow flight, and should ideally (wherever possible) be of similar dimensions to the roost being replaced.
- *Horseshoe bats* need a larger access so that they can fly (instead of crawl) directly into the roost. Lesser horseshoe bats need an access of 300mm (w) x 200mm (h), while greater horseshoe bats need 400mm (w) x 300mm (h). As above, the roosting area should not be trussed, to allow flight, and should again (where possible) be of similar dimensions to the roost being replaced.


Appendix 4: List of surveyors

Surveyor	Licence	Experience/background
Mr Glyn Lloyd-Jones	Bats	Glyn has significant experience in survey skills and has assisted/worked with many other licensed bat surveyors as well as local bat groups over the past years. He possesses both a Bachelor's (with honours) and Master's degree in the biological sciences and is a Chartered Biologist & member of the Royal Society of Biology. He has worked for EAW, NRW and CCW for over a decade and has gained significant experience of working for regulators and conservation bodies. He also holds a Class 2 bat licence in England and has undertaken many badger, tree and herpetofaunal surveys. Natural Resources Wales Licence number S091520/1. I&G were shortlisted for a BCT roost award in 2021.
Mr Iestyn Evans	Bats	Iestyn has extensive experience in conservation, habitat improvement and management and has also worked with and assisted other licensed bat workers for many years. He has also helped with local bat group surveys and assisted in data gathering for the Beacon for Bats project undertaken by the Vincent Wildlife Trust. Iestyn has also assisted the Glamorgan Bat Group and will also help supervise and mentor (if needed) members of the newly incarnated Carmarthenshire Bat Group. Natural Resources Wales Licence number S090746/1.
Miss Ceri Daugherty	Bats	Ceri worked at Team Leader level within the SNCO for Wales for many years, dealing with customers and negotiating with landowners. She also has practical conservation management experience as both a Countryside Ranger and a conservation volunteer. She possesses a Master's degree in Environmental Impact Assessment and a Bachelor's degree (with honours) in the natural sciences. She is a member of the Carmarthenshire Bat Group. Natural Resources Wales Licence number S089483/1.
Mr Pete Watts	Trainee	Peter provides survey support with his keen eye for detail and vigilance. He has accompanied I&G Ecological Consulting Ltd on many surveys and is becoming a valuable and experienced surveyor.
Mr Greg Evans	Trainee	Greg attends dusk and dawn surveys to provide extra monitoring for possible entry and exit points for bats. He is currently building his experience in this area and is a keen amateur natural historian with an enthusiasm and affinity for bats.
Mr Mike Jones	Assistant	Whenever we need extra assistance in observing and recording bat activity on buildings, Mike provides an excellent and reliable service
Ms Sharon Doherty	Assistant	Whenever we need extra assistance in observing and recording bat activity on buildings, Sharon provides an excellent and reliable service.
Mr Lewis Jones	Assistant	A Graduate with a background in the biological sciences with an aptitude and passion for ecology. Lewis has undertaken courses in herpetology and phase 1 surveys and has a hunger to learn. With a fondness for bats and owls he's also keen to develop his survey skills in this area.
Ms Bonnie Illingworth	Assistant	Bonnie has been a member of the Kent Bat Group for a number of years and has undergone formal training in leading Bat Walks by Shirley Thompson, who set up The Young Batworkers group/magazine etc. She has led several educational sessions for the Scouts and local community groups. She has undertaken many bat activity surveys and has enjoyed conservation work with BCT.
Ms Wendy Larcombe	Assistant	Wendy has an Honours degree in Environmental Biology and over 17 years' experience working in conservation, including as a Planning Ecologist and a freelance Ecologist. She has a wide range of experience, which includes extended Phase 1 habitat surveys, building assessment for bats, bat/barn owl surveys, summer roost counts (Gower), and winter roost counts (Black Mountains). She has undertaken a range of training including bat ecology and surveying and is a valued member of the team.


Appendix 5: Site plans



Existing (above) and proposed (below) elevations. **Biodiversity enhancement:** The proposed location for the bat box on the south-west elevation is shown by a red arrow while the proposed location for the Sparrow terrace on the south-east elevation is shown by a blue arrow.



This drawing is copyright ©
NOTE: All dimensions to be checked on
site and not scaled from the drawing.



End Elevation



CLIENT Mr Rachel Mellin	JOB TITLE Extension to 19 Prettyman Drive	DRNG TITLE Proposed End Elevation
DATE: December 2021	SCALE: 1:100	DRNG. NO. 21.16.03
	REV. 01	PURPOSE Planning

Ferndale Architectural Solutions LTD
98 Neath Road, Resolven, Neath, SA11 4AN Tel: 07970808768 Email: owen@ferndaleas.co.uk

Proposed side (north-east) elevation

Appendix 6: Site survey images



The property is a detached, south-east facing, predominantly two-storey dwelling with existing single storey rear extension that is subject to proposed plans for extension to the side and rear. It is constructed of brick walls that have been rendered and painted to the ground floor and has hanging tiles on the upper floor, with the original part having a pitched tile roof and the rear extension having a flat roof. It is generally in very good condition, well maintained, and well-sealed.



The walls on the ground floor are intact with no potentially exploitable cracks or crevices while the uPVC/timber soffits/fascia/barge boards are tight to the walls with no potentially exploitable gaps, and the uPVC/timber framed windows and doors are intact and remain closed when not in use with no gaps around any of the frames. In addition, the flat roof has no damage. Some repairs can be seen.



However, there are some gaps under the hanging tiles on the upper floor as well as on the roof following damage sustained during recent Storms Eunice and Franklin – although only a small number have potentially exploitable gaps. Due to these findings an activity survey was undertaken.



Internally, within the loft (not currently in use), the bitumastic felt lining is in very good condition with no damage and no light enters either through the roof or at wall tops. In addition, there are no potentially exploitable in-wall gaps, and none of the items or surfaces within had any signs indicating the presence of bats (e.g., live or dead bats, droppings,

urine stains, smells).

Appendix 7: Roost compensation & enhancement measures



Top: From left to right, the in-wall Schwegler 1FE, the tree mounted 1FF and the multi season 1WQ. The bottom image shows the 1FR in situ.



Left: The Beaumaris Bat Box is made from 100% WoodStone which is very durable, so this product has a lifetime warranty. The attractive design is suitable for crevice roosting bats and has a rough interior to provide lots of grip. Bats need to increase their body temperature before flight so prefer warm roosting spots, which is why many of our bat boxes have a black exterior to absorb heat from the sun. WoodStone isn't just strong, it also has good thermal insulation, reducing temperature fluctuations inside the box and helping to make this an ideal roost site.



Left: The Harlech WoodStone bat box offers excellent insulation with a minimum of condensation for roosting bats. WoodStone® is a mixture of sawdust from FSC wood sources and concrete, and it is designed to last for years. It is breathable so there will be no problems with condensation and Woodstone maintains a consistent temperature inside, providing excellent insulation for roosting bats. Height 24cm x width 19cm x depth 18cm; Weight 4.4kg; Colour: Black with White front panel; Hook for hanging; Removable front panel for inspection/cleaning; and 10 Year Manufacturers Guarantee. See [Putting up your box - Bat Boxes - Bat Conservation Trust \(bats.org.uk\)](http://Putting up your box - Bat Boxes - Bat Conservation Trust (bats.org.uk))

Examples of Sparrow terraces, House martin nest cups, Open-fronted nest boxes, and Small-holed nest boxes. Siting advice can be found at [Where To Put A Bird Box | Nestboxes - The RSPB](#)



Appendix 8: I&G Ecological Consulting Ltd legal disclaimer

This report was prepared by I&G Ecological Consulting at the instruction of, and for use by, our client(s) named on the front of the report. It does not in any way constitute advice to any third party who is able to access it by any means. I&G Ecological Consulting excludes to the fullest extent lawfully permitted, all liability whatsoever for any loss or damage howsoever arising from reliance on the contents of this report. We do not however, exclude our liability (if any) for personal injury or death resulting from our negligence, for fraud or any other matter in relation to which we cannot legally exclude liability.

We confirm that in preparing this report, we have exercised reasonable skill and care, taking into account the project objectives, the agreed scope of the work, and prevailing site conditions.

Advice in this report is based on the judgement of I&G Ecological Consulting and the interpretation of data gathered during the course of their survey on the property named in this document. ***Until payment has been received, this report remains the intellectual property of I&G Ecological Consulting and can be withdrawn from the planning process at our request. You are also not covered by any of our indemnity or liability insurance until the report has been paid for in full.***

The findings and advice given during the course of this survey is provided by employees of I&G Ecological Consulting acting only on behalf of I&G Ecological Consulting.

The employees of I&G may hold other paid employment but none of their advice, nor work undertaken in respect of producing this report, refers to any roles or responsibilities held in any other employment other than that held at I&G Ecological Consulting.

All work undertaken in this report is the sole responsibility of I&G Ecological Consulting.

Appendix 9: References, bibliography and sources of information

- Bat Conservation Trust, 2010. Bats in Buildings. *Bats and the Built Environment Series: Volume 1*.
- British Standards Institute, BS42020:2013. Biodiversity. Code of practice for planning and development. London, UK.
- British Standards Institute, BS8596:2015. *Surveying for Bats in Trees and Woodland*. London, UK.
- CIEEM (2017) Guidelines on Ecological Report Writing. Chartered Institute of Ecology and Environmental Management, Winchester.
- Collins, J (ed.), 2016. *Bat Surveys for Professional Ecologists: Good Practice Guidelines, 3rd Ed*. The Bat Conservation Trust. London.
- Council of Europe, 1979. *Convention on the Conservation of European Wildlife and Natural Habitats (the Bern Convention)*. Strasbourg.
- Council of Europe, 1979. *The Convention on the Conservation of Migratory Species of Wild Animals (the Bonn Convention)*. Strasbourg.
- Dietz, C., von Helversen, O., Nill, D., 2009. *Bats of Britain, Europe and Northwest Africa*. A. & C. Black, London.
- HM Government, 2000. *Countryside and Rights of Way (CROW) Act*. HMSO. London.
- HM Government, 2009. *Environmental Damage (Prevention and Remediation) Regulations*. HMSO. London.
- HM Government, 2006. *Natural Environment and Rural Communities Act*. HMSO. London
- HM Government, 2010 (as amended 2017). *The Conservation of Habitats and Species Regulations*. HMSO. London.
- HM Government, 1981. *The Wildlife and Countryside Act 1981 (as Amended)*. HMSO. London.
- Institution of Lighting Professionals, 2018. *Bats and Artificial Lighting: Bats and the Built Environment Series. Guidance Note 08/18*. ILP, Rugby.
- Lle. Retrieved from <http://lle.gov.wales/home>
- MAGIC. Retrieved from <https://magic.defra.gov.uk/>
- Mitchell-Jones, A.J., 2004a. *Bat Mitigation Guidelines*. English Nature, Peterborough.
- Mitchell-Jones, A.J., & McLeish, A.P. Ed., 2004. *3rd Edition Bat Workers' Manual*. English Nature, Peterborough.
- Mitchell-Jones, A.J., Cooke, A.S., Boyd, I.L., Stebbings, R.E., 1989. Bats and remedial timber treatment chemicals a review. *Mammal Rev.* **19**, pp 93–110.
- Morris, P.A., 1993. *A Red Data Book for British Mammals*. The Mammal Society, London.
- Waring, S. D., Essah, E. A., Gunnell, K., Bonser, R. H. C., 2013. Double Jeopardy: The Potential for Problems when Bats Interact with Breathable Roofing Membranes in the United Kingdom. *Architecture and Environment*.
- Welsh Government, 2021. Planning Policy Wales. 11th ed. Retrieved from https://gov.wales/sites/default/files/publications/2021-02/planning-policy-wales-edition-11_0.pdf
- Welsh Government, 2021. Future Wales: the national plan 2040. Retrieved from https://gov.wales/sites/default/files/publications/2021-02/planning-policy-wales-edition-11_0.pdf
- Welsh Government, 2016. *Environment (Wales) Act*. Welsh Government. Cardiff.
- Welsh Government, 2009. *Technical Advice Note (TAN) 5, Nature Conservation and Planning*. Welsh Government. Cardiff.
- Welsh Government, 2003. *List of Species and Habitats of Principal Importance for the Conservation of Biological Diversity*. Welsh Government. Cardiff.
- Williams, C., 2010. *Biodiversity for low and zero carbon buildings: a technical guide for new build*. RIBA Pub., London.