

Please find the floor plan and concept artwork attached which both illustrate the proposed position of the 2 illuminated circular projecting signs. In addition, the following specifications have been obtained from the manufacturer:

Over Entrance

Circle @ 900mm
67mm Raven Black Walls
3mm Opal Acrylic Face
Black (785) 'F' Trim Applied

C/W a 2.5m Aluminium Backing Plate (Powder Coated to RAL 9005 Jet Black Gloss)

BRACKET

5mm Aluminium Wall Plate: 350mm x 150mm
C/W 4x 13mm Holes
5mm Aluminium Outer Plate: 350mm x 120mm
Rolled to Match The Above Projecting Sign
C/W 4x 9mm Holes
2x 50mm x 50mm x 150mm Support Arms
Powder Coated to RAL 9005 Jet Black Gloss (all over)

Digital Print 900mm x 900mm
Digital Print onto Translucent Vinyl - Satin Laminate

LIGHTING

Medium White 12 Volt LED Module
Module Size: 67mm x 14mm x 8mm
Number of Diodes: 2
Power consumption: 0.66 Watts
Lumen Output: 68
Colour: 6000-6500K (Cool White)
C/W 3M VHB 4950 Adhesive Tape & Screw Hole

Power Supply

18 Watt 12 Volt Single Output Constant Voltage
Epoxy Encapsulated Fully Isolated Plastic Case IP67
Dimensions: 140mm x 30mm x 22mm
3 Core Cable (1.6mm) @ 10000mm Long
(For use with 240 Volt)
Black Sheath
IDC 3M Gel Straight Connectors
Large Compression Gland Black

DOUBLE SIDED SIGN

Projecting Circular Sign Tray

800mm Diameter

Comprising of 2.5mm Aluminium Rolled Wall - Overall Depth 120mm

2x 3mm Opal (050) Acrylic Faces

Black (785) 'F' Trim Applied

Powder Coated to RAL 9005 Jet Black Gloss

Self Adhesive Digital Print 800mm x 800mm

Digital Print onto Translucent Vinyl - Satin Laminate

BRACKET

Post Style Heavy Duty Projecting Bracket

Comprising of:

5mm Aluminium Wall Plate: 350mm x 150mm

C/W 4x 13mm Holes

5mm Aluminium Outer Plate: 350mm x 120mm

Rolled to Match The Above Projecting Sign

C/W 4x 9mm Holes

2x 50mm x 50mm x 150mm Support Arms

Powder Coated to RAL 9005 Jet Black Gloss (all over)

LIGHTING

24V Cool White (6000K) LED Ribbon - 5000mm

(140 LEDs/metre) - 1330 lumens/m - 9.6W/m

Rated to IP65

Installed in the Above System

Power Supply

60 Watt 12 Volt Single Output Constant Voltage

Epoxy Encapsulated Fully Isolated Plastic Case IP67

Dimensions: 162.5mm x 42.5mm x 32mm

3 Core Cable (1.6mm) @ 10000mm Long

(For use with 240 Volt)

Black Sheath

IDC 3M Gel Straight Connectors

Large Compression Gland

Black



