




|                                                                                            |                             |                                                                          |                                          |                     |                         |                        |                 |                          |                      |                                   |               |                                                                                                                                                     |              |                           |                  |          |           |
|--------------------------------------------------------------------------------------------|-----------------------------|--------------------------------------------------------------------------|------------------------------------------|---------------------|-------------------------|------------------------|-----------------|--------------------------|----------------------|-----------------------------------|---------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------------------|------------------|----------|-----------|
| <div></div> |                             | <div>DYNAMIC SAMPLING AND<br/>ROTARY DRILLING EXPLORATORY HOLE LOG</div> |                                          |                     |                         |                        |                 |                          |                      | Exploratory Hole Progress by Time |               |                                                                                                                                                     |              |                           | Exploratory Hole |          |           |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                        |                 |                          |                      | Date and Time                     |               | Depth                                                                                                                                               | Casing Depth | Water Depth               | SOP002.2         |          |           |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                        |                 |                          |                      |                                   |               |                                                                                                                                                     |              |                           |                  |          |           |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                        |                 |                          |                      |                                   |               |                                                                                                                                                     |              |                           |                  |          |           |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                        |                 |                          |                      | Project                           |               | Global Centre of Rail Excellence                                                                                                                    |              |                           |                  |          | Equipment |
| Client                                                                                     |                             | Walters UK Limited                                                       |                                          |                     | Method                  |                        | RO              |                          |                      | Scale 1:50                        |               |                                                                                                                                                     |              |                           |                  |          |           |
| Project No                                                                                 |                             | G22069                                                                   |                                          | Level               |                         | 239.85 mAOD            |                 | Inclination              |                      | 90 degrees                        |               | Drilled LG                                                                                                                                          |              |                           |                  |          |           |
| Easting                                                                                    |                             | 284933.85                                                                |                                          | Northing            |                         | 210610.19              |                 | SPT Hammer Serial Number |                      |                                   |               | Logged LG                                                                                                                                           |              |                           |                  |          |           |
| Termination Reason                                                                         |                             | Terminated due to Atkins instruction                                     |                                          |                     | SPT Hammer Energy Ratio |                        | %               |                          |                      |                                   | Checked       |                                                                                                                                                     | AP           |                           |                  |          |           |
| Samples                                                                                    | Sampling and Testing Depths |                                                                          | Insitu Testing and Depth Related Remarks |                     |                         | Drill Runs             |                 | TCR<br>SCR<br>RQD        | Depth<br>(Thickness) | Level<br>(mAOD)                   | Legend        | Description                                                                                                                                         |              | If<br>(min<br>ave<br>max) | Scale            | Backfill |           |
|                                                                                            | 11.50                       |                                                                          | PID: 0.0ppmv                             |                     |                         | RO<br>10.00 -<br>11.50 |                 | 0%<br>0%<br>0%           | (6.00)               | 224.85                            |               | NO RECOVERY. Hard grey MUDSTONE (Driller's description).<br>(SOUTH WALES LOWER COAL MEASURES FORMATION)<br>Geology Code: SWCM 2nd Geology Code: MST |              |                           | 10.50            |          |           |
|                                                                                            | 13.00                       |                                                                          | PID: 0.0ppmv                             |                     |                         | RO<br>11.50 -<br>13.00 |                 | 0%<br>0%<br>0%           |                      |                                   |               |                                                                                                                                                     |              |                           | 11.00            |          |           |
|                                                                                            | 15.00                       |                                                                          | PID: 0.0ppmv                             |                     |                         | RO<br>13.00 -<br>15.00 |                 | 0%<br>0%<br>0%           |                      |                                   |               |                                                                                                                                                     |              |                           | 11.50            |          |           |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                        |                 |                          |                      |                                   |               | End of Exploratory Hole at 15.00m                                                                                                                   |              |                           | 12.00            |          |           |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                        |                 |                          |                      |                                   |               |                                                                                                                                                     |              |                           | 12.50            |          |           |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                        |                 |                          |                      |                                   |               |                                                                                                                                                     |              |                           | 13.00            |          |           |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                        |                 |                          |                      |                                   |               |                                                                                                                                                     |              |                           | 13.50            |          |           |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                        |                 |                          |                      |                                   |               |                                                                                                                                                     |              |                           | 14.00            |          |           |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                        |                 |                          |                      |                                   |               |                                                                                                                                                     |              |                           | 14.50            |          |           |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                        |                 |                          |                      |                                   |               |                                                                                                                                                     |              |                           | 15.00            |          |           |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                        |                 |                          |                      |                                   |               |                                                                                                                                                     |              |                           | 15.50            |          |           |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                        |                 |                          |                      |                                   |               |                                                                                                                                                     |              |                           | 16.00            |          |           |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                        |                 |                          |                      |                                   |               |                                                                                                                                                     |              |                           | 16.50            |          |           |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                        |                 |                          |                      |                                   |               |                                                                                                                                                     |              |                           | 17.00            |          |           |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                        |                 |                          |                      |                                   |               |                                                                                                                                                     |              |                           | 17.50            |          |           |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                        |                 |                          |                      |                                   |               |                                                                                                                                                     |              |                           | 18.00            |          |           |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                        |                 |                          |                      |                                   |               |                                                                                                                                                     |              |                           | 18.50            |          |           |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                        |                 |                          |                      |                                   |               |                                                                                                                                                     |              |                           | 19.00            |          |           |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                        |                 |                          |                      |                                   |               |                                                                                                                                                     |              |                           | 19.50            |          |           |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                        |                 |                          |                      |                                   |               |                                                                                                                                                     |              |                           | 20.00            |          |           |
| Drilling Flush                                                                             |                             |                                                                          |                                          |                     | Hole Diameter           |                        | Casing Diameter |                          | Water Added          |                                   | Water Strikes |                                                                                                                                                     |              |                           |                  |          |           |
| Depth Top                                                                                  | Depth Base                  | Type                                                                     | Colour                                   | Returns             | Depth Base              | Diameter               | Depth Base      | Diameter                 | Depth Top            | Depth Base                        | Date and Time | Casing                                                                                                                                              | Strike       | Sealed                    | Rising to        | Time     | Remarks   |
| 0.00                                                                                       | 15.00                       | Air                                                                      | Grey/<br>Black                           | 100%                | 15.00                   | 115mm                  | 7.00            | 115mm                    |                      |                                   |               |                                                                                                                                                     |              |                           |                  |          |           |
| Drill Bit Type                                                                             |                             | DTH Hammer                                                               |                                          | Drill Bit Condition |                         | Good                   |                 | Core Barrel Type         |                      | None                              |               | Core Barrel Length                                                                                                                                  |              | 1.00                      |                  |          |           |
| Remarks<br>Rotary open hole from GL to 15.00m                                              |                             |                                                                          |                                          |                     |                         |                        |                 |                          |                      |                                   |               |                                                                                                                                                     |              |                           |                  |          |           |

Printed 16/03/2023 13:20

Printed 16/03/2023 13:20

|                                                                                            |                             |                                                                          |                                          |          |                     |             |                         |                          |                  |             |                   |                                   |                    |              |           |       |                                                                                                                                                          |              |  |                  |                  |          |       |  |          |  |
|--------------------------------------------------------------------------------------------|-----------------------------|--------------------------------------------------------------------------|------------------------------------------|----------|---------------------|-------------|-------------------------|--------------------------|------------------|-------------|-------------------|-----------------------------------|--------------------|--------------|-----------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|--|------------------|------------------|----------|-------|--|----------|--|
| <div></div> |                             | <div>DYNAMIC SAMPLING AND<br/>ROTARY DRILLING EXPLORATORY HOLE LOG</div> |                                          |          |                     |             |                         |                          |                  |             |                   | Exploratory Hole Progress by Time |                    |              |           |       |                                                                                                                                                          |              |  | Exploratory Hole |                  |          |       |  |          |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |             |                         |                          |                  |             |                   | Date and Time                     |                    |              |           | Depth |                                                                                                                                                          | Casing Depth |  | Water Depth      |                  | SOP002.3 |       |  |          |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |             |                         |                          |                  |             |                   |                                   |                    |              |           |       |                                                                                                                                                          |              |  |                  |                  |          |       |  |          |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |             |                         |                          |                  |             |                   |                                   |                    |              |           |       |                                                                                                                                                          |              |  |                  |                  |          |       |  |          |  |
| Project                                                                                    |                             | Global Centre of Rail Excellence                                         |                                          |          |                     |             | Equipment               |                          | Comacchio 205    |             |                   |                                   |                    | Sheet 2 of 2 |           |       |                                                                                                                                                          |              |  |                  |                  |          |       |  |          |  |
| Client                                                                                     |                             | Walters UK Limited                                                       |                                          |          |                     |             | Method                  |                          | RO               |             |                   |                                   |                    | Scale        |           | 1:50  |                                                                                                                                                          |              |  |                  |                  |          |       |  |          |  |
| Project No                                                                                 |                             | G22069                                                                   |                                          | Level    |                     | 239.84 mAOD |                         | Inclination              |                  |             | 90 degrees        |                                   |                    | Drilled      |           | LG    |                                                                                                                                                          |              |  |                  |                  |          |       |  |          |  |
| Easting                                                                                    |                             | 284932.83                                                                |                                          | Northing |                     | 210610.41   |                         | SPT Hammer Serial Number |                  |             |                   |                                   |                    | Logged       |           | LG    |                                                                                                                                                          |              |  |                  |                  |          |       |  |          |  |
| Termination Reason                                                                         |                             | Terminated due to Atkins instruction                                     |                                          |          |                     |             | SPT Hammer Energy Ratio |                          |                  | %           |                   |                                   | Checked            |              | AP        |       |                                                                                                                                                          |              |  |                  |                  |          |       |  |          |  |
| Samples                                                                                    | Sampling and Testing Depths |                                                                          | Insitu Testing and Depth Related Remarks |          |                     |             | Drill Runs              |                          | TCR SCR RQD      |             | Depth (Thickness) |                                   | Level (mAOD)       |              | Legend    |       | Description                                                                                                                                              |              |  |                  | If (min ave max) |          | Scale |  | Backfill |  |
|                                                                                            | 11.50                       |                                                                          | PID: 0.0ppmv                             |          |                     |             | RO<br>10.00 - 11.50     |                          | 0%<br>0%<br>0%   |             |                   |                                   | 228.34             |              |           |       | NO RECOVERY. Hard to moderately strong grey MUDSTONE (Driller's description). (SOUTH WALES LOWER COAL MEASURES) Geology Code: SWCM 2nd Geology Code: MST |              |  |                  |                  |          | 10.50 |  |          |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |             |                         |                          |                  |             |                   |                                   |                    |              |           |       | End of Exploratory Hole at 11.50m                                                                                                                        |              |  |                  |                  |          | 11.50 |  |          |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |             |                         |                          |                  |             |                   |                                   |                    |              |           |       |                                                                                                                                                          |              |  |                  |                  |          | 12.00 |  |          |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |             |                         |                          |                  |             |                   |                                   |                    |              |           |       |                                                                                                                                                          |              |  |                  |                  |          | 12.50 |  |          |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |             |                         |                          |                  |             |                   |                                   |                    |              |           |       |                                                                                                                                                          |              |  |                  |                  |          | 13.00 |  |          |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |             |                         |                          |                  |             |                   |                                   |                    |              |           |       |                                                                                                                                                          |              |  |                  |                  |          | 13.50 |  |          |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |             |                         |                          |                  |             |                   |                                   |                    |              |           |       |                                                                                                                                                          |              |  |                  |                  |          | 14.00 |  |          |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |             |                         |                          |                  |             |                   |                                   |                    |              |           |       |                                                                                                                                                          |              |  |                  |                  |          | 14.50 |  |          |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |             |                         |                          |                  |             |                   |                                   |                    |              |           |       |                                                                                                                                                          |              |  |                  |                  |          | 15.00 |  |          |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |             |                         |                          |                  |             |                   |                                   |                    |              |           |       |                                                                                                                                                          |              |  |                  |                  |          | 15.50 |  |          |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |             |                         |                          |                  |             |                   |                                   |                    |              |           |       |                                                                                                                                                          |              |  |                  |                  |          | 16.00 |  |          |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |             |                         |                          |                  |             |                   |                                   |                    |              |           |       |                                                                                                                                                          |              |  |                  |                  |          | 16.50 |  |          |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |             |                         |                          |                  |             |                   |                                   |                    |              |           |       |                                                                                                                                                          |              |  |                  |                  |          | 17.00 |  |          |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |             |                         |                          |                  |             |                   |                                   |                    |              |           |       |                                                                                                                                                          |              |  |                  |                  |          | 17.50 |  |          |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |             |                         |                          |                  |             |                   |                                   |                    |              |           |       |                                                                                                                                                          |              |  |                  |                  |          | 18.00 |  |          |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |             |                         |                          |                  |             |                   |                                   |                    |              |           |       |                                                                                                                                                          |              |  |                  |                  |          | 18.50 |  |          |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |             |                         |                          |                  |             |                   |                                   |                    |              |           |       |                                                                                                                                                          |              |  |                  |                  |          | 19.00 |  |          |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |             |                         |                          |                  |             |                   |                                   |                    |              |           |       |                                                                                                                                                          |              |  |                  |                  |          | 19.50 |  |          |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |             |                         |                          |                  |             |                   |                                   |                    |              |           |       |                                                                                                                                                          |              |  |                  |                  |          | 20.00 |  |          |  |
| Drilling Flush                                                                             |                             |                                                                          |                                          |          | Hole Diameter       |             |                         | Casing Diameter          |                  | Water Added |                   | Water Strikes                     |                    |              |           |       |                                                                                                                                                          |              |  |                  |                  |          |       |  |          |  |
| Depth Top                                                                                  | Depth Base                  | Type                                                                     | Colour                                   | Returns  | Depth Base          | Diameter    | Depth Base              | Diameter                 | Depth Top        | Depth Base  | Date and Time     | Casing                            | Strike             | Sealed       | Rising to | Time  | Remarks                                                                                                                                                  |              |  |                  |                  |          |       |  |          |  |
| 0.00                                                                                       | 11.50                       | Air                                                                      | Grey                                     | 100%     | 11.50               | 115mm       | 7.50                    | 115mm                    |                  |             |                   |                                   |                    |              |           |       |                                                                                                                                                          |              |  |                  |                  |          |       |  |          |  |
| Drill Bit Type                                                                             |                             | DTH Hammer                                                               |                                          |          | Drill Bit Condition |             | Good                    |                          | Core Barrel Type |             | None              |                                   | Core Barrel Length |              | 1.00      |       |                                                                                                                                                          |              |  |                  |                  |          |       |  |          |  |
| Remarks                                                                                    |                             |                                                                          |                                          |          |                     |             |                         |                          |                  |             |                   |                                   |                    |              |           |       |                                                                                                                                                          |              |  |                  |                  |          |       |  |          |  |
| Rotary open hole from GL to 11.50m                                                         |                             |                                                                          |                                          |          |                     |             |                         |                          |                  |             |                   |                                   |                    |              |           |       |                                                                                                                                                          |              |  |                  |                  |          |       |  |          |  |

Printed 16/03/2023 13:20



|                                                                                            |                             |                                                              |        |          |                     |                         |                 |                          |                  |                                   |                                                                                                                                                                  |              |                    |                  |           |      |         |
|--------------------------------------------------------------------------------------------|-----------------------------|--------------------------------------------------------------|--------|----------|---------------------|-------------------------|-----------------|--------------------------|------------------|-----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|--------------------|------------------|-----------|------|---------|
| <div></div> |                             | DYNAMIC SAMPLING AND<br>ROTARY DRILLING EXPLORATORY HOLE LOG |        |          |                     |                         |                 |                          |                  | Exploratory Hole Progress by Time |                                                                                                                                                                  |              |                    | Exploratory Hole |           |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                 |                          |                  | Date and Time                     |                                                                                                                                                                  | Depth        | Casing Depth       | Water Depth      | SOP002.4  |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                 |                          |                  |                                   |                                                                                                                                                                  |              |                    |                  |           |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                 |                          |                  |                                   |                                                                                                                                                                  |              |                    |                  |           |      |         |
| Project                                                                                    |                             | Global Centre of Rail Excellence                             |        |          |                     | Equipment               |                 | Comacchio 205            |                  |                                   |                                                                                                                                                                  | Sheet 2 of 2 |                    |                  |           |      |         |
| Client                                                                                     |                             | Walters UK Limited                                           |        |          |                     | Method                  |                 | RO                       |                  |                                   |                                                                                                                                                                  | Scale        | 1:50               |                  |           |      |         |
| Project No                                                                                 |                             | G22069                                                       |        | Level    |                     | 239.76 mAOD             |                 | Inclination              |                  | 90 degrees                        |                                                                                                                                                                  | Drilled      | LG                 |                  |           |      |         |
| Easting                                                                                    |                             | 284933.08                                                    |        | Northing |                     | 210611.36               |                 | SPT Hammer Serial Number |                  |                                   |                                                                                                                                                                  | Logged       | LG                 |                  |           |      |         |
| Termination Reason                                                                         |                             | Terminated due to Atkins instruction                         |        |          |                     | SPT Hammer Energy Ratio |                 | %                        |                  |                                   |                                                                                                                                                                  | Checked      | AP                 |                  |           |      |         |
| Samples                                                                                    | Sampling and Testing Depths | Insitu Testing and Depth Related Remarks                     |        |          |                     | Drill Runs              | TCR SCR RQD     | Depth (Thickness)        | Level (mAOD)     | Legend                            | Description                                                                                                                                                      |              | If (min ave max)   | Scale            | Backfill  |      |         |
|                                                                                            | 11.50                       | PID: 0.0ppmv                                                 |        |          |                     | RO<br>10.00 - 11.50     | 0%<br>0%<br>0%  | (2.50)                   | 228.26           |                                   | NO RECOVERY. Hard to moderately strong MUDSTONE (Driller's description). (SOUTH WALES LOWER COAL MEASURES FORMATION)<br>Geology Code: SWCM 2nd Geology Code: MST |              |                    | 10.50            |           |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                 |                          |                  |                                   | End of Exploratory Hole at 11.50m                                                                                                                                |              |                    | 11.50            |           |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                 |                          |                  |                                   |                                                                                                                                                                  |              |                    | 12.00            |           |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                 |                          |                  |                                   |                                                                                                                                                                  |              |                    | 12.50            |           |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                 |                          |                  |                                   |                                                                                                                                                                  |              |                    | 13.00            |           |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                 |                          |                  |                                   |                                                                                                                                                                  |              |                    | 13.50            |           |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                 |                          |                  |                                   |                                                                                                                                                                  |              |                    | 14.00            |           |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                 |                          |                  |                                   |                                                                                                                                                                  |              |                    | 14.50            |           |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                 |                          |                  |                                   |                                                                                                                                                                  |              |                    | 15.00            |           |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                 |                          |                  |                                   |                                                                                                                                                                  |              |                    | 15.50            |           |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                 |                          |                  |                                   |                                                                                                                                                                  |              |                    | 16.00            |           |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                 |                          |                  |                                   |                                                                                                                                                                  |              |                    | 16.50            |           |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                 |                          |                  |                                   |                                                                                                                                                                  |              |                    | 17.00            |           |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                 |                          |                  |                                   |                                                                                                                                                                  |              |                    | 17.50            |           |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                 |                          |                  |                                   |                                                                                                                                                                  |              |                    | 18.00            |           |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                 |                          |                  |                                   |                                                                                                                                                                  |              |                    | 18.50            |           |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                 |                          |                  |                                   |                                                                                                                                                                  |              |                    | 19.00            |           |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                 |                          |                  |                                   |                                                                                                                                                                  |              |                    | 19.50            |           |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                 |                          |                  |                                   |                                                                                                                                                                  |              |                    | 20.00            |           |      |         |
| Drilling Flush                                                                             |                             |                                                              |        |          | Hole Diameter       |                         | Casing Diameter |                          | Water Added      |                                   | Water Strikes                                                                                                                                                    |              |                    |                  |           |      |         |
| Depth Top                                                                                  | Depth Base                  | Type                                                         | Colour | Returns  | Depth Base          | Diameter                | Depth Base      | Diameter                 | Depth Top        | Depth Base                        | Date and Time                                                                                                                                                    | Casing       | Strike             | Sealed           | Rising to | Time | Remarks |
| 0.00                                                                                       | 11.50                       | Air                                                          | Grey   | 100%     | 11.50               | 115mm                   | 7.50            | 115mm                    |                  |                                   |                                                                                                                                                                  |              |                    |                  |           |      |         |
| Drill Bit Type                                                                             |                             | DTH Hammer                                                   |        |          | Drill Bit Condition |                         | Good            |                          | Core Barrel Type |                                   | None                                                                                                                                                             |              | Core Barrel Length |                  | 1.00      |      |         |
| Remarks<br>Rotary open hole from GL to 11.50m                                              |                             |                                                              |        |          |                     |                         |                 |                          |                  |                                   |                                                                                                                                                                  |              |                    |                  |           |      |         |
| Printed 16/03/2023 13:20                                                                   |                             |                                                              |        |          |                     |                         |                 |                          |                  |                                   |                                                                                                                                                                  |              |                    |                  |           |      |         |

|                                                                                            |                                  |                                                              |             |                          |                         |                      |                 |                                      |                                                                                                                                                                     |               |                           |                                                                                                                                                               |          |        |           |      |         |
|--------------------------------------------------------------------------------------------|----------------------------------|--------------------------------------------------------------|-------------|--------------------------|-------------------------|----------------------|-----------------|--------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|---------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------|-----------|------|---------|
| <div></div> |                                  | DYNAMIC SAMPLING AND<br>ROTARY DRILLING EXPLORATORY HOLE LOG |             |                          |                         |                      |                 | Exploratory Hole Progress by Time    |                                                                                                                                                                     |               |                           | Exploratory Hole                                                                                                                                              |          |        |           |      |         |
|                                                                                            |                                  |                                                              |             |                          |                         |                      |                 | Date and Time                        |                                                                                                                                                                     | Depth         | Casing Depth              | Water Depth                                                                                                                                                   | SOP002.5 |        |           |      |         |
|                                                                                            |                                  |                                                              |             |                          |                         |                      |                 | 06/12/2022 08:00<br>06/12/2022 10:30 |                                                                                                                                                                     | 0.00<br>11.50 | 7.50                      | Dry                                                                                                                                                           |          |        |           |      |         |
|                                                                                            |                                  |                                                              |             |                          |                         |                      |                 | 06/12/2022 08:00<br>06/12/2022 10:30 |                                                                                                                                                                     | 0.00<br>11.50 | 7.50                      | Dry                                                                                                                                                           |          |        |           |      |         |
| Project                                                                                    | Global Centre of Rail Excellence |                                                              |             | Equipment                | Comacchio 205           |                      |                 |                                      |                                                                                                                                                                     | Sheet 1 of 2  |                           |                                                                                                                                                               |          |        |           |      |         |
| Client                                                                                     | Walters UK Limited               |                                                              |             | Method                   | RO                      |                      |                 |                                      |                                                                                                                                                                     | Scale         | 1:50                      |                                                                                                                                                               |          |        |           |      |         |
| Project No                                                                                 | G22069                           | Level                                                        | 239.80 mAOD | Inclination              |                         | 90 degrees           |                 |                                      |                                                                                                                                                                     | Drilled       | LG                        |                                                                                                                                                               |          |        |           |      |         |
| Easting                                                                                    | 284933.29                        | Northing                                                     | 210612.48   | SPT Hammer Serial Number |                         |                      |                 |                                      |                                                                                                                                                                     | Logged        | LG                        |                                                                                                                                                               |          |        |           |      |         |
| Termination Reason                                                                         |                                  | Terminated due to Atkins instruction                         |             |                          | SPT Hammer Energy Ratio |                      | %               |                                      |                                                                                                                                                                     |               | Checked                   | AP                                                                                                                                                            |          |        |           |      |         |
| Samples                                                                                    | Sampling and Testing Depths      | Insitu Testing and Depth Related Remarks                     |             | Drill Runs               | TCR<br>SCR<br>RQD       | Depth<br>(Thickness) | Level<br>(mAOD) | Legend                               | Description                                                                                                                                                         |               | If<br>(min<br>ave<br>max) | Scale                                                                                                                                                         | Backfill |        |           |      |         |
|                                                                                            | 1.00                             | PID: 0.0ppmv                                                 |             | RO<br>0.00 - 1.00        | 0%<br>0%<br>0%          | 0.00                 |                 |                                      | NO RECOVERY. Black mining fill (Driller's description).<br>(MADE GROUND)<br>Geology Code: MGR 2nd Geology Code: GR                                                  |               |                           | 0.50<br>1.00<br>1.50<br>2.00<br>2.50<br>3.00<br>3.50<br>4.00<br>4.50<br>5.00<br>5.50<br>6.00<br>6.50<br>7.00<br>7.50<br>8.00<br>8.50<br>9.00<br>9.50<br>10.00 |          |        |           |      |         |
|                                                                                            | 2.00                             | PID: 0.0ppmv                                                 |             | RO<br>1.00 - 2.00        | 0%<br>0%<br>0%          |                      |                 |                                      |                                                                                                                                                                     |               |                           |                                                                                                                                                               |          |        |           |      |         |
|                                                                                            | 3.00                             | PID: 0.0ppmv                                                 |             | RO<br>2.00 - 3.00        | 0%<br>0%<br>0%          |                      |                 |                                      |                                                                                                                                                                     |               |                           |                                                                                                                                                               |          |        |           |      |         |
|                                                                                            | 4.00                             | PID: 0.0ppmv                                                 |             | RO<br>3.00 - 4.00        | 0%<br>0%<br>0%          |                      |                 |                                      |                                                                                                                                                                     |               |                           |                                                                                                                                                               |          |        |           |      |         |
|                                                                                            | 5.00                             | PID: 0.0ppmv                                                 |             | RO<br>4.00 - 5.00        | 0%<br>0%<br>0%          |                      |                 |                                      |                                                                                                                                                                     |               |                           |                                                                                                                                                               |          |        |           |      |         |
|                                                                                            | 6.00                             | PID: 0.0ppmv                                                 |             | RO<br>5.00 - 6.00        | 0%<br>0%<br>0%          |                      |                 |                                      |                                                                                                                                                                     |               |                           |                                                                                                                                                               |          |        |           |      |         |
|                                                                                            | 7.00                             | PID: 0.0ppmv                                                 |             | RO<br>6.00 - 7.00        | 0%<br>0%<br>0%          | 7.00                 | 232.80          |                                      | NO RECOVERY. Very weak grey MUDSTONE (Driller's description).<br>(Weathered SOUTH WALES LOWER COAL MEASURES FORMATION)<br>Geology Code: SWCM 2nd Geology Code: MST  |               |                           |                                                                                                                                                               |          |        |           |      |         |
|                                                                                            | 8.00                             | PID: 0.0ppmv                                                 |             | RO<br>7.00 - 8.00        | 0%<br>0%<br>0%          |                      |                 |                                      |                                                                                                                                                                     |               |                           |                                                                                                                                                               |          |        |           |      |         |
|                                                                                            | 9.00                             | PID: 0.0ppmv                                                 |             | RO<br>8.00 - 9.00        | 0%<br>0%<br>0%          |                      |                 |                                      |                                                                                                                                                                     |               |                           |                                                                                                                                                               |          |        |           |      |         |
|                                                                                            | 10.00                            | PID: 0.0ppmv                                                 |             | RO<br>9.00 - 10.00       | 0%<br>0%<br>0%          | 9.00                 | 230.80          |                                      | NO RECOVERY. Hard to moderately strong MUDSTONE (Driller's description).<br>(SOUTH WALES LOWER COAL MEASURES FORMATION)<br>Geology Code: SWCM 2nd Geology Code: MST |               |                           |                                                                                                                                                               |          |        |           |      |         |
| Continued on next Sheet                                                                    |                                  |                                                              |             |                          |                         |                      |                 |                                      |                                                                                                                                                                     |               |                           |                                                                                                                                                               |          |        |           |      |         |
| Drilling Flush                                                                             |                                  |                                                              |             |                          | Hole Diameter           |                      | Casing Diameter |                                      | Water Added                                                                                                                                                         |               | Water Strikes             |                                                                                                                                                               |          |        |           |      |         |
| Depth Top                                                                                  | Depth Base                       | Type                                                         | Colour      | Returns                  | Depth Base              | Diameter             | Depth Base      | Diameter                             | Depth Top                                                                                                                                                           | Depth Base    | Date and Time             | Casing                                                                                                                                                        | Strike   | Sealed | Rising to | Time | Remarks |
| 0.00                                                                                       | 11.50                            | Air                                                          | Grey        | 100%                     | 11.50                   | 115mm                | 7.50            | 115mm                                |                                                                                                                                                                     |               |                           |                                                                                                                                                               |          |        |           |      |         |
| Drill Bit Type                                                                             |                                  | DTH Hammer                                                   |             | Drill Bit Condition      |                         | Good                 |                 | Core Barrel Type                     |                                                                                                                                                                     | None          |                           | Core Barrel Length                                                                                                                                            |          | 1.00   |           |      |         |
| Remarks<br>Rotary open hole from GL to 11.50m                                              |                                  |                                                              |             |                          |                         |                      |                 |                                      |                                                                                                                                                                     |               |                           |                                                                                                                                                               |          |        |           |      |         |
| Printed 16/03/2023 13:20                                                                   |                                  |                                                              |             |                          |                         |                      |                 |                                      |                                                                                                                                                                     |               |                           |                                                                                                                                                               |          |        |           |      |         |

|                                                                                            |                             |                                                                          |                                          |                     |               |                         |                   |                          |                 |            |                                                                                                                                                                  |                                   |        |                                  |           |                           |         |              |  |                  |  |          |  |  |  |
|--------------------------------------------------------------------------------------------|-----------------------------|--------------------------------------------------------------------------|------------------------------------------|---------------------|---------------|-------------------------|-------------------|--------------------------|-----------------|------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|--------|----------------------------------|-----------|---------------------------|---------|--------------|--|------------------|--|----------|--|--|--|
| <div></div> |                             | <div>DYNAMIC SAMPLING AND<br/>ROTARY DRILLING EXPLORATORY HOLE LOG</div> |                                          |                     |               |                         |                   |                          |                 |            |                                                                                                                                                                  | Exploratory Hole Progress by Time |        |                                  |           |                           |         |              |  | Exploratory Hole |  |          |  |  |  |
|                                                                                            |                             |                                                                          |                                          |                     |               |                         |                   |                          |                 |            |                                                                                                                                                                  | Date and Time                     |        |                                  |           | Depth                     |         | Casing Depth |  | Water Depth      |  | SOP002.5 |  |  |  |
|                                                                                            |                             |                                                                          |                                          |                     |               |                         |                   |                          |                 |            |                                                                                                                                                                  |                                   |        |                                  |           |                           |         |              |  |                  |  |          |  |  |  |
|                                                                                            |                             |                                                                          |                                          |                     |               |                         |                   |                          |                 |            |                                                                                                                                                                  |                                   |        |                                  |           |                           |         |              |  |                  |  |          |  |  |  |
|                                                                                            |                             |                                                                          |                                          |                     |               |                         |                   |                          |                 |            |                                                                                                                                                                  | Project                           |        | Global Centre of Rail Excellence |           |                           |         | Equipment    |  | Comacchio 205    |  |          |  |  |  |
| Client                                                                                     |                             | Walters UK Limited                                                       |                                          |                     |               | Method                  |                   | RO                       |                 |            |                                                                                                                                                                  | Scale                             |        | 1:50                             |           |                           |         |              |  |                  |  |          |  |  |  |
| Project No                                                                                 |                             | G22069                                                                   |                                          | Level               |               | 239.80 mAOD             |                   | Inclination              |                 |            | 90 degrees                                                                                                                                                       |                                   |        | Drilled                          |           | LG                        |         |              |  |                  |  |          |  |  |  |
| Easting                                                                                    |                             | 284933.29                                                                |                                          | Northing            |               | 210612.48               |                   | SPT Hammer Serial Number |                 |            |                                                                                                                                                                  |                                   |        | Logged                           |           | LG                        |         |              |  |                  |  |          |  |  |  |
| Termination Reason                                                                         |                             | Terminated due to Atkins instruction                                     |                                          |                     |               | SPT Hammer Energy Ratio |                   |                          | %               |            |                                                                                                                                                                  | Checked                           |        | AP                               |           |                           |         |              |  |                  |  |          |  |  |  |
| Samples                                                                                    | Sampling and Testing Depths |                                                                          | Insitu Testing and Depth Related Remarks |                     |               | Drill Runs              | TCR<br>SCR<br>RQD | Depth<br>(Thickness)     | Level<br>(mAOD) | Legend     | Description                                                                                                                                                      |                                   |        |                                  |           | If<br>(min<br>ave<br>max) | Scale   | Backfill     |  |                  |  |          |  |  |  |
|                                                                                            | 11.50                       |                                                                          | PID: 0.0ppmv                             |                     |               | RO<br>10.00 -<br>11.50  | 0%<br>0%<br>0%    | (2.50)                   | 228.30          |            | NO RECOVERY. Hard to moderately strong MUDSTONE (Driller's description). (SOUTH WALES LOWER COAL MEASURES FORMATION)<br>Geology Code: SWCM 2nd Geology Code: MST |                                   |        |                                  |           |                           | 10.50   |              |  |                  |  |          |  |  |  |
|                                                                                            |                             |                                                                          |                                          |                     |               |                         |                   |                          |                 |            | End of Exploratory Hole at 11.50m                                                                                                                                |                                   |        |                                  |           |                           | 11.50   |              |  |                  |  |          |  |  |  |
|                                                                                            |                             |                                                                          |                                          |                     |               |                         |                   |                          |                 |            |                                                                                                                                                                  |                                   |        |                                  |           |                           | 12.00   |              |  |                  |  |          |  |  |  |
|                                                                                            |                             |                                                                          |                                          |                     |               |                         |                   |                          |                 |            |                                                                                                                                                                  |                                   |        |                                  |           |                           | 12.50   |              |  |                  |  |          |  |  |  |
|                                                                                            |                             |                                                                          |                                          |                     |               |                         |                   |                          |                 |            |                                                                                                                                                                  |                                   |        |                                  |           |                           | 13.00   |              |  |                  |  |          |  |  |  |
|                                                                                            |                             |                                                                          |                                          |                     |               |                         |                   |                          |                 |            |                                                                                                                                                                  |                                   |        |                                  |           |                           | 13.50   |              |  |                  |  |          |  |  |  |
|                                                                                            |                             |                                                                          |                                          |                     |               |                         |                   |                          |                 |            |                                                                                                                                                                  |                                   |        |                                  |           |                           | 14.00   |              |  |                  |  |          |  |  |  |
|                                                                                            |                             |                                                                          |                                          |                     |               |                         |                   |                          |                 |            |                                                                                                                                                                  |                                   |        |                                  |           |                           | 14.50   |              |  |                  |  |          |  |  |  |
|                                                                                            |                             |                                                                          |                                          |                     |               |                         |                   |                          |                 |            |                                                                                                                                                                  |                                   |        |                                  |           |                           | 15.00   |              |  |                  |  |          |  |  |  |
|                                                                                            |                             |                                                                          |                                          |                     |               |                         |                   |                          |                 |            |                                                                                                                                                                  |                                   |        |                                  |           |                           | 15.50   |              |  |                  |  |          |  |  |  |
|                                                                                            |                             |                                                                          |                                          |                     |               |                         |                   |                          |                 |            |                                                                                                                                                                  |                                   |        |                                  |           |                           | 16.00   |              |  |                  |  |          |  |  |  |
|                                                                                            |                             |                                                                          |                                          |                     |               |                         |                   |                          |                 |            |                                                                                                                                                                  |                                   |        |                                  |           |                           | 16.50   |              |  |                  |  |          |  |  |  |
|                                                                                            |                             |                                                                          |                                          |                     |               |                         |                   |                          |                 |            |                                                                                                                                                                  |                                   |        |                                  |           |                           | 17.00   |              |  |                  |  |          |  |  |  |
|                                                                                            |                             |                                                                          |                                          |                     |               |                         |                   |                          |                 |            |                                                                                                                                                                  |                                   |        |                                  |           |                           | 17.50   |              |  |                  |  |          |  |  |  |
|                                                                                            |                             |                                                                          |                                          |                     |               |                         |                   |                          |                 |            |                                                                                                                                                                  |                                   |        |                                  |           |                           | 18.00   |              |  |                  |  |          |  |  |  |
|                                                                                            |                             |                                                                          |                                          |                     |               |                         |                   |                          |                 |            |                                                                                                                                                                  |                                   |        |                                  |           |                           | 18.50   |              |  |                  |  |          |  |  |  |
|                                                                                            |                             |                                                                          |                                          |                     |               |                         |                   |                          |                 |            |                                                                                                                                                                  |                                   |        |                                  |           |                           | 19.00   |              |  |                  |  |          |  |  |  |
|                                                                                            |                             |                                                                          |                                          |                     |               |                         |                   |                          |                 |            |                                                                                                                                                                  |                                   |        |                                  |           |                           | 19.50   |              |  |                  |  |          |  |  |  |
|                                                                                            |                             |                                                                          |                                          |                     |               |                         |                   |                          |                 |            |                                                                                                                                                                  |                                   |        |                                  |           |                           | 20.00   |              |  |                  |  |          |  |  |  |
| Drilling Flush                                                                             |                             |                                                                          |                                          |                     | Hole Diameter |                         | Casing Diameter   |                          | Water Added     |            | Water Strikes                                                                                                                                                    |                                   |        |                                  |           |                           |         |              |  |                  |  |          |  |  |  |
| Depth Top                                                                                  | Depth Base                  | Type                                                                     | Colour                                   | Returns             | Depth Base    | Diameter                | Depth Base        | Diameter                 | Depth Top       | Depth Base | Date and Time                                                                                                                                                    | Casing                            | Strike | Sealed                           | Rising to | Time                      | Remarks |              |  |                  |  |          |  |  |  |
| 0.00                                                                                       | 11.50                       | Air                                                                      | Grey                                     | 100%                | 11.50         | 115mm                   | 7.50              | 115mm                    |                 |            |                                                                                                                                                                  |                                   |        |                                  |           |                           |         |              |  |                  |  |          |  |  |  |
| Drill Bit Type                                                                             |                             | DTH Hammer                                                               |                                          | Drill Bit Condition |               | Good                    |                   | Core Barrel Type         |                 | None       |                                                                                                                                                                  | Core Barrel Length                |        | 1.00                             |           |                           |         |              |  |                  |  |          |  |  |  |
| Remarks                                                                                    |                             |                                                                          |                                          |                     |               |                         |                   |                          |                 |            |                                                                                                                                                                  |                                   |        |                                  |           |                           |         |              |  |                  |  |          |  |  |  |
| Rotary open hole from GL to 11.50m                                                         |                             |                                                                          |                                          |                     |               |                         |                   |                          |                 |            |                                                                                                                                                                  |                                   |        |                                  |           |                           |         |              |  |                  |  |          |  |  |  |

Printed 16/03/2023 13:20

| Exploratory Hole Progress by Time |       |              |             | Exploratory Hole |      |
|-----------------------------------|-------|--------------|-------------|------------------|------|
| Date and Time                     | Depth | Casing Depth | Water Depth | SOP002.6         |      |
| 06/12/2022 11:00                  | 0.00  |              |             |                  |      |
| 06/12/2022 13:30                  | 11.50 | 7.50         | Dry         | Sheet 1 of 2     |      |
|                                   |       |              |             | Scale            | 1:50 |
|                                   |       |              |             | Drilled          | LG   |
|                                   |       |              |             | Logged           | LG   |
|                                   |       |              |             | Checked          | AP   |

| Drilling Flush |            |            |        |         | Hole Diameter       |          | Casing Diameter |          | Water Added      |            | Water Strikes |        |                    |        |           |      |         |
|----------------|------------|------------|--------|---------|---------------------|----------|-----------------|----------|------------------|------------|---------------|--------|--------------------|--------|-----------|------|---------|
| Depth Top      | Depth Base | Type       | Colour | Returns | Depth Base          | Diameter | Depth Base      | Diameter | Depth Top        | Depth Base | Date and Time | Casing | Strike             | Sealed | Rising to | Time | Remarks |
| 0.00           | 11.50      | Air        | Grey   | 100%    | 11.50               | 115mm    | 7.50            | 115mm    |                  |            |               |        |                    |        |           |      |         |
| Drill Bit Type |            | DTH Hammer |        |         | Drill Bit Condition |          | Good            |          | Core Barrel Type |            | None          |        | Core Barrel Length |        | 1.00      |      |         |

Printed 16/03/2023 13:20



| Exploratory Hole Progress by Time |       |              |             | Exploratory Hole                                                                                                                                                                                           |  |       |      |         |    |        |    |         |    |
|-----------------------------------|-------|--------------|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-------|------|---------|----|--------|----|---------|----|
| Date and Time                     | Depth | Casing Depth | Water Depth | <div>SOP002.6</div> <div>Sheet 2 of 2</div> <table><tr><td>Scale</td><td>1:50</td></tr><tr><td>Drilled</td><td>LG</td></tr><tr><td>Logged</td><td>LG</td></tr><tr><td>Checked</td><td>AP</td></tr></table> |  | Scale | 1:50 | Drilled | LG | Logged | LG | Checked | AP |
| Scale                             | 1:50  |              |             |                                                                                                                                                                                                            |  |       |      |         |    |        |    |         |    |
| Drilled                           | LG    |              |             |                                                                                                                                                                                                            |  |       |      |         |    |        |    |         |    |
| Logged                            | LG    |              |             |                                                                                                                                                                                                            |  |       |      |         |    |        |    |         |    |
| Checked                           | AP    |              |             |                                                                                                                                                                                                            |  |       |      |         |    |        |    |         |    |
|                                   |       |              |             |                                                                                                                                                                                                            |  |       |      |         |    |        |    |         |    |
|                                   |       |              |             |                                                                                                                                                                                                            |  |       |      |         |    |        |    |         |    |
|                                   |       |              |             |                                                                                                                                                                                                            |  |       |      |         |    |        |    |         |    |
|                                   |       |              |             |                                                                                                                                                                                                            |  |       |      |         |    |        |    |         |    |
|                                   |       |              |             |                                                                                                                                                                                                            |  |       |      |         |    |        |    |         |    |

| Drilling Flush |            |            |        |         | Hole Diameter       |          | Casing Diameter |          | Water Added      |            | Water Strikes |        |                    |        |           |      |         |
|----------------|------------|------------|--------|---------|---------------------|----------|-----------------|----------|------------------|------------|---------------|--------|--------------------|--------|-----------|------|---------|
| Depth Top      | Depth Base | Type       | Colour | Returns | Depth Base          | Diameter | Depth Base      | Diameter | Depth Top        | Depth Base | Date and Time | Casing | Strike             | Sealed | Rising to | Time | Remarks |
| 0.00           | 11.50      | Air        | Grey   | 100%    | 11.50               | 115mm    | 7.50            | 115mm    |                  |            |               |        |                    |        |           |      |         |
| Drill Bit Type |            | DTH Hammer |        |         | Drill Bit Condition |          | Good            |          | Core Barrel Type |            | None          |        | Core Barrel Length |        | 1.00      |      |         |

Printed 16/03/2023 13:20

Printed 16/03/2023 13:20

|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|--------------------------------------------------------------------------------------------|-----------------------------|--------------------------------------------------------------------------|------------------------------------------|----------|--|-------------------------|---------------------|--------------------------|-------------------|---|-------------------|-----------------------------------|--------------|--|--------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------|--------------|--|------------------|------------------|--------------------------------------------------------------------------------------------------------------------------------|----------|--|--|
| <div></div> |                             | <div>DYNAMIC SAMPLING AND<br/>ROTARY DRILLING EXPLORATORY HOLE LOG</div> |                                          |          |  |                         |                     |                          |                   |   |                   | Exploratory Hole Progress by Time |              |  |        |       |                                                                                                                                               |              |  | Exploratory Hole |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   | Date and Time                     |              |  |        | Depth |                                                                                                                                               | Casing Depth |  | Water Depth      |                  | <div>SOP002.7</div> <div>Sheet 2 of 2</div> <div>Scale1:50</div> <div>DrilledLG</div> <div>LoggedLG</div> <div>CheckedAP</div> |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
| Project                                                                                    |                             | Global Centre of Rail Excellence                                         |                                          |          |  | Equipment               |                     | Comacchio 205            |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
| Client                                                                                     |                             | Walters UK Limited                                                       |                                          |          |  | Method                  |                     | RO                       |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
| Project No                                                                                 |                             | G22069                                                                   |                                          | Level    |  | 239.89 mAOD             |                     | Inclination              |                   |   |                   | 90 degrees                        |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
| Easting                                                                                    |                             | 284935.37                                                                |                                          | Northing |  | 210612.34               |                     | SPT Hammer Serial Number |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
| Termination Reason                                                                         |                             | Terminated due to Atkins instruction                                     |                                          |          |  | SPT Hammer Energy Ratio |                     |                          |                   | % |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
| Samples                                                                                    | Sampling and Testing Depths |                                                                          | Insitu Testing and Depth Related Remarks |          |  |                         | Drill Runs          |                          | TCR<br>SCR<br>RQD |   | Depth (Thickness) |                                   | Level (mAOD) |  | Legend |       | Description                                                                                                                                   |              |  |                  | If (min ave max) | Scale                                                                                                                          | Backfill |  |  |
|                                                                                            | 11.50                       |                                                                          | PID: 0.0ppmv                             |          |  |                         | RO<br>10.00 - 11.50 |                          | 0%<br>0%<br>0%    |   | (2.50)            |                                   | 228.39       |  |        |       | NO RECOVERY. Hard grey MUDSTONE (Driller's description). (SOUTH WALES LOWER COAL MEASURES FORMATION) Geology Code: SWCM 2nd Geology Code: MST |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       | End of Exploratory Hole at 11.50m                                                                                                             |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |
|                                                                                            |                             |                                                                          |                                          |          |  |                         |                     |                          |                   |   |                   |                                   |              |  |        |       |                                                                                                                                               |              |  |                  |                  |                                                                                                                                |          |  |  |




| Exploratory Hole Progress by Time |       |              |             | Exploratory Hole |  |
|-----------------------------------|-------|--------------|-------------|------------------|--|
| Date and Time                     | Depth | Casing Depth | Water Depth | SOP002.8         |  |
| 07/12/2022 10:30                  | 0.00  | 7.50         | Dry         |                  |  |
| 07/12/2022 12:30                  | 11.50 |              |             |                  |  |
| Sheet 1 of 2                      |       |              |             |                  |  |
| Scale                             | 1:50  |              |             |                  |  |
| Drilled                           | LG    |              |             |                  |  |
| Logged                            | LG    |              |             |                  |  |
| Checked                           | AP    |              |             |                  |  |

| Drilling Flush |            |            |        |                     | Hole Diameter |          | Casing Diameter |                  | Water Added |            | Water Strikes |                    |        |        |           |      |         |
|----------------|------------|------------|--------|---------------------|---------------|----------|-----------------|------------------|-------------|------------|---------------|--------------------|--------|--------|-----------|------|---------|
| Depth Top      | Depth Base | Type       | Colour | Returns             | Depth Base    | Diameter | Depth Base      | Diameter         | Depth Top   | Depth Base | Date and Time | Casing             | Strike | Sealed | Rising to | Time | Remarks |
| 0.00           | 11.50      | Air        | Grey   | 100%                | 11.50         | 115mm    | 7.50            | 115mm            |             |            |               |                    |        |        |           |      |         |
| Drill Bit Type |            | DTH Hammer |        | Drill Bit Condition |               | Good     |                 | Core Barrel Type |             | None       |               | Core Barrel Length |        | 1.00   |           |      |         |

Printed 16/03/2023 13:20

|                                                                                            |                             |                                                              |        |                     |                         |                   |                          |                  |             |                                                                                                                                               |               |                    |              |                  |           |      |         |
|--------------------------------------------------------------------------------------------|-----------------------------|--------------------------------------------------------------|--------|---------------------|-------------------------|-------------------|--------------------------|------------------|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------|---------------|--------------------|--------------|------------------|-----------|------|---------|
| <div></div> |                             | DYNAMIC SAMPLING AND<br>ROTARY DRILLING EXPLORATORY HOLE LOG |        |                     |                         |                   |                          |                  |             | Exploratory Hole Progress by Time                                                                                                             |               |                    |              | Exploratory Hole |           |      |         |
|                                                                                            |                             |                                                              |        |                     |                         |                   |                          |                  |             | Date and Time                                                                                                                                 |               | Depth              | Casing Depth | Water Depth      | SOP002.8  |      |         |
|                                                                                            |                             |                                                              |        |                     |                         |                   |                          |                  |             |                                                                                                                                               |               |                    |              |                  |           |      |         |
|                                                                                            |                             |                                                              |        |                     |                         |                   |                          |                  |             |                                                                                                                                               |               |                    |              |                  |           |      |         |
| Project                                                                                    |                             | Global Centre of Rail Excellence                             |        |                     | Equipment               |                   | Comacchio 205            |                  |             | Sheet 2 of 2                                                                                                                                  |               |                    |              |                  |           |      |         |
| Client                                                                                     |                             | Walters UK Limited                                           |        |                     | Method                  |                   | RO                       |                  |             | Scale                                                                                                                                         | 1:50          |                    |              |                  |           |      |         |
| Project No                                                                                 |                             | G22069                                                       |        | Level               | 240.00 mAOD             |                   | Inclination              |                  | 90 degrees  |                                                                                                                                               | Drilled       | LG                 |              |                  |           |      |         |
| Easting                                                                                    |                             | 284935.06                                                    |        | Northing            | 210611.44               |                   | SPT Hammer Serial Number |                  |             |                                                                                                                                               | Logged        | LG                 |              |                  |           |      |         |
| Termination Reason                                                                         |                             | Terminated due to Atkins instruction                         |        |                     | SPT Hammer Energy Ratio |                   |                          |                  | %           |                                                                                                                                               | Checked       | AP                 |              |                  |           |      |         |
| Samples                                                                                    | Sampling and Testing Depths | Insitu Testing and Depth Related Remarks                     |        |                     | Drill Runs              | TCR<br>SCR<br>RQD | Depth (Thickness)        | Level (mAOD)     | Legend      | Description                                                                                                                                   |               | If (min ave max)   | Scale        | Backfill         |           |      |         |
|                                                                                            | 11.50                       | PID: 0.0ppmv                                                 |        |                     | RO<br>10.00 - 11.50     | 0%<br>0%<br>0%    | (2.50)                   | 228.50           |             | NO RECOVERY. Hard grey MUDSTONE (Driller's description). (SOUTH WALES LOWER COAL MEASURES FORMATION) Geology Code: SWCM 2nd Geology Code: MST |               |                    | 10.50        |                  |           |      |         |
|                                                                                            |                             |                                                              |        |                     |                         |                   |                          |                  |             | End of Exploratory Hole at 11.50m                                                                                                             |               |                    | 11.00        |                  |           |      |         |
|                                                                                            |                             |                                                              |        |                     |                         |                   |                          |                  |             |                                                                                                                                               |               |                    | 11.50        |                  |           |      |         |
|                                                                                            |                             |                                                              |        |                     |                         |                   |                          |                  |             |                                                                                                                                               |               |                    | 12.00        |                  |           |      |         |
|                                                                                            |                             |                                                              |        |                     |                         |                   |                          |                  |             |                                                                                                                                               |               |                    | 12.50        |                  |           |      |         |
|                                                                                            |                             |                                                              |        |                     |                         |                   |                          |                  |             |                                                                                                                                               |               |                    | 13.00        |                  |           |      |         |
|                                                                                            |                             |                                                              |        |                     |                         |                   |                          |                  |             |                                                                                                                                               |               |                    | 13.50        |                  |           |      |         |
|                                                                                            |                             |                                                              |        |                     |                         |                   |                          |                  |             |                                                                                                                                               |               |                    | 14.00        |                  |           |      |         |
|                                                                                            |                             |                                                              |        |                     |                         |                   |                          |                  |             |                                                                                                                                               |               |                    | 14.50        |                  |           |      |         |
|                                                                                            |                             |                                                              |        |                     |                         |                   |                          |                  |             |                                                                                                                                               |               |                    | 15.00        |                  |           |      |         |
|                                                                                            |                             |                                                              |        |                     |                         |                   |                          |                  |             |                                                                                                                                               |               |                    | 15.50        |                  |           |      |         |
|                                                                                            |                             |                                                              |        |                     |                         |                   |                          |                  |             |                                                                                                                                               |               |                    | 16.00        |                  |           |      |         |
|                                                                                            |                             |                                                              |        |                     |                         |                   |                          |                  |             |                                                                                                                                               |               |                    | 16.50        |                  |           |      |         |
|                                                                                            |                             |                                                              |        |                     |                         |                   |                          |                  |             |                                                                                                                                               |               |                    | 17.00        |                  |           |      |         |
|                                                                                            |                             |                                                              |        |                     |                         |                   |                          |                  |             |                                                                                                                                               |               |                    | 17.50        |                  |           |      |         |
|                                                                                            |                             |                                                              |        |                     |                         |                   |                          |                  |             |                                                                                                                                               |               |                    | 18.00        |                  |           |      |         |
|                                                                                            |                             |                                                              |        |                     |                         |                   |                          |                  |             |                                                                                                                                               |               |                    | 18.50        |                  |           |      |         |
|                                                                                            |                             |                                                              |        |                     |                         |                   |                          |                  |             |                                                                                                                                               |               |                    | 19.00        |                  |           |      |         |
|                                                                                            |                             |                                                              |        |                     |                         |                   |                          |                  |             |                                                                                                                                               |               |                    | 19.50        |                  |           |      |         |
|                                                                                            |                             |                                                              |        |                     |                         |                   |                          |                  |             |                                                                                                                                               |               |                    | 20.00        |                  |           |      |         |
| Drilling Flush                                                                             |                             |                                                              |        |                     | Hole Diameter           |                   | Casing Diameter          |                  | Water Added |                                                                                                                                               | Water Strikes |                    |              |                  |           |      |         |
| Depth Top                                                                                  | Depth Base                  | Type                                                         | Colour | Returns             | Depth Base              | Diameter          | Depth Base               | Diameter         | Depth Top   | Depth Base                                                                                                                                    | Date and Time | Casing             | Strike       | Sealed           | Rising to | Time | Remarks |
| 0.00                                                                                       | 11.50                       | Air                                                          | Grey   | 100%                | 11.50                   | 115mm             | 7.50                     | 115mm            |             |                                                                                                                                               |               |                    |              |                  |           |      |         |
| Drill Bit Type                                                                             |                             | DTH Hammer                                                   |        | Drill Bit Condition |                         | Good              |                          | Core Barrel Type |             | None                                                                                                                                          |               | Core Barrel Length |              | 1.00             |           |      |         |
| Remarks<br>Rotary open hole from GL to 11.50m                                              |                             |                                                              |        |                     |                         |                   |                          |                  |             |                                                                                                                                               |               |                    |              |                  |           |      |         |



|                                                                                            |                             |                                                              |        |                     |               |                         |                   |                          |              |                                   |                                                                                                                                               |                    |                  |             |           |      |         |                  |  |
|--------------------------------------------------------------------------------------------|-----------------------------|--------------------------------------------------------------|--------|---------------------|---------------|-------------------------|-------------------|--------------------------|--------------|-----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|--------------------|------------------|-------------|-----------|------|---------|------------------|--|
| <div></div> |                             | DYNAMIC SAMPLING AND<br>ROTARY DRILLING EXPLORATORY HOLE LOG |        |                     |               |                         |                   |                          |              | Exploratory Hole Progress by Time |                                                                                                                                               |                    |                  |             |           |      |         | Exploratory Hole |  |
|                                                                                            |                             |                                                              |        |                     |               |                         |                   |                          |              | Date and Time                     |                                                                                                                                               | Depth              | Casing Depth     | Water Depth | SOP002.9  |      |         |                  |  |
|                                                                                            |                             |                                                              |        |                     |               |                         |                   |                          |              |                                   |                                                                                                                                               |                    |                  |             |           |      |         |                  |  |
|                                                                                            |                             |                                                              |        |                     |               |                         |                   |                          |              |                                   |                                                                                                                                               |                    |                  |             |           |      |         |                  |  |
| Project                                                                                    |                             | Global Centre of Rail Excellence                             |        |                     |               | Equipment               |                   | Comacchio 205            |              |                                   |                                                                                                                                               | Sheet 2 of 2       |                  |             |           |      |         |                  |  |
| Client                                                                                     |                             | Walters UK Limited                                           |        |                     |               | Method                  |                   | RO                       |              |                                   |                                                                                                                                               | Scale              | 1:50             |             |           |      |         |                  |  |
| Project No                                                                                 |                             | G22069                                                       |        | Level               |               | 239.95 mAOD             |                   | Inclination              |              | 90 degrees                        |                                                                                                                                               | Drilled            | LG               |             |           |      |         |                  |  |
| Easting                                                                                    |                             | 284934.84                                                    |        | Northing            |               | 210610.47               |                   | SPT Hammer Serial Number |              |                                   |                                                                                                                                               | Logged             | LG               |             |           |      |         |                  |  |
| Termination Reason                                                                         |                             | Terminated due to Atkins instruction                         |        |                     |               | SPT Hammer Energy Ratio |                   | %                        |              |                                   |                                                                                                                                               | Checked            | AP               |             |           |      |         |                  |  |
| Samples                                                                                    | Sampling and Testing Depths | Insitu Testing and Depth Related Remarks                     |        |                     |               | Drill Runs              | TCR<br>SCR<br>RQD | Depth (Thickness)        | Level (mAOD) | Legend                            | Description                                                                                                                                   |                    | If (min ave max) | Scale       | Backfill  |      |         |                  |  |
|                                                                                            | 11.50                       | PID: 0.0ppmv                                                 |        |                     |               | RO<br>10.00 - 11.50     | 0%<br>0%<br>0%    | (2.50)                   | 228.45       |                                   | NO RECOVERY. Hard grey MUDSTONE (Driller's description). (SOUTH WALES LOWER COAL MEASURES FORMATION) Geology Code: SWCM 2nd Geology Code: MST |                    |                  | 10.50       |           |      |         |                  |  |
|                                                                                            |                             |                                                              |        |                     |               |                         |                   |                          |              |                                   | End of Exploratory Hole at 11.50m                                                                                                             |                    |                  | 11.00       |           |      |         |                  |  |
|                                                                                            |                             |                                                              |        |                     |               |                         |                   |                          |              |                                   |                                                                                                                                               |                    |                  | 11.50       |           |      |         |                  |  |
|                                                                                            |                             |                                                              |        |                     |               |                         |                   |                          |              |                                   |                                                                                                                                               |                    |                  | 12.00       |           |      |         |                  |  |
|                                                                                            |                             |                                                              |        |                     |               |                         |                   |                          |              |                                   |                                                                                                                                               |                    |                  | 12.50       |           |      |         |                  |  |
|                                                                                            |                             |                                                              |        |                     |               |                         |                   |                          |              |                                   |                                                                                                                                               |                    |                  | 13.00       |           |      |         |                  |  |
|                                                                                            |                             |                                                              |        |                     |               |                         |                   |                          |              |                                   |                                                                                                                                               |                    |                  | 13.50       |           |      |         |                  |  |
|                                                                                            |                             |                                                              |        |                     |               |                         |                   |                          |              |                                   |                                                                                                                                               |                    |                  | 14.00       |           |      |         |                  |  |
|                                                                                            |                             |                                                              |        |                     |               |                         |                   |                          |              |                                   |                                                                                                                                               |                    |                  | 14.50       |           |      |         |                  |  |
|                                                                                            |                             |                                                              |        |                     |               |                         |                   |                          |              |                                   |                                                                                                                                               |                    |                  | 15.00       |           |      |         |                  |  |
|                                                                                            |                             |                                                              |        |                     |               |                         |                   |                          |              |                                   |                                                                                                                                               |                    |                  | 15.50       |           |      |         |                  |  |
|                                                                                            |                             |                                                              |        |                     |               |                         |                   |                          |              |                                   |                                                                                                                                               |                    |                  | 16.00       |           |      |         |                  |  |
|                                                                                            |                             |                                                              |        |                     |               |                         |                   |                          |              |                                   |                                                                                                                                               |                    |                  | 16.50       |           |      |         |                  |  |
|                                                                                            |                             |                                                              |        |                     |               |                         |                   |                          |              |                                   |                                                                                                                                               |                    |                  | 17.00       |           |      |         |                  |  |
|                                                                                            |                             |                                                              |        |                     |               |                         |                   |                          |              |                                   |                                                                                                                                               |                    |                  | 17.50       |           |      |         |                  |  |
|                                                                                            |                             |                                                              |        |                     |               |                         |                   |                          |              |                                   |                                                                                                                                               |                    |                  | 18.00       |           |      |         |                  |  |
|                                                                                            |                             |                                                              |        |                     |               |                         |                   |                          |              |                                   |                                                                                                                                               |                    |                  | 18.50       |           |      |         |                  |  |
|                                                                                            |                             |                                                              |        |                     |               |                         |                   |                          |              |                                   |                                                                                                                                               |                    |                  | 19.00       |           |      |         |                  |  |
|                                                                                            |                             |                                                              |        |                     |               |                         |                   |                          |              |                                   |                                                                                                                                               |                    |                  | 19.50       |           |      |         |                  |  |
|                                                                                            |                             |                                                              |        |                     |               |                         |                   |                          |              |                                   |                                                                                                                                               |                    |                  | 20.00       |           |      |         |                  |  |
| Drilling Flush                                                                             |                             |                                                              |        |                     | Hole Diameter |                         | Casing Diameter   |                          | Water Added  |                                   | Water Strikes                                                                                                                                 |                    |                  |             |           |      |         |                  |  |
| Depth Top                                                                                  | Depth Base                  | Type                                                         | Colour | Returns             | Depth Base    | Diameter                | Depth Base        | Diameter                 | Depth Top    | Depth Base                        | Date and Time                                                                                                                                 | Casing             | Strike           | Sealed      | Rising to | Time | Remarks |                  |  |
| 0.00                                                                                       | 11.50                       | Air                                                          | Grey   | 100%                | 11.50         | 115mm                   | 7.50              | 115mm                    |              |                                   |                                                                                                                                               |                    |                  |             |           |      |         |                  |  |
| Drill Bit Type                                                                             |                             | DTH Hammer                                                   |        | Drill Bit Condition |               | Good                    |                   | Core Barrel Type         |              | None                              |                                                                                                                                               | Core Barrel Length |                  | 1.00        |           |      |         |                  |  |
| Remarks<br>Rotary open hole from GL to 11.50m                                              |                             |                                                              |        |                     |               |                         |                   |                          |              |                                   |                                                                                                                                               |                    |                  |             |           |      |         |                  |  |
| Printed 16/03/2023 13:20                                                                   |                             |                                                              |        |                     |               |                         |                   |                          |              |                                   |                                                                                                                                               |                    |                  |             |           |      |         |                  |  |




|                                                                                            |                             |                                                                          |        |                     |               |                         |                   |                          |              |            |                                                                                                                                               |                                   |                  |        |              |             |           |  |                  |  |
|--------------------------------------------------------------------------------------------|-----------------------------|--------------------------------------------------------------------------|--------|---------------------|---------------|-------------------------|-------------------|--------------------------|--------------|------------|-----------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|------------------|--------|--------------|-------------|-----------|--|------------------|--|
| <div></div> |                             | <div>DYNAMIC SAMPLING AND<br/>ROTARY DRILLING EXPLORATORY HOLE LOG</div> |        |                     |               |                         |                   |                          |              |            |                                                                                                                                               | Exploratory Hole Progress by Time |                  |        |              |             |           |  | Exploratory Hole |  |
|                                                                                            |                             |                                                                          |        |                     |               |                         |                   |                          |              |            |                                                                                                                                               | Date and Time                     |                  | Depth  | Casing Depth | Water Depth | SOP002.10 |  |                  |  |
|                                                                                            |                             |                                                                          |        |                     |               |                         |                   |                          |              |            |                                                                                                                                               |                                   |                  |        |              |             |           |  |                  |  |
|                                                                                            |                             |                                                                          |        |                     |               |                         |                   |                          |              |            |                                                                                                                                               |                                   |                  |        |              |             |           |  |                  |  |
| Project                                                                                    |                             | Global Centre of Rail Excellence                                         |        |                     |               | Equipment               |                   | Comacchio 205            |              |            |                                                                                                                                               | Sheet 2 of 2                      |                  |        |              |             |           |  |                  |  |
| Client                                                                                     |                             | Walters UK Limited                                                       |        |                     |               | Method                  |                   | RO                       |              |            |                                                                                                                                               | Scale                             | 1:50             |        |              |             |           |  |                  |  |
| Project No                                                                                 |                             | G22069                                                                   |        | Level               |               | 239.93 mAOD             |                   | Inclination              |              | 90 degrees |                                                                                                                                               | Drilled                           | LG/LG            |        |              |             |           |  |                  |  |
| Easting                                                                                    |                             | 284934.62                                                                |        | Northing            |               | 210609.30               |                   | SPT Hammer Serial Number |              |            |                                                                                                                                               | Logged                            | LG               |        |              |             |           |  |                  |  |
| Termination Reason                                                                         |                             | Terminated due to Atkins instruction                                     |        |                     |               | SPT Hammer Energy Ratio |                   | %                        |              |            |                                                                                                                                               | Checked                           | AP               |        |              |             |           |  |                  |  |
| Samples                                                                                    | Sampling and Testing Depths | Insitu Testing and Depth Related Remarks                                 |        |                     |               | Drill Runs              | TCR<br>SCR<br>RQD | Depth (Thickness)        | Level (mAOD) | Legend     | Description                                                                                                                                   |                                   | If (min ave max) | Scale  | Backfill     |             |           |  |                  |  |
|                                                                                            | 11.50                       | PID: 0.0ppmv                                                             |        |                     |               | RO<br>10.00 - 11.50     | 0%<br>0%<br>0%    | (2.50)                   | 228.43       |            | NO RECOVERY. Hard grey MUDSTONE (Driller's description). (SOUTH WALES LOWER COAL MEASURES FORMATION) Geology Code: SWCM 2nd Geology Code: MST |                                   |                  |        |              |             |           |  |                  |  |
|                                                                                            |                             |                                                                          |        |                     |               |                         |                   |                          |              |            | End of Exploratory Hole at 11.50m                                                                                                             |                                   |                  |        |              |             |           |  |                  |  |
|                                                                                            |                             |                                                                          |        |                     |               |                         |                   |                          |              |            |                                                                                                                                               |                                   |                  |        | 10.50        |             |           |  |                  |  |
|                                                                                            |                             |                                                                          |        |                     |               |                         |                   |                          |              |            |                                                                                                                                               |                                   |                  |        | 11.00        |             |           |  |                  |  |
|                                                                                            |                             |                                                                          |        |                     |               |                         |                   |                          |              |            |                                                                                                                                               |                                   |                  |        | 11.50        |             |           |  |                  |  |
|                                                                                            |                             |                                                                          |        |                     |               |                         |                   |                          |              |            |                                                                                                                                               |                                   |                  |        | 12.00        |             |           |  |                  |  |
|                                                                                            |                             |                                                                          |        |                     |               |                         |                   |                          |              |            |                                                                                                                                               |                                   |                  |        | 12.50        |             |           |  |                  |  |
|                                                                                            |                             |                                                                          |        |                     |               |                         |                   |                          |              |            |                                                                                                                                               |                                   |                  |        | 13.00        |             |           |  |                  |  |
|                                                                                            |                             |                                                                          |        |                     |               |                         |                   |                          |              |            |                                                                                                                                               |                                   |                  |        | 13.50        |             |           |  |                  |  |
|                                                                                            |                             |                                                                          |        |                     |               |                         |                   |                          |              |            |                                                                                                                                               |                                   |                  |        | 14.00        |             |           |  |                  |  |
|                                                                                            |                             |                                                                          |        |                     |               |                         |                   |                          |              |            |                                                                                                                                               |                                   |                  |        | 14.50        |             |           |  |                  |  |
|                                                                                            |                             |                                                                          |        |                     |               |                         |                   |                          |              |            |                                                                                                                                               |                                   |                  |        | 15.00        |             |           |  |                  |  |
|                                                                                            |                             |                                                                          |        |                     |               |                         |                   |                          |              |            |                                                                                                                                               |                                   |                  |        | 15.50        |             |           |  |                  |  |
|                                                                                            |                             |                                                                          |        |                     |               |                         |                   |                          |              |            |                                                                                                                                               |                                   |                  |        | 16.00        |             |           |  |                  |  |
|                                                                                            |                             |                                                                          |        |                     |               |                         |                   |                          |              |            |                                                                                                                                               |                                   |                  |        | 16.50        |             |           |  |                  |  |
|                                                                                            |                             |                                                                          |        |                     |               |                         |                   |                          |              |            |                                                                                                                                               |                                   |                  |        | 17.00        |             |           |  |                  |  |
|                                                                                            |                             |                                                                          |        |                     |               |                         |                   |                          |              |            |                                                                                                                                               |                                   |                  |        | 17.50        |             |           |  |                  |  |
|                                                                                            |                             |                                                                          |        |                     |               |                         |                   |                          |              |            |                                                                                                                                               |                                   |                  |        | 18.00        |             |           |  |                  |  |
|                                                                                            |                             |                                                                          |        |                     |               |                         |                   |                          |              |            |                                                                                                                                               |                                   |                  |        | 18.50        |             |           |  |                  |  |
|                                                                                            |                             |                                                                          |        |                     |               |                         |                   |                          |              |            |                                                                                                                                               |                                   |                  |        | 19.00        |             |           |  |                  |  |
|                                                                                            |                             |                                                                          |        |                     |               |                         |                   |                          |              |            |                                                                                                                                               |                                   |                  |        | 19.50        |             |           |  |                  |  |
|                                                                                            |                             |                                                                          |        |                     |               |                         |                   |                          |              |            |                                                                                                                                               |                                   |                  |        | 20.00        |             |           |  |                  |  |
| Drilling Flush                                                                             |                             |                                                                          |        |                     | Hole Diameter |                         | Casing Diameter   |                          | Water Added  |            | Water Strikes                                                                                                                                 |                                   |                  |        |              |             |           |  |                  |  |
| Depth Top                                                                                  | Depth Base                  | Type                                                                     | Colour | Returns             | Depth Base    | Diameter                | Depth Base        | Diameter                 | Depth Top    | Depth Base | Date and Time                                                                                                                                 | Casing                            | Strike           | Sealed | Rising to    | Time        | Remarks   |  |                  |  |
| 0.00                                                                                       | 11.50                       | Air                                                                      | Grey   | 100%                | 11.50         | 115mm                   | 7.50              | 115mm                    |              |            |                                                                                                                                               |                                   |                  |        |              |             |           |  |                  |  |
| Drill Bit Type                                                                             |                             | DTH Hammer                                                               |        | Drill Bit Condition |               | Good                    |                   | Core Barrel Type         |              | None       |                                                                                                                                               | Core Barrel Length                |                  | 1.00   |              |             |           |  |                  |  |
| Remarks                                                                                    |                             |                                                                          |        |                     |               |                         |                   |                          |              |            |                                                                                                                                               |                                   |                  |        |              |             |           |  |                  |  |
| Rotary open hole from GL to 11.50m                                                         |                             |                                                                          |        |                     |               |                         |                   |                          |              |            |                                                                                                                                               |                                   |                  |        |              |             |           |  |                  |  |
| Printed 16/03/2023 13:20                                                                   |                             |                                                                          |        |                     |               |                         |                   |                          |              |            |                                                                                                                                               |                                   |                  |        |              |             |           |  |                  |  |

|                                                                                            |                                      |                                                              |             |                          |                   |                   |                 |                                      |                                                                                                                                                               |                  |               |                    |           |        |           |      |         |
|--------------------------------------------------------------------------------------------|--------------------------------------|--------------------------------------------------------------|-------------|--------------------------|-------------------|-------------------|-----------------|--------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|---------------|--------------------|-----------|--------|-----------|------|---------|
| <div></div> |                                      | DYNAMIC SAMPLING AND<br>ROTARY DRILLING EXPLORATORY HOLE LOG |             |                          |                   |                   |                 | Exploratory Hole Progress by Time    |                                                                                                                                                               |                  |               | Exploratory Hole   |           |        |           |      |         |
|                                                                                            |                                      |                                                              |             |                          |                   |                   |                 | Date and Time                        |                                                                                                                                                               | Depth            | Casing Depth  | Water Depth        | SOP002.11 |        |           |      |         |
|                                                                                            |                                      |                                                              |             |                          |                   |                   |                 | 08/12/2022 11:45<br>08/12/2022 12:50 |                                                                                                                                                               | 0.00<br>11.50    | 7.50          | Dry                |           |        |           |      |         |
|                                                                                            |                                      |                                                              |             |                          |                   |                   |                 | 08/12/2022 11:45<br>08/12/2022 12:50 |                                                                                                                                                               | 0.00<br>11.50    | 7.50          | Dry                |           |        |           |      |         |
| Project                                                                                    | Global Centre of Rail Excellence     |                                                              |             | Equipment                | Comacchio 205     |                   |                 | Sheet 1 of 2                         |                                                                                                                                                               |                  |               |                    |           |        |           |      |         |
| Client                                                                                     | Walters UK Limited                   |                                                              |             | Method                   | RO                |                   |                 | Scale                                | 1:50                                                                                                                                                          |                  |               |                    |           |        |           |      |         |
| Project No                                                                                 | G22069                               | Level                                                        | 239.85 mAOD | Inclination              | 90 degrees        |                   |                 | Drilled                              | LG                                                                                                                                                            |                  |               |                    |           |        |           |      |         |
| Easting                                                                                    | 284933.43                            | Northing                                                     | 210609.53   | SPT Hammer Serial Number |                   |                   |                 | Logged                               | LG                                                                                                                                                            |                  |               |                    |           |        |           |      |         |
| Termination Reason                                                                         | Terminated due to Atkins instruction |                                                              |             | SPT Hammer Energy Ratio  | %                 |                   |                 | Checked                              | AP                                                                                                                                                            |                  |               |                    |           |        |           |      |         |
| Samples                                                                                    | Sampling and Testing Depths          | Insitu Testing and Depth Related Remarks                     |             | Drill Runs               | TCR<br>SCR<br>RQD | Depth (Thickness) | Level (mAOD)    | Legend                               | Description                                                                                                                                                   | If (min ave max) | Scale         | Backfill           |           |        |           |      |         |
|                                                                                            | 1.00                                 | PID: 0.0ppmv                                                 |             | RO<br>0.00 - 1.00        | 0%<br>0%<br>0%    | 0.00              |                 |                                      | NO RECOVERY. Black mining fill (Driller's description).<br>(MADE GROUND)<br>Geology Code: MGR 2nd Geology Code: GR                                            |                  | 0.50          |                    |           |        |           |      |         |
|                                                                                            | 2.00                                 | PID: 0.0ppmv                                                 |             | RO<br>1.00 - 2.00        | 0%<br>0%<br>0%    |                   |                 |                                      |                                                                                                                                                               |                  | 1.00          |                    |           |        |           |      |         |
|                                                                                            | 3.00                                 | PID: 0.0ppmv                                                 |             | RO<br>2.00 - 3.00        | 0%<br>0%<br>0%    |                   |                 |                                      |                                                                                                                                                               |                  | 1.50          |                    |           |        |           |      |         |
|                                                                                            | 4.00                                 | PID: 0.0ppmv                                                 |             | RO<br>3.00 - 4.00        | 0%<br>0%<br>0%    | (7.00)            |                 |                                      |                                                                                                                                                               |                  | 2.00          |                    |           |        |           |      |         |
|                                                                                            | 5.00                                 | PID: 0.0ppmv                                                 |             | RO<br>4.00 - 5.00        | 0%<br>0%<br>0%    |                   |                 |                                      |                                                                                                                                                               |                  | 2.50          |                    |           |        |           |      |         |
|                                                                                            | 6.00                                 | PID: 0.0ppmv                                                 |             | RO<br>5.00 - 6.00        | 0%<br>0%<br>0%    |                   |                 |                                      |                                                                                                                                                               |                  | 3.00          |                    |           |        |           |      |         |
|                                                                                            | 7.00                                 | PID: 0.0ppmv                                                 |             | RO<br>6.00 - 7.00        | 0%<br>0%<br>0%    |                   |                 |                                      |                                                                                                                                                               |                  | 3.50          |                    |           |        |           |      |         |
|                                                                                            | 8.00                                 | PID: 0.0ppmv                                                 |             | RO<br>7.00 - 8.00        | 0%<br>0%<br>0%    | 7.00              | 232.85          |                                      | NO RECOVERY. Weak grey weathered MUDSTONE (Driller's description).<br>(Weathered SOUTH WALES LOWER COAL MEASURES)<br>Geology Code: SWCM 2nd Geology Code: MST |                  | 4.00          |                    |           |        |           |      |         |
|                                                                                            | 9.00                                 | PID: 0.0ppmv                                                 |             | RO<br>8.00 - 9.00        | 0%<br>0%<br>0%    | (2.00)            |                 |                                      |                                                                                                                                                               |                  | 4.50          |                    |           |        |           |      |         |
|                                                                                            | 10.00                                | PID: 0.0ppmv                                                 |             | RO<br>9.00 - 10.00       | 0%<br>0%<br>0%    | 9.00              | 230.85          |                                      | NO RECOVERY. Hard grey MUDSTONE (Driller's description).<br>(SOUTH WALES LOWER COAL MEASURES FORMATION)<br>Geology Code: SWCM 2nd Geology Code: MST           |                  | 5.00          |                    |           |        |           |      |         |
| Continued on next Sheet                                                                    |                                      |                                                              |             |                          |                   |                   |                 |                                      |                                                                                                                                                               |                  |               |                    |           |        |           |      |         |
| Drilling Flush                                                                             |                                      |                                                              |             |                          | Hole Diameter     |                   | Casing Diameter |                                      | Water Added                                                                                                                                                   |                  | Water Strikes |                    |           |        |           |      |         |
| Depth Top                                                                                  | Depth Base                           | Type                                                         | Colour      | Returns                  | Depth Base        | Diameter          | Depth Base      | Diameter                             | Depth Top                                                                                                                                                     | Depth Base       | Date and Time | Casing             | Strike    | Sealed | Rising to | Time | Remarks |
| 0.00                                                                                       | 11.50                                | Air                                                          | Grey        | 100%                     | 11.50             | 115mm             | 7.50            | 115mm                                |                                                                                                                                                               |                  |               |                    |           |        |           |      |         |
| Drill Bit Type                                                                             |                                      | DTH Hammer                                                   |             | Drill Bit Condition      |                   | Good              |                 | Core Barrel Type                     |                                                                                                                                                               | None             |               | Core Barrel Length |           | 1.00   |           |      |         |
| Remarks<br>Rotary open hole from GL to 11.50m                                              |                                      |                                                              |             |                          |                   |                   |                 |                                      |                                                                                                                                                               |                  |               |                    |           |        |           |      |         |
| Printed 16/03/2023 13:20                                                                   |                                      |                                                              |             |                          |                   |                   |                 |                                      |                                                                                                                                                               |                  |               |                    |           |        |           |      |         |



Printed 16/03/2023 13:20


|                                                                                            |                             |                                                                          |                                          |          |                     |                         |                        |                          |                   |                      |                 |                                   |        |                                                                                                                                                     |                    |         |         |                           |       |                  |  |              |  |         |  |      |  |
|--------------------------------------------------------------------------------------------|-----------------------------|--------------------------------------------------------------------------|------------------------------------------|----------|---------------------|-------------------------|------------------------|--------------------------|-------------------|----------------------|-----------------|-----------------------------------|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|---------|---------|---------------------------|-------|------------------|--|--------------|--|---------|--|------|--|
| <div></div> |                             | <div>DYNAMIC SAMPLING AND<br/>ROTARY DRILLING EXPLORATORY HOLE LOG</div> |                                          |          |                     |                         |                        |                          |                   |                      |                 | Exploratory Hole Progress by Time |        |                                                                                                                                                     |                    |         |         |                           |       | Exploratory Hole |  |              |  |         |  |      |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |                         |                        |                          |                   |                      |                 | Date and Time                     |        |                                                                                                                                                     |                    | Depth   |         | Casing Depth              |       | Water Depth      |  | SOP002.12    |  |         |  |      |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |                         |                        |                          |                   |                      |                 |                                   |        |                                                                                                                                                     |                    |         |         |                           |       |                  |  | Sheet 2 of 2 |  |         |  |      |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |                         |                        |                          |                   |                      |                 | Project                           |        | Global Centre of Rail Excellence                                                                                                                    |                    |         |         | Equipment                 |       | Comacchio 205    |  |              |  | Scale   |  | 1:50 |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |                         |                        |                          |                   |                      |                 | Client                            |        | Walters UK Limited                                                                                                                                  |                    |         |         | Method                    |       | RO               |  |              |  | Drilled |  | LG   |  |
| Project No                                                                                 |                             | G22069                                                                   |                                          | Level    |                     | 239.80 mAOD             |                        | Inclination              |                   |                      |                 | 90 degrees                        |        |                                                                                                                                                     |                    | Logged  |         | LG                        |       |                  |  |              |  |         |  |      |  |
| Easting                                                                                    |                             | 284932.45                                                                |                                          | Northing |                     | 210609.84               |                        | SPT Hammer Serial Number |                   |                      |                 |                                   |        |                                                                                                                                                     |                    | Checked |         | AP                        |       |                  |  |              |  |         |  |      |  |
| Termination Reason                                                                         |                             | Terminated due to Atkins request                                         |                                          |          |                     | SPT Hammer Energy Ratio |                        |                          |                   | %                    |                 |                                   |        |                                                                                                                                                     |                    |         |         |                           |       |                  |  |              |  |         |  |      |  |
| Samples                                                                                    | Sampling and Testing Depths |                                                                          | Insitu Testing and Depth Related Remarks |          |                     |                         | Drill Runs             |                          | TCR<br>SCR<br>RQD | Depth<br>(Thickness) | Level<br>(mAOD) |                                   | Legend | Description                                                                                                                                         |                    |         |         | If<br>(min<br>ave<br>max) | Scale | Backfill         |  |              |  |         |  |      |  |
|                                                                                            | 11.50                       |                                                                          | PID: 0.0ppmv                             |          |                     |                         | RO<br>10.00 -<br>11.50 |                          | 0%<br>0%<br>0%    | (2.50)               | 228.30          |                                   |        | NO RECOVERY. Hard grey MUDSTONE (Driller's description).<br>(SOUTH WALES LOWER COAL MEASURES FORMATION)<br>Geology Code: SWCM 2nd Geology Code: MST |                    |         |         |                           | 10.50 |                  |  |              |  |         |  |      |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |                         |                        |                          |                   |                      |                 |                                   |        | End of Exploratory Hole at 11.50m                                                                                                                   |                    |         |         |                           | 11.00 |                  |  |              |  |         |  |      |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |                         |                        |                          |                   |                      |                 |                                   |        |                                                                                                                                                     |                    |         |         |                           | 11.50 |                  |  |              |  |         |  |      |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |                         |                        |                          |                   |                      |                 |                                   |        |                                                                                                                                                     |                    |         |         |                           | 12.00 |                  |  |              |  |         |  |      |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |                         |                        |                          |                   |                      |                 |                                   |        |                                                                                                                                                     |                    |         |         |                           | 12.50 |                  |  |              |  |         |  |      |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |                         |                        |                          |                   |                      |                 |                                   |        |                                                                                                                                                     |                    |         |         |                           | 13.00 |                  |  |              |  |         |  |      |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |                         |                        |                          |                   |                      |                 |                                   |        |                                                                                                                                                     |                    |         |         |                           | 13.50 |                  |  |              |  |         |  |      |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |                         |                        |                          |                   |                      |                 |                                   |        |                                                                                                                                                     |                    |         |         |                           | 14.00 |                  |  |              |  |         |  |      |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |                         |                        |                          |                   |                      |                 |                                   |        |                                                                                                                                                     |                    |         |         |                           | 14.50 |                  |  |              |  |         |  |      |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |                         |                        |                          |                   |                      |                 |                                   |        |                                                                                                                                                     |                    |         |         |                           | 15.00 |                  |  |              |  |         |  |      |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |                         |                        |                          |                   |                      |                 |                                   |        |                                                                                                                                                     |                    |         |         |                           | 15.50 |                  |  |              |  |         |  |      |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |                         |                        |                          |                   |                      |                 |                                   |        |                                                                                                                                                     |                    |         |         |                           | 16.00 |                  |  |              |  |         |  |      |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |                         |                        |                          |                   |                      |                 |                                   |        |                                                                                                                                                     |                    |         |         |                           | 16.50 |                  |  |              |  |         |  |      |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |                         |                        |                          |                   |                      |                 |                                   |        |                                                                                                                                                     |                    |         |         |                           | 17.00 |                  |  |              |  |         |  |      |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |                         |                        |                          |                   |                      |                 |                                   |        |                                                                                                                                                     |                    |         |         |                           | 17.50 |                  |  |              |  |         |  |      |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |                         |                        |                          |                   |                      |                 |                                   |        |                                                                                                                                                     |                    |         |         |                           | 18.00 |                  |  |              |  |         |  |      |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |                         |                        |                          |                   |                      |                 |                                   |        |                                                                                                                                                     |                    |         |         |                           | 18.50 |                  |  |              |  |         |  |      |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |                         |                        |                          |                   |                      |                 |                                   |        |                                                                                                                                                     |                    |         |         |                           | 19.00 |                  |  |              |  |         |  |      |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |                         |                        |                          |                   |                      |                 |                                   |        |                                                                                                                                                     |                    |         |         |                           | 19.50 |                  |  |              |  |         |  |      |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |                         |                        |                          |                   |                      |                 |                                   |        |                                                                                                                                                     |                    |         |         |                           | 20.00 |                  |  |              |  |         |  |      |  |
| Drilling Flush                                                                             |                             |                                                                          |                                          |          | Hole Diameter       |                         |                        | Casing Diameter          |                   | Water Added          |                 | Water Strikes                     |        |                                                                                                                                                     |                    |         |         |                           |       |                  |  |              |  |         |  |      |  |
| Depth Top                                                                                  | Depth Base                  | Type                                                                     | Colour                                   | Returns  | Depth Base          | Diameter                | Depth Base             | Diameter                 | Depth Top         | Depth Base           | Date and Time   | Casing                            | Strike | Sealed                                                                                                                                              | Rising to          | Time    | Remarks |                           |       |                  |  |              |  |         |  |      |  |
| 0.00                                                                                       | 11.50                       | Air                                                                      | Grey                                     | 100%     | 11.50               | 115mm                   | 7.50                   | 115mm                    |                   |                      |                 |                                   |        |                                                                                                                                                     |                    |         |         |                           |       |                  |  |              |  |         |  |      |  |
| Drill Bit Type                                                                             |                             | DTH Hammer                                                               |                                          |          | Drill Bit Condition |                         |                        | Good                     |                   | Core Barrel Type     |                 | None                              |        |                                                                                                                                                     | Core Barrel Length |         | 1.00    |                           |       |                  |  |              |  |         |  |      |  |
| Remarks                                                                                    |                             |                                                                          |                                          |          |                     |                         |                        |                          |                   |                      |                 |                                   |        |                                                                                                                                                     |                    |         |         |                           |       |                  |  |              |  |         |  |      |  |
| Rotary open hole from GL to 11.50m                                                         |                             |                                                                          |                                          |          |                     |                         |                        |                          |                   |                      |                 |                                   |        |                                                                                                                                                     |                    |         |         |                           |       |                  |  |              |  |         |  |      |  |



|                                                                                            |                             |                                                                          |                                          |                     |               |             |                         |                          |                |             |                   |                                   |              |         |           |       |                                                                                                                                               |              |  |                  |                  |              |       |      |          |  |
|--------------------------------------------------------------------------------------------|-----------------------------|--------------------------------------------------------------------------|------------------------------------------|---------------------|---------------|-------------|-------------------------|--------------------------|----------------|-------------|-------------------|-----------------------------------|--------------|---------|-----------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------|--------------|--|------------------|------------------|--------------|-------|------|----------|--|
| <div></div> |                             | <div>DYNAMIC SAMPLING AND<br/>ROTARY DRILLING EXPLORATORY HOLE LOG</div> |                                          |                     |               |             |                         |                          |                |             |                   | Exploratory Hole Progress by Time |              |         |           |       |                                                                                                                                               |              |  | Exploratory Hole |                  |              |       |      |          |  |
|                                                                                            |                             |                                                                          |                                          |                     |               |             |                         |                          |                |             |                   | Date and Time                     |              |         |           | Depth |                                                                                                                                               | Casing Depth |  | Water Depth      |                  | SOP002.13    |       |      |          |  |
|                                                                                            |                             |                                                                          |                                          |                     |               |             |                         |                          |                |             |                   |                                   |              |         |           |       |                                                                                                                                               |              |  |                  |                  | Sheet 2 of 2 |       |      |          |  |
|                                                                                            |                             |                                                                          |                                          |                     |               |             |                         |                          |                |             |                   |                                   |              |         |           |       |                                                                                                                                               |              |  |                  |                  | Scale        |       | 1:50 |          |  |
| Project                                                                                    |                             | Global Centre of Rail Excellence                                         |                                          |                     |               |             | Equipment               |                          | Comacchio 205  |             |                   |                                   |              | Drilled |           | LG    |                                                                                                                                               |              |  |                  |                  |              |       |      |          |  |
| Client                                                                                     |                             | Walters UK Limited                                                       |                                          |                     |               |             | Method                  |                          | RO             |             |                   |                                   |              | Logged  |           | LG    |                                                                                                                                               |              |  |                  |                  |              |       |      |          |  |
| Project No                                                                                 |                             | G22069                                                                   |                                          | Level               |               | 239.74 mAOD |                         | Inclination              |                |             | 90 degrees        |                                   |              | Checked |           | AP    |                                                                                                                                               |              |  |                  |                  |              |       |      |          |  |
| Easting                                                                                    |                             | 284931.63                                                                |                                          | Northing            |               | 210610.00   |                         | SPT Hammer Serial Number |                |             |                   |                                   |              |         |           |       |                                                                                                                                               |              |  |                  |                  |              |       |      |          |  |
| Termination Reason                                                                         |                             | Terminated due to Atkins instruction                                     |                                          |                     |               |             | SPT Hammer Energy Ratio |                          |                | %           |                   |                                   |              |         |           |       |                                                                                                                                               |              |  |                  |                  |              |       |      |          |  |
| Samples                                                                                    | Sampling and Testing Depths |                                                                          | Insitu Testing and Depth Related Remarks |                     |               |             | Drill Runs              |                          | TCR SCR RQD    |             | Depth (Thickness) |                                   | Level (mAOD) |         | Legend    |       | Description                                                                                                                                   |              |  |                  | If (min ave max) |              | Scale |      | Backfill |  |
|                                                                                            | 11.50                       |                                                                          | PID: 0.2ppmv                             |                     |               |             | RO<br>10.00 - 11.50     |                          | 0%<br>0%<br>0% |             | (2.50)            |                                   | 228.24       |         |           |       | NO RECOVERY. Hard grey MUDSTONE (Driller's description). (SOUTH WALES LOWER COAL MEASURES FORMATION) Geology Code: SWCM 2nd Geology Code: MST |              |  |                  |                  |              | 10.50 |      |          |  |
|                                                                                            |                             |                                                                          |                                          |                     |               |             |                         |                          |                |             |                   |                                   |              |         |           |       | End of Exploratory Hole at 11.50m                                                                                                             |              |  |                  |                  |              | 11.50 |      |          |  |
|                                                                                            |                             |                                                                          |                                          |                     |               |             |                         |                          |                |             |                   |                                   |              |         |           |       |                                                                                                                                               |              |  |                  |                  |              | 12.00 |      |          |  |
|                                                                                            |                             |                                                                          |                                          |                     |               |             |                         |                          |                |             |                   |                                   |              |         |           |       |                                                                                                                                               |              |  |                  |                  |              | 12.50 |      |          |  |
|                                                                                            |                             |                                                                          |                                          |                     |               |             |                         |                          |                |             |                   |                                   |              |         |           |       |                                                                                                                                               |              |  |                  |                  |              | 13.00 |      |          |  |
|                                                                                            |                             |                                                                          |                                          |                     |               |             |                         |                          |                |             |                   |                                   |              |         |           |       |                                                                                                                                               |              |  |                  |                  |              | 13.50 |      |          |  |
|                                                                                            |                             |                                                                          |                                          |                     |               |             |                         |                          |                |             |                   |                                   |              |         |           |       |                                                                                                                                               |              |  |                  |                  |              | 14.00 |      |          |  |
|                                                                                            |                             |                                                                          |                                          |                     |               |             |                         |                          |                |             |                   |                                   |              |         |           |       |                                                                                                                                               |              |  |                  |                  |              | 14.50 |      |          |  |
|                                                                                            |                             |                                                                          |                                          |                     |               |             |                         |                          |                |             |                   |                                   |              |         |           |       |                                                                                                                                               |              |  |                  |                  |              | 15.00 |      |          |  |
|                                                                                            |                             |                                                                          |                                          |                     |               |             |                         |                          |                |             |                   |                                   |              |         |           |       |                                                                                                                                               |              |  |                  |                  |              | 15.50 |      |          |  |
|                                                                                            |                             |                                                                          |                                          |                     |               |             |                         |                          |                |             |                   |                                   |              |         |           |       |                                                                                                                                               |              |  |                  |                  |              | 16.00 |      |          |  |
|                                                                                            |                             |                                                                          |                                          |                     |               |             |                         |                          |                |             |                   |                                   |              |         |           |       |                                                                                                                                               |              |  |                  |                  |              | 16.50 |      |          |  |
|                                                                                            |                             |                                                                          |                                          |                     |               |             |                         |                          |                |             |                   |                                   |              |         |           |       |                                                                                                                                               |              |  |                  |                  |              | 17.00 |      |          |  |
|                                                                                            |                             |                                                                          |                                          |                     |               |             |                         |                          |                |             |                   |                                   |              |         |           |       |                                                                                                                                               |              |  |                  |                  |              | 17.50 |      |          |  |
|                                                                                            |                             |                                                                          |                                          |                     |               |             |                         |                          |                |             |                   |                                   |              |         |           |       |                                                                                                                                               |              |  |                  |                  |              | 18.00 |      |          |  |
|                                                                                            |                             |                                                                          |                                          |                     |               |             |                         |                          |                |             |                   |                                   |              |         |           |       |                                                                                                                                               |              |  |                  |                  |              | 18.50 |      |          |  |
|                                                                                            |                             |                                                                          |                                          |                     |               |             |                         |                          |                |             |                   |                                   |              |         |           |       |                                                                                                                                               |              |  |                  |                  |              | 19.00 |      |          |  |
|                                                                                            |                             |                                                                          |                                          |                     |               |             |                         |                          |                |             |                   |                                   |              |         |           |       |                                                                                                                                               |              |  |                  |                  |              | 19.50 |      |          |  |
|                                                                                            |                             |                                                                          |                                          |                     |               |             |                         |                          |                |             |                   |                                   |              |         |           |       |                                                                                                                                               |              |  |                  |                  |              | 20.00 |      |          |  |
| Drilling Flush                                                                             |                             |                                                                          |                                          |                     | Hole Diameter |             |                         | Casing Diameter          |                | Water Added |                   | Water Strikes                     |              |         |           |       |                                                                                                                                               |              |  |                  |                  |              |       |      |          |  |
| Depth Top                                                                                  | Depth Base                  | Type                                                                     | Colour                                   | Returns             | Depth Base    | Diameter    | Depth Base              | Diameter                 | Depth Top      | Depth Base  | Date and Time     | Casing                            | Strike       | Sealed  | Rising to | Time  | Remarks                                                                                                                                       |              |  |                  |                  |              |       |      |          |  |
| 0.00                                                                                       | 11.50                       | Air                                                                      | Grey                                     | 100%                | 11.50         | 115mm       | 7.50                    | 115mm                    |                |             |                   |                                   |              |         |           |       |                                                                                                                                               |              |  |                  |                  |              |       |      |          |  |
| Drill Bit Type                                                                             |                             | DTH Hammer                                                               |                                          | Drill Bit Condition |               | Good        |                         | Core Barrel Type         |                | None        |                   | Core Barrel Length                |              | 1.00    |           |       |                                                                                                                                               |              |  |                  |                  |              |       |      |          |  |
| Remarks                                                                                    |                             |                                                                          |                                          |                     |               |             |                         |                          |                |             |                   |                                   |              |         |           |       |                                                                                                                                               |              |  |                  |                  |              |       |      |          |  |
| Rotary open hole from GL to 11.50m                                                         |                             |                                                                          |                                          |                     |               |             |                         |                          |                |             |                   |                                   |              |         |           |       |                                                                                                                                               |              |  |                  |                  |              |       |      |          |  |
| Printed 16/03/2023 13:20                                                                   |                             |                                                                          |                                          |                     |               |             |                         |                          |                |             |                   |                                   |              |         |           |       |                                                                                                                                               |              |  |                  |                  |              |       |      |          |  |

|                                               |                             |                                                              |        |                     |                         |                   |                      |                                      |             |                                                                                                                                                                         |               |                           |                                                                                                                                                               |          |           |      |         |
|-----------------------------------------------|-----------------------------|--------------------------------------------------------------|--------|---------------------|-------------------------|-------------------|----------------------|--------------------------------------|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|---------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|------|---------|
| <div></div>                                   |                             | DYNAMIC SAMPLING AND<br>ROTARY DRILLING EXPLORATORY HOLE LOG |        |                     |                         |                   |                      | Exploratory Hole Progress by Time    |             |                                                                                                                                                                         |               | Exploratory Hole          |                                                                                                                                                               |          |           |      |         |
|                                               |                             |                                                              |        |                     |                         |                   |                      | Date and Time                        |             | Depth                                                                                                                                                                   | Casing Depth  | Water Depth               | SOP002.14                                                                                                                                                     |          |           |      |         |
|                                               |                             |                                                              |        |                     |                         |                   |                      | 09/12/2022 11:00<br>09/12/2022 12:56 |             | 0.00<br>11.50                                                                                                                                                           | 7.50          | Dry                       |                                                                                                                                                               |          |           |      |         |
|                                               |                             |                                                              |        |                     |                         |                   |                      |                                      |             |                                                                                                                                                                         |               |                           |                                                                                                                                                               |          |           |      |         |
| Project                                       |                             | Global Centre of Rail Excellence                             |        |                     | Equipment               |                   | Comacchio 205        |                                      |             | Sheet 1 of 2                                                                                                                                                            |               |                           |                                                                                                                                                               |          |           |      |         |
| Client                                        |                             | Walters UK Limited                                           |        |                     | Method                  |                   | RO                   |                                      |             | Scale 1:50                                                                                                                                                              |               |                           |                                                                                                                                                               |          |           |      |         |
| Project No                                    |                             | G22069                                                       |        | Level               |                         | 239.77 mAOD       |                      | Inclination                          |             | 90 degrees                                                                                                                                                              |               |                           |                                                                                                                                                               |          |           |      |         |
| Easting                                       |                             | 284931.65                                                    |        | Northing            |                         | 210611.00         |                      | SPT Hammer Serial Number             |             | LG                                                                                                                                                                      |               |                           |                                                                                                                                                               |          |           |      |         |
| Termination Reason                            |                             | Terminated due to Atkins instruction                         |        |                     | SPT Hammer Energy Ratio |                   | %                    |                                      | Checked     |                                                                                                                                                                         | AP            |                           |                                                                                                                                                               |          |           |      |         |
| Samples                                       | Sampling and Testing Depths | Insitu Testing and Depth Related Remarks                     |        |                     | Drill Runs              | TCR<br>SCR<br>RQD | Depth<br>(Thickness) | Level<br>(mAOD)                      | Legend      | Description                                                                                                                                                             |               | If<br>(min<br>ave<br>max) | Scale                                                                                                                                                         | Backfill |           |      |         |
|                                               | 1.00                        | PID: 0.0ppmv                                                 |        |                     | RO<br>0.00 - 1.00       | 0%<br>0%<br>0%    | 0.00                 |                                      |             | NO RECOVERY. Black mining fill (Driller's description).<br>(MADE GROUND)<br>Geology Code: MGR 2nd Geology Code: GR                                                      |               |                           | 0.50<br>1.00<br>1.50<br>2.00<br>2.50<br>3.00<br>3.50<br>4.00<br>4.50<br>5.00<br>5.50<br>6.00<br>6.50<br>7.00<br>7.50<br>8.00<br>8.50<br>9.00<br>9.50<br>10.00 |          |           |      |         |
|                                               | 2.00                        | PID: 0.1ppmv                                                 |        |                     | RO<br>1.00 - 2.00       | 0%<br>0%<br>0%    |                      |                                      |             |                                                                                                                                                                         |               |                           |                                                                                                                                                               |          |           |      |         |
|                                               | 3.00                        | PID: 0.0ppmv                                                 |        |                     | RO<br>2.00 - 3.00       | 0%<br>0%<br>0%    |                      |                                      |             |                                                                                                                                                                         |               |                           |                                                                                                                                                               |          |           |      |         |
|                                               | 4.00                        | PID: 0.0ppmv                                                 |        |                     | RO<br>3.00 - 4.00       | 0%<br>0%<br>0%    |                      |                                      |             |                                                                                                                                                                         |               |                           |                                                                                                                                                               |          |           |      |         |
|                                               | 5.00                        | PID: 0.0ppmv                                                 |        |                     | RO<br>4.00 - 5.00       | 0%<br>0%<br>0%    |                      |                                      |             |                                                                                                                                                                         |               |                           |                                                                                                                                                               |          |           |      |         |
|                                               | 6.00                        | PID: 0.0ppmv                                                 |        |                     | RO<br>5.00 - 6.00       | 0%<br>0%<br>0%    |                      |                                      |             |                                                                                                                                                                         |               |                           |                                                                                                                                                               |          |           |      |         |
|                                               | 7.00                        | PID: 0.0ppmv                                                 |        |                     | RO<br>6.00 - 7.00       | 0%<br>0%<br>0%    | 7.00                 | 232.77                               |             | NO RECOVERY. Weak grey weathered MUDSTONE (Driller's description).<br>(Weathered SOUTH WALES LOWER COAL MEASURES FORMATION)<br>Geology Code: SWCM 2nd Geology Code: MST |               |                           |                                                                                                                                                               |          |           |      |         |
|                                               | 8.00                        | PID: 0.0ppmv                                                 |        |                     | RO<br>7.00 - 8.00       | 0%<br>0%<br>0%    | (2.00)               |                                      |             |                                                                                                                                                                         |               |                           |                                                                                                                                                               |          |           |      |         |
|                                               | 9.00                        | PID: 0.0ppmv                                                 |        |                     | RO<br>8.00 - 9.00       | 0%<br>0%<br>0%    |                      |                                      |             |                                                                                                                                                                         |               |                           |                                                                                                                                                               |          |           |      |         |
|                                               | 10.00                       | PID: 0.0ppmv                                                 |        |                     | RO<br>9.00 - 10.00      | 0%<br>0%<br>0%    | 9.00                 | 230.77                               |             | NO RECOVERY. Hard grey MUDSTONE (Driller's description).<br>(SOUTH WALES LOWER COAL MEASURES FORMATION)<br>Geology Code: SWCM 2nd Geology Code: MST                     |               |                           |                                                                                                                                                               |          |           |      |         |
| Continued on next Sheet                       |                             |                                                              |        |                     |                         |                   |                      |                                      |             |                                                                                                                                                                         |               |                           |                                                                                                                                                               |          |           |      |         |
| Drilling Flush                                |                             |                                                              |        |                     | Hole Diameter           |                   | Casing Diameter      |                                      | Water Added |                                                                                                                                                                         | Water Strikes |                           |                                                                                                                                                               |          |           |      |         |
| Depth Top                                     | Depth Base                  | Type                                                         | Colour | Returns             | Depth Base              | Diameter          | Depth Base           | Diameter                             | Depth Top   | Depth Base                                                                                                                                                              | Date and Time | Casing                    | Strike                                                                                                                                                        | Sealed   | Rising to | Time | Remarks |
| 0.00                                          | 11.50                       | Air                                                          | Grey   | 100%                | 11.50                   | 115mm             | 7.50                 | 115mm                                |             |                                                                                                                                                                         |               |                           |                                                                                                                                                               |          |           |      |         |
| Drill Bit Type                                |                             | DTH Hammer                                                   |        | Drill Bit Condition |                         | Good              |                      | Core Barrel Type                     |             | None                                                                                                                                                                    |               | Core Barrel Length        |                                                                                                                                                               | 1.00     |           |      |         |
| Remarks<br>Rotary open hole from GL to 11.50m |                             |                                                              |        |                     |                         |                   |                      |                                      |             |                                                                                                                                                                         |               |                           |                                                                                                                                                               |          |           |      |         |
| Printed 16/03/2023 13:20                      |                             |                                                              |        |                     |                         |                   |                      |                                      |             |                                                                                                                                                                         |               |                           |                                                                                                                                                               |          |           |      |         |









| Exploratory Hole Progress by Time |       |              |             | Exploratory Hole                                                                                                                                                                                                                    |  |
|-----------------------------------|-------|--------------|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Date and Time                     | Depth | Casing Depth | Water Depth | <div>SOP002.15</div> <div>Sheet 2 of 2</div> <div> <div>Scale</div> <div>1:50</div> </div> <div> <div>Drilled</div> <div>LG</div> </div> <div> <div>Logged</div> <div>LG</div> </div> <div> <div>Checked</div> <div>AP</div> </div> |  |
|                                   |       |              |             |                                                                                                                                                                                                                                     |  |
|                                   |       |              |             |                                                                                                                                                                                                                                     |  |
|                                   |       |              |             |                                                                                                                                                                                                                                     |  |
|                                   |       |              |             |                                                                                                                                                                                                                                     |  |

| Drilling Flush |            |            |        |         | Hole Diameter       |          | Casing Diameter |          | Water Added      |            | Water Strikes |        |                    |        |           |      |         |
|----------------|------------|------------|--------|---------|---------------------|----------|-----------------|----------|------------------|------------|---------------|--------|--------------------|--------|-----------|------|---------|
| Depth Top      | Depth Base | Type       | Colour | Returns | Depth Base          | Diameter | Depth Base      | Diameter | Depth Top        | Depth Base | Date and Time | Casing | Strike             | Sealed | Rising to | Time | Remarks |
| 0.00           | 11.50      | Air        | Grey   | 100%    | 11.50               | 115mm    | 7.50            | 115mm    |                  |            |               |        |                    |        |           |      |         |
| Drill Bit Type |            | DTH Hammer |        |         | Drill Bit Condition |          | Good            |          | Core Barrel Type |            | None          |        | Core Barrel Length |        | 1.00      |      |         |

Printed 16/03/2023 13:20

Printed 16/03/2023 13:20







|                                                                                            |                             |                                                                          |                                          |          |                     |                         |                        |                          |                   |                      |                 |                                   |        |                                                                                                                                                     |                    |         |         |                           |       |                  |  |              |  |         |  |      |  |
|--------------------------------------------------------------------------------------------|-----------------------------|--------------------------------------------------------------------------|------------------------------------------|----------|---------------------|-------------------------|------------------------|--------------------------|-------------------|----------------------|-----------------|-----------------------------------|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|---------|---------|---------------------------|-------|------------------|--|--------------|--|---------|--|------|--|
| <div></div> |                             | <div>DYNAMIC SAMPLING AND<br/>ROTARY DRILLING EXPLORATORY HOLE LOG</div> |                                          |          |                     |                         |                        |                          |                   |                      |                 | Exploratory Hole Progress by Time |        |                                                                                                                                                     |                    |         |         |                           |       | Exploratory Hole |  |              |  |         |  |      |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |                         |                        |                          |                   |                      |                 | Date and Time                     |        |                                                                                                                                                     |                    | Depth   |         | Casing Depth              |       | Water Depth      |  | SOP002.17    |  |         |  |      |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |                         |                        |                          |                   |                      |                 |                                   |        |                                                                                                                                                     |                    |         |         |                           |       |                  |  | Sheet 2 of 2 |  |         |  |      |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |                         |                        |                          |                   |                      |                 | Project                           |        | Global Centre of Rail Excellence                                                                                                                    |                    |         |         | Equipment                 |       | 205              |  |              |  | Scale   |  | 1:50 |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |                         |                        |                          |                   |                      |                 | Client                            |        | Walters UK Limited                                                                                                                                  |                    |         |         | Method                    |       | RO               |  |              |  | Drilled |  | LG   |  |
| Project No                                                                                 |                             | G22069                                                                   |                                          | Level    |                     | 239.85 mAOD             |                        | Inclination              |                   |                      |                 | 90 degrees                        |        |                                                                                                                                                     |                    | Logged  |         |                           |       |                  |  |              |  |         |  |      |  |
| Easting                                                                                    |                             | 284932.34                                                                |                                          | Northing |                     | 210614.12               |                        | SPT Hammer Serial Number |                   |                      |                 |                                   |        |                                                                                                                                                     |                    | Checked |         | AP                        |       |                  |  |              |  |         |  |      |  |
| Termination Reason                                                                         |                             | Terminated due to Atkins instruction                                     |                                          |          |                     | SPT Hammer Energy Ratio |                        |                          |                   | %                    |                 |                                   |        |                                                                                                                                                     |                    |         |         |                           |       |                  |  |              |  |         |  |      |  |
| Samples                                                                                    | Sampling and Testing Depths |                                                                          | Insitu Testing and Depth Related Remarks |          |                     |                         | Drill Runs             |                          | TCR<br>SCR<br>RQD | Depth<br>(Thickness) | Level<br>(mAOD) |                                   | Legend | Description                                                                                                                                         |                    |         |         | If<br>(min<br>ave<br>max) | Scale | Backfill         |  |              |  |         |  |      |  |
|                                                                                            | 11.50                       |                                                                          | PID: 0.0ppmv                             |          |                     |                         | RO<br>10.00 -<br>11.50 |                          | 0%<br>0%<br>0%    | (2.50)               | 228.35          |                                   |        | NO RECOVERY. Hard grey MUDSTONE (Driller's description).<br>(SOUTH WALES LOWER COAL MEASURES FORMATION)<br>Geology Code: SWCM 2nd Geology Code: MST |                    |         |         |                           | 10.50 |                  |  |              |  |         |  |      |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |                         |                        |                          |                   |                      |                 |                                   |        | End of Exploratory Hole at 11.50m                                                                                                                   |                    |         |         |                           | 11.00 |                  |  |              |  |         |  |      |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |                         |                        |                          |                   |                      |                 |                                   |        |                                                                                                                                                     |                    |         |         |                           | 11.50 |                  |  |              |  |         |  |      |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |                         |                        |                          |                   |                      |                 |                                   |        |                                                                                                                                                     |                    |         |         |                           | 12.00 |                  |  |              |  |         |  |      |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |                         |                        |                          |                   |                      |                 |                                   |        |                                                                                                                                                     |                    |         |         |                           | 12.50 |                  |  |              |  |         |  |      |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |                         |                        |                          |                   |                      |                 |                                   |        |                                                                                                                                                     |                    |         |         |                           | 13.00 |                  |  |              |  |         |  |      |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |                         |                        |                          |                   |                      |                 |                                   |        |                                                                                                                                                     |                    |         |         |                           | 13.50 |                  |  |              |  |         |  |      |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |                         |                        |                          |                   |                      |                 |                                   |        |                                                                                                                                                     |                    |         |         |                           | 14.00 |                  |  |              |  |         |  |      |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |                         |                        |                          |                   |                      |                 |                                   |        |                                                                                                                                                     |                    |         |         |                           | 14.50 |                  |  |              |  |         |  |      |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |                         |                        |                          |                   |                      |                 |                                   |        |                                                                                                                                                     |                    |         |         |                           | 15.00 |                  |  |              |  |         |  |      |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |                         |                        |                          |                   |                      |                 |                                   |        |                                                                                                                                                     |                    |         |         |                           | 15.50 |                  |  |              |  |         |  |      |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |                         |                        |                          |                   |                      |                 |                                   |        |                                                                                                                                                     |                    |         |         |                           | 16.00 |                  |  |              |  |         |  |      |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |                         |                        |                          |                   |                      |                 |                                   |        |                                                                                                                                                     |                    |         |         |                           | 16.50 |                  |  |              |  |         |  |      |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |                         |                        |                          |                   |                      |                 |                                   |        |                                                                                                                                                     |                    |         |         |                           | 17.00 |                  |  |              |  |         |  |      |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |                         |                        |                          |                   |                      |                 |                                   |        |                                                                                                                                                     |                    |         |         |                           | 17.50 |                  |  |              |  |         |  |      |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |                         |                        |                          |                   |                      |                 |                                   |        |                                                                                                                                                     |                    |         |         |                           | 18.00 |                  |  |              |  |         |  |      |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |                         |                        |                          |                   |                      |                 |                                   |        |                                                                                                                                                     |                    |         |         |                           | 18.50 |                  |  |              |  |         |  |      |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |                         |                        |                          |                   |                      |                 |                                   |        |                                                                                                                                                     |                    |         |         |                           | 19.00 |                  |  |              |  |         |  |      |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |                         |                        |                          |                   |                      |                 |                                   |        |                                                                                                                                                     |                    |         |         |                           | 19.50 |                  |  |              |  |         |  |      |  |
|                                                                                            |                             |                                                                          |                                          |          |                     |                         |                        |                          |                   |                      |                 |                                   |        |                                                                                                                                                     |                    |         |         |                           | 20.00 |                  |  |              |  |         |  |      |  |
| Drilling Flush                                                                             |                             |                                                                          |                                          |          | Hole Diameter       |                         |                        | Casing Diameter          |                   | Water Added          |                 | Water Strikes                     |        |                                                                                                                                                     |                    |         |         |                           |       |                  |  |              |  |         |  |      |  |
| Depth Top                                                                                  | Depth Base                  | Type                                                                     | Colour                                   | Returns  | Depth Base          | Diameter                | Depth Base             | Diameter                 | Depth Top         | Depth Base           | Date and Time   | Casing                            | Strike | Sealed                                                                                                                                              | Rising to          | Time    | Remarks |                           |       |                  |  |              |  |         |  |      |  |
| 0.00                                                                                       | 11.50                       | Air                                                                      | Grey                                     | 100%     | 11.50               | 115mm                   | 7.50                   | 115mm                    |                   |                      |                 |                                   |        |                                                                                                                                                     |                    |         |         |                           |       |                  |  |              |  |         |  |      |  |
| Drill Bit Type                                                                             |                             |                                                                          |                                          |          | Drill Bit Condition |                         |                        |                          |                   | Core Barrel Type     |                 |                                   |        |                                                                                                                                                     | Core Barrel Length |         |         |                           |       |                  |  |              |  |         |  |      |  |
| Remarks                                                                                    |                             |                                                                          |                                          |          |                     |                         |                        |                          |                   |                      |                 |                                   |        |                                                                                                                                                     |                    |         |         |                           |       |                  |  |              |  |         |  |      |  |
| Rotary open hole from GL to 11.50m                                                         |                             |                                                                          |                                          |          |                     |                         |                        |                          |                   |                      |                 |                                   |        |                                                                                                                                                     |                    |         |         |                           |       |                  |  |              |  |         |  |      |  |


Printed 16/03/2023 13:20

|                                                                                            |                             |                                                              |        |          |                     |                         |                   |                          |                 |                                   |                                                                                                                                                               |              |                           |                  |                    |      |         |
|--------------------------------------------------------------------------------------------|-----------------------------|--------------------------------------------------------------|--------|----------|---------------------|-------------------------|-------------------|--------------------------|-----------------|-----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------------------|------------------|--------------------|------|---------|
| <div></div> |                             | DYNAMIC SAMPLING AND<br>ROTARY DRILLING EXPLORATORY HOLE LOG |        |          |                     |                         |                   |                          |                 | Exploratory Hole Progress by Time |                                                                                                                                                               |              |                           | Exploratory Hole |                    |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                   |                          |                 | Date and Time                     |                                                                                                                                                               | Depth        | Casing Depth              | Water Depth      | SOP002.18          |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                   |                          |                 |                                   |                                                                                                                                                               |              |                           |                  |                    |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                   |                          |                 |                                   |                                                                                                                                                               |              |                           |                  |                    |      |         |
| Project                                                                                    |                             | Global Centre of Rail Excellence                             |        |          |                     | Equipment               |                   | 205                      |                 |                                   |                                                                                                                                                               | Sheet 2 of 2 |                           |                  |                    |      |         |
| Client                                                                                     |                             | Walters UK Limited                                           |        |          |                     | Method                  |                   | RO                       |                 |                                   |                                                                                                                                                               | Scale        | 1:50                      |                  |                    |      |         |
| Project No                                                                                 |                             | G22069                                                       |        | Level    |                     | 239.89 mAOD             |                   | Inclination              |                 | 90 degrees                        |                                                                                                                                                               | Drilled      |                           | LG               |                    |      |         |
| Easting                                                                                    |                             | 284933.48                                                    |        | Northing |                     | 210614.08               |                   | SPT Hammer Serial Number |                 |                                   |                                                                                                                                                               | Logged       |                           |                  |                    |      |         |
| Termination Reason                                                                         |                             | Terminated due to Atkins instruction                         |        |          |                     | SPT Hammer Energy Ratio |                   | %                        |                 |                                   |                                                                                                                                                               | Checked      | AP                        |                  |                    |      |         |
| Samples                                                                                    | Sampling and Testing Depths | Insitu Testing and Depth Related Remarks                     |        |          |                     | Drill Runs              | TCR<br>SCR<br>RQD | Depth<br>(Thickness)     | Level<br>(mAOD) | Legend                            | Description                                                                                                                                                   |              | If<br>(min<br>ave<br>max) | Scale            | Backfill           |      |         |
|                                                                                            | 11.50                       | PID: 0.0ppmv                                                 |        |          |                     | RO<br>10.00 -<br>11.50  | 0%<br>0%<br>0%    | (2.50)                   | 228.39          |                                   | NO RECOVERY. Hard grey MUDSTONE (Driller's description).<br>(Weathered SOUTH WALES LOWER COAL MEASURES FORMATION)<br>Geology Code: SWCM 2nd Geology Code: MST |              |                           | 10.50            |                    |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                   |                          |                 |                                   | End of Exploratory Hole at 11.50m                                                                                                                             |              |                           | 11.50            |                    |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                   |                          |                 |                                   |                                                                                                                                                               |              |                           | 12.00            |                    |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                   |                          |                 |                                   |                                                                                                                                                               |              |                           | 12.50            |                    |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                   |                          |                 |                                   |                                                                                                                                                               |              |                           | 13.00            |                    |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                   |                          |                 |                                   |                                                                                                                                                               |              |                           | 13.50            |                    |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                   |                          |                 |                                   |                                                                                                                                                               |              |                           | 14.00            |                    |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                   |                          |                 |                                   |                                                                                                                                                               |              |                           | 14.50            |                    |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                   |                          |                 |                                   |                                                                                                                                                               |              |                           | 15.00            |                    |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                   |                          |                 |                                   |                                                                                                                                                               |              |                           | 15.50            |                    |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                   |                          |                 |                                   |                                                                                                                                                               |              |                           | 16.00            |                    |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                   |                          |                 |                                   |                                                                                                                                                               |              |                           | 16.50            |                    |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                   |                          |                 |                                   |                                                                                                                                                               |              |                           | 17.00            |                    |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                   |                          |                 |                                   |                                                                                                                                                               |              |                           | 17.50            |                    |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                   |                          |                 |                                   |                                                                                                                                                               |              |                           | 18.00            |                    |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                   |                          |                 |                                   |                                                                                                                                                               |              |                           | 18.50            |                    |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                   |                          |                 |                                   |                                                                                                                                                               |              |                           | 19.00            |                    |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                   |                          |                 |                                   |                                                                                                                                                               |              |                           | 19.50            |                    |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                   |                          |                 |                                   |                                                                                                                                                               |              |                           | 20.00            |                    |      |         |
| Drilling Flush                                                                             |                             |                                                              |        |          | Hole Diameter       |                         | Casing Diameter   |                          | Water Added     |                                   | Water Strikes                                                                                                                                                 |              |                           |                  |                    |      |         |
| Depth Top                                                                                  | Depth Base                  | Type                                                         | Colour | Returns  | Depth Base          | Diameter                | Depth Base        | Diameter                 | Depth Top       | Depth Base                        | Date and Time                                                                                                                                                 | Casing       | Strike                    | Sealed           | Rising to          | Time | Remarks |
| 0.00                                                                                       | 11.50                       | Air                                                          | Grey   | 100%     | 11.50               | 115mm                   |                   |                          |                 |                                   |                                                                                                                                                               |              |                           |                  |                    |      |         |
| Drill Bit Type                                                                             |                             |                                                              |        |          | Drill Bit Condition |                         |                   |                          |                 | Core Barrel Type                  |                                                                                                                                                               |              |                           |                  | Core Barrel Length |      |         |
| Remarks<br>Rotary open hole from GL to 11.50m                                              |                             |                                                              |        |          |                     |                         |                   |                          |                 |                                   |                                                                                                                                                               |              |                           |                  |                    |      |         |
| Printed 16/03/2023 13:20                                                                   |                             |                                                              |        |          |                     |                         |                   |                          |                 |                                   |                                                                                                                                                               |              |                           |                  |                    |      |         |





Printed 16/03/2023 13:20






## SOP002.21

| If min | Costs | Benefits |
|--------|-------|----------|
| 0      | 0     | 0        |
| 1      | 1     | 1        |
| 2      | 4     | 4        |
| 3      | 9     | 9        |
| 4      | 16    | 16       |
| 5      | 25    | 25       |
| 6      | 36    | 36       |
| 7      | 49    | 49       |
| 8      | 64    | 64       |
| 9      | 81    | 81       |
| 10     | 100   | 100      |

| If min | Costs | Benefits |
|--------|-------|----------|
| 0      | 0     | 0        |
| 1      | 1     | 1        |
| 2      | 4     | 4        |
| 3      | 9     | 9        |
| 4      | 16    | 16       |
| 5      | 25    | 25       |
| 6      | 36    | 36       |
| 7      | 49    | 49       |
| 8      | 64    | 64       |
| 9      | 81    | 81       |
| 10     | 100   | 100      |

| If min | Costs | Benefits |
|--------|-------|----------|
| 0      | 0     | 0        |
| 1      | 1     | 1        |
| 2      | 4     | 4        |
| 3      | 9     | 9        |
| 4      | 16    | 16       |
| 5      | 25    | 25       |
| 6      | 36    | 36       |
| 7      | 49    | 49       |
| 8      | 64    | 64       |
| 9      | 81    | 81       |
| 10     | 100   | 100      |








Printed 16/03/2023 13:20

|                                                                                            |                             |                                                              |        |                     |               |                         |                   |                          |              |            |                                                                                                                                               |                                   |                  |        |              |                  |           |  |
|--------------------------------------------------------------------------------------------|-----------------------------|--------------------------------------------------------------|--------|---------------------|---------------|-------------------------|-------------------|--------------------------|--------------|------------|-----------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|------------------|--------|--------------|------------------|-----------|--|
| <div></div> |                             | DYNAMIC SAMPLING AND<br>ROTARY DRILLING EXPLORATORY HOLE LOG |        |                     |               |                         |                   |                          |              |            |                                                                                                                                               | Exploratory Hole Progress by Time |                  |        |              | Exploratory Hole |           |  |
|                                                                                            |                             |                                                              |        |                     |               |                         |                   |                          |              |            |                                                                                                                                               | Date and Time                     |                  | Depth  | Casing Depth | Water Depth      | SOP002.23 |  |
|                                                                                            |                             |                                                              |        |                     |               |                         |                   |                          |              |            |                                                                                                                                               |                                   |                  |        |              |                  |           |  |
|                                                                                            |                             |                                                              |        |                     |               |                         |                   |                          |              |            |                                                                                                                                               |                                   |                  |        |              |                  |           |  |
| Project                                                                                    |                             | Global Centre of Rail Excellence                             |        |                     |               | Equipment               |                   | 205                      |              |            |                                                                                                                                               | Sheet 2 of 2                      |                  |        |              |                  |           |  |
| Client                                                                                     |                             | Walters UK Limited                                           |        |                     |               | Method                  |                   | RO                       |              |            |                                                                                                                                               | Scale                             | 1:50             |        |              |                  |           |  |
| Project No                                                                                 |                             | G22069                                                       |        | Level               |               | 239.99 mAOD             |                   | Inclination              |              | 90 degrees |                                                                                                                                               | Drilled                           | LG               |        |              |                  |           |  |
| Easting                                                                                    |                             | 284936.16                                                    |        | Northing            |               | 210611.28               |                   | SPT Hammer Serial Number |              |            |                                                                                                                                               | Logged                            | LG               |        |              |                  |           |  |
| Termination Reason                                                                         |                             | Terminated due to Atkins instruction                         |        |                     |               | SPT Hammer Energy Ratio |                   | %                        |              |            |                                                                                                                                               | Checked                           | AP               |        |              |                  |           |  |
| Samples                                                                                    | Sampling and Testing Depths | Insitu Testing and Depth Related Remarks                     |        |                     |               | Drill Runs              | TCR<br>SCR<br>RQD | Depth (Thickness)        | Level (mAOD) | Legend     | Description                                                                                                                                   |                                   | If (min ave max) | Scale  | Backfill     |                  |           |  |
|                                                                                            | 11.50                       | PID: 0.0ppmv                                                 |        |                     |               | RO<br>10.00 - 11.50     | 0%<br>0%<br>0%    | (2.50)                   | 228.49       |            | NO RECOVERY. Hard grey MUDSTONE (Driller's description). (SOUTH WALES LOWER COAL MEASURES FORMATION) Geology Code: SWCM 2nd Geology Code: MST |                                   |                  | 10.50  |              |                  |           |  |
|                                                                                            |                             |                                                              |        |                     |               |                         |                   |                          |              |            | End of Exploratory Hole at 11.50m                                                                                                             |                                   |                  | 11.00  |              |                  |           |  |
|                                                                                            |                             |                                                              |        |                     |               |                         |                   |                          |              |            |                                                                                                                                               |                                   |                  | 11.50  |              |                  |           |  |
|                                                                                            |                             |                                                              |        |                     |               |                         |                   |                          |              |            |                                                                                                                                               |                                   |                  | 12.00  |              |                  |           |  |
|                                                                                            |                             |                                                              |        |                     |               |                         |                   |                          |              |            |                                                                                                                                               |                                   |                  | 12.50  |              |                  |           |  |
|                                                                                            |                             |                                                              |        |                     |               |                         |                   |                          |              |            |                                                                                                                                               |                                   |                  | 13.00  |              |                  |           |  |
|                                                                                            |                             |                                                              |        |                     |               |                         |                   |                          |              |            |                                                                                                                                               |                                   |                  | 13.50  |              |                  |           |  |
|                                                                                            |                             |                                                              |        |                     |               |                         |                   |                          |              |            |                                                                                                                                               |                                   |                  | 14.00  |              |                  |           |  |
|                                                                                            |                             |                                                              |        |                     |               |                         |                   |                          |              |            |                                                                                                                                               |                                   |                  | 14.50  |              |                  |           |  |
|                                                                                            |                             |                                                              |        |                     |               |                         |                   |                          |              |            |                                                                                                                                               |                                   |                  | 15.00  |              |                  |           |  |
|                                                                                            |                             |                                                              |        |                     |               |                         |                   |                          |              |            |                                                                                                                                               |                                   |                  | 15.50  |              |                  |           |  |
|                                                                                            |                             |                                                              |        |                     |               |                         |                   |                          |              |            |                                                                                                                                               |                                   |                  | 16.00  |              |                  |           |  |
|                                                                                            |                             |                                                              |        |                     |               |                         |                   |                          |              |            |                                                                                                                                               |                                   |                  | 16.50  |              |                  |           |  |
|                                                                                            |                             |                                                              |        |                     |               |                         |                   |                          |              |            |                                                                                                                                               |                                   |                  | 17.00  |              |                  |           |  |
|                                                                                            |                             |                                                              |        |                     |               |                         |                   |                          |              |            |                                                                                                                                               |                                   |                  | 17.50  |              |                  |           |  |
|                                                                                            |                             |                                                              |        |                     |               |                         |                   |                          |              |            |                                                                                                                                               |                                   |                  | 18.00  |              |                  |           |  |
|                                                                                            |                             |                                                              |        |                     |               |                         |                   |                          |              |            |                                                                                                                                               |                                   |                  | 18.50  |              |                  |           |  |
|                                                                                            |                             |                                                              |        |                     |               |                         |                   |                          |              |            |                                                                                                                                               |                                   |                  | 19.00  |              |                  |           |  |
|                                                                                            |                             |                                                              |        |                     |               |                         |                   |                          |              |            |                                                                                                                                               |                                   |                  | 19.50  |              |                  |           |  |
|                                                                                            |                             |                                                              |        |                     |               |                         |                   |                          |              |            |                                                                                                                                               |                                   |                  | 20.00  |              |                  |           |  |
| Drilling Flush                                                                             |                             |                                                              |        |                     | Hole Diameter |                         | Casing Diameter   |                          | Water Added  |            | Water Strikes                                                                                                                                 |                                   |                  |        |              |                  |           |  |
| Depth Top                                                                                  | Depth Base                  | Type                                                         | Colour | Returns             | Depth Base    | Diameter                | Depth Base        | Diameter                 | Depth Top    | Depth Base | Date and Time                                                                                                                                 | Casing                            | Strike           | Sealed | Rising to    | Time             | Remarks   |  |
| 0.00                                                                                       | 11.50                       | Air                                                          | grey   | 100%                | 11.50         | 115mm                   | 7.50              | 115mm                    |              |            |                                                                                                                                               |                                   |                  |        |              |                  |           |  |
| Drill Bit Type                                                                             |                             | DTH Hammer                                                   |        | Drill Bit Condition |               | Good                    |                   | Core Barrel Type         |              | None       |                                                                                                                                               | Core Barrel Length                |                  | 1.00   |              |                  |           |  |
| Remarks<br>Rotary open hole from GL to 11.50m                                              |                             |                                                              |        |                     |               |                         |                   |                          |              |            |                                                                                                                                               |                                   |                  |        |              |                  |           |  |
| Printed 16/03/2023 13:20                                                                   |                             |                                                              |        |                     |               |                         |                   |                          |              |            |                                                                                                                                               |                                   |                  |        |              |                  |           |  |

|                                                                                            |                             |                                                              |          |                     |                          |                   |                   |                                      |             |                                                                                                                                                                         |                  |                    |           |        |           |      |         |
|--------------------------------------------------------------------------------------------|-----------------------------|--------------------------------------------------------------|----------|---------------------|--------------------------|-------------------|-------------------|--------------------------------------|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|--------------------|-----------|--------|-----------|------|---------|
| <div></div> |                             | DYNAMIC SAMPLING AND<br>ROTARY DRILLING EXPLORATORY HOLE LOG |          |                     |                          |                   |                   | Exploratory Hole Progress by Time    |             |                                                                                                                                                                         |                  | Exploratory Hole   |           |        |           |      |         |
|                                                                                            |                             |                                                              |          |                     |                          |                   |                   | Date and Time                        |             | Depth                                                                                                                                                                   | Casing Depth     | Water Depth        | SOP002.24 |        |           |      |         |
|                                                                                            |                             |                                                              |          |                     |                          |                   |                   | 14/12/2022 11:01<br>14/12/2022 13:05 |             | 0.00<br>11.50                                                                                                                                                           | 0.00<br>7.50     | Dry                |           |        |           |      |         |
|                                                                                            |                             |                                                              |          |                     |                          |                   |                   |                                      |             |                                                                                                                                                                         |                  |                    |           |        |           |      |         |
| Project                                                                                    |                             | Global Centre of Rail Excellence                             |          |                     | Equipment                |                   | 205               |                                      |             | Sheet 1 of 2                                                                                                                                                            |                  |                    |           |        |           |      |         |
| Client                                                                                     |                             | Walters UK Limited                                           |          |                     | Method                   |                   | RO                |                                      |             | Scale                                                                                                                                                                   | 1:50             |                    |           |        |           |      |         |
| Project No                                                                                 |                             | G22069                                                       | Level    | 239.98 mAOD         | Inclination              |                   | 90 degrees        |                                      |             | Drilled                                                                                                                                                                 | LG               |                    |           |        |           |      |         |
| Easting                                                                                    |                             | 284935.92                                                    | Northing | 210610.33           | SPT Hammer Serial Number |                   |                   |                                      |             | Logged                                                                                                                                                                  | LG               |                    |           |        |           |      |         |
| Termination Reason                                                                         |                             | Terminated due to Atkins instruction                         |          |                     | SPT Hammer Energy Ratio  |                   | %                 |                                      |             | Checked                                                                                                                                                                 | AP               |                    |           |        |           |      |         |
| Samples                                                                                    | Sampling and Testing Depths | Insitu Testing and Depth Related Remarks                     |          |                     | Drill Runs               | TCR<br>SCR<br>RQD | Depth (Thickness) | Level (mAOD)                         | Legend      | Description                                                                                                                                                             | If (min ave max) | Scale              | Backfill  |        |           |      |         |
|                                                                                            | 1.00                        | PID: 0.0ppmv                                                 |          |                     | RO<br>0.00 - 1.00        | 0%<br>0%<br>0%    | 0.00              |                                      |             | NO RECOVERY. Black mining fill (Driller's description).<br>(MADE GROUND)<br>Geology Code: MGR 2nd Geology Code: GR                                                      |                  | 0.50               |           |        |           |      |         |
|                                                                                            | 2.00                        | PID: 0.0ppmv                                                 |          |                     | RO<br>1.00 - 2.00        | 0%<br>0%<br>0%    |                   |                                      |             |                                                                                                                                                                         |                  | 1.00               |           |        |           |      |         |
|                                                                                            | 3.00                        | PID: 0.0ppmv                                                 |          |                     | RO<br>2.00 - 3.00        | 0%<br>0%<br>0%    |                   |                                      |             |                                                                                                                                                                         |                  | 1.50               |           |        |           |      |         |
|                                                                                            | 4.00                        | PID: 0.0ppmv                                                 |          |                     | RO<br>3.00 - 4.00        | 0%<br>0%<br>0%    | (7.00)            |                                      |             |                                                                                                                                                                         |                  | 2.00               |           |        |           |      |         |
|                                                                                            | 5.00                        | PID: 0.0ppmv                                                 |          |                     | RO<br>4.00 - 5.00        | 0%<br>0%<br>0%    |                   |                                      |             |                                                                                                                                                                         |                  | 2.50               |           |        |           |      |         |
|                                                                                            | 6.00                        | PID: 0.0ppmv                                                 |          |                     | RO<br>5.00 - 6.00        | 0%<br>0%<br>0%    |                   |                                      |             |                                                                                                                                                                         |                  | 3.00               |           |        |           |      |         |
|                                                                                            | 7.00                        | PID: 0.0ppmv                                                 |          |                     | RO<br>6.00 - 7.00        | 0%<br>0%<br>0%    |                   |                                      |             |                                                                                                                                                                         |                  | 3.50               |           |        |           |      |         |
|                                                                                            | 8.00                        | PID: 0.0ppmv                                                 |          |                     | RO<br>7.00 - 8.00        | 0%<br>0%<br>0%    | 7.00              | 232.98                               |             | NO RECOVERY. Weak grey weathered MUDSTONE (Driller's description).<br>(Weathered SOUTH WALES LOWER COAL MEASURES FORMATION)<br>Geology Code: SWCM 2nd Geology Code: MST |                  | 4.00               |           |        |           |      |         |
|                                                                                            | 9.00                        | PID: 0.0ppmv                                                 |          |                     | RO<br>8.00 - 9.00        | 0%<br>0%<br>0%    | (2.00)            |                                      |             |                                                                                                                                                                         |                  | 4.50               |           |        |           |      |         |
|                                                                                            | 10.00                       | PID: 0.0ppmv                                                 |          |                     | RO<br>9.00 - 10.00       | 0%<br>0%<br>0%    | 9.00              | 230.98                               |             | NO RECOVERY. Hard grey MUDSTONE (Driller's description).<br>(SOUTH WALES LOWER COAL MEASURES FORMATION)<br>Geology Code: SWCM 2nd Geology Code: MST                     |                  | 5.00               |           |        |           |      |         |
| Continued on next Sheet                                                                    |                             |                                                              |          |                     |                          |                   |                   |                                      |             |                                                                                                                                                                         |                  |                    | 5.50      |        |           |      |         |
|                                                                                            |                             |                                                              |          |                     |                          |                   |                   |                                      |             |                                                                                                                                                                         |                  |                    | 6.00      |        |           |      |         |
|                                                                                            |                             |                                                              |          |                     |                          |                   |                   |                                      |             |                                                                                                                                                                         |                  |                    | 6.50      |        |           |      |         |
|                                                                                            |                             |                                                              |          |                     |                          |                   |                   |                                      |             |                                                                                                                                                                         |                  |                    | 7.00      |        |           |      |         |
|                                                                                            |                             |                                                              |          |                     |                          |                   |                   |                                      |             |                                                                                                                                                                         |                  |                    | 7.50      |        |           |      |         |
|                                                                                            |                             |                                                              |          |                     |                          |                   |                   |                                      |             |                                                                                                                                                                         |                  |                    | 8.00      |        |           |      |         |
|                                                                                            |                             |                                                              |          |                     |                          |                   |                   |                                      |             |                                                                                                                                                                         |                  |                    | 8.50      |        |           |      |         |
|                                                                                            |                             |                                                              |          |                     |                          |                   |                   |                                      |             |                                                                                                                                                                         |                  |                    | 9.00      |        |           |      |         |
|                                                                                            |                             |                                                              |          |                     |                          |                   |                   |                                      |             |                                                                                                                                                                         |                  |                    | 9.50      |        |           |      |         |
|                                                                                            |                             |                                                              |          |                     |                          |                   |                   |                                      |             |                                                                                                                                                                         |                  |                    | 10.00     |        |           |      |         |
| Drilling Flush                                                                             |                             |                                                              |          |                     | Hole Diameter            |                   | Casing Diameter   |                                      | Water Added |                                                                                                                                                                         | Water Strikes    |                    |           |        |           |      |         |
| Depth Top                                                                                  | Depth Base                  | Type                                                         | Colour   | Returns             | Depth Base               | Diameter          | Depth Base        | Diameter                             | Depth Top   | Depth Base                                                                                                                                                              | Date and Time    | Casing             | Strike    | Sealed | Rising to | Time | Remarks |
| 0.00                                                                                       | 11.50                       | Air                                                          | grey     | 100%                | 11.50                    | 115mm             | 7.50              | 115mm                                |             |                                                                                                                                                                         |                  |                    |           |        |           |      |         |
| Drill Bit Type                                                                             |                             | DTH Hammer                                                   |          | Drill Bit Condition |                          | Good              |                   | Core Barrel Type                     |             | None                                                                                                                                                                    |                  | Core Barrel Length |           | 1.00   |           |      |         |
| Remarks                                                                                    |                             |                                                              |          |                     |                          |                   |                   |                                      |             |                                                                                                                                                                         |                  |                    |           |        |           |      |         |
| Rotary open hole from GL to 11.50m                                                         |                             |                                                              |          |                     |                          |                   |                   |                                      |             |                                                                                                                                                                         |                  |                    |           |        |           |      |         |
| Printed 16/03/2023 13:20                                                                   |                             |                                                              |          |                     |                          |                   |                   |                                      |             |                                                                                                                                                                         |                  |                    |           |        |           |      |         |



Printed 16/03/2023 13:20



|                                    |                             |                                                              |                                          |          |                         |                |                   |                                                                              |                  |                                                                                                                                                                                   |                      |                                                                                                                                                               |                    |          |           |      |         |
|------------------------------------|-----------------------------|--------------------------------------------------------------|------------------------------------------|----------|-------------------------|----------------|-------------------|------------------------------------------------------------------------------|------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|----------|-----------|------|---------|
| <div></div>                        |                             | DYNAMIC SAMPLING AND<br>ROTARY DRILLING EXPLORATORY HOLE LOG |                                          |          |                         |                |                   | Exploratory Hole Progress by Time                                            |                  |                                                                                                                                                                                   |                      | Exploratory Hole                                                                                                                                              |                    |          |           |      |         |
|                                    |                             |                                                              |                                          |          |                         |                |                   | Date and Time                                                                |                  | Depth                                                                                                                                                                             | Casing Depth         | Water Depth                                                                                                                                                   | SOP003.1           |          |           |      |         |
|                                    |                             |                                                              |                                          |          |                         |                |                   | 14/11/2022 15:05<br>14/11/2022 16:15<br>15/11/2022 08:00<br>15/11/2022 11:00 |                  | 0.00<br>4.00<br>4.00<br>14.00                                                                                                                                                     | 4.00<br>4.00<br>6.00 | Dry<br>Dry<br>Dry                                                                                                                                             |                    |          |           |      |         |
|                                    |                             |                                                              |                                          |          |                         |                |                   |                                                                              |                  |                                                                                                                                                                                   |                      |                                                                                                                                                               |                    |          |           |      |         |
| Project                            |                             | Global Centre of Rail Excellence                             |                                          |          | Equipment               |                | Commachio 205     |                                                                              |                  | Sheet 1 of 2                                                                                                                                                                      |                      |                                                                                                                                                               |                    |          |           |      |         |
| Client                             |                             | Walters UK Limited                                           |                                          |          | Method                  |                | RO                |                                                                              |                  | Scale 1:50                                                                                                                                                                        |                      |                                                                                                                                                               |                    |          |           |      |         |
| Project No                         |                             | G22069                                                       |                                          | Level    |                         | 238.91 mAOD    |                   | Inclination                                                                  |                  | 90 degrees                                                                                                                                                                        |                      |                                                                                                                                                               |                    |          |           |      |         |
| Easting                            |                             | 284917.01                                                    |                                          | Northing |                         | 210564.97      |                   | SPT Hammer Serial Number                                                     |                  | LG                                                                                                                                                                                |                      |                                                                                                                                                               |                    |          |           |      |         |
| Termination Reason                 |                             | Terminated due to Atkins instruction                         |                                          |          | SPT Hammer Energy Ratio |                | %                 |                                                                              | Checked          |                                                                                                                                                                                   | AP                   |                                                                                                                                                               |                    |          |           |      |         |
| Samples                            | Sampling and Testing Depths |                                                              | Insitu Testing and Depth Related Remarks |          |                         | Drill Runs     | TCR<br>SCR<br>RQD | Depth<br>(Thickness)                                                         | Level<br>(mAOD)  | Legend                                                                                                                                                                            | Description          | If<br>(min<br>ave<br>max)                                                                                                                                     | Scale              | Backfill |           |      |         |
|                                    | 1.00                        | PID: 0.0ppmv                                                 |                                          |          | RO<br>0.00 - 1.00       | 0%<br>0%<br>0% | 0.00              | 234.41                                                                       |                  | NO RECOVERY. Black granular coal tailings/MADE GROUND (Driller's description).<br>(MADE GROUND)<br>Geology Code: MGR 2nd Geology Code: GR                                         |                      | 0.50<br>1.00<br>1.50<br>2.00<br>2.50<br>3.00<br>3.50<br>4.00<br>4.50<br>5.00<br>5.50<br>6.00<br>6.50<br>7.00<br>7.50<br>8.00<br>8.50<br>9.00<br>9.50<br>10.00 |                    |          |           |      |         |
|                                    | 2.00                        | PID: 0.0ppmv                                                 |                                          |          | RO<br>1.00 - 2.00       | 0%<br>0%<br>0% |                   |                                                                              |                  |                                                                                                                                                                                   |                      |                                                                                                                                                               |                    |          |           |      |         |
|                                    | 3.00                        | PID: 0.0ppmv                                                 |                                          |          | RO<br>2.00 - 3.00       | 0%<br>0%<br>0% |                   |                                                                              |                  |                                                                                                                                                                                   |                      |                                                                                                                                                               |                    |          |           |      |         |
|                                    | 4.00                        | PID: 0.0ppmv                                                 |                                          |          | RO<br>3.00 - 4.00       | 0%<br>0%<br>0% |                   |                                                                              |                  |                                                                                                                                                                                   |                      |                                                                                                                                                               |                    |          |           |      |         |
|                                    | 5.00                        | PID: 0.0ppmv                                                 |                                          |          | RO<br>4.00 - 5.00       | 0%<br>0%<br>0% | 4.50              | 232.91                                                                       |                  | NO RECOVERY. Soft silty brown gravelly CLAY (Driller's description).<br>(Probable weathered SOUTH WALES LOWER COAL MEASURES FORMATION)<br>Geology Code: SWCM 2nd Geology Code: CL |                      |                                                                                                                                                               |                    |          |           |      |         |
|                                    | 6.00                        | PID: 0.0ppmv                                                 |                                          |          | RO<br>5.00 - 6.00       | 0%<br>0%<br>0% | (1.50)            |                                                                              |                  |                                                                                                                                                                                   |                      |                                                                                                                                                               |                    |          |           |      |         |
|                                    | 7.00                        | PID: 0.0ppmv                                                 |                                          |          | RO<br>6.00 - 7.00       | 0%<br>0%<br>0% | 6.00              |                                                                              |                  |                                                                                                                                                                                   |                      |                                                                                                                                                               |                    |          |           |      |         |
|                                    | 8.00                        | PID: 0.0ppmv                                                 |                                          |          | RO<br>7.00 - 8.00       | 0%<br>0%<br>0% | (4.00)            |                                                                              |                  |                                                                                                                                                                                   |                      |                                                                                                                                                               |                    |          |           |      |         |
|                                    | 9.00                        | PID: 0.0ppmv                                                 |                                          |          | RO<br>8.00 - 9.00       | 0%<br>0%<br>0% | 10.00             | 228.91                                                                       |                  | NO RECOVERY. Hard grey MUDSTONE (Driller's description).<br>(SOUTH WALES LOWER COAL MEASURES FORMATION)<br>Geology Code: SWCM 2nd Geology Code: MST                               |                      |                                                                                                                                                               |                    |          |           |      |         |
|                                    | 10.00                       | PID: 0.0ppmv                                                 |                                          |          | RO<br>9.00 - 10.00      | 0%<br>0%<br>0% |                   |                                                                              |                  | Continued on next Sheet                                                                                                                                                           |                      |                                                                                                                                                               |                    |          |           |      |         |
| Drilling Flush                     |                             |                                                              |                                          |          | Hole Diameter           |                | Casing Diameter   |                                                                              | Water Added      |                                                                                                                                                                                   | Water Strikes        |                                                                                                                                                               |                    |          |           |      |         |
| Depth Top                          | Depth Base                  | Type                                                         | Colour                                   | Returns  | Depth Base              | Diameter       | Depth Base        | Diameter                                                                     | Depth Top        | Depth Base                                                                                                                                                                        | Date and Time        | Casing                                                                                                                                                        | Strike             | Sealed   | Rising to | Time | Remarks |
| 0.00                               | 10.00                       | Air                                                          | Grey                                     | 100%     | 14.00                   | 115mm          | 6.00              | 115mm                                                                        |                  |                                                                                                                                                                                   |                      |                                                                                                                                                               |                    |          |           |      |         |
| 10.00                              | 11.50                       | Air                                                          | None                                     | 0%       |                         |                |                   |                                                                              |                  |                                                                                                                                                                                   |                      |                                                                                                                                                               |                    |          |           |      |         |
| 11.50                              | 14.00                       | Air                                                          | Grey                                     | 100%     |                         |                |                   |                                                                              |                  |                                                                                                                                                                                   |                      |                                                                                                                                                               |                    |          |           |      |         |
| Drill Bit Type                     |                             | DTH Hammer                                                   |                                          |          | Drill Bit Condition     |                | Good              |                                                                              | Core Barrel Type |                                                                                                                                                                                   | None                 |                                                                                                                                                               | Core Barrel Length |          | 1.00      |      |         |
| Remarks                            |                             |                                                              |                                          |          |                         |                |                   |                                                                              |                  |                                                                                                                                                                                   |                      |                                                                                                                                                               |                    |          |           |      |         |
| Rotary open hole from GL to 14.00m |                             |                                                              |                                          |          |                         |                |                   |                                                                              |                  |                                                                                                                                                                                   |                      |                                                                                                                                                               |                    |          |           |      |         |

Printed 16/03/2023 13:21

Printed 16/03/2023 13:21



| Exploratory Hole Progress by Time |       |              |             | Exploratory Hole |  |
|-----------------------------------|-------|--------------|-------------|------------------|--|
| Date and Time                     | Depth | Casing Depth | Water Depth | SOP003.2         |  |
| 15/11/2022 11:40                  | 0.00  | 0.00         | Dry         |                  |  |
| 15/11/2022 14:00                  | 12.50 | 6.00         |             |                  |  |
| Sheet 1 of 2                      |       |              |             |                  |  |
| Scale                             | 1:50  |              |             |                  |  |
| Drilled                           | LG    |              |             |                  |  |
| Logged                            | LG    |              |             |                  |  |
| Checked                           | AP    |              |             |                  |  |

| Drilling Flush |            |            |        |         | Hole Diameter       |          | Casing Diameter |          | Water Added      |            | Water Strikes |        |                    |        |           |      |         |
|----------------|------------|------------|--------|---------|---------------------|----------|-----------------|----------|------------------|------------|---------------|--------|--------------------|--------|-----------|------|---------|
| Depth Top      | Depth Base | Type       | Colour | Returns | Depth Base          | Diameter | Depth Base      | Diameter | Depth Top        | Depth Base | Date and Time | Casing | Strike             | Sealed | Rising to | Time | Remarks |
| 0.00           | 10.00      | Air        | Grey   | 100%    | 12.50               | 115mm    | 6.00            | 115mm    |                  |            |               |        |                    |        |           |      |         |
| 10.00          | 11.50      | Air        | None   | 0%      |                     |          |                 |          |                  |            |               |        |                    |        |           |      |         |
| 11.50          | 12.50      | Air        | Grey   | 100%    |                     |          |                 |          |                  |            |               |        |                    |        |           |      |         |
| Drill Bit Type |            | DTH Hammer |        |         | Drill Bit Condition |          | Good            |          | Core Barrel Type |            | None          |        | Core Barrel Length |        | 1.00      |      |         |

Printed 16/03/2023 13:21

|                                                                                            |                             |                                                              |          |                     |                          |                |                   |                                   |             |                                                                                                                                                            |                  |                    |          |        |           |      |         |
|--------------------------------------------------------------------------------------------|-----------------------------|--------------------------------------------------------------|----------|---------------------|--------------------------|----------------|-------------------|-----------------------------------|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|--------------------|----------|--------|-----------|------|---------|
| <div></div> |                             | DYNAMIC SAMPLING AND<br>ROTARY DRILLING EXPLORATORY HOLE LOG |          |                     |                          |                |                   | Exploratory Hole Progress by Time |             |                                                                                                                                                            |                  | Exploratory Hole   |          |        |           |      |         |
|                                                                                            |                             |                                                              |          |                     |                          |                |                   | Date and Time                     |             | Depth                                                                                                                                                      | Casing Depth     | Water Depth        | SOP003.2 |        |           |      |         |
|                                                                                            |                             |                                                              |          |                     |                          |                |                   |                                   |             |                                                                                                                                                            |                  |                    |          |        |           |      |         |
|                                                                                            |                             |                                                              |          |                     |                          |                |                   |                                   |             |                                                                                                                                                            |                  |                    |          |        |           |      |         |
| Project                                                                                    |                             | Global Centre of Rail Excellence                             |          |                     | Equipment                |                | Commachio 205     |                                   |             | Sheet 2 of 2                                                                                                                                               |                  |                    |          |        |           |      |         |
| Client                                                                                     |                             | Walters UK Limited                                           |          |                     | Method                   |                | RO                |                                   |             | Scale                                                                                                                                                      | 1:50             |                    |          |        |           |      |         |
| Project No                                                                                 |                             | G22069                                                       | Level    | 238.99 mAOD         | Inclination              |                | 90 degrees        |                                   | Drilled     | LG                                                                                                                                                         |                  |                    |          |        |           |      |         |
| Easting                                                                                    |                             | 284921.52                                                    | Northing | 210557.30           | SPT Hammer Serial Number |                |                   |                                   | Logged      | LG                                                                                                                                                         |                  |                    |          |        |           |      |         |
| Termination Reason                                                                         |                             | Terminated due to Atkins instruction                         |          |                     | SPT Hammer Energy Ratio  |                | %                 |                                   | Checked     | AP                                                                                                                                                         |                  |                    |          |        |           |      |         |
| Samples                                                                                    | Sampling and Testing Depths | Insitu Testing and Depth Related Remarks                     |          |                     | Drill Runs               | TCR SCR RQD    | Depth (Thickness) | Level (mAOD)                      | Legend      | Description                                                                                                                                                | If (min ave max) | Scale              | Backfill |        |           |      |         |
|                                                                                            |                             |                                                              |          |                     |                          |                |                   |                                   |             | VOID.                                                                                                                                                      |                  |                    |          |        |           |      |         |
|                                                                                            | 11.50                       | PID: 0.0ppmv                                                 |          |                     | RO<br>10.00 - 11.50      | 0%<br>0%<br>0% | (1.50)            | 227.49                            |             |                                                                                                                                                            |                  | 10.50              |          |        |           |      |         |
|                                                                                            | 12.50                       | PID: 0.0ppmv                                                 |          |                     | RO<br>11.50 - 12.50      | 0%<br>0%<br>0% | (1.00)            | 226.49                            |             | NO RECOVERY. Moderately strong grey MUDSTONE (Driller's description). (SOUTH WALES LOWER COAL MEASURES FORMATION) Geology Code: SWCM 2nd Geology Code: MST |                  | 11.50              |          |        |           |      |         |
|                                                                                            |                             |                                                              |          |                     |                          |                |                   |                                   |             | End of Exploratory Hole at 12.50m                                                                                                                          |                  | 12.00              |          |        |           |      |         |
|                                                                                            |                             |                                                              |          |                     |                          |                |                   |                                   |             |                                                                                                                                                            |                  | 12.50              |          |        |           |      |         |
|                                                                                            |                             |                                                              |          |                     |                          |                |                   |                                   |             |                                                                                                                                                            |                  | 13.00              |          |        |           |      |         |
|                                                                                            |                             |                                                              |          |                     |                          |                |                   |                                   |             |                                                                                                                                                            |                  | 13.50              |          |        |           |      |         |
|                                                                                            |                             |                                                              |          |                     |                          |                |                   |                                   |             |                                                                                                                                                            |                  | 14.00              |          |        |           |      |         |
|                                                                                            |                             |                                                              |          |                     |                          |                |                   |                                   |             |                                                                                                                                                            |                  | 14.50              |          |        |           |      |         |
|                                                                                            |                             |                                                              |          |                     |                          |                |                   |                                   |             |                                                                                                                                                            |                  | 15.00              |          |        |           |      |         |
|                                                                                            |                             |                                                              |          |                     |                          |                |                   |                                   |             |                                                                                                                                                            |                  | 15.50              |          |        |           |      |         |
|                                                                                            |                             |                                                              |          |                     |                          |                |                   |                                   |             |                                                                                                                                                            |                  | 16.00              |          |        |           |      |         |
|                                                                                            |                             |                                                              |          |                     |                          |                |                   |                                   |             |                                                                                                                                                            |                  | 16.50              |          |        |           |      |         |
|                                                                                            |                             |                                                              |          |                     |                          |                |                   |                                   |             |                                                                                                                                                            |                  | 17.00              |          |        |           |      |         |
|                                                                                            |                             |                                                              |          |                     |                          |                |                   |                                   |             |                                                                                                                                                            |                  | 17.50              |          |        |           |      |         |
|                                                                                            |                             |                                                              |          |                     |                          |                |                   |                                   |             |                                                                                                                                                            |                  | 18.00              |          |        |           |      |         |
|                                                                                            |                             |                                                              |          |                     |                          |                |                   |                                   |             |                                                                                                                                                            |                  | 18.50              |          |        |           |      |         |
|                                                                                            |                             |                                                              |          |                     |                          |                |                   |                                   |             |                                                                                                                                                            |                  | 19.00              |          |        |           |      |         |
|                                                                                            |                             |                                                              |          |                     |                          |                |                   |                                   |             |                                                                                                                                                            |                  | 19.50              |          |        |           |      |         |
|                                                                                            |                             |                                                              |          |                     |                          |                |                   |                                   |             |                                                                                                                                                            |                  | 20.00              |          |        |           |      |         |
| Drilling Flush                                                                             |                             |                                                              |          |                     | Hole Diameter            |                | Casing Diameter   |                                   | Water Added |                                                                                                                                                            | Water Strikes    |                    |          |        |           |      |         |
| Depth Top                                                                                  | Depth Base                  | Type                                                         | Colour   | Returns             | Depth Base               | Diameter       | Depth Base        | Diameter                          | Depth Top   | Depth Base                                                                                                                                                 | Date and Time    | Casing             | Strike   | Sealed | Rising to | Time | Remarks |
| 0.00                                                                                       | 10.00                       | Air                                                          | Grey     | 100%                | 12.50                    | 115mm          | 6.00              | 115mm                             |             |                                                                                                                                                            |                  |                    |          |        |           |      |         |
| 10.00                                                                                      | 11.50                       | Air                                                          | None     | 0%                  |                          |                |                   |                                   |             |                                                                                                                                                            |                  |                    |          |        |           |      |         |
| 11.50                                                                                      | 12.50                       | Air                                                          | Grey     | 100%                |                          |                |                   |                                   |             |                                                                                                                                                            |                  |                    |          |        |           |      |         |
| Drill Bit Type                                                                             |                             | DTH Hammer                                                   |          | Drill Bit Condition |                          | Good           |                   | Core Barrel Type                  |             | None                                                                                                                                                       |                  | Core Barrel Length |          | 1.00   |           |      |         |
| Remarks                                                                                    |                             |                                                              |          |                     |                          |                |                   |                                   |             |                                                                                                                                                            |                  |                    |          |        |           |      |         |
| Rotary open hole from GL to 12.50m                                                         |                             |                                                              |          |                     |                          |                |                   |                                   |             |                                                                                                                                                            |                  |                    |          |        |           |      |         |
| Printed 16/03/2023 13:21                                                                   |                             |                                                              |          |                     |                          |                |                   |                                   |             |                                                                                                                                                            |                  |                    |          |        |           |      |         |

Printed 16/03/2023 13:21

Printed 16/03/2023 13:21

|                                               |                             |                                                              |          |                     |                          |                   |                   |                                      |             |                                                                                                                                                                                           |                  |                    |          |        |           |        |         |
|-----------------------------------------------|-----------------------------|--------------------------------------------------------------|----------|---------------------|--------------------------|-------------------|-------------------|--------------------------------------|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|--------------------|----------|--------|-----------|--------|---------|
| <div></div>                                   |                             | DYNAMIC SAMPLING AND<br>ROTARY DRILLING EXPLORATORY HOLE LOG |          |                     |                          |                   |                   | Exploratory Hole Progress by Time    |             |                                                                                                                                                                                           |                  | Exploratory Hole   |          |        |           |        |         |
|                                               |                             |                                                              |          |                     |                          |                   |                   | Date and Time                        |             | Depth                                                                                                                                                                                     | Casing Depth     | Water Depth        | SOP003.4 |        |           |        |         |
|                                               |                             |                                                              |          |                     |                          |                   |                   | 16/11/2022 13:30<br>16/11/2022 16:30 |             | 0.00<br>15.00                                                                                                                                                                             | 6.00             | Wet                |          |        |           |        |         |
|                                               |                             |                                                              |          |                     |                          |                   |                   |                                      |             |                                                                                                                                                                                           |                  |                    |          |        |           |        |         |
| Project                                       |                             | Global Centre of Rail Excellence                             |          |                     | Equipment                |                   | Comacchio 205     |                                      |             | Sheet 1 of 2                                                                                                                                                                              |                  |                    |          |        |           |        |         |
| Client                                        |                             | Walters UK Limited                                           |          |                     | Method                   |                   | RO                |                                      |             | Scale 1:50                                                                                                                                                                                |                  |                    |          |        |           |        |         |
| Project No                                    |                             | G22069                                                       | Level    | 238.87 mAOD         | Inclination              |                   | 90 degrees        |                                      | Drilled LG  |                                                                                                                                                                                           |                  |                    |          |        |           |        |         |
| Easting                                       |                             | 284912.25                                                    | Northing | 210572.35           | SPT Hammer Serial Number |                   |                   |                                      | Logged LG   |                                                                                                                                                                                           |                  |                    |          |        |           |        |         |
| Termination Reason                            |                             | Terminated due to Atkins instruction                         |          |                     | SPT Hammer Energy Ratio  |                   | %                 |                                      | Checked AP  |                                                                                                                                                                                           |                  |                    |          |        |           |        |         |
| Samples                                       | Sampling and Testing Depths | Insitu Testing and Depth Related Remarks                     |          |                     | Drill Runs               | TCR<br>SCR<br>RQD | Depth (Thickness) | Level (mAOD)                         | Legend      | Description                                                                                                                                                                               | If (min ave max) | Scale              | Backfill |        |           |        |         |
|                                               | 1.00                        | PID: 0.0ppmv                                                 |          |                     | RO<br>0.00 - 1.00        | 0%<br>0%<br>0%    | 0.00              |                                      |             | NO RECOVERY. Black granular MADE GROUND (coal and mudstone (Driller's description) (MADE GROUND) Geology Code: MGR 2nd Geology Code: GR                                                   |                  | 0.50               |          |        |           |        |         |
|                                               | 2.00                        | PID: 0.0ppmv                                                 |          |                     | RO<br>1.00 - 2.00        | 0%<br>0%<br>0%    | (3.00)            |                                      |             |                                                                                                                                                                                           |                  | 1.00               |          |        |           |        |         |
|                                               | 3.00                        | PID: 0.0ppmv                                                 |          |                     | RO<br>2.00 - 3.00        | 0%<br>0%<br>0%    |                   |                                      |             |                                                                                                                                                                                           |                  | 1.50               |          |        |           |        |         |
|                                               | 4.00                        | PID: 0.0ppmv                                                 |          |                     | RO<br>3.00 - 4.00        | 0%<br>0%<br>0%    | 3.00              | 235.87                               |             | NO RECOVERY. Soft light brown orange silty CLAY and gravels (Driller's description). (Probable weather SOUTH WALES LOWER COAL MEASURES FORMATION) Geology Code: SWCM 2nd Geology Code: CL |                  | 2.00               |          |        |           |        |         |
|                                               | 5.00                        | PID: 0.0ppmv                                                 |          |                     | RO<br>4.00 - 5.00        | 0%<br>0%<br>0%    | (2.00)            |                                      |             |                                                                                                                                                                                           |                  | 2.50               |          |        |           |        |         |
|                                               | 6.00                        | PID: 0.0ppmv                                                 |          |                     | RO<br>5.00 - 6.00        | 0%<br>0%<br>0%    | 5.00              | 233.87                               |             |                                                                                                                                                                                           |                  | 3.00               |          |        |           |        |         |
|                                               | 7.00                        | PID: 0.0ppmv                                                 |          |                     | RO<br>6.00 - 7.00        | 0%<br>0%<br>0%    |                   |                                      |             | NO RECOVERY. Hard grey MUDSTONE (Driller's description). (SOUTH WALES LOWER COAL MEASURES FORMATION) Geology Code: SWCM 2nd Geology Code: MST                                             |                  | 3.50               |          |        |           |        |         |
|                                               | 8.00                        | PID: 0.0ppmv                                                 |          |                     | RO<br>7.00 - 8.00        | 0%<br>0%<br>0%    |                   |                                      |             |                                                                                                                                                                                           |                  | 4.00               |          |        |           |        |         |
|                                               | 9.00                        | PID: 0.0ppmv                                                 |          |                     | RO<br>8.00 - 9.00        | 0%<br>0%<br>0%    | (8.00)            |                                      |             |                                                                                                                                                                                           |                  | 4.50               |          |        |           |        |         |
|                                               | 10.00                       | PID: 0.0ppmv                                                 |          |                     | RO<br>9.00 - 10.00       | 0%<br>0%<br>0%    |                   |                                      |             |                                                                                                                                                                                           |                  | 5.00               |          |        |           |        |         |
|                                               |                             |                                                              |          |                     |                          |                   |                   |                                      |             | Continued on next Sheet                                                                                                                                                                   |                  | 5.50               |          |        |           |        |         |
|                                               |                             |                                                              |          |                     |                          |                   |                   |                                      |             |                                                                                                                                                                                           |                  | 6.00               |          |        |           |        |         |
|                                               |                             |                                                              |          |                     |                          |                   |                   |                                      |             |                                                                                                                                                                                           |                  | 6.50               |          |        |           |        |         |
|                                               |                             |                                                              |          |                     |                          |                   |                   |                                      |             |                                                                                                                                                                                           |                  | 7.00               |          |        |           |        |         |
|                                               |                             |                                                              |          |                     |                          |                   |                   |                                      |             |                                                                                                                                                                                           |                  | 7.50               |          |        |           |        |         |
|                                               |                             |                                                              |          |                     |                          |                   |                   |                                      |             |                                                                                                                                                                                           |                  | 8.00               |          |        |           |        |         |
|                                               |                             |                                                              |          |                     |                          |                   |                   |                                      |             |                                                                                                                                                                                           |                  | 8.50               |          |        |           |        |         |
|                                               |                             |                                                              |          |                     |                          |                   |                   |                                      |             |                                                                                                                                                                                           |                  | 9.00               |          |        |           |        |         |
|                                               |                             |                                                              |          |                     |                          |                   |                   |                                      |             |                                                                                                                                                                                           |                  | 9.50               |          |        |           |        |         |
|                                               |                             |                                                              |          |                     |                          |                   |                   |                                      |             |                                                                                                                                                                                           |                  | 10.00              |          |        |           |        |         |
| Drilling Flush                                |                             |                                                              |          |                     | Hole Diameter            |                   | Casing Diameter   |                                      | Water Added |                                                                                                                                                                                           | Water Strikes    |                    |          |        |           |        |         |
| Depth Top                                     | Depth Base                  | Type                                                         | Colour   | Returns             | Depth Base               | Diameter          | Depth Base        | Diameter                             | Depth Top   | Depth Base                                                                                                                                                                                | Date and Time    | Casing             | Strike   | Sealed | Rising to | Time   | Remarks |
| 0.00                                          | 15.00                       | Air                                                          | Grey     | 100%                | 15.00                    | 115mm             | 6.00              | 115mm                                |             |                                                                                                                                                                                           | 16/11/2022 14:20 | 6.00               | 13.00    |        | 13.00     | 20mins |         |
| Drill Bit Type                                |                             | DTH Hammer                                                   |          | Drill Bit Condition |                          | Good              |                   | Core Barrel Type                     |             | None                                                                                                                                                                                      |                  | Core Barrel Length |          | 1.00   |           |        |         |
| Remarks<br>Rotary open hole from GL to 15.00m |                             |                                                              |          |                     |                          |                   |                   |                                      |             |                                                                                                                                                                                           |                  |                    |          |        |           |        |         |
| Printed 16/03/2023 13:21                      |                             |                                                              |          |                     |                          |                   |                   |                                      |             |                                                                                                                                                                                           |                  |                    |          |        |           |        |         |






| Exploratory Hole Progress by Time    |               |              |             | Exploratory Hole |      |
|--------------------------------------|---------------|--------------|-------------|------------------|------|
| Date and Time                        | Depth         | Casing Depth | Water Depth | SOP003.5         |      |
| 17/11/2022 08:00<br>17/11/2022 12:30 | 0.00<br>15.00 | 6.00         | Dry         |                  |      |
|                                      |               |              |             | Sheet 1 of 2     |      |
|                                      |               |              |             | Scale            | 1:50 |
|                                      |               |              |             | Drilled          | LG   |
|                                      |               |              |             | Logged           | LG   |
|                                      |               |              |             | Checked          | AP   |


| Drilling Flush |            |            |        |         | Hole Diameter       |          | Casing Diameter |          | Water Added      |            | Water Strikes |        |                    |        |           |      |         |
|----------------|------------|------------|--------|---------|---------------------|----------|-----------------|----------|------------------|------------|---------------|--------|--------------------|--------|-----------|------|---------|
| Depth Top      | Depth Base | Type       | Colour | Returns | Depth Base          | Diameter | Depth Base      | Diameter | Depth Top        | Depth Base | Date and Time | Casing | Strike             | Sealed | Rising to | Time | Remarks |
| 0.00           | 10.00      | Air        | Grey   | 100%    | 15.00               | 115mm    | 6.00            | 115mm    |                  |            |               |        |                    |        |           |      |         |
| 10.00          | 11.50      | Air        | None   | 0%      |                     |          |                 |          |                  |            |               |        |                    |        |           |      |         |
| 11.50          | 15.00      | Air        | Grey   | 100%    |                     |          |                 |          |                  |            |               |        |                    |        |           |      |         |
| Drill Bit Type |            | DTH Hammer |        |         | Drill Bit Condition |          | Good            |          | Core Barrel Type |            | None          |        | Core Barrel Length |        | 1.00      |      |         |

Printed 16/03/2023 13:21


|                                                                                            |                             |                                                              |        |          |                         |                   |                          |                                   |                  |                                                                                                                         |               |                           |                    |          |               |      |                 |  |             |  |               |  |  |  |  |  |
|--------------------------------------------------------------------------------------------|-----------------------------|--------------------------------------------------------------|--------|----------|-------------------------|-------------------|--------------------------|-----------------------------------|------------------|-------------------------------------------------------------------------------------------------------------------------|---------------|---------------------------|--------------------|----------|---------------|------|-----------------|--|-------------|--|---------------|--|--|--|--|--|
| <div></div> |                             | DYNAMIC SAMPLING AND<br>ROTARY DRILLING EXPLORATORY HOLE LOG |        |          |                         |                   |                          | Exploratory Hole Progress by Time |                  |                                                                                                                         |               | Exploratory Hole          |                    |          |               |      |                 |  |             |  |               |  |  |  |  |  |
|                                                                                            |                             |                                                              |        |          |                         |                   |                          | Date and Time                     |                  | Depth                                                                                                                   | Casing Depth  | Water Depth               | SOP003.5           |          |               |      |                 |  |             |  |               |  |  |  |  |  |
|                                                                                            |                             |                                                              |        |          |                         |                   |                          |                                   |                  |                                                                                                                         |               |                           |                    |          |               |      |                 |  |             |  |               |  |  |  |  |  |
|                                                                                            |                             |                                                              |        |          |                         |                   |                          |                                   |                  |                                                                                                                         |               |                           |                    |          |               |      |                 |  |             |  |               |  |  |  |  |  |
| Project                                                                                    |                             | Global Centre of Rail Excellence                             |        |          | Equipment               |                   | Comacchio 205            |                                   |                  | Sheet 2 of 2                                                                                                            |               |                           |                    |          |               |      |                 |  |             |  |               |  |  |  |  |  |
| Client                                                                                     |                             | Walters UK Limited                                           |        |          | Method                  |                   | RO                       |                                   |                  | Scale                                                                                                                   | 1:50          |                           |                    |          |               |      |                 |  |             |  |               |  |  |  |  |  |
| Project No                                                                                 |                             | G22069                                                       |        | Level    | 238.74 mAOD             |                   | Inclination              |                                   | 90 degrees       |                                                                                                                         | Drilled       | LG                        |                    |          |               |      |                 |  |             |  |               |  |  |  |  |  |
| Easting                                                                                    |                             | 284914.67                                                    |        | Northing | 210568.92               |                   | SPT Hammer Serial Number |                                   |                  |                                                                                                                         | Logged        | LG                        |                    |          |               |      |                 |  |             |  |               |  |  |  |  |  |
| Termination Reason                                                                         |                             | Terminated due to Atkins instruction                         |        |          | SPT Hammer Energy Ratio |                   |                          |                                   | %                |                                                                                                                         | Checked       | AP                        |                    |          |               |      |                 |  |             |  |               |  |  |  |  |  |
| Samples                                                                                    | Sampling and Testing Depths | Insitu Testing and Depth Related Remarks                     |        |          | Drill Runs              | TCR<br>SCR<br>RQD | Depth<br>(Thickness)     | Level<br>(mAOD)                   | Legend           | Description                                                                                                             |               | If<br>(min<br>ave<br>max) | Scale              | Backfill |               |      |                 |  |             |  |               |  |  |  |  |  |
|                                                                                            | 11.50                       | PID: 0.0ppmv                                                 |        |          | RO<br>10.00 -<br>11.50  | 0%<br>0%<br>0%    | (1.50)                   | 227.24                            |                  | VOID.                                                                                                                   |               |                           |                    |          |               |      |                 |  |             |  |               |  |  |  |  |  |
|                                                                                            |                             |                                                              |        |          | RO<br>11.50 -<br>13.00  | 0%<br>0%<br>0%    | (3.50)                   | 223.74                            |                  | NO RECOVERY. Hard grey MUDSTONE (Driller's description). (SOUTH WALES LOWER COAL MEASURES FORMATION) Geology Code: SWCM |               |                           |                    |          |               |      |                 |  |             |  |               |  |  |  |  |  |
|                                                                                            |                             |                                                              |        |          | RO<br>13.00 -<br>15.00  | 0%<br>0%<br>0%    |                          |                                   |                  | End of Exploratory Hole at 15.00m                                                                                       |               |                           |                    |          |               |      |                 |  |             |  |               |  |  |  |  |  |
| Drilling Flush                                                                             |                             |                                                              |        |          |                         |                   |                          |                                   |                  |                                                                                                                         |               |                           |                    |          | Hole Diameter |      | Casing Diameter |  | Water Added |  | Water Strikes |  |  |  |  |  |
| Depth Top                                                                                  | Depth Base                  | Type                                                         | Colour | Returns  | Depth Base              | Diameter          | Depth Base               | Diameter                          | Depth Top        | Depth Base                                                                                                              | Date and Time | Casing                    | Strike             | Sealed   | Rising to     | Time | Remarks         |  |             |  |               |  |  |  |  |  |
| 0.00                                                                                       | 10.00                       | Air                                                          | Grey   | 100%     | 15.00                   | 115mm             | 6.00                     | 115mm                             |                  |                                                                                                                         |               |                           |                    |          |               |      |                 |  |             |  |               |  |  |  |  |  |
| 10.00                                                                                      | 11.50                       | Air                                                          | None   | 0%       |                         |                   |                          |                                   |                  |                                                                                                                         |               |                           |                    |          |               |      |                 |  |             |  |               |  |  |  |  |  |
| 11.50                                                                                      | 15.00                       | Air                                                          | Grey   | 100%     |                         |                   |                          |                                   |                  |                                                                                                                         |               |                           |                    |          |               |      |                 |  |             |  |               |  |  |  |  |  |
| Drill Bit Type                                                                             |                             | DTH Hammer                                                   |        |          | Drill Bit Condition     |                   | Good                     |                                   | Core Barrel Type |                                                                                                                         | None          |                           | Core Barrel Length |          | 1.00          |      |                 |  |             |  |               |  |  |  |  |  |
| Remarks                                                                                    |                             |                                                              |        |          |                         |                   |                          |                                   |                  |                                                                                                                         |               |                           |                    |          |               |      |                 |  |             |  |               |  |  |  |  |  |
| Rotary open hole from GL to 15.00m                                                         |                             |                                                              |        |          |                         |                   |                          |                                   |                  |                                                                                                                         |               |                           |                    |          |               |      |                 |  |             |  |               |  |  |  |  |  |
| Printed 16/03/2023 13:21                                                                   |                             |                                                              |        |          |                         |                   |                          |                                   |                  |                                                                                                                         |               |                           |                    |          |               |      |                 |  |             |  |               |  |  |  |  |  |







|                                                                                            |                             |                                                                          |                                          |                     |               |                         |                        |                          |                      |                                   |               |                    |                                                                                                                                     |                           |           |                  |         |
|--------------------------------------------------------------------------------------------|-----------------------------|--------------------------------------------------------------------------|------------------------------------------|---------------------|---------------|-------------------------|------------------------|--------------------------|----------------------|-----------------------------------|---------------|--------------------|-------------------------------------------------------------------------------------------------------------------------------------|---------------------------|-----------|------------------|---------|
| <div></div> |                             | <div>DYNAMIC SAMPLING AND<br/>ROTARY DRILLING EXPLORATORY HOLE LOG</div> |                                          |                     |               |                         |                        |                          |                      | Exploratory Hole Progress by Time |               |                    |                                                                                                                                     |                           |           | Exploratory Hole |         |
|                                                                                            |                             |                                                                          |                                          |                     |               |                         |                        |                          |                      | Date and Time                     |               | Depth              | Casing Depth                                                                                                                        | Water Depth               | SOP003.7  |                  |         |
|                                                                                            |                             |                                                                          |                                          |                     |               |                         |                        |                          |                      |                                   |               |                    |                                                                                                                                     |                           |           |                  |         |
|                                                                                            |                             |                                                                          |                                          |                     |               |                         |                        |                          |                      |                                   |               |                    |                                                                                                                                     |                           |           |                  |         |
| Project                                                                                    |                             | Global Centre of Rail Excellence                                         |                                          |                     |               | Equipment               |                        | Comacchio 205            |                      |                                   |               | Sheet 2 of 2       |                                                                                                                                     |                           |           |                  |         |
| Client                                                                                     |                             | Walters UK Limited                                                       |                                          |                     |               | Method                  |                        | RO                       |                      |                                   |               | Scale              | 1:50                                                                                                                                |                           |           |                  |         |
| Project No                                                                                 |                             | G22069                                                                   |                                          | Level               |               | 239.01 mAOD             |                        | Inclination              |                      | 90 degrees                        |               | Drilled            | LG                                                                                                                                  |                           |           |                  |         |
| Easting                                                                                    |                             | 284922.28                                                                |                                          | Northing            |               | 210557.77               |                        | SPT Hammer Serial Number |                      |                                   |               | Logged             | LG                                                                                                                                  |                           |           |                  |         |
| Termination Reason                                                                         |                             | Terminated due to Atkins instruction                                     |                                          |                     |               | SPT Hammer Energy Ratio |                        | %                        |                      |                                   |               | Checked            | AP                                                                                                                                  |                           |           |                  |         |
| Samples                                                                                    | Sampling and Testing Depths |                                                                          | Insitu Testing and Depth Related Remarks |                     |               |                         | Drill Runs             | TCR<br>SCR<br>RQD        | Depth<br>(Thickness) | Level<br>(mAOD)                   | Legend        | Description        |                                                                                                                                     | If<br>(min<br>ave<br>max) | Scale     | Backfill         |         |
|                                                                                            |                             |                                                                          |                                          |                     |               |                         | RO<br>10.00 -<br>11.50 | 0%<br>0%<br>0%           | (9.00)               |                                   |               |                    | NO RECOVERY. Moderately strong grey MUDSTONE<br>(Driller's description).<br>(SOUTH WALES LOWER COAL MEASURES)<br>Geology Code: SWCM |                           | 10.50     |                  |         |
|                                                                                            |                             |                                                                          |                                          |                     |               |                         |                        |                          |                      |                                   |               |                    |                                                                                                                                     |                           | 11.00     |                  |         |
|                                                                                            |                             |                                                                          |                                          |                     |               |                         |                        |                          |                      |                                   |               |                    |                                                                                                                                     |                           | 11.50     |                  |         |
|                                                                                            |                             |                                                                          |                                          |                     |               |                         | RO<br>11.50 -<br>13.00 | 0%<br>0%<br>0%           |                      |                                   |               |                    |                                                                                                                                     |                           | 12.00     |                  |         |
|                                                                                            |                             |                                                                          |                                          |                     |               |                         |                        |                          |                      |                                   |               |                    |                                                                                                                                     |                           | 12.50     |                  |         |
|                                                                                            |                             |                                                                          |                                          |                     |               |                         |                        |                          |                      |                                   |               |                    |                                                                                                                                     |                           | 13.00     |                  |         |
|                                                                                            |                             |                                                                          |                                          |                     |               |                         |                        |                          |                      |                                   |               |                    |                                                                                                                                     |                           | 13.50     |                  |         |
|                                                                                            |                             |                                                                          |                                          |                     |               |                         | RO<br>13.00 -<br>15.00 | 0%<br>0%<br>0%           |                      |                                   |               |                    |                                                                                                                                     |                           | 14.00     |                  |         |
|                                                                                            |                             |                                                                          |                                          |                     |               |                         |                        |                          |                      |                                   |               |                    |                                                                                                                                     |                           | 14.50     |                  |         |
|                                                                                            |                             |                                                                          |                                          |                     |               |                         |                        |                          |                      | 224.01                            |               |                    | End of Exploratory Hole at 15.00m                                                                                                   |                           | 15.00     |                  |         |
|                                                                                            |                             |                                                                          |                                          |                     |               |                         |                        |                          |                      |                                   |               |                    |                                                                                                                                     |                           | 15.50     |                  |         |
|                                                                                            |                             |                                                                          |                                          |                     |               |                         |                        |                          |                      |                                   |               |                    |                                                                                                                                     |                           | 16.00     |                  |         |
|                                                                                            |                             |                                                                          |                                          |                     |               |                         |                        |                          |                      |                                   |               |                    |                                                                                                                                     |                           | 16.50     |                  |         |
|                                                                                            |                             |                                                                          |                                          |                     |               |                         |                        |                          |                      |                                   |               |                    |                                                                                                                                     |                           | 17.00     |                  |         |
|                                                                                            |                             |                                                                          |                                          |                     |               |                         |                        |                          |                      |                                   |               |                    |                                                                                                                                     |                           | 17.50     |                  |         |
|                                                                                            |                             |                                                                          |                                          |                     |               |                         |                        |                          |                      |                                   |               |                    |                                                                                                                                     |                           | 18.00     |                  |         |
|                                                                                            |                             |                                                                          |                                          |                     |               |                         |                        |                          |                      |                                   |               |                    |                                                                                                                                     |                           | 18.50     |                  |         |
|                                                                                            |                             |                                                                          |                                          |                     |               |                         |                        |                          |                      |                                   |               |                    |                                                                                                                                     |                           | 19.00     |                  |         |
|                                                                                            |                             |                                                                          |                                          |                     |               |                         |                        |                          |                      |                                   |               |                    |                                                                                                                                     |                           | 19.50     |                  |         |
|                                                                                            |                             |                                                                          |                                          |                     |               |                         |                        |                          |                      |                                   |               |                    |                                                                                                                                     |                           | 20.00     |                  |         |
| Drilling Flush                                                                             |                             |                                                                          |                                          |                     | Hole Diameter |                         | Casing Diameter        |                          | Water Added          |                                   | Water Strikes |                    |                                                                                                                                     |                           |           |                  |         |
| Depth Top                                                                                  | Depth Base                  | Type                                                                     | Colour                                   | Returns             | Depth Base    | Diameter                | Depth Base             | Diameter                 | Depth Top            | Depth Base                        | Date and Time | Casing             | Strike                                                                                                                              | Sealed                    | Rising to | Time             | Remarks |
| 0.00                                                                                       | 15.00                       | Air                                                                      | Grey                                     | 100%                | 15.00         | 115mm                   | 6.00                   | 115mm                    |                      |                                   |               |                    |                                                                                                                                     |                           |           |                  |         |
| Drill Bit Type                                                                             |                             | DTH Hammer                                                               |                                          | Drill Bit Condition |               | Good                    |                        | Core Barrel Type         |                      | None                              |               | Core Barrel Length |                                                                                                                                     | 1.00                      |           |                  |         |
| Remarks<br>Rotary open hole from GL to 15.00m                                              |                             |                                                                          |                                          |                     |               |                         |                        |                          |                      |                                   |               |                    |                                                                                                                                     |                           |           |                  |         |
| Printed 16/03/2023 13:21                                                                   |                             |                                                                          |                                          |                     |               |                         |                        |                          |                      |                                   |               |                    |                                                                                                                                     |                           |           |                  |         |






|                                    |                                  |                                                              |             |                          |                         |                      |                 |                                      |                                                                                                                                                                            |                           |                                                              |                    |          |        |           |      |         |
|------------------------------------|----------------------------------|--------------------------------------------------------------|-------------|--------------------------|-------------------------|----------------------|-----------------|--------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|--------------------------------------------------------------|--------------------|----------|--------|-----------|------|---------|
| <div></div>                        |                                  | DYNAMIC SAMPLING AND<br>ROTARY DRILLING EXPLORATORY HOLE LOG |             |                          |                         |                      |                 | Exploratory Hole Progress by Time    |                                                                                                                                                                            |                           |                                                              | Exploratory Hole   |          |        |           |      |         |
|                                    |                                  |                                                              |             |                          |                         |                      |                 | Date and Time                        |                                                                                                                                                                            | Depth                     | Casing Depth                                                 | Water Depth        | SOP003.9 |        |           |      |         |
|                                    |                                  |                                                              |             |                          |                         |                      |                 | 21/11/2022 13:30<br>21/11/2022 16:00 |                                                                                                                                                                            | 0.00<br>15.00             | 6.00                                                         | Dry                |          |        |           |      |         |
|                                    |                                  |                                                              |             |                          |                         |                      |                 |                                      |                                                                                                                                                                            |                           |                                                              |                    |          |        |           |      |         |
| Project                            | Global Centre of Rail Excellence |                                                              |             | Equipment                | Comacchio 205           |                      |                 |                                      |                                                                                                                                                                            | Sheet 1 of 2              |                                                              |                    |          |        |           |      |         |
| Client                             | Walters UK Limited               |                                                              |             | Method                   | RO                      |                      |                 |                                      |                                                                                                                                                                            | Scale                     | 1:50                                                         |                    |          |        |           |      |         |
| Project No                         | G22069                           | Level                                                        | 239.14 mAOD | Inclination              |                         | 90 degrees           |                 |                                      |                                                                                                                                                                            | Drilled                   | LG                                                           |                    |          |        |           |      |         |
| Easting                            | 284924.48                        | Northing                                                     | 210548.59   | SPT Hammer Serial Number |                         |                      |                 |                                      |                                                                                                                                                                            | Logged                    | LG                                                           |                    |          |        |           |      |         |
| Termination Reason                 |                                  | Terminated due to Atkins instruction                         |             |                          | SPT Hammer Energy Ratio |                      | %               |                                      | Checked                                                                                                                                                                    |                           | AP                                                           |                    |          |        |           |      |         |
| Samples                            | Sampling and Testing Depths      | Insitu Testing and Depth Related Remarks                     |             | Drill Runs               | TCR<br>SCR<br>RQD       | Depth<br>(Thickness) | Level<br>(mAOD) | Legend                               | Description                                                                                                                                                                | If<br>(min<br>ave<br>max) | Scale                                                        | Backfill           |          |        |           |      |         |
|                                    | 1.00                             | PID: 0.0ppmv                                                 |             | RO<br>0.00 - 1.00        | 0%<br>0%<br>0%          | 0.00                 |                 |                                      | NO RECOVERY. Black mining fill (Driller's description).<br>(MADE GROUND)<br>Geology Code: MGR 2nd Geology Code: GR                                                         |                           | 0.50<br>1.00<br>1.50<br>2.00<br>2.50<br>3.00<br>3.50         |                    |          |        |           |      |         |
|                                    | 2.00                             | PID: 0.0ppmv                                                 |             | RO<br>1.00 - 2.00        | 0%<br>0%<br>0%          |                      |                 |                                      |                                                                                                                                                                            |                           |                                                              |                    |          |        |           |      |         |
|                                    | 3.00                             | PID: 0.0ppmv                                                 |             | RO<br>2.00 - 3.00        | 0%<br>0%<br>0%          |                      |                 |                                      |                                                                                                                                                                            |                           |                                                              |                    |          |        |           |      |         |
|                                    | 4.00                             | PID: 0.0ppmv                                                 |             | RO<br>3.00 - 4.00        | 0%<br>0%<br>0%          |                      |                 |                                      |                                                                                                                                                                            |                           |                                                              |                    |          |        |           |      |         |
|                                    | 4.00                             | PID: 0.0ppmv                                                 |             | RO<br>4.00 - 5.00        | 0%<br>0%<br>0%          | 4.00                 | 235.14          |                                      | NO RECOVERY. Soft brown silty gravelly CLAY<br>(Driller's description).<br>(Probable weathered SOUTH WALES LOWER COAL MEASURES)<br>Geology Code: SWCM 2nd Geology Code: CL |                           | 4.00<br>4.50<br>5.00<br>5.50                                 |                    |          |        |           |      |         |
|                                    | 5.00                             | PID: 0.0ppmv                                                 |             | RO<br>5.00 - 6.00        | 0%<br>0%<br>0%          | (2.00)               |                 |                                      |                                                                                                                                                                            |                           |                                                              |                    |          |        |           |      |         |
|                                    | 6.00                             | PID: 0.0ppmv                                                 |             | RO<br>6.00 - 7.00        | 0%<br>0%<br>0%          | 6.00                 | 233.14          |                                      | NO RECOVERY. Hard grey MUDSTONE (Driller's description).<br>(SOUTH WALES LOWER COAL MEASURES FORMATION)<br>Geology Code: SWCM                                              |                           | 6.00<br>6.50<br>7.00<br>7.50<br>8.00<br>8.50<br>9.00<br>9.50 |                    |          |        |           |      |         |
|                                    | 7.00                             | PID: 0.0ppmv                                                 |             | RO<br>7.00 - 8.00        | 0%<br>0%<br>0%          | (4.60)               |                 |                                      |                                                                                                                                                                            |                           |                                                              |                    |          |        |           |      |         |
|                                    | 8.00                             | PID: 0.0ppmv                                                 |             | RO<br>8.00 - 9.00        | 0%<br>0%<br>0%          |                      |                 |                                      |                                                                                                                                                                            |                           |                                                              |                    |          |        |           |      |         |
|                                    | 9.00                             | PID: 0.0ppmv                                                 |             | RO<br>9.00 - 10.00       | 0%<br>0%<br>0%          |                      |                 |                                      |                                                                                                                                                                            |                           |                                                              |                    |          |        |           |      |         |
|                                    | 10.00                            | PID: 0.0ppmv                                                 |             |                          |                         |                      |                 |                                      | Continued on next Sheet                                                                                                                                                    |                           | 10.00                                                        |                    |          |        |           |      |         |
| Drilling Flush                     |                                  |                                                              |             |                          | Hole Diameter           |                      | Casing Diameter |                                      | Water Added                                                                                                                                                                |                           | Water Strikes                                                |                    |          |        |           |      |         |
| Depth Top                          | Depth Base                       | Type                                                         | Colour      | Returns                  | Depth Base              | Diameter             | Depth Base      | Diameter                             | Depth Top                                                                                                                                                                  | Depth Base                | Date and Time                                                | Casing             | Strike   | Sealed | Rising to | Time | Remarks |
| 0.00                               | 10.60                            | Air                                                          | Grey        | 100%                     | 15.00                   | 115mm                | 15.00           | 115mm                                |                                                                                                                                                                            |                           |                                                              |                    |          |        |           |      |         |
| 10.60                              | 12.20                            | Air                                                          | None        | 0%                       |                         |                      |                 |                                      |                                                                                                                                                                            |                           |                                                              |                    |          |        |           |      |         |
| 12.20                              | 15.00                            | Air                                                          | Grey        | 100%                     |                         |                      |                 |                                      |                                                                                                                                                                            |                           |                                                              |                    |          |        |           |      |         |
| Drill Bit Type                     |                                  | DTH Hammer                                                   |             | Drill Bit Condition      |                         | Good                 |                 | Core Barrel Type                     |                                                                                                                                                                            | None                      |                                                              | Core Barrel Length |          | 1.00   |           |      |         |
| Remarks                            |                                  |                                                              |             |                          |                         |                      |                 |                                      |                                                                                                                                                                            |                           |                                                              |                    |          |        |           |      |         |
| Rotary open hole from GL to 15.00m |                                  |                                                              |             |                          |                         |                      |                 |                                      |                                                                                                                                                                            |                           |                                                              |                    |          |        |           |      |         |
| Printed 16/03/2023 13:21           |                                  |                                                              |             |                          |                         |                      |                 |                                      |                                                                                                                                                                            |                           |                                                              |                    |          |        |           |      |         |


|                                                                                            |                             |                                                                          |                                          |                     |                         |                |                          |                      |                 |            |                                                                                                                                          |                                   |                           |                                  |              |                |          |        |                                   |  |               |       |
|--------------------------------------------------------------------------------------------|-----------------------------|--------------------------------------------------------------------------|------------------------------------------|---------------------|-------------------------|----------------|--------------------------|----------------------|-----------------|------------|------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|---------------------------|----------------------------------|--------------|----------------|----------|--------|-----------------------------------|--|---------------|-------|
| <div></div> |                             | <div>DYNAMIC SAMPLING AND<br/>ROTARY DRILLING EXPLORATORY HOLE LOG</div> |                                          |                     |                         |                |                          |                      |                 |            |                                                                                                                                          | Exploratory Hole Progress by Time |                           |                                  |              |                |          |        | Exploratory Hole                  |  |               |       |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                |                          |                      |                 |            |                                                                                                                                          | Date and Time                     |                           | Depth                            | Casing Depth | Water Depth    | SOP003.9 |        |                                   |  |               |       |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                |                          |                      |                 |            |                                                                                                                                          |                                   |                           |                                  |              |                |          |        |                                   |  |               |       |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                |                          |                      |                 |            |                                                                                                                                          |                                   |                           |                                  |              |                |          |        |                                   |  |               |       |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                |                          |                      |                 |            |                                                                                                                                          | Project                           |                           | Global Centre of Rail Excellence |              |                |          |        | Equipment                         |  | Comacchio 205 |       |
| Client                                                                                     |                             | Walters UK Limited                                                       |                                          |                     | Method                  |                | RO                       |                      |                 | Scale      | 1:50                                                                                                                                     |                                   |                           |                                  |              |                |          |        |                                   |  |               |       |
| Project No                                                                                 |                             | G22069                                                                   |                                          | Level               | 239.14 mAOD             |                | Inclination              |                      | 90 degrees      |            | Drilled                                                                                                                                  | LG                                |                           |                                  |              |                |          |        |                                   |  |               |       |
| Easting                                                                                    |                             | 284924.48                                                                |                                          | Northing            | 210548.59               |                | SPT Hammer Serial Number |                      |                 |            | Logged                                                                                                                                   | LG                                |                           |                                  |              |                |          |        |                                   |  |               |       |
| Termination Reason                                                                         |                             | Terminated due to Atkins instruction                                     |                                          |                     | SPT Hammer Energy Ratio |                | %                        |                      |                 |            | Checked                                                                                                                                  | AP                                |                           |                                  |              |                |          |        |                                   |  |               |       |
| Samples                                                                                    | Sampling and Testing Depths |                                                                          | Insitu Testing and Depth Related Remarks |                     |                         | Drill Runs     | TCR<br>SCR<br>RQD        | Depth<br>(Thickness) | Level<br>(mAOD) | Legend     | Description                                                                                                                              |                                   | If<br>(min<br>ave<br>max) | Scale                            | Backfill     |                |          |        |                                   |  |               |       |
|                                                                                            | 13.00                       | PID: 0.0ppmv                                                             |                                          |                     | RO<br>10.00 -<br>11.50  | 0%<br>0%<br>0% | 10.60                    | 228.54               |                 |            | NO RECOVERY. Hard grey MUDSTONE (Driller's description).<br>(SOUTH WALES LOWER COAL MEASURES FORMATION)<br>Geology Code: SWCM<br>VOID.   |                                   |                           | 10.50                            |              |                |          |        |                                   |  |               |       |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                |                          |                      |                 |            |                                                                                                                                          |                                   |                           |                                  |              | 11.00          |          |        |                                   |  |               |       |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                |                          |                      |                 |            |                                                                                                                                          |                                   |                           |                                  |              | 11.50          |          |        |                                   |  |               |       |
|                                                                                            |                             |                                                                          |                                          |                     | RO<br>11.50 -<br>13.00  | 0%<br>0%<br>0% | 12.20                    | 226.94               |                 |            | NO RECOVERY. Moderately hard grey MUDSTONE (Driller's description).<br>(SOUTH WALES LOWER COAL MEASURES FORMATION)<br>Geology Code: SWCM |                                   |                           | 12.00                            |              |                |          |        |                                   |  |               |       |
|                                                                                            | 15.00                       | PID: 0.0ppmv                                                             |                                          |                     |                         |                | (2.80)                   |                      |                 |            |                                                                                                                                          |                                   |                           | 12.50                            |              |                |          |        |                                   |  |               |       |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                |                          |                      |                 |            |                                                                                                                                          |                                   |                           |                                  |              |                |          |        |                                   |  |               | 13.00 |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                |                          |                      |                 |            |                                                                                                                                          |                                   |                           |                                  |              |                |          |        |                                   |  |               | 13.50 |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                |                          |                      |                 |            |                                                                                                                                          |                                   |                           | RO<br>13.00 -<br>15.00           |              | 0%<br>0%<br>0% |          | 224.14 | End of Exploratory Hole at 15.00m |  | 14.00         |       |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                |                          |                      |                 |            |                                                                                                                                          |                                   |                           | 14.50                            |              |                |          |        |                                   |  |               |       |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                |                          |                      |                 |            |                                                                                                                                          |                                   |                           | 15.00                            |              |                |          |        |                                   |  |               |       |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                |                          |                      |                 |            |                                                                                                                                          |                                   |                           | 15.50                            |              |                |          |        |                                   |  |               |       |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                |                          |                      |                 |            |                                                                                                                                          |                                   |                           | 16.00                            |              |                |          |        |                                   |  |               |       |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                |                          |                      |                 |            |                                                                                                                                          |                                   |                           | 16.50                            |              |                |          |        |                                   |  |               |       |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                |                          |                      |                 |            |                                                                                                                                          |                                   |                           | 17.00                            |              |                |          |        |                                   |  |               |       |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                |                          |                      |                 |            |                                                                                                                                          |                                   |                           | 17.50                            |              |                |          |        |                                   |  |               |       |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                |                          |                      |                 |            |                                                                                                                                          |                                   |                           | 18.00                            |              |                |          |        |                                   |  |               |       |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                |                          |                      |                 |            |                                                                                                                                          |                                   |                           | 18.50                            |              |                |          |        |                                   |  |               |       |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                |                          |                      |                 |            |                                                                                                                                          |                                   |                           | 19.00                            |              |                |          |        |                                   |  |               |       |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                |                          |                      |                 |            |                                                                                                                                          |                                   |                           | 19.50                            |              |                |          |        |                                   |  |               |       |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                |                          |                      |                 |            |                                                                                                                                          |                                   |                           | 20.00                            |              |                |          |        |                                   |  |               |       |
| Drilling Flush                                                                             |                             |                                                                          |                                          |                     | Hole Diameter           |                | Casing Diameter          |                      | Water Added     |            | Water Strikes                                                                                                                            |                                   |                           |                                  |              |                |          |        |                                   |  |               |       |
| Depth Top                                                                                  | Depth Base                  | Type                                                                     | Colour                                   | Returns             | Depth Base              | Diameter       | Depth Base               | Diameter             | Depth Top       | Depth Base | Date and Time                                                                                                                            | Casing                            | Strike                    | Sealed                           | Rising to    | Time           | Remarks  |        |                                   |  |               |       |
| 0.00                                                                                       | 10.60                       | Air                                                                      | Grey                                     | 100%                | 15.00                   | 115mm          | 15.00                    | 115mm                |                 |            |                                                                                                                                          |                                   |                           |                                  |              |                |          |        |                                   |  |               |       |
| 10.60                                                                                      | 12.20                       | Air                                                                      | None                                     | 0%                  |                         |                |                          |                      |                 |            |                                                                                                                                          |                                   |                           |                                  |              |                |          |        |                                   |  |               |       |
| 12.20                                                                                      | 15.00                       | Air                                                                      | Grey                                     | 100%                |                         |                |                          |                      |                 |            |                                                                                                                                          |                                   |                           |                                  |              |                |          |        |                                   |  |               |       |
| Drill Bit Type                                                                             |                             | DTH Hammer                                                               |                                          | Drill Bit Condition |                         | Good           |                          | Core Barrel Type     |                 | None       |                                                                                                                                          | Core Barrel Length                |                           | 1.00                             |              |                |          |        |                                   |  |               |       |
| Remarks                                                                                    |                             |                                                                          |                                          |                     |                         |                |                          |                      |                 |            |                                                                                                                                          |                                   |                           |                                  |              |                |          |        |                                   |  |               |       |
| Rotary open hole from GL to 15.00m                                                         |                             |                                                                          |                                          |                     |                         |                |                          |                      |                 |            |                                                                                                                                          |                                   |                           |                                  |              |                |          |        |                                   |  |               |       |

Printed 16/03/2023 13:21



|                                                                                            |                             |                                                                          |        |                     |                         |                   |                          |                  |             |                                                                                                                                                                |               |                                  |              |                  |           |      |           |
|--------------------------------------------------------------------------------------------|-----------------------------|--------------------------------------------------------------------------|--------|---------------------|-------------------------|-------------------|--------------------------|------------------|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|----------------------------------|--------------|------------------|-----------|------|-----------|
| <div></div> |                             | <div>DYNAMIC SAMPLING AND<br/>ROTARY DRILLING EXPLORATORY HOLE LOG</div> |        |                     |                         |                   |                          |                  |             | Exploratory Hole Progress by Time                                                                                                                              |               |                                  |              | Exploratory Hole |           |      |           |
|                                                                                            |                             |                                                                          |        |                     |                         |                   |                          |                  |             | Date and Time                                                                                                                                                  |               | Depth                            | Casing Depth | Water Depth      | SOP003.10 |      |           |
|                                                                                            |                             |                                                                          |        |                     |                         |                   |                          |                  |             |                                                                                                                                                                |               |                                  |              |                  |           |      |           |
|                                                                                            |                             |                                                                          |        |                     |                         |                   |                          |                  |             |                                                                                                                                                                |               |                                  |              |                  |           |      |           |
|                                                                                            |                             |                                                                          |        |                     |                         |                   |                          |                  |             | Project                                                                                                                                                        |               | Global Centre of Rail Excellence |              |                  |           |      | Equipment |
| Client                                                                                     |                             | Walters UK Limited                                                       |        |                     | Method                  |                   | RO                       |                  |             | Scale                                                                                                                                                          | 1:50          |                                  |              |                  |           |      |           |
| Project No                                                                                 |                             | G22069                                                                   |        | Level               | 239.04 mAOD             |                   | Inclination              |                  | 90 degrees  |                                                                                                                                                                | Drilled       | LG                               |              |                  |           |      |           |
| Easting                                                                                    |                             | 284923.23                                                                |        | Northing            | 210547.66               |                   | SPT Hammer Serial Number |                  |             |                                                                                                                                                                | Logged        | LG                               |              |                  |           |      |           |
| Termination Reason                                                                         |                             | Terminated due to Atkins instruction                                     |        |                     | SPT Hammer Energy Ratio |                   | %                        |                  |             |                                                                                                                                                                | Checked       | AP                               |              |                  |           |      |           |
| Samples                                                                                    | Sampling and Testing Depths | Insitu Testing and Depth Related Remarks                                 |        |                     | Drill Runs              | TCR<br>SCR<br>RQD | Depth<br>(Thickness)     | Level<br>(mAOD)  | Legend      | Description                                                                                                                                                    |               | If<br>(min<br>ave<br>max)        | Scale        | Backfill         |           |      |           |
|                                                                                            | 11.50                       | PID: 0.0ppmv                                                             |        |                     | RO<br>10.00 -<br>11.50  | 0%<br>0%<br>0%    | (9.00)                   |                  |             | NO RECOVERY. Moderately hard to hard MUDSTONE (Driller's description). (SOUTH WALES LOWER COAL MEASURES FORMATION)<br>Geology Code: SWCM 2nd Geology Code: MST |               |                                  | 10.50        |                  |           |      |           |
|                                                                                            |                             |                                                                          |        |                     |                         |                   |                          |                  |             |                                                                                                                                                                |               | 11.00                            |              |                  |           |      |           |
|                                                                                            |                             |                                                                          |        |                     |                         |                   |                          |                  |             |                                                                                                                                                                |               | 11.50                            |              |                  |           |      |           |
|                                                                                            |                             |                                                                          |        |                     |                         |                   |                          |                  |             |                                                                                                                                                                |               | 12.00                            |              |                  |           |      |           |
|                                                                                            | 13.00                       | PID: 0.0ppmv                                                             |        |                     | RO<br>11.50 -<br>13.00  | 0%<br>0%<br>0%    |                          |                  |             |                                                                                                                                                                |               | 12.50                            |              |                  |           |      |           |
|                                                                                            |                             |                                                                          |        |                     |                         |                   |                          |                  |             |                                                                                                                                                                |               | 13.00                            |              |                  |           |      |           |
|                                                                                            |                             |                                                                          |        |                     |                         |                   |                          |                  |             |                                                                                                                                                                |               | 13.50                            |              |                  |           |      |           |
|                                                                                            | 14.50                       | PID: 0.0ppmv                                                             |        |                     | RO<br>13.00 -<br>15.00  | 0%<br>0%<br>0%    |                          |                  |             |                                                                                                                                                                |               | 14.00                            |              |                  |           |      |           |
|                                                                                            |                             |                                                                          |        |                     |                         |                   |                          |                  |             |                                                                                                                                                                |               | 14.50                            |              |                  |           |      |           |
|                                                                                            | 15.00                       | PID: 0.0ppmv                                                             |        |                     |                         |                   |                          | 224.04           |             | End of Exploratory Hole at 15.00m                                                                                                                              |               |                                  | 15.00        |                  |           |      |           |
|                                                                                            |                             |                                                                          |        |                     |                         |                   |                          |                  |             |                                                                                                                                                                |               | 15.50                            |              |                  |           |      |           |
|                                                                                            |                             |                                                                          |        |                     |                         |                   |                          |                  |             |                                                                                                                                                                |               | 16.00                            |              |                  |           |      |           |
|                                                                                            |                             |                                                                          |        |                     |                         |                   |                          |                  |             |                                                                                                                                                                |               | 16.50                            |              |                  |           |      |           |
|                                                                                            |                             |                                                                          |        |                     |                         |                   |                          |                  |             |                                                                                                                                                                |               | 17.00                            |              |                  |           |      |           |
|                                                                                            |                             |                                                                          |        |                     |                         |                   |                          |                  |             |                                                                                                                                                                |               | 17.50                            |              |                  |           |      |           |
|                                                                                            |                             |                                                                          |        |                     |                         |                   |                          |                  |             |                                                                                                                                                                |               | 18.00                            |              |                  |           |      |           |
|                                                                                            |                             |                                                                          |        |                     |                         |                   |                          |                  |             |                                                                                                                                                                |               | 18.50                            |              |                  |           |      |           |
|                                                                                            |                             |                                                                          |        |                     |                         |                   |                          |                  |             |                                                                                                                                                                |               | 19.00                            |              |                  |           |      |           |
|                                                                                            |                             |                                                                          |        |                     |                         |                   |                          |                  |             |                                                                                                                                                                |               | 19.50                            |              |                  |           |      |           |
|                                                                                            |                             |                                                                          |        |                     |                         |                   |                          |                  |             |                                                                                                                                                                |               | 20.00                            |              |                  |           |      |           |
| Drilling Flush                                                                             |                             |                                                                          |        |                     | Hole Diameter           |                   | Casing Diameter          |                  | Water Added |                                                                                                                                                                | Water Strikes |                                  |              |                  |           |      |           |
| Depth Top                                                                                  | Depth Base                  | Type                                                                     | Colour | Returns             | Depth Base              | Diameter          | Depth Base               | Diameter         | Depth Top   | Depth Base                                                                                                                                                     | Date and Time | Casing                           | Strike       | Sealed           | Rising to | Time | Remarks   |
| 15.00                                                                                      | 0.00                        | Air                                                                      | Grey   | 100%                | 15.00                   | 115mm             | 6.00                     | 115mm            |             |                                                                                                                                                                |               |                                  |              |                  |           |      |           |
| Drill Bit Type                                                                             |                             | DTH Hammer                                                               |        | Drill Bit Condition |                         | Good              |                          | Core Barrel Type |             | None                                                                                                                                                           |               | Core Barrel Length               |              | 1.00             |           |      |           |
| Remarks<br>Rotary open hole from GL to 15.00m                                              |                             |                                                                          |        |                     |                         |                   |                          |                  |             |                                                                                                                                                                |               |                                  |              |                  |           |      |           |

Printed 16/03/2023 13:21



|                                                                                            |                             |                                                              |        |          |                     |                         |                   |                          |                  |                                   |                                                                                                                                                     |              |                           |                  |           |      |         |
|--------------------------------------------------------------------------------------------|-----------------------------|--------------------------------------------------------------|--------|----------|---------------------|-------------------------|-------------------|--------------------------|------------------|-----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------------------|------------------|-----------|------|---------|
| <div></div> |                             | DYNAMIC SAMPLING AND<br>ROTARY DRILLING EXPLORATORY HOLE LOG |        |          |                     |                         |                   |                          |                  | Exploratory Hole Progress by Time |                                                                                                                                                     |              |                           | Exploratory Hole |           |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                   |                          |                  | Date and Time                     |                                                                                                                                                     | Depth        | Casing Depth              | Water Depth      | SOP003.11 |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                   |                          |                  |                                   |                                                                                                                                                     |              |                           |                  |           |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                   |                          |                  |                                   |                                                                                                                                                     |              |                           |                  |           |      |         |
| Project                                                                                    |                             | Global Centre of Rail Excellence                             |        |          |                     | Equipment               |                   | Comacchio 205            |                  |                                   |                                                                                                                                                     | Sheet 2 of 2 |                           |                  |           |      |         |
| Client                                                                                     |                             | Walters UK Limited                                           |        |          |                     | Method                  |                   | RO                       |                  |                                   |                                                                                                                                                     | Scale        | 1:50                      |                  |           |      |         |
| Project No                                                                                 |                             | G22069                                                       |        | Level    |                     | 239.16 mAOD             |                   | Inclination              |                  | 90 degrees                        |                                                                                                                                                     | Drilled      | LG                        |                  |           |      |         |
| Easting                                                                                    |                             | 284927.19                                                    |        | Northing |                     | 210551.12               |                   | SPT Hammer Serial Number |                  |                                   |                                                                                                                                                     | Logged       | LG                        |                  |           |      |         |
| Termination Reason                                                                         |                             | Terminated due to Atkins instruction                         |        |          |                     | SPT Hammer Energy Ratio |                   | %                        |                  |                                   |                                                                                                                                                     | Checked      | AP                        |                  |           |      |         |
| Samples                                                                                    | Sampling and Testing Depths | Insitu Testing and Depth Related Remarks                     |        |          |                     | Drill Runs              | TCR<br>SCR<br>RQD | Depth<br>(Thickness)     | Level<br>(mAOD)  | Legend                            | Description                                                                                                                                         |              | If<br>(min<br>ave<br>max) | Scale            | Backfill  |      |         |
|                                                                                            | 11.50                       | PID: 0.0ppmv                                                 |        |          |                     | RO<br>10.00 -<br>11.50  | 0%<br>0%<br>0%    | (9.00)                   |                  |                                   | NO RECOVERY. Hard grey MUDSTONE (Driller's description).<br>(SOUTH WALES LOWER COAL MEASURES FORMATION)<br>Geology Code: SWCM 2nd Geology Code: MST |              |                           | 10.50            |           |      |         |
|                                                                                            | 13.00                       | PID: 0.0ppmv                                                 |        |          |                     | RO<br>11.50 -<br>13.00  | 0%<br>0%<br>0%    |                          |                  |                                   |                                                                                                                                                     |              |                           | 11.00            |           |      |         |
|                                                                                            | 14.50                       | PID: 0.0ppmv                                                 |        |          |                     | RO<br>13.00 -<br>15.00  | 0%<br>0%<br>0%    |                          |                  |                                   |                                                                                                                                                     |              |                           | 11.50            |           |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                   |                          | 224.16           |                                   | End of Exploratory Hole at 15.00m                                                                                                                   |              |                           | 12.00            |           |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                   |                          |                  |                                   |                                                                                                                                                     |              |                           | 12.50            |           |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                   |                          |                  |                                   |                                                                                                                                                     |              |                           | 13.00            |           |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                   |                          |                  |                                   |                                                                                                                                                     |              |                           | 13.50            |           |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                   |                          |                  |                                   |                                                                                                                                                     |              |                           | 14.00            |           |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                   |                          |                  |                                   |                                                                                                                                                     |              |                           | 14.50            |           |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                   |                          |                  |                                   |                                                                                                                                                     |              |                           | 15.00            |           |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                   |                          |                  |                                   |                                                                                                                                                     |              |                           | 15.50            |           |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                   |                          |                  |                                   |                                                                                                                                                     |              |                           | 16.00            |           |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                   |                          |                  |                                   |                                                                                                                                                     |              |                           | 16.50            |           |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                   |                          |                  |                                   |                                                                                                                                                     |              |                           | 17.00            |           |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                   |                          |                  |                                   |                                                                                                                                                     |              |                           | 17.50            |           |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                   |                          |                  |                                   |                                                                                                                                                     |              |                           | 18.00            |           |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                   |                          |                  |                                   |                                                                                                                                                     |              |                           | 18.50            |           |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                   |                          |                  |                                   |                                                                                                                                                     |              |                           | 19.00            |           |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                   |                          |                  |                                   |                                                                                                                                                     |              |                           | 19.50            |           |      |         |
|                                                                                            |                             |                                                              |        |          |                     |                         |                   |                          |                  |                                   |                                                                                                                                                     |              |                           | 20.00            |           |      |         |
| Drilling Flush                                                                             |                             |                                                              |        |          | Hole Diameter       |                         | Casing Diameter   |                          | Water Added      |                                   | Water Strikes                                                                                                                                       |              |                           |                  |           |      |         |
| Depth Top                                                                                  | Depth Base                  | Type                                                         | Colour | Returns  | Depth Base          | Diameter                | Depth Base        | Diameter                 | Depth Top        | Depth Base                        | Date and Time                                                                                                                                       | Casing       | Strike                    | Sealed           | Rising to | Time | Remarks |
| 15.00                                                                                      | 0.00                        | Air                                                          | Grey   | 100%     | 15.00               | 115mm                   | 6.00              | 115mm                    |                  |                                   |                                                                                                                                                     |              |                           |                  |           |      |         |
| Drill Bit Type                                                                             |                             | DTH Hammer                                                   |        |          | Drill Bit Condition |                         | Good              |                          | Core Barrel Type |                                   | None                                                                                                                                                |              | Core Barrel Length        |                  | 1.00      |      |         |
| Remarks<br>Rotary open hole from GL to 15.00m                                              |                             |                                                              |        |          |                     |                         |                   |                          |                  |                                   |                                                                                                                                                     |              |                           |                  |           |      |         |
| Printed 16/03/2023 13:21                                                                   |                             |                                                              |        |          |                     |                         |                   |                          |                  |                                   |                                                                                                                                                     |              |                           |                  |           |      |         |

Printed 16/03/2023 13:21

|                                                                                            |                             |                                                                          |                                          |                     |                         |                        |                          |                      |                 |            |                                                                                                                                                     |                                   |                           |                                  |              |                  |           |  |
|--------------------------------------------------------------------------------------------|-----------------------------|--------------------------------------------------------------------------|------------------------------------------|---------------------|-------------------------|------------------------|--------------------------|----------------------|-----------------|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|---------------------------|----------------------------------|--------------|------------------|-----------|--|
| <div></div> |                             | <div>DYNAMIC SAMPLING AND<br/>ROTARY DRILLING EXPLORATORY HOLE LOG</div> |                                          |                     |                         |                        |                          |                      |                 |            |                                                                                                                                                     | Exploratory Hole Progress by Time |                           |                                  |              | Exploratory Hole |           |  |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                        |                          |                      |                 |            |                                                                                                                                                     | Date and Time                     |                           | Depth                            | Casing Depth | Water Depth      | SOP003.12 |  |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                        |                          |                      |                 |            |                                                                                                                                                     |                                   |                           |                                  |              |                  |           |  |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                        |                          |                      |                 |            |                                                                                                                                                     |                                   |                           |                                  |              |                  |           |  |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                        |                          |                      |                 |            |                                                                                                                                                     | Project                           |                           | Global Centre of Rail Excellence |              |                  |           |  |
| Client                                                                                     |                             | Walters UK Limited                                                       |                                          |                     | Method                  |                        | RO                       |                      |                 | Scale      | 1:50                                                                                                                                                |                                   |                           |                                  |              |                  |           |  |
| Project No                                                                                 |                             | G22069                                                                   |                                          | Level               | 238.86 mAOD             |                        | Inclination              |                      | 90 degrees      |            | Drilled                                                                                                                                             | LG                                |                           |                                  |              |                  |           |  |
| Easting                                                                                    |                             | 284930.58                                                                |                                          | Northing            | 210540.62               |                        | SPT Hammer Serial Number |                      |                 |            | Logged                                                                                                                                              | LG                                |                           |                                  |              |                  |           |  |
| Termination Reason                                                                         |                             | Terminated due to Atkins instruction                                     |                                          |                     | SPT Hammer Energy Ratio |                        | %                        |                      |                 |            | Checked                                                                                                                                             | AP                                |                           |                                  |              |                  |           |  |
| Samples                                                                                    | Sampling and Testing Depths |                                                                          | Insitu Testing and Depth Related Remarks |                     |                         | Drill Runs             | TCR<br>SCR<br>RQD        | Depth<br>(Thickness) | Level<br>(mAOD) | Legend     | Description                                                                                                                                         |                                   | If<br>(min<br>ave<br>max) | Scale                            | Backfill     |                  |           |  |
|                                                                                            | 11.50                       |                                                                          | PID: 0.0ppmv                             |                     |                         | RO<br>10.00 -<br>11.50 | 0%<br>0%<br>0%           | (9.00)               |                 |            | NO RECOVERY. Hard grey MUDSTONE (Driller's description).<br>(SOUTH WALES LOWER COAL MEASURES FORMATION)<br>Geology Code: SWCM 2nd Geology Code: MST |                                   |                           | 10.50                            |              |                  |           |  |
|                                                                                            | 13.00                       |                                                                          | PID: 0.0ppmv                             |                     |                         | RO<br>11.50 -<br>13.00 | 0%<br>0%<br>0%           |                      |                 |            |                                                                                                                                                     |                                   |                           | 11.00                            |              |                  |           |  |
|                                                                                            | 14.50                       |                                                                          | PID: 0.0ppmv                             |                     |                         | RO<br>13.00 -<br>15.00 | 0%<br>0%<br>0%           |                      |                 |            |                                                                                                                                                     |                                   |                           | 11.50                            |              |                  |           |  |
|                                                                                            | 15.00                       |                                                                          | PID: 0.0ppmv                             |                     |                         |                        |                          |                      | 223.86          |            | End of Exploratory Hole at 15.00m                                                                                                                   |                                   |                           | 12.00                            |              |                  |           |  |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                        |                          |                      |                 |            |                                                                                                                                                     |                                   |                           |                                  |              | 12.50            |           |  |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                        |                          |                      |                 |            |                                                                                                                                                     |                                   |                           |                                  |              | 13.00            |           |  |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                        |                          |                      |                 |            |                                                                                                                                                     |                                   |                           |                                  |              | 13.50            |           |  |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                        |                          |                      |                 |            |                                                                                                                                                     |                                   |                           |                                  |              | 14.00            |           |  |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                        |                          |                      |                 |            |                                                                                                                                                     |                                   |                           |                                  |              | 14.50            |           |  |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                        |                          |                      |                 |            |                                                                                                                                                     |                                   |                           |                                  |              | 15.00            |           |  |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                        |                          |                      |                 |            |                                                                                                                                                     |                                   |                           |                                  |              | 15.50            |           |  |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                        |                          |                      |                 |            |                                                                                                                                                     |                                   |                           |                                  |              | 16.00            |           |  |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                        |                          |                      |                 |            |                                                                                                                                                     |                                   |                           |                                  |              | 16.50            |           |  |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                        |                          |                      |                 |            |                                                                                                                                                     |                                   |                           |                                  |              | 17.00            |           |  |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                        |                          |                      |                 |            |                                                                                                                                                     |                                   |                           |                                  |              | 17.50            |           |  |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                        |                          |                      |                 |            |                                                                                                                                                     |                                   |                           |                                  |              | 18.00            |           |  |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                        |                          |                      |                 |            |                                                                                                                                                     |                                   |                           |                                  |              | 18.50            |           |  |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                        |                          |                      |                 |            |                                                                                                                                                     |                                   |                           |                                  |              | 19.00            |           |  |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                        |                          |                      |                 |            |                                                                                                                                                     |                                   |                           |                                  |              | 19.50            |           |  |
|                                                                                            |                             |                                                                          |                                          |                     |                         |                        |                          |                      |                 |            |                                                                                                                                                     |                                   |                           |                                  |              | 20.00            |           |  |
| Drilling Flush                                                                             |                             |                                                                          |                                          |                     | Hole Diameter           |                        | Casing Diameter          |                      | Water Added     |            | Water Strikes                                                                                                                                       |                                   |                           |                                  |              |                  |           |  |
| Depth Top                                                                                  | Depth Base                  | Type                                                                     | Colour                                   | Returns             | Depth Base              | Diameter               | Depth Base               | Diameter             | Depth Top       | Depth Base | Date and Time                                                                                                                                       | Casing                            | Strike                    | Sealed                           | Rising to    | Time             | Remarks   |  |
| 15.00                                                                                      | 0.00                        | Air                                                                      | Grey                                     | 100%                | 15.00                   | 115mm                  |                          |                      |                 |            |                                                                                                                                                     |                                   |                           |                                  |              |                  |           |  |
| Drill Bit Type                                                                             |                             | DTH Hammer                                                               |                                          | Drill Bit Condition |                         | Good                   |                          | Core Barrel Type     |                 | None       |                                                                                                                                                     | Core Barrel Length                |                           | 1.00                             |              |                  |           |  |
| Remarks<br>Rotary open hole from GL to 15.00m                                              |                             |                                                                          |                                          |                     |                         |                        |                          |                      |                 |            |                                                                                                                                                     |                                   |                           |                                  |              |                  |           |  |

|                                                                                            |                                  |                                                              |             |                          |                         |                      |                 |                                      |                                                                                                                                                                          |                           |                                                                                                                                                               |                    |           |        |           |      |         |
|--------------------------------------------------------------------------------------------|----------------------------------|--------------------------------------------------------------|-------------|--------------------------|-------------------------|----------------------|-----------------|--------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|-----------|--------|-----------|------|---------|
| <div></div> |                                  | DYNAMIC SAMPLING AND<br>ROTARY DRILLING EXPLORATORY HOLE LOG |             |                          |                         |                      |                 | Exploratory Hole Progress by Time    |                                                                                                                                                                          |                           |                                                                                                                                                               | Exploratory Hole   |           |        |           |      |         |
|                                                                                            |                                  |                                                              |             |                          |                         |                      |                 | Date and Time                        |                                                                                                                                                                          | Depth                     | Casing Depth                                                                                                                                                  | Water Depth        | SOP003.13 |        |           |      |         |
|                                                                                            |                                  |                                                              |             |                          |                         |                      |                 | 23/11/2022 11:30<br>23/11/2022 15:30 |                                                                                                                                                                          | 0.00<br>15.00             | 0.00                                                                                                                                                          | Dry                |           |        |           |      |         |
|                                                                                            |                                  |                                                              |             |                          |                         |                      |                 |                                      |                                                                                                                                                                          |                           |                                                                                                                                                               |                    |           |        |           |      |         |
| Project                                                                                    | Global Centre of Rail Excellence |                                                              |             | Equipment                | Comacchio 205           |                      |                 |                                      |                                                                                                                                                                          | Sheet 1 of 2              |                                                                                                                                                               |                    |           |        |           |      |         |
| Client                                                                                     | Walters UK Limited               |                                                              |             | Method                   | RO                      |                      |                 |                                      |                                                                                                                                                                          | Scale                     | 1:50                                                                                                                                                          |                    |           |        |           |      |         |
| Project No                                                                                 | G22069                           | Level                                                        | 238.95 mAOD | Inclination              |                         | 90 degrees           |                 |                                      |                                                                                                                                                                          | Drilled                   | LG                                                                                                                                                            |                    |           |        |           |      |         |
| Easting                                                                                    | 284931.52                        | Northing                                                     | 210541.54   | SPT Hammer Serial Number |                         |                      |                 |                                      |                                                                                                                                                                          | Logged                    | LG                                                                                                                                                            |                    |           |        |           |      |         |
| Termination Reason                                                                         |                                  | Terminated due to Atkins instruction                         |             |                          | SPT Hammer Energy Ratio |                      | %               |                                      |                                                                                                                                                                          |                           | Checked                                                                                                                                                       | AP                 |           |        |           |      |         |
| Samples                                                                                    | Sampling and Testing Depths      | Insitu Testing and Depth Related Remarks                     |             | Drill Runs               | TCR<br>SCR<br>RQD       | Depth<br>(Thickness) | Level<br>(mAOD) | Legend                               | Description                                                                                                                                                              | If<br>(min<br>ave<br>max) | Scale                                                                                                                                                         | Backfill           |           |        |           |      |         |
|                                                                                            | 1.00                             | PID: 0.0ppmv                                                 |             | RO<br>0.00 - 1.00        | 0%<br>0%<br>0%          | 0.00                 |                 |                                      | NO RECOVERY. Black mining fill (Driller's description).<br>(MADE GROUND)<br>Geology Code: MGR 2nd Geology Code: GR                                                       |                           | 0.50<br>1.00<br>1.50<br>2.00<br>2.50<br>3.00<br>3.50<br>4.00<br>4.50<br>5.00<br>5.50<br>6.00<br>6.50<br>7.00<br>7.50<br>8.00<br>8.50<br>9.00<br>9.50<br>10.00 |                    |           |        |           |      |         |
|                                                                                            | 2.00                             | PID: 0.0ppmv                                                 |             | RO<br>1.00 - 2.00        | 0%<br>0%<br>0%          |                      |                 |                                      |                                                                                                                                                                          |                           |                                                                                                                                                               |                    |           |        |           |      |         |
|                                                                                            | 3.00                             | PID: 0.0ppmv                                                 |             | RO<br>2.00 - 3.00        | 0%<br>0%<br>0%          |                      |                 |                                      |                                                                                                                                                                          |                           |                                                                                                                                                               |                    |           |        |           |      |         |
|                                                                                            | 4.00                             | PID: 0.0ppmv                                                 |             | RO<br>3.00 - 4.00        | 0%<br>0%<br>0%          |                      |                 |                                      |                                                                                                                                                                          |                           |                                                                                                                                                               |                    |           |        |           |      |         |
|                                                                                            | 5.00                             | PID: 0.0ppmv                                                 |             | RO<br>4.00 - 5.00        | 0%<br>0%<br>0%          | 4.00                 | 234.95          |                                      | NO RECOVERY. Soft brown silty CLAY (Driller's description).<br>(Probable weathered SOUTH WALES LOWER COAL MEASURES FORMATION)<br>Geology Code: SWCM 2nd Geology Code: CL |                           |                                                                                                                                                               |                    |           |        |           |      |         |
|                                                                                            | 6.00                             | PID: 0.0ppmv                                                 |             | RO<br>5.00 - 6.00        | 0%<br>0%<br>0%          | 6.00                 | 232.95          |                                      | NO RCOVERY. Hard grey MUDSTONE (Driller's description).<br>(SOUTH WALES LOWER COAL MEASURES FORMATION)<br>Geology Code: SWCM 2nd Geology Code: MST                       |                           |                                                                                                                                                               |                    |           |        |           |      |         |
|                                                                                            | 7.00                             | PID: 0.0ppmv                                                 |             | RO<br>6.00 - 7.00        | 0%<br>0%<br>0%          |                      |                 |                                      |                                                                                                                                                                          |                           |                                                                                                                                                               |                    |           |        |           |      |         |
|                                                                                            | 8.00                             | PID: 0.0ppmv                                                 |             | RO<br>7.00 - 8.00        | 0%<br>0%<br>0%          | (4.70)               |                 |                                      |                                                                                                                                                                          |                           |                                                                                                                                                               |                    |           |        |           |      |         |
|                                                                                            | 9.00                             | PID: 0.0ppmv                                                 |             | RO<br>8.00 - 9.00        | 0%<br>0%<br>0%          |                      |                 |                                      |                                                                                                                                                                          |                           |                                                                                                                                                               |                    |           |        |           |      |         |
|                                                                                            | 10.00                            | PID: 0.0ppmv                                                 |             | RO<br>9.00 - 10.00       | 0%<br>0%<br>0%          |                      |                 |                                      | Continued on next Sheet                                                                                                                                                  |                           |                                                                                                                                                               |                    |           |        |           |      |         |
| Drilling Flush                                                                             |                                  |                                                              |             |                          | Hole Diameter           |                      | Casing Diameter |                                      | Water Added                                                                                                                                                              |                           | Water Strikes                                                                                                                                                 |                    |           |        |           |      |         |
| Depth Top                                                                                  | Depth Base                       | Type                                                         | Colour      | Returns                  | Depth Base              | Diameter             | Depth Base      | Diameter                             | Depth Top                                                                                                                                                                | Depth Base                | Date and Time                                                                                                                                                 | Casing             | Strike    | Sealed | Rising to | Time | Remarks |
| 0.00                                                                                       | 10.70                            | Air                                                          | Grey        | 100%                     | 15.00                   | 115mm                |                 |                                      |                                                                                                                                                                          |                           |                                                                                                                                                               |                    |           |        |           |      |         |
| 15.00                                                                                      | 12.00                            | Air                                                          | Grey        | 100%                     |                         |                      |                 |                                      |                                                                                                                                                                          |                           |                                                                                                                                                               |                    |           |        |           |      |         |
| 10.70                                                                                      | 12.00                            | Air                                                          | None        | 0%                       |                         |                      |                 |                                      |                                                                                                                                                                          |                           |                                                                                                                                                               |                    |           |        |           |      |         |
| Drill Bit Type                                                                             |                                  | DTH Hammer                                                   |             | Drill Bit Condition      |                         | Good                 |                 | Core Barrel Type                     |                                                                                                                                                                          | None                      |                                                                                                                                                               | Core Barrel Length |           | 1.00   |           |      |         |
| Remarks                                                                                    |                                  |                                                              |             |                          |                         |                      |                 |                                      |                                                                                                                                                                          |                           |                                                                                                                                                               |                    |           |        |           |      |         |
| Rotary open hole from GL to 15.00m                                                         |                                  |                                                              |             |                          |                         |                      |                 |                                      |                                                                                                                                                                          |                           |                                                                                                                                                               |                    |           |        |           |      |         |
| Printed 16/03/2023 13:21                                                                   |                                  |                                                              |             |                          |                         |                      |                 |                                      |                                                                                                                                                                          |                           |                                                                                                                                                               |                    |           |        |           |      |         |




| Exploratory Hole Progress by Time |       |              |             | Exploratory Hole |      |
|-----------------------------------|-------|--------------|-------------|------------------|------|
| Date and Time                     | Depth | Casing Depth | Water Depth | SOP003.13        |      |
|                                   |       |              |             | Sheet 2 of 2     |      |
|                                   |       |              |             | Scale            | 1:50 |
|                                   |       |              |             | Drilled          | LG   |
|                                   |       |              |             | Logged           | LG   |
|                                   |       |              |             | Checked          | AP   |

| Drilling Flush |            |            |        |         | Hole Diameter       |          | Casing Diameter |          | Water Added      |            | Water Strikes |        |                    |        |           |      |         |
|----------------|------------|------------|--------|---------|---------------------|----------|-----------------|----------|------------------|------------|---------------|--------|--------------------|--------|-----------|------|---------|
| Depth Top      | Depth Base | Type       | Colour | Returns | Depth Base          | Diameter | Depth Base      | Diameter | Depth Top        | Depth Base | Date and Time | Casing | Strike             | Sealed | Rising to | Time | Remarks |
| 0.00           | 10.70      | Air        | Grey   | 100%    | 15.00               | 115mm    |                 |          |                  |            |               |        |                    |        |           |      |         |
| 15.00          | 12.00      | Air        | Grey   | 100%    |                     |          |                 |          |                  |            |               |        |                    |        |           |      |         |
| 10.70          | 12.00      | Air        | None   | 0%      |                     |          |                 |          |                  |            |               |        |                    |        |           |      |         |
| Drill Bit Type |            | DTH Hammer |        |         | Drill Bit Condition |          | Good            |          | Core Barrel Type |            | None          |        | Core Barrel Length |        | 1.00      |      |         |

Printed 16/03/2023 13:21

Printed 16/03/2023 13:21

Printed 16/03/2023 13:21





| Exploratory Hole Progress by Time |       |              |             | Exploratory Hole                                                                                                                                                                                            |  |       |      |         |    |        |    |         |    |
|-----------------------------------|-------|--------------|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-------|------|---------|----|--------|----|---------|----|
| Date and Time                     | Depth | Casing Depth | Water Depth | <div>SOP003.15</div> <div>Sheet 2 of 3</div> <table><tr><td>Scale</td><td>1:50</td></tr><tr><td>Drilled</td><td>LG</td></tr><tr><td>Logged</td><td>LG</td></tr><tr><td>Checked</td><td>AP</td></tr></table> |  | Scale | 1:50 | Drilled | LG | Logged | LG | Checked | AP |
| Scale                             | 1:50  |              |             |                                                                                                                                                                                                             |  |       |      |         |    |        |    |         |    |
| Drilled                           | LG    |              |             |                                                                                                                                                                                                             |  |       |      |         |    |        |    |         |    |
| Logged                            | LG    |              |             |                                                                                                                                                                                                             |  |       |      |         |    |        |    |         |    |
| Checked                           | AP    |              |             |                                                                                                                                                                                                             |  |       |      |         |    |        |    |         |    |
|                                   |       |              |             |                                                                                                                                                                                                             |  |       |      |         |    |        |    |         |    |
|                                   |       |              |             |                                                                                                                                                                                                             |  |       |      |         |    |        |    |         |    |
|                                   |       |              |             |                                                                                                                                                                                                             |  |       |      |         |    |        |    |         |    |
|                                   |       |              |             |                                                                                                                                                                                                             |  |       |      |         |    |        |    |         |    |


| Drilling Flush |            |            |             |         | Hole Diameter       |          | Casing Diameter |          | Water Added      |            | Water Strikes |        |                    |        |           |      |         |
|----------------|------------|------------|-------------|---------|---------------------|----------|-----------------|----------|------------------|------------|---------------|--------|--------------------|--------|-----------|------|---------|
| Depth Top      | Depth Base | Type       | Colour      | Returns | Depth Base          | Diameter | Depth Base      | Diameter | Depth Top        | Depth Base | Date and Time | Casing | Strike             | Sealed | Rising to | Time | Remarks |
| 25.00          | 0.00       | Air        | Black/ Grey | 100%    | 25.00               | 115mm    | 6.00            | 115mm    |                  |            |               |        |                    |        |           |      |         |
| Drill Bit Type |            | DTH Hammer |             |         | Drill Bit Condition |          | Good            |          | Core Barrel Type |            | None          |        | Core Barrel Length |        | 1.00      |      |         |

Printed 16/03/2023 13:21

|                                                                                            |                             |                                                              |             |                     |                          |                   |                   |                                   |                                   |                                                                                                                                           |                  |                    |           |        |           |      |         |
|--------------------------------------------------------------------------------------------|-----------------------------|--------------------------------------------------------------|-------------|---------------------|--------------------------|-------------------|-------------------|-----------------------------------|-----------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|------------------|--------------------|-----------|--------|-----------|------|---------|
| <div></div> |                             | DYNAMIC SAMPLING AND<br>ROTARY DRILLING EXPLORATORY HOLE LOG |             |                     |                          |                   |                   | Exploratory Hole Progress by Time |                                   |                                                                                                                                           |                  | Exploratory Hole   |           |        |           |      |         |
|                                                                                            |                             |                                                              |             |                     |                          |                   |                   | Date and Time                     |                                   | Depth                                                                                                                                     | Casing Depth     | Water Depth        | SOP003.15 |        |           |      |         |
|                                                                                            |                             |                                                              |             |                     |                          |                   |                   |                                   |                                   |                                                                                                                                           |                  |                    |           |        |           |      |         |
|                                                                                            |                             |                                                              |             |                     |                          |                   |                   |                                   |                                   |                                                                                                                                           |                  |                    |           |        |           |      |         |
| Project                                                                                    |                             | Global Centre of Rail Excellence                             |             |                     | Equipment                |                   | Comacchio 205     |                                   |                                   | Sheet 3 of 3                                                                                                                              |                  |                    |           |        |           |      |         |
| Client                                                                                     |                             | Walters UK Limited                                           |             |                     | Method                   |                   | RO                |                                   |                                   | Scale                                                                                                                                     | 1:50             |                    |           |        |           |      |         |
| Project No                                                                                 |                             | G22069                                                       | Level       | 239.01 mAOD         | Inclination              |                   | 90 degrees        |                                   |                                   | Drilled                                                                                                                                   | LG               |                    |           |        |           |      |         |
| Easting                                                                                    |                             | 284934.71                                                    | Northing    | 210537.17           | SPT Hammer Serial Number |                   |                   |                                   |                                   | Logged                                                                                                                                    | LG               |                    |           |        |           |      |         |
| Termination Reason                                                                         |                             | Terminated due to Atkins instruction                         |             |                     | SPT Hammer Energy Ratio  |                   | %                 |                                   |                                   | Checked                                                                                                                                   | AP               |                    |           |        |           |      |         |
| Samples                                                                                    | Sampling and Testing Depths | Insitu Testing and Depth Related Remarks                     |             |                     | Drill Runs               | TCR<br>SCR<br>RQD | Depth (Thickness) | Level (mAOD)                      | Legend                            | Description                                                                                                                               | If (min ave max) | Scale              | Backfill  |        |           |      |         |
|                                                                                            | 20.50                       | PID: 0.0ppmv                                                 |             |                     | RO<br>20.00 - 21.50      | 0%<br>0%<br>0%    |                   |                                   |                                   | NO RECOVERY. Hard grey MUDSTONE (Driller's description).<br>(SOUTH WALES LOWER COAL MEASURES)<br>Geology Code: SWCM 2nd Geology Code: MST |                  | 20.50              |           |        |           |      |         |
|                                                                                            | 22.00                       | PID: 0.0ppmv                                                 |             |                     | RO<br>21.50 - 23.00      | 0%<br>0%<br>0%    |                   |                                   |                                   |                                                                                                                                           | 21.00            |                    |           |        |           |      |         |
|                                                                                            | 23.50                       | PID: 0.0ppmv                                                 |             |                     | RO<br>23.00 - 25.00      | 0%<br>0%<br>0%    |                   |                                   |                                   |                                                                                                                                           | 21.50            |                    |           |        |           |      |         |
|                                                                                            | 25.00                       | PID: 0.0ppmv                                                 |             |                     |                          |                   | 214.01            |                                   | End of Exploratory Hole at 25.00m |                                                                                                                                           | 22.00            |                    |           |        |           |      |         |
|                                                                                            |                             |                                                              |             |                     |                          |                   |                   |                                   |                                   |                                                                                                                                           |                  | 22.50              |           |        |           |      |         |
|                                                                                            |                             |                                                              |             |                     |                          |                   |                   |                                   |                                   |                                                                                                                                           |                  | 23.00              |           |        |           |      |         |
|                                                                                            |                             |                                                              |             |                     |                          |                   |                   |                                   |                                   |                                                                                                                                           |                  | 23.50              |           |        |           |      |         |
|                                                                                            |                             |                                                              |             |                     |                          |                   |                   |                                   |                                   |                                                                                                                                           |                  | 24.00              |           |        |           |      |         |
|                                                                                            |                             |                                                              |             |                     |                          |                   |                   |                                   |                                   |                                                                                                                                           |                  | 24.50              |           |        |           |      |         |
|                                                                                            |                             |                                                              |             |                     |                          |                   |                   |                                   |                                   |                                                                                                                                           |                  | 25.00              |           |        |           |      |         |
|                                                                                            |                             |                                                              |             |                     |                          |                   |                   |                                   |                                   |                                                                                                                                           |                  | 25.50              |           |        |           |      |         |
|                                                                                            |                             |                                                              |             |                     |                          |                   |                   |                                   |                                   |                                                                                                                                           |                  | 26.00              |           |        |           |      |         |
|                                                                                            |                             |                                                              |             |                     |                          |                   |                   |                                   |                                   |                                                                                                                                           |                  | 26.50              |           |        |           |      |         |
|                                                                                            |                             |                                                              |             |                     |                          |                   |                   |                                   |                                   |                                                                                                                                           |                  | 27.00              |           |        |           |      |         |
|                                                                                            |                             |                                                              |             |                     |                          |                   |                   |                                   |                                   |                                                                                                                                           |                  | 27.50              |           |        |           |      |         |
|                                                                                            |                             |                                                              |             |                     |                          |                   |                   |                                   |                                   |                                                                                                                                           |                  | 28.00              |           |        |           |      |         |
|                                                                                            |                             |                                                              |             |                     |                          |                   |                   |                                   |                                   |                                                                                                                                           |                  | 28.50              |           |        |           |      |         |
|                                                                                            |                             |                                                              |             |                     |                          |                   |                   |                                   |                                   |                                                                                                                                           |                  | 29.00              |           |        |           |      |         |
|                                                                                            |                             |                                                              |             |                     |                          |                   |                   |                                   |                                   |                                                                                                                                           |                  | 29.50              |           |        |           |      |         |
|                                                                                            |                             |                                                              |             |                     |                          |                   |                   |                                   |                                   |                                                                                                                                           |                  | 30.00              |           |        |           |      |         |
| Drilling Flush                                                                             |                             |                                                              |             |                     | Hole Diameter            |                   | Casing Diameter   |                                   | Water Added                       |                                                                                                                                           | Water Strikes    |                    |           |        |           |      |         |
| Depth Top                                                                                  | Depth Base                  | Type                                                         | Colour      | Returns             | Depth Base               | Diameter          | Depth Base        | Diameter                          | Depth Top                         | Depth Base                                                                                                                                | Date and Time    | Casing             | Strike    | Sealed | Rising to | Time | Remarks |
| 25.00                                                                                      | 0.00                        | Air                                                          | Black/ Grey | 100%                | 25.00                    | 115mm             | 6.00              | 115mm                             |                                   |                                                                                                                                           |                  |                    |           |        |           |      |         |
| Drill Bit Type                                                                             |                             | DTH Hammer                                                   |             | Drill Bit Condition |                          | Good              |                   | Core Barrel Type                  |                                   | None                                                                                                                                      |                  | Core Barrel Length |           | 1.00   |           |      |         |
| Remarks<br>Rotary open hole from GL to 25.00m                                              |                             |                                                              |             |                     |                          |                   |                   |                                   |                                   |                                                                                                                                           |                  |                    |           |        |           |      |         |



Printed 16/03/2023 13:21





|                                                                                  |                                  |                                     |             |                                                                 |                            |                         |
|----------------------------------------------------------------------------------|----------------------------------|-------------------------------------|-------------|-----------------------------------------------------------------|----------------------------|-------------------------|
|  |                                  | <b>EXPLORATORY HOLE PHOTOGRAPHS</b> |             | <b>Remarks</b><br>Machine excavated trial pit from GL to 2.00m. |                            | <b>Exploratory Hole</b> |
|                                                                                  |                                  |                                     |             |                                                                 |                            | <b>Emb 2 Soakaway</b>   |
| <b>Project</b>                                                                   | Global Centre of Rail Excellence | <b>Easting</b>                      | 282853.57   | <b>Equipment</b>                                                | 13 Tonne Tracked Excavator | Sheet 1 of 2            |
| <b>Client</b>                                                                    | Walters UK Limited               | <b>Northing</b>                     | 211262.89   | <b>Method</b>                                                   | TP                         |                         |
| <b>Project No</b>                                                                | G22069                           | <b>Level</b>                        | 296.93 mAOD | <b>Termination Reason</b>                                       | Scheduled depth            |                         |



Embankment 2 Soakaway Spoil



Embankment 2 Soakaway Face D



EXPLORATORY HOLE PHOTOGRAPHS

|                                                                 |                            |                           |
|-----------------------------------------------------------------|----------------------------|---------------------------|
| <b>Remarks</b><br>Machine excavated trial pit from GL to 2.00m. |                            | <b>Exploratory Hole</b>   |
|                                                                 |                            | <b>Emb 2<br/>Soakaway</b> |
| <b>Equipment</b>                                                | 13 Tonne Tracked Excavator | Sheet 2 of 2              |
| <b>Method</b>                                                   | TP                         |                           |
| <b>Termination Reason</b>                                       | Scheduled depth            |                           |



Embankment 2 Soakaway Face B



Embankment 2 Soakaway Face A



**EXPLORATORY HOLE PHOTOGRAPHS**

**Remarks**  
Machine excavated trial pit from GL to 2.40m

**Exploratory Hole**  
**S1-TP101**

|                   |                                  |                 |             |                           |                               |
|-------------------|----------------------------------|-----------------|-------------|---------------------------|-------------------------------|
| <b>Project</b>    | Global Centre of Rail Excellence | <b>Easting</b>  | 282949.73   | <b>Equipment</b>          | 13 Tonne Tracked Excavator    |
| <b>Client</b>     | Walters UK Limited               | <b>Northing</b> | 211957.75   | <b>Method</b>             | TP                            |
| <b>Project No</b> | G22069                           | <b>Level</b>    | 219.41 mAOD | <b>Termination Reason</b> | Terminated due to instability |

Sheet 1 of 3



S1-TP101 - Face A



S1-TP101 - Face B

|                                                                                  |                                  |                                     |             |                                                                |                               |                         |
|----------------------------------------------------------------------------------|----------------------------------|-------------------------------------|-------------|----------------------------------------------------------------|-------------------------------|-------------------------|
|  |                                  | <b>EXPLORATORY HOLE PHOTOGRAPHS</b> |             | <b>Remarks</b><br>Machine excavated trial pit from GL to 2.40m |                               | <b>Exploratory Hole</b> |
|                                                                                  |                                  |                                     |             |                                                                |                               | <b>S1-TP101</b>         |
| <b>Project</b>                                                                   | Global Centre of Rail Excellence | <b>Easting</b>                      | 282949.73   | <b>Equipment</b>                                               | 13 Tonne Tracked Excavator    | Sheet 2 of 3            |
| <b>Client</b>                                                                    | Walters UK Limited               | <b>Northing</b>                     | 211957.75   | <b>Method</b>                                                  | TP                            |                         |
| <b>Project No</b>                                                                | G22069                           | <b>Level</b>                        | 219.41 mAOD | <b>Termination Reason</b>                                      | Terminated due to instability |                         |



S1-TP101 - Face C



S1-TP101 - Face D

**EXPLORATORY HOLE PHOTOGRAPHS**

|                                                                |                         |
|----------------------------------------------------------------|-------------------------|
| <b>Remarks</b><br>Machine excavated trial pit from GL to 2.40m | <b>Exploratory Hole</b> |
|                                                                | <b>S1-TP101</b>         |

|                   |                                  |                 |             |                           |                               |
|-------------------|----------------------------------|-----------------|-------------|---------------------------|-------------------------------|
| <b>Project</b>    | Global Centre of Rail Excellence | <b>Easting</b>  | 282949.73   | <b>Equipment</b>          | 13 Tonne Tracked Excavator    |
| <b>Client</b>     | Walters UK Limited               | <b>Northing</b> | 211957.75   | <b>Method</b>             | TP                            |
| <b>Project No</b> | G22069                           | <b>Level</b>    | 219.41 mAOD | <b>Termination Reason</b> | Terminated due to instability |

Sheet 3 of 3



S1-TP101 - Spoil



# EXPLORATORY HOLE PHOTOGRAPHS

**Remarks**  
Machine excavated trial pit from GL to 3.90m.

**Exploratory Hole**  
**S1-TP102**

|                   |                                  |                 |             |                           |                                 |              |
|-------------------|----------------------------------|-----------------|-------------|---------------------------|---------------------------------|--------------|
| <b>Project</b>    | Global Centre of Rail Excellence | <b>Easting</b>  | 283137.81   | <b>Equipment</b>          | 20 Tonne Tracked Excavator      | Sheet 1 of 3 |
| <b>Client</b>     | Walters UK Limited               | <b>Northing</b> | 211964.61   | <b>Method</b>             | TP                              |              |
| <b>Project No</b> | G22069                           | <b>Level</b>    | 221.85 mAOD | <b>Termination Reason</b> | Hard ground. Unable to progress |              |



S1-TP102 - Face A



S1-TP102 - Face B