




The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)

SS7688NW 1968 1:1,250	SS7688NE 1961 1:1,250	SS7788NW 1960 1:1,250
SS7688SW 1968 1:1,250	SS7688SE 1961 1:1,250	SS7788SW 1961 1:1,250

Historical Map - Segment A11



Order Details


Order Number:	293349570_1_1
Customer Ref:	2111006.002
National Grid Reference:	276420, 188660
Slice:	A
Site Area (Ha):	9.68
Search Buffer (m):	100

Site Details

Site at 276440, 188700

Landmark
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk




Ordnance Survey Plan

Published 1964


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A11



Order Details


Order Number: 293349570_1_1
Customer Ref: 2111006.002
National Grid Reference: 276420, 188660
Slice: A
Site Area (Ha): 9.68
Search Buffer (m): 100

Site Details

Site at 276440, 188700



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk




Ordnance Survey Plan
Published 1968 - 1970
Source map scale - 1:1,250

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)

SS7688NE	SS7788NW
1968	1968
1:1,250	1:1,250
SS7688SE	SS7788SW
1968	1970
1:1,250	1:1,250

Historical Map - Segment A11



Order Details


Order Number: 293349570_1_1
Customer Ref: 2111006.002
National Grid Reference: 276420, 188660
Slice: A
Site Area (Ha): 9.68
Search Buffer (m): 100

Site Details

Site at 276440, 188700



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.




Ordnance Survey Plan

Published 1969


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A11



Order Details

Order Number: 293349570_1_1
Customer Ref: 2111006.002
National Grid Reference: 276420, 188660
Slice: A
Site Area (Ha): 9.68
Search Buffer (m): 100

Site Details

Site at 276440, 188700



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.




Additional SIMs
Published 1991
Source map scale - 1:1,250

The SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') are further, minor editions of mapping which were produced and published in between the main editions as an area was updated. They date from 1947 to 1994, and contain detailed information on buildings, roads and land-use. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)

SS7688NW		SS7788NW
1991		1991
1:1,250		1:1,250
SS7688SW	SS7688SE	SS7788SW
1991	1991	1991
1:1,250	1:1,250	1:1,250

Historical Map - Segment A11



Order Details

Order Number: 293349570_1_1
Customer Ref: 2111006.002
National Grid Reference: 276420, 188660
Slice: A
Site Area (Ha): 9.68
Search Buffer (m): 100

Site Details

Site at 276440, 188700



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Large-Scale National Grid Data

Published 1993


Source map scale - 1:1,250

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)

SS7688NW	SS7688NE	SS7788NW
1993	1993	1993
1:1,250	1:1,250	1:1,250
SS7688SW	SS7688SE	SS7788SW
1993	1993	1993
1:1,250	1:1,250	1:1,250

Historical Map - Segment A11



Order Details


Order Number: 293349570_1_1
Customer Ref: 2111006.002
National Grid Reference: 276420, 188660
Slice: A
Site Area (Ha): 9.68
Search Buffer (m): 100


Site Details

Site at 276440, 188700



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk






Large-Scale National Grid Data

Published 1995


Source map scale - 1:1,250

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment A11



Order Details

Order Number: 293349570_1_1
Customer Ref: 2111006.002
National Grid Reference: 276420, 188660
Slice: A
Site Area (Ha): 9.68
Search Buffer (m): 100

Site Details

Site at 276440, 188700



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk




Historical Aerial Photography

Published 2001

This aerial photography was produced by Getmapping, these vertical aerial photographs provide a seamless, full colour survey of the whole of Great Britain

Historical Aerial Photography - Segment A11



Order Details

Order Number: 293349570_1_1
Customer Ref: 2111006.002
National Grid Reference: 276420, 188660
Slice: A
Site Area (Ha): 9.68
Search Buffer (m): 100

Site Details

Site at 276440, 188700

Landmark
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Historical Mapping Legends

Ordnance Survey County Series 1:10,560

	Gravel Pit		Sand Pit		Other Pits
	Quarry		Shingle		Orchard
	Osiers		Reeds		Marsh
	Mixed Wood		Deciduous		Brushwood
	Fir		Furze		Rough Pasture
	Arrow denotes flow of water		Trigonometrical Station		
	Site of Antiquities		Bench Mark		
	Pump, Guide Post, Signal Post		Well, Spring, Boundary Post		
	•285 Surface Level				
	Sketched Contour		Instrumental Contour		
	Main Roads		Minor Roads		
	Sunken Road		Raised Road		
	Road over Railway		Railway over River		
	Railway over Road		Level Crossing		
	Road over River or Canal		Road over Stream		
	Road over Stream				
	County Boundary (Geographical)				
	County & Civil Parish Boundary				
	Administrative County & Civil Parish Boundary				
	County Borough Boundary (England)				
	County Burgh Boundary (Scotland)				
	Rural District Boundary				
	Civil Parish Boundary				

Ordnance Survey Plan 1:10,000

	Chalk Pit, Clay Pit or Quarry		Gravel Pit
	Sand Pit		Disused Pit or Quarry
	Refuse or Slag Heap		Lake, Loch or Pond
	Dunes		Boulders
	Coniferous Trees		Non-Coniferous Trees
	Orchard		Scrub
	Bracken		Heath
	Marsh		Reeds
	Building		Glasshouse
	Sloping Masonry		Pylon
	Cutting		Embankment
	Road Under		Road Over
	Level Crossing		Foot Bridge
	Standard Gauge Multiple Track		Standard Gauge Single Track
	Siding, Tramway or Mineral Line		Narrow Gauge
	Geographical County		Administrative County, County Borough or County of City
	Municipal Borough, Urban or Rural District, Burgh or District Council		Borough, Burgh or County Constituency
	Civil Parish		
	BP, BS Boundary Post or Stone		Police Station
	Church		Post Office
	Club House		Public Convenience
	Fire Engine Station		Public House
	Foot Bridge		Signal Box
	Fountain		Spring
	Guide Post		Telephone Call Box
	Mile Post		Telephone Call Post
	Mile Stone		Well

1:10,000 Raster Mapping


	Gravel Pit		Refuse tip or slag heap
	Rock		Rock (scattered)
	Boulders		Boulders (scattered)
	Shingle		Mud
	Sand		Sand Pit
	Slopes		Top of cliff
	General detail		Underground detail
	Overhead detail		Narrow gauge railway
	Multi-track railway		Single track railway
	County boundary (England only)		Civil, parish or community boundary
	District, Unitary, Metropolitan, London Borough boundary		Constituency boundary
	Area of wooded vegetation		Non-coniferous trees
	Non-coniferous trees (scattered)		Coniferous trees
	Coniferous trees (scattered)		Positioned tree
	Orchard		Coppice or Osiers
	Rough Grassland		Heath
	Scrub		Marsh, Salt Marsh or Reeds
	Water feature		Flow arrows
	Mean high water (springs)		Mean low water (springs)
	Telephone line (where shown)		Electricity transmission line (with poles)
	Bench mark (where shown)		Triangulation station
	Point feature (e.g. Guide Post or Mile Stone)		Pylon, flare stack or lighting tower
	Site of (antiquity)		Glasshouse
	General Building		Important Building



Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Glamorganshire	1:10,560	1884 - 1885	2
Glamorganshire	1:10,560	1900	3
Glamorganshire	1:10,560	1921	4
Glamorganshire	1:10,560	1938 - 1952	5
Historical Aerial Photography	1:10,560	1949	6
Glamorganshire	1:10,560	1951	7
Ordnance Survey Plan	1:10,000	1965	8
Ordnance Survey Plan	1:10,000	1982	9
Ordnance Survey Plan	1:10,000	1993	10
10K Raster Mapping	1:10,000	1999	11
10K Raster Mapping	1:10,000	2006	12
VectorMap Local	1:10,000	2021	13

Historical Map - Slice A



Order Details


Order Number: 293349570_1_1
Customer Ref: 2111006.002
National Grid Reference: 276420, 188660
Slice: A
Site Area (Ha): 9.68
Search Buffer (m): 1000

Site Details

Site at 276440, 188700



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.



Glamorganshire

Published 1884 - 1885


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

02500
1884
1:10,560
03300
1885
1:10,560

Historical Map - Slice A



Order Details

Order Number: 293349570_1_1
Customer Ref: 2111006.002
National Grid Reference: 276420, 188660
Slice: A
Site Area (Ha): 9.68
Search Buffer (m): 1000

Site Details

Site at 276440, 188700



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Glamorganshire

Published 1900


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

025SW
1900
1:10,560
033NW
1900
1:10,560

Historical Map - Slice A



Order Details

Order Number: 293349570_1_1
Customer Ref: 2111006.002
National Grid Reference: 276420, 188660
Slice: A
Site Area (Ha): 9.68
Search Buffer (m): 1000

Site Details

Site at 276440, 188700

Landmark
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Glamorganshire

Published 1921


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

025SW
1921
1:10,560
033NW
1921
1:10,560

Historical Map - Slice A



Order Details

Order Number: 293349570_1_1
Customer Ref: 2111006.002
National Grid Reference: 276420, 188660
Slice: A
Site Area (Ha): 9.68
Search Buffer (m): 1000

Site Details

Site at 276440, 188700

Landmark
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Glamorganshire

Published 1938 - 1952


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

025SW
1952
1:10,560
033NW
1938
1:10,560

Historical Map - Slice A



Order Details


Order Number: 293349570_1_1
Customer Ref: 2111006.002
National Grid Reference: 276420, 188660
Slice: A
Site Area (Ha): 9.68
Search Buffer (m): 1000

Site Details

Site at 276440, 188700

Landmark
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Historical Aerial Photography


Published 1949

Source map scale - 1:10,560


The Historical Aerial Photos were produced by the Ordnance Survey at a scale of 1:1,250 and 1:10,560 from Air Force photography. They were produced between 1944 and 1951 as an interim measure, pending preparation of conventional mapping, due to post war resource shortages. New security measures in the 1950's meant that every photograph was re-checked for potentially unsafe information with security sites replaced by fake fields or clouds. The original editions were withdrawn and only later made available after a period of fifty years although due to the accuracy of the editing, without viewing both revisions it is not easy to spot the edits. Where available Landmark have included both revisions.

© Landmark Information Group and/or Data Suppliers 2010.

Map Name(s) and Date(s)



Historical Aerial Photography - Slice A



Order Details

Order Number: 293349570_1_1
Customer Ref: 2111006.002
National Grid Reference: 276420, 188660
Slice: A
Site Area (Ha): 9.68
Search Buffer (m): 1000

Site Details

Site at 276440, 188700



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk




Glamorganshire

Published 1951


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details

Order Number: 293349570_1_1
Customer Ref: 2111006.002
National Grid Reference: 276420, 188660
Slice: A
Site Area (Ha): 9.68
Search Buffer (m): 1000

Site Details

Site at 276440, 188700

Landmark
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk




Ordnance Survey Plan

Published 1965


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details

Order Number: 293349570_1_1
Customer Ref: 2111006.002
National Grid Reference: 276420, 188660
Slice: A
Site Area (Ha): 9.68
Search Buffer (m): 1000

Site Details

Site at 276440, 188700

Landmark
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk




Ordnance Survey Plan

Published 1982


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details

Order Number: 293349570_1_1
Customer Ref: 2111006.002
National Grid Reference: 276420, 188660
Slice: A
Site Area (Ha): 9.68
Search Buffer (m): 1000

Site Details

Site at 276440, 188700



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk




Ordnance Survey Plan

Published 1993


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details

Order Number: 293349570_1_1
Customer Ref: 2111006.002
National Grid Reference: 276420, 188660
Slice: A
Site Area (Ha): 9.68
Search Buffer (m): 1000

Site Details

Site at 276440, 188700

Landmark
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk




10k Raster Mapping

Published 1999


Source map scale - 1:10,000

The historical maps shown were produced from the Ordnance Survey's 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details

Order Number: 293349570_1_1
Customer Ref: 2111006.002
National Grid Reference: 276420, 188660
Slice: A
Site Area (Ha): 9.68
Search Buffer (m): 1000

Site Details

Site at 276440, 188700

Landmark
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk




10k Raster Mapping

Published 2006


Source map scale - 1:10,000

The historical maps shown were produced from the Ordnance Survey's 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details

Order Number: 293349570_1_1
Customer Ref: 2111006.002
National Grid Reference: 276420, 188660
Slice: A
Site Area (Ha): 9.68
Search Buffer (m): 1000

Site Details

Site at 276440, 188700

Landmark
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk




VectorMap Local

Published 2021


Source map scale - 1:10,000

VectorMap Local (Raster) is Ordnance Survey's highest detailed 'backdrop' mapping product. These maps are produced from OS's VectorMap Local, a simple vector dataset at a nominal scale of 1:10,000, covering the whole of Great Britain, that has been designed for creating graphical mapping. OS VectorMap Local is derived from large-scale information surveyed at 1:1250 scale (covering major towns and cities), 1:2500 scale (smaller towns, villages and developed rural areas), and 1:10 000 scale (mountain, moorland and river estuary areas).

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details

Order Number: 293349570_1_1
Customer Ref: 2111006.002
National Grid Reference: 276420, 188660
Slice: A
Site Area (Ha): 9.68
Search Buffer (m): 1000

Site Details

Site at 276440, 188700



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Appendix B

Envirocheck®



Envirocheck[®] Report:

Datasheet

Order Details:

Order Number:

293349570_1_1

Customer Reference:

2111006.002

National Grid Reference:

276420, 188660

Slice:

A

Site Area (Ha):

9.68

Search Buffer (m):

1000

Site Details:

Site at 276440, 188700

Client Details:

Mr T .

Tweedie Evans Consulting Ltd

The Old Chapel

35a Southover

Wells

Somerset

BA5 1UH

Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	68
Hazardous Substances	75
Geological	76
Industrial Land Use	81
Sensitive Land Use	-
Data Currency	104
Data Suppliers	110
Useful Contacts	111

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination. For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client. In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2022. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer. A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report. © Environment Agency & United Kingdom Research and Innovation 2022. © Natural Resources Wales & United Kingdom Research and Innovation 2022.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3.0.

Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Stantec Copyright Notice

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England.

Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2022. Land & Property Services © Crown copyright and database right.

Report Version v53.0



Summary

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Agency & Hydrological					
BGS Groundwater Flooding Susceptibility	pg 1	Yes	Yes	Yes	n/a
Contaminated Land Register Entries and Notices					
Discharge Consents	pg 2	2	25	25	25
Prosecutions Relating to Controlled Waters			n/a	n/a	n/a
Enforcement and Prohibition Notices					
Integrated Pollution Controls	pg 21		1		5
Integrated Pollution Prevention And Control	pg 22		1		4
Local Authority Integrated Pollution Prevention And Control	pg 23		1		
Local Authority Pollution Prevention and Controls	pg 23		1		5
Local Authority Pollution Prevention and Control Enforcements					
Nearest Surface Water Feature	pg 24	Yes			
Pollution Incidents to Controlled Waters	pg 24		1	1	15
Prosecutions Relating to Authorised Processes	pg 27			1	1
Registered Radioactive Substances					
River Quality	pg 28	1		1	2
River Quality Biology Sampling Points					
River Quality Chemistry Sampling Points	pg 29				4
Substantiated Pollution Incident Register	pg 32		1	1	5
Water Abstractions	pg 33		13	7	6 (*2)
Water Industry Act Referrals	pg 40		1		
Groundwater Vulnerability Map	pg 40	Yes	n/a	n/a	n/a
Bedrock Aquifer Designations	pg 41	Yes	n/a	n/a	n/a
Superficial Aquifer Designations	pg 41	Yes	n/a	n/a	n/a
Source Protection Zones					
Extreme Flooding from Rivers or Sea without Defences	pg 41		Yes	n/a	n/a
Flooding from Rivers or Sea without Defences	pg 52		Yes	n/a	n/a
Areas Benefiting from Flood Defences				n/a	n/a
Flood Water Storage Areas				n/a	n/a
Flood Defences				n/a	n/a
OS Water Network Lines	pg 63		12	6	24



Summary

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Waste					
BGS Recorded Landfill Sites					
Historical Landfill Sites					
Integrated Pollution Control Registered Waste Sites					
Licensed Waste Management Facilities (Landfill Boundaries)					
Licensed Waste Management Facilities (Locations)	pg 68			4	8
Local Authority Landfill Coverage	pg 70	1	n/a	n/a	n/a
Local Authority Recorded Landfill Sites	pg 70				1
Potentially Infilled Land (Non-Water)	pg 71				2
Potentially Infilled Land (Water)	pg 71	2	3	10	27
Registered Landfill Sites					
Registered Waste Transfer Sites	pg 73				2
Registered Waste Treatment or Disposal Sites	pg 74				1
Hazardous Substances					
Control of Major Accident Hazards Sites (COMAH)					
Explosive Sites					
Notification of Installations Handling Hazardous Substances (NIHHS)					
Planning Hazardous Substance Consents	pg 75				1
Planning Hazardous Substance Enforcements					



Summary

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Geological					
BGS 1:625,000 Solid Geology	pg 76	Yes	n/a	n/a	n/a
BGS Estimated Soil Chemistry	pg 76	Yes	Yes	Yes	Yes
BGS Recorded Mineral Sites	pg 78		1		1
BGS Urban Soil Chemistry					
BGS Urban Soil Chemistry Averages	pg 79				Yes
CBSCB Compensation District			n/a	n/a	n/a
Coal Mining Affected Areas	pg 79	Yes	n/a	n/a	n/a
Mining Instability	pg 79	Yes	n/a	n/a	n/a
Man-Made Mining Cavities					
Natural Cavities					
Non Coal Mining Areas of Great Britain				n/a	n/a
Potential for Collapsible Ground Stability Hazards	pg 79		Yes	n/a	n/a
Potential for Compressible Ground Stability Hazards				n/a	n/a
Potential for Ground Dissolution Stability Hazards				n/a	n/a
Potential for Landslide Ground Stability Hazards	pg 79	Yes	Yes	n/a	n/a
Potential for Running Sand Ground Stability Hazards				n/a	n/a
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 80	Yes		n/a	n/a
Radon Potential - Radon Affected Areas	pg 80	Yes	n/a	n/a	n/a
Radon Potential - Radon Protection Measures			n/a	n/a	n/a
Industrial Land Use					
Contemporary Trade Directory Entries	pg 81	2	4	23	70
Fuel Station Entries	pg 89				2
Points of Interest - Commercial Services	pg 90			4	24
Points of Interest - Education and Health					
Points of Interest - Manufacturing and Production	pg 92	1	12	18	65
Points of Interest - Public Infrastructure	pg 100			4	30
Points of Interest - Recreational and Environmental	pg 103				3
Gas Pipelines					
Underground Electrical Cables					



Summary

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Sensitive Land Use					
Ancient Woodland					
Areas of Adopted Green Belt					
Areas of Unadopted Green Belt					
Areas of Outstanding Natural Beauty					
Environmentally Sensitive Areas					
Forest Parks					
Local Nature Reserves					
Marine Nature Reserves					
National Nature Reserves					
National Parks					
Nitrate Sensitive Areas					
Nitrate Vulnerable Zones					
Ramsar Sites					
Sites of Special Scientific Interest					
Special Areas of Conservation					
Special Protection Areas					
World Heritage Sites					



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A11NW (NE)	0	1	276500 188750
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A10NE (SE)	0	1	276417 188657
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A11NW (E)	0	1	276450 188657
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A10SE (S)	5	1	276417 188500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A11NW (N)	25	1	276450 188800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A10SE (SW)	26	1	276250 188550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A10SE (SW)	40	1	276200 188550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A10SE (SW)	47	1	276350 188500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A11SW (S)	47	1	276500 188450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A11NW (E)	49	1	276700 188650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A11SW (SE)	51	1	276550 188450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A11SW (S)	53	1	276450 188450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A10SE (SW)	60	1	276300 188500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A10SE (S)	67	1	276417 188450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A10NE (N)	74	1	276350 188850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A10SE (S)	97	1	276417 188400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A10SE (SW)	102	1	276150 188500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A10SE (SW)	108	1	276300 188450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A11SW (SE)	120	1	276600 188400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A11SW (SE)	126	1	276650 188450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A11NE (NE)	185	1	276800 188850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A11NW (NE)	247	1	276750 188950



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A10SW (W)	290	1	275900 188550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A10SW (W)	301	1	275900 188500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A11SE (SE)	306	1	276800 188350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A14SE (N)	314	1	276400 189100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A14SE (NW)	314	1	276150 189050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A10SW (W)	321	1	275900 188450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A10SW (W)	389	1	275800 188550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A11SE (SE)	426	1	276950 188350
1	Discharge Consents Operator: Associated British Ports Property Type: Undefined Or Other Location: Phoenix Wharf Surface Water Port, Port Talbot Authority: Natural Resources Wales Catchment Area: River Afan Reference: Bp0043001 Permit Version: 2 Effective Date: 7th July 1987 Issued Date: 7th July 1987 Revocation Date: 31st October 1995 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Phoenix Wharf Docks Status: Consent expired Positional Accuracy: Located by supplier to within 100m	A11NW (E)	0	2	276600 188700
1	Discharge Consents Operator: Associated British Ports Property Type: Undefined Or Other Location: Phoenix Wharf Surface Water Port, Port Talbot Authority: Natural Resources Wales Catchment Area: River Afan Reference: Bp0043001 Permit Version: 1 Effective Date: 1st January 1901 Issued Date: 1st January 1901 Revocation Date: 6th July 1987 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Phoenix Wharf Docks Status: Authorisation revoked Positional Accuracy: Located by supplier to within 100m	A11NW (E)	0	2	276600 188700
2	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewage Disposal Works - Water Company Location: Afan Wwtw Phoenix Wharf Harbour Rd, Port Talbot Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bp028760101 Permit Version: 1 Effective Date: 1st December 2000 Issued Date: 1st December 2000 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Unspecified - Water Company Discharge: Controlled Sea Environment: Receiving Water: Swansea Bay Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Manually positioned within the geographical locality	A11NW (E)	9	2	276690 188709



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
2	Discharge Consents Operator: British Steel Plc (Tinplate) Property Type: Iron & Steel Industries Location: Oil Tank Farm Bsc Por Authority: Natural Resources Wales Catchment Area: River Afan Reference: Bp0059205 Permit Version: 1 Effective Date: 16th September 1987 Issued Date: 16th September 1987 Revocation Date: 30th June 1992 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Port Talbot Docks Status: Consent expired Positional Accuracy: Located by supplier to within 100m	A11NW (E)	21	2	276700 188700
3	Discharge Consents Operator: Associated British Ports Property Type: Not Supplied Location: John Nicholas Timber Site Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: BP0055713 Permit Version: 2 Effective Date: 21st January 1993 Issued Date: 21st October 1992 Revocation Date: Not Supplied Discharge Type: Not Supplied Discharge: Freshwater Stream/River Environment: Receiving Water: Port Talbot Docks Status: Effective Positional Accuracy: Located by supplier to within 100m	A10NE (N)	14	2	276400 188800
3	Discharge Consents Operator: Associated British Ports Property Type: Not Supplied Location: John Nicholas Timber Site Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bp0055713 Permit Version: 2 Effective Date: 21st January 1993 Issued Date: 21st October 1992 Revocation Date: Not Supplied Discharge Type: Not Supplied Discharge: Freshwater Stream/River Environment: Receiving Water: Port Talbot Docks Status: Effective Positional Accuracy: Located by supplier to within 100m	A10NE (N)	14	2	276400 188800
3	Discharge Consents Operator: Associated British Ports Property Type: Support Services - Sea Transport Location: John Nicholas Timber Site Authority: Natural Resources Wales Catchment Area: River Afan Reference: Bp0055713 Permit Version: 1 Effective Date: 18th September 1987 Issued Date: 18th September 1987 Revocation Date: 20th January 1993 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Port Talbot Docks Status: Authorisation revoked Positional Accuracy: Located by supplier to within 100m	A10NE (N)	14	2	276400 188800



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
4	Discharge Consents Operator: Associated British Ports Property Type: Not Supplied Location: Metal Mend Ltd Port Talbot Docks, Porta Talbot Docks, Neath Port Talbot, Wales Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: BP0055712 Permit Version: 2 Effective Date: 21st January 1993 Issued Date: 21st October 1992 Revocation Date: Not Supplied Discharge Type: Not Supplied Discharge: Controlled Sea Environment: Receiving Water: Port Talbot Docks Status: Effective Positional Accuracy: Located by supplier to within 100m	A11NW (NE)	36	2	276500 188800
4	Discharge Consents Operator: Associated British Ports Property Type: Not Supplied Location: Metal Mend Ltd Port Talbot Docks, Porta Talbot Docks, Neath Port Talbot, Wales Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bp0055712 Permit Version: 2 Effective Date: 21st January 1993 Issued Date: 21st October 1992 Revocation Date: Not Supplied Discharge Type: Not Supplied Discharge: Controlled Sea Environment: Receiving Water: Port Talbot Docks Status: Effective Positional Accuracy: Located by supplier to within 100m	A11NW (NE)	36	2	276500 188800
4	Discharge Consents Operator: Associated British Ports Property Type: Metal Treatment, Bolts, Nuts Etc. Location: Metal Mend Ltd Port Talbot Docks, Porta Talbot Docks, Neath Port Talbot, Wales Authority: Natural Resources Wales Catchment Area: River Afan Reference: Bp0055712 Permit Version: 1 Effective Date: 18th September 1987 Issued Date: 18th September 1987 Revocation Date: 20th January 1993 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Port Talbot Docks Status: Authorisation revoked Positional Accuracy: Located by supplier to within 100m	A11NW (NE)	36	2	276500 188800
4	Discharge Consents Operator: Associated British Ports Property Type: Metal Treatment, Bolts, Nuts Etc. Location: Metal Mend Ltd Port Talbot Docks, Porta Talbot Docks, Neath Port Talbot, Wales Authority: Natural Resources Wales Catchment Area: River Afan Reference: Bp0055714 Permit Version: 1 Effective Date: 18th September 1987 Issued Date: 18th September 1987 Revocation Date: 18th November 1992 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Port Talbot Docks Status: Consent expired Positional Accuracy: Located by supplier to within 100m	A11NW (NE)	36	2	276500 188800



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
4	Discharge Consents Operator: Associated British Ports Property Type: Metal Treatment, Bolts, Nuts Etc. Location: Metal Mend Ltd Port Talbot Docks, Porta Talbot Docks, Neath Port Talbot, Wales Authority: Natural Resources Wales Catchment Area: River Afan Reference: Bp0055725 Permit Version: 1 Effective Date: 18th September 1987 Issued Date: 18th September 1987 Revocation Date: 18th November 1992 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Port Talbot Docks Status: Consent expired Positional Accuracy: Located by supplier to within 100m	A11NW (NE)	36	2	276500 188800
4	Discharge Consents Operator: Associated British Ports Property Type: Metal Treatment, Bolts, Nuts Etc. Location: Metal Mend Ltd Port Talbot Docks, Porta Talbot Docks, Neath Port Talbot, Wales Authority: Natural Resources Wales Catchment Area: River Afan Reference: Bp0055726 Permit Version: 1 Effective Date: 18th September 1987 Issued Date: 18th September 1987 Revocation Date: 18th November 1992 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Port Talbot Docks Status: Consent expired Positional Accuracy: Located by supplier to within 100m	A11NW (NE)	36	2	276500 188800
4	Discharge Consents Operator: Associated British Ports Property Type: Metal Treatment, Bolts, Nuts Etc. Location: Metal Mend Ltd Port Talbot Docks, Porta Talbot Docks, Neath Port Talbot, Wales Authority: Natural Resources Wales Catchment Area: River Afan Reference: Bp0055731 Permit Version: 1 Effective Date: 18th September 1987 Issued Date: 18th September 1987 Revocation Date: 18th November 1992 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Port Talbot Docks Status: Consent expired Positional Accuracy: Located by supplier to within 100m	A11NW (NE)	36	2	276500 188800
4	Discharge Consents Operator: Associated British Ports Property Type: Metal Treatment, Bolts, Nuts Etc. Location: Metal Mend Ltd Port Talbot Docks, Porta Talbot Docks, Neath Port Talbot, Wales Authority: Natural Resources Wales Catchment Area: River Afan Reference: Bp0055732 Permit Version: 1 Effective Date: 18th September 1987 Issued Date: 18th September 1987 Revocation Date: 18th November 1992 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Port Talbot Docks Status: Consent expired Positional Accuracy: Located by supplier to within 100m	A11NW (NE)	36	2	276500 188800



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
5	Discharge Consents Operator: Associated British Ports Property Type: Undefined Or Other Location: Port Talbot Docks Authority: Natural Resources Wales Catchment Area: River Afan Reference: Bp0055716 Permit Version: 1 Effective Date: 18th September 1987 Issued Date: 18th September 1987 Revocation Date: 18th November 1992 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Port Talbot Docks Status: Consent expired Positional Accuracy: Located by supplier to within 100m	A10NE (NW)	96	2	276100 188800
6	Discharge Consents Operator: Associated British Ports Property Type: Undefined Or Other Location: Port Talbot Docks Authority: Natural Resources Wales Catchment Area: River Afan Reference: Bp0055715 Permit Version: 1 Effective Date: 18th September 1987 Issued Date: 18th September 1987 Revocation Date: 18th November 1992 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Port Talbot Docks Status: Consent expired Positional Accuracy: Located by supplier to within 100m	A10NE (N)	114	2	276400 188900
7	Discharge Consents Operator: Associated British Ports Property Type: Undefined Or Other Location: Port Talbot Docks Authority: Natural Resources Wales Catchment Area: River Afan Reference: Bp0055709 Permit Version: 1 Effective Date: 18th September 1987 Issued Date: 18th September 1987 Revocation Date: 18th November 1992 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Port Talbot Docks Status: Consent expired Positional Accuracy: Located by supplier to within 100m	A11SE (E)	159	2	276800 188600
7	Discharge Consents Operator: Associated British Ports Property Type: Undefined Or Other Location: Port Talbot Docks Authority: Natural Resources Wales Catchment Area: River Afan Reference: Bp0055710 Permit Version: 1 Effective Date: 18th September 1987 Issued Date: 18th September 1987 Revocation Date: 18th November 1992 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Port Talbot Docks Status: Consent expired Positional Accuracy: Located by supplier to within 100m	A11SE (E)	159	2	276800 188600



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
7	Discharge Consents Operator: Associated British Ports Property Type: Undefined Or Other Location: Port Talbot Docks Authority: Natural Resources Wales Catchment Area: River Afan Reference: Bp0055711 Permit Version: 1 Effective Date: 18th September 1987 Issued Date: 18th September 1987 Revocation Date: 18th November 1992 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Port Talbot Docks Status: Consent expired Positional Accuracy: Located by supplier to within 100m	A11SE (E)	159	2	276800 188600
7	Discharge Consents Operator: Associated British Ports Property Type: Undefined Or Other Location: Port Talbot Docks Authority: Natural Resources Wales Catchment Area: River Afan Reference: Bp0055724 Permit Version: 1 Effective Date: 18th September 1987 Issued Date: 18th September 1987 Revocation Date: 18th November 1992 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Port Talbot Docks Status: Consent expired Positional Accuracy: Located by supplier to within 100m	A11SE (E)	159	2	276800 188600
8	Discharge Consents Operator: Associated British Ports Property Type: Undefined Or Other Location: Port Talbot Docks Authority: Natural Resources Wales Catchment Area: Unknown Reference: Bp0055701 Permit Version: 1 Effective Date: 1st January 1901 Issued Date: 1st January 1901 Revocation Date: 17th September 1987 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Port Talbot Docks Status: Authorisation revoked Positional Accuracy: Located by supplier to within 100m	A15SW (N)	231	2	276500 189000
9	Discharge Consents Operator: British Steel Plc (Tinplate) Property Type: Iron & Steel Industries Location: Power Plants 12 & 12a (Cooling Wate, (Cooling Water) Authority: Natural Resources Wales Catchment Area: River Afan Reference: Bp0059206 Permit Version: 2 Effective Date: 5th March 1993 Issued Date: 5th December 1992 Revocation Date: 9th February 1999 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Port Talbot Dock Status: Revoked and replaced by IPC Authorisation Positional Accuracy: Located by supplier to within 100m	A11SE (E)	244	2	276900 188600



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
9	Discharge Consents Operator: British Steel Plc Property Type: Iron & Steel Industries Location: Power Plants 12 & 12a (Cooling Wate, (Cooling Water) Authority: Natural Resources Wales Catchment Area: River Afan Reference: Bp0059206 Permit Version: 2 Effective Date: 5th March 1993 Issued Date: 5th December 1992 Revocation Date: 9th February 1999 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Port Talbot Dock Status: Revoked and replaced by IPC Authorisation Positional Accuracy: Located by supplier to within 100m	A11SE (E)	244	2	276900 188600
9	Discharge Consents Operator: British Steel Plc (Tinplate) Property Type: Iron & Steel Industries Location: Power Plants 12 & 12a (Cooling Wate, (Cooling Water) Authority: Natural Resources Wales Catchment Area: River Afan Reference: Bp0059204 Permit Version: 2 Effective Date: 5th March 1993 Issued Date: 5th December 1992 Revocation Date: 20th September 1995 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Port Talbot Dock Status: Consent expired Positional Accuracy: Located by supplier to within 100m	A11SE (E)	244	2	276900 188600
9	Discharge Consents Operator: Associated British Ports Property Type: Iron & Steel Industries Location: Power Plants 12 & 12a (Cooling Wate, (Cooling Water) Authority: Natural Resources Wales Catchment Area: River Afan Reference: Bp0055708 Permit Version: 1 Effective Date: 18th September 1987 Issued Date: 18th September 1987 Revocation Date: 18th November 1992 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Port Talbot Docks Status: Consent expired Positional Accuracy: Located by supplier to within 100m	A11SE (E)	244	2	276900 188600
9	Discharge Consents Operator: British Steel Plc (Tinplate) Property Type: Iron & Steel Industries Location: Power Plants 12 & 12a (Cooling Wate, (Cooling Water) Authority: Natural Resources Wales Catchment Area: River Afan Reference: Bp0059204 Permit Version: 1 Effective Date: 16th September 1987 Issued Date: 16th September 1987 Revocation Date: 4th March 1993 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Port Talbot Dock Status: Authorisation revoked Positional Accuracy: Located by supplier to within 100m	A11SE (E)	244	2	276900 188600



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
10	Discharge Consents Operator: Associated British Ports Property Type: Undefined Or Other Location: Lock Levelling Water Taken From R F, Water Taken From R Ffrwdwyllt Fo, For Port Talbot Docks Authority: Natural Resources Wales Catchment Area: River Afan Reference: Bp0055733 Permit Version: 1 Effective Date: 18th September 1987 Issued Date: 18th September 1987 Revocation Date: 10th May 1995 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: River Ffrwdwyllt Status: Consent expired Positional Accuracy: Located by supplier to within 100m	A11NE (NE)	291	2	276900 188900
11	Discharge Consents Operator: British Steel Plc (Tinplate) Property Type: Iron & Steel Industries Location: No12ax Power Plt To D'K Authority: Natural Resources Wales Catchment Area: River Afan Reference: Bp0059207 Permit Version: 1 Effective Date: 16th September 1987 Issued Date: 16th September 1987 Revocation Date: 28th March 1994 Discharge Type: Trade Effluent Discharge: Not Supplied Environment: Receiving Water: Port Talbot Docks Status: Consent expired Positional Accuracy: Located by supplier to within 100m	A11SE (E)	337	2	277000 188600
12	Discharge Consents Operator: Associated British Ports Property Type: Undefined Or Other Location: Port Talbot Docks Authority: Natural Resources Wales Catchment Area: River Afan Reference: Bp0055727 Permit Version: 1 Effective Date: 18th September 1987 Issued Date: 18th September 1987 Revocation Date: 18th November 1992 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Port Talbot Docks Status: Consent expired Positional Accuracy: Located by supplier to within 100m	A14SE (NW)	351	2	276200 189100
13	Discharge Consents Operator: Associated British Ports Property Type: Support Services - Sea Transport Location: Tarmac Topmix Site Authority: Natural Resources Wales Catchment Area: River Afan Reference: BP0055730 Permit Version: 2 Effective Date: 21st January 1993 Issued Date: 21st October 1992 Revocation Date: 14th July 2008 Discharge Type: Unspecified Discharge: Freshwater Stream/River Environment: Receiving Water: River Ffrwdwyllt (Tidal) Status: Revoked (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 100m	A15SE (NE)	365	2	276900 189000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
13	Discharge Consents Operator: Associated British Ports Property Type: Support Services - Sea Transport Location: Tarmac Topmix Site Authority: Natural Resources Wales Catchment Area: River Afan Reference: Bp0055730 Permit Version: 1 Effective Date: 18th September 1987 Issued Date: 18th September 1987 Revocation Date: 20th January 1993 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: River Ffrwdwyllt (Tidal) Status: Authorisation revoked Positional Accuracy: Located by supplier to within 100m	A15SE (NE)	365	2	276900 189000
14	Discharge Consents Operator: Associated British Ports Property Type: Not Supplied Location: Talbot Wharf, The Docks, Port Talbot, Neath Port Talbot, Sa13 1re Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bm0033601 Permit Version: 2 Effective Date: 26th November 2012 Issued Date: 26th November 2012 Revocation Date: Not Supplied Discharge Type: Not Supplied Discharge: Into Land Environment: Receiving Water: Groundwater Via Infiltration System Status: Effective Positional Accuracy: Located by supplier to within 10m	A14SW (NW)	373	2	275990 189060
14	Discharge Consents Operator: Associated British Ports Property Type: Not Supplied Location: Talbot Wharf, The Docks, Port Talbot, Neath Port Talbot, Sa13 1re Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bm0033601 Permit Version: 2 Effective Date: 26th November 2012 Issued Date: 26th November 2012 Revocation Date: Not Supplied Discharge Type: Not Supplied Discharge: Into Land Environment: Receiving Water: Groundwater Via Infiltration System Status: Effective Positional Accuracy: Located by supplier to within 10m	A14SW (NW)	373	2	275990 189060
14	Discharge Consents Operator: Associated British Ports Property Type: Support Services - Sea Transport Location: Talbot Wharf, The Docks, Port Talbot, Neath Port Talbot, Sa13 1re Authority: Natural Resources Wales Catchment Area: Not Given Reference: BM0033601 Permit Version: 1 Effective Date: 17th November 1983 Issued Date: 17th November 1983 Revocation Date: 25th November 2012 Discharge Type: Unspecified Discharge: Land/Soakaway Environment: Receiving Water: To Underground Strata Status: New Consent, by Application (Water Resources Act 1991, Section 88) Positional Accuracy: Located by supplier to within 100m	A14SW (NW)	373	2	275990 189060

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
15	Discharge Consents Operator: Associated British Ports Property Type: Recreational & Cultural Location: Sea Cadets Club Site Port Talbot, Port Talbot Docks, Neath Port Talbot, Sa13 1ra Authority: Natural Resources Wales Catchment Area: AFAN ESTUARY INCL DOCKS Reference: BP0055703 Permit Version: 2 Effective Date: 21st January 1993 Issued Date: 21st October 1992 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Port Talbot Docks Status: Effective Positional Accuracy: Located by supplier to within 100m	A10NW (W)	374	2	275800 188800
15	Discharge Consents Operator: Associated British Ports Property Type: Recreational & Cultural Location: Sea Cadets Club Site Port Talbot, Port Talbot Docks, Neath Port Talbot, Sa13 1ra Authority: Natural Resources Wales Catchment Area: AFAN ESTUARY INCL DOCKS Reference: Bp0055703 Permit Version: 2 Effective Date: 21st January 1993 Issued Date: 21st October 1992 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Port Talbot Docks Status: Effective Positional Accuracy: Located by supplier to within 100m	A10NW (W)	374	2	275800 188800
15	Discharge Consents Operator: Associated British Ports Property Type: Recreational & Cultural Location: Sea Cadets Club Site Port Talbot, Port Talbot Docks, Neath Port Talbot, Sa13 1ra Authority: Natural Resources Wales Catchment Area: River Afan Reference: Bp0055703 Permit Version: 1 Effective Date: 18th September 1987 Issued Date: 18th September 1987 Revocation Date: 20th January 1993 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Port Talbot Docks Status: Authorisation revoked Positional Accuracy: Located by supplier to within 100m	A10NW (W)	374	2	275800 188800
15	Discharge Consents Operator: Associated British Ports Property Type: Recreational & Cultural Location: Sea Cadets Club Site Port Talbot, Port Talbot Docks, Neath Port Talbot, Sa13 1ra Authority: Natural Resources Wales Catchment Area: River Afan Reference: Bp0055717 Permit Version: 1 Effective Date: 18th September 1987 Issued Date: 18th September 1987 Revocation Date: 18th November 1992 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Port Talbot Docks Status: Consent expired Positional Accuracy: Located by supplier to within 100m	A10NW (W)	374	2	275800 188800

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
16	Discharge Consents Operator: Mechema Chemicals Ltd Property Type: Basic Industry, Chemicals Inorganic Location: Port Talbot Talbot Wharf Chemical W, Talbot Wharf Chemical Works W.Gl, W.Glam Authority: Natural Resources Wales Catchment Area: River Afan Reference: Bp0096301 Permit Version: 1 Effective Date: 17th August 1988 Issued Date: 17th August 1988 Revocation Date: 27th June 1994 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: To Land Status: Consent expired Positional Accuracy: Located by supplier to within 100m	A15SW (NE)	376	2	276700 189100
17	Discharge Consents Operator: Associated British Ports Property Type: Recreational & Cultural Location: Sea Cadets Club Site Port Talbot Do, Port Talbot Docks Authority: Natural Resources Wales Catchment Area: AFAN ESTUARY INCL DOCKS Reference: BP0055704 Permit Version: 2 Effective Date: 21st January 1993 Issued Date: 21st October 1992 Revocation Date: Not Supplied Discharge Type: Not Supplied Discharge: Freshwater Stream/River Environment: Receiving Water: Port Talbot Docks Status: Effective Positional Accuracy: Located by supplier to within 100m	A10NW (W)	404	2	275800 188900
17	Discharge Consents Operator: Associated British Ports Property Type: Recreational & Cultural Location: Sea Cadets Club Site Port Talbot Do, Port Talbot Docks Authority: Natural Resources Wales Catchment Area: AFAN ESTUARY INCL DOCKS Reference: Bp0055704 Permit Version: 2 Effective Date: 21st January 1993 Issued Date: 21st October 1992 Revocation Date: Not Supplied Discharge Type: Not Supplied Discharge: Freshwater Stream/River Environment: Receiving Water: Port Talbot Docks Status: Effective Positional Accuracy: Located by supplier to within 100m	A10NW (W)	404	2	275800 188900
17	Discharge Consents Operator: Associated British Ports Property Type: Recreational & Cultural Location: Sea Cadets Club Site Port Talbot Do, Port Talbot Docks Authority: Natural Resources Wales Catchment Area: River Afan Reference: Bp0055704 Permit Version: 1 Effective Date: 18th September 1987 Issued Date: 18th September 1987 Revocation Date: 20th January 1993 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Port Talbot Docks Status: Authorisation revoked Positional Accuracy: Located by supplier to within 100m	A10NW (W)	404	2	275800 188900



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
18	Discharge Consents Operator: Associated British Ports Property Type: Undefined Or Other Location: Port Talbot Docks Authority: Natural Resources Wales Catchment Area: River Afan Reference: Bp0055707 Permit Version: 1 Effective Date: 18th September 1987 Issued Date: 18th September 1987 Revocation Date: 16th December 1992 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Port Talbot Docks Status: Consent expired Positional Accuracy: Located by supplier to within 100m	A15SW (N)	448	2	276600 189200
18	Discharge Consents Operator: Associated British Ports Property Type: Undefined Or Other Location: Port Talbot Docks Authority: Natural Resources Wales Catchment Area: River Afan Reference: Bp0055722 Permit Version: 1 Effective Date: 18th September 1987 Issued Date: 18th September 1987 Revocation Date: 10th September 1992 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Port Talbot Docks Status: Consent expired Positional Accuracy: Located by supplier to within 100m	A15SW (N)	448	2	276600 189200
18	Discharge Consents Operator: Associated British Ports Property Type: Undefined Or Other Location: Port Talbot Docks Authority: Natural Resources Wales Catchment Area: River Afan Reference: Bp0055723 Permit Version: 1 Effective Date: 18th September 1987 Issued Date: 18th September 1987 Revocation Date: 29th September 1992 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Port Talbot Docks Status: Consent expired Positional Accuracy: Located by supplier to within 100m	A15SW (N)	448	2	276600 189200
19	Discharge Consents Operator: British Steel Plc (Tinplate) Property Type: Iron & Steel Industries Location: Pt Talbot Wks Blast F'Ces Gas Wash, Blast F'Ces Gas Wash Water-Aba Authority: Natural Resources Wales Catchment Area: River Afan Reference: Ba2020101 Permit Version: 1 Effective Date: 28th August 1965 Issued Date: 28th August 1965 Revocation Date: 22nd January 1992 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Ffrwdwyllt Status: Consent expired Positional Accuracy: Located by supplier to within 10m	A12NW (E)	465	2	277100 188910



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
20	Discharge Consents Operator: British Steel Plc (Tinplate) Property Type: Iron & Steel Industries Location: No 3 Blast Furnace Port Talbot Work, Port Talbot Works Port Talbot Authority: Natural Resources Wales Catchment Area: Not Given Reference: Ba2020002 Permit Version: 1 Effective Date: 1st January 1950 Issued Date: 16th June 1994 Revocation Date: 20th September 1995 Discharge Type: Trade Effluent Discharge: Not Supplied Environment: Receiving Water: The Culverted River Ffrwdwyllt Status: Consent expired Positional Accuracy: Located by supplier to within 100m	A12NW (E)	471	2	277130 188850
20	Discharge Consents Operator: British Steel Plc (Tinplate) Property Type: Iron & Steel Industries Location: No 3 Blast Furnace Port Talbot Work, Port Talbot Works Port Talbot Authority: Natural Resources Wales Catchment Area: River Afan Reference: Ba2020001 Permit Version: 1 Effective Date: 28th August 1963 Issued Date: 28th August 1963 Revocation Date: 9th June 1994 Discharge Type: Trade Effluent Discharge: Not Supplied Environment: Receiving Water: Ffrwdwyllt Status: Consent expired Positional Accuracy: Located by supplier to within 10m	A12NW (E)	471	2	277130 188850
21	Discharge Consents Operator: Associated British Ports Property Type: Recreational & Cultural Location: Small Boat Club Site Port Talbot Do, Port Talbot Docks Authority: Natural Resources Wales Catchment Area: AFAN ESTUARY INCL DOCKS Reference: BP0055702 Permit Version: 2 Effective Date: 21st January 1993 Issued Date: 21st October 1992 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Port Talbot Docks Status: Effective Positional Accuracy: Located by supplier to within 100m	A9NE (W)	472	2	275700 188800
21	Discharge Consents Operator: Associated British Ports Property Type: Recreational & Cultural Location: Small Boat Club Site Port Talbot Do, Port Talbot Docks Authority: Natural Resources Wales Catchment Area: AFAN ESTUARY INCL DOCKS Reference: Bp0055702 Permit Version: 2 Effective Date: 21st January 1993 Issued Date: 21st October 1992 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Port Talbot Docks Status: Effective Positional Accuracy: Located by supplier to within 100m	A9NE (W)	472	2	275700 188800



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
21	Discharge Consents Operator: Associated British Ports Property Type: Recreational & Cultural Location: Small Boat Club Site Port Talbot Do, Port Talbot Docks Authority: Natural Resources Wales Catchment Area: Unknown Reference: Bp0055702 Permit Version: 1 Effective Date: 18th September 1987 Issued Date: 18th September 1987 Revocation Date: 20th January 1993 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Port Talbot Docks Status: Authorisation revoked Positional Accuracy: Located by supplier to within 100m	A9NE (W)	472	2	275700 188800
22	Discharge Consents Operator: Short Bros (Plant) Ltd, Property Type: General Construction Work Location: Llewellyn Quay P Talbot Authority: Natural Resources Wales Catchment Area: River Afan Reference: Bp0028901 Permit Version: 1 Effective Date: 2nd October 1986 Issued Date: 2nd October 1986 Revocation Date: 21st April 1994 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Soakaway Status: Consent expired Positional Accuracy: Located by supplier to within 10m	A15SE (NE)	518	2	276830 189210
23	Discharge Consents Operator: Associated British Ports Property Type: Undefined Or Other Location: Port Talbot Docks Authority: Natural Resources Wales Catchment Area: River Afan Reference: Bp0055706 Permit Version: 1 Effective Date: 18th September 1987 Issued Date: 18th September 1987 Revocation Date: 18th November 1992 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Port Talbot Docks Status: Consent expired Positional Accuracy: Located by supplier to within 100m	A15SW (N)	546	2	276600 189300
23	Discharge Consents Operator: Associated British Ports Property Type: Undefined Or Other Location: Port Talbot Docks Authority: Natural Resources Wales Catchment Area: River Afan Reference: Bp0055721 Permit Version: 1 Effective Date: 18th September 1987 Issued Date: 18th September 1987 Revocation Date: 5th October 1992 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Port Talbot Docks Status: Consent expired Positional Accuracy: Located by supplier to within 100m	A15SW (N)	546	2	276600 189300

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
24	Discharge Consents Operator: Associated British Ports Property Type: Undefined Or Other Location: Port Talbot Docks Authority: Natural Resources Wales Catchment Area: Unknown Reference: Bp0055701 Permit Version: 2 Effective Date: 18th September 1987 Issued Date: 18th September 1987 Revocation Date: 18th November 1992 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Port Talbot Docks Status: Consent expired Positional Accuracy: Located by supplier to within 100m	A9NE (W)	572	2	275600 188800
25	Discharge Consents Operator: Associated British Ports Property Type: Undefined Or Other Location: Port Talbot Docks Authority: Natural Resources Wales Catchment Area: River Afan Reference: Bp0055729 Permit Version: 1 Effective Date: 18th September 1987 Issued Date: 18th September 1987 Revocation Date: 18th November 1992 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Port Talbot Docks Status: Consent expired Positional Accuracy: Located by supplier to within 100m	A15NW (N)	622	2	276500 189400
26	Discharge Consents Operator: Associated British Ports Property Type: Undefined Or Other Location: Port Talbot Docks - Dry Dock Authority: Natural Resources Wales Catchment Area: River Afan Reference: Bp0055734 Permit Version: 1 Effective Date: 18th September 1987 Issued Date: 18th September 1987 Revocation Date: 18th November 1992 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Port Talbot Docks Status: Consent expired Positional Accuracy: Located by supplier to within 100m	A13SE (NW)	676	2	275600 189100
27	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Cso 123 Margam Ps Nr Brombill St, Magam Pumping Station, Nr Brombill Street, Margam Authority: Natural Resources Wales Catchment Area: FFRWD WYLLT - HEADWATERS TO TIDAL LIMIT Reference: Bp0046202 Permit Version: 2 Effective Date: 1st April 2004 Issued Date: 31st March 2004 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Arnallt Brook Status: Effective Positional Accuracy: Located by supplier to within 10m	A8NW (SE)	684	2	277186 188236

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
27	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Cso 123 Margam Ps Nr Brombill St, Magam Pumping Station, Nr Brombill Street, Margam Authority: Natural Resources Wales Catchment Area: FFRWD WYLLT - HEADWATERS TO TIDAL LIMIT Reference: Bp0046202 Permit Version: 2 Effective Date: 1st April 2004 Issued Date: 31st March 2004 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Arnallt Brook Status: Effective Positional Accuracy: Located by supplier to within 10m	A8NW (SE)	684	2	277186 188236
28	Discharge Consents Operator: Associated British Ports Property Type: Basic Industry, Chemicals Inorganic Location: Abp Sewer Ref No R2 Authority: Natural Resources Wales Catchment Area: River Afan Reference: Bp0055718 Permit Version: 1 Effective Date: 18th September 1987 Issued Date: 17th August 1987 Revocation Date: 31st October 1991 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Port Talbot Docks Status: Authorisation revoked Positional Accuracy: Located by supplier to within 100m	A13SE (NW)	736	2	275600 189200
28	Discharge Consents Operator: Mechema Chemicals Ltd Property Type: Undefined Or Other Location: Port Talbot Talbot Wharf Chemical W, Talbot Wharf Chemical Works West, West Glam Authority: Natural Resources Wales Catchment Area: River Afan Reference: Bm0044501 Permit Version: 1 Effective Date: 30th January 1985 Issued Date: 30th January 1985 Revocation Date: 30th June 1992 Discharge Type: Sewerage System Discharge Discharge: Not Supplied Environment: Receiving Water: River Afan Status: Consent expired Positional Accuracy: Located by supplier to within 10m	A13SE (NW)	767	2	275560 189200
29	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Pumping Station - Water Company Location: Newbridge Rd P.Stn Swo Port T Authority: Natural Resources Wales Catchment Area: River Afan Reference: BB4025501 Permit Version: 1 Effective Date: 19th July 1978 Issued Date: 19th July 1978 Revocation Date: 31st March 2004 Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: Unnamed Status: New Consent, by Application (Water Resources Act 1991, Section 88) Positional Accuracy: Located by supplier to within 100m	A13SE (NW)	741	2	275530 189110

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
29	Discharge Consents Operator: Associated British Ports Property Type: Basic Industry, Chemicals Inorganic Location: Abp Sewer Ref No R2 Authority: Natural Resources Wales Catchment Area: River Afan Reference: Bp0055718 Permit Version: 2 Effective Date: 1st November 1991 Issued Date: 18th July 1991 Revocation Date: 12th October 1992 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Port Talbot Docks Status: Consent expired Positional Accuracy: Located by supplier to within 100m	A13SE (NW)	762	2	275500 189100
30	Discharge Consents Operator: Associated British Ports Property Type: Support Services - Sea Transport Location: Port Talbot Docks Authority: Natural Resources Wales Catchment Area: River Afan Reference: Bp0055720 Permit Version: 1 Effective Date: 18th September 1987 Issued Date: 18th September 1987 Revocation Date: 16th December 1992 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Port Talbot Docks Status: Consent expired Positional Accuracy: Located by supplier to within 100m	A9NW (W)	771	2	275400 188800
31	Discharge Consents Operator: British Steel Plc (Tinplate) Property Type: Iron & Steel Industries Location: 8 Iron Ore Stockyard Bsc Por Authority: Natural Resources Wales Catchment Area: River Afan Reference: Bp0059203 Permit Version: 1 Effective Date: 16th September 1987 Issued Date: 16th September 1987 Revocation Date: 30th June 1992 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: River Afan Status: Consent expired Positional Accuracy: Located by supplier to within 100m	A9SW (W)	778	2	275400 188600
32	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: S'Dfields Sewer J'Ction Chambe Port, Port Talbot Authority: Natural Resources Wales Catchment Area: River Afan Reference: BB4025502 Permit Version: 1 Effective Date: 19th July 1978 Issued Date: 19th July 1978 Revocation Date: 31st March 2004 Discharge Type: Unspecified Discharge: Freshwater Stream/River Environment: Receiving Water: Unnamed Status: Revoked (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 100m	A13SE (NW)	876	2	275510 189310



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
33	Discharge Consents Operator: Associated British Ports Property Type: Support Services - Sea Transport Location: Puckey House Port Talbot Tidal Harb, Port Talbot Tidal Harbour Authority: Natural Resources Wales Catchment Area: River Afan Reference: Bp0055719 Permit Version: 1 Effective Date: 18th September 1987 Issued Date: 18th September 1987 Revocation Date: 11th January 1993 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Afan Estuary Status: Authorisation revoked Positional Accuracy: Located by supplier to within 100m	A9SW (W)	877	2	275300 188600
34	Discharge Consents Operator: Associated British Ports Property Type: Support Services - Sea Transport Location: Port Talbot Docks - Security B Authority: Natural Resources Wales Catchment Area: River Afan Reference: Bp0055705 Permit Version: 1 Effective Date: 18th September 1987 Issued Date: 18th September 1987 Revocation Date: 16th December 1992 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Port Talbot Docks Status: Consent expired Positional Accuracy: Located by supplier to within 100m	A14NW (NW)	884	2	276000 189600
35	Discharge Consents Operator: Associated British Ports Property Type: Not Supplied Location: Puckey House Port Talbot Tidal Harb, Port Talbot Tidal Harbour Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: BP0055719 Permit Version: 2 Effective Date: 12th January 1993 Issued Date: 12th October 1992 Revocation Date: Not Supplied Discharge Type: Not Supplied Discharge: Saline Estuary Environment: Receiving Water: Afan Estuary Status: Effective Positional Accuracy: Located by supplier to within 100m	A9NW (W)	901	2	275270 188650
35	Discharge Consents Operator: Associated British Ports Property Type: Not Supplied Location: Puckey House Port Talbot Tidal Harb, Port Talbot Tidal Harbour Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bp0055719 Permit Version: 2 Effective Date: 12th January 1993 Issued Date: 12th October 1992 Revocation Date: Not Supplied Discharge Type: Not Supplied Discharge: Saline Estuary Environment: Receiving Water: Afan Estuary Status: Effective Positional Accuracy: Located by supplier to within 10m	A9NW (W)	901	2	275270 188650



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
36	Discharge Consents Operator: Westbury Homes (Wales) Ltd Property Type: Domestic Property (Multiple) Location: Port Talbot Residential Development, Newbridge Road Authority: Natural Resources Wales Catchment Area: River Afan Reference: Bp0105101 Permit Version: 2 Effective Date: 3rd November 1988 Issued Date: 3rd November 1988 Revocation Date: 29th September 1992 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: River Afan Status: Consent expired Positional Accuracy: Located by supplier to within 100m	A13NE (NW)	955	2	275600 189500
36	Discharge Consents Operator: Westbury Homes (Wales) Ltd Property Type: Domestic Property (Multiple) Location: Port Talbot Residential Development, Newbridge Road Authority: Natural Resources Wales Catchment Area: River Afan Reference: Bp0105101 Permit Version: 1 Effective Date: 1st January 1901 Issued Date: 1st January 1901 Revocation Date: 2nd November 1988 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: River Afan Status: Authorisation revoked Positional Accuracy: Located by supplier to within 100m	A13NE (NW)	955	2	275600 189500
36	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Gasworks Sewer Junction Chamber Po, Chamber Port Talbot Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: BB4025503 Permit Version: 1 Effective Date: 19th July 1978 Issued Date: 19th July 1978 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Unnamed Status: Surrendered Positional Accuracy: Located by supplier to within 100m	A13NE (NW)	996	2	275600 189550
36	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Gasworks Sewer Junction Chamber Po, Chamber Port Talbot Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bb4025503 Permit Version: 1 Effective Date: 19th July 1978 Issued Date: 19th July 1978 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: River Tawe Status: Surrendered Positional Accuracy: Located by supplier to within 10m	A13NE (NW)	996	2	275600 189550

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
37	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Abbey Bsc Works Authority: Natural Resources Wales Catchment Area: Not Given Reference: BO5081401 Permit Version: 1 Effective Date: 20th October 1989 Issued Date: 20th October 1989 Revocation Date: 31st March 2004 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Betsi Lagoon Status: Revoked (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 100m	A18SW (N)	981	2	276000 189700
38	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Isaacs Plce Sjc Port T Authority: Natural Resources Wales Catchment Area: River Afan Reference: Bb4025506 Permit Version: 1 Effective Date: 19th July 1978 Issued Date: 19th July 1978 Revocation Date: 14th March 1994 Discharge Type: Unspecified Discharge: Freshwater Stream/River Environment: Receiving Water: Unnamed Status: Consent expired Positional Accuracy: Located by supplier to within 10m	A18SW (NW)	991	2	275850 189670
39	Integrated Pollution Controls Name: Bitmac Ltd Location: Phoenix Wharf, Port Talbot Dock, South Side, PORT TALBOT, West Glamorgan, SA13 1RA Authority: Environment Agency, Welsh Region Permit Reference: BH2952 Dated: 29th October 1999 Process Type: IPC new application Description: 1.2 A (B) Carbonisation and associated processes within the Fuel & Power Industry Status: Application has met the requirements for authorisation (but not yet authorised) Positional Accuracy: Manually positioned within the geographical locality	A11NW (E)	1	3	276675 188697
40	Integrated Pollution Controls Name: Multiserv (Asr) Ltd Location: British Steel Strip Products, Port Talbot Works, PORT TALBOT, West Glamorgan, SA13 1RE Authority: Environment Agency, Welsh Region Permit Reference: BE7699 Dated: 21st December 1998 Process Type: IPC minor (non-substantial) variation to previous variation Description: 2.1 A (B) Iron and Steel processes within the Metal Industry Status: Authorisation superseded by a substantial or non substantial variation Positional Accuracy: Automatically positioned to the address	A14NE (N)	676	3	276398 189462
41	Integrated Pollution Controls Name: Cambrian Stone Ltd Location: CAMBRIAN STONE LTD, PO Box 12, PORT TALBOT, West Glamorgan, SA12 6RL Authority: Environment Agency, Welsh Region Permit Reference: BE2069 Dated: 24th November 1998 Process Type: IPC minor (non-substantial) variation to previous variation Description: 2.1 A (C) Iron and Steel processes within the Metal Industry Status: Revoked - Now IPPC Positional Accuracy: Automatically positioned to the address	A19SE (NE)	966	3	276864 189667

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
41	Integrated Pollution Controls Name: Cambrian Stone Ltd Location: CAMBRIAN STONE LTD, PO Box 12, PORT TALBOT, West Glamorgan, SA12 6RL Authority: Environment Agency, Welsh Region Permit Reference: BA1346 Dated: 27th February 1998 Process Type: IPC minor (non-substantial) variation to previous variation Description: 2.1 A (C) Iron and Steel processes within the Metal Industry Status: Authorisation superseded by a substantial or non substantial variation Positional Accuracy: Automatically positioned to the address	A19SE (NE)	966	3	276864 189667
41	Integrated Pollution Controls Name: Cambrian Stone Ltd Location: CAMBRIAN STONE LTD, PO Box 12, PORT TALBOT, West Glamorgan, SA12 6RL Authority: Environment Agency, Welsh Region Permit Reference: AW8084 Dated: 22nd January 1997 Process Type: IPC major (substantial) variation Description: 2.1 A (C) Iron and Steel processes within the Metal Industry Status: Authorisation superseded by a substantial or non substantial variation Positional Accuracy: Automatically positioned to the address	A19SE (NE)	966	3	276864 189667
41	Integrated Pollution Controls Name: Cambrian Stone Ltd Location: CAMBRIAN STONE LTD, PO Box 12, PORT TALBOT, West Glamorgan, SA12 6RL Authority: Environment Agency, Welsh Region Permit Reference: AQ9936 Dated: 24th July 1995 Process Type: IPC application for process that was regulated by HMIP for air releases under previous legislation Description: 2.1 A (C) Iron and Steel processes within the Metal Industry Status: Authorisation superseded by a substantial or non substantial variation Positional Accuracy: Automatically positioned to the address	A19SE (NE)	966	3	276864 189667
42	Integrated Pollution Prevention And Control Name: Port Talbot Power Limited Location: Port Talbot Ccgt Power Station, Phoenix Wharf, The Docks, Port Talbot, West Glamorgan, SA13 1RA Authority: Environment Agency, Welsh Region Permit Reference: AP3435UJ Original Permit Ref: Ap3435uj Effective Date: Not Supplied Status: Valid Application Type: Application App. Sub Type: New Positional Accuracy: Located by supplier to within 10m Activity Code: 1.1 A(1) (A) Activity Description: Combustion; Any Fuel Greater Or Equal To 50Mw Primary Activity: Y Activity Code: 0.0 Associated Process Activity Description: Associated Process Primary Activity: N	A11SW (E)	41	3	276670 188620
43	Integrated Pollution Prevention And Control Name: Prenergy Power Ltd Location: Port Talbot Renewable Energy Plant, Port Talbot Renewable Energy Plant, Port Talbot Dock,, Port Talbot, SA13 1RB Authority: Natural Resources Wales Permit Reference: QP3232NY Original Permit Ref: Bp3936ls Effective Date: 1st August 2013 Status: Surrender Effective Application Type: Surrender App. Sub Type: Whole Positional Accuracy: Located by supplier to within 10m Activity Code: 1.1 A(1) (A) Activity Description: Combustion; Any Fuel Greater Or Equal To 50Mw Primary Activity: Y Activity Code: 0.0 Associated Process Activity Description: Associated Process Primary Activity: N	A5NE (SW)	837	2	275630 187970



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
43	Integrated Pollution Prevention And Control Name: Prenergy Power Ltd Location: Port Talbot Renewable Energy Plant, Port Talbot Renewable Energy Plant, Port Talbot Dock,, Port Talbot, SA13 1RB Authority: Natural Resources Wales Permit Reference: DP3933HA Original Permit Ref: Bp3936ls Effective Date: 23rd March 2011 Status: Superseded By Variation Application Type: Variation App. Sub Type: Standard Positional Accuracy: Located by supplier to within 100m Activity Code: 0.0 Associated Process Activity Description: Associated Process Primary Activity: N Activity Code: 1.1 A(1) (A) Activity Description: Combustion; Any Fuel Greater Or Equal To 50Mw Primary Activity: Y	A5NE (SW)	837	2	275630 187970
43	Integrated Pollution Prevention And Control Name: Prenergy Power Ltd Location: Port Talbot Renewable Energy Plant, Port Talbot Renewable Energy Plant, Port Talbot Dock,, Port Talbot, SA13 1RB Authority: Natural Resources Wales Permit Reference: BP3936LS Original Permit Ref: Bp3936ls Effective Date: 29th September 2009 Status: Superseded By Variation Application Type: Application App. Sub Type: New Positional Accuracy: Located by supplier to within 10m Activity Code: 0.0 Associated Process Activity Description: Associated Process Primary Activity: N Activity Code: 1.1 A(1) (A) Activity Description: Combustion; Any Fuel Greater Or Equal To 50Mw Primary Activity: Y	A5NE (SW)	837	2	275630 187970
44	Integrated Pollution Prevention And Control Name: Cambrian Stone Limited Location: Port Talbot Steel Works, Port Talbot, West Glamorgan, SA12 6RL Authority: Natural Resources Wales Permit Reference: Bx0873ik Original Permit Ref: BI5636if Effective Date: 7th December 2003 Status: Superseded By Variation Application Type: Variation App. Sub Type: Minor Positional Accuracy: Automatically positioned to the address Activity Code: 3.5 B (A) Activity Description: Other Mineral Activities; Any Processing With Release Of Particulates Into Air (Unless A(1) Or A(2)), (Except Stone Ecutting) Primary Activity: Y	A19SE (NE)	966	2	276864 189667
45	Local Authority Integrated Pollution Prevention And Control Name: Civil & Marine Slag Cement Ltd Location: Rio Tinto Wharf, Port Talbot Docks, Port Talbot, Sa13 1ra Authority: Neath Port Talbot County Borough Council, Environmental Health Department Permit Reference: E3/1/102 Dated: Not Supplied Process Type: Mineral Industries Description: SG6 Status: Permit Issued Positional Accuracy: Located by supplier to within 10m	A10NE (NW)	70	4	276274 188828
46	Local Authority Pollution Prevention and Controls Name: Civil & Marine Ltd Location: Rio Tinto Wharf, Port Talbot Docks, PORT TALBOT, SA13 1RA Authority: Neath Port Talbot County Borough Council, Environmental Health Department Permit Reference: E3/1/102 Dated: 3rd July 2003 Process Type: Local Authority Air Pollution Control Description: PG3/1Blending, packing, loading and use of bulk cement Status: Transferred to LAIPPC Positional Accuracy: Located by supplier to within 10m	A10NE (NW)	70	4	276274 188828

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
47	Local Authority Pollution Prevention and Controls Name: Civil & Marine Slag Cement Ltd Location: Rio Tinto Wharf, Docks Road, The Docks, PORT TALBOT, West Glamorgan, SA13 1RA Authority: Neath Port Talbot County Borough Council, Environmental Health Department Permit Reference: E3/1/86 Dated: 29th June 1999 Process Type: Local Authority Air Pollution Control Description: PG3/8 Quarry processes including roadstone plants and the size reduction of bricks, tiles and concrete Status: Authorised Positional Accuracy: Automatically positioned to the address	A15NW (N)	604	4	276479 189385
48	Local Authority Pollution Prevention and Controls Name: Cambrian Stone Limited Location: Margam Slagworks, Po Box 12, PORT TALBOT, West Glamorgan, SA13 Authority: Neath Port Talbot County Borough Council, Environmental Health Department Permit Reference: E3/1/11 Dated: 13th May 1994 Process Type: Local Authority Air Pollution Control Description: PG3/8 Quarry processes including roadstone plants and the size reduction of bricks, tiles and concrete Status: Authorisation has varied Positional Accuracy: Approximate location provided by supplier	A7NE (SE)	695	4	277025 188010
49	Local Authority Pollution Prevention and Controls Name: John Nicholas & Sons Ltd Location: Docks Road, PORT TALBOT, West Glamorgan, SA13 1RS Authority: Neath Port Talbot County Borough Council, Environmental Health Department Permit Reference: Not Given Dated: Not Supplied Process Type: Local Authority Air Pollution Control Description: PG3/1Blending, packing, loading and use of bulk cement Status: Authorisation revoked Positional Accuracy: Manually positioned to the address or location	A14NW (NW)	778	4	275907 189465
49	Local Authority Pollution Prevention and Controls Name: RMC Readymix Wales & Midlands Location: Docks Road, PORT TALBOT, West Glamorgan, SA13 1RS Authority: Neath Port Talbot County Borough Council, Environmental Health Department Permit Reference: e3/1/7 Dated: 19th May 1994 Process Type: Local Authority Air Pollution Control Description: PG3/1Blending, packing, loading and use of bulk cement Status: Authorisation has varied Positional Accuracy: Manually positioned to the address or location	A14NW (NW)	780	4	275902 189465
50	Local Authority Pollution Prevention and Controls Name: Blakemore Retail Ltd Location: Talbot Road, PORT TALBOT, West Glamorgan, SA13 1HN Authority: Neath Port Talbot County Borough Council, Environmental Health Department Permit Reference: E3/1/71 Dated: 26th February 1999 Process Type: Local Authority Pollution Prevention and Control Description: PG1/14 Petrol filling station Status: Permitted Positional Accuracy: Automatically positioned to the address	A15NE (NE)	845	4	276821 189553
	Nearest Surface Water Feature	A10NE (W)	0	-	276373 188675
51	Pollution Incidents to Controlled Waters Property Type: Not Given Location: Freshwater Docks, PORT TALBOT Authority: Environment Agency, Welsh Region Pollutant: Crude Sewage Note: Natural Causes Incident Date: 23rd September 1995 Incident Reference: 25959 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Unknown Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A11NE (E)	151	3	276800 188800

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
52	Pollution Incidents to Controlled Waters Property Type: Not Given Location: From Port, Talbot Small Authority: Environment Agency, Welsh Region Pollutant: Oils - Diesel (Including Agricultural) Note: Not Supplied Incident Date: 9th May 1996 Incident Reference: 28346 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Unknown Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A9NE (W)	472	3	275700 188795
53	Pollution Incidents to Controlled Waters Property Type: Not Given Location: Llewellyns Dock Authority: Environment Agency, Welsh Region Pollutant: Oils - Diesel (Including Agricultural) Note: Port Talbot Dock; Spillage Incident Date: 28th March 1998 Incident Reference: 35231 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Inadequate Design/Capacity Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A15SW (N)	541	3	276600 189295
53	Pollution Incidents to Controlled Waters Property Type: Not Given Location: Llewellyns Quay Authority: Environment Agency, Welsh Region Pollutant: Oils - Diesel (Including Agricultural) Note: Port Talbot Dock; Spillage Incident Date: 28th March 1998 Incident Reference: 35231 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Inadequate Design/Capacity Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A15SW (N)	542	3	276605 189295
53	Pollution Incidents to Controlled Waters Property Type: Warehouses Location: Location Description Not Available Authority: Environment Agency, Welsh Region Pollutant: Mud/Clay/Soil Note: Neglect Incident Date: 22nd September 1994 Incident Reference: 21170 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Leakage Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m	A15SW (N)	546	3	276600 189300
53	Pollution Incidents to Controlled Waters Property Type: Not Given Location: Llewellyns Quay, 400M Slick Of Oil, Along Bank Of Dock Authority: Environment Agency, Welsh Region Pollutant: Oils - Diesel (Including Agricultural) Note: Port Talbot Dock; Spillage Incident Date: 28th March 1998 Incident Reference: 35231 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Inadequate Design/Capacity Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A15SW (N)	547	3	276605 189300
54	Pollution Incidents to Controlled Waters Property Type: Not Given Location: Side Of Railway Line, PORT TALBOT Authority: Environment Agency, Welsh Region Pollutant: Oils - Diesel (Including Agricultural) Note: Deliberate Act Incident Date: 9th May 1996 Incident Reference: 28283 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Direct Discharge Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A12NW (E)	647	3	277300 188895

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
54	Pollution Incidents to Controlled Waters Property Type: Waste Handling Facilities Location: Railway Line, PORT TALBOT Authority: Environment Agency, Welsh Region Pollutant: Oils - Diesel (Including Agricultural) Note: Deliberate Act Incident Date: 9th May 1996 Incident Reference: 28283 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Direct Discharge Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A12NW (E)	648	3	277300 188900
55	Pollution Incidents to Controlled Waters Property Type: Industrial Premises Location: Llewelyn Quay, PORT TALBOT Authority: Environment Agency, Welsh Region Pollutant: Sewage - Septic Tank Effluent Note: Inadequate Design/Capacity Incident Date: 7th May 1991 Incident Reference: 4265 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Runoff Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A15NW (N)	666	3	276700 189400
56	Pollution Incidents to Controlled Waters Property Type: Not Given Location: British Steel, PORT TALBOT Authority: Environment Agency, Welsh Region Pollutant: Oils - Diesel (Including Agricultural) Note: No Watercourse Affected - Contaminated Land; Spillage Incident Date: 11th April 1998 Incident Reference: 35507 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Accidental Spillage/Leakage Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A12SW (E)	691	3	277300 188400
57	Pollution Incidents to Controlled Waters Property Type: Not Given Location: Location Description Not Available Authority: Environment Agency, Welsh Region Pollutant: Crude Sewage Note: Maritime Ponds; Leakage Incident Date: 29th October 1997 Incident Reference: 34375 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Accidental Spillage/Leakage Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A15NW (N)	763	3	276700 189500
58	Pollution Incidents to Controlled Waters Property Type: Not Given Location: 100 Metres Downstream Of, Dock Entrance Authority: Environment Agency, Welsh Region Pollutant: Mud/Clay/Soil Note: River Afan; Effluent Quality Incident Date: 24th April 1998 Incident Reference: 35489 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Poor Management Control Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A9NW (W)	768	3	275400 188700
59	Pollution Incidents to Controlled Waters Property Type: Not Given Location: Crannick Way, PORT TALBOT Authority: Environment Agency, Welsh Region Pollutant: Creosote Note: River Afan; Run-Off Incident Date: 19th July 1997 Incident Reference: 33062 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Vandalism Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A15NW (N)	824	3	276750 189550

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
60	Pollution Incidents to Controlled Waters Property Type: Domestic/Residential Location: Adjacent Tiger, Tyres, Greenpark Authority: Environment Agency, Welsh Region Pollutant: Miscellaneous - Fire water / Foam Note: Deliberate Act Incident Date: 24th August 1995 Incident Reference: 25479 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Runoff Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A18SW (N)	976	3	276000 189695
61	Pollution Incidents to Controlled Waters Property Type: Not Given Location: Fractured Sewer In, River Bed B. Gas Pipeline Work, PORT TALBOT Authority: Environment Agency, Welsh Region Pollutant: Crude Sewage Note: River Afan; Direct Introduction Incident Date: 29th January 1998 Incident Reference: 34696 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Accidental Spillage/Leakage Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A13NE (NW)	986	3	275700 189600
62	Pollution Incidents to Controlled Waters Property Type: Not Given Location: Afan Sewage, Pumping Station Authority: Environment Agency, Welsh Region Pollutant: Light Oil Note: Not Supplied Incident Date: 27th April 1995 Incident Reference: 23819 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Unknown Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A13NE (NW)	992	3	275600 189545
63	Pollution Incidents to Controlled Waters Property Type: Not Given Location: Weir Near, Dock Feeder Authority: Environment Agency, Welsh Region Pollutant: Crude Sewage Note: Not Supplied Incident Date: 28th November 1991 Incident Reference: 1655 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Unknown Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m	A18SW (N)	994	3	276050 189725
64	Prosecutions Relating to Authorised Processes Location: Kenwoth Buildings, Llewellyns Quay, Port Talbot, West Glamorgan, Sa13 1rf Prosecution Text: Special Waste (Including Bonded Asbestos)Stored At A Site Without A Waste Management Licence Prosecution Act: Epa90 S33(1)(A) & S33(1)(B) Hearing Date: 31st March 2003 Verdict: Guilty Fine: 1500 Costs: 1572 Positional Accuracy: Manually positioned within the geographical locality	A15SW (NE)	294	3	276704 189014
65	Prosecutions Relating to Authorised Processes Location: Cramic Way, Port Talbot, Sa13 Prosecution Text: Burning waste on land without a WML - five months suspended sentence served Prosecution Act: Epa90 S33(1)(C) Hearing Date: 12th October 2004 Verdict: Guilty Fine: 0 Costs: 0 Positional Accuracy: Manually positioned to the road within the address or location	A15NW (N)	880	3	276665 189628



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	River Quality Name: Not Supplied GQA Grade: Unclassified Tidal River Reach: Not Supplied Estimated Distance (km): Not Supplied Flow Rate: Not Supplied Flow Type: Not Supplied Year: 1995	A11NW (N)	0	3	276441 188752
	River Quality Name: Ffrwdwyllt GQA Grade: River Quality A Reach: Docks Entr.P.Talbot-Conf.Nant Cwm Y Garn Estimated Distance (km): 2.4 Flow Rate: Flow less than 1.25 cumecs Flow Type: River Year: 2000	A11NE (E)	326	3	277007 188689
	River Quality Name: Not Supplied GQA Grade: Unclassified Tidal River Reach: Not Supplied Estimated Distance (km): Not Supplied Flow Rate: Not Supplied Flow Type: Not Supplied Year: 1995	A14NW (NW)	868	3	275948 189592
	River Quality Name: Afan GQA Grade: River Quality A Reach: Dock Intake Weir - M4 Motorway Estimated Distance (km): .7 Flow Rate: Flow less than 5 cumecs Flow Type: River Year: 2000	A14NW (N)	911	3	276034 189636



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
66	River Quality Chemistry Sampling Points Name: Ffrwdwyllt Reach: Docks Entrance Port Talbot To Confluence Nant Cwm Y Garn Estimated Distance: 2.40 Objective: Not Supplied Positional Accuracy: Located by supplier to within 10m Year: 1990 GQA Grade: River Quality Chemistry GQA Grade B - Good Compliance: Not Supplied Year: 1993 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 1994 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 1995 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 1996 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 1997 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 1998 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 1999 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2000 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2001 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2002 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2003 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2004 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2005 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2006 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2007 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2008 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2009 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied	A12NW (E)	605	3	277244 188929

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
66	River Quality Chemistry Sampling Points Name: Ffrwdwyll Reach: Confluence Cwm Y Garn To Confluence Cwm Wernderi Estimated Distance: 1.40 Objective: Not Supplied Positional Accuracy: Located by supplier to within 10m Year: 1990 GQA Grade: River Quality Chemistry GQA Grade B - Good Compliance: Not Supplied Year: 1993 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 1994 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 1995 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 1996 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 1997 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 1998 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 1999 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2000 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2001 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2002 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2003 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2004 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2005 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2006 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2007 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2008 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2009 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied	A12NW (E)	605	3	277244 188929

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
66	River Quality Chemistry Sampling Points Name: Ffrwdwyll Reach: Confluence Cwm Wernderi To Varteg Road Bridge Estimated Distance: 3.20 Objective: Not Supplied Positional Accuracy: Located by supplier to within 10m Year: 1990 GQA Grade: River Quality Chemistry GQA Grade B - Good Compliance: Not Supplied Year: 1993 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 1994 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 1995 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 1996 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 1997 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 1998 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 1999 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2000 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2001 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2002 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2003 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2004 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2005 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2006 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2007 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2008 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2009 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied	A12NW (E)	605	3	277244 188929

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
67	River Quality Chemistry Sampling Points Name: Afan Reach: Dock Intake Weir To M4 Motorway Estimated Distance: 0.70 Objective: Not Supplied Positional Accuracy: Located by supplier to within 10m Year: 1990 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 1993 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 1994 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 1995 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 1996 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 1997 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 1998 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 1999 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2000 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2001 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2002 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2003 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2004 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2005 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2006 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2007 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2008 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied Year: 2009 GQA Grade: River Quality Chemistry GQA Grade A - Very Good Compliance: Not Supplied	A18SW (N)	997	3	276047 189727
68	Substantiated Pollution Incident Register Authority: Natural Resources Wales Incident Date: 22nd August 2016 Incident Reference: 1606170 Water Impact: Category 2 - Significant Incident Air Impact: Category 4 - No Impact Land Impact: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 10m Pollutant: Oils And Fuel: Gas And Fuel Oils	A11SW (SE)	175	2	276751 188504
69	Substantiated Pollution Incident Register Authority: Natural Resources Wales Incident Date: 8th July 2020 Incident Reference: 2004901 Water Impact: Category 4 - No Impact Air Impact: Category 2 - Significant Incident Land Impact: Category 4 - No Impact Positional Accuracy: Located by supplier to within 10m Pollutant: Atmospheric pollutants and Effects: Noise	A12SW (E)	499	2	277110 188453

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
70	Substantiated Pollution Incident Register Authority: Natural Resources Wales Incident Date: 21st December 2020 Incident Reference: 2008794 Water Impact: Category 4 - No Impact Air Impact: Category 2 - Significant Incident Land Impact: Category 4 - No Impact Positional Accuracy: Located by supplier to within 10m Pollutant: Atmospheric pollutants and Effects: Noise	A12NW (E)	723	2	277404 188711
71	Substantiated Pollution Incident Register Authority: Natural Resources Wales Incident Date: 15th September 2018 Incident Reference: 1805920 Water Impact: Category 4 - No Impact Air Impact: Category 2 - Significant Incident Land Impact: Category 4 - No Impact Positional Accuracy: Located by supplier to within 10m Pollutant: Atmospheric pollutants and Effects: Noise	A7SE (SE)	782	2	277098 187960
72	Substantiated Pollution Incident Register Authority: Natural Resources Wales Incident Date: 29th March 2004 Incident Reference: 225980 Water Impact: Category 4 - No Impact Air Impact: Category 2 - Significant Incident Land Impact: Category 4 - No Impact Positional Accuracy: Located by supplier to within 10m Pollutant: Atmospheric Pollutants and Effects: Smoke	A14NW (NW)	873	2	275885 189558
73	Substantiated Pollution Incident Register Authority: Natural Resources Wales Incident Date: 12th October 2003 Incident Reference: 195725 Water Impact: Category 4 - No Impact Air Impact: Category 2 - Significant Incident Land Impact: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 10m Pollutant: Atmospheric Pollutants and Effects: Smoke Pollutant: Oils And Fuel: Gas And Fuel Oils Pollutant: Asbestos Waste	A19SW (N)	893	2	276597 189657
74	Substantiated Pollution Incident Register Authority: Natural Resources Wales Incident Date: 27th February 2014 Incident Reference: 1212608 Water Impact: Category 4 - No Impact Air Impact: Category 4 - No Impact Land Impact: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 10m Pollutant: Specific Waste Materials: Tyres	A18SE (N)	982	2	276156 189738
75	Water Abstractions Operator: Civil And Marine Ltd Licence Number: 21/58/61/0042 Permit Version: 3 Location: Civil & Marine Slag Cement Ltd Quay At Port Talbot Docks Authority: Environment Agency, Welsh Region Abstraction: Other Industrial/Commercial/Public Services: Dust Suppression Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Land At Civil & Marine Slag Cement Ltd Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 12th September 2008 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A10NE (NW)	108	3	276240 188860



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
75	Water Abstractions Operator: Civil And Marine Ltd Licence Number: 21/58/61/0042 Permit Version: 2 Location: Civil & Marine Slag Cement Ltd Quay At Port Talbot Docks Authority: Environment Agency, Welsh Region Abstraction: Other Industrial/Commercial/Public Services: Dust Suppression Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Land At Civil & Marine Slag Cement Ltd Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 10th October 2007 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A10NE (NW)	108	3	276240 188860
75	Water Abstractions Operator: Civil & Marine Slag Cement Ltd Licence Number: 21/58/61/0042 Permit Version: 1 Location: Civil & Marine Slag Cement Ltd Quay At Port Talbot Docks Authority: Environment Agency, Welsh Region Abstraction: Other Industrial/Commercial/Public Services: Dust Suppression Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Land At Civil & Marine Slag Cement Ltd Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st April 2003 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A10NE (NW)	108	3	276240 188860
75	Water Abstractions Operator: Civil And Marine Ltd Licence Number: 21/58/61/0042 Permit Version: 5 Location: Port Talbot Docks Port Talbot Authority: Natural Resources Wales Abstraction: Other Industrial/Commercial/Public Services: Process Water Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Port Talbot Docks, Port Talbot Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 1st May 2014 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A10NE (NW)	130	2	276230 188880
75	Water Abstractions Operator: Civil And Marine Ltd Licence Number: 21/58/61/0042 Permit Version: 4 Location: Port Talbot Docks Port Talbot Authority: Environment Agency, Welsh Region Abstraction: Other Industrial/Commercial/Public Services: Dust Suppression Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Port Talbot Docks, Port Talbot Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 21st May 2010 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A10NE (NW)	130	3	276230 188880



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
75	Water Abstractions Operator: Civil And Marine Ltd Licence Number: 21/58/61/0042 Permit Version: 4 Location: Port Talbot Docks Port Talbot Authority: Environment Agency, Welsh Region Abstraction: Other Industrial/Commercial/Public Services: Process Water Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Port Talbot Docks, Port Talbot Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 21st May 2010 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A10NE (NW)	130	3	276230 188880
75	Water Abstractions Operator: Civil And Marine Ltd Licence Number: 21/58/61/0042 Permit Version: Not Supplied Location: Abstraction From Port Tallbot Dock Authority: Natural Resources Wales Abstraction: Other Industrial/Commercial/Public Services: Process Water Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 January Authorised End: 31 December Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A10NE (NW)	130	2	276230 188880
76	Water Abstractions Operator: Tata Steel Uk Limited Licence Number: 21/58/61/0012 Permit Version: 101 Location: Port Talbot Docks Authority: Natural Resources Wales Abstraction: Metal: Non-Evaporative Cooling Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 12th November 2010 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A11SE (E)	240	2	276890 188590
76	Water Abstractions Operator: Tata Steel Uk Limited Licence Number: 21/58/61/0012 Permit Version: 101 Location: Port Talbot Docks Authority: Natural Resources Wales Abstraction: Metal: Process Water Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 12th November 2010 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A11SE (E)	240	2	276890 188590



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
76	Water Abstractions Operator: Corus Uk Strip Products Licence Number: 21/58/61/0012 Permit Version: 100 Location: Port Talbot Docks Authority: Environment Agency, Welsh Region Abstraction: Metal: Non-Evaporative Cooling Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Port Talbot Docks Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st April 2000 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 100m	A11SE (E)	240	3	276890 188590
76	Water Abstractions Operator: Tata Steel Uk Limited Licence Number: 21/58/61/0012 Permit Version: Not Supplied Location: Land At British Steel Authority: Natural Resources Wales Abstraction: Metal: Non-Evaporative Cooling Abstraction Type: Water may be abstracted from any point within an area Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 January Authorised End: 31 December Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A11SE (E)	240	2	276890 188590
76	Water Abstractions Operator: Tata Steel Uk Limited Licence Number: 21/58/61/0012 Permit Version: Not Supplied Location: Land At British Steel Authority: Natural Resources Wales Abstraction: Metal: Process Water Abstraction Type: Water may be abstracted from any point within an area Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 January Authorised End: 31 December Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A11SE (E)	240	2	276890 188590
76	Water Abstractions Operator: Corus Uk Strip Products Licence Number: 21/58/61/0012 Permit Version: 100 Location: Port Talbot Docks Authority: Environment Agency, Welsh Region Abstraction: Metal: Process Water Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Licenced from 01-Jan to 31-Dec Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st April 2000 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A11SE (E)	243	3	276890 188585



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
77	Water Abstractions Operator: Costain Limited Licence Number: Wa/058/0061/004 Permit Version: 1 Location: Port Talbot Dock At Margam Moors Authority: Environment Agency, Welsh Region Abstraction: Construction: Dust Suppression Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Margam Moors - Port Talbot Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 5th August 2011 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A11NE (NE)	364	3	276967 188933
78	Water Abstractions Operator: Corus Uk Strip Products Licence Number: 21/58/61/0024 Permit Version: 100 Location: River Ffrwdwyllt Authority: Environment Agency, Welsh Region Abstraction: Metal: Evaporative Cooling Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Licenced from 01-Jan to 31-Dec Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st April 2000 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A12NW (E)	495	3	277150 188865
78	Water Abstractions Operator: Tata Steel Uk Limited Licence Number: 21/58/61/0024 Permit Version: 101 Location: River Ffrwdwyllt Authority: Natural Resources Wales Abstraction: Metal: Evaporative Cooling Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 12th November 2010 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A12NW (E)	496	2	277150 188870
78	Water Abstractions Operator: Tata Steel Uk Limited Licence Number: 21/58/61/0024 Permit Version: 101 Location: River Ffrwdwyllt Authority: Natural Resources Wales Abstraction: Metal: Process Water Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 12th November 2010 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A12NW (E)	496	2	277150 188870



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
78	Water Abstractions Operator: Corus Uk Strip Products Licence Number: 21/58/61/0024 Permit Version: 100 Location: River Ffrwdwyllt Authority: Environment Agency, Welsh Region Abstraction: Metal: Process Water Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: River Ffrwdwyllt Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st April 2000 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 100m	A12NW (E)	496	3	277150 188870
78	Water Abstractions Operator: Tata Steel Uk Limited Licence Number: 21/58/61/0024 Permit Version: Not Supplied Location: Land At British Steel, Port Talbot Authority: Natural Resources Wales Abstraction: Metal: Evaporative Cooling Abstraction Type: Water may be abstracted from any point within an area Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 January Authorised End: 31 December Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A12NW (E)	496	2	277150 188870
78	Water Abstractions Operator: Tata Steel Uk Limited Licence Number: 21/58/61/0024 Permit Version: Not Supplied Location: Land At British Steel, Port Talbot Authority: Natural Resources Wales Abstraction: Metal: Process Water Abstraction Type: Water may be abstracted from any point within an area Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 January Authorised End: 31 December Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A12NW (E)	496	2	277150 188870
79	Water Abstractions Operator: Corus Uk Strip Products Licence Number: 21/58/61/0009 Permit Version: 100 Location: River Afan To Port Talbot Docks Authority: Environment Agency, Welsh Region Abstraction: Metal: Process Water Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Licenced from 01-Jan to 31-Dec Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st April 2000 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A18SW (NW)	971	3	275980 189685



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
79	Water Abstractions Operator: Tata Steel Uk Limited Licence Number: 21/58/61/0009 Permit Version: 101 Location: River Afan To Port Talbot Docks Authority: Natural Resources Wales Abstraction: Metal: Evaporative Cooling Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 12th November 2010 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A18SW (NW)	976	2	275980 189690
79	Water Abstractions Operator: Tata Steel Uk Limited Licence Number: 21/58/61/0009 Permit Version: 101 Location: River Afan To Port Talbot Docks Authority: Natural Resources Wales Abstraction: Metal: Process Water Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 12th November 2010 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A18SW (NW)	976	2	275980 189690
79	Water Abstractions Operator: Corus Uk Strip Products Licence Number: 21/58/61/0009 Permit Version: 100 Location: River Afan To Port Talbot Docks Authority: Environment Agency, Welsh Region Abstraction: Metal: Evaporative Cooling Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: River Afan To Port Talbot Docks Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st April 2000 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 100m	A18SW (NW)	976	3	275980 189690
79	Water Abstractions Operator: Tata Steel Uk Limited Licence Number: 21/58/61/0009 Permit Version: Not Supplied Location: Land At British Steel, Port Talbot Authority: Natural Resources Wales Abstraction: Metal: Evaporative Cooling Abstraction Type: Water may be abstracted from any point within an area Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 January Authorised End: 31 December Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A18SW (NW)	976	2	275980 189690



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
79	Water Abstractions Operator: Tata Steel Uk Limited Licence Number: 21/58/61/0009 Permit Version: Not Supplied Location: Land At British Steel, Port Talbot Authority: Natural Resources Wales Abstraction: Metal: Process Water Abstraction Type: Water may be abstracted from any point within an area Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 January Authorised End: 31 December Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A18SW (NW)	976	2	275980 189690
	Water Abstractions Operator: Environment Agency Licence Number: Wa/058/0061/007 Permit Version: Not Supplied Location: Not Supplied Authority: Natural Resources Wales Abstraction: Impounding Abstraction Type: Not Supplied Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 January Authorised End: 31 December Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A18SW (N)	1023	2	276054 189756
	Water Abstractions Operator: Costain Limited Licence Number: Wa/058/0034/001 Permit Version: 1 Location: Arnallt Culvert-Brook Port Talbot Authority: Environment Agency, Welsh Region Abstraction: Construction: Dust Suppression Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Margam Moors, Port Talbot, West Glamorgan Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 5th August 2011 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	(SE)	1529	3	277820 187673
80	Water Industry Act Referrals Name: Dwr Cymru Cyfyngedig Location: Afan Wwtw, Phoenix Wharf, Harbour Road, Port Talbot, Sa13 1ra Authority: Natural Resources Wales Permit Reference: BP0284701 Dated: 26th March 2021 Process Type: Permissions or amendments to discharge under the Water Industry Act 1991 Description: Processes which result in the discharge of Special Category effluents under The Trade Effluents (Prescribed Processes and Substances) Regulations Status: Application has been authorised and any conditions apply to the operator Positional Accuracy: Manually positioned within the geographical locality	A11NW (E)	49	2	276703 188654
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: >550 mm/year Baseflow Index: >70% Superficial Patchiness: >90% Superficial Thickness: >10m Superficial Recharge: High	A10NE (SE)	0	2	276417 188657

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	A10NE (SE)	0	2	276417 188657
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	A10NE (SE)	0	2	276417 188657
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (E)	14	2	276666 188732
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (E)	15	2	276657 188741
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (E)	15	2	276675 188729
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (E)	15	2	276684 188726
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	15	2	276491 188784
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (E)	16	2	276681 188727
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	17	2	276492 188782
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (E)	17	2	276691 188721
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (NE)	19	2	276623 188755
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (NE)	21	2	276604 188760
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (NE)	22	2	276540 188778
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	22	2	276589 188765
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	22	2	276555 188775
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	22	2	276612 188758
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	22	2	276537 188777



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	22	2	276619 188757
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	22	2	276506 188784
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	22	2	276500 188786
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (NE)	22	2	276567 188771
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (NE)	22	2	276514 188783
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (NE)	22	2	276530 188780
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (NE)	22	2	276574 188769
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (NE)	22	2	276615 188758
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (NE)	22	2	276499 188786
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	23	2	276520 188782
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	23	2	276528 188780
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	23	2	276548 188776
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	23	2	276508 188786
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	23	2	276565 188771
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	23	2	276573 188769
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	23	2	276601 188763

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (NE)	23	2	276563 188772
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (NE)	23	2	276502 188786
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (NE)	23	2	276552 188774
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (NE)	23	2	276524 188781
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (NE)	24	2	276508 188786
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (NE)	25	2	276599 188763
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (NE)	26	2	276482 188793
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	30	2	276482 188798
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (E)	31	2	276711 188711
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (E)	33	2	276714 188710
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (E)	41	2	276722 188706
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (N)	42	2	276473 188812
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (N)	46	2	276468 188818
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (E)	46	2	276727 188706
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (N)	50	2	276465 188822
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (N)	54	2	276464 188826



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (E)	54	2	276735 188704
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (E)	55	2	276736 188704
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (N)	59	2	276459 188833
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (E)	59	2	276740 188704
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (E)	60	2	276741 188704
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (N)	62	2	276461 188835
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (N)	68	2	276453 188843
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (N)	75	2	276451 188851
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (E)	77	2	276755 188689
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (E)	79	2	276756 188684
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (N)	80	2	276449 188856
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (E)	83	2	276759 188679
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NE (NW)	84	2	276180 188831
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NE (NW)	84	2	276161 188817
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NE (NW)	84	2	276145 188813
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (N)	84	2	276447 188861



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NE (NW)	84	2	276157 188817
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NE (NW)	85	2	276139 188814
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NE (NW)	85	2	276164 188820
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NE (NW)	86	2	276142 188814
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NE (NW)	86	2	276129 188811
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NE (NW)	86	2	276134 188812
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (N)	87	2	276445 188865
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NE (NW)	87	2	276124 188808
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NE (NW)	87	2	276132 188812
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NE (NW)	89	2	276121 188807
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NE (NW)	90	2	276119 188808
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NE (NW)	90	2	276119 188808
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NE (NW)	91	2	276117 188807
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NE (NW)	92	2	276114 188808
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NE (NW)	94	2	276109 188805
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NE (NW)	96	2	276107 188805



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NE (NW)	97	2	276105 188806
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (N)	97	2	276437 188877
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NE (NW)	98	2	276102 188804
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NE (NW)	98	2	276180 188836
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NE (NW)	99	2	276182 188839
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (N)	100	2	276437 188880
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NE (NW)	102	2	276095 188803
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NE (NW)	103	2	276092 188802
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NE (NW)	105	2	276088 188800
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (N)	107	2	276429 188889
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NE (NW)	108	2	276182 188847
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NE (NW)	108	2	276183 188846
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NE (NW)	110	2	276181 188848
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NW (NW)	110	2	276079 188799
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NE (N)	111	2	276342 188886
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NE (NW)	113	2	276182 188851



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (N)	113	2	276426 188896
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NE (NW)	114	2	276319 188885
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NE (N)	115	2	276380 188900
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NE (N)	115	2	276390 188900
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NE (N)	115	2	276376 188898
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NW (W)	115	2	276072 188796
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NE (N)	115	2	276374 188898
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NE (N)	116	2	276418 188900
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NE (N)	117	2	276415 188903
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NE (N)	117	2	276395 188903
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NE (N)	118	2	276406 188904
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NE (N)	118	2	276400 188904
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NW (W)	118	2	276069 188797
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NE (N)	118	2	276401 188904
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NW (W)	120	2	276066 188797
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NW (W)	124	2	276062 188798



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NW (W)	127	2	276060 188800
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NE (E)	127	2	276795 188654
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NW (W)	130	2	276059 188805
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NW (NW)	132	2	276059 188807
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NW (NW)	134	2	276059 188811
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NW (W)	135	2	276048 188795
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NE (E)	135	2	276802 188648
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NW (NW)	136	2	276059 188813
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NW (W)	139	2	276041 188791
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NW (NW)	139	2	276056 188814
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NW (NW)	139	2	276055 188813
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NE (E)	139	2	276806 188648
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NW (NW)	141	2	276052 188814
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NW (W)	142	2	276039 188791
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NW (W)	143	2	276037 188790
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NW (NW)	144	2	276048 188812



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NE (E)	148	2	276814 188642
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NW (W)	149	2	276029 188787
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NW (W)	149	2	276042 188812
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NW (W)	152	2	276026 188788
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11SE (E)	154	2	276818 188638
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NW (W)	155	2	276022 188787
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11SE (E)	157	2	276820 188636
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NW (W)	161	2	276016 188786
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11SE (E)	162	2	276825 188633
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NW (W)	169	2	276006 188782
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11SE (E)	172	2	276834 188628
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NW (W)	174	2	276000 188780
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NW (W)	175	2	276000 188780
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11SE (E)	178	2	276838 188625
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NW (W)	178	2	275996 188780
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NW (W)	180	2	275994 188780

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NW (W)	187	2	275986 188778
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NW (W)	188	2	275985 188777
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11SE (E)	190	2	276848 188618
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11SE (E)	192	2	276850 188616
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NW (W)	192	2	275981 188777
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NW (W)	195	2	275978 188776
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (N)	196	2	276530 188957
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NW (W)	199	2	275973 188773
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NW (W)	201	2	275971 188774
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	202	2	276638 188938
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	203	2	276593 188949
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (NE)	203	2	276602 188947
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	204	2	276625 188943
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (NE)	204	2	276588 188951
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (NE)	204	2	276634 188939
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (NE)	204	2	276610 188945

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (NE)	204	2	276656 188933
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NW (W)	205	2	275967 188774
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	205	2	276659 188934
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	205	2	276619 188944
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	205	2	276613 188946
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	205	2	276603 188949
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (NE)	205	2	276616 188945
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (NE)	205	2	276624 188943
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NW (W)	209	2	275963 188771
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (NE)	211	2	276692 188931
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	212	2	276695 188932
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NW (W)	212	2	275959 188771
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (NE)	220	2	276716 188935
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	221	2	276719 188934
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (NE)	222	2	276722 188935
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	226	2	276727 188937



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (NE)	228	2	276732 188937
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	231	2	276734 188940
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A15SW (NE)	231	2	276582 188981
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A15SW (N)	234	2	276540 188994
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11SE (E)	237	2	276885 188587
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A15SW (N)	238	2	276541 188998
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11SE (E)	241	2	276887 188584
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NW (W)	244	2	275926 188768
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A15SW (N)	244	2	276543 189003
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NW (W)	249	2	275921 188768
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NW (W)	249	2	275922 188768
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (E)	15	2	276684 188726
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (E)	15	2	276675 188729
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (E)	15	2	276657 188741
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	16	2	276491 188784
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (E)	16	2	276681 188727

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (E)	16	2	276669 188734
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	17	2	276492 188782
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (E)	17	2	276691 188721
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (NE)	19	2	276628 188754
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (E)	21	2	276700 188716
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	22	2	276500 188786
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	22	2	276506 188784
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	22	2	276610 188760
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	22	2	276589 188765
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	22	2	276555 188775
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	22	2	276537 188777
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (NE)	22	2	276623 188755
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (NE)	22	2	276567 188771
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (NE)	22	2	276530 188780
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (NE)	22	2	276514 188783
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (NE)	22	2	276499 188786

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	23	2	276508 188786
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	23	2	276520 188782
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	23	2	276626 188756
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	23	2	276601 188763
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	23	2	276581 188767
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	23	2	276528 188780
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	23	2	276573 188769
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	23	2	276565 188771
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	23	2	276548 188776
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	23	2	276542 188778
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (NE)	23	2	276502 188786
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (NE)	23	2	276585 188767
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (NE)	23	2	276563 188772
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (NE)	23	2	276540 188778
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (NE)	23	2	276545 188777
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (NE)	23	2	276524 188781



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (NE)	23	2	276577 188770
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (NE)	23	2	276552 188774
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (E)	24	2	276704 188716
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (NE)	24	2	276607 188761
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (NE)	24	2	276508 188786
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (NE)	25	2	276599 188763
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (NE)	25	2	276575 188769
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	26	2	276576 188770
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (NE)	26	2	276482 188793
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (E)	29	2	276710 188712
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	29	2	276483 188797
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (E)	33	2	276714 188710
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (E)	36	2	276717 188711
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (N)	42	2	276473 188812
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (N)	46	2	276468 188818
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (E)	49	2	276730 188708

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (N)	50	2	276465 188822
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (E)	54	2	276735 188704
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (N)	54	2	276464 188826
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (E)	55	2	276736 188704
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (E)	59	2	276740 188704
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (N)	59	2	276459 188833
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (E)	60	2	276741 188704
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (N)	62	2	276461 188835
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (N)	71	2	276455 188846
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (N)	73	2	276453 188849
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (E)	77	2	276755 188689
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (N)	80	2	276449 188856
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (E)	81	2	276758 188683
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (N)	82	2	276449 188859
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (E)	83	2	276759 188679
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NE (NW)	84	2	276180 188831



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NE (NW)	84	2	276148 188816
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NE (NW)	85	2	276139 188814
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NE (NW)	86	2	276142 188814
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NE (NW)	87	2	276128 188812
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NE (NW)	87	2	276150 188818
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (N)	87	2	276445 188865
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NE (NW)	89	2	276129 188811
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (N)	95	2	276440 188874
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NE (NW)	98	2	276180 188836
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NE (NW)	99	2	276182 188839
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (N)	100	2	276437 188880
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NE (NW)	101	2	276099 188806
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NE (NW)	102	2	276097 188805
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (N)	103	2	276434 188884
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NE (N)	111	2	276342 188886
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NE (NW)	111	2	276183 188851



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NE (NW)	113	2	276182 188851
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (N)	113	2	276426 188896
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NW (NW)	114	2	276077 188800
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NW (W)	115	2	276074 188798
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NE (N)	115	2	276390 188900
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NE (N)	115	2	276334 188892
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NE (N)	115	2	276380 188900
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NE (N)	116	2	276418 188900
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NE (N)	118	2	276406 188904
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NE (N)	118	2	276397 188904
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NE (N)	119	2	276410 188904
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NE (N)	119	2	276410 188904
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NE (N)	119	2	276413 188904
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NE (E)	127	2	276795 188654
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NW (W)	130	2	276059 188805
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NE (E)	131	2	276799 188651



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NW (NW)	132	2	276059 188807
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NW (NW)	134	2	276059 188811
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NW (W)	135	2	276048 188795
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NW (NW)	136	2	276059 188813
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NW (NW)	139	2	276055 188813
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NE (E)	139	2	276806 188648
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NW (NW)	139	2	276056 188814
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NW (NW)	141	2	276052 188814
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NW (NW)	144	2	276048 188812
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NW (W)	144	2	276036 188790
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NE (E)	145	2	276812 188644
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NW (W)	149	2	276029 188787
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NW (W)	149	2	276042 188812
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NW (W)	152	2	276026 188788
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NW (W)	153	2	276025 188788
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11SE (E)	154	2	276818 188638

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11SE (E)	157	2	276820 188636
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NW (W)	161	2	276016 188786
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NW (W)	161	2	276016 188786
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11SE (E)	162	2	276825 188633
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NW (W)	167	2	276009 188783
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NW (W)	168	2	276007 188784
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11SE (E)	172	2	276834 188628
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11SE (E)	178	2	276838 188625
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11SE (E)	188	2	276847 188619
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11SE (E)	192	2	276850 188616
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (N)	195	2	276520 188959
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (N)	196	2	276535 188956
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (N)	196	2	276531 188957
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (N)	199	2	276518 188963
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	200	2	276562 188955
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	202	2	276640 188937



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (N)	202	2	276518 188966
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (NE)	202	2	276551 188958
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (NE)	202	2	276558 188957
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	203	2	276553 188959
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (NE)	203	2	276602 188947
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	204	2	276620 188943
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	204	2	276661 188932
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	204	2	276625 188943
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (NE)	204	2	276656 188933
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (NE)	204	2	276634 188939
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (NE)	204	2	276610 188945
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	205	2	276603 188949
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	205	2	276613 188946
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11SE (E)	205	2	276860 188608
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NW (W)	205	2	275967 188774
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (NE)	205	2	276624 188943



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (NE)	205	2	276616 188945
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NW (W)	207	2	275964 188773
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11SE (E)	211	2	276865 188605
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NW (W)	212	2	275959 188771
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NW (W)	214	2	275957 188771
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NW (W)	217	2	275954 188770
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	220	2	276719 188934
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (NE)	220	2	276716 188935
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A15SW (N)	221	2	276527 188984
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (NE)	222	2	276724 188933
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	226	2	276727 188937
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (NE)	228	2	276732 188937
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A15SW (N)	229	2	276531 188991
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	231	2	276734 188940
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A15SW (N)	233	2	276536 188994
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A15SW (N)	234	2	276540 188994

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11SE (E)	235	2	276883 188589
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NW (W)	237	2	275934 188773
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A10NW (W)	242	2	275929 188771
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10NW (W)	244	2	275926 188768
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas None				
	Flood Defences None				
81	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 566.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Ffrwd Wyllt Catchment Name: Afan Primacy: 1	A11NW (NE)	102	5	276534 188891
82	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 32.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Afan Primacy: 1	A10NE (NW)	118	5	276230 188867
83	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 13.9 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Afan Primacy: 1	A10NE (NW)	118	5	276243 188870
84	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 36.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Afan Primacy: 1	A10NE (NW)	118	5	276278 188879
85	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 14.2 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Afan Primacy: 1	A10NE (NW)	118	5	276292 188882
86	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 31.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Afan Primacy: 1	A10NE (N)	118	5	276323 188889

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
87	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 164.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Afan Primacy: 1	A11NE (E)	122	5	276786 188778
88	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 402.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Kenfig Primacy: 1	A10SE (S)	124	5	276379 188410
89	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 352.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Ffrwd Wylt Catchment Name: Afan Primacy: 1	A11NE (E)	126	5	276786 188778
90	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 669.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Ffrwd Wylt Catchment Name: Afan Primacy: 1	A14SE (NW)	193	5	276280 188986
91	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 369.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Kenfig Primacy: 1	A10SE (S)	219	5	276363 188315
92	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 956.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Afan Primacy: 2	A14SE (NW)	222	5	276280 188986
93	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 185.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Kenfig Primacy: 1	A6NE (S)	328	5	276274 188229
94	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 10.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Kenfig Primacy: 1	A6NE (SW)	352	5	276091 188256
95	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 88.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Kenfig Primacy: 1	A6NW (SW)	354	5	276081 188258

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
96	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 313.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Ffrwd Wylt Catchment Name: Afan Primacy: 1	A15SE (NE)	386	5	276884 189037
97	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Ffrwd Wylt Catchment Name: Afan Primacy: 1	A12NW (E)	488	5	277137 188882
98	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 99.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Ffrwd Wylt Catchment Name: Afan Primacy: 1	A12NW (E)	489	5	277138 188882
99	OS Water Network Lines Watercourse Form: Lock or flight of locks Watercourse Length: 145.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Ffrwd Wylt Catchment Name: Afan Primacy: 1	A9NE (W)	536	5	275638 188813
100	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 693.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Arnallt Brook Catchment Name: Afan Primacy: 1	A12NW (E)	586	5	277229 188916
101	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 22.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Ffrwd Wylt Catchment Name: Afan Primacy: 1	A12NW (E)	586	5	277229 188916
102	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 174.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Kenfig Primacy: 1	A7SW (S)	596	5	276564 187898
103	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Kenfig Primacy: 1	A7SW (S)	600	5	276717 187927
104	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 14.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Ffrwd Wylt Catchment Name: Afan Primacy: 1	A12NW (E)	607	5	277246 188930

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
105	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 301.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Ffrwd Wylt Catchment Name: Afan Primacy: 1	A12NW (E)	621	5	277258 188939
106	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 75.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Ffrwd Wylt Catchment Name: Afan Primacy: 1	A9NE (W)	673	5	275496 188780
107	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 423.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Afan Catchment Name: Afan Primacy: 1	A9NE (W)	728	5	275452 188864
108	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 777.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Afan Catchment Name: Afan Primacy: 1	A9NE (W)	749	5	275420 188776
109	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 14.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Afan Primacy: 1	A13SE (NW)	757	5	275560 189182
110	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 360.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Kenfig Primacy: 1	A6SE (S)	766	5	276359 187751
111	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 125.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Afan Catchment Name: Afan Primacy: 1	A13SE (NW)	791	5	275530 189200
112	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 126.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Afan Catchment Name: Afan Primacy: 2	A13SE (NW)	794	5	275516 189185
113	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 697.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Afan Catchment Name: Afan Primacy: 1	A13SE (NW)	844	5	275545 189302

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
114	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Ffrwd Wylt Catchment Name: Afan Primacy: 1	A16SW (NE)	885	5	277435 189172
115	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 411.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Ffrwd Wylt Catchment Name: Afan Primacy: 1	A16SW (NE)	886	5	277435 189173
116	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 158.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Afan Primacy: 2	A14NW (NW)	902	5	275919 189599
117	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 14.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Afan Primacy: 2	A18SW (N)	968	5	276036 189695
118	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 14.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Afan Catchment Name: Afan Primacy: 1	A18SW (N)	978	5	276027 189703
119	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 14.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Afan Catchment Name: Afan Primacy: 1	A18SW (N)	978	5	276029 189704
120	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 42.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Afan Catchment Name: Afan Primacy: 1	A18SW (N)	981	5	276039 189709
121	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 10.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Afan Primacy: 1	A16SE (NE)	985	5	277491 189269
122	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 21.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Afan Catchment Name: Afan Primacy: 2	A18SW (N)	991	5	276017 189714

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
123	Licensed Waste Management Facilities (Locations) Licence Number: 102486 Location: Llewellyn's Road, Llewellyn's Quay, Port Talbot, SA13 1RA Operator Name: Construction Recyclate Management Ltd Operator Location: Not Supplied Authority: Natural Resources Wales Site Category: HCI Waste TS + treatment + asbestos Licence Status: Issued Issued: 7th June 2011 Last Modified: Not Supplied Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	A15SW (NE)	274	2	276680 189000
123	Licensed Waste Management Facilities (Locations) Licence Number: UP3296EX Location: Llewellyn's Quay Recycling Centre, Port Talbot, Glamorgan, Neath Port Talbot, SA13 1RA Operator Name: Construction Recyclate Management Ltd Operator Location: Not Supplied Authority: Natural Resources Wales Site Category: HCI Waste TS + treatment + asbestos Licence Status: Expired Issued: 7th June 2011 Last Modified: Not Supplied Expires: 27th April 2021 Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	A15SW (NE)	274	2	276680 189000
124	Licensed Waste Management Facilities (Locations) Licence Number: JP3598FX Location: Asbestos Store, Port Talbot, N P T, Neath Port Talbot, SA13 1RF Operator Name: Avalon Insulation Services Operator Location: Not Supplied Authority: Natural Resources Wales Site Category: Household, Commercial And Industrial Transfer Stations Licence Status: Effective Issued: 25th July 2006 Last Modified: Not Supplied Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	A15SW (NE)	276	2	276746 188983
124	Licensed Waste Management Facilities (Locations) Licence Number: JP3598FX Location: Asbestos Store, Port Talbot, N P T, Neath Port Talbot, SA13 1RF Operator Name: Avalon Insulation Services Operator Location: Not Supplied Authority: Natural Resources Wales Site Category: Special Waste Transfer Stations Licence Status: Effective Issued: 25th July 2006 Last Modified: Not Supplied Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	A15SW (NE)	276	2	276746 188983

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
125	Licensed Waste Management Facilities (Locations) Licence Number: BB3195CB Location: Talbot Wharf, Riverside Road, Port Talbot Docks, Port Talbot, Neath Port Talbot, Neath Port Talbot, SA13 1RE Operator Name: Associated British Ports Operator Location: Not Supplied Authority: Natural Resources Wales Site Category: Household, Commercial And Industrial Transfer Stations Licence Status: Effective Issued: 4th March 2019 Last Modified: Not Supplied Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	A14SW (NW)	546	2	275855 189179
126	Licensed Waste Management Facilities (Locations) Licence Number: YP3298FE Location: South Wales Jap Spares Ltd, Port Talbot, N P T, Neath Port Talbot, SA13 1LU Operator Name: South Wales Jap Spares Ltd Operator Location: Not Supplied Authority: Natural Resources Wales Site Category: End of Life Vehicles Licence Status: Expired Issued: 21st November 2005 Last Modified: Not Supplied Expires: 2nd February 2010 Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	A12SE (E)	823	2	277470 188473
127	Licensed Waste Management Facilities (Locations) Licence Number: LB3933DA Location: Port Talbot Recovery Centre, Former Byass Works, Docks Road, Port Talbot, N P T, Neath Port Talbot, SA13 1RS Operator Name: Egan Metal Recycling Limited Operator Location: Not Supplied Authority: Natural Resources Wales Site Category: Household, Commercial And Industrial Transfer Stations Licence Status: Expired Issued: 25th August 2006 Last Modified: Not Supplied Expires: 14th November 2015 Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	A18SE (N)	914	2	276183 189674
127	Licensed Waste Management Facilities (Locations) Licence Number: 34283 Location: Former Byass Works, Docks Road, Port Talbot, SA13 1RS Operator Name: Egan Metal Recycling Limited Operator Location: Not Supplied Authority: Natural Resources Wales Site Category: Household, Commercial And Industrial Transfer Stations Licence Status: Modified Issued: 25th August 2006 Last Modified: 4th April 2013 Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	A18SE (N)	914	2	276183 189674

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
127	Licensed Waste Management Facilities (Locations) Licence Number: AB3895CN Location: Byass Works, The Docks, Port Talbot, Neath Port Talbot, SA13 1RS Operator Name: A W D Group Ltd Operator Location: Not Supplied Authority: Natural Resources Wales Site Category: HCI Waste TS + treatment Licence Status: Effective Issued: 18th September 2018 Last Modified: Not Supplied Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	A18SE (N)	919	2	276190 189681
128	Licensed Waste Management Facilities (Locations) Licence Number: 34154 Location: Old Byass Works, Docks Road, Port Talbot, N P T, SA13 1ER Operator Name: Jem Recycling Ltd Operator Location: Not Supplied Authority: Natural Resources Wales Site Category: Household, Commercial And Industrial Transfer Stations Licence Status: Expired Issued: 1st April 1998 Last Modified: Not Supplied Expires: 1st April 2000 Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 100m	A18SE (N)	958	2	276100 189700
128	Licensed Waste Management Facilities (Locations) Licence Number: 34142 Location: Old Byass Works, Docks Road, Port Talbot, N P T, SA13 1ER Operator Name: Jem Recycling Ltd Operator Location: Not Supplied Authority: Natural Resources Wales Site Category: Household, Commercial And Industrial Transfer Stations Licence Status: Expired Issued: 24th December 1996 Last Modified: Not Supplied Expires: 1st April 2000 Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 100m	A18SE (N)	958	2	276100 189700
128	Licensed Waste Management Facilities (Locations) Licence Number: 34168 Location: Old Byass Works, Docks Road, Port Talbot, N P T, SA13 1ER Operator Name: Jem Recycling Ltd Operator Location: Not Supplied Authority: Natural Resources Wales Site Category: Household, Commercial And Industrial Transfer Stations Licence Status: Expired Issued: 30th March 1994 Last Modified: Not Supplied Expires: 1st April 2000 Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 100m	A18SE (N)	958	2	276100 189700
	Local Authority Landfill Coverage Name: Neath Port Talbot County Borough Council - Has supplied landfill data		0	4	276417 188657
129	Local Authority Recorded Landfill Sites Location: Morfa Newydd Refuse Tips Reference: Not Supplied Authority: Neath Port Talbot County Borough Council, Environmental Health Department Last Reported Status: Not Supplied Types of Waste: Not Supplied Date of Closure: Not Supplied Positional Accuracy: Located by supplier to within 100m Boundary Quality: Not Applicable	A6SE (S)	709	4	276400 187800

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
130	Potentially Infilled Land (Non-Water) Bearing Ref: SW Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1993	A5NE (SW)	633	-	275743 188136
131	Potentially Infilled Land (Non-Water) Bearing Ref: E Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1993	A12SW (E)	662	-	277270 188407
132	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1921	A11NW (NE)	0	-	276436 188699
133	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A10NE (W)	0	-	276393 188664
134	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A10SE (S)	40	-	276411 188489
135	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1885	A10NE (N)	75	-	276358 188853
136	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A11NW (N)	186	-	276520 188950
137	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1921	A11NE (E)	253	-	276933 188691
138	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1900	A11NE (E)	260	-	276939 188684
139	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1921	A11SE (E)	261	-	276922 188585
140	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A6NE (S)	296	-	276326 188248
141	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1900	A11SE (E)	319	-	276957 188547
142	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1921	A11NE (NE)	348	-	276958 188920
143	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1951	A7NW (SE)	359	-	276684 188172
144	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1951	A7NW (SE)	374	-	276638 188138
145	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1921	A7NW (SE)	383	-	276648 188132
146	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1921	A12NW (E)	450	-	277131 188709
147	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A7NW (S)	528	-	276652 187984
148	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1921	A14SW (NW)	532	-	276046 189250
149	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1900	A14NE (N)	564	-	276362 189349

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
150	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1885	A7SE (SE)	648	-	276789 187903
151	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1900	A12SW (E)	654	-	277214 188328
152	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1900	A15NW (NE)	708	-	276758 189428
153	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1900	A7SW (S)	714	-	276723 187810
154	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1921	A7SW (S)	720	-	276703 187798
155	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1951	A7SW (S)	723	-	276689 187792
156	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A6SE (S)	729	-	276390 187781
157	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1921	A7SW (S)	745	-	276426 187759
158	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1951	A7SW (S)	759	-	276455 187742
159	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1900	A13SE (NW)	762	-	275515 189126
160	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A9NE (W)	772	-	275418 188920
161	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1921	A8NW (SE)	795	-	277240 188122
162	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A13SE (NW)	810	-	275511 189207
163	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A13SE (NW)	833	-	275566 189308
164	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1952	A13SE (NW)	865	-	275497 189278
165	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1951	A7SW (S)	877	-	276748 187648
166	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1921	A7SE (S)	888	-	276768 187642
167	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1885	A7SE (SE)	962	-	276985 187649
168	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1921	A14NW (NW)	964	-	275791 189620
169	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A18SW (NW)	974	-	275838 189661
170	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1951	A8NE (E)	975	-	277520 188211

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
171	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1900	A18SW (N)	976	-	276060 189709
172	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1921	A18SW (N)	983	-	275989 189705
173	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1951	A8NE (E)	993	-	277571 188266
174	Registered Waste Transfer Sites Licence Holder: Jem Recycling Ltd Licence Reference: SWW 158L Site Location: Byass Works, Docks Road, PORT TALBOT, West Glamorgan, SA13 1ER Operator Location: As Site Address Authority: Environment Agency Wales, South West Area Site Category: Transfer Max Input Rate: Medium (Equal to or greater than 25,000 and less than 75,000 tonnes per year) Waste Source: No known restriction on source of waste Restrictions: Licence Status: Licence lapsed/cancelled/defunct/not applicable/surrenderedCancelled Dated: 24th December 1996 Preceded By: Not Given Licence: Superseded By: Not Given Licence: Positional Accuracy: Manually positioned to the address or location Boundary Quality: Not Supplied Authorised Waste: Building Materials Cellulose Cement Bonded Asbestos Clinker & Ash Demolition Wastes Food Waste Fragmentiser Waste Glass Gypsum Based Filter Cake Man-Made Insulation Mat'Ls Max.Waste Permitted By Licence Natural & Man-Made Fibres Packaging Mat'Ls Paper/Paper Prods/Cardboard Plant & Tree Cuttings Plasterboard Plastic Scrap Metal Shot Blasting Grit Soil Tyres Wood/Wood Prods Clinical Wastes Fibrous Forms Of Asbestos Flue Ash Liquid Wastes Packaging Containing Special Waste Pcbs/Pcts Percussive/Explosive/Similar Waste Sewage Screenings/Grit From S.T.Wks Sludge Wastes Special Wastes (As In '96 Regs) N.O.S Sub'S Control. Radioactive Subs Act'60 Waste In Sealed Drums Waste N.O.S.	A18SE (N)	936	3	276200 189700

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
175	Registered Waste Transfer Sites Licence Holder: Port Talbot Mini Skips Licence Reference: . Site Location: rear of Byass Works, North Bank Road, The Docks, PORT TALBOT, West Glamorgan, SA13 1ER Operator Location: As Site Address Authority: Environment Agency Wales, South West Area Site Category: Transfer Max Input Rate: Large (Equal to or greater than 75,000 and less than 250,000 tonnes per year) Waste Source: Waste produced/controlled by licence holder Restrictions: Licence Status: Licence lapsed/cancelled/defunct/not applicable/surrenderedCancelled Dated: 30th March 1994 Preceded By: Not Given Licence: Superseded By: Not Given Licence: Positional Accuracy: Approximate location provided by supplier Boundary Quality: Not Supplied Authorised Waste: Construction Waste Max.Stor Glass Max.Stor Household Waste - General Plastic Max.Stor Wood Max.Stor	A18SE (N)	958	3	276100 189700
176	Registered Waste Treatment or Disposal Sites Licence Holder: Jem Recycling Ltd Licence Reference: SWW 171L Site Location: The Old Byass Works, Docks Road, PORT TALBOT, West Glamorgan, SA13 1ER Operator Location: As Site Address Authority: Environment Agency Wales, South West Area Site Category: Transfer - with Baling(compaction) Max Input Rate: Medium (Equal to or greater than 25,000 and less than 75,000 tonnes per year) Waste Source: No known restriction on source of waste Restrictions: Licence Status: Licence lapsed/cancelled/defunct/not applicable/surrenderedCancelled Dated: 1st April 1998 Preceded By: Not Given Licence: Superseded By: Not Given Licence: Positional Accuracy: Manually positioned to the address or location Boundary Quality: Not Supplied Authorised Waste: Building Materials Cardboard/Paper/Paper Products Clay, Sand, Top/Subsoil Ferrous Metal Food Waste Hardcore, Brickwork, Concrete, Glass, Stone Max.Waste By Agreement With Env.Agency Non-Ferrous Metal Plastic Plastic Film Tarmacadam Wood/Wood Products Difficult Wastes (As In Wmp.26) Drummed Waste Liquid Wastes Sludge Wastes Spec.Waste (Epa'90:S62/1996 Regs) Waste N.O.S. Prohibited Waste	A18SE (N)	919	3	276300 189700



Hazardous Substances

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
177	Planning Hazardous Substance Consents Name: British Oxygen Location: Bos Recovery Plant, Corus, Port Talbot Authority: Neath Port Talbot County Borough Council, Planning Department Application Ref: 08/786 Hazardous Substance: Liquefied extremely flammable gas (including LPG) and natural gas (whether liquefied or not) Maximum Quantity: 0 Application date: Not Supplied Decision: Unknown at time of report Positional Accuracy: Manually positioned within the geographical locality	A3NE (S)	929	6	276785 187604

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: South Wales Upper Coal Measures Formation	A11NW (NE)	0	1	276437 188697
	BGS 1:625,000 Solid Geology Description: Pennine Middle Coal Measures Formation And South Wales Middle Coal Measures Formation (Undifferentiated)	A10NE (SE)	0	1	276417 188657
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A10SE (SW)	0	1	276379 188603
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 25 - 35 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A10NE (SE)	0	1	276417 188657
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 25 - 35 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A10NE (W)	19	1	276155 188686
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 35 - 45 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A10NW (W)	168	1	276000 188657
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 35 - 45 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A6NE (S)	497	1	276417 188000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 35 - 45 mg/kg Concentration: Cadmium <1.8 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 30 - 45 mg/kg Concentration:	A15SE (NE)	596	1	277050 189207
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 25 - 35 mg/kg Concentration: Cadmium <1.8 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 30 - 45 mg/kg Concentration:	A16SW (NE)	614	1	277221 189000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 35 - 45 mg/kg Concentration: Cadmium <1.8 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	A13SE (NW)	617	1	275612 189000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 35 - 45 mg/kg Concentration: Cadmium <1.8 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	A15SE (NE)	671	1	277000 189298
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 15 - 25 mg/kg Concentration: Cadmium <1.8 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 30 - 45 mg/kg Concentration:	A13SE (NW)	715	1	275518 189031
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 35 - 45 mg/kg Concentration: Cadmium <1.8 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	A13SE (W)	772	1	275463 189049

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 35 - 45 mg/kg Concentration: Cadmium: <1.8 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A7SW (S)	810	1	276597 187689
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 35 - 45 mg/kg Concentration: Cadmium: 1.8 - 2.2 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel: 30 - 45 mg/kg Concentration:	A16SE (E)	870	1	277500 189000
178	BGS Recorded Mineral Sites Site Name: Port Talbot Steel Slag Aggregates Location: Port Talbot Steelworks, Port Talbot, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 27196 Type: Steel Works Status: Active Operator: Tarmac (A Crh Company) Operator Location: Not Supplied Periodic Type: Not Available Geology: Ground Granulated Blast Furnace Slag - Addition, Cementitious Commodity: Blast Furnace Slag Positional Accuracy: Located by supplier to within 10m	A10NE (NW)	53	1	276290 188815
179	BGS Recorded Mineral Sites Site Name: Margam Sand Pit Location: Port Talbot, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 3050 Type: Opencast Status: Ceased Operator: Associated British Ports (Cardiff) Operator Location: Not Supplied Periodic Type: Quaternary Geology: Blown Sand Commodity: Sand Positional Accuracy: Unknown	A9SE (W)	693	1	275500 188500
	BGS Measured Urban Soil Chemistry No data available				

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Urban Soil Chemistry Averages Source: British Geological Survey, National Geoscience Information Service Sample Area: Swansea Count Id: 368 Arsenic Minimum Concentration: 8.00 mg/kg Arsenic Average Concentration: 79.00 mg/kg Arsenic Maximum Concentration: 2161.00 mg/kg Cadmium Minimum Concentration: 0.10 mg/kg Cadmium Average Concentration: 2.90 mg/kg Cadmium Maximum Concentration: 61.90 mg/kg Chromium Minimum Concentration: 13.00 mg/kg Chromium Average Concentration: 72.00 mg/kg Chromium Maximum Concentration: 562.00 mg/kg Lead Minimum Concentration: 23.00 mg/kg Lead Average Concentration: 413.00 mg/kg Lead Maximum Concentration: 10000.00 mg/kg Nickel Minimum Concentration: 8.00 mg/kg Nickel Average Concentration: 52.00 mg/kg Nickel Maximum Concentration: 384.00 mg/kg	A18SE (N)	908	1	276417 189700
	Coal Mining Affected Areas Description: In an area which may be affected by coal mining activity. It is recommended that a coal mining report is obtained from the Coal Authority. Contact details are included in the Useful Contacts section of this report.	A10NE (SE)	0	7	276417 188657
	Mining Instability Mining Evidence: Inconclusive Coal Mining Source: Ove Arup & Partners Boundary Quality: As Supplied	A10NE (SE)	0	-	276417 188657
	Non Coal Mining Areas of Great Britain No Hazard				
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A10NE (SE)	0	1	276417 188657
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11NW (NE)	54	1	276520 188825
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A10NE (SE)	0	1	276417 188657
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A10NE (SE)	0	1	276417 188657
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A10NE (SE)	0	1	276417 188657
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A11SW (S)	44	1	276461 188471
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A10SE (SW)	46	1	276328 188504
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A10SE (S)	93	1	276419 188418
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A10NE (SE)	0	1	276417 188657

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A10NE (SE)	0	1	276417 188657
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11NW (NE)	18	1	276520 188825
	Radon Potential - Radon Affected Areas Affected Area: The property is in an Intermediate probability radon area (1 to 3% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	A10NE (W)	0	1	276223 188657
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	A10NE (SE)	0	1	276417 188657
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	A10NE (W)	0	1	276223 188657
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	A10NE (SE)	0	1	276417 188657

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
180	Contemporary Trade Directory Entries Name: D M D Location: Phoenix Wharf, The Docks, Port Talbot, SA13 1RA Classification: Metal Products - Fabricated Status: Inactive Positional Accuracy: Automatically positioned to the address	A10NE (NW)	0	-	276343 188728
180	Contemporary Trade Directory Entries Name: Galliver Engineering Ltd Location: Phoenix Wharf, The Docks, Port Talbot, SA13 1RA Classification: Precision Engineers Status: Inactive Positional Accuracy: Automatically positioned to the address	A10NE (NW)	0	-	276343 188728
181	Contemporary Trade Directory Entries Name: Celtic Engineering Services Ltd Location: Phoenix Wharf, The Docks, Port Talbot, West Glamorgan, SA13 1RA Classification: Engineering Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A11SW (E)	37	-	276629 188578
182	Contemporary Trade Directory Entries Name: Compressed Air Services Ltd Location: Docks Road, The Docks, Port Talbot, SA13 1RA Classification: Air Compressors Status: Inactive Positional Accuracy: Automatically positioned to the address	A10NE (NW)	55	-	276223 188801
182	Contemporary Trade Directory Entries Name: Brynbach Coal Location: Docks Road, The Docks, Port Talbot, SA13 1RA Classification: Coal & Smokeless Fuel Merchants & Distributors Status: Inactive Positional Accuracy: Automatically positioned to the address	A10NE (NW)	55	-	276223 188801
183	Contemporary Trade Directory Entries Name: J E S Group Ltd Location: Phoenix Wharf, The Docks, Port Talbot, West Glamorgan, SA13 1RA Classification: Mechanical Engineers Status: Active Positional Accuracy: Automatically positioned to the address	A11SE (E)	128	-	276773 188616
184	Contemporary Trade Directory Entries Name: Lets Personalise It Location: Kenworth Building Unit 2, Llewellyns Quay, Port Talbot, West Glamorgan, SA13 1RF Classification: T-Shirts Status: Active Positional Accuracy: Automatically positioned to the address	A15SW (NE)	284	-	276725 188998
184	Contemporary Trade Directory Entries Name: Mitsui Babcock Energy Ltd Location: Llewellyns Quay, Port Talbot, West Glamorgan, SA13 1RF Classification: Mechanical Engineers Status: Inactive Positional Accuracy: Automatically positioned to the address	A15SW (NE)	314	-	276755 189020
184	Contemporary Trade Directory Entries Name: J M Fabweld Ltd Location: Llewellyns Quay, Port Talbot, West Glamorgan, SA13 1RF Classification: Mechanical Engineers Status: Active Positional Accuracy: Automatically positioned to the address	A15SW (NE)	314	-	276755 189020
184	Contemporary Trade Directory Entries Name: Pump Supplies Location: Llewellyns Quay, Port Talbot, West Glamorgan, SA13 1RF Classification: Pumps - Sales, Servicing & Repairs Status: Active Positional Accuracy: Automatically positioned to the address	A15SW (NE)	314	-	276755 189020
184	Contemporary Trade Directory Entries Name: Pamarch (1997) Ltd Location: Llewellyns Quay, Port Talbot, West Glamorgan, SA13 1RF Classification: Coating Specialists Status: Inactive Positional Accuracy: Automatically positioned to the address	A15SW (NE)	314	-	276755 189020

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
184	Contemporary Trade Directory Entries Name: Pump Supplies Location: Llewellyns Quay, Port Talbot, West Glamorgan, SA13 1RF Classification: Pumps - Sales, Servicing & Repairs Status: Inactive Positional Accuracy: Automatically positioned to the address	A15SW (NE)	314	-	276755 189020
185	Contemporary Trade Directory Entries Name: Spraytech Location: Runtech, Llewellyns Quay, Llewellyns Road, Port Talbot, SA13 1RF Classification: Paint Spraying Equipment & Accessories Status: Inactive Positional Accuracy: Automatically positioned to the address	A15SW (NE)	287	-	276643 189023
186	Contemporary Trade Directory Entries Name: Runtech Ltd Location: Unit 5, Llewellyns Quay, Port Talbot, SA13 1RF Classification: Road Haulage Services Status: Active Positional Accuracy: Automatically positioned to the address	A15SW (NE)	327	-	276691 189051
187	Contemporary Trade Directory Entries Name: Celtic Specialist Treatments Ltd Location: The Docks, Port Talbot, West Glamorgan, SA13 1RH Classification: Metal Finishing Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A14SW (NW)	337	-	276062 189052
187	Contemporary Trade Directory Entries Name: A & S Commercial Vehicle Repairs Location: A and S Commercial Repairs Ltd, Road From Riverside Road to Harbour House, Port Talbot, SA13 1RA Classification: Garage Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A14SW (NW)	342	-	276057 189055
188	Contemporary Trade Directory Entries Name: Speedy Asset Services Location: Unit 1, Llewellyns Quay, Port Talbot, SA13 1RF Classification: Lifting Equipment Status: Inactive Positional Accuracy: Automatically positioned to the address	A15SW (NE)	388	-	276667 189121
188	Contemporary Trade Directory Entries Name: Independent Cleaning Services (South Wales) Ltd Location: Llewellyns Quay, The Docks, Port Talbot, West Glamorgan, SA13 1SD Classification: Commercial Cleaning Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A15SW (NE)	389	-	276668 189122
188	Contemporary Trade Directory Entries Name: J E S Port Talbot Ltd Location: Phoenix Wharf, Docks Road, The Docks, Port Talbot, West Glamorgan, SA13 1RA Classification: Machine Shops Status: Inactive Positional Accuracy: Manually positioned within the geographical locality	A15SW (NE)	389	-	276668 189122
188	Contemporary Trade Directory Entries Name: Independent Cleaning Services (South Wales) Ltd Location: Llewellyns Quay, The Docks, Port Talbot, West Glamorgan, SA13 1SD Classification: Cleaning Services - Commercial Status: Inactive Positional Accuracy: Automatically positioned to the address	A15SW (NE)	389	-	276668 189122
188	Contemporary Trade Directory Entries Name: R & R (Wales) Ltd Location: Llewellyns Quay, Port Talbot, West Glamorgan, SA13 1RF Classification: Engineers - General Status: Inactive Positional Accuracy: Automatically positioned to the address	A15SW (NE)	408	-	276691 189135
188	Contemporary Trade Directory Entries Name: Planguard Location: Llewellyns Quay, Port Talbot, West Glamorgan, SA13 1RF Classification: Garage Services Status: Active Positional Accuracy: Automatically positioned to the address	A15SW (NE)	408	-	276691 189135

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
189	Contemporary Trade Directory Entries Name: Talbot Hydraulics Location: Unit 7, Llewellyns Quay, Port Talbot, West Glamorgan, SA13 1RF Classification: Hydraulic Equipment & Accessories - Sales & Service Status: Active Positional Accuracy: Automatically positioned to the address	A15SW (NE)	400	-	276731 189116
189	Contemporary Trade Directory Entries Name: Quay Corporate Ltd Location: Unit 3, Llewellyns Quay, Port Talbot, West Glamorgan, SA13 1RF Classification: Clothing & Fabrics - Manufacturers Status: Inactive Positional Accuracy: Automatically positioned to the address	A15SW (NE)	400	-	276731 189116
189	Contemporary Trade Directory Entries Name: Turner Fluidpower Location: Unit 3, Llewellyns Quay, Port Talbot, West Glamorgan, SA13 1RF Classification: Hydraulic Equipment & Accessories - Sales & Service Status: Inactive Positional Accuracy: Automatically positioned to the address	A15SW (NE)	400	-	276731 189116
189	Contemporary Trade Directory Entries Name: Corporate Manufacturing Wales Ltd Location: Unit 3, Llewellyns Quay, Port Talbot, West Glamorgan, SA13 1RF Classification: Clothing & Fabrics - Manufacturers Status: Inactive Positional Accuracy: Automatically positioned to the address	A15SW (NE)	400	-	276731 189116
189	Contemporary Trade Directory Entries Name: K & J Pipeline Supplies Ltd Location: UNIT 7, LLEWELLYNS QUAY, PORT TALBOT, SA13 1RF Classification: Engineering Materials Status: Active Positional Accuracy: Automatically positioned to the address	A15SW (NE)	407	-	276726 189125
190	Contemporary Trade Directory Entries Name: Ready Steel Reinforcements Location: Talbot Wharf, The Docks, Port Talbot, West Glamorgan, SA13 1RH Classification: Concrete Reinforcements Status: Inactive Positional Accuracy: Manually positioned within the geographical locality	A14SW (NW)	421	-	275830 188984
191	Contemporary Trade Directory Entries Name: Loxam Access Location: Llewellyns Quay, Port Talbot, West Glamorgan, SA13 1RF Classification: Railways Status: Inactive Positional Accuracy: Automatically positioned to the address	A15SW (NE)	468	-	276654 189207
192	Contemporary Trade Directory Entries Name: Cockburn South West Ltd Location: Kenworth Buildings, Llewellyns Quay, Port Talbot, West Glamorgan, SA13 1RF Classification: Electrical Engineers Status: Inactive Positional Accuracy: Manually positioned within the geographical locality	A15SE (NE)	514	-	276824 189208
193	Contemporary Trade Directory Entries Name: W Doyle Transport Location: Llewellyns Quay, Port Talbot, SA13 1RF Classification: Road Haulage Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A15SW (NE)	546	-	276689 189278
194	Contemporary Trade Directory Entries Name: Rhino Doors Location: Maritime Road, Llyn Quay, The Docks, Port Talbot, West Glamorgan, SA13 1RS Classification: Door Manufacturers - Industrial Status: Active Positional Accuracy: Manually positioned to the address or location	A15SE (NE)	553	-	276790 189260
194	Contemporary Trade Directory Entries Name: Fairwood Holdings Location: Llewellyns Quay, Port Talbot, West Glamorgan, SA13 1RF Classification: Metal Products - Fabricated Status: Inactive Positional Accuracy: Automatically positioned to the address	A15SE (NE)	565	-	276784 189273

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
194	Contemporary Trade Directory Entries Name: B H L Rolls Manufacturing Ltd Location: Llewellyns Quay, The Docks, Port Talbot, West Glamorgan, SA13 1RE Classification: Metal Products - Fabricated Status: Inactive Positional Accuracy: Automatically positioned to the address	A15SE (NE)	565	-	276784 189273
194	Contemporary Trade Directory Entries Name: Fairwood Engineering Ltd Location: Llewellyns Quay, Port Talbot, West Glamorgan, SA13 1RF Classification: Precision Engineers Status: Active Positional Accuracy: Automatically positioned to the address	A15SE (NE)	565	-	276784 189273
195	Contemporary Trade Directory Entries Name: Speedgold Ltd Location: Pierhead, The Docks, Port Talbot, West Glamorgan, SA13 1RH Classification: Precision Engineers Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (NW)	565	-	275668 188996
196	Contemporary Trade Directory Entries Name: M R M Automotive Ltd Location: Cwrt-Ucha Terrace, Port Talbot, West Glamorgan, SA13 1LD Classification: Garage Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A15SE (NE)	588	-	277088 189132
197	Contemporary Trade Directory Entries Name: M R M Automotive Location: Cwrt-Ucha Terrace, Port Talbot, SA13 1LD Classification: Garage Services Status: Active Positional Accuracy: Automatically positioned to the address	A15SE (NE)	595	-	277082 189147
197	Contemporary Trade Directory Entries Name: Motor Mender Location: 9, Cwrt-Ucha Terrace, Port Talbot, West Glamorgan, SA13 1LD Classification: Garage Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A16SW (NE)	626	-	277109 189165
197	Contemporary Trade Directory Entries Name: L & J Car Repairs Location: Cwrt-Ucha Ter, Port Talbot, West Glamorgan, SA13 1LD Classification: Car Body Repairs Status: Inactive Positional Accuracy: Automatically positioned to the address	A15SE (NE)	627	-	277092 189181
197	Contemporary Trade Directory Entries Name: A T Auto Location: Cwrt-Ucha Terr, Port Talbot, West Glamorgan, SA13 1LD Classification: Garage Services Status: Inactive Positional Accuracy: Manually positioned to the address or location	A15SE (NE)	629	-	277090 189185
198	Contemporary Trade Directory Entries Name: Civil & Marine Slag Cement Ltd Location: Docks Road, The Docks, Port Talbot, West Glamorgan, SA13 1RA Classification: Cement Manufacturers & Distributors Status: Inactive Positional Accuracy: Automatically positioned to the address	A15NW (N)	604	-	276479 189385
198	Contemporary Trade Directory Entries Name: Autolec Diesel Services (Wales) Ltd Location: Docks Road, The Docks, Port Talbot, West Glamorgan, SA13 1RA Classification: Fuel Injection Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A15NW (N)	604	-	276479 189385
198	Contemporary Trade Directory Entries Name: A & S Commercial Repairs Location: Docks Road, The Docks, Port Talbot, West Glamorgan, SA13 1RA Classification: Commercial Vehicle Servicing, Repairs, Parts & Accessories Status: Inactive Positional Accuracy: Automatically positioned to the address	A15NW (N)	604	-	276479 189385
198	Contemporary Trade Directory Entries Name: Gregory Auto Repairs Location: Somerset La, Port Talbot, West Glamorgan, SA13 1TY Classification: Car Body Repairs Status: Inactive Positional Accuracy: Manually positioned within the geographical locality	A15NW (N)	636	-	276454 189420

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
199	Contemporary Trade Directory Entries Name: Spraytech Location: Port Talbot, West Glamorgan, SA13 1rf Classification: Car Body Repairs Status: Active Positional Accuracy: Automatically positioned to the address	A15NW (N)	608	-	276646 189353
200	Contemporary Trade Directory Entries Name: Margam Windows & Doors Ltd Location: Cwrt-Ucha Terr, Port Talbot, West Glamorgan, SA13 1LD Classification: PVC-U Products - Manufacturers & Suppliers Status: Inactive Positional Accuracy: Manually positioned to the address or location	A15SE (NE)	630	-	277086 189190
200	Contemporary Trade Directory Entries Name: Whirlpool Launderette Ltd Location: 96, Talbot Road, Port Talbot, West Glamorgan, SA13 1LB Classification: Dry Cleaners Status: Active Positional Accuracy: Automatically positioned to the address	A15SE (NE)	668	-	277085 189240
200	Contemporary Trade Directory Entries Name: Whirlpool Launderette Ltd Location: 96, Talbot Road, Port Talbot, West Glamorgan, SA13 1LB Classification: Laundries & Launderettes Status: Inactive Positional Accuracy: Automatically positioned to the address	A15SE (NE)	668	-	277085 189240
201	Contemporary Trade Directory Entries Name: Lounge Products Location: Unit 11-12 The Docks, Port Talbot, West Glamorgan, SA13 1RE Classification: Upholstery Manufacturers Status: Inactive Positional Accuracy: Manually positioned within the geographical locality	A15NW (N)	631	-	276572 189394
202	Contemporary Trade Directory Entries Name: Margam Engineering & Welding Co Ltd Location: North Bank, The Docks, Port Talbot, West Glamorgan, SA13 1RE Classification: Engineers - General Status: Inactive Positional Accuracy: Automatically positioned to the address	A14NW (NW)	640	-	275978 189343
202	Contemporary Trade Directory Entries Name: Talbot Block Ltd Location: North Bank, The Docks, Port Talbot, West Glamorgan, SA13 1RE Classification: Builders' Merchants Status: Active Positional Accuracy: Automatically positioned to the address	A14NW (NW)	640	-	275978 189343
202	Contemporary Trade Directory Entries Name: Initial G W S Ltd Location: North Bank, The Docks, Port Talbot, West Glamorgan, SA13 1RE Classification: Crane Hire, Sales & Service Status: Inactive Positional Accuracy: Automatically positioned to the address	A14NW (NW)	640	-	275978 189343
202	Contemporary Trade Directory Entries Name: G W S Ltd Location: North Bank, The Docks, Port Talbot, West Glamorgan, SA13 1RE Classification: Crane Hire, Sales & Service Status: Inactive Positional Accuracy: Automatically positioned to the address	A14NW (NW)	640	-	275978 189343
202	Contemporary Trade Directory Entries Name: D W E Hydraulics Location: North Bank, The Docks, Port Talbot, West Glamorgan, SA13 1RE Classification: Hydraulic Equipment & Accessories - Sales & Service Status: Active Positional Accuracy: Automatically positioned to the address	A14NW (NW)	640	-	275978 189343
203	Contemporary Trade Directory Entries Name: Coates Rentair Location: Coates Rentair, Dock Road, Port Talbot, SA13 1RA Classification: Air Compressors Status: Inactive Positional Accuracy: Automatically positioned to the address	A14NE (N)	671	-	276279 189446

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
204	Contemporary Trade Directory Entries Name: T W I Technology Centre Wales Location: Harbourside Business Park, Harbourside Road, Port Talbot, West Glamorgan, SA13 1SB Classification: Engineering Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A15NW (N)	672	-	276453 189456
205	Contemporary Trade Directory Entries Name: Thomas Silvey Ltd Location: The Docks, Port Talbot, West Glamorgan, SA13 1RE Classification: Oil Fuel Distributors Status: Inactive Positional Accuracy: Manually positioned to the address or location	A14NE (N)	675	-	276397 189461
206	Contemporary Trade Directory Entries Name: D W E Hydraulics & Pneumatics Location: North Bank Road, The Docks, Port Talbot, West Glamorgan, SA13 1RE Classification: Hydraulic Engineers Status: Active Positional Accuracy: Manually positioned to the address or location	A14NW (NW)	720	-	275915 189406
207	Contemporary Trade Directory Entries Name: Davies Crane Hire Ltd Location: Unit 30, Docks Road, The Docks, Port Talbot, West Glamorgan, SA13 1RA Classification: Crane Hire, Sales & Service Status: Active Positional Accuracy: Automatically positioned to the address	A15NW (N)	724	-	276564 189491
208	Contemporary Trade Directory Entries Name: Suite Centres Direct Location: The Docks, Port Talbot, West Glamorgan, SA13 1RE Classification: Furniture Manufacturers - Home & Office Status: Inactive Positional Accuracy: Manually positioned within the geographical locality	A15NW (N)	729	-	276634 189480
209	Contemporary Trade Directory Entries Name: Dee-Creased Ironing Location: 11, Rice Street, Port Talbot, SA13 1SN Classification: Ironing & Home Laundry Services Status: Active Positional Accuracy: Automatically positioned to the address	A16SW (NE)	741	-	277181 189255
210	Contemporary Trade Directory Entries Name: Ron Evans Pies Location: 17, Commercial Road, PORT TALBOT, West Glamorgan, SA13 1LN Classification: Food Products - Manufacturers Status: Active Positional Accuracy: Automatically positioned to the address	A12NW (E)	744	-	277394 188923
210	Contemporary Trade Directory Entries Name: A B C Tyre Service Location: 21, Commercial Road, Port Talbot, SA13 1LN Classification: Tyre Dealers Status: Active Positional Accuracy: Automatically positioned to the address	A12NW (E)	752	-	277405 188911
211	Contemporary Trade Directory Entries Name: C R H Tarmac Location: Abbey Works, Margam, Port Talbot, West Glamorgan, SA13 2NG Classification: Asphalt & Coated Macadam Laying Contractors Status: Active Positional Accuracy: Manually positioned to the address or location	A8NW (SE)	753	-	277117 188026
212	Contemporary Trade Directory Entries Name: Phil Reed Cleaning Location: 14, Gower Street, Port Talbot, West Glamorgan, SA13 1SL Classification: Carpet, Curtain & Upholstery Cleaners Status: Active Positional Accuracy: Automatically positioned to the address	A16NW (NE)	757	-	277124 189322
213	Contemporary Trade Directory Entries Name: Folland Joinery Location: 49, Talbot Road, Port Talbot, West Glamorgan, SA13 1HN Classification: Builders' Merchants Status: Inactive Positional Accuracy: Automatically positioned to the address	A15NE (NE)	770	-	276923 189444