



Geoenvironmental Desk Study

Site: Former Metal Box Unit, Neath

Prepared For: 360 Aquaculture Ltd

Issue Date: August 2023

Job No: 17938

REPORT TITLE : **Geoenvironmental Desk Study and CMRA: Proposed Development, Former Metal Box Unit, Neath**

REPORT STATUS : **Draft**

JOB NUMBER : **17938**

ISSUE DATE : **August 2023**

REPORT REFERENCE : **240823-179388-ISSUE01**

Document Revision Record

Issue Number	Date	Revision Details
1	24.08.2023	Initial Draft Publication

	Name	Signature
Prepared	Chris Pilkington BSc (Hons). FGS	
Checked	Alan Beattie M.Sci (Hons), FGS	
Approved	Gwyn Lake BSc (Hons). PhD, CGeol, FGS	



Executive Summary

Site Location	360 Aquaculture Ltd (the Client) are proposing the development of a shrimp farm upon the former metal box unit at Milland Road Industrial Estate, Neath. The proposed development will comprise the adaptation of the rear section of the former metal box unit to form a shrimp farm (aquaculture) facility including reconfiguration of the roof and internal facilities. The development site is roughly square in shape and locates on Milland Road Industrial Estate, Neath. The site centres on an approximate National Grid Reference of 274250, 196360, occupying a plan area of approximately 1.32 Hectares. The site is currently occupied by the former Metal Box Unit, with associated hardstanding to the north of the site. Site boundaries are defined by the current factory building and the hardstanding 'yard' area to the north. Much of the western area beyond the site is comprised of rough grassland, with a pond situated 5-10m northwest. Immediately northeast from the site is further industrial areas. The site elevation is approximately 8.5m AOD and is generally level.
Site History	Since the earliest map edition available (c.1881), the site was seen to be occupied by open rough grassland. From around 1918 a clay pit had been developed on-site, with various tramways linking it to other railways. Circa.1951, the metal box factory was established on-site. The northern area of the site had a refuse heap situated from 1951. Various works have been established within the surrounding area since the earliest map edition available, including a chemical works 260m northeast and the Eagle Bush Tin Works 130m northeast. Further refuse heaps can be seen within the surrounding areas from 1951 to 1967.
Geology	The 1:50,000 and 1:10,560 scale British Geological Maps of the area (Sheet 247 and SS79NW) was consulted for geology underlying the site. The site is shown to be underlain by the Hughes Member. Superficial deposits are recorded as Tidal Flat deposits. Masde ground is expected below the factory building. Strata in the local area have a dip of 15° north. The nearest coal seam to the site is the Mountain seam, situated 10m southwest from the site. This coal seam will likely underlie the site at shallow depth based upon dip direction.
Coal Mining Risk Assessment	The site situates within the South Wales Coal Field. The report did not record any past underground mining in any coal seams below the site. The report records the site is not situated above possible unrecorded shallow workings. No spine roadways are recorded at shallow depth. The Coal Authority is not aware of any damage due to geological faults or other lines of weakness that have been affected by coal mining at the site. The Coal Authority has not received a damage notice or claim for the subject property, or any property within 50 metres of the enquiry boundary, since 31 October 1994. There is no current Stop Notice delaying the start of remedial works or repairs to the property. The Coal Authority is not aware of any request having been made to carry out preventive works before coal is worked under section 33 of the Coal Mining Subsidence Act 1991. The Coal Authority has no record of a mine gas emission requiring action No mine entries are recorded within 10m of the site's boundary. Given the local geology and the information presented in the Coal Authority report, it can be concluded that the risk from shallow coal mining to the site is negligible.
Recommended Site Investigation	An intrusive site investigation carried out in accordance with guidance provided in BS10175:2011+A2:2017 should be undertaken to achieve the following objectives:

- *Identify the potential environmental liabilities at the site associated with any soil, gas, vapours and groundwater contamination from past site uses, to substantiate and enhance the conceptual site model, for a commercial scenario.*

The first phase should comprise:

- *Windowless sampling to investigate the shallow ground conditions, take samples for contamination testing and to install gas monitoring wells. These wells may also serve as groundwater monitoring points if required.*
- *Soil samples should be taken for chemical analysis to confirm the characteristics of the ground beneath the site to help inform on the contamination status of the site and the need, if any, for site remediation.*
- *Radon monitoring should be undertaken in the existing building to determine if radon protection measures need to be retrofitted during the renovation works.*

Depending on the findings of the first phase additional phases of investigation may be required.

TABLE OF CONTENTS

SECTION 1	Introduction	1
1.1	Introduction	1
1.2	Limitations and Exceptions of Investigation	1
1.3	Quality Assurance	1
SECTION 2	Review of Existing Data	2
2.1	Physical Setting and Current Site Use	2
2.2	Site History	3
2.3	Geological Setting	4
2.3.1	Geology	4
2.3.2	BGS Borehole Information	5
2.3.3	Radon	5
2.3.4	Mining	5
2.3.5	Natural Hazards	5
2.4	Environmental Setting	6
2.4.1	Hydrogeology	6
2.4.2	Hydrology	6
2.4.3	Flooding	6
2.4.4	Waste	6
2.4.5	Pollution	6
2.4.6	Sensitive Land Use	6
2.4.7	Estimated Urban Soil Chemistry	7
2.4.8	Industrial Land Use	7
2.4.9	Infilled Land	7
SECTION 3	Coal Mining Risk Assessment	8
3.1	Geotechnical Risk	8
3.1.1	Underground Mining	8
3.1.2	Shafts & Adits	8
3.1.3	Conclusion	8
3.2	Mine Gas Risk Decision Support Tool	9
SECTION 4	Site Reconnaissance Findings	10
SECTION 5	Preliminary Human Health and Environmental Risk Assessment	12
5.1	General	12
5.2	Potential Sources of Contamination	12
5.3	Potential Pollution Pathways	12
5.4	Potential Receptors	12
5.5	Preliminary Conceptual Site Model	13
SECTION 6	Anticipated Ground Conditions	15
6.1	Geology	15
6.2	Groundwater	15
SECTION 7	Recommended Site Investigation	16
7.1	General	16
7.2	Intrusive Investigation	16
7.3	Recommended Soil Chemical Analysis	16
7.4	Recommended Ground Gas and Vapour Assessment	17

Tables

Table 2.1 Historical Development from Map Information	3
Table 2.2 Detailed Stratigraphical Information	4
Table 2.3 BGS Recorded Mineral Sites	5
Table 2.6 Relevant Contemporary Trade Summary	7
Table 2.7 Potentially Infilled Land	7
Table 4.1 Decision Support Tool Summary – Site Specific	9
Table 4.1 Site Reconnaissance Findings	10
Table 5.1 Contamination Sources	12
Table 5.2 Preliminary Conceptual Site Model	14
Table 6.1 Anticipated Ground Conditions	15
Table 7.2 Soil Laboratory Analysis	16

Figures

Figure 2.1 Site Location (Envirocheck, 2023)	2
Figure 3.1 Geology and Strata Base Below Ground Level	8
Figure 4.1 Existing Buildings	10

Annexes

Annex A Envirocheck Report
Annex B Risk Assessment Definitions
Annex C Coal Authority Report and Map
Annex D Walkover Survey Photographs
DRAWINGS

Drawings

Drawing 01 Proposed Site Layout

SECTION 1 Introduction

1.1 Introduction

360 Aquaculture Ltd (the Client) are proposing the development of a shrimp farm upon the former metal box unit at Milland Road Industrial Estate, Neath. The proposed development will comprise the adaptation of the rear section of the former metal box unit to form a shrimp farm (aquaculture) facility including reconfiguration of the roof and internal facilities.

TFW Group Limited have been commissioned by Ateb Consult to undertake a phase 1 desk study and CMRA for the site.

The main objectives of the assessment programme are to:

- Provide information on past and current uses of the site and surrounding area.
- Provide information on the nature of any hazards and physical constraints, for example buried structures/obstructions.
- Provide information on the likely ground conditions beneath the site, including soil types, groundwater and if made ground is likely to be present.
- Investigate the risk, if any, from historical shallow underground mining features.
- Identify the likely potential environmental liabilities at the site associated with any soil and groundwater contamination from past site uses.
- Identify if gas emissions either from the site or surrounding areas is likely to be present.
- Produce an initial site conceptual model of the site, to detail the nature and extent of potential contamination, its source, potential pathways and likely receptors (pollutant linkage).
- Prepare a human health and environmental risk assessment for the site.
- Provide data to assist in the design of an intrusive site investigation and give early indications of possible remediation requirements.

In order to achieve the above objectives, TFW Group Limited carried out an assessment programme including a site walkover and a review of existing data.

It is beyond the remit of this report to consider the geotechnical aspects of the development.

1.2 Limitations and Exceptions of Investigation

The Client has requested that a Phase 1 Desk Study (DS) and CMRA be undertaken to enable the outlined main objectives.

The DS and CMRA was conducted, and this report has been prepared for the sole internal reliance of the Client and their design and construction team. This report shall not be relied upon or transferred to any other parties without the express written authorisation of TFW Group Limited. If an unauthorised third party comes into possession of this report, they rely on it at their peril and the authors owe them no duty of care and skill. The report represents the findings and opinions of experience geo-environmental and geotechnical consultants. TFW Group Limited does not provide legal advice and the advice of lawyers may be required.

1.3 Quality Assurance

The quality and environmental aspects of the assessment comply with Terra Firma Wales Ltd business management system which is UKAS Accredited to ISO 9001:2015 and ISO 14001:2015 standards.

SECTION 2 Review of Existing Data

2.1 Physical Setting and Current Site Use

The development site is roughly square in shape and locates on Milland Road Industrial Estate, Neath. The site centres on an approximate National Grid Reference of 274250, 196360, occupying a plan area of approximately 1.32 Hectares.

The site is currently occupied by the former Metal Box Unit, with associated hardstanding to the north of the site.

Site boundaries are defined by the current factory building and the hardstanding 'yard' area to the north.

Much of the western area beyond the site is comprised of rough grassland, with a pond situated 5-10m northwest. Immediately northeast from the site is further industrial areas.

The site elevation is approximately 8.5m AOD and is generally level.

The site location can be seen in **Figure 2.1**.



Figure 2.1 Site Location (Envirocheck, 2023)

2.2 Site History

Historical maps of the site have been obtained in an Envirocheck Report, provided by Landmark Information Group. The history plans are supplied in **Annex A** of this report, and the most relevant editions are summarised in **Table 2.1**. Distances, where quoted are approximate, and any changes in-between map editions may not be recorded.

Table 2.1 Historical Development from Map Information

Map Edition & Scale	Key Features on Site	Key Features off Site
1881 1:2,500	The site is currently occupied by open land, with no major structures on-site. Several drainage ditches/reens flow through the site.	Much of the immediate surrounding area is also comprised of open land. The Neath Canal is situated 100m southeast from the site. Across the canal is various residential properties. Several 'Old Limekilns' can be seen within this area. A 'Brick Field' is situated 150m northeast from the site. The River Neath is situated 120m north from the site.
1884 1:10,560	No significant changes have been made to the site since 1881.	Further detail shows that the Melin Crythan Chemical Works is situated 260m northeast from the site.
1899 1:2,500		A clay pit has been developed 40m northeast from the site. The Eagle Tin Plate Works is now situated 130m northeast from the site. The Rhondda and Swansea Bay Railway has been built, situated 100m northwest from the site.
1900 1:10,560		No significant changes have been made within the immediate surrounding area since 1899.
1918-19 1:2,500	A clay pit is now present in the north western corner of the site with a tramway running to the north. The area is now identified as rough grassland.	Situated immediately west of the site is a factory type building, with an embankment which now forms part of the site and supports a rail line. Further excavations have taken place to the northwest of the site, with these excavated areas now referred to as saltings.
1921 1:10,560	No significant changes have been made to the site since 1919.	
1935-40 1:2,500	The northern edge of the site is now made up of an embankment.	
1951 1:2,500	The Metal Box factory has now been established on-site. A refuse heap is situated towards the north western part of the site.	Further refuse heaps can be seen situated 70m south and 120m north from the site. A pond is now located immediately northwest from the site. Further tramways have been developed within the metal box factory, connected to the Rhondda and Swansea Bay Railway.
1938-51 1:10,560	No significant changes have been made to the site since 1951.	No significant changes have been made within the immediate surrounding area since 1951.
1951-52 1:10,560		
1952-71 1:2,500		
1958-67 1:2,500	The refuse heap is no longer shown on the map, where there is now a yard type area associated with the factory.	The land situated immediately southwest from the site is now labelled as Sports Ground, with a Pavilion built to the south of the site. A Refuse Tip can now be seen towards the end of a track coming from the factory, situated 100m west. No significant changes have been made within the immediate surrounding area since 1967.
1964 1:2,500	No significant changes have been made to the site since 1958.	
1964-65 1:10,000		
1967 1:2,500		
1970-73 1:10,000		
1971-74 1:2,500		
1980-83 1:10,000		
1982-89 1:2,500		
1992 1:10,000		
1993 1:2,500		
1999		

17938

2.3.2 BGS Borehole Information

There are no recorded BGS boreholes within 250m of the site.

2.3.3 Radon

The Envirocheck Report (**Annex A**) details that full radon protective measures are required for new developments on the investigation site.

2.3.4 Mining

The site situates within the South Wales Coal Fields.

The report did not record any past underground mining in any coal seams below the site.

The report records the site is not situated above possible unrecorded shallow workings.

No mine entries are recorded within 10m of the site's boundary.

No spine roadways are recorded at shallow depth.

The Coal Authority is not aware of any damage due to geological faults or other lines of weakness that have been affected by coal mining at the site.

The Coal Authority has not received a damage notice or claim for the subject property, or any property within 50 metres of the enquiry boundary, since 31 October 1994. There is no current Stop Notice delaying the start of remedial works or repairs to the property. The Coal Authority is not aware of any request having been made to carry out preventive works before coal is worked under section 33 of the Coal Mining Subsidence Act 1991.

The Coal Authority has no record of a mine gas emission requiring action.

The Coal Authority Consultants Coal Mining Report is appended in (**Annex C**).

The Envirocheck report records three BGS Mineral sites within 250 of the site. These are summarised in **Table 2.3**.

Table 2.3 BGS Recorded Mineral Sites

Site Name	Distance/ Direction	Type	Commodity
Pont Y Lady Clay Pit	On-site	Opencast	Common Clay and Shale
Eagle Tin Plate Works Clay Pit	86m, east	Opencast	Common Clay and Shale
Eagle Tin Plate Works Clay Pit	192m, northeast	Opencast	Common Clay and Shale

2.3.5 Natural Hazards

The Envirocheck details the following hazard potentials for the site.

Ground Dissolution:	No Hazard
Collapsible Ground:	No Hazard
Compressible Ground:	No Hazard
Landslide:	Very Low
Running Sand:	No Hazard
Shrinking and Swelling Clays:	Very Low

2.4 Environmental Setting

The following sections have been compiled using the Landmark Information Group Envirocheck datasheet and maps which can be found in **Annex A**.

2.4.1 Hydrogeology

The superficial deposits beneath the site have an aquifer designation of secondary aquifer - undifferentiated.

The bedrock deposits beneath the site have an aquifer designation of secondary aquifer - A.

Deeper groundwater flow within the underlying bedrock will be controlled by the strata dip and any fractures or bedding planes within the rock units.

The hydraulic gradient will be at its steepest during periods of heavy rainfall and aquifer recharge.

The site does not locate within a groundwater source protection zone.

No water abstractions are recorded within 1km of the site.

2.4.2 Hydrology

The nearest surface water feature locates off site 17m northeast and comprises the pond.

The topography of the site slopes down towards to the southwest. Surface water is likely to drain in this direction.

2.4.3 Flooding

The site is at risk from extreme flooding from rivers or sea.

The site is at low to medium risk from flooding from surface water.

The Envirocheck report records the site to have limited potential for groundwater flooding at the surface.

2.4.4 Waste

The Envirocheck report does not record any landfills within 250m of the site.

There are no recorded Waste Management Facilities within a 250m radius of the site.

The nearest discharge consent is situated 135m northwest from the site. This is operated by Dwr Cymru, who are discharging sewage discharges (Storm Overflow) into the river Neath.

2.4.5 Pollution

The Envirocheck report does not record any pollution incidents within 250m of the site.

2.4.6 Sensitive Land Use

There are no areas of sensitive land use within 250m of the site.

2.4.7 Estimated Urban Soil Chemistry

The BGS have published estimated urban soil chemistry concentrations locally to the site for a number of common contaminants, i.e., arsenic, cadmium, chromium, lead and nickel. All of the given determinants have anticipated concentrations that are below the recognised trigger levels for a commercial scenario.

2.4.8 Industrial Land Use

Relevant contemporary trade directory entries recorded within proximity of the site are summarised in **Table 2.6**.

Table 2.6 Relevant Contemporary Trade Summary

Company	Distance/Direction	Classification	Status
Crown Food UK	18m, east	Can Manufacturers	Inactive
J F Coals	206m, east	Coal and Smokeless Fuel Merchants and Distributors	Inactive

2.4.9 Infilled Land

Potentially infilled land features within 250m of the site are summarised in **Table 2.7**.

Table 2.7 Potentially Infilled Land

Feature	Distance/Direction
Former clay pit below factory (infilled circa. 1951)	0m, west
Former clay pits (infilled between circa. 1918 – 1967)	69m, east
Infilled streams (infilled circa. 1951)	0m, southeast
	0m, northwest
	0m, east
	54m, north
Infilled pond associated with clay pits (infilled circa. 1918-35)	95m, northeast
Partially infilled pond associated with clay pits (infilled circa. 1967)	186m, northeast

SECTION 3 Coal Mining Risk Assessment

3.1 Geotechnical Risk

3.1.1 Underground Mining

Based upon geological map data and historic borehole records, the stratigraphical sequence within 30m of the ground surface of the site is illustrated in **Figure 3.1**.

Modern	MADE GROUND associated with historic buildings that have been on site	2.0m
Holocene	Tidal flat deposits comprising various layers of soft sandy gravelly CLAY and/or layers of SAND and GRAVEL at greater depths	10.0m
Pennant Sandstone Formation	Hughes Member: Green-grey, lithic arenites ('Pennant sandstones'), with thin mudstone/siltstone and seatearth interbeds, and mainly thin coals.	20.0m
	MOUNTAIN COAL SEAM (thin)	20.1m
	Hughes Member: Green-grey, lithic arenites ('Pennant sandstones'), with thin mudstone/siltstone and seatearth interbeds, and mainly thin coals.	30.0m

Figure 3.1 Geology and Strata Base Below Ground Level

The site situates within the South Wales Coal Fields.

The report did not record any past underground mining in any coal seams below the site.

The report records the site is not situated above possible unrecorded shallow workings.

No spine roadways are recorded at shallow depth.

The Coal Authority is not aware of any damage due to geological faults or other lines of weakness that have been affected by coal mining at the site.

The Coal Authority has not received a damage notice or claim for the subject property, or any property within 50 metres of the enquiry boundary, since 31 October 1994. There is no current Stop Notice delaying the start of remedial works or repairs to the property. The Coal Authority is not aware of any request having been made to carry out preventive works before coal is worked under section 33 of the Coal Mining Subsidence Act 1991.

The Coal Authority has no record of a mine gas emission requiring action.

3.1.2 Shafts & Adits

No mine entries are recorded within 10m of the site's boundary.

3.1.3 Conclusion

Given the local geology and the information presented in the Coal Authority report, it can be concluded that the risk from shallow coal mining to the site is negligible.

3.2 Mine Gas Risk Decision Support Tool

This assessment has been completed in accordance with guidance published in CL:AIRE, 2021, Good practice for risk assessment for coal mine gas emissions. In the first instance, the risk assessment process requires the screening out of 'potentially at risk sites' utilising the decision support tool for mine gas risk assessment, provided in Figure 13.1 - CLAIRE 2021. A summary of the decision tool and site outcome is presented in **Table 3.1**.

Table 3.1 Decision Support Tool Summary – Site Specific

Step	Qualifier Question	Outcome	Comment
1	Is the site within a Coal Authority defined Coal Mining Reporting Area?	Yes	Go to step 2
2	Are all these statements true? Mine entries >50m from site boundary Workings >150m depth No faults or other potential pathways connecting surface to deeper unflooded workings Outside are of past or probable shallow workings on Coal Authority Viewer	Yes	Negligible Risk
3	Are all these statements true? Workings between 30m and 150m but permanently flooded or covered by 10m+ of low permeable superficial deposits Mine entries > 50m from site boundary Low permeability superficial deposits of sufficient thickness - $<1 \times 10^{-4}$ m/s hydraulic conductivity	-	-
4	Are any of these statements true? Mine entries on site or <20m from site boundary Workings below site <30m depth and unflooded or variable water level Faults or other pathways connecting surface to deeper unflooded workings Within area of past or probable shallow workings on Coal Authority Viewer	-	-

It is determined the site is at negligible risk of mine gas, and therefore does not require a detailed mine gas risk assessment to establish whether suitable mitigation measures can be incorporated into the development.

SECTION 4 Site Reconnaissance Findings

A site reconnaissance survey was completed by TFW Group Limited on the 26th July 2023. The characteristics of the site observed during the walkover are summarised in **Table 4.1**. Photographs of the site were taken during the walk over and these have been included in **Annex D**.

Whilst the walkover summary includes consideration of current operations and housekeeping on the site as potential sources of contamination, it does not constitute a comprehensive environmental audit of the site as covered under ISO 14001.

An annotated aerial photograph can be found in **Figure 4.1** identifying some of the buildings and ruins presents on the site.



Figure 4.1 Existing Buildings

Table 4.1 Site Reconnaissance Findings

Feature	Description
Physical Characteristics	
Access Constraints	There are no significant access constraints to the majority of the site. The site is accessed via Milland Road Industrial Estate.
Site Topography	The topography of the site is generally level. Coming into the site from Milland Road Industrial Estate, the topography slightly slopes to the west. Any surface water is likely to drain in this direction.
Surface Cover	The site is mainly covered by the metal box building, with raised concrete slabs. The outdoor area north of the factory building is tarmac hardstanding.
Site Drainage	Several manhole covers were seen within the hardstanding areas within the northern area of the site. These services ran along the eastern edge of the metal box building.
Surface Water	No surface water features are situated within the boundaries of the development site. A pond is situated 5-10m north of the site boundary. Surface water flooding was seen across the hardstanding area north of the site during the site walkover.

Vegetation	No vegetation areas are situated within the site's boundary. Areas of rough grassland and partially vegetated land lies immediately north of the site's boundary, with a pond also situated north of the site.
Invasive species	No invasive species have been identified during the walkover survey.
Existing Buildings	The existing building on site was the former metal box works, which remains the same as its former use.
Retaining Walls	Retaining walls have not been identified on the site as such.
Basements on Site	The Metal Bok works building incorporates a basement / cellar. Substructures are also exposed within this area.
Adjacent Buildings	A further factory type building adjoins the northeastern edge of the site's boundary.
Potentially Unstable Slopes	Potentially unstable slopes have not been observed during the walkover survey.
Buried and Overhead Services	All services for the current factory building are likely to be buried. Details of buried underground services were not identified during the site walkover.
Areas of Public Open Space and Rights of Way	Terra Firma were not informed of any public open spaces or rights of way crossing the site. There were no signs or regular unauthorised use.
Environmental Characteristics	
Potentially Hazardous Materials Storage and Use	No potentially hazardous materials were observed as being stored or used on site.
Asbestos Containing Materials.	No asbestos containing materials were observed on site, however given the history of the site they are anticipated to be present.
Evidence of Possible Land Contamination	Made ground material was identified within the basement area beneath the site. This material was likely not controlled when the factory building was developed and could contain various contaminants including metals, metalloids, polycyclic aromatic hydrocarbons, petroleum hydrocarbons and asbestos.
Potential Off-Site Sources of Ground Contamination	No potential off site sources of contamination were identified.

SECTION 5 Preliminary Human Health and Environmental Risk Assessment

5.1 General

The preliminary human health and environmental risk assessment is a qualitative evaluation of unacceptable risks to human health or the environment from potential 'contaminated land', based on reviewed information in preceding sections of this report.

For 'contaminated land' to exist as defined in Part 2A of the Environmental Protection Act (EPA) 1990, a Pollutant Linkage needs to be identified. Pollutant linkages are defined by having a valid 'source – pathway – receptor' as established in the preliminary conceptual site model.

For our definitions of pollution linkage and how we define risk please refer to **Annex B** which includes our classifications of consequence and probability, and risk assessment matrix.

5.2 Potential Sources of Contamination

Potential or known sources of contamination associated the sites current and historical land use are summarised in **Table 5.1**.

Table 5.1 Contamination Sources

ID	Source	Contaminant
S1	Made ground situated below site from factory development and refuse tip infilled land to the northwest	Metals, metalloids, PAH, TPH CWG, Asbestos, VOCs and SVOCs, Ground Gas
S2	Infilled Land and Recorded Refuse Heaps	Ground Gas
S3	Bedrock	Radon Gas

No other significant potential on-site or off-site sources of contamination have been identified during the desk study.

5.3 Potential Pollution Pathways

Potential contaminant pathways associated with a commercial development are as follows.

- P1 – Direct soil and dust ingestion
- ~~P2 – Consumption of home grown produce~~
- P3 – Dermal contact
- P4 – Inhalation of dust and vapours
- P5 – Vertical migration of leachates (unsaturated zone)
- P6 – Horizontal and vertical migration of contaminants (saturated zone)
- P7 – Artificial contaminant pathway (borehole, pile, excavation etc)
- P8 – Surface run-off
- ~~P9 – Plant uptake~~
- P10 – Horizontal and vertical migration of ground gasses and vapours
- P11 – Direct contact with construction materials
- P12 – Inhalation of asbestos fibres

5.4 Potential Receptors

There are human and hydrological receptors to any contamination that may be present on site. Potential receptors include.

- R1 – Construction and maintenance workers
- R2 – Future site users (future site users)
- R3 – Passers-by or neighbouring site users
- R4 – Groundwater (aquifer)

- R5 – Surface waters (river/lake)
- R6 – Area of public open space
- R7 – Construction materials (concrete/potable water pipes)

5.5 Preliminary Conceptual Site Model

The preliminary conceptual site model establishes potential pollutant linkages between contaminants (source), pathways and receptors, realised during the preparation of the desk study report. Where a potential pollutant linkage is identified an assessment of risk is subsequently undertaken. The preliminary conceptual site model is tabulated in **Table 5.2**.

Outcomes of the preliminary conceptual site model are used as a basis for the design and implementation of the site investigation, whereby areas of potential contamination can be targeted as well as investigating the wider site.

Findings of the site investigation can in turn be used to develop and refine the conceptual site model.

Table 5.2 Preliminary Conceptual Site Model

Source	Pathway	Receptor	Preliminary Risk Assessment		
			Consequence	Probability	Risk
Human Health					
Contaminated Soils S1	Direct soil and dust ingestion P1 Dermal contact P3 Inhalation of dust and vapours P4	Construction and maintenance workers R1	Medium	Low Likelihood	Low Risk - COSHH assessment and good level of PPE/ hygiene by site workers/ staff; dust suppression measures if required. Suitably designed site investigation recommended
		Passers-by or neighbouring site users R3	Medium	Low Likelihood	Low Risk - Significant contamination could be anticipated, however dust suppression measures would likely prove effective against low levels of contamination. However, additional precautions may be required if ACMs are present within the made ground deposits.
		Future site users R2	Medium	Likely	Medium Risk – Contamination could be expected within any potential made ground deposits that could be on site. However, as the proposed development is a redevelopment of a commercial unit, it is unlikely that future site users would be exposed to any contamination. Samples to be collected for due diligence.
Radon Gas S3	Horizontal and vertical migration of ground gasses and vapours P10	Future site users R2	Medium	High Likelihood	High Risk - Full radon protection measures required for developments in the area. Radon monitoring should be undertaken in the building to determine if the retrofitting of protections measures will be required.
Ground Gas S1 & S2		Future site users R2 Construction and maintenance workers R1	Severe	Likely	High Risk – Depending upon the thickness of made ground deposits encountered on-site, ground gas could pose a risk to human health. Furthermore, various areas of infilled land are evident, possibly linked with the nearby collieries. Suitable ground gas monitoring scheme recommended.
Impacted Groundwaters S1	Horizontal and vertical migration of contaminants (saturated zone) P6 Dermal contact P3	Construction and maintenance workers R1	Medium	Low Likelihood	Low Risk – Suitable PPE recommended when working in any potential made ground/contaminated soils during the construction period.
Contaminated Soils S1	Direct Contact P11	Construction materials (water pipes) R7	Mild	Likely	Low Risk - An appropriate water supply pipe material should be chosen after the potable water supplier has completed an assessment in accordance with UK Water Industry Research guidance; Guidance for the Selection of Water Supply Pipes to be used in Brownfield Sites, UKWIR Report Ref: 10/WM/03/21.
		Construction materials (concrete) R7	Mild	Low Likelihood	Low Risk - Chemical analysis of the soils should be undertaken and the appropriate classification of concrete should be specified as per BRE Special Digest 1: Concrete in Aggressive Ground
Aquatic Environment					
Contaminated Soils S1	Vertical migration of leachates (unsaturated zone) P5	Groundwater (aquifer) R4 Surface waters (river/lake) R5	Mild	Low Likelihood	Low Risk – Depending on the presence of made ground on site and underlying superficial deposits, contamination could prove to be mobile into deeper underlying aquifers if foundations disturb contaminated material. A suitable site investigation should be designed to assess this risk.
	Surface run-off P8	Surface waters (river/lake) R5			
	Horizontal and vertical migration of contaminants (saturated zone) P6				

SECTION 6 Anticipated Ground Conditions

6.1 Geology

Based on the available desk study information and previous site investigation, anticipated ground conditions at the site are summarised in **Table 6.1**.

Table 6.1 Anticipated Ground Conditions

Stratum	Depth (m)
MADE GROUND associated with historic buildings that have been on site and refuse tip.	1.0/2.0
Tidal Flat Deposits comprising various layers of soft sandy gravelly CLAY and/or layers of SAND and GRAVEL at greater depths	10.0
Brithdir Member	>30.0

6.2 Groundwater

Groundwater is anticipated within SAND and GRAVEL deposits that may underlie the site.

SECTION 7 Recommended Site Investigation

7.1 General

An intrusive site investigation carried out in accordance with guidance provided in BS10175:2011+A2:2017 should be undertaken to achieve the following objectives:

- Identify the potential environmental liabilities at the site associated with any soil, gas, vapours and groundwater contamination from past site uses, to substantiate and enhance the conceptual site model, for a commercial scenario.

7.2 Intrusive Investigation

The first phase should comprise:

- Windowless sampling to investigate the shallow ground conditions, take samples for contamination testing and to install gas monitoring wells. These wells may also serve as groundwater monitoring points if required.
- Soil samples should be taken for chemical analysis to confirm the characteristics of the ground beneath the site to help inform on the contamination status of the site and the need, if any, for site remediation.
- Radon monitoring should be undertaken in the existing building to determine if radon protection measures need to be retrofitted during the renovation works.

Depending on the findings of the first phase additional phases of investigation may be required.

7.3 Recommended Soil Chemical Analysis

It is recommended that all natural soil samples are screened for the contaminants listed in **Table 7.2**.

Table 7.2 Soil Laboratory Analysis

Metals & Metalloids	In-Organics	Organics	Others
Arsenic	Cyanide	Phenols	pH (acidity)
Boron	Sulphate	PAH	
Cadmium			
Chromium III			
Chromium VI			
Copper			
Lead			
Mercury			
Nickel			
Selenium			
Zinc			

Additionally, all made ground soils samples should also be screened for petroleum hydrocarbons, VOCs, SVOCs and asbestos. Any natural soils underlying made ground may also need to be tested for petroleum hydrocarbons.

Soil samples exhibiting elevated levels of metal and metalloid determinands should be further scheduled for leachate testing of the offending substance.

7.4 Recommended Ground Gas and Vapour Assessment

It is recommended that dedicated shallow gas wells be installed around the existing building in the areas of proposed modification.

Installations should be suitably designed and tested for carbon dioxide, methane, oxygen, hydrogen sulphide and carbon monoxide using a suitable gas analyser. Atmospheric pressure and gas flow should also be recorded.

It may also be prudent to monitor within enclosed spaces within the existing building.

With reference to CIRIA C665:2007 Tables 5.5a and 5.5b, it is considered that a gas monitoring program comprising 6 visits over a 3 month period will be sufficient, however, this may need to be extended if any concerns are raised during the initial monitoring period.

**Annex A
Envirocheck Report**

Envirocheck[®] Report:

Datasheet

Order Details:

Order Number:

314588475_1_1

Customer Reference:

17938 Metal box

National Grid Reference:

274250, 196360

Slice:

A

Site Area (Ha):

1.32

Search Buffer (m):

1000

Site Details:

Site at

Neath/Castell-Nedd

Neath Port Talbot

Client Details:

Ms R Liley

TFW Group Ltd

5 Deryn Court

Wharfdale Road

Pentwyn

Cardiff

CF23 7HB

Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	82
Hazardous Substances	90
Geological	91
Industrial Land Use	101
Sensitive Land Use	115
Data Currency	116
Data Suppliers	122
Useful Contacts	123

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination. For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client. In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2023. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer. A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report. © Environment Agency & United Kingdom Research and Innovation 2023. © Natural Resources Wales & United Kingdom Research and Innovation 2023.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3.0.

Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Stantec Copyright Notice

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England.

Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2023. Land & Property Services © Crown copyright and database right.

Report Version v53.0

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Agency & Hydrological					
BGS Groundwater Flooding Susceptibility	pg 1	Yes	Yes	Yes	n/a
Contaminated Land Register Entries and Notices					
Discharge Consents	pg 2		12	17	23
Prosecutions Relating to Controlled Waters			n/a	n/a	n/a
Enforcement and Prohibition Notices					
Integrated Pollution Controls	pg 14			4	
Integrated Pollution Prevention And Control					
Local Authority Integrated Pollution Prevention And Control	pg 15		1		
Local Authority Pollution Prevention and Controls	pg 15		1	2	4
Local Authority Pollution Prevention and Control Enforcements					
Nearest Surface Water Feature	pg 16		Yes		
Pollution Incidents to Controlled Waters	pg 16		1	5	18
Prosecutions Relating to Authorised Processes					
Registered Radioactive Substances	pg 20				7
River Quality	pg 21		1		3
River Quality Biology Sampling Points					
River Quality Chemistry Sampling Points	pg 22				1
Substantiated Pollution Incident Register	pg 23				1
Water Abstractions					
Water Industry Act Referrals					
Groundwater Vulnerability Map	pg 23	Yes	n/a	n/a	n/a
Bedrock Aquifer Designations	pg 23	Yes	n/a	n/a	n/a
Superficial Aquifer Designations	pg 23	Yes	n/a	n/a	n/a
Source Protection Zones					
Extreme Flooding from Rivers or Sea without Defences	pg 23	Yes	Yes	n/a	n/a
Flooding from Rivers or Sea without Defences	pg 27	Yes	Yes	n/a	n/a
Areas Benefiting from Flood Defences				n/a	n/a
Flood Water Storage Areas				n/a	n/a
Flood Defences				n/a	n/a
OS Water Network Lines	pg 29		47	116	299

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Waste					
BGS Recorded Landfill Sites	pg 82				1
Historical Landfill Sites	pg 82				3
Integrated Pollution Control Registered Waste Sites					
Licensed Waste Management Facilities (Landfill Boundaries)	pg 82				2
Licensed Waste Management Facilities (Locations)	pg 83				6
Local Authority Landfill Coverage	pg 84	1	n/a	n/a	n/a
Local Authority Recorded Landfill Sites	pg 84				2
Potentially Infilled Land (Non-Water)	pg 84	1	1	3	6
Potentially Infilled Land (Water)	pg 85	3	3	4	27
Registered Landfill Sites	pg 87				1
Registered Waste Transfer Sites	pg 87				2
Registered Waste Treatment or Disposal Sites	pg 88				2
Hazardous Substances					
Control of Major Accident Hazards Sites (COMAH)	pg 90				2
Explosive Sites					
Notification of Installations Handling Hazardous Substances (NIHHS)	pg 90				1
Planning Hazardous Substance Consents					
Planning Hazardous Substance Enforcements					

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Geological					
BGS 1:625,000 Solid Geology	pg 91	Yes	n/a	n/a	n/a
BGS Estimated Soil Chemistry	pg 91	Yes	Yes	Yes	Yes
BGS Recorded Mineral Sites	pg 94	1	2	2	6
BGS Urban Soil Chemistry	pg 96		Yes	Yes	Yes
BGS Urban Soil Chemistry Averages	pg 99	Yes			
CBSCB Compensation District			n/a	n/a	n/a
Coal Mining Affected Areas	pg 99	Yes	n/a	n/a	n/a
Mining Instability	pg 99	Yes	n/a	n/a	n/a
Man-Made Mining Cavities					
Natural Cavities					
Non Coal Mining Areas of Great Britain				n/a	n/a
Potential for Collapsible Ground Stability Hazards	pg 99		Yes	n/a	n/a
Potential for Compressible Ground Stability Hazards	pg 100		Yes	n/a	n/a
Potential for Ground Dissolution Stability Hazards				n/a	n/a
Potential for Landslide Ground Stability Hazards	pg 100	Yes		n/a	n/a
Potential for Running Sand Ground Stability Hazards	pg 100		Yes	n/a	n/a
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 100	Yes		n/a	n/a
Radon Potential - Radon Affected Areas	pg 100	Yes	n/a	n/a	n/a
Radon Potential - Radon Protection Measures	pg 100	Yes	n/a	n/a	n/a
Industrial Land Use					
Contemporary Trade Directory Entries	pg 101		2	17	59
Fuel Station Entries	pg 107			1	
Points of Interest - Commercial Services	pg 107			3	17
Points of Interest - Education and Health	pg 109				1
Points of Interest - Manufacturing and Production	pg 109		5	6	14
Points of Interest - Public Infrastructure	pg 111		3	11	18
Points of Interest - Recreational and Environmental	pg 114			1	5
Gas Pipelines					
Underground Electrical Cables					

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Sensitive Land Use					
Ancient Woodland	pg 115				7
Areas of Adopted Green Belt					
Areas of Unadopted Green Belt					
Areas of Outstanding Natural Beauty					
Environmentally Sensitive Areas					
Forest Parks					
Local Nature Reserves	pg 115				1
Marine Nature Reserves					
National Nature Reserves					
National Parks					
Nitrate Sensitive Areas					
Nitrate Vulnerable Zones					
Ramsar Sites					
Sites of Special Scientific Interest					
Special Areas of Conservation					
Special Protection Areas					
World Heritage Sites					

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A13SW (S)	0	1	274250 196350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A13SW (W)	0	1	274200 196357
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A13SW (S)	0	1	274248 196357
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A13NW (N)	57	1	274248 196500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A13NW (NW)	79	1	274150 196450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A13NW (W)	84	1	274100 196400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A13NW (N)	112	1	274200 196550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A13SE (E)	120	1	274450 196350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A13SE (E)	129	1	274450 196300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A13NW (NW)	137	1	274150 196550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A13NE (N)	170	1	274300 196600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A13SW (W)	220	1	273950 196357
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A13SW (W)	221	1	273950 196350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A13NE (N)	237	1	274350 196650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A12NE (W)	274	1	273900 196400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A13NW (NW)	278	1	274050 196650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A18SE (NE)	305	1	274400 196700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A8NW (S)	309	1	274100 196000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A14NW (E)	310	1	274600 196500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A12NE (W)	334	1	273850 196450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A18SW (NW)	348	1	274000 196700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A8NW (SW)	367	1	274000 196000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A18SE (NE)	485	1	274500 196850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A17SE (NW)	490	1	273900 196800
1	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Penrhiwtyn Sps, Opp 3 Pant Yr Heol, Penrhiwtyn, Neath, Sa11 2hn Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bp0256001 Permit Version: Not Supplied Effective Date: 6th February 2020 Issued Date: 6th February 2020 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Pumping Station - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: River Neath Via Surface Water Sewer Status: Effective Positional Accuracy: Located by supplier to within 10m	A13NW (W)	135	2	274036 196370
1	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Penrhiwtyn Sps, Opp 3 Pant Yr Heol, Penrhiwtyn, Neath, Sa11 2hn Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bp0256001 Permit Version: Not Supplied Effective Date: 6th February 2020 Issued Date: 6th February 2020 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: River Neath Via Surface Water Sewer Status: Effective Positional Accuracy: Located by supplier to within 10m	A13NW (W)	135	2	274036 196370
1	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewage Disposal Works Location: Penrhiwtyn Sps Neath, Neath Port Talbot Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bp0256001 Permit Version: 2 Effective Date: 31st March 2005 Issued Date: 31st March 2005 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Estuarial Waters Of The River Status: Effective Positional Accuracy: Located by supplier to within 10m	A13SW (W)	147	2	274024 196350
1	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewage Disposal Works Location: Penrhiwtyn Sps Neath, Neath Port Talbot Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bp0256001 Permit Version: 2 Effective Date: 31st March 2005 Issued Date: 31st March 2005 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Estuarial Waters Of The River Status: Effective Positional Accuracy: Located by supplier to within 10m	A13SW (W)	147	2	274024 196350

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
2	Discharge Consents Operator: Carnaud Metal Box Plc Property Type: Undefined Or Other Location: Boiler House (Cooling Water) Factor, Factory Site Neath Authority: Natural Resources Wales Catchment Area: River Neath Reference: Bm0000702 Permit Version: 1 Effective Date: 1st June 1979 Issued Date: 1st June 1979 Revocation Date: 18th November 1992 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Japan Brook Status: Consent expired Positional Accuracy: Located by supplier to within 100m	A13NE (NE)	155	2	274400 196500
3	Discharge Consents Operator: Carnaud Metal Box Plc Property Type: Trade (Unknown/Other) Location: Advance Factory Site Dafen Llanelli, Dafen, Carmarthenshire Authority: Natural Resources Wales Catchment Area: River Neath Reference: BM0000701 Permit Version: 1 Effective Date: 1st June 1979 Issued Date: 1st June 1979 Revocation Date: 30th May 2008 Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Not Supplied Environment: Receiving Water: Japan Brook Status: Revoked (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 100m	A13NE (N)	170	2	274300 196600
4	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Pumping Staions Location: Penrhiwtyn Ps Eo Neath Npt, Penrhiwtyn, Neath, Neath Port Talbot Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bo5110401 Permit Version: 2 Effective Date: 1st April 2006 Issued Date: 31st March 2005 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Pumping Station - Water Company Discharge: Canal Environment: Receiving Water: Neath Canal Status: Surrendered Positional Accuracy: Located by supplier to within 100m	A13SW (S)	178	2	274200 196100
4	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Pumping Staions Location: Penrhiwtyn Ps Eo Neath Npt, Penrhiwtyn, Neath, Neath Port Talbot Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bo5110401 Permit Version: 2 Effective Date: 1st April 2006 Issued Date: 31st March 2005 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Pumping Station - Water Company Discharge: Canal Environment: Receiving Water: Neath Canal Status: Surrendered Positional Accuracy: Located by supplier to within 100m	A13SW (S)	178	2	274200 196100

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
4	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Pumping Staions Location: Penrhiwtyn Ps Eo Neath Npt, Penrhiwtyn, Neath, Neath Port Talbot Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bo5110401 Permit Version: 2 Effective Date: 1st April 2006 Issued Date: 31st March 2005 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Pumping Station - Water Company Discharge: Canal Environment: Receiving Water: Neath Canal Status: Surrendered Positional Accuracy: Located by supplier to within 100m	A13SW (S)	178	2	274200 196100
4	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Pumping Staions Location: Penrhiwtyn Ps Eo Neath Npt, Penrhiwtyn, Neath, Neath Port Talbot Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bo5110401 Permit Version: 2 Effective Date: 1st April 2006 Issued Date: 31st March 2005 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Pumping Station - Water Company Discharge: Canal Environment: Receiving Water: Neath Canal Status: Surrendered Positional Accuracy: Located by supplier to within 100m	A13SW (S)	178	2	274200 196100
4	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Pumping Station - Water Company Location: Penrhiwtyn Ps Eo Neath Npt, Penrhiwtyn, Neath, Neath Port Talbot Authority: Natural Resources Wales Catchment Area: Not Given Reference: BO5110401 Permit Version: 1 Effective Date: 19th October 1989 Issued Date: 19th October 1989 Revocation Date: 23rd March 2005 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Neath Canal Status: Revoked (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 100m	A13SW (S)	178	2	274200 196100
5	Discharge Consents Operator: Carnaud Metal Box Plc Property Type: Undefined Or Other Location: Factory At Canal Side (Cooling Wate, (Cooling Water) Neath Authority: Natural Resources Wales Catchment Area: River Neath Reference: BM0000703 Permit Version: 1 Effective Date: 1st June 1979 Issued Date: 1st June 1979 Revocation Date: 24th June 2005 Discharge Type: Trade Discharges - Cooling Water Discharge: Not Supplied Environment: Receiving Water: Japan Brook Status: Revoked (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 100m	A13NE (E)	178	2	274500 196400

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
6	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Pumping Station - Water Company Location: Penrhiwtyn Ps Penrhitwyn Neath Authority: Natural Resources Wales Catchment Area: River Neath Reference: BP0256001 Permit Version: 1 Effective Date: 31st December 1997 Issued Date: 19th September 1996 Revocation Date: 30th March 2005 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Estuarial Waters Of The River Status: New Consent, by Application (Water Resources Act 1991, Section 88) Positional Accuracy: Located by supplier to within 100m	A13NW (NW)	297	2	273930 196530
6	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Pumping Station - Water Company Location: Penrhiwtyn Ps Penrhitwyn Neath Authority: Natural Resources Wales Catchment Area: Not Given Reference: BP0246001 Permit Version: 1 Effective Date: 22nd July 1994 Issued Date: 22nd July 1994 Revocation Date: 26th May 2005 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: River Tawe Status: New Consent, by Application (Water Resources Act 1991, Section 88) Positional Accuracy: Located by supplier to within 10m	A13NW (NW)	297	2	273930 196530
6	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Pumping Stations Location: Penrhiwtyn Ps Penrhitwyn Neath Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bp0246001 Permit Version: 2 Effective Date: 27th May 2005 Issued Date: 22nd July 1994 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: River Tawe Status: Effective Positional Accuracy: Located by supplier to within 10m	A13NW (NW)	297	2	273930 196530
6	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Pumping Stations Location: Penrhiwtyn Ps Penrhitwyn Neath Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bp0246001 Permit Version: 2 Effective Date: 27th May 2005 Issued Date: 22nd July 1994 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: River Tawe Status: Effective Positional Accuracy: Located by supplier to within 10m	A13NW (NW)	297	2	273930 196530

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
7	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Monastery Outfall Authority: Natural Resources Wales Catchment Area: River Neath Reference: Bp0064316 Permit Version: 1 Effective Date: 9th October 1987 Issued Date: 9th October 1987 Revocation Date: 28th August 1992 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: River Neath Status: Consent expired Positional Accuracy: Located by supplier to within 10m	A13NW (NW)	306	2	273970 196600
8	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: North East Of Cmb Food Point H Authority: Natural Resources Wales Catchment Area: River Neath Reference: BB4000504 Permit Version: 2 Effective Date: 14th March 1994 Issued Date: 14th March 1994 Revocation Date: 23rd March 2005 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: River Neath Status: Revoked (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 100m	A13NW (NW)	336	2	273920 196580
8	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: North East Of Cmb Food Point H Authority: Natural Resources Wales Catchment Area: River Neath Reference: Bb4000504 Permit Version: 1 Effective Date: 8th November 1972 Issued Date: 8th November 1972 Revocation Date: 13th March 1994 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: River Neath Status: Authorisation revoked Positional Accuracy: Located by supplier to within 10m	A13NW (NW)	336	2	273920 196580
9	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Melincryddan West Authority: Natural Resources Wales Catchment Area: River Neath Reference: BB4000505 Permit Version: 2 Effective Date: 28th March 1994 Issued Date: 28th March 1994 Revocation Date: 31st March 2004 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: River Neath Status: Revoked (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 100m	A18SE (N)	420	2	274420 196820

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
9	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Melincryddan West Authority: Natural Resources Wales Catchment Area: River Neath Reference: Bb4000505 Permit Version: 1 Effective Date: 8th November 1972 Issued Date: 8th November 1972 Revocation Date: 27th March 1994 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: River Neath Status: Authorisation revoked Positional Accuracy: Located by supplier to within 10m	A18SE (N)	420	2	274420 196820
9	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Melincryddan Neath Authority: Natural Resources Wales Catchment Area: River Neath Reference: Bp0064306 Permit Version: 3 Effective Date: 29th March 1996 Issued Date: 28th March 1996 Revocation Date: 31st December 1997 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Estuarial Waters Of River Neat Status: Consent expired Positional Accuracy: Located by supplier to within 10m	A18SE (NE)	442	2	274450 196830
9	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Melincryddan Neath Authority: Natural Resources Wales Catchment Area: River Neath Reference: Bp0064306 Permit Version: 2 Effective Date: 28th November 1992 Issued Date: 28th August 1992 Revocation Date: 28th March 1996 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Estuarial Waters Of River Neat Status: Authorisation revoked Positional Accuracy: Located by supplier to within 100m	A18SE (NE)	442	2	274450 196830
9	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Melincryddan Neath Authority: Natural Resources Wales Catchment Area: River Neath Reference: Bp0064306 Permit Version: 1 Effective Date: 9th October 1987 Issued Date: 9th October 1987 Revocation Date: 27th November 1992 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Estuarial Waters Of River Neat Status: Authorisation revoked Positional Accuracy: Located by supplier to within 10m	A18SE (NE)	442	2	274450 196830

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
9	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Pumping Staions Location: Melincryddan Ps Milland Road Ind Es, Milland Road Ind Est Neath Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: BP0255901 Permit Version: 1 Effective Date: 31st December 1997 Issued Date: 19th September 1996 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Saline Estuary Environment: Receiving Water: Estuarial Waters River Neath Status: Effective Positional Accuracy: Located by supplier to within 100m	A18SE (N)	447	2	274440 196840
9	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Pumping Staions Location: Melincryddan Ps Milland Road Ind Es, Milland Road Ind Est Neath Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bp0255901 Permit Version: 1 Effective Date: 31st December 1997 Issued Date: 19th September 1996 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Saline Estuary Environment: Receiving Water: Estuarial Waters River Neath Status: Effective Positional Accuracy: Located by supplier to within 10m	A18SE (N)	447	2	274440 196840
9	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Pumping Staions Location: Melincryddan Sps, Milland Rd, Neath Abbey, Neath, Sa11 1nj Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bp0255901 Permit Version: Not Supplied Effective Date: 17th December 2019 Issued Date: 17th December 2019 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Saline Estuary Environment: Receiving Water: Estuarial Waters Of The River Neath Status: Effective Positional Accuracy: Located by supplier to within 10m	A18SE (N)	448	2	274433 196845
9	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Pumping Staions Location: Melincryddan Sps, Milland Rd, Neath Abbey, Neath, Sa11 1nj Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bp0255901 Permit Version: Not Supplied Effective Date: 17th December 2019 Issued Date: 17th December 2019 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Pumping Station - Water Company Discharge: Saline Estuary Environment: Receiving Water: Estuarial Waters Of The River Neath Status: Effective Positional Accuracy: Located by supplier to within 10m	A18SE (N)	448	2	274433 196845

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
10	Discharge Consents Operator: Welsh Development Agency Property Type: Undefined Or Other Location: Milland Rd Est Milland Road Neath Authority: Natural Resources Wales Catchment Area: River Neath Reference: Bp0036001 Permit Version: 1 Effective Date: 16th March 1987 Issued Date: 16th March 1987 Revocation Date: 10th October 1994 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Cryddan Brook Status: Consent expired Positional Accuracy: Located by supplier to within 100m	A19SW (NE)	437	2	274600 196700
11	Discharge Consents Operator: Midland Metal Spinning Co Ltd Property Type: Undefined Or Other Location: Tower Works Neath Authority: Natural Resources Wales Catchment Area: River Neath Reference: Ba2021101 Permit Version: 1 Effective Date: 28th January 1964 Issued Date: 28th January 1964 Revocation Date: 22nd November 1993 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Crythan Brook @ Entry To R Nea Status: Consent expired Positional Accuracy: Located by supplier to within 100m	A18SE (NE)	528	2	274500 196900
12	Discharge Consents Operator: Neath Port Talbot Waste Management Co Ltd Property Type: Household, Commercial and Industrial Waste Landfills Location: D3 Ne Corner Giants Grave Landfill, De Ne Corner Giants Grave Lfill, Giants Grave Road, Briton Ferry Neath, Sa11 Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bp027870101 Permit Version: 1 Effective Date: 9th November 1999 Issued Date: 9th November 1999 Revocation Date: Not Supplied Discharge Type: Trade Discharges - Site Drainage Discharge: Saline Estuary Environment: Receiving Water: Neath Estuary Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A7NE (SW)	615	2	273800 195850
12	Discharge Consents Operator: Neath Port Talbot Waste Management Co Ltd Property Type: Not Supplied Location: D3 Ne Corner Giants Grave Landfill, De Ne Corner Giants Grave Lfill, Giants Grave Road, Briton Ferry Neath, Sa11 Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bp0278701 Permit Version: Not Supplied Effective Date: 9th November 1999 Issued Date: 9th November 1999 Revocation Date: Not Supplied Discharge Type: Trade Discharges - Site Drainage Discharge: Saline Estuary Environment: Receiving Water: Neath Estuary Status: Effective Positional Accuracy: Located by supplier to within 10m	A7NE (SW)	615	2	273800 195850

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
13	Discharge Consents Operator: Mr P E Woodhouse Property Type: Domestic Property (Single) Location: 3 Eaglesbush Cottage Gardners Lane, Gardners Lane Neath* Authority: Natural Resources Wales Catchment Area: River Neath Reference: BM0049001 Permit Version: 1 Effective Date: 15th August 1985 Issued Date: 15th August 1985 Revocation Date: Not Supplied Discharge Type: Unspecified Discharge: Into Land Environment: Receiving Water: To Land Status: New Consent, by Application (Water Resources Act 1991, Section 88) Positional Accuracy: Located by supplier to within 100m	A14SW (SE)	643	2	274900 196050
14	Discharge Consents Operator: Mr P Williams Property Type: Undefined Or Other Location: Eaglesbush Neath Authority: Natural Resources Wales Catchment Area: River Neath Reference: Bb4003001 Permit Version: 1 Effective Date: 2nd April 1973 Issued Date: 2nd April 1973 Revocation Date: 13th November 1995 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Trib Of Crythan Brook Status: Consent expired Positional Accuracy: Located by supplier to within 10m	A9NE (SE)	742	2	274950 195940
15	Discharge Consents Operator: M Davies Property Type: Domestic Property (Single) Location: The Grove Eaglesbush Neath Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: BP0045101 Permit Version: Not Supplied Effective Date: 19th September 1995 Issued Date: 18th September 1995 Revocation Date: Not Supplied Discharge Type: Not Supplied Discharge: Freshwater Stream/River Environment: Receiving Water: Unnamed Stram At Eaglebush, Ne Status: Effective Positional Accuracy: Located by supplier to within 100m	A14SE (E)	795	2	275100 196150
15	Discharge Consents Operator: Mr M Davies Property Type: Domestic Property (Single) Location: The Grove Eaglesbush Neath Authority: Natural Resources Wales Catchment Area: River Neath Reference: Bp0045101 Permit Version: 1 Effective Date: 30th April 1987 Issued Date: 30th April 1987 Revocation Date: 18th September 1995 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Unnamed Stram At Eaglebush, Ne Status: Authorisation revoked Positional Accuracy: Located by supplier to within 10m	A14SE (E)	795	2	275100 196150

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
16	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Undefined Or Other Location: Swo.Point S. Southeast Of Neat Authority: Natural Resources Wales Catchment Area: River Neath Reference: Bb4000513 Permit Version: 1 Effective Date: 8th November 1972 Issued Date: 8th November 1972 Revocation Date: 14th March 1994 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: River Clydach Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A17NE (NW)	855	2	273770 197160
16	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Undefined Or Other Location: Swo.Point S. Southeast Of Neat Authority: Natural Resources Wales Catchment Area: River Neath Reference: Bw2902201 Permit Version: 1 Effective Date: 8th November 1972 Issued Date: 8th November 1972 Revocation Date: 14th March 1994 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: River Clydach Status: Consent expired Positional Accuracy: Located by supplier to within 10m	A17NE (NW)	855	2	273770 197160
16	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Pumping Station - Water Company Location: Neath Abbey Ps Neath Authority: Natural Resources Wales Catchment Area: River Neath Reference: BP0224301 Permit Version: 1 Effective Date: 20th December 1993 Issued Date: 20th December 1993 Revocation Date: 27th July 2005 Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Not Supplied Environment: Receiving Water: River Clydach Status: New Consent, by Application (Water Resources Act 1991, Section 88) Positional Accuracy: Located by supplier to within 100m	A17NE (NW)	856	2	273800 197180
16	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Pumping Stations Location: Neath Abbey Sps, Adj 4, Cheadle Works Cottages, Monastery Road, Neath, Sa10 7dp Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bp0224301 Permit Version: Not Supplied Effective Date: 6th February 2020 Issued Date: 6th February 2020 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: River Clydach Status: Effective Positional Accuracy: Located by supplier to within 10m	A17NE (NW)	861	2	273807 197190

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
16	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Pumping Stations Location: Neath Abbey Sps, Adj 4, Cheadle Works Cottages, Monastery Road, Neath, Sa10 7dp Authority: Natural Resources Wales Catchment Area: CLYDACH - HEADWATERS TO CONF WITH RIVER NEATH Reference: Bp0224301 Permit Version: 3 Effective Date: 6th February 2020 Issued Date: 6th February 2020 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: River Clydach Status: Effective Positional Accuracy: Located by supplier to within 10m	A17NE (NW)	861	2	273807 197190
17	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Swo Pnt U.Sth Roman Way Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: BB4000509 Permit Version: 1 Effective Date: 8th November 1972 Issued Date: 8th November 1972 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: River Neath Status: Surrendered Positional Accuracy: Located by supplier to within 100m	A19NW (NE)	878	2	274680 197200
17	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Swo Pnt U.Sth Roman Way Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bb4000509 Permit Version: 1 Effective Date: 8th November 1972 Issued Date: 8th November 1972 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: River Neath Status: Surrendered Positional Accuracy: Located by supplier to within 10m	A19NW (NE)	878	2	274680 197200
17	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Gunisights Neath Authority: Natural Resources Wales Catchment Area: River Neath Reference: Bp0064315 Permit Version: 1 Effective Date: 9th October 1987 Issued Date: 9th October 1987 Revocation Date: 28th August 1992 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: River Neath - Tidal Status: Consent expired Positional Accuracy: Located by supplier to within 10m	A19NW (NE)	899	2	274670 197230

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
18	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Pumping Station - Water Company Location: Saltings Ps Authority: Natural Resources Wales Catchment Area: Not Given Reference: BO5114701 Permit Version: 1 Effective Date: 19th October 1989 Issued Date: 19th October 1989 Revocation Date: 31st March 2004 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: River Neath Status: Revoked (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 100m	A7SE (SW)	892	2	273800 195500
19	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Swo Pt.R.Nth Old Dock On W Ba Authority: Natural Resources Wales Catchment Area: River Neath Reference: Bb4000508 Permit Version: 1 Effective Date: 8th November 1972 Issued Date: 8th November 1972 Revocation Date: 14th March 1994 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: River Neath Status: Consent expired Positional Accuracy: Located by supplier to within 10m	A17SW (NW)	937	2	273330 196770
20	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Gunsight Overflow Swo 11 Cso, Nr 28 Roman Way, Neath, Port Talbot, Sa10 7be Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bw2902401 Permit Version: Not Supplied Effective Date: 21st August 2020 Issued Date: 21st August 2020 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: River Neath Status: Effective Positional Accuracy: Located by supplier to within 10m	A19NW (NE)	944	2	274690 197270
20	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Gunsight Overflow (Swo 11)-Nea Authority: Natural Resources Wales Catchment Area: NEATH ESTUARY Reference: BW2902401 Permit Version: 1 Effective Date: 8th November 1972 Issued Date: 8th November 1972 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: River Neath Status: Effective Positional Accuracy: Located by supplier to within 100m	A19NW (NE)	944	2	274690 197270

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
20	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Gunsight Overflow (Swo 11)-Nea Authority: Natural Resources Wales Catchment Area: NEATH ESTUARY Reference: Bw2902401 Permit Version: 1 Effective Date: 8th November 1972 Issued Date: 8th November 1972 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: River Neath Status: Effective Positional Accuracy: Located by supplier to within 10m	A19NW (NE)	944	2	274690 197270
21	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Pentre Fynnon Skewen Neath Authority: Natural Resources Wales Catchment Area: River Neath Reference: Bp0064317 Permit Version: 3 Effective Date: 29th March 1996 Issued Date: 28th March 1996 Revocation Date: 31st December 1997 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Estuarial Waters Of River Neat Status: Consent expired Positional Accuracy: Located by supplier to within 10m	A17SW (NW)	995	2	273280 196800
21	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Pentre Fynnon Skewen Neath Authority: Natural Resources Wales Catchment Area: River Neath Reference: Bp0064317 Permit Version: 2 Effective Date: 28th November 1992 Issued Date: 28th August 1992 Revocation Date: 28th March 1996 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Estuarial Waters Of River Neat Status: Authorisation revoked Positional Accuracy: Located by supplier to within 100m	A17SW (NW)	995	2	273280 196800
21	Discharge Consents Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Pentre Fynnon Skewen Neath Authority: Natural Resources Wales Catchment Area: River Neath Reference: Bp0064317 Permit Version: 1 Effective Date: 9th October 1987 Issued Date: 9th October 1987 Revocation Date: 27th November 1992 Discharge Type: Unspecified Discharge: Not Supplied Environment: Receiving Water: Estuarial Waters Of River Neat Status: Authorisation revoked Positional Accuracy: Located by supplier to within 10m	A17SW (NW)	995	2	273280 196800
22	Integrated Pollution Controls Name: Quasar Chemicals Ltd Location: Unit 16 And 17, Briton Ferry Industrial Estate, Milland Road, NEATH, West Glamorgan, SA11 1NJ Authority: Environment Agency, Welsh Region Permit Reference: AM1020 Dated: 31st May 1994 Process Type: IPC new application Description: 4.2 A (D) Manufacture and use of Organic Chemicals within the Chemical Industry Status: Authorisation superseded by a substantial or non substantial variation Positional Accuracy: Automatically positioned to the address	A14NW (NE)	412	3	274615 196647

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
22	Integrated Pollution Controls Name: Quasar Chemicals Ltd Location: Unit 16 And 17, Briton Ferry Industrial Estate, Milland Road, NEATH, West Glamorgan, SA11 1NJ Authority: Environment Agency, Welsh Region Permit Reference: BH3088 Dated: 3rd March 2000 Process Type: IPC minor (non-substantial) variation to previous variation Description: 4.2 A (D) Manufacture and use of Organic Chemicals within the Chemical Industry Status: Authorisation revoked Positional Accuracy: Automatically positioned to the address	A14NW (NE)	416	3	274615 196653
22	Integrated Pollution Controls Name: Quasar Chemicals Ltd Location: Millands Road, NEATH, West Glamorgan, SA11 1NJ Authority: Environment Agency, Welsh Region Permit Reference: BD1377 Dated: 24th November 1998 Process Type: IPC minor (non-substantial) variation to previous variation Description: 4.2 A (D) Manufacture and use of Organic Chemicals within the Chemical Industry Status: Authorisation superseded by a substantial or non substantial variation Positional Accuracy: Automatically positioned to the address	A14NW (NE)	416	3	274620 196647
22	Integrated Pollution Controls Name: Quasar Chemicals Ltd Location: Unit 16 And 17, Briton Ferry Industrial Estate, Milland Road, NEATH, West Glamorgan, SA11 1NJ Authority: Environment Agency, Welsh Region Permit Reference: AR1400 Dated: 13th April 1995 Process Type: IPC minor (non-substantial) variation to previous variation Description: 4.2 A (D) Manufacture and use of Organic Chemicals within the Chemical Industry Status: Authorisation superseded by a substantial or non substantial variation Positional Accuracy: Automatically positioned to the address	A14NW (NE)	416	3	274615 196652
23	Local Authority Integrated Pollution Prevention And Control Name: Crown Packaging Uk Plc Location: Neath Factory, Po Box 20, Canalside, Neath, SA11 1PQ Authority: Neath Port Talbot County Borough Council, Environmental Health Department Permit Reference: E3/1/104 Dated: Not Supplied Process Type: Production and Processing of Metals Description: SG6 Status: Permit Issued Positional Accuracy: Located by supplier to within 10m	A13SE (E)	2	4	274329 196345
24	Local Authority Pollution Prevention and Controls Name: Crown Packaging Uk Plc Location: Neath Factory, PO Box 20, Canalside, NEATH, West Glamorgan, SA11 1PQ Authority: Neath Port Talbot County Borough Council, Environmental Health Department Permit Reference: E3/1/104 Dated: 14th September 1993 Process Type: Local Authority Air Pollution Control Description: PG4/1 Processes for the surface treatment of metals Status: Transferred to LAIPPC Positional Accuracy: Located by supplier to within 10m	A13SE (E)	2	4	274329 196345
25	Local Authority Pollution Prevention and Controls Name: Mr H. J. G. Smith Location: Mile End Service Station, 188 Mile End Row, Neath, West Glamorgan, SA11 2ED Authority: Neath Port Talbot County Borough Council, Environmental Health Department Permit Reference: E3/1/80 Dated: 26th February 1999 Process Type: Local Authority Pollution Prevention and Control Description: PG1/14 Petrol filling station Status: Permitted Positional Accuracy: Manually positioned to the address or location	A14NW (E)	268	4	274596 196381
26	Local Authority Pollution Prevention and Controls Name: Metal Processors Ltd Location: Griffiths Way, Melyn, NEATH, West Glamorgan, SA11 1BT Authority: Neath Port Talbot County Borough Council, Environmental Health Department Permit Reference: Not Given Dated: Not Supplied Process Type: Local Authority Air Pollution Control Description: PG2/6 Aluminium and aluminium alloy processes Status: Authorisation revoked Positional Accuracy: Manually positioned to the address or location	A14NW (NE)	468	4	274714 196615

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
27	Local Authority Pollution Prevention and Controls Name: Ds Smith Packaging Ltd Location: D C Griffiths Way, PO Box 14, Melyn, NEATH, West Glamorgan, SA11 1BT Authority: Neath Port Talbot County Borough Council, Environmental Health Department Permit Reference: E3/1/39 Dated: 6th April 1993 Process Type: Local Authority Air Pollution Control Description: PG6/16 Printworks Status: Authorised Positional Accuracy: Manually positioned to the road within the address or location	A14NW (NE)	552	4	274788 196656
27	Local Authority Pollution Prevention and Controls Name: Deoxidant Ltd Location: D C Griffiths Way, Melyn, NEATH, West Glamorgan, SA11 1BT Authority: Neath Port Talbot County Borough Council, Environmental Health Department Permit Reference: E3/1/31 Dated: 6th April 1993 Process Type: Local Authority Air Pollution Control Description: PG2/1Furnaces for the extraction of non-ferrous metal from scrap Status: Authorisation revoked Positional Accuracy: Manually positioned to the road within the address or location	A14NW (NE)	556	4	274795 196652
28	Local Authority Pollution Prevention and Controls Name: Tarmac Topmix Ltd Location: Briton Ferry Industrial Estate, Briton Ferry, NEATH, West Glamorgan, SA11 1NJ Authority: Neath Port Talbot County Borough Council, Environmental Health Department Permit Reference: Not Given Dated: Not Supplied Process Type: Local Authority Air Pollution Control Description: PG3/1Blending, packing, loading and use of bulk cement Status: Authorisation revoked Positional Accuracy: Manually positioned within the geographical locality	A19SW (NE)	657	4	274694 196913
29	Local Authority Pollution Prevention and Controls Name: Sandvik Osprey Ltd Location: Red Jacket Works, Millands Road, NEATH, West Glamorgan, SA11 1NJ Authority: Neath Port Talbot County Borough Council, Environmental Health Department Permit Reference: E3/1/27 Dated: 17th November 1995 Process Type: Local Authority Air Pollution Control Description: PG6/35 Metal and other thermal spraying processes Status: Authorised Positional Accuracy: Automatically positioned to the address	A19SW (NE)	801	4	274794 197017
	Nearest Surface Water Feature	A13NW (NW)	17	-	274198 196402
30	Pollution Incidents to Controlled Waters Property Type: Warehouses Location: Millands Road Authority: Environment Agency, Welsh Region Pollutant: Coal Solids Note: Poor Operational Practise Incident Date: 30th April 1992 Incident Reference: 4643 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Leakage Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m	A13NE (NE)	157	3	274350 196550
31	Pollution Incidents to Controlled Waters Property Type: Warehouses Location: Dy-Oxydent Co D, C Griffiths Authority: Environment Agency, Welsh Region Pollutant: Light Oil Note: Accidental Spillage/Leakage Incident Date: 7th October 1991 Incident Reference: 4023 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Overflow Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m	A14NW (NE)	407	3	274650 196600

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
32	Pollution Incidents to Controlled Waters Property Type: Not Given Location: Milland Road, NEATH Authority: Environment Agency, Welsh Region Pollutant: Miscellaneous - Fire water / Foam Note: Nant Crythan (Tributary Of River Neath); Direct Introduction Incident Date: 30th July 1997 Incident Reference: 33189 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Accidental Spillage/Leakage Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A14NW (NE)	434	3	274600 196695
32	Pollution Incidents to Controlled Waters Property Type: Warehouses Location: Milland Industrial Estate, NEATH Authority: Environment Agency, Welsh Region Pollutant: Unknown Note: Vandalism Incident Date: 21st August 1994 Incident Reference: 20744 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Leakage Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A19SW (NE)	437	3	274600 196700
33	Pollution Incidents to Controlled Waters Property Type: Road (Lost Load) Location: Maternity, Unit At Neath, General Authority: Environment Agency, Welsh Region Pollutant: Farm Effluent/Slurry Note: Accidental Spillage/Leakage Incident Date: 8th November 1994 Incident Reference: 21770 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Spillage Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A8NW (S)	475	3	274200 195800
34	Pollution Incidents to Controlled Waters Property Type: Not Given Location: Garage Tended, Fire Service, Has Been Closed Authority: Environment Agency, Welsh Region Pollutant: Crude Sewage Note: Blocked Sewer Incident Date: 30th October 1994 Incident Reference: 21651 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Unknown Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A8NE (S)	475	3	274300 195800
35	Pollution Incidents to Controlled Waters Property Type: Not Given Location: 100 Yards Upstream Tip Road, Between Mellon And, Briton Ferry Authority: Environment Agency, Welsh Region Pollutant: Miscellaneous - Tip Leachate Note: Neath Canal Overflow; Run-Off Incident Date: 19th November 1997 Incident Reference: 34266 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Inadequate Design/Capacity Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A7NE (SW)	509	3	273900 195900
36	Pollution Incidents to Controlled Waters Property Type: Not Given Location: D C Griffith Way, Melin Y Wig Corwen, NEATH Authority: Environment Agency, Welsh Region Pollutant: Crude Sewage Note: Accidental Spillage/Leakage Incident Date: 19th February 1996 Incident Reference: 27414 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Leakage Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A19SW (NE)	511	3	274700 196700

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
37	Pollution Incidents to Controlled Waters Property Type: Not Given Location: Farm Road And, Grandison Pub Authority: Environment Agency, Welsh Region Pollutant: Algae Note: Not Supplied Incident Date: 13th July 1995 Incident Reference: 25165 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Unknown Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A8NE (S)	575	3	274300 195700
38	Pollution Incidents to Controlled Waters Property Type: Not Given Location: Grandison Point Authority: Environment Agency, Welsh Region Pollutant: Unknown Note: Not Supplied Incident Date: 21st October 1994 Incident Reference: 21647 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Unknown Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A8SW (S)	674	3	274200 195600
39	Pollution Incidents to Controlled Waters Property Type: Not Given Location: Opposite Neath Hospital, By Footbridge Authority: Environment Agency, Welsh Region Pollutant: Unknown Note: Not Supplied Incident Date: 1st December 1994 Incident Reference: 21948 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Unknown Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A8SE (S)	774	3	274300 195500
39	Pollution Incidents to Controlled Waters Property Type: Not Given Location: Grandison Park, NEATH Authority: Environment Agency, Welsh Region Pollutant: Sewage - Treated Effluent Note: Not Supplied Incident Date: 7th September 1994 Incident Reference: 21052 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Unknown Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m	A8SE (S)	779	3	274300 195495
40	Pollution Incidents to Controlled Waters Property Type: Not Given Location: Bt Manhole In Authority: Environment Agency, Welsh Region Pollutant: Cesspit Contents Note: Not Supplied Incident Date: 12th August 1994 Incident Reference: 20823 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Unknown Incident Severity: Category 1 - Major Incident Positional Accuracy: Located by supplier to within 100m	A8SE (S)	787	3	274400 195500
41	Pollution Incidents to Controlled Waters Property Type: Not Given Location: Lane Behind Giants Grave Road, BRITON FERRY Authority: Environment Agency, Welsh Region Pollutant: Sewage - Treated Effluent Note: Blockage Incident Date: 6th April 1997 Incident Reference: 31775 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Overflow Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A7SE (SW)	807	3	273800 195600

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
42	Pollution Incidents to Controlled Waters Property Type: Not Given Location: Opposite 18 Parr Avenue, NEATH Authority: Environment Agency, Welsh Region Pollutant: Natural Foam Note: River Neath; Natural Occurrence Incident Date: 18th August 1997 Incident Reference: 33320 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Natural Causes Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A19NW (NE)	840	3	274600 197200
42	Pollution Incidents to Controlled Waters Property Type: Not Given Location: Penywern Road Northern Authority: Environment Agency, Welsh Region Pollutant: Light Oil Note: Not Supplied Incident Date: 19th October 1994 Incident Reference: 21589 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Unknown Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m	A19NW (NE)	863	3	274650 197200
43	Pollution Incidents to Controlled Waters Property Type: Water Company Sewage: Sewerage Location: CLYDACH Authority: Environment Agency, Welsh Region Pollutant: Farm Effluent/Slurry Note: Inadequate Design/Capacity Incident Date: 11th February 1992 Incident Reference: 3031 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Direct Discharge Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m	A17NE (NW)	847	3	273700 197100
44	Pollution Incidents to Controlled Waters Property Type: Road (Lost Load) Location: Pond Up Stream Of, Waterfall Near, Builders Pub Authority: Environment Agency, Welsh Region Pollutant: Unknown Note: Deliberate Act Incident Date: 1st December 1994 Incident Reference: 21885 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Direct Discharge Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A14SE (E)	871	3	275200 196300
45	Pollution Incidents to Controlled Waters Property Type: Not Given Location: Monastery Abbey, By Ponderosa, NEATH ABBEY Authority: Environment Agency, Welsh Region Pollutant: Miscellaneous - Fire water / Foam Note: Mechanical/Electrical Plant Failure Incident Date: 30th September 1996 Incident Reference: 30081 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Overflow Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A17NE (NW)	873	3	273800 197200
46	Pollution Incidents to Controlled Waters Property Type: Not Given Location: Rear Of Factory Cottage, Former Siliconics Site, NEATH Authority: Environment Agency, Welsh Region Pollutant: Unknown Note: Deliberate Act Incident Date: 16th July 1996 Incident Reference: 29179 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Direct Discharge Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A14SE (E)	882	3	275200 196200

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
47	Pollution Incidents to Controlled Waters Property Type: Warehouses Location: Monastery Road, NEATH ABBEY Authority: Environment Agency, Welsh Region Pollutant: Crude Sewage Note: Not Supplied Incident Date: 21st October 1994 Incident Reference: 21619 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Runoff Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m	A17NE (N)	920	3	273900 197300
48	Pollution Incidents to Controlled Waters Property Type: Domestic/Residential Location: Dark Arches Nightclub, Commercial Street Authority: Environment Agency, Welsh Region Pollutant: Crude Sewage Note: Accidental Spillage/Leakage Incident Date: 18th May 1995 Incident Reference: 24217 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Runoff Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A19SE (NE)	936	3	275001 197001
49	Pollution Incidents to Controlled Waters Property Type: Other Location: A465 River, Crossing Into, NEATH Authority: Environment Agency, Welsh Region Pollutant: Rubbish Note: Not Supplied Incident Date: 30th July 1991 Incident Reference: 1327 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Unknown Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m	A19NW (NE)	975	3	274700 197300
50	Pollution Incidents to Controlled Waters Property Type: Water Company Sewage: Sewerage Location: Pentrefnyon Outfall Authority: Environment Agency, Welsh Region Pollutant: Unknown Note: Not Supplied Incident Date: 5th December 1994 Incident Reference: 22118 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Effluent Discharge Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A17SW (NW)	978	3	273300 196800
51	Registered Radioactive Substances Name: Abertawe Bro Morgannwg University Nhs Trust Location: Neath General Hospital, Penrhiwtyn, NEATH, West Glamorgan, SA11 2LQ Authority: Natural Resources Wales Permit Reference: AT7545 Dated: 3rd January 1996 Process Type: Authorisation under S13 RSA for the disposal of Radioactive waste (was RSA60 S7) Description: Minor variation to authorisation under RSA Status: Authorisation superseded by a substantial or non substantial variation Positional Accuracy: Unknown	A8NE (S)	552	2	274450 195759
51	Registered Radioactive Substances Name: Abertawe Bro Morgannwg University Nhs Trust Location: Neath General Hospital, NEATH, West Glamorgan, SA11 2LQ Authority: Natural Resources Wales Permit Reference: AY1072 Dated: 28th February 1997 Process Type: Authorisation under S13 RSA for the disposal of Radioactive waste (was RSA60 S7) Description: Minor variation to authorisation under RSA Status: Authorisation superseded by a substantial or non substantial variation Positional Accuracy: Unknown	A8NE (S)	553	2	274440 195754

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
51	Registered Radioactive Substances Name: Abertawe Bro Morgannwg University Nhs Trust Location: Penrhiwtyn, Neath, West Glamorgan, SA11 2LQ Authority: Natural Resources Wales Permit Reference: BI0987 Dated: 31st July 2001 Process Type: Authorisation under S13 RSA for the disposal of Radioactive waste (was RSA60 S7) Description: Minor variation to authorisation under RSA Status: Authorisation either revoked or cancelled Positional Accuracy: Automatically positioned to the address	A8NE (S)	555	2	274445 195754
51	Registered Radioactive Substances Name: Abertawe Bro Morgannwg University Nhs Trust Location: Neath General Hospital, NEATH, West Glamorgan, SA11 2LQ Authority: Natural Resources Wales Permit Reference: Bh9957 Dated: 16th March 2000 Process Type: Authorisation under S13 RSA for the disposal of Radioactive waste (was RSA60 S7) Description: Minor variation to authorisation under RSA Status: Authorisation superseded by a substantial or non substantial variation Positional Accuracy: Automatically positioned to the address	A8NE (S)	555	2	274445 195754
51	Registered Radioactive Substances Name: Abertawe Bro Morgannwg University Nhs Trust Location: Neath General Hospital, Penrhiwtyn, NEATH, West Glamorgan, SA11 2LQ Authority: Natural Resources Wales Permit Reference: AH7704 Dated: 14th July 1993 Process Type: Authorisation under S13 RSA for the disposal of Radioactive waste (was RSA60 S7) Description: Authorisation under RSA Status: Authorisation superseded by a substantial or non substantial variation Positional Accuracy: Unknown	A8NE (S)	555	2	274445 195754
51	Registered Radioactive Substances Name: Bro Morgannwg Nhs Trust Location: Penrhiwtyn, Neath, West Glamorgan, SA11 2LQ Authority: Environment Agency, Welsh Region Permit Reference: Bt1797 Dated: Not Supplied Process Type: Authorisation under S13 RSA for the disposal of Radioactive waste (was RSA60 S7) Description: Substantial variation to authorisation under RSA Status: Application has met the requirements for authorisation (but not yet authorised) Positional Accuracy: Automatically positioned to the address	A8NE (S)	555	3	274445 195754
51	Registered Radioactive Substances Name: Abertawe Bro Morgannwg University Nhs Trust Location: Neath General Hospital, Penrhiwtyn, NEATH, West Glamorgan, SA11 2LQ Authority: Natural Resources Wales Permit Reference: AQ6813 Dated: 4th April 1995 Process Type: Authorisation under S13 RSA for the disposal of Radioactive waste (was RSA60 S7) Description: Minor variation to authorisation under RSA Status: Authorisation superseded by a substantial or non substantial variation Positional Accuracy: Unknown	A8NE (S)	556	2	274450 195754
	River Quality Name: Neath Canal GQA Grade: River Quality D Reach: Conf.Neath - Aberdulais Aqueduct Estimated Distance 8 (km): Flow Rate: Flow greater than 80 cumecs Flow Type: Canal Year: 2000	A13NW (N)	131	3	274185 196564
	River Quality Name: Port Tennant Canal GQA Grade: River Quality B Reach: Neath Abbey - Conf.Neath Estimated Distance 4 (km): Flow Rate: Flow greater than 80 cumecs Flow Type: Canal Year: 2000	A18NW (N)	672	3	274181 197113

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	River Quality Name: Port Tennant Canal GQA Grade: River Quality E Reach: Jersey Marine B - Neath Abbey Estimated Distance 5 (km): Flow Rate: Flow greater than 80 cumecs Flow Type: Canal Year: 2000	A17NE (NW)	724	3	273905 197088
	River Quality Name: Clydach GQA Grade: River Quality A Reach: Tidal Limit - Dyffryn Arms Bryncoch Estimated Distance 4.3 (km): Flow Rate: Flow less than 0.62 cumecs Flow Type: River Year: 2000	A17NE (NW)	766	3	273855 197109
52	River Quality Chemistry Sampling Points Name: Port Tennant Canal Reach: Neath Abbey To Confluence River Neath Estimated Distance: 4.00 Objective: Not Supplied Positional Accuracy: Located by supplier to within 10m Year: 1990 GQA Grade: Not Supplied Compliance: Not Supplied Year: 1993 GQA Grade: River Quality Chemistry GQA Grade C - Fairly Good Compliance: Not Supplied Year: 1994 GQA Grade: River Quality Chemistry GQA Grade C - Fairly Good Compliance: Not Supplied Year: 1995 GQA Grade: River Quality Chemistry GQA Grade B - Good Compliance: Not Supplied Year: 1996 GQA Grade: River Quality Chemistry GQA Grade C - Fairly Good Compliance: Not Supplied Year: 1997 GQA Grade: River Quality Chemistry GQA Grade C - Fairly Good Compliance: Not Supplied Year: 1998 GQA Grade: River Quality Chemistry GQA Grade C - Fairly Good Compliance: Not Supplied Year: 1999 GQA Grade: River Quality Chemistry GQA Grade B - Good Compliance: Not Supplied Year: 2000 GQA Grade: River Quality Chemistry GQA Grade B - Good Compliance: Not Supplied Year: 2001 GQA Grade: River Quality Chemistry GQA Grade B - Good Compliance: Not Supplied Year: 2002 GQA Grade: River Quality Chemistry GQA Grade C - Fairly Good Compliance: Not Supplied Year: 2003 GQA Grade: River Quality Chemistry GQA Grade C - Fairly Good Compliance: Not Supplied Year: 2004 GQA Grade: River Quality Chemistry GQA Grade C - Fairly Good Compliance: Not Supplied Year: 2005 GQA Grade: River Quality Chemistry GQA Grade C - Fairly Good Compliance: Not Supplied Year: 2006 GQA Grade: River Quality Chemistry GQA Grade C - Fairly Good Compliance: Not Supplied Year: 2007 GQA Grade: River Quality Chemistry GQA Grade C - Fairly Good Compliance: Not Supplied Year: 2008 GQA Grade: River Quality Chemistry GQA Grade C - Fairly Good Compliance: Not Supplied Year: 2009 GQA Grade: River Quality Chemistry GQA Grade C - Fairly Good Compliance: Not Supplied	A17NE (NW)	979	3	273740 197288

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
53	Substantiated Pollution Incident Register Authority: Natural Resources Wales Incident Date: 28th October 2001 Incident Reference: 39936 Water Impact: Category 2 - Significant Incident Air Impact: Category 3 - Minor Incident Land Impact: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 10m Pollutant: Oils - Diesel (Including Agricultural)	A8NW (S)	503	2	274213 195770
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Medium Vulnerability: Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: >550 mm/year Baseflow Index: <40% Superficial: >90% Patchiness: Superficial 3-10m Thickness: Superficial High Recharge:	A13SW (S)	0	2	274248 196357
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	A13SW (S)	0	2	274248 196357
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	A13SW (S)	0	2	274248 196357
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (E)	0	2	274268 196359
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Models Boundary Accuracy: As Supplied	A13SW (S)	0	2	274248 196357
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	1	2	274210 196395
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	9	2	274187 196389
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (W)	30	2	274141 196357
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	32	2	274314 196413
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (N)	44	2	274223 196486
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	60	2	274333 196433
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (N)	61	2	274217 196502
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (N)	71	2	274279 196500

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	73	2	274361 196423
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	81	2	274351 196445
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	88	2	274371 196263
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	93	2	274374 196261
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	112	2	274398 196257
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (SW)	117	2	274101 196259
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (E)	125	2	274444 196401
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	126	2	274406 196239
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	127	2	274382 196223
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	127	2	274414 196451
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (W)	142	2	274029 196363
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (E)	148	2	274476 196321
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (E)	151	2	274481 196357
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (E)	153	2	274483 196365
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (E)	154	2	274484 196341
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (E)	160	2	274490 196355

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	163	2	274442 196225
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (E)	165	2	274491 196311
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (W)	166	2	274005 196349
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (E)	166	2	274495 196327
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (E)	169	2	274499 196335
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	174	2	274377 196153
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (E)	175	2	274496 196291
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (E)	175	2	274489 196421
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	175	2	274362 196141
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (E)	179	2	274497 196281
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (E)	181	2	274509 196379
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (E)	181	2	274507 196387
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (E)	182	2	274502 196409
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	182	2	274428 196191
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (E)	184	2	274509 196391
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	185	2	274385 196558

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (E)	185	2	274502 196417
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (E)	186	2	274509 196399
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	187	2	274407 196540
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (E)	190	2	274521 196345
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (W)	192	2	273981 196329
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (E)	193	2	274511 196417
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (E)	199	2	274529 196355
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (E)	201	2	274513 196433
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (E)	206	2	274531 196301
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (E)	212	2	274513 196457
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (W)	213	2	273963 196311
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (S)	217	2	274153 196077
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	220	2	274508 196477
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (S)	226	2	274360 196077
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	233	2	274517 196487
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	240	2	274373 196640

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	242	2	274379 196638
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	246	2	274393 196632
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SW (S)	0	2	274248 196357
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Models Boundary Accuracy: As Supplied	A13SW (W)	0	2	274246 196357
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	75	2	274163 196485
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	122	2	274385 196473
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	144	2	274373 196512
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (E)	144	2	274468 196305
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	145	2	274385 196502
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (E)	145	2	274472 196317
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (E)	154	2	274484 196341
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Models Boundary Accuracy: As Supplied	A13SE (E)	155	2	274485 196355
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	156	2	274357 196542
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	158	2	274404 196501
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (E)	159	2	274483 196306
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	163	2	274426 196209

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (E)	165	2	274478 196273
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (E)	165	2	274491 196311
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	171	2	274367 196151
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (E)	173	2	274492 196287
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (E)	173	2	274501 196325
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (E)	173	2	274503 196339
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	175	2	274362 196141
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	177	2	274447 196483
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	178	2	274360 196135
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (E)	181	2	274507 196387
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (E)	183	2	274513 196336
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NE (NE)	184	2	274413 196530
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (E)	184	2	274507 196299
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	186	2	274411 196171
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	189	2	274063 196527
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	192	2	274439 196514

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (E)	194	2	274525 196349
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	194	2	274435 196521
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	200	2	274485 196477
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (E)	203	2	274533 196357
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	212	2	274479 196499
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13NW (NW)	219	2	274027 196523
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	221	2	274417 196575
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	223	2	274425 196572
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	226	2	274431 196570
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13NE (NE)	232	2	274429 196579
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas None				
	Flood Defences None				
54	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 45.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NW (NW)	106	5	274159 196518
55	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 73.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NW (NW)	107	5	274132 196495

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
56	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 62.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NW (NW)	107	5	274149 196509
57	OS Water Network Lines Watercourse Form: Canal Watercourse Length: 2005.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Neath Canal Catchment Name: Neath Primacy: 1	A13SE (SE)	110	5	274336 196195
58	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 31.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NW (N)	113	5	274186 196545
59	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NW (NW)	123	5	274097 196457
60	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 24.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NW (N)	123	5	274176 196551
61	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 10.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NW (N)	125	5	274194 196562
62	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 202.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NE (NE)	126	5	274395 196467
63	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 41.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NW (NW)	129	5	274093 196461
64	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 28.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NW (NW)	129	5	274093 196461

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
65	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 54.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NW (W)	131	5	274051 196407
66	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 30.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NW (NW)	132	5	274115 196505
67	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 17.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NW (NW)	137	5	274097 196479
68	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 123.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13SE (SE)	140	5	274377 196201
69	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 121.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13SE (SE)	140	5	274378 196202
70	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 74.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NW (W)	146	5	274041 196421
71	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 16.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NW (NW)	149	5	274089 196490
72	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 12.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NW (NW)	157	5	274074 196482
73	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NW (NW)	157	5	274075 196482

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
74	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 15.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NW (NW)	157	5	274074 196482
75	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 57.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NW (NW)	163	5	274050 196466
76	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 16.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13SE (S)	167	5	274271 196107
77	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 10.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13SE (S)	170	5	274287 196107
78	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 66.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13SE (S)	171	5	274298 196109
79	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 24.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13SW (S)	180	5	274193 196101
80	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 14.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NE (N)	188	5	274323 196610
81	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 215.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NW (NW)	197	5	274022 196485
82	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NW (NW)	197	5	274022 196485

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
83	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 13.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NE (N)	198	5	274318 196623
84	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 212.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Nedd Catchment Name: Neath Primacy: 1	A13NW (NW)	201	5	274126 196614
85	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 28.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NW (NW)	203	5	274019 196490
86	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 10.9 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NE (N)	209	5	274315 196636
87	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 132.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Nedd Catchment Name: Neath Primacy: 1	A13NW (NW)	210	5	274095 196599
88	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 38.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Not Supplied Primacy: 1	A13NW (NW)	210	5	274095 196599
89	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NE (N)	217	5	274310 196646
90	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 9.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NE (N)	224	5	274310 196654
91	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 65.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13SW (W)	226	5	273946 196327

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
92	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 29.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NW (NW)	228	5	274007 196515
93	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NE (N)	228	5	274303 196661
94	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 146.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13SW (S)	230	5	274158 196060
95	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 47.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NE (N)	230	5	274302 196663
96	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 31.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Not Supplied Primacy: 1	A13NW (NW)	237	5	274100 196638
97	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 12.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13SE (S)	240	5	274276 196034
98	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 148.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NW (NW)	247	5	273978 196510
99	OS Water Network Lines Watercourse Form: Foreshore Watercourse Length: 33.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NW (NW)	247	5	273978 196510
100	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 400.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13SE (S)	250	5	274271 196024

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
101	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 29.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NW (W)	255	5	273917 196383
102	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 92.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NW (W)	255	5	273917 196383
103	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 111.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NW (NW)	263	5	274089 196662
104	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 149.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Nedd Catchment Name: Neath Primacy: 1	A18SE (N)	264	5	274278 196704
105	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 51.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Not Supplied Primacy: 1	A18SE (N)	264	5	274278 196704
106	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 24.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NW (NW)	271	5	273974 196542
107	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 284.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13SW (S)	272	5	274118 196033
108	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 62.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NE (W)	281	5	273893 196399
109	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 8.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NE (W)	281	5	273893 196399

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
110	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NE (W)	283	5	273893 196407
111	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 37.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Not Supplied Primacy: 1	A13NW (NW)	287	5	273968 196565
112	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 113.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NW (NW)	287	5	273990 196596
113	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 36.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NE (W)	288	5	273888 196411
114	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 184.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (W)	291	5	273885 196300
115	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 73.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Nedd Catchment Name: Neath Primacy: 1	A13NW (NW)	291	5	273968 196565
116	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 79.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (N)	303	5	274250 196746
117	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NE (W)	314	5	273860 196403
118	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 8.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NE (W)	315	5	273859 196404

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
119	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 143.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NE (NW)	321	5	273893 196517
120	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 22.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NE (W)	322	5	273854 196410
121	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 21.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NE (W)	327	5	273844 196371
122	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 189.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8NW (S)	332	5	274168 195950
123	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 21.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8NW (S)	332	5	274168 195950
124	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 26.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NE (W)	337	5	273836 196398
125	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 90.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NW (NW)	341	5	274000 196691
126	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 50.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NE (W)	342	5	273833 196414
127	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 310.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A12SE (W)	345	5	273825 196356

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
128	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NE (W)	346	5	273825 196368
129	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 28.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NE (W)	347	5	273823 196368
130	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A12NE (W)	347	5	273824 196367
131	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 512.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Nedd Catchment Name: Neath Primacy: 1	A12NE (NW)	349	5	273895 196569
132	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 11.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (W)	350	5	273847 196223
133	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 26.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (NW)	352	5	274059 196748
134	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 13.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (W)	357	5	273837 196229
135	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 101.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (N)	373	5	274225 196817
136	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 22.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (N)	373	5	274231 196816

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
137	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 43.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NE (W)	375	5	273795 196369
138	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 53.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NE (W)	375	5	273795 196369
139	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 423.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NE (W)	375	5	273817 196480
140	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 93.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (NW)	381	5	273950 196700
141	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 43.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NE (W)	384	5	273789 196398
142	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NE (W)	384	5	273790 196399
143	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 188.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (NW)	389	5	273943 196702
144	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 108.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A18SW (NW)	389	5	273943 196702
145	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 26.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (W)	391	5	273782 196307

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
146	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 150.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SE (N)	396	5	274378 196813
147	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 41.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Nedd Catchment Name: Neath Primacy: 1	A18SE (N)	396	5	274378 196813
148	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 130.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Cryddan Brook Catchment Name: Neath Primacy: 1	A14NW (NE)	400	5	274667 196564
149	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 24.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (NW)	403	5	273991 196764
150	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 63.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (NW)	403	5	273991 196764
151	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 40.2 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (N)	409	5	274130 196838
152	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 60.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (N)	409	5	274130 196838
153	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 26.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (NW)	411	5	274042 196806
154	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A18SW (NW)	412	5	274039 196806

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
155	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 34.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A18SW (NW)	414	5	274022 196798
156	OS Water Network Lines Watercourse Form: Marsh Watercourse Length: 91.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A18SW (NW)	417	5	274006 196791
157	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 15.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (W)	417	5	273757 196301
158	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 40.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NE (W)	417	5	273754 196378
159	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 19.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (W)	417	5	273757 196301
160	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 47.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A18SW (NW)	418	5	274034 196810
161	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 21.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (NW)	421	5	274054 196823
162	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 19.7 Watercourse Level: Underground Permanent: True Watercourse Name: Cryddan Brook Catchment Name: Neath Primacy: 1	A14NW (E)	424	5	274706 196543
163	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 144.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Cryddan Brook Catchment Name: Neath Primacy: 1	A14NW (E)	426	5	274717 196526

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
164	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (N)	429	5	274069 196839
165	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 20.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A18SW (N)	430	5	274069 196840
166	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (N)	430	5	274069 196840
167	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 19.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (N)	430	5	274071 196841
168	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 77.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NE (NW)	430	5	273881 196889
169	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 51.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A12SE (W)	432	5	273741 196310
170	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 32.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (W)	432	5	273741 196310
171	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 9.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (N)	432	5	274091 196850
172	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 43.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (N)	436	5	274101 196858

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
173	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 25.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Not Supplied Primacy: 1	A18SE (N)	437	5	274400 196848
174	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 50.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Nedd Catchment Name: Neath Primacy: 1	A18SE (N)	437	5	274400 196848
175	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 42.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A18SW (N)	439	5	274083 196855
176	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 139.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (N)	439	5	274083 196855
177	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 17.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (N)	440	5	274173 196879
178	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 73.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NE (NW)	442	5	273855 196674
179	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 2.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (W)	442	5	273738 196263
180	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 41.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NE (W)	443	5	273727 196369
181	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SE (NE)	443	5	274460 196825

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
182	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 60.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (W)	445	5	273735 196264
183	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 22.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Not Supplied Primacy: 1	A18SE (N)	446	5	274381 196865
184	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 34.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SE (N)	448	5	274366 196872
185	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 20.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A18SW (N)	449	5	274055 196854
186	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 14.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (W)	450	5	273723 196302
187	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 121.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SE (N)	453	5	274278 196894
188	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 4.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SE (N)	453	5	274278 196894
189	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 9.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (N)	453	5	274182 196893
190	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 26.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SE (N)	457	5	274281 196898

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
191	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 78.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A12SE (W)	460	5	273736 196205
192	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 13.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (W)	460	5	273714 196295
193	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 10.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (N)	460	5	274112 196886
194	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 64.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (N)	460	5	274112 196886
195	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 46.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (W)	462	5	273712 196307
196	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 54.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (W)	463	5	273708 196346
197	OS Water Network Lines Watercourse Form: Marsh Watercourse Length: 56.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A18SW (NW)	464	5	274021 196854
198	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 51.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A18SW (N)	468	5	274047 196872
199	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 23.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (N)	470	5	274110 196897

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
200	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (N)	472	5	274076 196887
201	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 145.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NE (NW)	473	5	273752 196576
202	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 69.9 Watercourse Level: Underground Permanent: True Watercourse Name: Cryddan Brook Catchment Name: Neath Primacy: 1	A14NW (NE)	473	5	274700 196643
203	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 134.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NE (NW)	477	5	273827 196695
204	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 19.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (N)	478	5	274078 196894
205	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 27.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Not Supplied Primacy: 1	A18SE (N)	486	5	274433 196887
206	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 36.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Nedd Catchment Name: Neath Primacy: 1	A18SE (N)	486	5	274433 196887
207	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 78.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (W)	488	5	273688 196288
208	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 15.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (N)	489	5	274089 196910

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
209	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 135.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8NW (SW)	490	5	274025 195835
210	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 90.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SE (N)	493	5	274379 196914
211	OS Water Network Lines Watercourse Form: Foreshore Watercourse Length: 16.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Not Supplied Primacy: 1	A18SE (N)	494	5	274412 196904
212	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 14.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (W)	495	5	273716 196159
213	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 69.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (W)	495	5	273716 196159
214	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 96.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (N)	497	5	274155 196934
215	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Not Supplied Primacy: 1	A18SE (N)	498	5	274393 196916
216	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 6.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Not Supplied Primacy: 1	A18SE (N)	498	5	274393 196916
217	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 14.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (W)	502	5	273670 196317

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
218	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 50.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (N)	504	5	274084 196924
219	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (N)	504	5	274084 196924
220	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (W)	504	5	273667 196331
221	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 28.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A18SW (NW)	507	5	273970 196875
222	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 175.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Cryddan Brook Catchment Name: Neath Primacy: 1	A19SW (NE)	508	5	274655 196746
223	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 62.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (W)	513	5	273667 196255
224	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17SE (NW)	514	5	273785 196698
225	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 37.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (W)	514	5	273665 196260
226	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 36.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (NW)	518	5	273937 196867

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
227	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 101.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (SW)	518	5	273741 196067
228	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 97.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Nedd Catchment Name: Neath Primacy: 1	A18SE (N)	519	5	274462 196910
229	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 73.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A18SE (N)	519	5	274462 196910
230	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 42.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A18SW (NW)	519	5	274010 196910
231	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 153.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A18SW (N)	519	5	274026 196919
232	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 24.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17SE (NW)	520	5	273778 196698
233	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 171.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7NE (SW)	520	5	273841 195944
234	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 126.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (N)	522	5	274234 196965
235	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 16.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (W)	523	5	273650 196298

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
236	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 25.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (NW)	524	5	273954 196886
237	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (NW)	525	5	273947 196883
238	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (NW)	525	5	273952 196885
239	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (NW)	528	5	273948 196886
240	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 1.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (N)	529	5	274189 196971
241	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 104.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (N)	529	5	274189 196971
242	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 10.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (NW)	529	5	273971 196901
243	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 226.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (N)	530	5	274191 196971
244	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (NW)	533	5	273946 196891

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
245	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 40.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (NW)	533	5	273946 196891
246	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 44.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (W)	533	5	273642 196284
247	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 2.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (NW)	534	5	273950 196895
248	OS Water Network Lines Watercourse Form: Canal Watercourse Length: 5.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Neath Canal Catchment Name: Neath Primacy: 1	A18SE (NE)	536	5	274541 196883
249	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 18.7 Watercourse Level: Underground Permanent: True Watercourse Name: Cryddan Brook Catchment Name: Neath Primacy: 1	A18SE (NE)	536	5	274541 196883
250	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 41.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Cryddan Brook Catchment Name: Neath Primacy: 1	A19SW (NE)	538	5	274589 196853
251	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 29.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (NW)	538	5	273969 196911
252	OS Water Network Lines Watercourse Form: Canal Watercourse Length: 3079.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Neath Canal Catchment Name: Neath Primacy: 1	A18SE (NE)	540	5	274540 196888
253	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 14.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A18SE (NE)	540	5	274536 196891

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
254	OS Water Network Lines Watercourse Form: Canal Watercourse Length: 5.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A18SE (NE)	540	5	274540 196888
255	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 94.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NE (W)	541	5	273668 196556
256	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A19SW (NE)	541	5	274589 196853
257	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 260.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (N)	541	5	274206 196984
258	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 45.4 Watercourse Level: Underground Permanent: True Watercourse Name: Cryddan Brook Catchment Name: Neath Primacy: 1	A14NW (E)	542	5	274836 196542
259	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 157.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17SE (NW)	544	5	273755 196707
260	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 36.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (W)	549	5	273638 196219
261	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 72.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (W)	550	5	273641 196205
262	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 61.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (W)	550	5	273641 196205

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
263	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 84.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (N)	552	5	274058 196966
264	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 37.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17SE (NW)	553	5	273787 196770
265	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 13.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17SE (NW)	556	5	273837 196831
266	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 66.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7NE (SW)	556	5	273737 196007
267	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 88.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (NW)	556	5	273980 196938
268	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 39.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (W)	558	5	273625 196236
269	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 21.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SE (N)	566	5	274414 196980
270	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 2.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A12SE (W)	566	5	273619 196227
271	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 28.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (W)	568	5	273610 196267

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
272	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 11.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (W)	568	5	273610 196267
273	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 83.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A12SE (W)	569	5	273617 196226
274	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 23.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (W)	572	5	273607 196255
275	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 40.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SE (N)	574	5	274393 196995
276	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 99.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SE (N)	574	5	274393 196995
277	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 27.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17SE (NW)	577	5	273811 196835
278	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 259.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NE (W)	577	5	273622 196535
279	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 122.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NE (W)	579	5	273597 196435
280	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 107.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SE (N)	580	5	274444 196984

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
281	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 111.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Cryddan Brook Catchment Name: Neath Primacy: 1	A14NW (E)	583	5	274881 196537
282	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (N)	587	5	274108 197016
283	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 8.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (W)	591	5	273591 196241
284	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 44.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17SE (NW)	592	5	273825 196869
285	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 219.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NE (W)	595	5	273618 196576
286	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 11.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17SE (NW)	596	5	273809 196861
287	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 43.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17SE (NW)	602	5	273812 196872
288	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 48.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (N)	602	5	274098 197030
289	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 79.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (W)	605	5	273602 196147

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
290	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 8.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17SE (NW)	606	5	273791 196855
291	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 13.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (N)	606	5	274130 197040
292	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 150.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A18NW (N)	608	5	274110 197038
293	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 2.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (N)	610	5	274142 197046
294	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 2.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (N)	611	5	274144 197048
295	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 41.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (N)	611	5	274144 197048
296	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 41.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (N)	613	5	274142 197049
297	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 41.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17SE (NW)	614	5	273784 196859
298	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 21.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (W)	614	5	273597 196134

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
299	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 84.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Nedd Catchment Name: Neath Primacy: 1	A18SE (N)	616	5	274510 196995
300	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 119.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NE (NW)	618	5	273620 196637
301	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 1.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (N)	618	5	274066 197038
302	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 36.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A18NW (N)	618	5	274066 197038
303	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 43.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (N)	620	5	274065 197039
304	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 59.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NE (N)	621	5	274320 197058
305	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 36.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NE (N)	621	5	274384 197046
306	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 86.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SE (W)	624	5	273582 196148
307	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 27.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17SE (NW)	628	5	273733 196823

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
308	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 94.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (N)	629	5	273976 197016
309	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 21.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A18SW (NW)	631	5	273958 197010
310	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 33.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SE (N)	632	5	274474 197028
311	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 147.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8SW (S)	638	5	274190 195637
312	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8SW (S)	638	5	274190 195637
313	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 11.2 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8SW (S)	638	5	274186 195637
314	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 37.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8SW (S)	639	5	274175 195638
315	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 10.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A18NW (N)	639	5	274032 197049
316	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 17.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (N)	640	5	274237 197083

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
317	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 2.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A18SW (NW)	640	5	273937 197010
318	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 14.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17SE (NW)	643	5	273772 196889
319	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 33.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A12SW (W)	645	5	273548 196186
320	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 6.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8SW (S)	646	5	274138 195635
321	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 87.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8SW (S)	648	5	274131 195635
322	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 76.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (N)	649	5	274134 197084
323	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17SE (NW)	653	5	273757 196888
324	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 81.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NE (N)	653	5	274390 197078
325	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 38.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A18NE (N)	653	5	274390 197078

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
326	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17SE (NW)	653	5	273759 196892
327	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 19.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17SE (NW)	656	5	273710 196838
328	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 56.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17SE (NW)	656	5	273759 196895
329	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 66.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17SE (NW)	657	5	273680 196798
330	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 15.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (N)	657	5	274235 197100
331	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 133.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NW (W)	658	5	273544 196557
332	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 555.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7NE (SW)	658	5	273777 195811
333	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 487.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A7NE (SW)	659	5	273616 196000
334	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 44.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17SE (NW)	660	5	273684 196809

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
335	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 42.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (N)	661	5	274207 197103
336	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 30.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (N)	661	5	274207 197103
337	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 6.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17SE (NW)	662	5	273733 196876
338	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 48.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NW (W)	662	5	273509 196385
339	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 75.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NW (W)	663	5	273516 196462
340	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 30.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17SE (NW)	664	5	273728 196873
341	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 38.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NW (W)	664	5	273508 196405
342	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 19.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SW (W)	669	5	273501 196341
343	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 62.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NE (N)	671	5	274360 197102

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
344	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (N)	672	5	274235 197115
345	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 23.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A18NW (N)	672	5	274235 197115
346	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 16.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SW (W)	673	5	273522 196176
347	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 6.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (N)	674	5	274234 197117
348	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 18.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17SE (NW)	675	5	273696 196851
349	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 42.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SW (W)	675	5	273516 196191
350	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 35.6 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8SW (S)	677	5	274044 195627
351	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 82.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A18NE (N)	677	5	274258 197120
352	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 11.6 Watercourse Level: Underground Permanent: True Watercourse Name: Cryddan Brook Catchment Name: Neath Primacy: 1	A14NE (E)	678	5	274988 196515

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
353	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 25.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (N)	680	5	274231 197123
354	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 9.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NW (W)	680	5	273491 196366
355	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 10.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NW (W)	680	5	273491 196366
356	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 16.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SW (W)	682	5	273488 196355
357	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 153.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NW (W)	685	5	273503 196509
358	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 35.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17SE (NW)	685	5	273698 196870
359	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 111.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Cryddan Brook Catchment Name: Neath Primacy: 1	A14NE (E)	688	5	274999 196512
360	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8SW (S)	690	5	274008 195625
361	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.2 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8SW (S)	691	5	274005 195625

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
362	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 628.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8SW (S)	693	5	274002 195624
363	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 102.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NW (W)	695	5	273477 196406
364	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NE (N)	698	5	274467 197102
365	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 32.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NE (N)	698	5	274479 197097
366	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NE (N)	698	5	274470 197101
367	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 125.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NE (N)	698	5	274522 197080
368	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 39.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17SE (NW)	698	5	273709 196903
369	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 121.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17SE (NW)	699	5	273627 196794
370	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 8.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (N)	699	5	274101 197129

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
371	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 84.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Nedd Catchment Name: Neath Primacy: 1	A18NE (NE)	700	5	274552 197067
372	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 30.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Not Supplied Primacy: 1	A18NE (NE)	700	5	274552 197067
373	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 83.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17SE (NW)	700	5	273753 196950
374	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 63.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NE (N)	702	5	274471 197105
375	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 43.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NE (N)	705	5	274336 197141
376	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (N)	707	5	274098 197137
377	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 104.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NW (W)	713	5	273464 196455
378	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 79.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SW (W)	720	5	273450 196337
379	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 162.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A14SE (E)	731	5	274998 196052

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
380	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 201.3 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A14SE (SE)	731	5	274989 196029
381	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 186.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17SW (NW)	732	5	273535 196718
382	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 12.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17SE (NW)	732	5	273675 196916
383	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 25.3 Watercourse Level: Underground Permanent: True Watercourse Name: Cryddan Brook Catchment Name: Neath Primacy: 1	A14NE (E)	735	5	275060 196434
384	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 14.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Cryddan Brook Catchment Name: Neath Primacy: 1	A14NE (E)	747	5	275074 196413
385	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 20.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17NE (NW)	750	5	273807 197059
386	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 11.2 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8SE (S)	751	5	274262 195521
387	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 9.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A17NE (NW)	753	5	273816 197068
388	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 10.7 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A12SW (W)	755	5	273447 196139

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
389	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 11.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8SE (S)	757	5	274271 195516
390	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 25.9 Watercourse Level: Underground Permanent: True Watercourse Name: Cryddan Brook Catchment Name: Neath Primacy: 1	A14NE (E)	757	5	275085 196404
391	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 674.6 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8SE (S)	759	5	274283 195514
392	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 221.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NW (SE)	759	5	274917 195867
393	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 86.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SW (W)	760	5	273411 196322
394	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 54.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SW (W)	760	5	273412 196325
395	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 50.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17NE (NW)	761	5	273807 197072
396	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 171.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A12SW (W)	763	5	273437 196143
397	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 57.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NW (W)	764	5	273442 196586

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
398	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 14.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17SE (NW)	764	5	273627 196907
399	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 16.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A14SE (E)	766	5	275079 196190
400	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 14.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17SE (NW)	768	5	273612 196895
401	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 76.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NW (W)	769	5	273402 196375
402	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17SE (NW)	771	5	273636 196930
403	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 410.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A12SW (W)	772	5	273419 196178
404	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 56.0 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A14SE (E)	776	5	275092 196198
405	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 88.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17SE (NW)	776	5	273680 196985
406	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 190.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Cryddan Brook Catchment Name: Neath Primacy: 1	A14NE (E)	777	5	275106 196389

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
407	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 25.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17SE (NW)	777	5	273613 196910
408	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 11.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17SE (NW)	778	5	273629 196932
409	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 167.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Nedd Catchment Name: Neath Primacy: 1	A19NW (NE)	782	5	274607 197131
410	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 14.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Not Supplied Primacy: 1	A19NW (NE)	782	5	274607 197131
411	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 31.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A19NW (NE)	786	5	274596 197141
412	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 25.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17SE (NW)	788	5	273618 196934
413	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 10.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NW (W)	790	5	273393 196492
414	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 27.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NW (W)	791	5	273389 196482
415	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 61.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NW (W)	798	5	273410 196596

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
416	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 103.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (N)	799	5	273956 197191
417	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 71.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NW (W)	799	5	273377 196446
418	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NW (W)	799	5	273377 196446
419	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 20.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NW (W)	802	5	273374 196451
420	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 38.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Not Supplied Primacy: 1	A17SW (NW)	803	5	273526 196834
421	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 129.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NW (W)	810	5	273368 196471
422	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 55.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17SE (NW)	812	5	273594 196943
423	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 10.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17SE (NW)	812	5	273594 196943
424	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 44.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17SE (NW)	812	5	273600 196951

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
425	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 512.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Clydach Catchment Name: Neath Primacy: 1	A17NE (NW)	822	5	273753 197109
426	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 56.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SW (W)	823	5	273384 196113
427	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A14SE (E)	827	5	275146 196213
428	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 66.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Cryddan Brook Catchment Name: Neath Primacy: 1	A14SE (E)	830	5	275149 196214
429	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 89.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17SW (NW)	836	5	273511 196870
430	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 13.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Not Supplied Primacy: 1	A17SW (NW)	837	5	273498 196853
431	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 74.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Nedd Catchment Name: Neath Primacy: 1	A17SW (NW)	839	5	273489 196844
432	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 96.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17SW (NW)	844	5	273411 196723
433	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 60.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17SW (NW)	850	5	273541 196937

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
434	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 43.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NW (W)	853	5	273364 196631
435	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NW (W)	853	5	273364 196631
436	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 260.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17SW (NW)	860	5	273410 196755
437	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 14.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NW (W)	860	5	273344 196593
438	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 99.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Crythan Brook Catchment Name: Neath Primacy: 1	A14SE (E)	862	5	275170 196152
439	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 28.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A14SE (E)	862	5	275170 196152
440	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 199.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SW (W)	863	5	273355 196071
441	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 141.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A14SE (E)	867	5	275189 196233
442	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 24.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17NE (NW)	867	5	273619 197053

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
443	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 37.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NW (W)	874	5	273331 196595
444	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 52.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A12NW (W)	874	5	273331 196595
445	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 27.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A19NW (NE)	881	5	274643 197225
446	OS Water Network Lines Watercourse Form: Canal Watercourse Length: 1197.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Tennant Canal Catchment Name: Neath Primacy: 1	A18NW (N)	881	5	274162 197321
447	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 73.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (N)	885	5	273985 197292
448	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 28.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Clydach Catchment Name: Neath Primacy: 1	A17NE (NW)	886	5	273874 197253
449	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 39.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Clydach Catchment Name: Neath Primacy: 1	A17NE (NW)	886	5	273874 197253
450	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 20.9 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (N)	886	5	273990 197295
451	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 12.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17NE (NW)	888	5	273610 197074

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
452	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 62.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17NE (NW)	891	5	273601 197069
453	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 130.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (N)	891	5	274147 197330
454	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 12.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17NE (N)	897	5	273904 197277
455	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 16.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17NE (N)	897	5	273904 197277
456	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 20.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Clydach Catchment Name: Neath Primacy: 2	A17NE (N)	900	5	273891 197275
457	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 32.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Not Supplied Primacy: 1	A12NW (W)	902	5	273315 196642
458	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 143.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17NE (NW)	903	5	273639 197121
459	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 18.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NW (W)	903	5	273282 196515
460	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 9.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Clydach Catchment Name: Neath Primacy: 1	A17SW (NW)	905	5	273418 196858

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
461	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 96.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Nedd Catchment Name: Neath Primacy: 1	A17SW (NW)	905	5	273418 196858
462	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 6.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (N)	906	5	273991 197316
463	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 122.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17SW (NW)	908	5	273476 196945
464	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 157.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Clydach Catchment Name: Neath Primacy: 1	A17SW (NW)	909	5	273420 196868
465	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 1.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Not Supplied Primacy: 1	A12NW (W)	909	5	273299 196614
466	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 18.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Not Supplied Primacy: 1	A12NW (W)	910	5	273298 196615
467	OS Water Network Lines Watercourse Form: Foreshore Watercourse Length: 71.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NW (W)	913	5	273291 196598
468	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (N)	913	5	273990 197322
469	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 26.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (N)	913	5	274002 197326

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
470	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 160.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NW (W)	914	5	273290 196599
471	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 17.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (N)	914	5	273993 197325
472	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 2.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (N)	914	5	274020 197332
473	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (N)	914	5	274020 197332
474	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 69.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (N)	916	5	274020 197334
475	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 6.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NW (W)	917	5	273270 196531
476	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 17.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NW (W)	918	5	273262 196487
477	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 30.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NW (W)	919	5	273268 196525
478	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 9.2 Watercourse Level: Underground Permanent: True Watercourse Name: River Clydach Catchment Name: Neath Primacy: 1	A17NE (N)	920	5	273878 197291

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
479	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 37.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NW (W)	921	5	273254 196446
480	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 20.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NW (W)	923	5	273249 196409
481	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.6 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9SE (SE)	926	5	274946 195657
482	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 130.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Clydach Catchment Name: Neath Primacy: 1	A17NE (N)	928	5	273879 197300
483	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 2.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9SE (SE)	930	5	274950 195655
484	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 75.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NW (W)	930	5	273241 196392
485	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 36.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NW (W)	931	5	273250 196499
486	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 50.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9SE (SE)	932	5	274952 195653
487	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 125.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NE (N)	935	5	274421 197359

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
488	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 774.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Crythan Brook Catchment Name: Neath Primacy: 1	A14SE (E)	936	5	275224 196072
489	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 30.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A11NE (W)	939	5	273234 196421
490	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 61.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A19NW (NE)	940	5	274662 197280
491	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 24.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A19NW (NE)	941	5	274667 197279
492	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 68.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A23SW (N)	943	5	274078 197373
493	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 576.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Nedd Catchment Name: Neath Primacy: 1	A17SW (NW)	946	5	273339 196808
494	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 31.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A19NW (NE)	947	5	274712 197261
495	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 84.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Nedd Catchment Name: Neath Primacy: 1	A19NW (NE)	947	5	274712 197261
496	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 10.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A11NE (W)	949	5	273226 196450

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
497	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 6.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A11NE (W)	953	5	273224 196462
498	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 6.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17SW (NW)	956	5	273468 197016
499	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 29.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A11NE (W)	957	5	273219 196457
500	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A11NE (W)	957	5	273219 196458
501	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9SE (SE)	973	5	274948 195595
502	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.0 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9SE (SE)	973	5	274948 195595
503	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 21.3 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A23SW (N)	973	5	274135 197411
504	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 8.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9SE (SE)	974	5	274958 195603
505	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 91.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9SE (SE)	974	5	274958 195603

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
506	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 6.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A11NE (W)	975	5	273196 196396
507	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 149.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9SE (SE)	976	5	274948 195591
508	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 12.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A11NE (W)	977	5	273196 196427
509	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 31.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A11NE (W)	980	5	273191 196370
510	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 31.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A11NE (W)	981	5	273190 196394
511	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 12.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A11NE (W)	981	5	273192 196419
512	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 19.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A11NE (W)	982	5	273196 196474
513	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 27.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A11NE (W)	989	5	273185 196442
514	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 9.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A11NE (W)	990	5	273184 196431

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
515	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 10.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A23SW (N)	994	5	274134 197432

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
516	BGS Recorded Landfill Sites Site Name: Giants Grave Tip Location: Briton Ferry, NEATH, Glam Authority: British Geological Survey, National Geoscience Information Service Ground Water: Information not available Surface Water: Information not available Geology: N/A Positional Accuracy: Positioned by the supplier Boundary Accuracy: Moderate	A7NE (SW)	619	-	273807 195837
517	Historical Landfill Sites Licence Holder: Neath Borough Council Location: Briton Ferry, Neath, Glamorgan Name: Giants Grave Tip Operator Location: Not Supplied Boundary Accuracy: As Supplied Provider Reference: EAHLD31231 First Input Date: 30th June 1962 Last Input Date: 31st March 1993 Specified Waste Type: Deposited Waste included Inert, Industrial, Commercial, Household and Special Waste EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: 6930/0006 BGS Ref: 2676 Other Ref: SWW-68-L	A7NE (SW)	619	2	273807 195837
518	Historical Landfill Sites Licence Holder: Neath Borough Council Location: Neath, West Glamorgan Name: Neath Abbey Operator Location: Not Supplied Boundary Accuracy: As Supplied Provider Reference: EAHLD14880 First Input Date: 31st December 1980 Last Input Date: 31st December 1980 Specified Waste Type: Deposited Waste included Inert, Industrial, Commercial, Household and Special Waste EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: 6930/0011 BGS Ref: Not Supplied Other Ref: Not Supplied	A18NW (N)	782	2	274117 197216
519	Historical Landfill Sites Licence Holder: Not Supplied Location: Neath Abbey, Port Talbot Name: Neath Abbey Refuse Sute Operator Location: Not Supplied Boundary Accuracy: As Supplied Provider Reference: EAHLD34828 First Input Date: Not Supplied Last Input Date: Not Supplied Specified Waste Type: Not Supplied EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: Not Supplied BGS Ref: Not Supplied Other Ref: Not Supplied	A17NE (NW)	874	2	273746 197167
520	Licensed Waste Management Facilities (Landfill Boundaries) Name: Giants Grave Landfill Licence Number: 34060 Location: The Saltings, Giants Grave Road, Briton Ferry, Neath, N P T, SA11 2LN Licence Holder: Neath Port Talbot Waste Management Co Ltd Authority: Natural Resources Wales Site Category: Other Landfill Sites Taking Special Waste Max Input Rate: Not Supplied Licence Status: Closure Issued: 1st April 1993 Positional Accuracy: Positioned by the supplier Boundary Accuracy: As Supplied	A7NE (SW)	619	2	273805 195839

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
521	Licensed Waste Management Facilities (Landfill Boundaries) Name: Giants Grave Landfill Site (Ppc) Licence Number: 34272 Location: Giants Grave, Giants Grave Road, Briton Ferry, Neath, N P T, SA11 2LN Licence Holder: Neath Port Talbot Waste Management Co Ltd Authority: Natural Resources Wales Site Category: Household, Commercial And Industrial Waste Landfills Max Input Rate: Not Supplied Licence Status: PPC Issued: 24th June 2005 Positional Accuracy: Positioned by the supplier Boundary Accuracy: As Supplied	A12SW (W)	757	2	273443 196146
522	Licensed Waste Management Facilities (Locations) Licence Number: PP3098FS Location: Neath, N P T, SA11 1AU Operator Name: Fordpad Ltd Operator Location: Not Supplied Authority: Natural Resources Wales Site Category: Metal Recycling Sites (Mixed) Licence Status: Effective Issued: 2nd January 1993 Last Modified: Not Supplied Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	A14NW (NE)	513	2	274765 196620
522	Licensed Waste Management Facilities (Locations) Licence Number: 34035 Location: Foundry Works, D C Griffiths Way, Neath, SA11 1AU Operator Name: Fordpad Ltd Operator Location: Not Supplied Authority: Natural Resources Wales Site Category: Metal Recycling Sites (Mixed) Licence Status: Modified Issued: 2nd February 1992 Last Modified: 22nd February 2002 Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	A14NW (NE)	513	2	274765 196620
523	Licensed Waste Management Facilities (Locations) Licence Number: 34102 Location: Pant Yr Heol, Neath, N P T, SA11 2LQ Operator Name: Glan Y Mor NHS Trust Operator Location: Not Supplied Authority: Natural Resources Wales Site Category: Clinical Waste Transfer Stations Licence Status: Surrendered Issued: 8th July 1994 Last Modified: Not Supplied Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: 7th December 2001 IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 100m	A8NE (S)	626	2	274500 195700
524	Licensed Waste Management Facilities (Locations) Licence Number: 104887 Location: The Old Forge, Monastery Road, Neath Abbey, Neath, SA10 7DW Operator Name: Rees Jonathan Mark Operator Location: Not Supplied Authority: Natural Resources Wales Site Category: Metal Recycling Site <25000 tps Licence Status: Issued Issued: 4th January 2013 Last Modified: Not Supplied Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	A17NE (NW)	897	2	273840 197249

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
524	Licensed Waste Management Facilities (Locations) Licence Number: MB3333DG Location: The Old Forge, Monastery Road, Neath Abbey, Neath, West Glamorgan, SA10 7DW Operator Name: Jonathan Mark Rees Operator Location: Not Supplied Authority: Natural Resources Wales Site Category: Metal Recycling Site <25000 tps Licence Status: Effective Issued: 4th January 2013 Last Modified: Not Supplied Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	A17NE (NW)	897	2	273840 197249
525	Licensed Waste Management Facilities (Locations) Licence Number: SP3298FT Location: Briton Ferry, Neath, N P T, SA11 2LN Operator Name: Neath Port Talbot County Borough Council Operator Location: Not Supplied Authority: Natural Resources Wales Site Category: Other Landfill Sites Taking Special Waste Licence Status: Effective Issued: 29th November 2022 Last Modified: Not Supplied Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	A7NW (SW)	938	2	273372 195863
	Local Authority Landfill Coverage Name: Neath Port Talbot County Borough Council - Has supplied landfill data		0	4	274248 196357
526	Local Authority Recorded Landfill Sites Location: Landfill - Neath Reference: Not Supplied Authority: Neath Port Talbot County Borough Council, Environmental Health Department Last Reported Status: Not Supplied Types of Waste: Not Supplied Date of Closure: Not Supplied Positional Accuracy: Positioned by the supplier Boundary Quality: Moderate	A7NE (SW)	613	4	273816 195836
527	Local Authority Recorded Landfill Sites Location: Neath Abbey Reference: Not Supplied Authority: Neath Port Talbot County Borough Council, Environmental Health Department Last Reported Status: Not Supplied Types of Waste: Not Supplied Date of Closure: Not Supplied Positional Accuracy: Located by supplier to within 100m Boundary Quality: Not Applicable	A18NW (N)	811	4	274150 197250
528	Potentially Infilled Land (Non-Water) Bearing Ref: W Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A13NW (W)	0	-	274223 196361
529	Potentially Infilled Land (Non-Water) Bearing Ref: E Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A13SE (E)	69	-	274400 196354
530	Potentially Infilled Land (Non-Water) Bearing Ref: E Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A14SW (E)	399	-	274722 196271
531	Potentially Infilled Land (Non-Water) Bearing Ref: SE Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A8NE (SE)	493	-	274556 195888

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
532	Potentially Infilled Land (Non-Water) Bearing Ref: NE Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A19SW (NE)	494	-	274635 196747
533	Potentially Infilled Land (Non-Water) Bearing Ref: NE Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A14NW (NE)	512	-	274717 196683
534	Potentially Infilled Land (Non-Water) Bearing Ref: E Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A14SW (E)	518	-	274824 196193
535	Potentially Infilled Land (Non-Water) Bearing Ref: SE Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A14SW (SE)	525	-	274797 196108
536	Potentially Infilled Land (Non-Water) Bearing Ref: E Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A14SE (E)	854	-	275134 196062
537	Potentially Infilled Land (Non-Water) Bearing Ref: SE Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A9SW (SE)	882	-	274693 195511
538	Potentially Infilled Land (Non-Water) Bearing Ref: N Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A23SW (N)	991	-	274146 197431
539	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1940	A13SE (SE)	0	-	274266 196339
540	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1900	A13NW (NW)	0	-	274201 196397
541	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1884	A13NE (E)	0	-	274310 196368
542	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1884	A13NW (N)	54	-	274242 196498
543	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1900	A13NE (NE)	95	-	274392 196420
544	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1940	A13NE (NE)	186	-	274381 196560
545	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1940	A13SW (S)	265	-	274136 196031
546	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1921	A13NE (NE)	321	-	274437 196694
547	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1900	A13NE (NE)	323	-	274453 196684
548	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1884	A8NW (S)	494	-	274046 195820
549	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1935	A14NW (E)	580	-	274877 196542
550	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1940	A7NE (SW)	631	-	273755 195875

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
551	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1940	A8NW (SW)	651	-	273934 195701
552	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1940	A8SW (S)	684	-	274091 195606
553	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1900	A8SW (S)	701	-	274117 195584
554	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1900	A8SE (S)	723	-	274315 195552
555	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1884	A7NE (SW)	744	-	273761 195708
556	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1940	A7SE (SW)	754	-	273860 195625
557	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1940	A8SE (S)	761	-	274385 195525
558	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1884	A19SW (NE)	769	-	274889 196876
559	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A12SW (W)	772	-	273445 196093
560	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1900	A19SW (NE)	773	-	274851 196922
561	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1900	A19SE (NE)	801	-	274959 196844
562	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A7NW (SW)	835	-	273429 195970
563	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1940	A7SE (SW)	857	-	273685 195625
564	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1938	A7SE (SW)	863	-	273757 195562
565	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A17NE (NW)	877	-	273715 197149
566	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1884	A12NW (W)	893	-	273278 196358
567	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1884	A19NW (NE)	897	-	274741 197184
568	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1884	A7NW (SW)	901	-	273384 195917
569	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1940	A17NE (NW)	903	-	273742 197200
570	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1884	A7NW (SW)	911	-	273543 195692
571	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1884	A18NW (N)	914	-	273998 197326

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
572	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1884	A17NE (NW)	947	-	273638 197178
573	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1940	A17NE (NW)	974	-	273620 197198
574	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1884	A7SW (SW)	986	-	273555 195570
575	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A17NE (NW)	1000	-	273669 197267
576	Registered Landfill Sites Licence Holder: Neath Waste Management Company Ltd Licence Reference: NBWD 1 Site Location: Giant'S Grave, Briton Ferry, Neath, West Glamorgan Licence Easting: 273500 Licence Northing: 195800 Operator Location: Giant's Grave Road, Briton Ferry, NEATH, West Glamorgan, SA11 2LN Authority: Environment Agency Wales, South West Area Site Category: Landfill Max Input Rate: Medium (Equal to or greater than 25,000 and less than 75,000 tonnes per year) Waste Source: No known restriction on source of waste Restrictions: Status: Operational as far as is knownOperational Dated: 1st April 1993 Preceded By 1 Licence: Superseded By Not Given Licence: Positional Accuracy: Manually positioned to the address or location Boundary Accuracy: Not Applicable Authorised Waste: Household + Commercial Waste Industrial Wastes Road Gulley Emptyings Road Sweepings Waste Prohibited Waste: Percussive/Explosive/Similar Waste Radioactive Wastes Special Wastes Uk Listed Substances In 76/484/Ec Waste In Highly Flam.Waste Regs '72	A7NW (SW)	871	3	273500 195800
577	Registered Waste Transfer Sites Licence Holder: Glan-Y-Mor Nhs Trust Licence Reference: NBWD 3 Site Location: Neath General Hospital, Pant Yr Heol, NEATH, West Glamorgan, SA11 2LQ Operator Location: 21 Orchard Street, SWANSEA, West Glamorgan, SA1 5AQ Authority: Environment Agency Wales, South West Area Site Category: Transfer Max Input Rate: Very Small (Less than 10,000 tonnes per year) Waste Source: Waste produced/controlled by licence holder Restrictions: Licence Status: Operational as far as is knownOperational Dated: 24th September 1996 Preceded By NBWD 3 Licence: Superseded By Not Given Licence: Positional Accuracy: Manually positioned to the road within the address or location Boundary Quality: Not Supplied Authorised Waste: Clinical Waste Max.Stor Food Waste Max.Stor Household Waste Max.Stor Pharmaceuticals Max.Stor Prohibited Waste: Highly Flam./Lpg Regs'72 Subs Percussive/Explosive/Similar Waste Special Wastes (As In '96 Regs) N.O.S Sub'S Control. Radioactive Subs Act'60 Waste N.O.S.	A8SE (S)	750	3	274450 195550

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
577	Registered Waste Transfer Sites Licence Holder: West Glamorgan Health Authority Licence Reference: NBWD 3 Site Location: Neath General Hospital, Pant Yr Heol, NEATH, West Glamorgan, SA11 2LQ Operator Location: 36 Orchard Street, SWANSEA, West Glamorgan, SA1 5AQ Authority: Environment Agency Wales, South West Area Site Category: Transfer Max Input Rate: Very Small (Less than 10,000 tonnes per year) Waste Source: No known restriction on source of waste Restrictions: Licence Status: Record supersededSuperseded Dated: 8th July 1994 Preceded By: 12/88 Licence: Superseded By: NBWD 3 Licence: Positional Accuracy: Manually positioned to the road within the address or location Boundary Quality: Not Supplied Authorised Waste: Clinical Wastes Food Waste Gen.Hosp'Waste/Bottle/Aerosol Max.Stor Pharmaceuticals Radioactive Cont.Glassware/Syringe/Etc Sharps Prohibited Waste: Highly Flam./Lpg Regs'72 Subs Percussive/Explosive/Similar Waste Special Wastes N.O.S. Sub'S Control. Radioactive Subs Act'60 Waste N.O.S.	A8SE (S)	750	3	274450 195550
578	Registered Waste Treatment or Disposal Sites Licence Holder: Fordpad Ltd Licence Reference: NBSC 1 Site Location: Foundry Works, D C Griffiths Way, NEATH, West Glamorgan, SA11 1AU Operator Location: Abernant House, Altygraban Road, Pontarddulais, SWANSEA, West Glamorgan, SA4 1DS Authority: Environment Agency Wales, South West Area Site Category: Scrapyard Max Input Rate: Very Small (Less than 10,000 tonnes per year) Waste Source: No known restriction on source of waste Restrictions: Licence Status: Operational as far as is knownOperational Dated: 19th December 1991 Preceded By: Not Given Licence: Superseded By: Not Given Licence: Positional Accuracy: Manually positioned to the address or location Boundary Quality: Not Supplied Authorised Waste: Batteries Max.Stor Electrical Scrap Max.Stor Ferrous Metal Scrap Max.Stor Non-Ferrous Metal Scrap Max.Stor Prohibited Waste: Elemental Sodium/Potassium Metal In Fine Powder Form Percussive/Explosive/Similar Waste Special Wastes N.O.S. Sub'S Control. Radioactive Subs Act'60 Waste Cont. Flam.Solvent (Exc.Petrol) Waste N.O.S.	A14NW (NE)	526	3	274780 196620

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
579	Registered Waste Treatment or Disposal Sites Licence Holder: West Glamorgan Area Health Authority Licence Reference: 12/88 Site Location: Adj Outpatient Dept, Main Hospital Site, Neath, West Glamorgan Operator Location: 36 Orchard Street, SWANSEA, West Glamorgan, SA1 5AQ Authority: Environment Agency Wales, South West Area Site Category: Incineration Max Input Rate: Undefined Waste Source: No known restriction on source of waste Restrictions: Licence Status: Record supersededSuperseded Dated: 1st June 1988 Preceded By: Not Given Licence: Superseded By: NBWD 3 Licence: Positional Accuracy: Manually positioned to the road within the address or location Boundary Quality: Not Supplied Authorised Waste: Hospital Wastes Pathology Wastes Suitable For Inc'N Sharps (Med./Surg./Vet) Soiled Surgical Dress./Swaps/Cont.Wast Solid Medicines & Injectables Prohibited Waste: Broken Thermometers Contain. Mercury Pharmaceutical Aerosols	A8SE (S)	750	3	274450 195550

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
580	Control of Major Accident Hazards Sites (COMAH) Name: Transco Plc Location: Neath Gas Works, Milland Road, NEATH, Mid Glamorgan, SA11 1NJ Reference: Not Supplied Type: Lower Tier Status: Record Ceased To Be Supplied Under COMAH Regulations Positional Accuracy: Manually positioned to the address or location	A19NW (NE)	771	6	274692 197064
581	Control of Major Accident Hazards Sites (COMAH) Name: Sandvik Osprey Limited Location: Neath, Red Jacket Works, Milland Road, Neath, West Glamorgan, Sa11 1NJ Reference: Not Supplied Type: Lower Tier Status: Active Positional Accuracy: Manually positioned to the address or location	A19SW (NE)	805	6	274804 197012
582	Notification of Installations Handling Hazardous Substances (NIHHS) Name: Transco Location: Neath Gas Works, Milland Road, Neath, Mid Glamorgan, Sa11 1NJ Status: Not Active Positional Accuracy: Manually positioned to the address or location	A19SW (NE)	695	6	274632 197014

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: South Wales Upper Coal Measures Formation	A13SW (S)	0	1	274248 196357
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 25 - 35 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A13SW (S)	0	1	274248 196357
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 25 - 35 mg/kg Cadmium Concentration: 2.2 - 3.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A13NW (N)	57	1	274248 196500
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 45 - 60 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A13SE (SE)	158	1	274420 196204
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 25 - 35 mg/kg Cadmium Concentration: 1.8 - 2.2 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A13NE (NE)	228	1	274500 196500
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 35 - 45 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A8NE (S)	277	1	274297 196000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 25 - 35 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A14NW (E)	379	1	274703 196414

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 25 - 35 mg/kg Concentration: Cadmium: 1.8 - 2.2 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel: 30 - 45 mg/kg Concentration:	A14NW (E)	498	1	274804 196500
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 45 - 60 mg/kg Concentration: Cadmium: 1.8 - 2.2 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A14NW (E)	525	1	274827 196520
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 15 - 25 mg/kg Concentration: Cadmium: 1.8 - 2.2 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A14NW (E)	526	1	274827 196520
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 25 - 35 mg/kg Concentration: Cadmium: 3.0 - 6.0 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A18SW (N)	557	1	274248 197000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 45 - 60 mg/kg Concentration: Cadmium: <1.8 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A9NW (SE)	586	1	274797 195994
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 25 - 35 mg/kg Concentration: Cadmium: 2.2 - 3.0 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A18SE (N)	617	1	274500 197000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 25 - 35 mg/kg Concentration: Cadmium: <1.8 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel: 30 - 45 mg/kg Concentration:	A9NE (SE)	786	1	274950 195865
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 25 - 35 mg/kg Concentration: Cadmium: <1.8 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel: 30 - 45 mg/kg Concentration:	A9NE (SE)	864	1	275101 195957
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 35 - 45 mg/kg Concentration: Cadmium: <1.8 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A8SE (S)	868	1	274479 195436
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 35 - 45 mg/kg Concentration: Cadmium: <1.8 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel: 30 - 45 mg/kg Concentration:	A8SW (S)	907	1	274248 195365
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 15 - 25 mg/kg Concentration: Cadmium: 3.0 - 6.0 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A18NE (N)	912	1	274274 197354
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 35 - 45 mg/kg Concentration: Cadmium: <1.8 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A9NE (SE)	928	1	275135 195887

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 35 - 45 mg/kg Concentration: Cadmium <1.8 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 30 - 45 mg/kg Concentration:	A8SE (S)	933	1	274403 195352
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 15 - 25 mg/kg Concentration: Cadmium 2.2 - 3.0 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	A19SE (NE)	981	1	275063 197000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 35 - 45 mg/kg Concentration: Cadmium 3.0 - 6.0 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 30 - 45 mg/kg Concentration:	A17SW (NW)	984	1	273366 196921
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 35 - 45 mg/kg Concentration: Cadmium 3.0 - 6.0 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	A17SW (NW)	985	1	273351 196902
583	BGS Recorded Mineral Sites Site Name: Pont Y Lady Clay Pit Location: Neath, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154126 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Quaternary Geology: Tidal Flat Deposits Commodity: Common Clay and Shale Positional Accuracy: Located by supplier to within 10m	A13NW (W)	0	1	274216 196367
584	BGS Recorded Mineral Sites Site Name: Eagle Tin Plate Works Clay Pit Location: Neath, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154109 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Quaternary Geology: Tidal Flat Deposits Commodity: Common Clay and Shale Positional Accuracy: Located by supplier to within 10m	A13SE (E)	86	1	274416 196352

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
585	BGS Recorded Mineral Sites Site Name: Eagle Tin Plate Works Clay Pit Location: Neath, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154108 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Quaternary Geology: Tidal Flat Deposits Commodity: Common Clay and Shale Positional Accuracy: Located by supplier to within 10m	A13NE (NE)	192	1	274419 196535
586	BGS Recorded Mineral Sites Site Name: Park Terrace Location: Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154428 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Hughes Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A13SE (SE)	326	1	274471 196036
587	BGS Recorded Mineral Sites Site Name: Pen-Rhiw-Tyn Location: Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154429 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Hughes Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A8NE (SE)	487	1	274562 195901
588	BGS Recorded Mineral Sites Site Name: Eaglesbush House Location: Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154427 Type: Underground Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Hughes Member Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A14SW (E)	523	1	274807 196133
589	BGS Recorded Mineral Sites Site Name: Eaglesbush House Location: Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154445 Type: Underground Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Hughes Member Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A14SW (E)	535	1	274847 196211
590	BGS Recorded Mineral Sites Site Name: Eaglesbush Grove Location: Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154426 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Hughes Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A14SE (E)	785	1	275095 196171

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
591	BGS Recorded Mineral Sites Site Name: Garth-Mor Location: Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154446 Type: Underground Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Hughes Member Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A9SW (SE)	869	1	274696 195529
592	BGS Recorded Mineral Sites Site Name: Mount Pleasant Location: Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154442 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Hughes Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A14NE (E)	874	1	275175 195572
593	BGS Recorded Mineral Sites Site Name: Eaglebush Cottage Location: Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154444 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Hughes Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A9NE (SE)	896	1	275021 195778
	BGS Measured Urban Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Grid: 274150, 196140 Soil Sample Type: Topsoil Sample Area: Swansea Arsenic Measured 25.80 mg/kg Concentration: Cadmium Measured 0.90 mg/kg Concentration: Chromium Measured 77.50 mg/kg Concentration: Lead Measured 146.60 mg/kg Concentration: Nickel Measured 51.70 mg/kg Concentration:	A13SW (SW)	164	1	274150 196140
	BGS Measured Urban Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Grid: 274330, 196660 Soil Sample Type: Topsoil Sample Area: Swansea Arsenic Measured 33.00 mg/kg Concentration: Cadmium Measured 1.50 mg/kg Concentration: Chromium Measured 115.70 mg/kg Concentration: Lead Measured 157.40 mg/kg Concentration: Nickel Measured 64.20 mg/kg Concentration:	A13NE (N)	237	1	274330 196660

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Measured Urban Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Grid: 274750, 196240 Soil Sample Type: Topsoil Sample Area: Swansea Arsenic Measured 73.90 mg/kg Concentration: Cadmium Measured 1.20 mg/kg Concentration: Chromium Measured 57.40 mg/kg Concentration: Lead Measured 188.00 mg/kg Concentration: Nickel Measured 33.20 mg/kg Concentration:	A14SW (E)	434	1	274750 196240
	BGS Measured Urban Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Grid: 273750, 196240 Soil Sample Type: Topsoil Sample Area: Swansea Arsenic Measured 165.50 mg/kg Concentration: Cadmium Measured 0.80 mg/kg Concentration: Chromium Measured 89.50 mg/kg Concentration: Lead Measured 280.50 mg/kg Concentration: Nickel Measured 71.50 mg/kg Concentration:	A12SE (W)	436	1	273750 196240
	BGS Measured Urban Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Grid: 273710, 196580 Soil Sample Type: Topsoil Sample Area: Swansea Arsenic Measured 95.80 mg/kg Concentration: Cadmium Measured 0.70 mg/kg Concentration: Chromium Measured 96.80 mg/kg Concentration: Lead Measured 277.90 mg/kg Concentration: Nickel Measured 75.20 mg/kg Concentration:	A12NE (W)	512	1	273710 196580
	BGS Measured Urban Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Grid: 274250, 195740 Soil Sample Type: Topsoil Sample Area: Swansea Arsenic Measured 84.60 mg/kg Concentration: Cadmium Measured 2.00 mg/kg Concentration: Chromium Measured 87.50 mg/kg Concentration: Lead Measured 784.20 mg/kg Concentration: Nickel Measured 115.50 mg/kg Concentration:	A8NW (S)	532	1	274250 195740
	BGS Measured Urban Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Grid: 274710, 196750 Soil Sample Type: Topsoil Sample Area: Swansea Arsenic Measured 214.40 mg/kg Concentration: Cadmium Measured 1.10 mg/kg Concentration: Chromium Measured 50.50 mg/kg Concentration: Lead Measured 180.40 mg/kg Concentration: Nickel Measured 26.70 mg/kg Concentration:	A19SW (NE)	552	1	274710 196750

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Measured Urban Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Grid: 273760, 195770 Soil Sample Type: Topsoil Sample Area: Swansea Arsenic Measured 43.80 mg/kg Concentration: Cadmium Measured 5.10 mg/kg Concentration: Chromium Measured 60.00 mg/kg Concentration: Lead Measured 93.60 mg/kg Concentration: Nickel Measured 71.60 mg/kg Concentration:	A7NE (SW)	699	1	273760 195770
	BGS Measured Urban Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Grid: 274760, 195770 Soil Sample Type: Topsoil Sample Area: Swansea Arsenic Measured 34.50 mg/kg Concentration: Cadmium Measured 0.70 mg/kg Concentration: Chromium Measured 56.40 mg/kg Concentration: Lead Measured 99.70 mg/kg Concentration: Nickel Measured 28.00 mg/kg Concentration:	A9NW (SE)	717	1	274760 195770
	BGS Measured Urban Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Grid: 274250, 197230 Soil Sample Type: Topsoil Sample Area: Swansea Arsenic Measured 56.80 mg/kg Concentration: Cadmium Measured 1.80 mg/kg Concentration: Chromium Measured 47.70 mg/kg Concentration: Lead Measured 135.40 mg/kg Concentration: Nickel Measured 324.20 mg/kg Concentration:	A18NW (N)	787	1	274250 197230
	BGS Measured Urban Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Grid: 273260, 196250 Soil Sample Type: Topsoil Sample Area: Swansea Arsenic Measured 41.60 mg/kg Concentration: Cadmium Measured 1.80 mg/kg Concentration: Chromium Measured 113.50 mg/kg Concentration: Lead Measured 220.60 mg/kg Concentration: Nickel Measured 73.60 mg/kg Concentration:	A12SW (W)	917	1	273260 196250
	BGS Measured Urban Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Grid: 275250, 196250 Soil Sample Type: Topsoil Sample Area: Swansea Arsenic Measured 60.20 mg/kg Concentration: Cadmium Measured 1.90 mg/kg Concentration: Chromium Measured 65.30 mg/kg Concentration: Lead Measured 188.70 mg/kg Concentration: Nickel Measured 36.40 mg/kg Concentration:	A14SE (E)	925	1	275250 196250

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Measured Urban Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Grid: 273760, 197240 Soil Sample Type: Topsoil Sample Area: Swansea Arsenic Measured 109.10 mg/kg Concentration: Cadmium Measured 3.00 mg/kg Concentration: Chromium Measured 71.00 mg/kg Concentration: Lead Measured 510.30 mg/kg Concentration: Nickel Measured 60.80 mg/kg Concentration:	A17NE (NW)	928	1	273760 197240
	BGS Measured Urban Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Grid: 274750, 197240 Soil Sample Type: Topsoil Sample Area: Swansea Arsenic Measured 67.80 mg/kg Concentration: Cadmium Measured 3.30 mg/kg Concentration: Chromium Measured 155.60 mg/kg Concentration: Lead Measured 377.50 mg/kg Concentration: Nickel Measured 199.60 mg/kg Concentration:	A19NW (NE)	949	1	274750 197240
	BGS Urban Soil Chemistry Averages Source: British Geological Survey, National Geoscience Information Service Sample Area: Swansea Count Id: 368 Arsenic Minimum 8.00 mg/kg Concentration: Arsenic Average 79.00 mg/kg Concentration: Arsenic Maximum 2161.00 mg/kg Concentration: Cadmium Minimum 0.10 mg/kg Concentration: Cadmium Average 2.90 mg/kg Concentration: Cadmium Maximum 61.90 mg/kg Concentration: Chromium Minimum 13.00 mg/kg Concentration: Chromium Average 72.00 mg/kg Concentration: Chromium Maximum 562.00 mg/kg Concentration: Lead Minimum 23.00 mg/kg Concentration: Lead Average 413.00 mg/kg Concentration: Lead Maximum 10000.00 mg/kg Concentration: Nickel Minimum 8.00 mg/kg Concentration: Nickel Average 52.00 mg/kg Concentration: Nickel Maximum 384.00 mg/kg Concentration:	A13SW (S)	0	1	274248 196357
	Coal Mining Affected Areas Description: In an area which may be affected by coal mining activity. It is recommended that a coal mining report is obtained from the Coal Authority. Contact details are included in the Useful Contacts section of this report.	A13SW (S)	0	7	274248 196357
	Mining Instability Mining Evidence: Inconclusive Coal Mining Source: Ove Arup & Partners Boundary Quality: As Supplied	A13SW (S)	0	-	274248 196357
	Non Coal Mining Areas of Great Britain No Hazard				
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13SW (S)	0	1	274248 196357

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A13SE (SE)	159	1	274386 196185
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13SW (S)	0	1	274248 196357
	Potential for Compressible Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	A13NW (NW)	2	1	274207 196393
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13SE (SE)	138	1	274431 196253
	Potential for Compressible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A13NE (NE)	155	1	274386 196514
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13SE (SE)	159	1	274386 196185
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13SW (S)	0	1	274248 196357
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A13SW (S)	0	1	274248 196357
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13SW (S)	0	1	274248 196357
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	A13NW (NW)	2	1	274207 196393
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13SE (SE)	138	1	274431 196253
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A13NE (NE)	155	1	274386 196514
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13SE (SE)	159	1	274386 196185
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A13SW (S)	0	1	274248 196357
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13SE (SE)	159	1	274386 196185
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Higher probability radon area (10 to 30% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	A13SW (S)	0	1	274248 196357
	Radon Potential - Radon Protection Measures Protection Measure: Full radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	A13SW (S)	0	1	274248 196357

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
594	Contemporary Trade Directory Entries Name: Crown Food Uk Location: Milland Road Industrial Estate, Neath, West Glamorgan, SA11 1NJ Classification: Can Manufacturers Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (E)	18	-	274339 196331
595	Contemporary Trade Directory Entries Name: J F Coals Location: 8, Herbert Road, Neath, West Glamorgan, SA11 2DN Classification: Coal & Smokeless Fuel Merchants & Distributors Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (E)	206	-	274513 196253
596	Contemporary Trade Directory Entries Name: Mile End Service Station Location: Mile End Row, NEATH, West Glamorgan, SA11 2ED Classification: Petrol Filling Stations - 24 Hour Status: Inactive Positional Accuracy: Manually positioned to the address or location	A14NW (E)	268	-	274596 196381
596	Contemporary Trade Directory Entries Name: Esso Location: Mile End Row, Neath, SA11 2ED Classification: Petrol Filling Stations Status: Active Positional Accuracy: Automatically positioned to the address	A14NW (E)	279	-	274606 196391
596	Contemporary Trade Directory Entries Name: Mile End Service Station Location: Neath, West Glamorgan, Sa11 2ed Classification: Petrol Filling Stations Status: Inactive Positional Accuracy: Manually positioned to the address or location	A14NW (E)	279	-	274606 196391
597	Contemporary Trade Directory Entries Name: Crynant Plant & Transport Ltd Location: Eaglebush Works, Milland Road Industrial Estate, Neath, West Glamorgan, SA11 1NJ Classification: Road Haulage Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A13NE (NE)	317	-	274568 196558
598	Contemporary Trade Directory Entries Name: Milland Tyre & Auto Location: Unit 18, Milland Road Industrial Estate, Neath, West Glamorgan, SA11 1NJ Classification: Exhaust & Shock Absorber Centres Status: Inactive Positional Accuracy: Automatically positioned to the address	A13NE (NE)	370	-	274560 196644
598	Contemporary Trade Directory Entries Name: Precision Sealing Ltd Location: Unit 19, Milland Road Industrial Estate, Neath, West Glamorgan, SA11 1NJ Classification: Pumps - Sales, Servicing & Repairs Status: Inactive Positional Accuracy: Automatically positioned to the address	A13NE (NE)	370	-	274560 196644
598	Contemporary Trade Directory Entries Name: South Wales Transport Location: Unit 19, Milland Road Industrial Estate, Neath, SA11 1NJ Classification: Bus & Coach Operators & Stations Status: Inactive Positional Accuracy: Automatically positioned to the address	A13NE (NE)	370	-	274560 196644
598	Contemporary Trade Directory Entries Name: Adapt Location: UNIT 17, MILLAND ROAD INDUSTRIAL ESTATE, NEATH, SA11 1NJ Classification: Kitchen Furniture Manufacturers Status: Active Positional Accuracy: Automatically positioned to the address	A14NW (NE)	408	-	274608 196648
599	Contemporary Trade Directory Entries Name: Equilibrium Chemical Services Ltd Location: 16 Milland Rd Ind Est, Neath, West Glamorgan, SA11 1NJ Classification: Chemical Manufacturers Status: Inactive Positional Accuracy: Manually positioned to the address or location	A14NW (NE)	415	-	274614 196652

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
599	Contemporary Trade Directory Entries Name: Acorn Chemical Services Location: Unit 16, Milland Road Industrial Estate, Neath, West Glamorgan, SA11 1NJ Classification: Chemical Engineers Status: Inactive Positional Accuracy: Automatically positioned to the address	A14NW (NE)	416	-	274615 196653
599	Contemporary Trade Directory Entries Name: Acorn Chemical Services Ltd Location: Unit 16, Milland Road Industrial Estate, Neath, West Glamorgan, SA11 1NJ Classification: Chemical Manufacturers Status: Inactive Positional Accuracy: Automatically positioned to the address	A14NW (NE)	416	-	274615 196652
599	Contemporary Trade Directory Entries Name: Acorn Chemical Services Location: Unit 16, Milland Road Industrial Estate, Neath, West Glamorgan, SA11 1NJ Classification: Chemical Manufacturers Status: Inactive Positional Accuracy: Automatically positioned to the address	A14NW (NE)	416	-	274615 196653
599	Contemporary Trade Directory Entries Name: C I S Contract Packaging Ltd Location: Unit 17, Milland Road Industrial Estate, Neath, West Glamorgan, SA11 1NJ Classification: Packaging Materials Manufacturers & Suppliers Status: Inactive Positional Accuracy: Automatically positioned to the address	A14NW (NE)	416	-	274615 196653
599	Contemporary Trade Directory Entries Name: Lase Ltd Location: Unit 15, Milland Road Industrial Estate, Neath, West Glamorgan, SA11 1NJ Classification: Coating Specialists Status: Inactive Positional Accuracy: Automatically positioned to the address	A14NW (NE)	449	-	274632 196683
599	Contemporary Trade Directory Entries Name: L Pugh & Son Location: 15, Milland Road Industrial Estate, Neath, West Glamorgan, SA11 1NJ Classification: Printers Status: Inactive Positional Accuracy: Automatically positioned to the address	A14NW (NE)	449	-	274632 196683
599	Contemporary Trade Directory Entries Name: Equipment Supply Services Location: Unit 15, Milland Road Industrial Estate, Neath, West Glamorgan, SA11 1NJ Classification: Agricultural Machinery - Sales & Service Status: Inactive Positional Accuracy: Automatically positioned to the address	A14NW (NE)	449	-	274632 196683
600	Contemporary Trade Directory Entries Name: Forward Freight Location: 11, Milland Road Industrial Estate, Neath, West Glamorgan, SA11 1NJ Classification: Road Haulage Services Status: Inactive Positional Accuracy: Manually positioned to the address or location	A18SE (NE)	453	-	274574 196746
601	Contemporary Trade Directory Entries Name: Formagrand Ltd Location: Unit 10, Milland Road Industrial Estate, Neath, SA11 1NJ Classification: Precision Engineers Status: Active Positional Accuracy: Automatically positioned to the address	A18SE (NE)	502	-	274574 196814
601	Contemporary Trade Directory Entries Name: Bodycote Location: Unit 10, Milland Road Industrial Estate, Neath, West Glamorgan, SA11 1NJ Classification: Precision Engineers Status: Inactive Positional Accuracy: Automatically positioned to the address	A18SE (NE)	502	-	274574 196814
602	Contemporary Trade Directory Entries Name: Fordpad Ltd Location: Foundry Works, Dc Griffiths Way, Neath, SA11 1AU Classification: Scrap Metal Merchants Status: Active Positional Accuracy: Automatically positioned to the address	A14NW (NE)	527	-	274779 196624
603	Contemporary Trade Directory Entries Name: Fox Transport Services Location: Milland Rd Ind Est, Neath, West Glamorgan, SA11 1NJ Classification: Road Haulage Services Status: Inactive Positional Accuracy: Manually positioned within the geographical locality	A19SW (NE)	532	-	274650 196784

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
603	Contemporary Trade Directory Entries Name: Menter Location: Unit 13, Milland Road Industrial Estate, Neath, West Glamorgan, SA11 1NJ Classification: Printers Status: Active Positional Accuracy: Automatically positioned to the address	A19SW (NE)	537	-	274686 196754
603	Contemporary Trade Directory Entries Name: Neat Wholesale Location: UNIT 13, MILLAND ROAD INDUSTRIAL ESTATE, NEATH, SA11 1NJ Classification: Food Products - Manufacturers Status: Active Positional Accuracy: Automatically positioned to the address	A19SW (NE)	537	-	274686 196754
604	Contemporary Trade Directory Entries Name: National Logistics Location: 11, GLYN GARFIELD CLOSE, PENRHIWTYN, SA11 2JR Classification: Freight Forwarders Status: Active Positional Accuracy: Automatically positioned to the address	A8NE (S)	535	-	274465 195784
604	Contemporary Trade Directory Entries Name: Neath General Hospital Location: Penrhiwtyn, Neath, West Glamorgan, SA11 2LQ Classification: Hospitals Status: Inactive Positional Accuracy: Automatically positioned to the address	A8NE (S)	555	-	274445 195754
605	Contemporary Trade Directory Entries Name: F & T Refrigeration Ltd Location: Dc Griffiths Way, Neath, West Glamorgan, SA11 1BT Classification: Refrigeration Equipment - Commercial Status: Inactive Positional Accuracy: Automatically positioned to the address	A14NW (NE)	571	-	274783 196695
605	Contemporary Trade Directory Entries Name: F & T Refrigeration Ltd Location: Dc Griffiths Way, Neath, West Glamorgan, SA11 1BT Classification: Refrigeration Equipment - Commercial Status: Active Positional Accuracy: Automatically positioned to the address	A14NW (NE)	571	-	274783 196695
606	Contemporary Trade Directory Entries Name: Buildbase Ltd Location: Milland Road, Neath, West Glamorgan, SA11 1NJ Classification: Builders' Merchants Status: Inactive Positional Accuracy: Manually positioned within the geographical locality	A19SW (NE)	579	-	274681 196819
606	Contemporary Trade Directory Entries Name: Book Print (2000) Ltd Location: Unit 8, Milland Road Industrial Estate, Neath, West Glamorgan, SA11 1NJ Classification: Bookbinding & Equipment Status: Inactive Positional Accuracy: Automatically positioned to the address	A19SW (NE)	579	-	274681 196819
606	Contemporary Trade Directory Entries Name: Express Transport Ltd Location: Unit 8, Milland Road Industrial Estate, Neath, West Glamorgan, SA11 1NJ Classification: Road Haulage Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A19SW (NE)	579	-	274681 196819
606	Contemporary Trade Directory Entries Name: Ultra Glass Wales Location: Unit 5, Milland Road Industrial Estate, Neath, West Glamorgan, SA11 1NJ Classification: Window Frame Manufacturers Status: Inactive Positional Accuracy: Automatically positioned to the address	A19SW (NE)	589	-	274714 196800
606	Contemporary Trade Directory Entries Name: City Centre Plastics Location: Unit 5, Milland Rd Ind Est, Neath, West Glamorgan, SA11 1NJ Classification: PVC-U Products - Manufacturers & Suppliers Status: Inactive Positional Accuracy: Manually positioned to the address or location	A19SW (NE)	589	-	274714 196800
607	Contemporary Trade Directory Entries Name: Genie'S Cleaners Location: Meadow Road, Neath, West Glamorgan, SA11 2AB Classification: Cleaning Services - Domestic Status: Inactive Positional Accuracy: Manually positioned within the geographical locality	A14SW (E)	581	-	274902 196244

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
608	Contemporary Trade Directory Entries Name: Pressure Washer Services Location: Unit 1, Milland Road Industrial Estate, Neath, West Glamorgan, SA11 1NJ Classification: Cleaning Materials & Equipment Status: Inactive Positional Accuracy: Automatically positioned to the address	A18SE (NE)	584	-	274574 196919
608	Contemporary Trade Directory Entries Name: The Safety Letter Box Company Ltd Location: Unit 1b, Milland Road Industrial Estate, Neath, West Glamorgan, SA11 1NJ Classification: Aluminium Fabricators Status: Active Positional Accuracy: Automatically positioned to the address	A18SE (NE)	615	-	274586 196948
609	Contemporary Trade Directory Entries Name: Robinson Webster Production Ltd Location: Unit 9, Milland Road Industrial Estate, Neath, West Glamorgan, SA11 1NJ Classification: Clothing & Fabrics - Manufacturers Status: Inactive Positional Accuracy: Automatically positioned to the address	A19SW (NE)	606	-	274642 196891
610	Contemporary Trade Directory Entries Name: Tarmac Location: Briton Ferry, Neath, West Glamorgan, SA11 2HZ Classification: Sand, Gravel & Other Aggregates Status: Inactive Positional Accuracy: Manually positioned within the geographical locality	A8SE (S)	658	-	274252 195614
611	Contemporary Trade Directory Entries Name: Melanies Cleaning Service Ltd Location: 12, Exchange Road, Neath, West Glamorgan, SA11 1TD Classification: Carpet, Curtain & Upholstery Cleaners Status: Inactive Positional Accuracy: Automatically positioned to the address	A14NE (E)	664	-	274960 196559
612	Contemporary Trade Directory Entries Name: D S Smith Location: Dc Griffiths Way, Neath, SA11 1BT Classification: Boxes & Cartons Status: Inactive Positional Accuracy: Automatically positioned to the address	A19SW (NE)	664	-	274823 196793
613	Contemporary Trade Directory Entries Name: Westbury Flexographic Ltd Location: Milland Rd Ind Est, Neath, West Glamorgan, SA11 1NJ Classification: Packaging & Wrapping Equipment & Supplies Status: Inactive Positional Accuracy: Manually positioned within the geographical locality	A19SW (NE)	669	-	274685 196938
613	Contemporary Trade Directory Entries Name: T J Thomas Coaches Location: Milland Road Industrial Estate, Neath, SA11 1NJ Classification: Bus & Coach Operators & Stations Status: Inactive Positional Accuracy: Automatically positioned to the address	A19SW (NE)	711	-	274705 196977
613	Contemporary Trade Directory Entries Name: D J Thomas Coaches Location: MILLAND ROAD INDUSTRIAL ESTATE, NEATH, SA11 1NJ Classification: Bus & Coach Operators & Stations Status: Active Positional Accuracy: Automatically positioned to the address	A19SW (NE)	711	-	274705 196977
614	Contemporary Trade Directory Entries Name: Uk Flooring Distribution Location: Unit 4, Milland Road Industrial Estate, Neath, SA11 1NJ Classification: Distribution Services Status: Active Positional Accuracy: Automatically positioned to the address	A19SW (NE)	676	-	274746 196892
614	Contemporary Trade Directory Entries Name: Roma Flooring Location: Unit 4, Milland Road Industrial Estate, Neath, West Glamorgan, SA11 1NJ Classification: Floorcoverings - Manufacturers & Wholesalers Status: Inactive Positional Accuracy: Automatically positioned to the address	A19SW (NE)	676	-	274746 196892
615	Contemporary Trade Directory Entries Name: Hale Joinery Location: Briton Ferry Indust Est, Milland Rd, Neath, West Glamorgan, SA11 1NJ Classification: Joinery Manufacturers Status: Inactive Positional Accuracy: Manually positioned to the road within the address or location	A19SW (NE)	769	-	274764 197002

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
615	Contemporary Trade Directory Entries Name: Foundry Autos Location: Milland Road Industrial Estate, Neath, West Glamorgan, SA11 1NJ Classification: Car Body Repairs Status: Inactive Positional Accuracy: Automatically positioned to the address	A19SW (NE)	801	-	274794 197017
615	Contemporary Trade Directory Entries Name: Sandvik Osprey Ltd Location: Milland Road Industrial Estate, Neath, West Glamorgan, SA11 1NJ Classification: Manufacturers Status: Active Positional Accuracy: Automatically positioned to the address	A19SW (NE)	801	-	274794 197017
615	Contemporary Trade Directory Entries Name: Timber Builders Merchants Ltd Location: Milland Road Industrial Estate, Neath, West Glamorgan, SA11 1NJ Classification: Builders' Merchants Status: Inactive Positional Accuracy: Automatically positioned to the address	A19SW (NE)	801	-	274794 197017
615	Contemporary Trade Directory Entries Name: Trick & Aubrey Location: Milland Road Industrial Estate, Neath, West Glamorgan, SA11 1NJ Classification: Car Body Repairs Status: Inactive Positional Accuracy: Automatically positioned to the address	A19SW (NE)	801	-	274794 197017
615	Contemporary Trade Directory Entries Name: J S Jones Buildbase Ltd Location: Milland Road Industrial Estate, Neath, West Glamorgan, SA11 1NJ Classification: Builders' Merchants Status: Inactive Positional Accuracy: Automatically positioned to the address	A19SW (NE)	801	-	274794 197017
616	Contemporary Trade Directory Entries Name: A S W Scaffolding Location: 27, New Henry Street, Neath, West Glamorgan, SA11 1PH Classification: Scaffolding & Work Platforms Status: Inactive Positional Accuracy: Automatically positioned to the address	A19SE (NE)	821	-	274933 196905
616	Contemporary Trade Directory Entries Name: Neath Office Cleaning Location: 27, New Henry Street, Neath, West Glamorgan, SA11 1PH Classification: Commercial Cleaning Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A19SE (NE)	821	-	274933 196905
616	Contemporary Trade Directory Entries Name: South Wales Office Cleaning Location: 27, New Henry Street, Neath, West Glamorgan, SA11 1PH Classification: Commercial Cleaning Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A19SE (NE)	821	-	274933 196905
616	Contemporary Trade Directory Entries Name: Cardiff Office Cleaning Location: 27, New Henry Street, Neath, West Glamorgan, SA11 1PH Classification: Commercial Cleaning Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A19SE (NE)	821	-	274933 196905
616	Contemporary Trade Directory Entries Name: Newport Cleaning Co Location: 27, New Henry Street, Neath, West Glamorgan, SA11 1PH Classification: Commercial Cleaning Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A19SE (NE)	821	-	274933 196905
616	Contemporary Trade Directory Entries Name: Bridgend Office Cleaning Location: 27, New Henry Street, Neath, West Glamorgan, SA11 1PH Classification: Commercial Cleaning Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A19SE (NE)	821	-	274933 196905
617	Contemporary Trade Directory Entries Name: First Choice Princess Blinds Location: 45a, Pendrill Street, Neath, SA11 1BW Classification: Blinds, Awnings & Canopies Status: Active Positional Accuracy: Automatically positioned to the address	A19SW (NE)	856	-	274908 196984

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
617	Contemporary Trade Directory Entries Name: Alison Peter Cleaning Service Location: 40, Pendrill Street, Neath, West Glamorgan, SA11 1BP Classification: Cleaning Services - Domestic Status: Inactive Positional Accuracy: Automatically positioned to the address	A19SE (NE)	879	-	274935 196989
617	Contemporary Trade Directory Entries Name: Alice & Peter Cleaning Services Location: 40, Pendrill Street, Neath, West Glamorgan, SA11 1BP Classification: Cleaning Services - Domestic Status: Inactive Positional Accuracy: Automatically positioned to the address	A19SE (NE)	879	-	274935 196989
618	Contemporary Trade Directory Entries Name: Neath Gun Shop Location: 44, Briton Ferry Road, NEATH, West Glamorgan, SA11 1AA Classification: Gunsmiths Status: Active Positional Accuracy: Automatically positioned to the address	A19SE (NE)	906	-	275111 196806
619	Contemporary Trade Directory Entries Name: Mike Saunders Motors Ltd Location: Milland Road Industrial Estate, NEATH, West Glamorgan, SA11 1NJ Classification: Car Dealers - Used Status: Inactive Positional Accuracy: Automatically positioned to the address	A19NW (NE)	949	-	274837 197176
620	Contemporary Trade Directory Entries Name: Alice Peter Location: Brookdale st, Neath, West Glamorgan, SA11 1PB Classification: Commercial Cleaning Services Status: Inactive Positional Accuracy: Manually positioned within the geographical locality	A19SE (NE)	955	-	275075 196945
620	Contemporary Trade Directory Entries Name: B Clean Location: 22, Brookdale Street, Neath, West Glamorgan, SA11 1PB Classification: Waste Disposal Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A19SE (NE)	974	-	275100 196945
621	Contemporary Trade Directory Entries Name: Razzle Dazzle Location: 8, Edwards Street, Neath, West Glamorgan, SA11 1TU Classification: Carpet, Curtain & Upholstery Cleaners Status: Inactive Positional Accuracy: Automatically positioned to the address	A19SE (E)	955	-	275206 196730
622	Contemporary Trade Directory Entries Name: A & S Tyre Services Location: Station Road, Briton Ferry, Neath, West Glamorgan, SA11 2SU Classification: Tyre Repairs & Retreading Status: Active Positional Accuracy: Manually positioned to the address or location	A3NW (S)	957	-	274229 195315
622	Contemporary Trade Directory Entries Name: Longlife Swansea Location: Station Road, Station Yard, Briton Ferry, Neath, West Glamorgan, SA11 2SU Classification: Exhaust & Shock Absorber Centres Status: Active Positional Accuracy: Manually positioned within the geographical locality	A3NW (S)	957	-	274229 195315
622	Contemporary Trade Directory Entries Name: West Coastal White Line Co Ltd Location: Station Road, Briton Ferry, Neath, West Glamorgan, SA11 2SU Classification: Road Marking & Surfacing Equipment & Material Manufacturers Status: Inactive Positional Accuracy: Automatically positioned to the address	A3NW (S)	967	-	274226 195305
622	Contemporary Trade Directory Entries Name: A & S Tyre Services Location: Station Road, Briton Ferry, Neath, West Glamorgan, SA11 2SU Classification: Tyre Dealers Status: Inactive Positional Accuracy: Automatically positioned to the address	A3NW (S)	967	-	274226 195305

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
622	Contemporary Trade Directory Entries Name: A & S Tyres Ltd Location: Unit 1-5 Station Yard, Station Road, Briton Ferry, Neath, West Glamorgan, SA11 2SU Classification: Garage Services Status: Inactive Positional Accuracy: Manually positioned within the geographical locality	A3NW (S)	997	-	274234 195275
623	Contemporary Trade Directory Entries Name: Morgans M O T Centre Location: Neath, SA11 1AE Classification: Garage Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A19SE (NE)	975	-	275204 196781
623	Contemporary Trade Directory Entries Name: Danygraig Motors Location: 7 Quar Rd, Neath, West Glamorgan, SA11 1AE Classification: Garage Services Status: Inactive Positional Accuracy: Manually positioned to the road within the address or location	A19SE (NE)	975	-	275186 196814
623	Contemporary Trade Directory Entries Name: Pac Trade Cars Location: Flat 7, Edward Jarvis Court, Quar Road, Neath, West Glamorgan, SA11 1AE Classification: Car Dealers - Used Status: Inactive Positional Accuracy: Automatically positioned to the address	A19SE (NE)	991	-	275203 196818
624	Contemporary Trade Directory Entries Name: Monastery Motors Location: Monastery Road, Neath, SA10 7DH Classification: Garage Services Status: Active Positional Accuracy: Automatically positioned to the address	A17NE (NW)	992	-	273750 197309
625	Contemporary Trade Directory Entries Name: Radiance Blinds Location: 12, Briton Ferry Road, Neath, West Glamorgan, SA11 1AA Classification: Blinds, Awnings & Canopies Status: Active Positional Accuracy: Automatically positioned to the address	A19SE (NE)	999	-	275176 196879
626	Contemporary Trade Directory Entries Name: Classical Group Ltd Location: Cwrt Herbert House, Abbey Road Industrial Estate, Neath, West Glamorgan, SA10 7DN Classification: Joinery Manufacturers Status: Inactive Positional Accuracy: Automatically positioned to the address	A23SE (N)	1000	-	274307 197440
626	Contemporary Trade Directory Entries Name: Classical Joinery Ltd Location: Cwrt Herbert House, Abbey Road Industrial Estate, Neath, West Glamorgan, SA10 7DN Classification: Joinery Manufacturers Status: Inactive Positional Accuracy: Automatically positioned to the address	A23SE (N)	1000	-	274307 197440
627	Fuel Station Entries Name: Mile End Service Station Location: 188, Mile End Row, Melyn, Neath, Neath Port Talbot, SA11 2ED Brand: ESSO Premises Type: Petrol Station Status: Open Positional Accuracy: Manually positioned to the address or location	A14NW (E)	280	-	274607 196391
628	Points of Interest - Commercial Services Name: Mile End Service Station Location: Mile End Row, Neath, SA11 2ED Category: Personal, Consumer and other Services Class Code: Vehicle Cleaning Services Positional Accuracy: Positioned to address or location	A14NW (E)	280	8	274607 196391
628	Points of Interest - Commercial Services Name: Car Wash Location: Mile End Row, Neath, SA11 2ED Category: Personal, Consumer and other Services Class Code: Vehicle Cleaning Services Positional Accuracy: Positioned to address or location	A14NW (E)	280	8	274607 196391

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
629	Points of Interest - Commercial Services Name: Milland Tyre & Auto Location: Unit 18, Milland Road Industrial Estate, Neath, SA11 1NJ Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A13NE (NE)	370	8	274560 196644
630	Points of Interest - Commercial Services Name: Fordpad Ltd Location: Foundry Works, Dc Griffiths Way, Neath, SA11 1AU Category: Recycling Services Class Code: Scrap Metal Merchants Positional Accuracy: Positioned to address or location	A14NW (NE)	527	8	274779 196624
630	Points of Interest - Commercial Services Name: Fordpad Ltd Location: Foundry Works, D C Griffiths Way, Neath, SA11 1AU Category: Recycling Services Class Code: Scrap Metal Merchants Positional Accuracy: Positioned to address or location	A14NW (NE)	527	8	274779 196624
631	Points of Interest - Commercial Services Name: National Logistics Location: 11 Glyn Garfield Close, Penrhiwtyn, SA11 2JR Category: Transport, Storage and Delivery Class Code: Distribution and Haulage Positional Accuracy: Positioned to address or location	A8NE (S)	535	8	274465 195784
632	Points of Interest - Commercial Services Name: Express Transport Ltd Location: Unit 8, Milland Road Industrial Estate, Neath, SA11 1NJ Category: Transport, Storage and Delivery Class Code: Distribution and Haulage Positional Accuracy: Positioned to address or location	A19SW (NE)	579	8	274681 196819
632	Points of Interest - Commercial Services Name: Express Transport Ltd Location: Unit 8, Milland Road Industrial Estate, Neath, SA11 1NJ Category: Transport, Storage and Delivery Class Code: Distribution and Haulage Positional Accuracy: Positioned to address or location	A19SW (NE)	579	8	274681 196819
633	Points of Interest - Commercial Services Name: I M O Car Wash Location: 117 Pant yr Heol, Neath, SA11 2HB Category: Personal, Consumer and other Services Class Code: Vehicle Cleaning Services Positional Accuracy: Positioned to address or location	A8SE (S)	620	8	274279 195653
634	Points of Interest - Commercial Services Name: UK Flooring Distribution Location: Unit 4, Milland Road Industrial Estate, Neath, SA11 1NJ Category: Transport, Storage and Delivery Class Code: Distribution and Haulage Positional Accuracy: Positioned to address or location	A19SW (NE)	676	8	274746 196892
635	Points of Interest - Commercial Services Name: Dai-agnostics Mobile Motor Repairs Location: 8 Clos Warren, Neath, SA11 2FF Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A9NW (SE)	785	8	274834 195746
636	Points of Interest - Commercial Services Name: Foundry Autos Location: Milland Road Industrial Estate, Neath, SA11 1NJ Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A19SW (NE)	801	8	274794 197017
636	Points of Interest - Commercial Services Name: Trick & Aubrey Location: Milland Road Industrial Estate, Neath, SA11 1NJ Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A19SW (NE)	801	8	274794 197017
636	Points of Interest - Commercial Services Name: Trick & Aubrey Location: Milland Road Industrial Estate, Neath, SA11 1NJ Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A19SW (NE)	801	8	274794 197017

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
636	Points of Interest - Commercial Services Name: Foundry Autos Location: Milland Road Industrial Estate, Neath, SA11 1NJ Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A19SW (NE)	801	8	274794 197017
637	Points of Interest - Commercial Services Name: Station Sprayers Location: Station House, Station Road, Briton Ferry, Neath, SA11 2SU Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A3NE (S)	954	8	274264 195319
637	Points of Interest - Commercial Services Name: Longlife Swansea Location: Station Road, Station Yard, Briton Ferry, Neath, SA11 2SU Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A3NW (S)	974	8	274229 195298
637	Points of Interest - Commercial Services Name: A & S Tyre Services Location: Unit 6 West Coastal White Line Company, Station Road, Briton Ferry, SA11 2SU Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A3NW (S)	982	8	274231 195290
638	Points of Interest - Commercial Services Name: Danygraig Motors Location: Flat 7 Edward Jarvis Court, Quar Road, Neath, SA11 1AE Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A19SE (NE)	991	8	275203 196818
639	Points of Interest - Commercial Services Name: Monastery Motors Location: The Abbey Bungalow, Monastery Road, Neath, SA10 7DW Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A17NE (NW)	993	8	273750 197309
640	Points of Interest - Education and Health Name: Neath General Hospital Location: Penrhiwtyn, Neath, SA11 2LQ Category: Health Practitioners and Establishments Class Code: Hospitals Positional Accuracy: Positioned to address or location	A8NE (S)	555	8	274445 195754
641	Points of Interest - Manufacturing and Production Name: Works Location: Not Supplied Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A13SE (E)	16	8	274346 196350
641	Points of Interest - Manufacturing and Production Name: Works Location: SA11 Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A13SE (E)	16	8	274346 196351
642	Points of Interest - Manufacturing and Production Name: Tank Location: SA11 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A13NW (N)	66	8	274204 196501
642	Points of Interest - Manufacturing and Production Name: Tank Location: SA11 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A13NW (N)	78	8	274189 196506
643	Points of Interest - Manufacturing and Production Name: Works Location: Not Supplied Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A13NE (NE)	107	8	274318 196512

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
644	Points of Interest - Manufacturing and Production Name: Eaglesbush Works Location: Not Supplied Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A13NE (E)	263	8	274563 196469
644	Points of Interest - Manufacturing and Production Name: Eaglesbush Works Location: SA11 Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A13NE (NE)	313	8	274569 196550
644	Points of Interest - Manufacturing and Production Name: Works Location: Not Supplied Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A13NE (NE)	323	8	274578 196554
645	Points of Interest - Manufacturing and Production Name: Quarry (Disused) Location: SA11 Category: Extractive Industries Class Code: Unspecified Quarries Or Mines Positional Accuracy: Positioned to an adjacent address or location	A13SE (SE)	332	8	274470 196027
645	Points of Interest - Manufacturing and Production Name: Quarry (Disused) Location: SA11 Category: Extractive Industries Class Code: Unspecified Quarries Or Mines Positional Accuracy: Positioned to address or location	A8NE (SE)	355	8	274487 196011
646	Points of Interest - Manufacturing and Production Name: Tank Location: SA10 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A7NE (SW)	487	8	273850 195984
647	Points of Interest - Manufacturing and Production Name: Works Location: Not Supplied Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A14NW (NE)	511	8	274770 196607
647	Points of Interest - Manufacturing and Production Name: Factory Location: SA11 Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A14NW (NE)	520	8	274775 196616
648	Points of Interest - Manufacturing and Production Name: Tank Location: SA11 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A19SW (NE)	552	8	274741 196716
649	Points of Interest - Manufacturing and Production Name: Tanks Location: SA11 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A8NE (S)	611	8	274421 195687
650	Points of Interest - Manufacturing and Production Name: Milland Road Industrial Estate Location: SA11 Category: Industrial Features Class Code: Business Parks and Industrial Estates Positional Accuracy: Positioned to an adjacent address or location	A19SW (NE)	645	8	274721 196873
650	Points of Interest - Manufacturing and Production Name: Milland Road Industrial Estate Location: SA11 Category: Industrial Features Class Code: Business Parks and Industrial Estates Positional Accuracy: Positioned to an adjacent address or location	A19SW (NE)	647	8	274722 196874

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
651	Points of Interest - Manufacturing and Production Name: Factory Location: Not Supplied Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A19SW (NE)	676	8	274825 196808
651	Points of Interest - Manufacturing and Production Name: Factory Location: SA11 Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to address or location	A19SW (NE)	684	8	274832 196813
652	Points of Interest - Manufacturing and Production Name: Shaft Location: SA11 Category: Extractive Industries Class Code: Unspecified Quarries Or Mines Positional Accuracy: Positioned to an adjacent address or location	A17SE (NW)	704	8	273826 197016
653	Points of Interest - Manufacturing and Production Name: Works Location: Not Supplied Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A19SW (NE)	806	8	274807 197011
653	Points of Interest - Manufacturing and Production Name: Works Location: SA11 Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A19SW (NE)	806	8	274807 197012
654	Points of Interest - Manufacturing and Production Name: Tank Location: SA11 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A19NW (NE)	810	8	274718 197094
655	Points of Interest - Manufacturing and Production Name: Works Location: Not Supplied Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A3NW (S)	982	8	274248 195290
656	Points of Interest - Manufacturing and Production Name: Tanks Location: SA11 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A19NW (NE)	1000	8	274782 197280
657	Points of Interest - Public Infrastructure Name: Filter Beds Location: SA11 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	A13NW (N)	81	8	274225 196524
657	Points of Interest - Public Infrastructure Name: Filter Beds Location: SA11 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	A13NW (N)	82	8	274215 196523
658	Points of Interest - Public Infrastructure Name: Sluice Location: SA11 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A13SE (E)	147	8	274475 196325
659	Points of Interest - Public Infrastructure Name: Mile End Service Station Location: Mile End Row, Neath, SA11 2ED Category: Road And Rail Class Code: Petrol and Fuel Stations Positional Accuracy: Positioned to address or location	A14NW (E)	268	8	274596 196381

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
659	Points of Interest - Public Infrastructure Name: Esso Location: Mile End Row, Neath, SA11 2ED Category: Road And Rail Class Code: Petrol and Fuel Stations Positional Accuracy: Positioned to address or location	A14NW (E)	279	8	274606 196391
659	Points of Interest - Public Infrastructure Name: Esso Location: Mile End Row, Neath, SA11 2ED Category: Road And Rail Class Code: Petrol and Fuel Stations Positional Accuracy: Positioned to address or location	A14NW (E)	280	8	274606 196391
659	Points of Interest - Public Infrastructure Name: Mile End Service Station Location: Mile End Row, Neath, SA11 2ED Category: Road And Rail Class Code: Petrol and Fuel Stations Positional Accuracy: Positioned to address or location	A14NW (E)	280	8	274606 196391
659	Points of Interest - Public Infrastructure Name: Mile End Service Station Location: Mile End Row, Neath, SA11 2ED Category: Road And Rail Class Code: Petrol and Fuel Stations Positional Accuracy: Positioned to address or location	A14NW (E)	280	8	274607 196391
660	Points of Interest - Public Infrastructure Name: South Wales Transport Location: Unit 19, Milland Road Industrial Estate, Neath, SA11 1NJ Category: Public Transport, Stations and Infrastructure Class Code: Bus and Coach Stations, Depots and Companies Positional Accuracy: Positioned to address or location	A13NE (NE)	370	8	274560 196644
661	Points of Interest - Public Infrastructure Name: Sluice Location: SA11 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A18SE (NE)	442	8	274461 196823
661	Points of Interest - Public Infrastructure Name: Outfall Location: SA11 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	A18SE (N)	446	8	274441 196839
661	Points of Interest - Public Infrastructure Name: Sluice Location: SA11 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A18SE (NE)	446	8	274467 196824
661	Points of Interest - Public Infrastructure Name: Outfall Location: SA11 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	A18SE (N)	451	8	274448 196841
662	Points of Interest - Public Infrastructure Name: Mortuary Location: Not Supplied Category: Infrastructure and Facilities Class Code: Cemeteries and Crematoria Positional Accuracy: Positioned to an adjacent address or location	A8NE (S)	493	8	274456 195826
663	Points of Interest - Public Infrastructure Name: Sluice Location: SA11 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A8SW (S)	651	8	274136 195631
663	Points of Interest - Public Infrastructure Name: Sluice Location: SA11 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A8SW (S)	651	8	274141 195630

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
664	Points of Interest - Public Infrastructure Name: D J Thomas Coaches Location: Milland Road Industrial Estate, Neath, SA11 1NJ Category: Public Transport, Stations and Infrastructure Class Code: Bus and Coach Stations, Depots and Companies Positional Accuracy: Positioned to address or location	A19SW (NE)	711	8	274705 196977
665	Points of Interest - Public Infrastructure Name: Weir Location: SA11 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A14NE (E)	733	8	275055 196454
665	Points of Interest - Public Infrastructure Name: Weir Location: SA11 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A14NE (E)	733	8	275055 196455
665	Points of Interest - Public Infrastructure Name: Weir Location: SA11 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A14NE (E)	787	8	275116 196380
666	Points of Interest - Public Infrastructure Name: Refuse Tip Location: SA10 Category: Infrastructure and Facilities Class Code: Refuse Disposal Facilities Positional Accuracy: Positioned to an adjacent address or location	A12SW (W)	756	8	273470 196072
667	Points of Interest - Public Infrastructure Name: Refuse Tip Location: SA10 Category: Infrastructure and Facilities Class Code: Refuse Disposal Facilities Positional Accuracy: Positioned to an adjacent address or location	A7NE (SW)	766	8	273625 195817
668	Points of Interest - Public Infrastructure Name: Weir Location: SA11 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A14SE (E)	830	8	275149 196213
668	Points of Interest - Public Infrastructure Name: Weir Location: SA11 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A14SE (E)	831	8	275150 196210
669	Points of Interest - Public Infrastructure Name: Sewage Pumping Station Location: SA11 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	A7SE (SW)	836	8	273836 195544
670	Points of Interest - Public Infrastructure Name: Chapel of Rest Location: Not Supplied Category: Infrastructure and Facilities Class Code: Cemeteries and Crematoria Positional Accuracy: Positioned to an adjacent address or location	A8SE (S)	856	8	274285 195417
671	Points of Interest - Public Infrastructure Name: Recycling Business Location: SA10 Category: Infrastructure and Facilities Class Code: Recycling Centres Positional Accuracy: Positioned to an adjacent address or location	A17NE (NW)	902	8	273839 197254
671	Points of Interest - Public Infrastructure Name: Sluice Location: SA10 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A17NE (NW)	922	8	273863 197287

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
671	Points of Interest - Public Infrastructure Name: Sluice Location: SA10 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A17NE (NW)	924	8	273859 197287
672	Points of Interest - Public Infrastructure Name: Sewage Pumping Station Location: SA10 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	A17NE (NW)	970	8	273704 197255
673	Points of Interest - Public Infrastructure Name: B Clean Location: 22 Brookdale Street, Neath, SA11 1PB Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to address or location	A19SE (NE)	974	8	275100 196945
673	Points of Interest - Public Infrastructure Name: B Clean Rubbish Removal Services Location: 22 Brookdale Street, Neath, SA11 1PB Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to address or location	A19SE (NE)	974	8	275100 196945
674	Points of Interest - Recreational and Environmental Name: Play Area Location: SA11 Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to an adjacent address or location	A14SW (E)	412	8	274735 196270
675	Points of Interest - Recreational and Environmental Name: Playground Location: Not Supplied Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to an adjacent address or location	A19SE (NE)	757	8	274971 196751
675	Points of Interest - Recreational and Environmental Name: Playground Location: Bowen Street, SA11 Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to an adjacent address or location	A19SE (NE)	758	8	274971 196752
676	Points of Interest - Recreational and Environmental Name: Playground Location: Bryn Road, SA11 Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to address or location	A14NE (E)	922	8	275247 196448
676	Points of Interest - Recreational and Environmental Name: Playground Location: Not Supplied Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to an adjacent address or location	A14NE (E)	925	8	275249 196452
677	Points of Interest - Recreational and Environmental Name: Play Area Location: SA11 Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to an adjacent address or location	A7SE (SW)	972	8	273725 195452

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
678	Ancient Woodland Name: Not Supplied Reference: 23144 Area(m ²): 5257.17 Type: Restored Ancient Woodland Site	A14SE (E)	671	2	274968 196141
679	Ancient Woodland Name: Not Supplied Reference: 7766 Area(m ²): 4327.93 Type: Ancient and Semi-Natural Woodland	A14SE (E)	748	2	275071 196245
680	Ancient Woodland Name: Not Supplied Reference: 12255 Area(m ²): 5217.99 Type: Ancient and Semi-Natural Woodland	A14NE (E)	764	2	275092 196406
681	Ancient Woodland Name: Not Supplied Reference: 23143 Area(m ²): 2723.57 Type: Restored Ancient Woodland Site	A9NE (SE)	771	2	275017 195999
682	Ancient Woodland Name: Not Supplied Reference: 11352 Area(m ²): 20063.95 Type: Restored Ancient Woodland Site	A9NE (SE)	774	2	275016 195989
683	Ancient Woodland Name: Not Supplied Reference: 18281 Area(m ²): 2902.31 Type: Ancient and Semi-Natural Woodland	A9NE (SE)	786	2	274939 195851
684	Ancient Woodland Name: Not Supplied Reference: 12254 Area(m ²): 9319.44 Type: Ancient and Semi-Natural Woodland	A14SE (E)	848	2	275153 196145
685	Local Nature Reserves Name: Eaglesbush Valley Multiple Area: N Area (m2): 79888.24 Source: Neath Port Talbot County Borough Council Designation Date: 31st December 2008	A14NE (E)	681	9	274993 196503

Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices Natural Resources Wales Neath Port Talbot County Borough Council - Environmental Health Department City and County of Swansea - Environmental Health Department	June 2020 October 2017 September 2017	Annually Annual Rolling Update Annual Rolling Update
Discharge Consents Environment Agency - Welsh Region Natural Resources Wales	August 2014 May 2023	Quarterly Quarterly
Enforcement and Prohibition Notices Environment Agency - Welsh Region	March 2013	
Integrated Pollution Controls Environment Agency - Welsh Region	January 2009	
Integrated Pollution Prevention And Control Environment Agency - Welsh Region Natural Resources Wales	January 2021 May 2023	Quarterly Quarterly
Local Authority Integrated Pollution Prevention And Control Swansea Bay Port Health Authority City and County of Swansea - Environmental Health Department Neath Port Talbot County Borough Council - Environmental Health Department	April 2014 June 2014 March 2014	Variable Variable Variable
Local Authority Pollution Prevention and Controls Swansea Bay Port Health Authority City and County of Swansea - Environmental Health Department Neath Port Talbot County Borough Council - Environmental Health Department	April 2014 June 2014 March 2014	Annually Annual Rolling Update Annual Rolling Update
Local Authority Pollution Prevention and Control Enforcements Swansea Bay Port Health Authority City and County of Swansea - Environmental Health Department Neath Port Talbot County Borough Council - Environmental Health Department	April 2014 June 2014 March 2015	Variable Variable Variable
Nearest Surface Water Feature Ordnance Survey	May 2023	
Pollution Incidents to Controlled Waters Environment Agency - Welsh Region	December 1998	
Prosecutions Relating to Authorised Processes Environment Agency - Welsh Region Natural Resources Wales	July 2015 July 2015	
Prosecutions Relating to Controlled Waters Environment Agency - Welsh Region Natural Resources Wales	March 2013 March 2013	
Registered Radioactive Substances Natural Resources Wales Environment Agency - Welsh Region	January 2015 June 2016	As notified
River Quality Environment Agency - Head Office	November 2001	Not Applicable
River Quality Chemistry Sampling Points Environment Agency - Head Office	April 2012	
Substantiated Pollution Incident Register Natural Resources Wales Environment Agency Wales - South West Area	April 2023 January 2021	Quarterly Quarterly
Water Abstractions Environment Agency - Welsh Region Natural Resources Wales	April 2023 June 2023	Quarterly Quarterly
Water Industry Act Referrals Environment Agency - Welsh Region Natural Resources Wales	October 2017 October 2022	

Agency & Hydrological	Version	Update Cycle
Groundwater Vulnerability Map Natural Resources Wales	June 2018	As notified
Bedrock Aquifer Designations Natural Resources Wales	January 2018	Annually
Superficial Aquifer Designations Natural Resources Wales	January 2018	Annually
Source Protection Zones Natural Resources Wales	July 2022	Annual Rolling Update
Extreme Flooding from Rivers or Sea without Defences Natural Resources Wales	September 2020	
Flooding from Rivers or Sea without Defences Natural Resources Wales	September 2020	
Areas Benefiting from Flood Defences Natural Resources Wales	November 2019	Quarterly
Flood Water Storage Areas Natural Resources Wales	August 2019	Quarterly
Flood Defences Natural Resources Wales	November 2019	Quarterly
OS Water Network Lines Ordnance Survey	April 2023	Quarterly
Surface Water 1 in 30 year Flood Extent Natural Resources Wales	May 2018	Annually
Surface Water 1 in 100 year Flood Extent Natural Resources Wales	May 2018	Annually
Surface Water 1 in 1000 year Flood Extent Natural Resources Wales	May 2018	Annually
Surface Water Suitability Natural Resources Wales	February 2016	Annually
BGS Groundwater Flooding Susceptibility British Geological Survey - National Geoscience Information Service	May 2013	As notified

Waste	Version	Update Cycle
BGS Recorded Landfill Sites British Geological Survey - National Geoscience Information Service	November 2002	As notified
Historical Landfill Sites Natural Resources Wales	March 2023	As notified
Integrated Pollution Control Registered Waste Sites Environment Agency - Welsh Region	January 2009	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries) Environment Agency Wales - South West Area Natural Resources Wales	January 2023 October 2021	Quarterly Quarterly
Licensed Waste Management Facilities (Locations) Environment Agency Wales - South West Area Natural Resources Wales	July 2021 May 2023	Quarterly Quarterly
Local Authority Landfill Coverage City and County of Swansea - Environmental Health Department Neath Port Talbot County Borough Council - Environmental Health Department	February 2003 February 2003	Not Applicable Not Applicable
Local Authority Recorded Landfill Sites City and County of Swansea - Environmental Health Department Neath Port Talbot County Borough Council - Environmental Health Department	October 2018 October 2018	
Potentially Infilled Land (Non-Water) Landmark Information Group Limited	December 1999	
Potentially Infilled Land (Water) Landmark Information Group Limited	December 1999	
Registered Landfill Sites Environment Agency Wales - South West Area	March 2006	Not Applicable
Registered Waste Transfer Sites Environment Agency Wales - South West Area	April 2018	
Registered Waste Treatment or Disposal Sites Environment Agency Wales - South West Area	June 2015	
Hazardous Substances	Version	Update Cycle
Control of Major Accident Hazards Sites (COMAH) Health and Safety Executive	March 2023	Bi-Annually
Explosive Sites Health and Safety Executive	March 2017	
Notification of Installations Handling Hazardous Substances (NIHHS) Health and Safety Executive	August 2001	
Planning Hazardous Substance Enforcements City and County of Swansea - Planning Department Neath Port Talbot County Borough Council - Planning Department	June 2023 October 2015	Variable Variable
Planning Hazardous Substance Consents City and County of Swansea - Planning Department Neath Port Talbot County Borough Council - Planning Department	January 2016 October 2015	Variable Variable

Geological	Version	Update Cycle
BGS 1:625,000 Solid Geology British Geological Survey - National Geoscience Information Service	January 2009	As notified
BGS Estimated Soil Chemistry British Geological Survey - National Geoscience Information Service	December 2015	As notified
BGS Recorded Mineral Sites British Geological Survey - National Geoscience Information Service	June 2023	Bi-Annually
BGS Urban Soil Chemistry British Geological Survey - National Geoscience Information Service	December 2015	As notified
BGS Urban Soil Chemistry Averages British Geological Survey - National Geoscience Information Service	December 2015	As notified
CBSCB Compensation District Cheshire Brine Subsidence Compensation Board (CBSCB) Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011 November 2020	As notified
Coal Mining Affected Areas The Coal Authority - Property Searches	February 2023	Annual Rolling Update
Mining Instability Ove Arup & Partners	June 1998	Not Applicable
Non Coal Mining Areas of Great Britain British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Potential for Collapsible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	April 2020	As notified
Potential for Compressible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Ground Dissolution Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Landslide Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Running Sand Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Shrinking or Swelling Clay Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Radon Potential - Radon Affected Areas British Geological Survey - National Geoscience Information Service	September 2022	Annually
Radon Potential - Radon Protection Measures British Geological Survey - National Geoscience Information Service	September 2022	Annually

Industrial Land Use	Version	Update Cycle
Contemporary Trade Directory Entries Thomson Directories	April 2023	Quarterly
Fuel Station Entries Catalist Ltd - Experian	June 2023	Quarterly
Gas Pipelines National Grid	October 2021	Bi-Annually
Points of Interest - Commercial Services PointX	June 2023	Quarterly
Points of Interest - Education and Health PointX	June 2023	Quarterly
Points of Interest - Manufacturing and Production PointX	June 2023	Quarterly
Points of Interest - Public Infrastructure PointX	June 2023	Quarterly
Points of Interest - Recreational and Environmental PointX	June 2023	Quarterly
Underground Electrical Cables National Grid	February 2023	Bi-Annually

Sensitive Land Use	Version	Update Cycle
Ancient Woodland Natural Resources Wales	April 2023	Bi-Annually
Areas of Adopted Green Belt City and County of Swansea Neath Port Talbot County Borough Council - Planning Services	July 2022 July 2022	Quarterly Quarterly
Areas of Unadopted Green Belt City and County of Swansea Neath Port Talbot County Borough Council - Planning Services	July 2022 July 2022	Quarterly Quarterly
Areas of Outstanding Natural Beauty Natural Resources Wales	April 2023	Bi-Annually
Environmentally Sensitive Areas The National Assembly for Wales - GI Services (Department of Planning & Countryside)	January 2017	
Forest Parks Forestry Commission	May 2023	Not Applicable
Local Nature Reserves City and County of Swansea Neath Port Talbot County Borough Council	March 2023 March 2023	Bi-Annually Bi-Annually
Marine Nature Reserves Natural Resources Wales	April 2023	Bi-Annually
National Nature Reserves Natural Resources Wales	February 2023	Bi-Annually
National Parks Natural Resources Wales	February 2018	Annually
Nitrate Vulnerable Zones The National Assembly for Wales - GI Services (Department of Planning & Countryside) Natural Resources Wales	April 2016 March 2023	Bi-Annually
Ramsar Sites Natural Resources Wales	March 2023	Bi-Annually
Sites of Special Scientific Interest Natural Resources Wales	March 2023	Bi-Annually
Special Areas of Conservation Natural Resources Wales	April 2023	Bi-Annually
Special Protection Areas Natural Resources Wales	April 2023	Bi-Annually

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	
Environment Agency	
Scottish Environment Protection Agency	
The Coal Authority	
British Geological Survey	 British Geological Survey NATURAL ENVIRONMENT RESEARCH COUNCIL
Centre for Ecology and Hydrology	 Centre for Ecology and Hydrology NATURAL ENVIRONMENT RESEARCH COUNCIL
Natural Resources Wales	
Scottish Natural Heritage	
Natural England	
Public Health England	
Ove Arup	
Stantec UK Ltd	

Contact	Name and Address	Contact Details
1	British Geological Survey - Enquiry Service British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
2	Natural Resources Wales Ty Cambria, 29 Newport Road, Cardiff, CF24 0TP	Telephone: 0300 065 3000 Email: enquiries@naturalresourceswales.gov.uk
3	Environment Agency - National Customer Contact Centre (NCCC) PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk
4	Neath Port Talbot County Borough Council - Environmental Health Department Room 322, Neath Civic Centre, Neath, West Glamorgan, SA11 3QZ	Telephone: 01639 763333 Fax: 01693 763444 Website: www.neath-porttalbot.gov.uk
5	Ordnance Survey Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: 03456 05 05 05 Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.gov.uk
6	Health and Safety Executive 5S.2 Redgrave Court, Merton Road, Bootle, L20 7HS	Website: www.hse.gov.uk
7	The Coal Authority - Property Searches 200 Lichfield Lane, Mansfield, Nottinghamshire, NG18 4RG	Telephone: 0345 762 6848 Fax: 01623 637 338 Email: groundstability@coal.gov.uk Website: www2.groundstability.com
8	PointX 7 Abbey Court, Eagle Way, Sowton, Exeter, Devon, EX2 7HY	Website: www.pointx.co.uk
9	Neath Port Talbot County Borough Council Civic Centre, Port Talbot, West Glamorgan, SA13 1PJ	Telephone: 01639 763333 Fax: 01693 763444 Website: www.neath-porttalbot.gov.uk
-	Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org
-	Landmark Information Group Limited Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9952 Fax: 0844 844 9951 Email: customerservices@landmarkinfo.co.uk Website: www.landmarkinfo.co.uk

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.

Geology 1:50,000 Maps Legends

Artificial Ground and Landslip

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	LSGR	Landscaped Ground (Undivided)	Artificially Modified Ground	Not Supplied - Holocene
	MGR	Made Ground (Undivided)	Artificial Deposit	Not Supplied - Holocene
	WGR	Worked Ground (Undivided)	Void	Not Supplied - Holocene
	SLIP	Landslide Deposit	Unknown/Unclassified Entry	Not Supplied - Quaternary

Superficial Geology

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	TFD	Tidal Flat Deposits	Clay, Silt and Sand	Not Supplied - Holocene
	ALV	Alluvium	Clay, Silt, Sand and Gravel	Not Supplied - Holocene
	GFSDD	Glaciofluvial Sheet Deposits, Devensian	Sand and Gravel	Not Supplied - Devensian
	TILLD	Till, Devensian	Diamicton	Not Supplied - Devensian
	PEAT	Peat	Peat	Not Supplied - Quaternary
	RSBD	Raised Storm Beach Deposits	Sand and Gravel	Not Supplied - Quaternary
	BSA	Blown Sand	Sand	Not Supplied - Quaternary

Bedrock and Faults

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	H	Hughes Member	Sandstone	Not Supplied - Westphalian
	SW	Swansea Member	Sandstone	Not Supplied - Westphalian
	SW	Swansea Member	Mudstone, Siltstone and Sandstone	Not Supplied - Westphalian
	H	Hughes Member	Mudstone, Siltstone and Sandstone	Not Supplied - Westphalian
	BD	Brithdir Member	Sandstone	Not Supplied - Westphalian
	BD	Brithdir Member	Mudstone, Siltstone and Sandstone	Not Supplied - Westphalian

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	GDB	Grovesend Formation	Mudstone, Siltstone and Sandstone	Not Supplied - Westphalian
	GDB	Grovesend Formation	Sandstone	Not Supplied - Westphalian
	RA	Rhondda Member	Mudstone, Siltstone and Sandstone	Not Supplied - Westphalian
	RA	Rhondda Member	Sandstone	Not Supplied - Westphalian
		Rock Segments		
		Faults		



Geology 1:50,000 Maps


This report contains geological map extracts taken from the BGS Digital Geological map of Great Britain at 1:50,000 scale and is designed for users carrying out preliminary site assessments who require geological maps for the area around the site. This mapping may be more up to date than previously published paper maps.

The various geological layers - artificial and landslip deposits, superficial geology and solid (bedrock) geology are displayed in separate maps, but superimposed on the final 'Combined Surface Geology' map. All map legends feature on this page. Not all layers have complete nationwide coverage, so availability of data for relevant map sheets is indicated below.

Geology 1:50,000 Maps Coverage

Map ID:	1
Map Sheet No:	247
Map Name:	Swansea
Map Date:	2011
Bedrock Geology:	Available
Superficial Geology:	Available
Artificial Geology:	Available
Faults:	Not Supplied
Landslip:	Available
Rock Segments:	Not Supplied

Geology 1:50,000 Maps - Slice A




Order Details:

Order Number:	314588475_1_1
Customer Reference:	17938 Metal box
National Grid Reference:	274250, 196360
Slice:	A
Site Area (Ha):	1.32
Search Buffer (m):	1000

Site Details:

Site at, Neath/Castell-Nedd, Neath Port Talbot



© Crown Copyright. All Rights Reserved. License Number 100022432.



Artificial Ground and Landslip


Artificial ground is a term used by BGS for those areas where the ground surface has been significantly modified by human activity. Information about previously developed ground is especially important, as it is often associated with potentially contaminated material, unpredictable engineering conditions and unstable ground.

Artificial ground includes:

- Made ground - man-made deposits such as embankments and spoil heaps on the natural ground surface.
- Worked ground - areas where the ground has been cut away such as quarries and road cuttings.
- Infilled ground - areas where the ground has been cut away then wholly or partially backfilled.
- Landscaped ground - areas where the surface has been reshaped.
- Disturbed ground - areas of ill-defined shallow or near surface mineral workings where it is impracticable to map made and worked ground separately.

Mass movement (landslip) deposits on BGS geological maps are primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground. The dataset also includes foundered strata, where the ground has collapsed due to subsidence.

Artificial Ground and Landslip Map - Slice A



Order Details:


Order Number: 314588475_1_1
 Customer Reference: 17938 Metal box
 National Grid Reference: 274250, 196360
 Slice: A
 Site Area (Ha): 1.32
 Search Buffer (m): 1000

Site Details:

Site at, Neath/Castell-Nedd, Neath Port Talbot



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.




Superficial Geology

Superficial Deposits are the youngest geological deposits formed during the most recent period of geological time, the Quaternary, which extends back about 1.8 million years from the present.

They rest on older deposits or rocks referred to as Bedrock. This dataset contains Superficial deposits that are of natural origin and 'in place'. Other superficial strata may be held in the Mass Movement dataset where they have been moved, or in the Artificial Ground dataset where they are of man-made origin.

Most of these Superficial deposits are unconsolidated sediments such as gravel, sand, silt and clay, and onshore they form relatively thin, often discontinuous patches or larger spreads.

Superficial Geology Map - Slice A



Order Details:

Order Number: 314588475_1_1
 Customer Reference: 17938 Metal box
 National Grid Reference: 274250, 196360
 Slice: A
 Site Area (Ha): 1.32
 Search Buffer (m): 1000


Site Details:

Site at, Neath/Castell-Nedd, Neath Port Talbot



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.ernirocheck.co.uk

v15.0 24-Jul-2023



© Crown Copyright. All Rights Reserved. License Number 100022432.



Bedrock and Faults


Bedrock geology is a term used for the main mass of rocks forming the Earth and are present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

The bedrock has formed over vast lengths of geological time ranging from ancient and highly altered rocks of the Proterozoic, some 2500 million years ago, or older, up to the relatively young Pliocene, 1.8 million years ago.

The bedrock geology includes many lithologies, often classified into three types based on origin: igneous, metamorphic and sedimentary.

The BGS Faults and Rock Segments dataset includes geological faults (e.g. normal, thrust), and thin beds mapped as lines (e.g. coal seam, gypsum bed). Some of these are linked to other particular 1:50,000 Geology datasets, for example, coal seams are part of the bedrock sequence, most faults and mineral veins primarily affect the bedrock but cut across the strata and post date its deposition.

Bedrock and Faults Map - Slice A



Order Details:

Order Number: 314588475_1_1
Customer Reference: 17938 Metal box
National Grid Reference: 274250, 196360
Slice: A
Site Area (Ha): 1.32
Search Buffer (m): 1000

Site Details:


Site at, Neath/Castell-Nedd, Neath Port Talbot



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

v15.0 24-Jul-2023

Page 4 of 5



Combined Surface Geology

The Combined Surface Geology map combines all the previous maps into one combined geological overview of your site.

Please consult the legends to the previous maps to interpret the Combined "Surface Geology" map.


Additional Information

More information on 1:50,000 Geological mapping and explanations of rock classifications can be found on the BGS website. Using the LEX Codes in this report, further descriptions of rock types can be obtained by interrogating the 'BGS Lexicon of Named Rock Units'. This database can be accessed by following the 'Information and Data' link on the BGS website.

Contact

British Geological Survey
Kingsley Dunham Centre
Keyworth
Nottingham
NG12 5GG
Telephone: 0115 936 3143
Fax: 0115 936 3276
email: enquiries@bgs.ac.uk
website: www.bgs.ac.uk

Combined Geology Map - Slice A



Order Details:

Order Number:	314588475_1_1
Customer Reference:	17938 Metal box
National Grid Reference:	274250, 196360
Slice:	A
Site Area (Ha):	1.32
Search Buffer (m):	1000

Site Details:


Site at, Neath/Castell-Nedd, Neath Port Talbot




Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Historical Mapping Legends


Ordnance Survey County Series and Ordnance Survey Plan 1:2,500



Ordnance Survey Plan, Additional SIMs and Supply of Unpublished Survey Information 1:2,500 and 1:1,250



Large-Scale National Grid Data 1:2,500 and 1:1,250




Geotechnical & Geoenvironmental Specialists

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Glamorganshire	1:2,500	1881	2
Glamorganshire	1:2,500	1899	3
Glamorganshire	1:2,500	1918 - 1919	4
Glamorganshire	1:2,500	1935 - 1940	5
Ordnance Survey Plan	1:1,250	1951	6
Ordnance Survey Plan	1:2,500	1952 - 1971	7
Ordnance Survey Plan	1:1,250	1958 - 1967	8
Ordnance Survey Plan	1:2,500	1964	9
Ordnance Survey Plan	1:1,250	1967	10
Ordnance Survey Plan	1:1,250	1971 - 1974	11
Additional SIMs	1:2,500	1977	12
Additional SIMs	1:1,250	1982 - 1989	13
Additional SIMs	1:1,250	1989	14
Ordnance Survey Plan	1:1,250	1990	15
Large-Scale National Grid Data	1:1,250	1993	16
Large-Scale National Grid Data	1:2,500	1993	17
Large-Scale National Grid Data	1:1,250	1995	18
Large-Scale National Grid Data	1:2,500	1995	19
Historical Aerial Photography	1:2,500	2000	20

Historical Map - Segment A13



Order Details


Order Number: 314588475_1_1
Customer Ref: 17938 Metal box
National Grid Reference: 274250, 196360
Slice: A
Site Area (Ha): 1.32
Search Buffer (m): 100

Site Details

Site at, Neath/Castell-Nedd, Neath Port Talbot



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Geotechnical & Geoenvironmental Specialists


Glamorganshire

Published 1881


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A13



Order Details

Order Number: 314588475_1_1
Customer Ref: 17938 Metal box
National Grid Reference: 274250, 196360
Slice: A
Site Area (Ha): 1.32
Search Buffer (m): 100

Site Details

Site at, Neath/Castell-Nedd, Neath Port Talbot



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Geotechnical & Geoenvironmental Specialists


Glamorganshire

Published 1899


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A13



Order Details


Order Number: 314588475_1_1
Customer Ref: 17938 Metal box
National Grid Reference: 274250, 196360
Slice: A
Site Area (Ha): 1.32
Search Buffer (m): 100

Site Details

Site at, Neath/Castell-Nedd, Neath Port Talbot



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Geotechnical & Geoenvironmental Specialists


Glamorganshire

Published 1918 - 1919


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A13



Order Details

Order Number: 314588475_1_1
Customer Ref: 17938 Metal box
National Grid Reference: 274250, 196360
Slice: A
Site Area (Ha): 1.32
Search Buffer (m): 100

Site Details

Site at, Neath/Castell-Nedd, Neath Port Talbot



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Geotechnical & Geoenvironmental Specialists


Glamorganshire

Published 1935 - 1940


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A13



Order Details


Order Number: 314588475_1_1
Customer Ref: 17938 Metal box
National Grid Reference: 274250, 196360
Slice: A
Site Area (Ha): 1.32
Search Buffer (m): 100

Site Details

Site at, Neath/Castell-Nedd, Neath Port Talbot



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.



Geotechnical & Geoenvironmental Specialists

Ordnance Survey Plan

Published 1951


Source map scale - 1:1,250

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)

SS7496NW	SS7496NE
1951	1951
1:1,250	1:1,250
SS7496SW	SS7496SE
1951	1951
1:1,250	1:1,250

Historical Map - Segment A13



Order Details


Order Number: 314588475_1_1
Customer Ref: 17938 Metal box
National Grid Reference: 274250, 196360
Slice: A
Site Area (Ha): 1.32
Search Buffer (m): 100

Site Details

Site at, Neath/Castell-Nedd, Neath Port Talbot



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.



Geotechnical & Geoenvironmental Specialists


Ordnance Survey Plan

Published 1952 - 1971


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A13



Order Details


Order Number: 314588475_1_1
Customer Ref: 17938 Metal box
National Grid Reference: 274250, 196360
Slice: A
Site Area (Ha): 1.32
Search Buffer (m): 100

Site Details

Site at, Neath/Castell-Nedd, Neath Port Talbot



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Geotechnical & Geoenvironmental Specialists

Ordnance Survey Plan

Published 1958 - 1967


Source map scale - 1:1,250

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)

SS7496NW 1967 1:1,250	SS7496NE 1961 1:1,250
SS7496SW 1961 1:1,250	SS7496SE 1958 1:1,250

Historical Map - Segment A13



Order Details


Order Number: 314588475_1_1
Customer Ref: 17938 Metal box
National Grid Reference: 274250, 196360
Slice: A
Site Area (Ha): 1.32
Search Buffer (m): 100

Site Details

Site at, Neath/Castell-Nedd, Neath Port Talbot

Landmark
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Geotechnical & Geoenvironmental Specialists

Ordnance Survey Plan

Published 1967


Source map scale - 1:1,250

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)

SS7496NE	1967	1:1,250
SS7496SW	1967	1:1,250
SS7496SE	1967	1:1,250

Historical Map - Segment A13



Order Details


Order Number: 314588475_1_1
Customer Ref: 17938 Metal box
National Grid Reference: 274250, 196360
Slice: A
Site Area (Ha): 1.32
Search Buffer (m): 100

Site Details

Site at, Neath/Castell-Nedd, Neath Port Talbot



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.



Geotechnical & Geoenvironmental Specialists


Ordnance Survey Plan

Published 1971 - 1974


Source map scale - 1:1,250

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A13



Order Details


Order Number: 314588475_1_1
Customer Ref: 17938 Metal box
National Grid Reference: 274250, 196360
Slice: A
Site Area (Ha): 1.32
Search Buffer (m): 100

Site Details

Site at, Neath/Castell-Nedd, Neath Port Talbot



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Geotechnical & Geoenvironmental Specialists


Additional SIMs

Published 1977


Source map scale - 1:2,500

The SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') are further, minor editions of mapping which were produced and published in between the main editions as an area was updated. They date from 1947 to 1994, and contain detailed information on buildings, roads and land-use. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment A13



Order Details


Order Number: 314588475_1_1
Customer Ref: 17938 Metal box
National Grid Reference: 274250, 196360
Slice: A
Site Area (Ha): 1.32
Search Buffer (m): 100

Site Details

Site at, Neath/Castell-Nedd, Neath Port Talbot



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Geotechnical & Geoenvironmental Specialists

Additional SIMs

Published 1982 - 1989


Source map scale - 1:1,250

The SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') are further, minor editions of mapping which were produced and published in between the main editions as an area was updated. They date from 1947 to 1994, and contain detailed information on buildings, roads and land-use. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)

SS7496NW	SS7496NE
1989	1982
1:1,250	1:1,250
SS7496SW	SS7496SE
1989	1987
1:1,250	1:1,250

Historical Map - Segment A13



Order Details


Order Number: 314588475_1_1
Customer Ref: 17938 Metal box
National Grid Reference: 274250, 196360
Slice: A
Site Area (Ha): 1.32
Search Buffer (m): 100

Site Details

Site at, Neath/Castell-Nedd, Neath Port Talbot



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk





Geotechnical & Geoenvironmental Specialists


Additional SIMs

Published 1989


Source map scale - 1:1,250

The SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') are further, minor editions of mapping which were produced and published in between the main editions as an area was updated. They date from 1947 to 1994, and contain detailed information on buildings, roads and land-use. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)

	SS7496NE
	1989 1:1,250
	SS7496SE
	1989 1:1,250

Historical Map - Segment A13



Order Details

Order Number:	314588475_1_1
Customer Ref:	17938 Metal box
National Grid Reference:	274250, 196360
Slice:	A
Site Area (Ha):	1.32
Search Buffer (m):	100

Site Details


Site at, Neath/Castell-Nedd, Neath Port Talbot



INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

A Landmark Information Group Service v50.0 24-Jul-2023 Page 14 of 20



Geotechnical & Geoenvironmental Specialists


Ordnance Survey Plan

Published 1990


Source map scale - 1:1,250

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A13



Order Details


Order Number: 314588475_1_1
Customer Ref: 17938 Metal box
National Grid Reference: 274250, 196360
Slice: A
Site Area (Ha): 1.32
Search Buffer (m): 100

Site Details

Site at, Neath/Castell-Nedd, Neath Port Talbot



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.



Geotechnical & Geoenvironmental Specialists

Large-Scale National Grid Data

Published 1993


Source map scale - 1:1,250

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)

SS7496NW	SS7496NE
1993	1993
1:1,250	1:1,250
SS7496SW	SS7496SE
1993	1993
1:1,250	1:1,250

Historical Map - Segment A13



Order Details


Order Number: 314588475_1_1
Customer Ref: 17938 Metal box
National Grid Reference: 274250, 196360
Slice: A
Site Area (Ha): 1.32
Search Buffer (m): 100

Site Details

Site at, Neath/Castell-Nedd, Neath Port Talbot



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk





Geotechnical & Geoenvironmental Specialists

Large-Scale National Grid Data


Published 1993

Source map scale - 1:2,500

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)

SS7396
1993
1:2,500



Historical Map - Segment A13

A21	A22	A23	A24	A25
A16	A17	A18	A19	A20
A11	A12	A13	A14	A15
A6	A7	A8	A9	A10
A1	A2	A3	A4	A5



Order Details

Order Number:	314588475_1_1
Customer Ref:	17938 Metal box
National Grid Reference:	274250, 196360
Slice:	A
Site Area (Ha):	1.32
Search Buffer (m):	100

Site Details


Site at, Neath/Castell-Nedd, Neath Port Talbot



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Landmark INFORMATION GROUP

A Landmark Information Group Service v50.0 24-Jul-2023 Page 17 of 20



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.



Geotechnical & Geoenvironmental Specialists


Large-Scale National Grid Data

Published 1995


Source map scale - 1:1,250

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment A13



Order Details


Order Number: 314588475_1_1
Customer Ref: 17938 Metal box
National Grid Reference: 274250, 196360
Slice: A
Site Area (Ha): 1.32
Search Buffer (m): 100

Site Details

Site at, Neath/Castell-Nedd, Neath Port Talbot



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Geotechnical & Geoenvironmental Specialists


Large-Scale National Grid Data

Published 1995


Source map scale - 1:2,500

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment A13



Order Details

Order Number: 314588475_1_1
Customer Ref: 17938 Metal box
National Grid Reference: 274250, 196360
Slice: A
Site Area (Ha): 1.32
Search Buffer (m): 100

Site Details

Site at, Neath/Castell-Nedd, Neath Port Talbot



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk






Geotechnical & Geoenvironmental Specialists

Historical Aerial Photography

Published 2000

This aerial photography was produced by Getmapping, these vertical aerial photographs provide a seamless, full colour survey of the whole of Great Britain

Historical Aerial Photography - Segment A13



Order Details

Order Number:	314588475_1_1
Customer Ref:	17938 Metal box
National Grid Reference:	274250, 196360
Slice:	A
Site Area (Ha):	1.32
Search Buffer (m):	100

Site Details

Site at, Neath/Castell-Nedd, Neath Port Talbot



INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

A Landmark Information Group Service v50.0 24-Jul-2023 Page 20 of 20

Historical Mapping Legends

Ordnance Survey County Series 1:10,560

	Gravel Pit		Sand Pit		Other Pits
	Quarry		Shingle		Orchard
	Osiers		Reeds		Marsh
	Mixed Wood		Deciduous		Brushwood
	Fir		Furze		Rough Pasture
	Arrow denotes flow of water		Trigonometrical Station		
	Site of Antiquities		Bench Mark		
	Pump, Guide Post, Signal Post		Well, Spring, Boundary Post		
	•285 Surface Level				
	Sketched Contour		Instrumental Contour		
	Main Roads		Minor Roads		
	Sunken Road		Raised Road		
	Road over Railway		Railway over River		
	Railway over Road		Level Crossing		
	Road over River or Canal		Road over Stream		
	Road over Stream				
	County Boundary (Geographical)				
	County & Civil Parish Boundary				
	Administrative County & Civil Parish Boundary				
	County Borough Boundary (England)				
	County Burgh Boundary (Scotland)				
	Rural District Boundary				
	Civil Parish Boundary				

Ordnance Survey Plan 1:10,000

	Chalk Pit, Clay Pit or Quarry		Gravel Pit
	Sand Pit		Disused Pit or Quarry
	Refuse or Slag Heap		Lake, Loch or Pond
	Dunes		Boulders
	Coniferous Trees		Non-Coniferous Trees
	Orchard		Scrub
	Bracken		Heath
	Marsh		Reeds
	Building		Glasshouse
	Sloping Masonry		Pylon
	Cutting		Embankment
	Road Under		Road Over
	Level Crossing		Foot Bridge
	Standard Gauge Multiple Track		Standard Gauge Single Track
	Siding, Tramway or Mineral Line		Narrow Gauge
	Geographical County		Administrative County, County Borough or County of City
	Municipal Borough, Urban or Rural District, Burgh or District Council		Borough, Burgh or County Constituency
	Civil Parish		
	BP, BS Boundary Post or Stone		Police Station
	Church		Post Office
	Club House		Public Convenience
	Fire Engine Station		Public House
	Foot Bridge		Signal Box
	Fountain		Spring
	Guide Post		Telephone Call Box
	Mile Post		Telephone Call Post
	Mile Stone		Well

1:10,000 Raster Mapping

	Gravel Pit		Refuse tip or slag heap
	Rock		Rock (scattered)
	Boulders		Boulders (scattered)
	Shingle		Mud
	Sand		Sand Pit
	Slopes		Top of cliff
	General detail		Underground detail
	Overhead detail		Narrow gauge railway
	Multi-track railway		Single track railway
	County boundary (England only)		Civil, parish or community boundary
	District, Unitary, Metropolitan, London Borough boundary		Constituency boundary
	Area of wooded vegetation		Non-coniferous trees
	Non-coniferous trees (scattered)		Coniferous trees
	Coniferous trees (scattered)		Positioned tree
	Orchard		Coppice or Osiers
	Rough Grassland		Heath
	Scrub		Marsh, Salt Marsh or Reeds
	Water feature		Flow arrows
	Mean high water (springs)		Mean low water (springs)
	Telephone line (where shown)		Electricity transmission line (with poles)
	Bench mark (where shown)		Triangulation station
	Point feature (e.g. Guide Post or Mile Stone)		Pylon, flare stack or lighting tower
	Site of (antiquity)		Glasshouse
	General Building		Important Building




Geotechnical & Geoenvironmental Specialists

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Glamorganshire	1:10,560	1884	3
Glamorganshire	1:10,560	1900	4
Glamorganshire	1:10,560	1921	5
Glamorganshire	1:10,560	1921	6
Glamorganshire	1:10,560	1936	7
Glamorganshire	1:10,560	1938 - 1951	8
Historical Aerial Photography	1:10,560	1945 - 1949	9
Glamorganshire	1:10,560	1951 - 1952	10
Ordnance Survey Plan	1:10,000	1964 - 1965	11
Ordnance Survey Plan	1:10,000	1970 - 1973	12
Swansea	1:10,000	1976	13
Ordnance Survey Plan	1:10,000	1980 - 1983	14
Ordnance Survey Plan	1:10,000	1992	15
10K Raster Mapping	1:10,000	1999	16
10K Raster Mapping	1:10,000	2006	17
VectorMap Local	1:10,000	2023	18

Historical Map - Slice A



Order Details

Order Number: 314588475_1_1
Customer Ref: 17938 Metal box
National Grid Reference: 274250, 196360
Slice: A
Site Area (Ha): 1.32
Search Buffer (m): 1000

Site Details

Site at, Neath/Castell-Nedd, Neath Port Talbot

Landmark
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Russian Military Mapping Legends

1:5,000 and 1:10,000 mapping

a. Not drawn to scale b. Drawn to scale

Government and Administrative Buildings Military and Industrial Buildings

Military and Communication Areas Subway Entrance

Fireproof Building Prominent Fireproof Building

Non-fireproof Building Non-fireproof Building (non-dwelling)

Factory, mill, and flour mill, with chimneys Factory, mill, and flour mill, without chimneys

Power Station, drawn to scale Hydroelectric Power Station

Radio Station, drawn to scale Telephone Station, drawn to scale

Abandoned Open-pit Mine or Quarry Open-pit Salt Mine

Pit Oil Deposit or Well Oil Seepage

Tailings Pile Fuel Storage Tanks Natural Gas Tank

Bench Mark Drill Hole Burial Mound Triangulation Point on Burial Mound

Single-track Railroad Small Bridge Double-track Railroad and Station Building

Coniferous Forest Deciduous Forest Mixed Forest

Lawns Citrus Orchard Wet Ground Scattered Vegetation

243.8 Values for prominent elevations

186.0 Numbers for spot elevations, depth soundings, contour lines, etc.

0.2 Velocity of the current, width of river bed, depth of river

180 180 Fractional terms: length and capacity of bridges; depth of fords and condition of the river bottom; height of forest and the diameter of trees

Russian Alphabet (For reference and phonetic interpretation of map text)

А а (A) З з (Z) П п (P) Ч ч (CH)

Б б (B) И и (I) Р р (R) Ш ш (SH)

В в (V) Й й (Y) С с (S) Щ щ (SHCH)

Г г (G) К к (K) Т т (T) Ъ ъ (-)

Д д (D) Л л (L) У у (U) Ы ы (Y)

Е е (E) М м (M) Ф ф (F) Ь ь (')

Ё ё (YO) Н н (N) Х х (KH) Э э (E)

Ж ж (ZH) О о (O) Ц ц (TS) Ю ю (YU or IU)

Я я (YA or IA)

1:25,000 mapping

a. Not drawn to scale b. Drawn to scale

Government and Administrative Buildings Military and Industrial Buildings

Military and Communication Areas Subway Entrance

Partly Demolished Buildings Demolished Buildings

Built-Up Area with Fireproof Buildings Predominant Built-Up Area with Non-Fireproof Buildings Predominant

Individual Fireproof Building Prominent Industrial Building

Individual Dwelling, Fireproof Ruins of an Individual Dwelling

Factory or Mill Chimney Factory or Mill with Chimney Factory or Mill without Chimney Mine or Open Pit Mine

Operating Shaft or Mine Non-Operating Shaft or Mine Salt Mine Tailings Pile

Pit Stone Quarry Gas Pump or Service Station Fuel Storage or Natural Gas Tank

Oil or Natural Gas Derrick Small Hydroelectric Power Station Power Station Transformer Station

Cemetery Burial Mound (height in metres) Triangulation Point on Burial Mound Triangulation Point

Bench Mark Bench Mark (monumented) Telegraph Office Telephone Station

Radio Station Radio Tower Airfield or Seaplane Base Landing Strip

Cut Fill Km Post Plantings Width of Road Steep Grade

Telegraph/Telephone Lines Main Highway Highway under Construction Improved Dirt Road (former truck road)

Small Bridge Pipe (Culvert) Tunnel Dismantled Railroad

Double-track Railroad with First Class Station Railroad Under Construction

Shore Embankment River or Ditch with Embankment Direction and velocity of current Water Gauge Water Level Mark

Well Water Reservoir or Rain Water Pit Spring Isobath with value

Heavy (Index) Contour Line Contour Line and Value Half Contour Line Spot Elevation Value

Coniferous Deciduous Mixed Scrub

Key to Numbers on Mapping




Geotechnical & Geoenvironmental Specialists

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Glamorganshire	1:10,560	1884	3
Glamorganshire	1:10,560	1900	4
Glamorganshire	1:10,560	1921	5
Glamorganshire	1:10,560	1921	6
Glamorganshire	1:10,560	1936	7
Glamorganshire	1:10,560	1938 - 1951	8
Historical Aerial Photography	1:10,560	1945 - 1949	9
Glamorganshire	1:10,560	1951 - 1952	10
Ordnance Survey Plan	1:10,000	1964 - 1965	11
Ordnance Survey Plan	1:10,000	1970 - 1973	12
Swansea	1:10,000	1976	13
Ordnance Survey Plan	1:10,000	1980 - 1983	14
Ordnance Survey Plan	1:10,000	1992	15
10K Raster Mapping	1:10,000	1999	16
10K Raster Mapping	1:10,000	2006	17
VectorMap Local	1:10,000	2023	18

Russian Map - Slice A



Order Details

Order Number: 314588475_1_1

Customer Ref: 17938 Metal box

National Grid Reference: 274250, 196360

Slice: A

Site Area (Ha): 1.32

Search Buffer (m): 1000

Site Details


Site at, Neath/Castell-Nedd, Neath Port Talbot



Tel: 0844 844 9952

Fax: 0844 844 9951

Web: www.envirocheck.co.uk



Geotechnical & Geoenvironmental Specialists

Glamorganshire

Published 1884


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

01500 1884 1:10,560	01600 1884 1:10,560
02400 1884 1:10,560	02500 1884 1:10,560

Historical Map - Slice A



Order Details


Order Number: 314588475_1_1
Customer Ref: 17938 Metal box
National Grid Reference: 274250, 196360
Slice: A
Site Area (Ha): 1.32
Search Buffer (m): 1000

Site Details

Site at, Neath/Castell-Nedd, Neath Port Talbot



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Geotechnical & Geoenvironmental Specialists

Glamorganshire

Published 1900


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

015SE 1900 1:10,560	016SW 1900 1:10,560
024NE 1900 1:10,560	025NW 1900 1:10,560

Historical Map - Slice A



Order Details


Order Number: 314588475_1_1
Customer Ref: 17938 Metal box
National Grid Reference: 274250, 196360
Slice: A
Site Area (Ha): 1.32
Search Buffer (m): 1000

Site Details

Site at, Neath/Castell-Nedd, Neath Port Talbot



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Geotechnical & Geoenvironmental Specialists

Glamorganshire

Published 1921


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

015SE 1921 1:10,560	016SW 1921 1:10,560
024NE 1921 1:10,560	025NW 1921 1:10,560

Historical Map - Slice A



Order Details


Order Number: 314588475_1_1
Customer Ref: 17938 Metal box
National Grid Reference: 274250, 196360
Slice: A
Site Area (Ha): 1.32
Search Buffer (m): 1000

Site Details

Site at, Neath/Castell-Nedd, Neath Port Talbot



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Geotechnical & Geoenvironmental Specialists

Glamorganshire

Published 1921


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

015SE	1921	1:10,560
024NE	1921	1:10,560

Historical Map - Slice A



Order Details


Order Number: 314588475_1_1
Customer Ref: 17938 Metal box
National Grid Reference: 274250, 196360
Slice: A
Site Area (Ha): 1.32
Search Buffer (m): 1000

Site Details

Site at, Neath/Castell-Nedd, Neath Port Talbot



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Geotechnical & Geoenvironmental Specialists

Glamorganshire

Published 1936


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

016SW
1936
1:10,560
025NW
1936
1:10,560

Historical Map - Slice A



Order Details


Order Number: 314588475_1_1
Customer Ref: 17938 Metal box
National Grid Reference: 274250, 196360
Slice: A
Site Area (Ha): 1.32
Search Buffer (m): 1000

Site Details

Site at, Neath/Castell-Nedd, Neath Port Talbot



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Geotechnical & Geoenvironmental Specialists

Glamorganshire

Published 1938 - 1951


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

015SE 1940 1:10,560	016SW 1938 1:10,560
024NE 1938 1:10,560	025NW 1951 1:10,560

Historical Map - Slice A



Order Details


Order Number: 314588475_1_1
Customer Ref: 17938 Metal box
National Grid Reference: 274250, 196360
Slice: A
Site Area (Ha): 1.32
Search Buffer (m): 1000

Site Details

Site at, Neath/Castell-Nedd, Neath Port Talbot



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk





Geotechnical & Geoenvironmental Specialists

Historical Aerial Photography

Published 1945 - 1949

Source map scale - 1:10,560


The Historical Aerial Photos were produced by the Ordnance Survey at a scale of 1:1,250 and 1:10,560 from Air Force photography. They were produced between 1944 and 1951 as an interim measure, pending preparation of conventional mapping, due to post war resource shortages. New security measures in the 1950's meant that every photograph was re-checked for potentially unsafe information with security sites replaced by fake fields or clouds. The original editions were withdrawn and only later made available after a period of fifty years although due to the accuracy of the editing, without viewing both revisions it is not easy to spot the edits. Where available Landmark have included both revisions.

© Landmark Information Group and/or Data Suppliers 2010.

Map Name(s) and Date(s)

Map Name	Date	Scale
SS79NW	1945	1:10,560
SS79NE	1949	1:10,560

Historical Aerial Photography - Slice A



Order Details

Order Number:	314588475_1_1
Customer Ref:	17938 Metal box
National Grid Reference:	274250, 196360
Slice:	A
Site Area (Ha):	1.32
Search Buffer (m):	1000


Site Details

Site at, Neath/Castell-Nedd, Neath Port Talbot



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

A Landmark Information Group Service v50.0 24-Jul-2023 Page 9 of 18



Geotechnical & Geoenvironmental Specialists


Glamorganshire

Published 1951 - 1952


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number: 314588475_1_1
Customer Ref: 17938 Metal box
National Grid Reference: 274250, 196360
Slice: A
Site Area (Ha): 1.32
Search Buffer (m): 1000

Site Details

Site at, Neath/Castell-Nedd, Neath Port Talbot



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Geotechnical & Geoenvironmental Specialists


Ordnance Survey Plan

Published 1964 - 1965


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number: 314588475_1_1
Customer Ref: 17938 Metal box
National Grid Reference: 274250, 196360
Slice: A
Site Area (Ha): 1.32
Search Buffer (m): 1000

Site Details

Site at, Neath/Castell-Nedd, Neath Port Talbot



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Geotechnical & Geoenvironmental Specialists


Ordnance Survey Plan

Published 1970 - 1973


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number: 314588475_1_1
Customer Ref: 17938 Metal box
National Grid Reference: 274250, 196360
Slice: A
Site Area (Ha): 1.32
Search Buffer (m): 1000

Site Details

Site at, Neath/Castell-Nedd, Neath Port Talbot



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk





Geotechnical & Geoenvironmental Specialists

Swansea


Published 1976

Source map scale - 1:10,000


These maps were produced by the Russian military during the Cold War between 1950 and 1997, and cover 103 towns and cities throughout the U.K. The maps are produced at 1:25,000, 1:10,000 and 1:5,000 scale, and show detailed land use, with colour-coded areas for development, green areas, and non-developed areas. Buildings are coloured black and important building uses (such as hospitals, post offices, factories etc.) are numbered, with a numbered key describing their use. They were produced by the Russians for the benefit of navigation, as well as strategic military sites and transport hubs, for use if they were to have invaded the U.K. The detailed information provided indicates that the areas were surveyed using land-based personnel, on the ground, in the cities that are mapped.

Map Name(s) and Date(s)

SS79NW
1976
1:10,000



Russian Map - Slice A



Order Details

Order Number:	314588475_1_1
Customer Ref:	17938 Metal box
National Grid Reference:	274250, 196360
Slice:	A
Site Area (Ha):	1.32
Search Buffer (m):	1000

Site Details

Site at, Neath/Castell-Nedd, Neath Port Talbot



Landmark[®]
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

A Landmark Information Group Service v50.0 24-Jul-2023 Page 13 of 18



Geotechnical & Geoenvironmental Specialists


Ordnance Survey Plan

Published 1980 - 1983


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details

Order Number: 314588475_1_1
Customer Ref: 17938 Metal box
National Grid Reference: 274250, 196360
Slice: A
Site Area (Ha): 1.32
Search Buffer (m): 1000

Site Details

Site at, Neath/Castell-Nedd, Neath Port Talbot



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Geotechnical & Geoenvironmental Specialists


Ordnance Survey Plan

Published 1992


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details

Order Number: 314588475_1_1
Customer Ref: 17938 Metal box
National Grid Reference: 274250, 196360
Slice: A
Site Area (Ha): 1.32
Search Buffer (m): 1000

Site Details

Site at, Neath/Castell-Nedd, Neath Port Talbot



INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright. All Rights Reserved. Licence Number 100022432.



Geotechnical & Geoenvironmental Specialists


10k Raster Mapping

Published 1999


Source map scale - 1:10,000

The historical maps shown were produced from the Ordnance Survey's 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details

Order Number: 314588475_1_1
Customer Ref: 17938 Metal box
National Grid Reference: 274250, 196360
Slice: A
Site Area (Ha): 1.32
Search Buffer (m): 1000


Site Details

Site at, Neath/Castell-Nedd, Neath Port Talbot



INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Geotechnical & Geoenvironmental Specialists


10k Raster Mapping

Published 2006



Source map scale - 1:10,000

The historical maps shown were produced from the Ordnance Survey's 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number: 314588475_1_1
Customer Ref: 17938 Metal box
National Grid Reference: 274250, 196360
Slice: A
Site Area (Ha): 1.32
Search Buffer (m): 1000

Site Details

Site at, Neath/Castell-Nedd, Neath Port Talbot



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Geotechnical & Geoenvironmental Specialists

VectorMap Local

Published 2023

Source map scale - 1:10,000

VectorMap Local (Raster) is Ordnance Survey's highest detailed 'backdrop' mapping product. These maps are produced from OS's VectorMap Local, a simple vector dataset at a nominal scale of 1:10,000, covering the whole of Great Britain, that has been designed for creating graphical mapping. OS VectorMap Local is derived from large-scale information surveyed at 1:1250 scale (covering major towns and cities), 1:2500 scale (smaller towns, villages and developed rural areas), and 1:10 000 scale (mountain, moorland and river estuary areas).

Map Name(s) and Date(s)

SS79NW 2023 Variable	SS79NE 2023 Variable
----------------------------	----------------------------

Historical Map - Slice A

Order Details

Order Number:	314588475_1_1
Customer Ref:	17938 Metal box
National Grid Reference:	274250, 196360
Slice:	A
Site Area (Ha):	1.32
Search Buffer (m):	1000


Site Details

Site at, Neath/Castell-Nedd, Neath Port Talbot

INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

A Landmark Information Group Service v50.0 24-Jul-2023 Page 18 of 18




© Crown Copyright. All Rights Reserved. License Number 100022432.




- General**
 - Specified Site
 - Specified Buffer(s)
 - Bearing Reference Point
 - Map ID
 - Several of Type at Location
- Agency and Hydrological**
 - Contaminated Land Register Entry or Notice (Location)
 - Contaminated Land Register Entry or Notice
 - Discharge Consent
 - Enforcement or Prohibition Notice
 - Integrated Pollution Control
 - Integrated Pollution Prevention Control
 - Local Authority Integrated Pollution Prevention and Control
 - Local Authority Pollution Prevention and Control
 - Local Authority Pollution Prevention and Control Enforcement
 - Pollution Incident to Controlled Waters
 - Prosecution Relating to Authorised Processes
 - Prosecution Relating to Controlled Waters
 - Registered Radioactive Substance
 - River Network or Water Feature
 - River Quality Sampling Point
 - Substantiated Pollution Incident Register
 - Water Abstraction
 - Water Industry Act Referral
- Waste**
 - BGS Recorded Landfill Site (Location)
 - BGS Recorded Landfill Site
 - EA Historic Landfill (Buffered Point)
 - EA Historic Landfill (Polygon)
 - Integrated Pollution Control Registered Waste Site
 - Licensed Waste Management Facility (Landfill Boundary)
 - Licensed Waste Management Facility (Location)
 - Local Authority Recorded Landfill Site (Location)
 - Local Authority Recorded Landfill Site
 - Potentially Infilled Land (Non-water)
 - Potentially Infilled Land (Non-water)
 - Potentially Infilled Land (Non-water)
 - Potentially Infilled Land (Water)
 - Potentially Infilled Land (Water)
 - Potentially Infilled Land (Water)
 - Registered Landfill Site (Location)
 - Registered Landfill Site (Point Buffered to 100m)
 - Registered Landfill Site (Point Buffered to 250m)
 - Registered Waste Transfer Site (Location)
 - Registered Waste Transfer Site
 - Registered Waste Treatment or Disposal Site (Location)
 - Registered Waste Treatment or Disposal Site
- Hazardous Substances**
 - COMAH Site
 - Explosive Site
 - NIHHS Site
 - Planning Hazardous Substance Consent
 - Planning Hazardous Substance Enforcement
 - BGS Recorded Mineral Site
- Geological**
 -

Site Sensitivity Map - Slice A



Order Details
Order Number: 314588475_1_1
Customer Ref: 17938 Metal box
National Grid Reference: 274250, 196360
Slice: A
Site Area (Ha): 1.32
Search Buffer (m): 1000

Site Details
Site at, Neath/Castell-Nedd, Neath Port Talbot



Geotechnical & Geoenvironmental Specialists
Industrial Land Use Map


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Industrial Land Use

- Contemporary Trade Directory Entry
- Fuel Station Entry
- Gas Pipeline
- Points of Interest - Commercial Services
- Points of Interest - Education and Health
- Points of Interest - Manufacturing and Production
- Points of Interest - Public Infrastructure
- Points of Interest - Recreational and Environmental
- Underground Electrical Cables

Industrial Land Use Map - Slice A



Order Details


Order Number: 314588475_1_1
Customer Ref: 17938 Metal box
National Grid Reference: 274250, 196360
Slice: A
Site Area (Ha): 1.32
Search Buffer (m): 1000

Site Details

Site at, Neath/Castell-Nedd, Neath Port Talbot



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.




General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point

Agency and Hydrological (Flood)

- Extreme Flooding from Rivers or Sea without Defences (Zone 2)
- Flooding from Rivers or Sea without Defences (Zone 3)
- Area Benefiting from Flood Defence
- Flood Water Storage Areas
- Flood Defence

Flood Map - Slice A



Order Details


Order Number: 314588475_1_1
Customer Ref: 17938 Metal box
National Grid Reference: 274250, 196360
Slice: A
Site Area (Ha): 1.32
Search Buffer (m): 1000

Site Details

Site at, Neath/Castell-Nedd, Neath Port Talbot



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk




- General**
- Specified Site
 - Specified Buffer(s)
 - Bearing Reference Point

- OS Water Network Data**
- | | |
|--------------|-------------------------|
| Canal | Drain |
| Reservoir | Other |
| Foreshore | Lake |
| Marsh | Transfer |
| Tidal River | Lock Or Flight Of Locks |
| Inland River | Sea |

- Contours (height in meters)**
- Standard Contour: 105, 100, 95
- Master Contour: 105, 100, 95
- Spot Height: 167.3
- MLW: Mean Low Water
- MHW: Mean High Water

OS Water Network Map - Slice A




Order Details

Order Number: 314588475_1_1
Customer Ref: 17938 Metal box
National Grid Reference: 274250, 196360
Slice: A
Site Area (Ha): 1.32
Search Buffer (m): 1000

Site Details

Site at, Neath/Castell-Nedd, Neath Port Talbot



© Crown Copyright. All Rights Reserved. License Number 100022432.



General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point

Risk of Flooding from Surface Water


- High - 30 Year Return
- Medium - 100 Year Return
- Low - 1000 Year Return

Suitability

See the suitability map below

- National to county
- County to town
- Town to street
- Street to parcels of land
- Property

E/NRW Suitability Map - Slice A



Order Details

Order Number: 314588475_1_1
Customer Ref: 17938 Metal box
National Grid Reference: 274250, 196360
Slice: A
Site Area (Ha): 1.32
Search Buffer (m): 1000

Site Details

Site at, Neath/Castell-Nedd, Neath Port Talbot



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

**Annex B
Risk Assessment Definitions**

The contaminated land regime is set out in Part 2A of the Environmental Protection Act (EPA) 1990 and was introduced on the 1st April 2000 in England and 1st July 2001 in Wales. A similar regime was introduced in Scotland on 14th July 2000.

Part 2A was introduced to achieve three overarching objectives:

- (a) To identify and remove unacceptable risks to human health and the environment.
- (b) To seek to ensure that contaminated land is made suitable for its current use.
- (c) To ensure that the burdens faced by individuals, companies and society as a whole are proportionate, manageable and compatible with the principles of sustainable development.

Under Part 2A the statutory definition of 'contaminated land' is:

"any land which appears to the local authority in whose area it is situated, to be in such a condition, by reason of substances in, on, or under the land, that:

- (a) Significant harm is being caused or there is a significant possibility of such harm being caused; or
- (b) Pollution of controlled waters is being, or is likely to be, caused."

Under Part 2A, for land to be classified as 'Contaminated Land' there must be one or more contaminant, pathway, receptor linkages, known as the '**Pollutant Linkage**'. A pollutant linkage requires three essential elements:

- (a) A **CONTAMINANT** (SOURCE) – a substance that is in, on or under the land and has the potential to cause harm or to cause pollution of controlled waters.
- (b) A **RECEPTOR** – something which could be adversely affected by a contaminant.
- (c) A **PATHWAY** – a route by which a receptor is or might be exposed to or affected by a contaminant.

The term 'Risk' is widely used in different contexts and situations, but a prescriptive definition is given by the Guidelines for Environmental Risk Assessment and Management (DEFRA *et al*, 2000):

'Risk is a combination of the probability, or frequency, of occurrence of a defined hazard and the magnitude of the consequences of the occurrence'.

Model Procedures for the Management of Land Contamination – Contamination Land Report 11 (2004) defines a 'Hazard' as

'a property or situation that in particular circumstances could lead to harm'.

A framework for qualitative risk assessment is provided in CIRIA publication C552 Contaminated Land Risk Assessment – A Guide to Good Practice (2001). The method requires an assessment of the magnitude of the probability of the risk occurring and the magnitude of the potential consequence. Classifications of consequences and probability, levels and descriptions of risk have been devised from the above publication and are defined in the following sections.

Classification of Consequence


Table A Classification of Consequence	
Classification	Definition
Severe	• Short term (acute) risk to human health likely to result in significant harm • Short term risk to controlled waters • Catastrophic damage to buildings/structures • Short term risk to an ecosystem or organism within the particular ecosystem
Medium	• Chronic damage to human health (long term risk) • Pollution of a sensitive water resource • A significant change in an ecosystem or organism within the ecosystem
Mild	• Pollution of non-sensitive water resources • Significant damage to buildings/structures • Damage to sensitive buildings/structure/services or the environment
Negligible	• Harm (not necessarily significant) which may result in financial loss • Non-permanent health effects to humans (easily prevented by PPE for example) • Easily repairable effects of structural (building) damage

Classification of Probability

Table B Classification of Probability	
Classification	Definition
High Likelihood	• There is a complete pollution linkage and an event appears very likely to occur in the short term and is inevitable in the long term. • Evidence of harm to the receptor
Likely	• There is a complete pollution linkage which means that it is probable that an event will occur • The event is not inevitable but possible in short term and likely in the long term
Low Likelihood	• There is a complete pollution linkage and circumstances are possible under which an event could occur • It is not certain that an event will occur in the long term, and it is less likely to occur in the short term
Unlikely	• There is a complete pollution linkage but circumstances are such that it is improbable that an event would occur even in the long term

Risk Assessment Matrix

By comparing the consequences of a risk and the probability of the risk of a pollution linkage, the likely risk category can be determined as shown in **Table C** below.

Table C Risk Assessment Matrix					
Increasing acceptability 		Consequence			
		Severe	Medium	Mild	Negligible
Probability	High Likelihood	High risk	High risk	Medium risk	Low risk
	Likely	High risk	Medium risk	Low risk	Near zero risk
	Low Likelihood	Medium risk	Low risk	Low risk	Near zero risk
	Unlikely	Low risk	Near zero risk	Near zero risk	Near zero risk

Description of Risks and Likely Actions

High Risk

There is a high probability that severe harm could arise to a receptor, or there is evidence that a receptor is currently being severely harmed. The risk if realised is likely to result in liability, and urgent investigation or remediation will be required.

Medium Risk

It is probable that harm will arise to a receptor. However, it is relatively unlikely that such harm would be severe, or if harm does occur the harm is likely to be relatively mild. Investigation will be required to determine the liability, and some remedial works may be required in the long term.

Low Risk

It is possible that harm may arise to a receptor, but it is likely that the harm would be mild.

Near Zero Risk

There is a very low risk of harm to the receptor. In the event of harm being realised the harm is not likely to be severe.

**Annex C
Coal Authority Report and Map**

[illegible]

Date of enquiry:	24 July 2023
Date enquiry received:	24 July 2023
Issue date:	24 July 2023
Our reference:	51003368453001
Your reference:	314588475_2

Consultants

Coal Mining Report

This report is based on and limited to the records held by the Coal Authority at the time the report was produced.

Client name

NLIS Hub

Enquiry address

Neath/castell-nedd
Neath
Neath Port Talbot
Vale Of Glamorgan
SA11 2HN

How to contact us

0345 762 6848 (UK)
+44 (0)1623 637 000 (International)

200 Lichfield Lane
Mansfield
Nottinghamshire
NG18 4RG


www.groundstability.com

 @coalauthority

 /company/the-coal-authority

 /thecoalauthority

 /thecoalauthority



Approximate position of property



Reproduced by permission of Ordnance Survey on behalf of HMSO. © Crown copyright and database right 2018. All rights reserved.

Ordnance Survey Licence number: 100020315

Section 1 – Mining activity and geology

Past underground mining

No past mining recorded.

Probable unrecorded shallow workings

None.

Spine roadways at shallow depth

No spine roadway recorded at shallow depth.

Mine entries

None recorded within 100 metres of the enquiry boundary.

Abandoned mine plan catalogue numbers

The following abandoned mine plan catalogue numbers intersect with some, or all, of the enquiry boundary:

SWR1671	R12053	SWR2654
SW1916		

Please contact us on 0345 762 6848 to determine the exact abandoned mine plans you require based on your needs.

Outcrops

No outcrops recorded.

Geological faults, fissures and breaklines

No faults, fissures or breaklines recorded.

Opencast mines

None recorded within 500 metres of the enquiry boundary.

Coal Authority managed tips

None recorded within 500 metres of the enquiry boundary.

Section 2 – Investigative or remedial activity

Please refer to the 'Summary of findings' map (on separate sheet) for details of any activity within the area of the site boundary.

Site investigations

None recorded within 50 metres of the enquiry boundary.

Remediated sites

None recorded within 50 metres of the enquiry boundary.

Coal mining subsidence

The Coal Authority has not received a damage notice or claim for the subject property, or any property within 50 metres of the enquiry boundary, since 31 October 1994.

There is no current Stop Notice delaying the start of remedial works or repairs to the property.

The Coal Authority is not aware of any request having been made to carry out preventive works before coal is worked under section 33 of the Coal Mining Subsidence Act 1991.

Mine gas

None recorded within 500 metres of the enquiry boundary.

Mine water treatment schemes

None recorded within 500 metres of the enquiry boundary.

Section 3 – Licensing and future mining activity

Future underground mining

None recorded.

Coal mining licensing

None recorded within 200 metres of the enquiry boundary.

Court orders

None recorded.

Section 46 notices

No notices have been given, under section 46 of the Coal Mining Subsidence Act 1991, stating that the land is at risk of subsidence.

Withdrawal of support notices

The property is not in an area where a notice to withdraw support has been given.

The property is not in an area where a notice has been given under section 41 of the Coal Industry Act 1994, cancelling the entitlement to withdraw support.

Payments to owners of former copyhold land

The property is not in an area where a relevant notice has been published under the Coal Industry Act 1975/Coal Industry Act 1994.

Section 4 – Further information

Based on the responses in this report, no further information has been highlighted.

Future development

If development proposals are being considered, technical advice relating to both the investigation of coal and former coal mines and their treatment should be obtained before beginning work on site. All proposals should apply specialist engineering practice required for former mining areas. No development should be undertaken that intersects, disturbs or interferes with any coal or coal mines without first obtaining the permission of the Coal Authority.

MINE GAS: Please note, if there are no recorded instances of mine gas within 500m of the enquiry boundary, this does not mean that mine gas is not present within the vicinity. The Coal Authority Mine Gas data is limited to only those sites where a Mine Gas incident has been recorded. Developers should be aware that the investigation of coal seams, mine workings or mine entries may have the potential to generate and/or displace underground gases. Associated risks both to the development site and any neighbouring land or properties should be fully considered when undertaking any ground works. The need for effective measures to prevent gases migrating onto any land or into any properties, either during investigation or remediation work, or after development must also be assessed and properly addressed. In these instances, the Coal Authority recommends that a more detailed Gas Risk Assessment is undertaken by a competent assessor.

Section 5 – Data definitions

The datasets used in this report have limitations and assumptions within their results. For more guidance on the data and the results specific to the enquiry boundary, please **call us on 0345 762 6848** or **email us at groundstability@coal.gov.uk**.

Past underground coal mining

Details of all recorded underground mining relative to the enquiry boundary. Only past underground workings where the enquiry boundary is within 0.7 times the depth of the workings (zone of likely physical influence) allowing for seam inclination, will be included.

Probable unrecorded shallow workings

Areas where the Coal Authority believes there to be unrecorded coal workings that exist at or close to the surface (less than 30 metres deep).

Spine roadways at shallow depth

Connecting roadways either, working to working, or, surface to working, both in-seam and cross measures that exist at or close to the surface (less than 30 metres deep), either within or within 10 metres of the enquiry boundary.

Mine entries

Details of any shaft or adit either within, or within 100 metres of the enquiry boundary including approximate location, brief treatment details where known, the mineral worked from the mine entry and conveyance details where the mine entry has previously been sold by the Authority or its predecessors British Coal or the National Coal Board.

Abandoned mine plan catalogue numbers

Plan numbers extracted from the abandoned mines catalogue containing details of coal and other mineral abandonment plans deposited via the Mines Inspectorate in accordance with the Coal Mines Regulation Act and Metalliferous Mines Regulation Act 1872. A maximum of 9 plan extents that intersect with the enquiry boundary will be included. This does not infer that the workings and/or mine entries shown on the abandonment plan will be relevant to the site/property boundary.

Outcrops

Details of seam outcrops will be included where the enquiry boundary intersects with a conjectured or actual seam outcrop location (derived by either the British Geological Survey or the Coal Authority) or intersects with a defined 50 metres buffer on the coal (dip) side of the outcrop. An indication of whether the Coal Authority believes the seam to be of sufficient thickness and/or quality to have been worked will also be included.

Geological faults, fissures and breaklines

Geological disturbances or fractures in the bedrock. Surface fault lines (British Geological Survey derived data) and fissures and breaklines (Coal Authority derived data) intersecting with the enquiry boundary will be included. In some circumstances faults, fissures or breaklines have been known to contribute to surface subsidence damage as a consequence of underground coal mining.

Opencast mines

Opencast coal sites from which coal has been removed in the past by opencast (surface) methods and where the enquiry boundary is within 500 metres of either the licence area, site boundary, excavation area (high wall) or coaling area.

Coal Authority managed tips

Locations of disused colliery tip sites owned and managed by the Coal Authority, located within 500 metres of the enquiry boundary.

Site investigations

Details of site investigations within 50 metres of the enquiry boundary where the Coal Authority has received information relating to coal mining risk investigation and/or remediation by third parties.

Remediated sites

Sites where the Coal Authority has undertaken remedial works either within or within 50 metres of the enquiry boundary following report of a hazard relating to coal mining under the Coal Authority's Emergency Surface Hazard Call Out procedures.

Coal mining subsidence

Details of alleged coal mining subsidence claims made since 31 October 1994 either within or within 50 metres of the enquiry boundary. Where the claim relates to the enquiry boundary confirmation of whether the claim was accepted, rejected or whether liability is still being determined will be given. Where the claim has been discharged, whether this was by repair, payment of compensation or a combination of both, the value of the claim, where known, will also be given.

Details of any current 'Stop Notice' deferring remedial works or repairs affecting the property/site, and if so the date of the notice.

Details of any request made to execute preventative works before coal is worked under section 33 of the Coal Mining Subsidence Act 1991. If yes, whether any person withheld consent or failed to comply with any request to execute preventative works.

Mine gas

Reports of alleged mine gas emissions received by the Coal Authority, either within or within 500 metres of the enquiry boundary that subsequently required investigation and action by the Coal Authority to mitigate the effects of the mine gas emission. Please note, if there are no recorded instances of mine gas reported, this does not mean that mine gas is not present within the vicinity. The Coal Authority Mine Gas data is limited to only those sites where a Mine Gas incident has been recorded.

Mine water treatment schemes

Locations where the Coal Authority has constructed or operates assets that remove pollutants from mine water prior to the treated mine water being discharged into the receiving water body.

These schemes are part of the UK's strategy to meet the requirements of the Water Framework Directive. Schemes fall into 2 basic categories: Remedial – mitigating the impact of existing pollution or Preventative – preventing a future pollution incident.

Mine water treatment schemes generally consist of one or more primary settlement lagoons and one or more reed beds for secondary treatment. A small number are more specialised process treatment plants.

Future underground mining

Details of all planned underground mining relative to the enquiry boundary. Only those future workings where the enquiry boundary is within 0.7 times the depth of the workings (zone of likely physical influence) allowing for seam inclination will be included.

Coal mining licensing

Details of all licenses issued by the Coal Authority either within or within 200 metres of the enquiry boundary in relation to the under taking of surface coal mining, underground coal mining or underground coal gasification.

Court orders

Orders in respect of the working of coal under the Mines (Working Facilities and Support) Acts of 1923 and 1966 or any statutory modification or amendment thereof.

Section 46 notices

Notice of proposals relating to underground coal mining operations that have been given under section 46 of the Coal Mining Subsidence Act 1991.

Withdrawal of support notices

Published notices of entitlement to withdraw support and the date of the notice. Details of any revocation notice withdrawing the entitlement to withdraw support given under Section 41 of the Coal Industry Act 1994.

Payment to owners of former copyhold land

Relevant notices which may affect the property and any subsequent notice of retained interests in coal and coal mines, acceptance or rejection notices and whether any compensation has been paid to a claimant.

**Annex D
Walkover Survey Photographs**



Site Name: Metal Box, Neath

Project Number: 17938





Site Name: Metal Box, Neath

Project Number: 17938





Site Name: Metal Box, Neath

Project Number: 17938





Site Name: Metal Box, Neath

Project Number: 17938





Site Name: Metal Box, Neath

Project Number: 17938



DRAWINGS

NOTES

REV	DATE	BY	CHKD
-----	------	----	------

CLIENT
Aquaculture 360

PROJECT
Proposed Shrimp Farm at Neath

TITLE
As Existing Location Plan (Former Metal Box Works)


DRAWING ISSUE
Planning

GENERAL NOTES
A- The scale shown on this drawing only applies to the correct paper size.
B- Do not scale from this drawing take figured dimensions only.
C- Any discrepancies to be reported to ateb consult.
D- Drawings in PDF format are not to scale and are for reference only.

DATE May'23	PRODUCED BY C.Holmes
SCALE 1:2000	CHECKED
PAPER SIZE A3	APPROVED

ateb Consult
42 Gurnos Road
Ystalyfera
Swansea
SA9 2HY
Tel: 01639 849279
Fax: 01639 849984
E-mail: info@atebconsult.co.uk

JOB NUMBER	DRAWING NUMBER	REVISION
23/021	100	



Produced on 15 May 2023 from the Ordnance Survey National Geographic Database and incorporating surveyed revision available at this date.
This map shows the area bounded by 274176 196158, 274602 196158, 274602 196474, 274176 196474, 274176 196158.
Crown copyright and database rights 2023 OS 100054135. Supplied by copla ltd trading as UKPlanningMaps.com a licensed Ordnance Survey partner (OS 100054135).
Data licence expires 15 May 2024. Unique plan reference: v10d19494761280637





Terra Firma (Wales) Ltd. 5 Deryn Court, Wharfedale Road, Pentwyn, Cardiff CF23 7HA
Tel: 029 2073 5354 **Fax:** 029 2073 5433 **Email:** info@terrafirmawales.co.uk **www.terrafirmawales.co.uk**