


		EXPLORATORY HOLE PHOTOGRAPHS		Exploratory Hole	
				S2-BH227	
Project	Global Centre of Rail Excellence (GCRE) Stage 2	Easting	283291.67	Equipment	Teredo C38/Insulated hand tools
Client	Walters UK Ltd	Northing	211071.24	Method	DS/IP/RC
Project No	G23012	Level	277.74 mAOD	Termination Reason	Scheduled depth

Sheet 2 of 7


Jackson Geoservices
Unit B3, Fram Enterprise Centre
Parc Busnes Edwards, Llantrisant
Pontyclun, CF72 8QZ

Email: team@jacksongeo.co.uk
Telephone: 02920 099 769





Project Name	GCRE STAGE 2	Project Number	G23012
Client	WALTERS GROUP	Date	14 APRIL 2023
Exploratory Hole Number	S2-BH227	Box / Face Number	
Depth (m) from	3:20 to 4:20	Engineer	A






S2-BH227 3.20 m to 4.20 m


Jackson Geoservices
Unit B3, Fram Enterprise Centre
Parc Busnes Edwards, Llantrisant
Pontyclun, CF72 8QZ

Email: team@jacksongeo.co.uk
Telephone: 02920 099 769





Project Name	GCRE STAGE 2	Project Number	G23012
Client	WALTERS GROUP	Date	14 APRIL 2023
Exploratory Hole Number	S2-BH227	Box / Face Number	
Depth (m) from	4:20 to 5:20	Engineer	A





S2-BH227 4.20 m to 5.20 m

		EXPLORATORY HOLE PHOTOGRAPHS				Exploratory Hole
						S2-BH227
Project	Global Centre of Rail Excellence (GCRE) Stage 2	Easting	283291.67	Equipment	Teredo C38/Insulated hand tools	Sheet 3 of 7
Client	Walters UK Ltd	Northing	211071.24	Method	DS/IP/RC	
Project No	G23012	Level	277.74 mAOD	Termination Reason	Scheduled depth	

Jackson Geoservices
Unit B3, Fram Enterprise Centre
Parc Busnes Edwards, Llantrisant
Pontyclun, CF72 8QZ

Email: team@jacksongeo.co.uk
Telephone: 02920 099 769





Project Name	GCRE STAGE 2	Project Number	G23012
Client	WALTERS GROUP	Date	14 APRIL 2023
Exploratory Hole Number	S2-BH227	Box / Face Number	
Depth (m) from	5.20 to 6.20	Engineer	A






S2-BH227 5.20 m to 6.20 m

Jackson Geoservices
Unit B3, Fram Enterprise Centre
Parc Busnes Edwards, Llantrisant
Pontyclun, CF72 8QZ

Email: team@jacksongeo.co.uk
Telephone: 02920 099 769





Project Name	GCRE STAGE 2	Project Number	G23012
Client	WALTERS GROUP	Date	17 APRIL 2023
Exploratory Hole Number	S2-BH227	Box / Face Number	
Depth (m) from	7.50 to 9.00	Engineer	A





S2-BH227 7.50 m to 9.00 m



		EXPLORATORY HOLE PHOTOGRAPHS				Exploratory Hole
						S2-BH227
Project	Global Centre of Rail Excellence (GCRE) Stage 2	Easting	283291.67	Equipment	Teredo C38/Insulated hand tools	Sheet 4 of 7
Client	Walters UK Ltd	Northing	211071.24	Method	DS/IP/RC	
Project No	G23012	Level	277.74 mAOD	Termination Reason	Scheduled depth	

Jackson Geoservices
Unit B3, Fram Enterprise Centre
Parc Busnes Edwards, Llantrisant
Pontyclun, CF72 8QZ

Email: team@jacksongeo.co.uk
Telephone: 02920 099 769



Project Name	GCRE STAGE 2	Project Number	G23012
Client	WALTERS GROUP	Date	17 APRIL 2023
Exploratory Hole Number	S2-BH227	Box / Face Number	
Depth (m) from	9.00 to 11.00	Engineer	A




S2-BH227 9.00 m to 10.00 m

Jackson Geoservices
Unit B3, Fram Enterprise Centre
Parc Busnes Edwards, Llantrisant
Pontyclun, CF72 8QZ

Email: team@jacksongeo.co.uk
Telephone: 02920 099 769



Project Name	GCRE STAGE 2	Project Number	G23012
Client	WALTERS GROUP	Date	17 APRIL 2023
Exploratory Hole Number	S2-BH227	Box / Face Number	
Depth (m) from	12.00 to 13.50	Engineer	A



S2-BH227 12.00 m to 13.50 m



		EXPLORATORY HOLE PHOTOGRAPHS				Exploratory Hole
						S2-BH227
Project	Global Centre of Rail Excellence (GCRE) Stage 2	Easting	283291.67	Equipment	Teredo C38/Insulated hand tools	Sheet 5 of 7
Client	Walters UK Ltd	Northing	211071.24	Method	DS/IP/RC	
Project No	G23012	Level	277.74 mAOD	Termination Reason	Scheduled depth	

Jackson Geoservices
 Unit B3, Fram Enterprise Centre
 Parc Busnes Edwards, Llantrisant
 Pontyclun, CF72 8QZ

Email: team@jacksongeo.co.uk
 Telephone: 02920 099 769




Project Name	GCRE STAGE 2	Project Number	G23012
Client	WALTERS GROUP	Date	17 APRIL 2023
Exploratory Hole Number	S2-BH227	Box / Face Number	
Depth (m) from	13.50 to 14.80	Engineer	A



S2-BH227 13.50 m to 14.80 m

Jackson Geoservices
 Unit B3, Fram Enterprise Centre
 Parc Busnes Edwards, Llantrisant
 Pontyclun, CF72 8QZ

Email: team@jacksongeo.co.uk
 Telephone: 02920 099 769



Project Name	GCRE STAGE 2	Project Number	G23012
Client	WALTERS GROUP	Date	17 APRIL 2023
Exploratory Hole Number	S2-BH227	Box / Face Number	
Depth (m) from	14.80 to 16.30	Engineer	A


S2-BH227 14.80 m to 16.30 m



		EXPLORATORY HOLE PHOTOGRAPHS				Exploratory Hole
						S2-BH227
Project	Global Centre of Rail Excellence (GCRE) Stage 2	Easting	283291.67	Equipment	Teredo C38/Insulated hand tools	Sheet 6 of 7
Client	Walters UK Ltd	Northing	211071.24	Method	DS/IP/RC	
Project No	G23012	Level	277.74 mAOD	Termination Reason	Scheduled depth	

Jackson Geoservices
Unit B3, Fram Enterprise Centre
Parc Busnes Edwards, Llantrisant
Pontyclun, CF72 8QZ

Email: team@jacksongeo.co.uk
Telephone: 02920 099 769



Project Name	GCRC STAGE 2	Project Number	G23012
Client	WALTERS GROUP	Date	17 APRIL 2023
Exploratory Hole Number	S2-BH227	Box / Face Number	
Depth (m) from	16.30 to 17.80	Engineer	A









S2-BH227 16.30 m to 17.80 m

Jackson Geoservices
Unit B3, Fram Enterprise Centre
Parc Busnes Edwards, Llantrisant
Pontyclun, CF72 8QZ

Email: team@jacksongeo.co.uk
Telephone: 02920 099 769



Project Name	GCRC STAGE 2	Project Number	G23012
Client	WALTERS GROUP	Date	17 APRIL 2023
Exploratory Hole Number	S2-BH227	Box / Face Number	
Depth (m) from	17.80 to 19.30	Engineer	A



S2-BH227 17.80 m to 19.30 m



		EXPLORATORY HOLE PHOTOGRAPHS				Exploratory Hole
						S2-BH227
Project	Global Centre of Rail Excellence (GCRE) Stage 2	Easting	283291.67	Equipment	Teredo C38/Insulated hand tools	Sheet 7 of 7
Client	Walters UK Ltd	Northing	211071.24	Method	DS/IP/RC	
Project No	G23012	Level	277.74 mAOD	Termination Reason	Scheduled depth	

Jackson Geoservices
Unit B3, Fram Enterprise Centre
Parc Busnes Edwards, Llantrisant
Pontyclun, CF72 8QZ

Email: team@jacksongeo.co.uk
Telephone: 02920 099 769



Project Name	GCRE STAGE 2	Project Number	G23012
Client	WALTERS GROUP	Date	17 APRIL 2023
Exploratory Hole Number	S2-BH227	Box / Face Number	
Start (m) from	19.30 to 20.80	Engineer	A


















S2-BH227 19.30 m to 20.80 m

JACKSON GEO SERVICES		SONIC DRILLING EXPLORATORY HOLE LOG						Exploratory Hole Progress by Time				Exploratory Hole					
								Date and Time		Depth	Casing Depth	Water Depth	S2-BH228				
Project	Global Centre of Rail Excellence (GCRE) Stage 2				Equipment	Eijkelpomp-Fraсте SRS ML Duo/Insulated Hand Tools				Sheet 1 of 4							
Client	Walters UK Ltd				Method	SNC/IP				Scale	1:50						
Project No	G23012	Level	280.74 mAOD		Inclination		90 degrees		Drilled	AM/AR							
Easting	282694.17		Northing	211025.58		SPT Hammer Serial Number			Logged	CE/WH							
Termination Reason		Scheduled depth			SPT Hammer Energy Ratio		%		Checked	AP							
Samples	Sampling and Testing Depths		Insitu Testing and Depth Related Remarks		Drill Runs	TCR	Depth (Thickness)	Level (mAOD)	Legend	Description	Scale	Backfill					
1 ES	0.20 - 0.30 0.20		PID: 0.0ppmv		0.00 - 2.00	100%	0.00	279.54		Brown sandy clayey subangular to subrounded fine to coarse GRAVEL of mudstone with low cobble content. Cobbles are angular to subangular mudstone. Sand is fine to coarse. (MADE GROUND) Geology Code: MGR 2nd Geology Code: GR	0.50						
2 ES 3 B	0.50 - 0.60 0.50		PID: 0.0ppmv				(1.20)										
101 B	0.60 - 0.80 0.80		Inspection pit terminated due to cobble.														
	1.00 - 2.00						1.20						0.80m - 0.80m High cobble content. Cobbles are subangular of mudstone.				
102 ES	2.00 - 2.10 2.00		PID: 0.0ppmv		2.00 - 4.00	100%	1.20	276.74		Grey angular and subrounded fine to coarse GRAVEL of siltstone and mudstone and probable medium cobble content. Cobbles are non intact, recovered as sandy angular and subangular fine to coarse gravel of siltstone. Sand is fine. (MADE GROUND) Geology Code: MGR 2nd Geology Code: GR	1.50						
103 D	2.30 - 2.40																
105 B	2.70 - 4.00																
104 ES	3.00 - 3.10 3.00		PID: 0.0ppmv														
106 ES 107 B	4.00 - 4.10 4.00 - 6.00 4.00		PID: 0.0ppmv		4.00 - 6.00	50%	4.00	272.74		Dark grey sandy very gravelly CLAY with probable medium cobble content. Gravel is angular and subangular fine to coarse of siltstone, mudstone and rare sandstone. Cobbles are non intact, recovered as angular and subangular fine to coarse gravel of moderately weak and medium strong siltstone. Sand is fine and medium. (MADE GROUND) Geology Code: MGR 2nd Geology Code: CL 4.00m - 6.00m Partial recovery (50%) unable to assign core loss ranges due to variable nature of material.	4.00						
108 ES	5.00 - 5.10 5.00		PID: 0.0ppmv														
109 ES	6.00 - 6.10 6.00		PID: 0.0ppmv														
110 D	6.50																
111 ES	7.00 - 7.10 7.00		PID: 0.0ppmv		6.00 - 8.00	100%	8.00	272.74		Stiff and very stiff dark grey slightly sandy gravelly CLAY with local bands of very clayey gravel and probable medium cobble content. Gravel is angular and subangular fine to coarse of siltstone and mudstone. Cobbles are non intact, recovered as angular and subangular fine to coarse gravel of moderately weak and medium strong siltstone. Sand is fine and medium. (MADE GROUND) Geology Code: MGR 2nd Geology Code: CL 8.00m - 10.00m Partial recovery (50%) unable to assign core loss ranges due to variable nature of material.	8.00						
112 B	7.30 - 8.00																
115 B	8.00 - 12.00																
113 D 114 ES	8.90 - 9.00 9.00 - 9.10 9.00		PID: 0.0ppmv										8.00 - 10.00	50%			
Continued on next Sheet													10.00				
Drilling Flush					Hole Diameter		Casing Diameter		Water Added		Water Strikes						
Depth Top	Depth Base	Type	Colour	Returns	Depth Base	Diameter	Depth Base	Diameter	Depth Top	Depth Base	Date and Time	Casing	Strike	Sealed	Rising to	Time	Remarks
0.80	15.60	Water	Black/ Grey	100%	40.00	175mm	40.00	175mm									
15.60	40.00	Water		0%													
Remarks																	
Hand excavated trial pit from GL to 0.80m depth. Sonic drilling from 0.80m to 40.00m depth.																	
Printed 28/09/2023 08:45																	



Remarks
Hand excavated trial pit from GL to 0.80m depth. Sonic drilling from 0.80m to 40.00m depth.

Printed 28/09/2023 08:41

		SONIC DRILLING EXPLORATORY HOLE LOG						Exploratory Hole Progress by Time				Exploratory Hole									
								Date and Time		Depth	Casing Depth	Water Depth	S2-BH228								
Project		Global Centre of Rail Excellence (GCRE) Stage 2				Equipment		Eijkelkamp-Fraste SRS ML Duo/Insulated Hand Tools													
Client		Walters UK Ltd				Method		SNC/IP													
Project No		G23012		Level		280.74 mAOD		Inclination		90 degrees											
Easting		282694.17		Northing		211025.58		SPT Hammer Serial Number													
Termination Reason		Scheduled depth				SPT Hammer Energy Ratio		%													
Samples	Sampling and Testing Depths		Insitu Testing and Depth Related Remarks			Drill Runs	TCR	Depth (Thickness)	Level (mAOD)	Legend	Description			Scale	Backfill						
129 B	20.00 - 21.00 20.00		PID: 0.0ppmv			20.00 - 22.00	100%	(1.20)	259.54		Grey angular and subrounded fine to coarse GRAVEL of siltstone and mudstone probable high cobble content. Cobbles are non intact, recovered as sandy angular and subangular fine to coarse gravel of siltstone. Sand is fine. (MADE GROUND) Geology Code: MGR 2nd Geology Code: GR			20.50							
130 ES	21.00 - 21.10 21.00							(0.80)			21.20	Very stiff dark grey slightly sandy gravelly CLAY. Gravel is angular and subangular fine to coarse of siltstone and mudstone. Sand is fine and medium. (MADE GROUND) Geology Code: MGR 2nd Geology Code: CL				21.00					
131 D	21.20 - 21.30							22.00			21.20					21.50					
132 D	21.80 - 21.90		PID: 0.0ppmv			22.00 - 24.00	80%	(0.40)	258.74		NO RECOVERY (MADE GROUND) Geology Code: MGR			22.00							
133 ES	22.40 - 22.50							22.40			22.40	Grey sandy slightly clayey angular to subrounded fine to coarse GRAVEL of siltstone and mudstone. Sand is fine. (MADE GROUND) Geology Code: MGR 2nd Geology Code: GR				22.50					
135 B	22.40 - 23.60 22.40							(1.70)			22.40					23.00					
134 ES	23.00 - 23.10 23.00		PID: 0.0ppmv			24.00 - 26.00	100%	(1.90)	256.64		Stiff dark grey sandy gravelly CLAY. Gravel is angular to subrounded fine to coarse of siltstone, mudstone and sandstone. Sand is fine and medium (MADE GROUND) Geology Code: MGR 2nd Geology Code: CL			23.50							
136 D	23.80 - 23.90							24.10			24.10					24.00					
137 ES	24.00 - 24.10 24.00							25.00			25.00					24.50					
138 D	24.50 - 24.60		PID: 0.0ppmv			26.00 - 28.00	100%	(1.20)	254.74		Grey COBBLES and possible BOULDERS of moderately weak and medium strong siltstone and moderately weak mudstone. Non intact, recovered as angular and subangular fine to coarse gravel of siltstone and mudstone, with occasional orangish brown staining. (MADE GROUND) Geology Code: MGR 2nd Geology Code: CO			25.00							
139 ES	25.00 - 25.10 25.00							27.20			27.20	Dark grey sandy clayey angular to subrounded fine to coarse GRAVEL of siltstone, mudstone and rare coal. Sand is medium. (MADE GROUND) Geology Code: MGR 2nd Geology Code: GR				25.50					
140 D	25.50 - 25.60							(4.10)			25.50					26.00					
143 B	26.00 - 27.15		PID: 0.0ppmv			28.00 - 30.00	100%	(1.20)	253.54		Continued on next Sheet			26.50							
143 B	26.00 - 27.15							26.00						26.00							
142 ES	26.10 - 26.20 26.10							27.00						27.00							
144 ES	27.10 - 27.20 27.10		PID: 0.0ppmv			28.00 - 30.00	100%	(1.20)	253.54		Dark grey sandy clayey angular to subrounded fine to coarse GRAVEL of siltstone, mudstone and rare coal. Sand is medium. (MADE GROUND) Geology Code: MGR 2nd Geology Code: GR			26.00							
146 B	27.50 - 30.00							27.20			27.20					26.50					
51 B	27.50 - 31.00							28.00			28.00					27.00					
145 ES	28.00 - 28.10 28.00		PID: 0.0ppmv			28.00 - 30.00	100%	(1.20)	253.54		Continued on next Sheet			27.50							
147 ES	29.00 - 29.10 29.00							28.00						28.00					27.00		
148 ES	30.00 - 30.10							29.00						29.00					28.50		
Continued on next Sheet																					
Drilling Flush					Hole Diameter		Casing Diameter		Water Added		Water Strikes										
Depth Top	Depth Base	Type	Colour	Returns	Depth Base	Diameter	Depth Base	Diameter	Depth Top	Depth Base	Date and Time	Casing	Strike	Sealed	Rising to	Time	Remarks				
0.80	15.60	Water	Black/ Grey	100%	40.00	175mm	40.00	175mm													
15.60	40.00	Water		0%																	
Remarks																					
Hand excavated trial pit from GL to 0.80m depth. Sonic drilling from 0.80m to 40.00m depth.																					

Printed 28/09/2023 08:58

		SONIC DRILLING EXPLORATORY HOLE LOG						Exploratory Hole Progress by Time				Exploratory Hole					
								Date and Time		Depth	Casing Depth	Water Depth	S2-BH228				
Project	Global Centre of Rail Excellence (GCRE) Stage 2					Equipment	Eijkelkamp-Fraste SRS ML Duo/Insulated Hand Tools					Sheet 4 of 4					
Client	Walters UK Ltd					Method	SNC/IP					Scale	1:50				
Project No	G23012		Level	280.74 mAOD		Inclination		90 degrees		Drilled	AM/AR						
Easting	282694.17		Northing	211025.58		SPT Hammer Serial Number				Logged	CE/WH						
Termination Reason		Scheduled depth			SPT Hammer Energy Ratio		%		Checked	AP							
Samples	Sampling and Testing Depths		Insitu Testing and Depth Related Remarks		Drill Runs	TCR	Depth (Thickness)	Level (mAOD)	Legend	Description		Scale	Backfill				
	30.00									Dark grey sandy clayey angular to subrounded fine to coarse GRAVEL of siltstone, mudstone and rare coal. Sand is medium. (MADE GROUND) Geology Code: MGR 2nd Geology Code: GR	30.50						
					30.00 - 32.00	100%					31.00						
149 ES	31.30 - 31.40		PID: 0.0ppmv				31.30	249.44		Stiff dark and very stiff grey sandy gravelly CLAY with occasional bands of clayey gravel. Gravel is angular to subrounded fine to coarse of siltstone, mudstone and sandstone. Sand is fine and medium. (MADE GROUND) Geology Code: MGR 2nd Geology Code: CL 32.00m - 32.20m Dark grey clayey angular to subrounded fine to coarse GRAVEL of siltstone.	31.50						
150 D	31.50 - 31.60										32.00						
151 ES	32.00 - 32.10		PID: 0.0ppmv								32.50						
	32.00																
151 D	32.50 - 32.60						(3.00)				33.00						
152 ES	33.00 - 33.10		PID: 0.0ppmv		32.00 - 34.00	100%					33.50						
	33.00																
153 D	33.50 - 33.60										34.00						
154 ES	34.00 - 34.10		PID: 0.0ppmv				34.30	246.44			34.50						
155 B	34.00 - 35.50																
	34.00				34.00 - 36.00	100%					35.00						
156 ES	35.00 - 35.10		PID: 0.0ppmv								35.50						
	35.00																
157 ES	36.00 - 36.10		PID: 0.0ppmv								36.00						
158 B	36.00 - 38.00										36.50						
	36.00				36.00 - 38.00	100%	(5.70)				37.00						
159 ES	37.00 - 37.10		PID: 0.0ppmv								37.50						
	37.00																
160 ES	38.00 - 38.10		PID: 0.0ppmv								38.00						
161 B	38.00 - 40.00										38.50						
	38.00																
162 ES	39.00 - 39.10		PID: 0.0ppmv		38.00 - 40.00	100%		240.74			39.00						
	39.00										39.50						
											39.90m - 40.00m Stiff grey very gravelly CLAY.	40.00					
										End of Exploratory Hole at 40.00m							
Drilling Flush					Hole Diameter		Casing Diameter		Water Added		Water Strikes						
Depth Top	Depth Base	Type	Colour	Returns	Depth Base	Diameter	Depth Base	Diameter	Depth Top	Depth Base	Date and Time	Casing	Strike	Sealed	Rising to	Time	Remarks
0.80	15.60	Water	Black/ Grey	100%	40.00	175mm	40.00	175mm									
15.60	40.00	Water		0%													
Remarks																	
Hand excavated trial pit from GL to 0.80m depth. Sonic drilling from 0.80m to 40.00m depth.																	

Printed 28/09/2023 08:41

Project	Global Centre of Rail Excellence (GCRE) Stage 2	Easting	282694.17	Equipment	Eijkelpamp-Fraste SRS ML Duo/ Insulated Hand Tools
Client	Walters UK Ltd	Northing	211025.58	Method	SNC/IP
Project No	G23012	Level	280.74 mAOD	Termination Reason	Scheduled depth

Jackson Geoservices
Unit B3, Fram Enterprise Centre
Parc Busnes Edwards, Llantrisant
Pontyclun, CF72 8QZ

Email: team@jacksonge.co.uk
Telephone: 02920 099 769



Project Name

GCRE STAGE 2

Project Number

G23012

Client

WALTERS GROUP

Date

24 MAY 2023

Exploratory Hole Number

S2- BH228


Box / Face Number

Depth (m) from

0.00 to 2.00

Engineer

CE





S2-BH228 0.00 m to 2.00 m

Jackson Geoservices
Unit B3, Fram Enterprise Centre
Parc Busnes Edwards, Llantrisant
Pontyclun, CF72 8QZ

Email: team@jacksonge.co.uk
Telephone: 02920 099 769



Project Name

GCRE STAGE 2

Project Number

G23012

Client

WALTERS GROUP

Date

24 MAY 2023

Exploratory Hole Number

S2- BH228

Box / Face Number

Depth (m) from

2.00 to 4.00

Engineer

CE





S2-BH228 2.00 m to 4.00 m

		EXPLORATORY HOLE PHOTOGRAPHS		Exploratory Hole	
				S2-BH228	
Project	Global Centre of Rail Excellence (GCRE) Stage 2	Easting	282694.17	Equipment	Eijkelpamp-Fraste SRS ML Duo/ Insulated Hand Tools
Client	Walters UK Ltd	Northing	211025.58	Method	SNC/IP
Project No	G23012	Level	280.74 mAOD	Termination Reason	Scheduled depth
					Sheet 2 of 11

Jackson Geoservices

Unit B3, Fram Enterprise Centre


Parc Busnes Edwards, Llantrisant

Pontyclun, CF72 8QZ

Email: team@jacksongeo.co.uk

Telephone: 02920 099 769





Project Name	GCRE STAGE 2	Project Number	G23012
Client	WALTERS GROUP	Date	24 MAY 2023
Exploratory Hole Number	S2- BH228	Box / Face Number	
Depth (m) from	4.00 to 6.00	Engineer	CE





S2-BH228 4.00 m to 6.00 m

Jackson Geoservices

Unit B3, Fram Enterprise Centre

Parc Busnes Edwards, Llantrisant

Pontyclun, CF72 8QZ

Email: team@jacksongeo.co.uk

Telephone: 02920 099 769





Project Name	GCRE STAGE 2	Project Number	G23012
Client	WALTERS GROUP	Date	24 MAY 2023
Exploratory Hole Number	S2- BH228	Box / Face Number	
Depth (m) from	6.00 to 8.00	Engineer	CE






S2-BH228 6.00 m to 8.00 m

Printed 28/09/2023 08:41

		EXPLORATORY HOLE PHOTOGRAPHS		Exploratory Hole S2-BH228	
Project	Global Centre of Rail Excellence (GCRE) Stage 2	Easting	282694.17	Equipment	Eijkelkamp-Fraste SRS ML Duo/ Insulated Hand Tools
Client	Walters UK Ltd	Northing	211025.58	Method	SNC/IP
Project No	G23012	Level	280.74 mAOD	Termination Reason	Scheduled depth
					Sheet 3 of 11

Jackson Geoservices
Unit B3, Fram Enterprise Centre
Parc Busnes Edwards, Llantrisant
Pontyclun, CF72 8QZ

Email: team@jacksongeo.co.uk
Telephone: 02920 099 769




Project Name	GCRE STAGE 2	Project Number	G23012
Client	WALTERS GROUP	Date	24 MAY 2023
Exploratory Hole Number	S2-BH228	Box / Face Number	
Depth (m) from	8.00 to 10.00	Engineer	CE




S2-BH228 8.00 m to 10.00 m

Jackson Geoservices
Unit B3, Fram Enterprise Centre
Parc Busnes Edwards, Llantrisant
Pontyclun, CF72 8QZ

Email: team@jacksongeo.co.uk
Telephone: 02920 099 769



Project Name	GCRE STAGE 2	Project Number	G23012
Client	WALTERS GROUP	Date	24 MAY 2023
Exploratory Hole Number	S2-BH228	Box / Face Number	
Depth (m) from	10.00 to 12.00	Engineer	CE



S2-BH228 10.00 m to 12.00 m

		EXPLORATORY HOLE PHOTOGRAPHS		Exploratory Hole	
				S2-BH228	
Project	Global Centre of Rail Excellence (GCRE) Stage 2	Easting	282694.17	Equipment	Eijkelpamp-Fraste SRS ML Duo/ Insulated Hand Tools
Client	Walters UK Ltd	Northing	211025.58	Method	SNC/IP
Project No	G23012	Level	280.74 mAOD	Termination Reason	Scheduled depth

Sheet 4 of 11

Jackson Geoservices
Unit B3, Fram Enterprise Centre
Parc Busnes Edwards, Llantrisant
Pontyclun, CF72 8QZ

Email: team@jacksongeo.co.uk
Telephone: 02920 099 769






Project Name	GCRE STAGE 2	Project Number	G23012
Client	WALTERS GROUP	Date	24 MAY 2023
Exploratory Hole Number	S2-BH228	Box / Face Number	
Depth (m) from	12.00 to 14.00	Engineer	CE






S2-BH228 12.00 m to 14.00 m


Jackson Geoservices
Unit B3, Fram Enterprise Centre
Parc Busnes Edwards, Llantrisant
Pontyclun, CF72 8QZ

Email: team@jacksongeo.co.uk
Telephone: 02920 099 769



Project Name	GCRE STAGE 2	Project Number	G23012
Client	WALTERS GROUP	Date	24 MAY 2023
Exploratory Hole Number	S2-BH228	Box / Face Number	
Depth (m) from	14.00 to 15.00	Engineer	CE





S2-BH228 14.00 m to 15.00 m

		EXPLORATORY HOLE PHOTOGRAPHS		Exploratory Hole S2-BH228	
Project	Global Centre of Rail Excellence (GCRE) Stage 2	Easting	282694.17	Equipment	Eijkelkamp-Fraste SRS ML Duo/ Insulated Hand Tools
Client	Walters UK Ltd	Northing	211025.58	Method	SNC/IP
Project No	G23012	Level	280.74 mAOD	Termination Reason	Scheduled depth


Sheet 5 of 11

Jackson Geoservices
Unit B3, Fram Enterprise Centre
Parc Busnes Edwards, Llantrisant
Pontyclun, CF72 8QZ

Email: team@jacksonge.co.uk
Telephone: 02920 099 769




Project Name	GCRE STAGE 2	Project Number	G23012
Client	WALTERS GROUP	Date	31 MAY 2023
Exploratory Hole Number	S2-BH228	Box / Face Number	
Depth (m) from	15.00 to 15.60	Engineer	CE





S2-BH228 15.00 m to 15.60 m

Jackson Geoservices
Unit B3, Fram Enterprise Centre
Parc Busnes Edwards, Llantrisant
Pontyclun, CF72 8QZ

Email: team@jacksonge.co.uk
Telephone: 02920 099 769



Project Name	GCRE STAGE 2	Project Number	G23012
Client	WALTERS GROUP	Date	31 MAY 2023
Exploratory Hole Number	S2-BH228	Box / Face Number	
Depth (m) from	15.60 to 16.00	Engineer	CE




S2-BH228 15.60 m to 16.00 m

		EXPLORATORY HOLE PHOTOGRAPHS		Exploratory Hole S2-BH228	
Project	Global Centre of Rail Excellence (GCRE) Stage 2	Easting	282694.17	Equipment	Eijkkamp-Fraste SRS ML Duo/ Insulated Hand Tools
Client	Walters UK Ltd	Northing	211025.58	Method	SNC/IP
Project No	G23012	Level	280.74 mAOD	Termination Reason	Scheduled depth


Jackson Geoservices
Unit B3, Fram Enterprise Centre
Parc Busnes Edwards, Llantrisant
Pontyclun, CF72 8QZ

Email: team@jacksongeo.co.uk
Telephone: 02920 099 769






Project Name	GCRE STAGE 2	Project Number	G23012
Client	WALTERS GROUP	Date	31 MAY 2023
Exploratory Hole Number	S2-BH228	Box / Face Number	
Depth (m) from	16.00 to 18.00	Engineer	CE



S2-BH228 16.00 m to 18.00 m

Jackson Geoservices
Unit B3, Fram Enterprise Centre
Parc Busnes Edwards, Llantrisant
Pontyclun, CF72 8QZ

Email: team@jacksongeo.co.uk
Telephone: 02920 099 769






Project Name	GCRE STAGE 2	Project Number	G23012
Client	WALTERS GROUP	Date	31 MAY 2023
Exploratory Hole Number	S2-BH228	Box / Face Number	
Depth (m) from	18.00 to 20.00	Engineer	CE



S2-BH228 18.00 m to 20.00 m

Project	Global Centre of Rail Excellence (GCRE) Stage 2	Easting	282694.17	Equipment	Eijkkamp-Fraste SRS ML Duo/ Insulated Hand Tools
Client	Walters UK Ltd	Northing	211025.58	Method	SNC/IP
Project No	G23012	Level	280.74 mAOD	Termination Reason	Scheduled depth

Jackson Geoservices
Unit B3, Fram Enterprise Centre
Parc Busnes Edwards, Llantrisant
Pontyclun, CF72 8QZ

Email: team@jacksonge.co.uk
Telephone: 02920 099 769



Project Name	GCRE STAGE 2	Project Number	G23012
Client	WALTERS GROUP	Date	31 MAY 2023
Exploratory Hole Number	S2-BH228	Box / Face Number	
Depth (m) from	20.00 to 22.00	Engineer	CE




S2-BH228 20.00 m to 22.00 m

Jackson Geoservices
Unit B3, Fram Enterprise Centre
Parc Busnes Edwards, Llantrisant
Pontyclun, CF72 8QZ

Email: team@jacksonge.co.uk
Telephone: 02920 099 769



Project Name	GCRE STAGE 2	Project Number	G23012
Client	WALTERS GROUP	Date	31 MAY 2023
Exploratory Hole Number	S2-BH228	Box / Face Number	
Depth (m) from	22.00 to 24.00	Engineer	CE




S2-BH228 22.00 m to 24.00 m


Project	Global Centre of Rail Excellence (GCRE) Stage 2	Easting	282694.17	Equipment	Eijkelpamp-Fraste SRS ML Duo/ Insulated Hand Tools
Client	Walters UK Ltd	Northing	211025.58	Method	SNC/IP
Project No	G23012	Level	280.74 mAOD	Termination Reason	Scheduled depth

Jackson Geoservices
Unit B3, Fram Enterprise Centre
Parc Busnes Edwards, Llantrisant
Pontyclun, CF72 8QZ

Email: team@jacksongeo.co.uk
Telephone: 02920 099 769



Project Name	GCRE STAGE 2	Project Number	G23012
Client	WALTERS GROUP	Date	1 JUNE 2023
Exploratory Hole Number	S2-BH228	Box / Face Number	
Depth (m) from	24.00 to 26.00	Engineer	CE







S2-BH228 24.00 m to 26.00 m

Jackson Geoservices
Unit B3, Fram Enterprise Centre
Parc Busnes Edwards, Llantrisant
Pontyclun, CF72 8QZ

Email: team@jacksongeo.co.uk
Telephone: 02920 099 769



Project Name	GCRE STAGE 2	Project Number	G23012
Client	WALTERS GROUP	Date	1 JUNE 2023
Exploratory Hole Number	S2-BH228	Box / Face Number	
Depth (m) from	26.00 to 28.00	Engineer	CE






S2-BH228 26.00 m to 28.00 m

Project	Global Centre of Rail Excellence (GCRE) Stage 2	Easting	282694.17	Equipment	Eijkelpamp-Fraste SRS ML Duo/ Insulated Hand Tools
Client	Walters UK Ltd	Northing	211025.58	Method	SNC/IP
Project No	G23012	Level	280.74 mAOD	Termination Reason	Scheduled depth

Jackson Geoservices
Unit B3, Fram Enterprise Centre
Parc Busnes Edwards, Llantrisant
Pontyclun, CF72 8QZ

Email: team@jacksongeo.co.uk
Telephone: 02920 099 769



Project Name	GCRE STAGE 2	Project Number	G23012
Client	WALTERS GROUP	Date	JUNE 2023
Exploratory Hole Number	S2-BH228	Box / Face Number	
Depth (m) from	28.00 to 30.00	Engineer	CE




S2-BH228 28.00 m to 30.00 m

Jackson Geoservices
Unit B3, Fram Enterprise Centre
Parc Busnes Edwards, Llantrisant
Pontyclun, CF72 8QZ

Email: team@jacksongeo.co.uk
Telephone: 02920 099 769



Project Name	GCRE STAGE 2	Project Number	G23012
Client	WALTERS GROUP	Date	1 JUNE 2023
Exploratory Hole Number	S2-BH228	Box / Face Number	
Depth (m) from	30.00 to 32.00	Engineer	CE



S2-BH228 30.00 m to 32.00 m

Project	Global Centre of Rail Excellence (GCRE) Stage 2	Easting	282694.17	Equipment	Eijkelpamp-Fraste SRS ML Duo/ Insulated Hand Tools
Client	Walters UK Ltd	Northing	211025.58	Method	SNC/IP
Project No	G23012	Level	280.74 mAOD	Termination Reason	Scheduled depth

Jackson Geoservices
Unit B3, Fram Enterprise Centre
Parc Busnes Edwards, Llantrisant
Pontyclun, CF72 8QZ

Email: team@jacksongeo.co.uk
Telephone: 02920 099 769



Project Name	GCRE STAGE 2	Project Number	G23012
Client	WALTERS GROUP	Date	1 JUNE 2023
Exploratory Hole Number	S2-BH228	Box / Face Number	
Depth (m) from	32.00 to 34.00	Engineer	CE




S2-BH228 32.00 m to 34.00 m

Jackson Geoservices
Unit B3, Fram Enterprise Centre
Parc Busnes Edwards, Llantrisant
Pontyclun, CF72 8QZ

Email: team@jacksongeo.co.uk
Telephone: 02920 099 769



Project Name	GCRE STAGE 2	Project Number	G23012
Client	WALTERS GROUP	Date	1 JUNE 2023
Exploratory Hole Number	S2-BH228	Box / Face Number	
Depth (m) from	34.00 to 36.00	Engineer	CE




S2-BH228 34.00 m to 36.00 m