

NOTE THE PROPERTY OF THIS DRAWING AND DESIGN IS VESTED IN BINGHAM HALL PARTNERSHIP LIMITED AND MUST NOT BE COPIED OR REPRODUCED IN ANY WAY WITHOUT THEIR WRITTEN CONSENT

LEGEND

PROPOSED STORM WATER SEWER	
PROPOSED STORM WATER PERFORATED PIPE	
PROPOSED FOUL WATER SEWER	
PROPOSED DIVERTED STORM WATER SEWER	
DENOTES EXISTING SEWER TO BE DIVERTED	
STORM / FOUL TYPE 2 / E MANHOLE	
STORM / FOUL TYPE 3 INSPECTION CHAMBER	
STORM FLOW CONTROL DEVICE	
FOUL FLOOR SOCKET	
RAINWATER PIPE	
ROAD GULLY	
YARD GULLY	
PROPRIETARY SWALE INLET	
DRAINAGE CHANNEL	

NOTES:

- THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL RELEVANT BHPL AND ARCHITECTS DRAWINGS
- THIS DRAWING IS TO BE READ IN CONJUNCTION WITH THE ALL SITE INVESTIGATION REPORTS AVAILABLE.
- THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL SPECIALISTS DRAWINGS.
- ALL NEW SOIL PIPES, RAIN WATER PIPE & FOUL WATER GULLY LOCATIONS AND FINAL NUMBERS ARE TO BE CONFIRMED BY THE M & E ENGINEER AND ARCHITECT.
- ALL RAIN WATER PIPES ARE TO BE CONNECTED TO A ROADABLE YARD GULLY AT GROUND LEVEL.
- WHERE PROPOSED SEWERS CONNECT INTO EXISTING ADOPTED SEWERS THE CONTRACTOR IS TO CHECK THE COVER LEVEL, INVERT LEVEL, SIZE OF PIPE/CHAMBER AND THE CONDITION OF THE EXISTING SEWER / CHAMBER PRIOR TO DRAINAGE WORKS COMMENCING ON SITE.
- THE CONTRACTOR IS TO ENSURE THAT ANY EXCAVATIONS, ESPECIALLY LOCAL TO THE SITE BOUNDARY AND EXISTING BUILDING DOES NOT UNDERMINE ANY EXISTING STRUCTURE / FEATURE - *IF IN DOUBT ASK*
- ALL EXISTING SERVICES ARE TO BE IDENTIFIED BY THE CONTRACTOR AND EITHER PROTECTED OR DIVERTED IF LIVE PRIOR TO ANY WORKS COMMENCING ON SITE ALL IN ACCORDANCE WITH THE APPROPRIATE OWNERS APPROVALS.
- ANY ABANDONED MANHOLES ARE TO BE GRUBBED UP AND BACKFILLED WITH WELL COMPACTED TYPE 1 MATERIAL AND ENDS OF ABANDONED SEWERS TO BE PLUGGED WITH CONCRETE.
- THE CONTRACTOR IS TO ADHERE TO ALL RELEVANT CURRENT HEALTH & SAFETY REGULATIONS AT ALL TIMES.

NOTE:

- CONTRACTOR TO VERIFY INVERT LEVELS OF EXISTING SEWERS AT CONNECTION POINTS PRIOR TO INSTALLATION OF UPSTREAM PROPOSED SEWERS, IF THERE IS A DISCREPANCY TO THE ASSUMED INVERT LEVELS SHOWN ON THE DRAWING, REPORT BACK TO BHPL.

SAFETY, HEALTH AND ENVIRONMENTAL INFORMATION

In addition to the hazards / risks normally associated with the types of work detailed on this drawing, note the following:

CONSTRUCTION

- None identified at date of issue.

MAINTENANCE / CLEANING

- None identified at date of issue.

DECOMMISSIONING / DEMOLITION

- None identified at date of issue.

It is assumed that all works will be carried out by a competent contractor working, where appropriate, to an approved method statement.
Health and safety risk identified in BHPL Risk Register are to be observed prior to any construction method statement being produced.

P04	RC	23/07/24	STAGE 4 ISSUE
P03	RC	28/05/24	UPDATED SITE PLAN
P02	RC	22/05/24	UPDATED TO REFLECT SW CALCULATIONS
P01	RC	08/05/24	INITIAL ISSUE FOR COMMENT
Rev	By	Date	Revision

Bingham Hall PARTNERSHIP LTD			
Consulting Civil & Structural Engineers 5 Ty-Nant Court Morganstown Cardiff CF15 6LW Telephone (029) 2048 8588			
Project Title GLYNCORRWG INDUSTRIAL UNITS			
Drawing Title PROPOSED DRAINAGE LAYOUT			
Drawing Status STAGE 4 ISSUE			
Architect EPT PARTNERSHIP			
Client ANDREW SCOTT CONSTRUCTION LTD.			
Scale 1:200	Drawn RC	Drawing Size A1	Date APRIL '24
Project No. 6807 - BHP - 02 - XX - DR - C - (50)201	Originator RC	Volume 1	Type Role Number DTH
Rev P04			