

**NEATH PORT TALBOT COUNTY BOROUGH COUNCIL
CYNGOR BWRDEISTREF SIROL CASTELL-NEDD PORT TALBOT**

**TOWN AND COUNTRY PLANNING ACT 1990
THE TOWN AND COUNTRY PLANNING (DEVELOPMENT MANAGEMENT
PROCEDURE)(WALES) ORDER 2012**

APPROVAL OF OUTLINE PLANNING PERMISSION

Name and address of the applicant

Mr Gareth Griffith & Ms Lisa Rowe
5 Ffordd Danygraig
Godre'r Graig
Swansea
Neath Port Talbot
SA9 2BH

Name and address of the agent

Mr Mark Dummer
Grofton House
Varteg Row
Bryn
Port Talbot
Neath Port Talbot
SA13 2RF

DATE REGISTERED: 3 July 2024

APPLICATION NO: P2024/0422

LOCATION: Llys Y Gwynt, 17 Pen Y Graig Road, Alltwen, Pontardawe,
Swansea, Neath Port Talbot, SA8 3BS

PROPOSAL: Demolition of existing bungalow and construction of 1 no.
detached dwelling (outline with all matters reserved)

NEATH PORT TALBOT COUNTY BOROUGH COUNCIL as the Local Planning Authority in pursuance of its power under the above mentioned Act and Order hereby **PERMITS** the development as described above to be carried out in accordance with the application and the plans submitted therewith, subject to compliance with the following conditions:

Conditions:-

Time Limit Conditions

- 1 Details of the access, appearance, landscaping, layout, and scale, (hereinafter called "the reserved matters") shall be submitted to and approved in writing by the Local Planning Authority before any development begins and the development shall be carried out as approved.

Reason:

The application was made for outline planning permission.

- 2 Any application for approval of the reserved matters shall be made to the Local Planning Authority not later than three years from the date of this permission.

Reason:

To comply with the requirements of Section 92 of the Town and Country Planning Act 1990.

- 3 The development shall begin either before the expiration of five years from the date of this permission or before the expiration of two years from the date of approval of the last of the reserved matters to be approved, whichever is the later.

Reason:

To comply with the requirements of Section 92 of the Town and Country Planning Act 1990.

List of Approved Plans

- 4 The development shall be carried out in accordance with the following approved plans and documents:

Location plan rev. 1 final 03.07.24

Topographical survey 20753/001/LYG/DLO

Cross section plan 20753/002/LYG/DLO

Existing Cross Section A-A 20753/002/LYG/DLO

Existing block plan 22.01.22

Existing Cross Section A-A 20753/002/LYG/DLO

Existing cross section B-B 20753/002/LYG/DLO

Proposed block plan dated 22.01.22

Proposed cross section A-A 20753/002/LYG/DLO

Proposed cross section B-B 20753/002/LYG/DLO

Proposed cross section C-C 20753/002/LYG/DLO

Reason:

In the interests of clarity.

Pre-Commencement Conditions

Action Conditions

- 5 As part of the reserved matters application details of proposed ground levels and finished floor levels, including a site level and ridge height comparison drawing of the proposed dwelling with the existing dwellings known as nos. 17 and 11 Pen y Graig Road shall be submitted to and approved in writing with the Local Planning Authority. The development shall be carried out in accordance with the approved details and retained as such thereafter.

Reason:

In the interest of visual amenity and to ensure compliance with Policy BE1 of the Neath Port Talbot Local Development Plan.

- 6 As part of the reserved matters application details of the proposed boundary treatment(s) of the development shall be submitted to, and approved in writing by the Local Planning Authority. The development shall be completed in accordance with these agreed details prior to the occupation of the dwelling.

Reason

In the interest of the amenities of the area.

The development shall be connected to the main sewerage system prior to the occupation of the dwelling.

- 7 Prior to their use in the construction of the development hereby permitted details of the materials to be used in the construction of the external surfaces of the development shall have been submitted to and approved in writing by the Local Planning Authority. Development shall be carried out in accordance with the approved details.

Reason:

In the interest of the visual amenity of the area and to ensure the development complies with Policy BE1 of the Neath Port Talbot Local Development Plan.

- 8 As part of the first reserved matters application details of the proposed siting, design and finish of all proposed means of enclosure to all property boundaries shall be submitted to and approved in writing with the Local Planning Authority. The means of enclosure shall be erected in accordance with the approved details prior to the occupation of the proposed development and retained as such thereafter.

Reason:

In the interest of visual amenity and to ensure compliance with Policy BE1 of the Neath Port Talbot Local Development Plan.

- 9 A minimum of 3 no car parking spaces shall be provided prior to the first beneficial use of the development hereby permitted commencing, and shall thereafter be used solely for the benefit of the occupants of the dwelling of which it forms part and their visitors and for no other purpose and permanently retained as such.

Reason:

In the interest of highway safety and to ensure the development complies with Policy TR2 of the Neath Port Talbot Local Development Plan.

- 10 The development hereby approved shall be connected to the mains sewerage system prior to the first beneficial use of the dwelling and retained as such thereafter.

Reason:

In the interest of satisfactory drainage of the site, and ensure the development complies with Policy SP16 and BE1 of the Neath Port Talbot Local Development Plan.

- 11 Prior to the occupation of the development hereby approved, the biodiversity enhancement measures detailed within the approved Green Infrastructure Statement shall be completed, as approved, and retained as such thereafter.

Reason:

In the interest of Biodiversity and to ensure compliance with Policy BE1 of the Neath Port Talbot Local Development Plan.

- 12 The development shall be carried out in accordance with the recommendations of the approved arboricultural report submitted on the 26th June 2024 by ArbTS and all works shall be carried out in accordance with British Standards BS5837:2012 Trees in relation to design, demolition and construction - Recommendations.

Reason

To ensure all existing trees are protected throughout the construction of the development, in the interest of visual amenity, and to ensure the development complies with Policies SP15 and BE1 of the Neath Port Talbot Local Development Plan.

- 13 The development hereby approved shall be carried out in accordance with the recommendations of the approved phase 1 habitat survey (August 2023).

Reason:

In the interests of ecology and biodiversity as the bat survey submitted identified bats are present at the application site and as Bats are European protected species and are afforded protection under the Conservation of Habitats and Species Regulations 2010 and by the Wildlife and Countryside Act 1981 (as amended), and to accord with Policy SP15 of the adopted Neath Port Talbot Local Development Plan.

Regulatory Conditions

- 14 No surface water from within the curtilage of the dwelling shall be allowed to flow out onto the highway or be connected into the highway drainage system. No surface water and/or land drainage shall be allowed to connect directly or indirectly with the public sewerage network.

Reason:

To prevent hydraulic overloading of the public sewerage system, to protect the health and safety of existing residents and ensure no pollution of or detriment to the environment.

- 15 Notwithstanding the provisions of Schedule 2, Part 1, Class E of the Town and Country Planning (General Permitted Development) Order 1995 (as amended for Wales) (or any order revoking and re-enacting that order with or without modification), no buildings shall be erected other than those expressly authorised by this permission and identified on the approved drawings.

Reason:

In order to safeguard the amenities of the area by enabling the Local Planning Authority to consider whether planning permission should be granted for garages or outbuildings having regard to the particular layout and design of the development, residential amenity, and to accord with Policies BE1 and SC1 of the Neath Port Talbot Local Development Plan.

- 16 Notwithstanding the provisions of the Town and Country Planning (General Permitted Development) Order 1995 (as amended for Wales) (or any order revoking and re-enacting that Order with or without modification), no fences, gates or walls shall be erected within the curtilage of any dwelling house forward of any wall of that dwelling house which fronts onto a highway, carriageway, shared driveway or footpath.

Reason:

In order to safeguard the amenities and highway safety of the area by enabling the Local Planning Authority to consider whether planning permission should be granted for such enclosures having regard to the particular layout and design of the development, maintaining visibility and to accord with Policies BE1 and SC1 of the Neath Port Talbot Local Development Plan.

- 17 Notwithstanding the provisions of the Town and Country Planning (General Permitted Development) Order 1995 (as amended for Wales) (or any order revoking and re-enacting that Order with or without modification), no doors, windows or dormer windows (other than those expressly authorised by this permission) shall be constructed on the north-west and south-east facing elevations of the approved development without the prior grant of planning permission in that behalf.

Reason:

In order to safeguard the amenities of the area by enabling the Local Planning Authority to consider whether planning permission should be granted for such additional doors / windows, having regard to the particular layout and design of the development and need to protect the amenity of nearby properties, and to accord with Policies BE1 and SC1 of the Neath Port Talbot Local Development Plan.

- 18 Notwithstanding the provisions of the Town and Country Planning (General Permitted Development) Order 1995 (as amended for Wales) (or any order revoking and re-enacting that Order with or without modification), there shall be no extension or external alteration to any building forming part of the development hereby permitted without the prior grant of planning permission in that behalf.

Reason:

In order to safeguard the amenities of the area by enabling the Local Planning Authority to consider whether planning permission should be granted for extensions, having regard to the particular layout and design of the development and need to protect the amenity of nearby properties, and to accord with Policies BE1 and SC1 of the Neath Port Talbot Local Development Plan.

Informatives:

1 DRAINAGE NOTES TO APPLICANT¹. Please note that from 7th January 2019, all new developments of more than 1 house, or where a construction area is of 100m² or more, plus if the SAB authority believe that any redevelopment of land has significant surface water drainage implications. This will require sustainable drainage - built in accordance with mandatory standards for sustainable drainage published by Welsh Ministers - to manage on-site surface water. More information is available in Schedule 3 of the Flood & Water Management Act 2010. These systems must be approved by the Council's SAB & Highway Development Control Section before construction work begins. In this respect it is essential that a developer of any such project gain SAB approval of its surface water drainage alongside any relevant planning permission. You will not be allowed to start construction until both permissions have been approved. If you have not done so already, and your development would not fall into any of the relevant exceptions, you are therefore strongly encouraged to request further advice from the SAB. Involving the SAB Officers in pre-application discussions will allow for SuDS drainage matters (to ensure suitability of proposed SuDs design in line with national standards and adequate site layout) to be considered alongside the assessment of planning merits. There is an additional charge for this service. This can be as part of any agreed further pre-application submissions with the Planning Authority (recommended) or independently/ direct with the SAB. You are advised, however, that failing to engage in joint pre-application discussions has the potential to lead to delays and, most notably, the potential need to obtain further planning permission should

any agreed SuDS design not be compliant with any relevant planning permission. Further details are available at www.npt.gov.uk/sab

2 DRAINAGE NOTE 2: 1. SAB approval will be required prior to any work commencing. To commence work is a breach of SAB approval required under Paragraph 7 (1) Schedule 3 of the Flood and Water Management Act 2010 whereby legal action will be taken by the Authority under The Sustainable Drainage (Enforcement) (Wales) Order 2018. Guidance and applications can be found on <https://www.npt.gov.uk/17534.2>. Should any springs or ground water seepage be encountered the on site works in that area shall cease until a scheme for collection and disposal of the water has been submitted to and approved in writing by the Local Planning Authority. No ground water shall ever be discharged into the proposed drainage scheme.

3 Parking allocation shall be in accordance with NPT 'Parking Standards which are at a rate of 1 space per bedroom per dwelling including apartments) up to a maximum of 3 spaces.

4 Driveways dimensions are to be as follows:I. Single driveway shall be 3.6m wide and 6m in length, II. Parallel parking, the first space shall be 3.6m wide with the additional space or spaces thereafter being 2.6m (for example; parallel parking for two vehicle, the dimensions should be 6.2m wide (3.6m plus 2.6m) by 6m in length). For a third space you would add on an additional 2.6m wide.III. Parking in tandem for a single driveway width would require a width of 3.6m wide, together with the first space being 6m in length and then other length(s) being 4.8 metres in addition (for example; two car parking in tandem would require a width of 3.6m and a length of 10.8m (6m plus 4.8m). For a third space you would add on an additional 4.8m.

5 Welsh Water Advisory Notes The applicant may need to apply to Dwr Cymru / Welsh Water for any connection to the public sewer under S106 of the Water industry Act 1991. If the connection to the public sewer network is either via a lateral drain (i.e. a drain which extends beyond the connecting property boundary) or via a new sewer (i.e. serves more than one property), it is now a mandatory requirement to first enter into a Section 104 Adoption Agreement (Water Industry Act 1991). The design of the sewers and lateral drains must also conform to the Welsh Ministers Standards for Gravity Foul Sewers and Lateral Drains, and conform with the publication "Sewers for Adoption"- 7th Edition. Further information can be obtained via the Developer Services pages of www.dwrcymru.com The applicant is also advised that some public sewers and lateral drains may not be recorded on our maps of public sewers because they were originally privately owned and were transferred into public ownership by nature of the Water Industry (Schemes for Adoption of Private Sewers) Regulations 2011. The presence of such assets may affect the proposal. In order to assist us in dealing with the proposal the applicant may contact Dwr Cymru Welsh Water on 0800 085 3968 to establish the location and status of the apparatus. Under the Water Industry Act 1991 Dwr Cymru Welsh Water has rights of access to its apparatus at all times. Our response is based on the information provided by your application. Should the proposal alter during the course of the application process we kindly request that we are re-consulted and reserve the right to make new representation. If you have any queries please contact on 0800 917 2652 or via email at developer.services@dwrcymru.com

6 Warning: A European protected species (EPS) Licence is required for this development. This planning permission does not provide consent to undertake works that require an EPS licence. It is an offence to deliberately capture, kill or disturb EPS or to damage or destroy their breeding sites or resting places. If found guilty of any offences, you

could be sent to prison for up to 6 months and/or receive an unlimited fine. To undertake the works within the law, you can obtain further information on the need for a licence from Natural Resources Wales on 0300 065 3000 or at Natural Resources Wales / Apply for a protected species licence.

7 Natural Resources Wales note to developer: We advise the applicant that, in addition to planning permission, it is their responsibility to ensure they secure all other permits/consents/licences relevant to their development. Please refer to our website for further details.

8 The proposed development lies within a coal mining area which may contain unrecorded coal mining related hazards. If any coal mining feature is encountered during development, this should be reported immediately to the Coal Authority on 0345 762 6848.

Further information is also available on the Coal Authority website at: www.gov.uk/government/organisations/the-coal-authority

9 Notes for reserved matters scheme: Any gates shall be of a type which open inwards only, can be seen through and shall be maintained as such thereafter. No drive shall be closer than 2.5 metres to any boundary and pedestrian vision splays of 2.4 metres by 2.4 metres (measured back from back of footway) shall be provided and maintained each side of each access within which nothing over 600mm in height shall be erected or allowed to grow.- Driveways dimensions are as follows: I. Single driveway shall be 3.6m wide and 6m in length, II. Parallel parking, the first space shall be 3.6m wide with the additional space or spaces thereafter being 2.6m (for example; parallel parking for two vehicle, the dimensions should be 6.2m wide (3.6m plus 2.6m) by 6m in length). For a third space you would add on an additional 2.6m wide.III. Parking in tandem for a single driveway width would require a width of 3.6m wide, together with the first space being 6m in length and then other length(s) being 4.8 metres in addition (for example; two car parking in tandem would require a width of 3.6m and a length of 10.8m (6m plus 4.8m). For a third space you would add on an additional 4.8m.-1. The driveway shall be hard surfaced in porous asphalt or permeable block paving or a provision must be made to direct run-off water from the hard standing to a permeable or porous area within the curtilage of the dwelling house to a maximum gradient of no greater than 1 in 9 and no less than 1 in 150. The driveway shall be drained so that no surface water (including roof and yard) flows out onto the public highway or vice versa and must be maintained to ensure it complies with the above requirements. The surface water shall not drain directly or indirectly into the highway drainage network without the written approval of the SAB.

10 WELSH WATER NOTE TO DEVELOPER: PLA0081178Conditions For Development Near Water Mains Location: Llys Y Gwynt, 17 Pen Y Graig Road, Alltwn, Swansea, Neath Port Talbot Date: 16/07/2024

The development of the site with our water main located as shown on the attached plan will involve certain conditions which must be strictly adhered to. 1.

No structure is to be sited within a minimum distance of (3 meters) from the centre line of the pipe. The pipeline must therefore be located and marked up accurately at an early stage so that the Developer or others understand clearly the limits to which they are confined with respect to the Company's apparatus. Arrangements can be made for Company staff to trace and peg out such water mains on request of the Developer.2.

Adequate precautions are to be taken to ensure the protection of the water main during the course of site development.3. If heavy earthmoving machinery is to be employed, then the routes to be used in moving plant around the site should be clearly indicated. Suitable ramps or other protection will need to be provided to protect the water

main from heavy plant.4. The water main is to be kept free from all temporary buildings, building material and spoil heaps etc.5. The existing ground cover on the water main should not be increased or decreased.6. All chambers, covers, marker posts etc. are to be preserved in their present position.7. Access to the Company's apparatus must be maintained at all times for inspection and maintenance purposes and must not be restricted in any way as a result of the development.8. No work is to be carried out before this Company has approved the final plans and sections. These are general conditions only and where appropriate, will be applied in conjunction with specific terms and conditions provided with our quotation and other associated documentation relating to this development.

The decision to recommend refusal of planning permission has been taken in accordance with Section 38 of The Planning and Compulsory Purchase Act 2004, which requires that, in determining a planning application the determination must be in accordance with the Development Plan unless material considerations indicate otherwise. The Development Plan comprises Future Wales - the National Plan 2040 and the Neath Port Talbot Local Development Plan (2011-2026) adopted January 2016.

The proposal would not have any unacceptable impact upon residential amenity, the character and appearance of the surrounding area, or any adverse impact upon highway safety, ecology, trees or drainage issues and in this respect it is considered that the proposal for one no. dwelling would not be contrary to Policy BE1 or TR2.

It is further considered that the decision complies with Future Wales - the National Plan 2040 and the Council's well-being objectives and the sustainable development principle in accordance with the requirements of the Well-being of Future Generations (Wales) Act 2015.

Signed: 

Ceri Morris – Head of Planning & Public Protection

Date: 27 August 2024

IMPORTANT:

(1) Please note that for all decisions issued after 16th March 2016 for outline or full planning permission, a revised decision notice will be issued whenever a subsequent consent is given, for example providing details of any Reserved Matters approvals (outline applications only) and/or approval of conditions (including on Reserved Matters). This will ensure that the current status of the conditions applied to a consent is clear. Accordingly you are advised to visit www.npt.gov.uk/planning to view the application documentation to see if this is the current version, or whether it has been superseded by a more up-to-date revision of this Decision Notice. For Reserved Matters approvals the revised Decision Notice will only be shown under the Outline approval.

(2) Please note that this consent is specific to the plans and particulars approved as part of the application. Any departure from the approved plans will constitute unauthorised development and may be liable to enforcement action. You (or any subsequent developer) should advise the Council of any actual or proposed variations from the approved plans immediately so that you can be advised how to best resolve the matter.

(3) In addition, any conditions that the Council has imposed on this consent will be listed above and should be read carefully. It is your (or any subsequent developers) responsibility to ensure that the terms of all conditions are met in full at the appropriate time (as outlined in the specific condition). Please note that any works carried out without compliance with the conditions attached to this approval will be entirely at the risk of the persons involved and may result in formal action being taken by the Local Planning Authority.

(4) The developer should have regard to Sections 4, 7, 8 and 8A of the Chronically Sick and Disabled Persons Act 1970 and to the British Standards Institution's Code of Practice for "Design of buildings and their approaches to meet the needs of disabled people" (BS 8300:2009+A1:2010).

(5) From 1st October 2012 it has been an offence to install a public sewer or lateral drain without having an adoption agreement in place. From the 1st October 2012 the vast majority of all existing private sewers and lateral drains which link with the public sewer network were transferred to Welsh Water. For further details on how this will affect your development please contact: Welsh Water Developer Services, PO Box 3146, Cardiff, CF30 0EH. Telephone No. 0800 9172652 or email: developer.services@dwrcymru.com.

(6) Welsh Water Dwr Cymru advise that the planning permission hereby granted does not extend any rights to carry out any works to the public sewerage or water supply systems without first having obtained the necessary permissions required by the Water Industry Act 1991.

Please note, in accordance with Construction and Design Management (CDM) Regulations, it is the applicant's responsibility to ensure that any proposed works within their curtilage do not conflict with any underground services and is recommended they review their land registry title deeds for any legal covenants. For Sewers or Watermains that may be present and affected by your proposals, you are advised to contact Dwr Cymru Welsh Water who will be able to explain whether your proposed works will be acceptable as well as any consent required. Prior to commencing works, it is also recommended the applicant review the information and guidance on Building Over Sewers available on Welsh Water's website at <https://developers.dwrcymru.com/en/applications/planning/build-over-or-near-to-sewers>

The applicant is also advised that some public sewers and lateral drains may not be recorded on Welsh Water maps of public sewers because they were originally privately owned and were transferred into public ownership by nature of the Water Industry (Schemes for Adoption of Private Sewers) Regulations 2011. The presence of such assets may affect the proposal. In order to assist us in dealing with the proposal the applicant may contact Dwr Cymru Welsh Water to establish the location and status of the apparatus. Under the Water Industry Act 1991 Dwr Cymru Welsh Water has rights of access to its apparatus at all times.

IMPORTANT INFORMATION: TOWN AND COUNTRY PLANNING ACT 1990

The applicant's attention is drawn to the notes below.

- (1) If the applicant is aggrieved by the decision of the Local Planning Authority to refuse permission for the proposed development or to grant it subject to conditions, then you can appeal to the Welsh Government under Section 78 of the Town and Country Planning Act 1990 (as amended).
- (2) You can also appeal to the Welsh Government against a decision to refuse permission or grant subject to conditions in respect of applications made for :- Listed Building or Conservation Area Consent; Consent under a Tree Preservation Order; Advertisement Consent.
- (3) You can also appeal If your application for a Certificate of Lawful Existing Use or Lawful Proposed Use is partly or wholly refused or is granted differently from what you asked for (under Section 195/196) of the Town and Country Planning Act 1990 (as amended).
- (4) If you are aggrieved of the LPAs decision, the following deadlines apply for appeals to be submitted to the Welsh Government (from the date of the Council's decision):-
 - (1) Planning Permission (with the exception of Minor Commercial and Householder applications – see below) Within 6 Months
 - (2) Householder Appeal ^{see endnote i} Within 12 weeks
 - (3) Minor Commercial Appeal ^{see endnote i} Within 12 weeks
 - (4) Listed Building or Conservation Area Consent appeals Within 6 months
 - (5) Tree Preservation Order (TPO) Consent Within 28 days
 - (6) Advertisement Consent Within 8 weeks
 - (7) Certificate of Lawfulness of Existing (Section 191) or Proposed (Section 192) Use or Development Within 6 months
 - (8) Hazardous Substances Consent Within 6 months
- (5) Appeals must be made on a form which is obtainable from the Planning & Environment Decisions Wales, Crown Buildings, Cathays Park, Cardiff, CF10 3NQ – Tel 0300 060 4400, or online at <https://planningcasework.service.gov.wales/>.
- (6) The Welsh Government has power to allow a longer period for the giving of notice of appeal but they will not normally be prepared to exercise this power unless there are special circumstances which excuse the delay in giving notice of appeal.
- (7) The Welsh Government is not required to entertain an appeal if it appears to them that permission for the proposed development could not have been granted having regard to the statutory requirements to the provisions of the development order, and to any directions given under the Order. They do not in practice refuse to entertain appeals solely because the decision of the Local Planning Authority was based on a direction given by them.
- (8) If permission to develop land is refused or granted subject to conditions, whether by the Local Planning Authority or by the Welsh Government, and the owner of the land claims that the land has become incapable of reasonable beneficial use in its existing state and cannot be rendered capable of reasonable beneficial use by the carrying out of any development which has been or would be permitted, he may serve on the County Borough Council, in which the land is situated, as the case may be, a **purchase notice** requiring that Council purchase his interest in the land in

accordance with the provisions of Part VI of the Town and Country Planning Act 1990.

Making an Appeal

- (9) Please note that for all applications received by the LPA after 5th May 2017, it is now a requirement that any appeal made to the Planning Inspectorate (other than Householder and Minor Commercial Appeals, and appeals against refusal to grant advertisement consent) must be accompanied by all the information and evidence you intend to rely upon (a **“full statement of case”**). You must also send a copy of the notice of appeal and full statement of case to the LPA.
- (10) In addition, for ‘planning appeals’ an amendment to an application following notice of appeal may only be made to correct an error.
- (11) Additional details and information on making an appeal to the Welsh Government is available from the Planning Inspectorate at the above address and website. The relevant documents are entitled “making your planning appeal” and “planning appeals Public Local Inquiries”.
- (12) Further correspondence regarding this application should bear the reference number quoted on the top of the decision notice.

THIS NOTICE RELATES ONLY TO A PLANNING DECISION AND DOES NOT RELATE TO OTHER LEGISLATION INCLUDING ANY LEGISLATION UNDER:

- BUILDING REGULATIONS – Please contact buildingcontrol@npt.gov.uk or 01639 686820 to discuss all aspects of the service that is offered by Building Control
- HIGHWAY LEGISLATION

IF PLANNING CONSENT HAS BEEN GRANTED IT IS ADVISABLE TO ESTABLISH WHETHER ANY OTHER FORM OF CONSENT IS REQUIRED AND TO OBTAIN SUCH CONSENT BEFORE COMMENCING DEVELOPMENT

ⁱ Please see the [Town and Country Planning \(Referred Applications and Appeals Procedure\) \(Wales\) Regulations 2017](#) for appeal procedures and for full definitions of:

- *“householder application”* (essentially an application for the enlargement, improvement or other alteration of a dwellinghouse, or development within the curtilage of such a dwellinghouse, or change of use to enlarge the curtilage of a dwelling house)
- *“householder appeal”* means an appeal in relation to a householder application, but excludes an appeal against conditions on the grant of planning permission; or an appeal which is accompanied by an enforcement or listed building consent appeal.
- *“minor commercial application”* (essentially relates to existing buildings of no more than 250 square metres gross external floor space at ground floor level, currently in use for any of the purposes set out in Schedule 1A to The Town and Country Planning (Development Management Procedure) (Wales) (Amendment) Order 2015 which is an application for change of use from Class A1 to A2 or A3; or Class A2 to A3); or the carrying out of building or other operations to a shop front.
- *“minor commercial appeal”* means an appeal in relation to a minor commercial application but excludes an appeal against conditions on the grant of planning permission; or an appeal which is accompanied by an enforcement or listed building consent appeal.