

**NEATH PORT TALBOT COUNTY BOROUGH COUNCIL
CYNGOR BWRDEISTREF SIROL CASTELL-NEDD PORT TALBOT**

**TOWN AND COUNTRY PLANNING ACT 1990
THE TOWN AND COUNTRY PLANNING (DEVELOPMENT MANAGEMENT
PROCEDURE) (WALES) ORDER 2012**

APPROVAL OF OUTLINE PLANNING PERMISSION

Name and address of the applicant

Mr D Evans
Crossfield
Main Road
Cadoxton
Neath
SA10 8BL

Name and address of the agent

Mr Robert Bowen
Robert Bowen Planning & Development Ltd
7 Llys Sant Teilo
Llangyfelach
Swansea
SA5 7HQ

DATE REGISTERED: 29 March 2024

APPLICATION NO: P2024/0180

LOCATION: Land Adjacent To, 14 Rhyd Hir, Longford, Neath, Neath Port Talbot, SA10 7HP

PROPOSAL: Two storey detached dwelling (outline with all matters reserved)

NEATH PORT TALBOT COUNTY BOROUGH COUNCIL as the Local Planning Authority in pursuance of its power under the above mentioned Act and Order hereby **PERMITS** the development as described above to be carried out in accordance with the application and the plans submitted therewith, subject to compliance with the following conditions:

Conditions:-

Time Limit Conditions

- 1 Details of the access, appearance, landscaping, layout, and scale, (hereinafter called "the reserved matters") shall be submitted to and approved in writing by the Local Planning Authority before any development begins and the development shall be carried out as approved.

Reason:

The application was made for outline planning permission.

- 2 Any application for approval of the reserved matters shall be made to the Local Planning Authority not later than three years from the date of this permission.

Reason:

To comply with the requirements of Section 92 of the Town and Country Planning Act 1990.

- 3 The development shall begin either before the expiration of five years from the date of this permission or before the expiration of two years from the date of approval of the last of the reserved matters to be approved, whichever is the later.

Reason:

To comply with the requirements of Section 92 of the Town and Country Planning Act 1990.

- 4 The development shall be carried out in accordance with the following approved plans and documents:

-Drawing number: a3 - a100 rev C (Existing block / site plan, Proposed block / site plan, location plan and autotrack)

Reason:

In the interests of clarity.

Action Conditions

- 5 As part of the reserved matters application details of proposed ground levels and finished floor levels, including a site level and ridge height comparison drawing of the proposed dwelling with the existing dwellings known as nos. 14 and 16 Rhyd Hir shall be submitted to and approved in writing with the Local Planning Authority. The development shall be carried out in accordance with the approved details and retained as such thereafter.

Reason:

In the interest of visual amenity and to ensure compliance with Policy BE1 of the Neath Port Talbot Local Development Plan.

- 6 As part of the first reserved matters application details of the proposed siting, design and finish of all proposed means of enclosure to all property boundaries which shall also show a front boundary treatment of a maximum of 600mm high, shall be submitted to and approved in writing with the Local Planning Authority. The means of enclosure shall be erected in accordance with the approved details prior to the occupation of the proposed development and retained as such thereafter.

Reason:

In the interest of visual amenity, highway safety and to ensure compliance with Policy BE1 of the Neath Port Talbot Local Development Plan.

- 7 Prior to their use in the construction of the development hereby permitted details of the materials to be used in the construction of the external surfaces of the development shall have been submitted to and approved in writing by the Local Planning Authority. Development shall be carried out in accordance with the approved details.

Reason:

In the interest of the visual amenity of the area and to ensure the development complies with Policy BE1 of the Neath Port Talbot Local Development Plan.

- 8 Prior to the first beneficial occupation of the dwelling hereby approved, the parking, turning and driveway areas shall be constructed to a maximum gradient of 1 in 9 in a hardwearing porous material (not loose or unbound material), such as block paving or asphalt, or provision must be made to direct run-off water from the hard surface, to a permeable porous area or surface within the curtilage of the dwelling and retained as such use thereafter.

Reason:

In the in interest of highway and pedestrian safety and to ensure compliance with Policy TR2 of the Neath Port Talbot Local Development Plan.

- 9 Prior to the first occupation of the approved dwelling, its driveway, access/dropped kerb, and associated 2.4 x 25m visibility splays, shall be constructed in accordance with Drawing No. 'A3 - A100 Rev C'. Three car parking spaces shall be retained for use by the development in perpetuity. The development shall be retained as such thereafter.

Reason:

In the interest of highway safety and to ensure the development complies with Policy TR2 of the Neath Port Talbot Local Development Plan.

- 10 The development hereby approved shall be connected to the mains sewerage system prior to the first beneficial use of the dwelling and retained as such thereafter.

Reason:

In the interest of satisfactory drainage of the site, and ensure the development complies with Policy SP16 and BE1 of the Neath Port Talbot Local Development Plan.

- 11 Prior to the occupation of the development hereby approved, the biodiversity enhancement measures detailed within the approved Green Infrastructure Statement by RBP Ltd, dated March 2024 shall be completed, as approved, and retained as such thereafter.

Reason:

In the interest of Biodiversity and to ensure compliance with Policy BE1 of the Neath Port Talbot Local Development Plan.

- 12 Pedestrian vision splays of 2.4 metres by 2.4 metres (measured back from back of footway) shall be provided and maintained each side of the access within which nothing over 600mm in height shall be erected or allowed to grow.

Reason:

In the interest of highway safety and to ensure the development complies with Policy TR2 of the Neath Port Talbot Local Development Plan.

- 13 The development shall be carried out in accordance with the recommendations of the approved arboricultural report dated March 2024 by The Arb Team and all works shall be carried out in accordance with British Standards BS5837:2012 Trees in relation to design, demolition and construction - Recommendations.

Reason

To ensure all existing trees are protected throughout the construction of the development, in the interest of visual amenity, and to ensure the development complies with Policies SP15 and BE1 of the Neath Port Talbot Local Development Plan.

Regulatory Conditions

- 14 No surface water from within the curtilage of the dwelling shall be allowed to flow out onto the highway or be connected into the highway drainage system or flow out on to the public highway. No surface water and/or land drainage shall be allowed to connect directly or indirectly with the public sewerage network.

Reason:

To prevent hydraulic overloading of the public sewerage system, to protect the health and safety of existing residents and ensure no pollution of or detriment to the environment and in the interest of highway safety and to ensure the development complies with Policy TR2 and BE1 of the Neath Port Talbot Local Development Plan.

- 15 Notwithstanding the provisions of Schedule 2, Part 1, Class E of the Town and Country Planning (General Permitted Development) Order 1995 (as amended for Wales) (or any order revoking and re-enacting that order with or without modification), no buildings shall be erected other than those expressly authorised by this permission and identified on the approved drawings.

Reason:

In order to safeguard the amenities of the area by enabling the Local Planning Authority to consider whether planning permission should be granted for garages or outbuildings having regard to the particular layout and design of the development, residential amenity, and existing drainage infrastructure on the site and to accord with Policies BE1 and SC1 of the Neath Port Talbot Local Development Plan.

- 16 Notwithstanding the provisions of the Town and Country Planning (General Permitted Development) Order 1995 (as amended for Wales) (or any order revoking and re-enacting that Order with or without modification), no fences, gates or walls shall be erected within the curtilage of any dwelling house forward of any wall of that dwelling house which fronts onto a highway, carriageway, shared driveway or footpath.

Reason:

In order to safeguard the amenities of the area and highway safety and given existing drainage infrastructure on the site by enabling the Local Planning Authority to consider whether planning permission should be granted for such enclosures having regard to the particular layout and design of the development, maintaining visibility, drainage and to accord with Policies BE1 and SC1 of the Neath Port Talbot Local Development Plan.

- 17 Notwithstanding the provisions of the Town and Country Planning (General Permitted Development) Order 1995 (as amended for Wales) (or any order revoking and re-enacting that Order with or without modification), there shall be no extension or external alteration to any building forming part of the development hereby permitted without the prior grant of planning permission in that behalf.

Reason:

In order to safeguard the amenities of the area and given existing drainage infrastructure on the site by enabling the Local Planning Authority to consider whether planning permission should be granted for extensions, having regard to the particular layout and design of the development and need to protect the amenity of nearby properties, drainage and to accord with Policies BE1 and SC1 of the Neath Port Talbot Local Development Plan.

- 18 Notwithstanding the provisions of the Town and Country Planning (General Permitted Development) Order 1995 (as amended for Wales) (or any order revoking and re-enacting that Order with or without modification), no doors, windows or dormer windows (other than those expressly authorised by this permission) shall be constructed without the prior grant of planning permission in that behalf.

Reason:

In order to safeguard the amenities of the area by enabling the Local Planning Authority to consider whether planning permission should be granted for such additional doors / windows, having regard to the particular layout and design of the development and need to protect the amenity of nearby properties, and to accord with Policies BE1 and SC1 of the Neath Port Talbot Local Development Plan.

- 19 Any gates provided across the access drive(s) shall be of a type which open inward only and can be seen through, and shall be retained as such thereafter.

Reason:

In the in interest of highway and pedestrian safety and to ensure compliance with Policy TR2 of the Neath Port Talbot Local Development Plan.

Informatives:

1 The proposed development lies within a coal mining area which may contain unrecorded coal mining related hazards. If any coal mining feature is encountered during development, this should be reported immediately to the Coal Authority on 0345 762 6848. Further information is also available on the Coal Authority website at: www.gov.uk/government/organisations/the-coal-authority

2 Welsh Water Advisory Notes In accordance with Planning Policy Wales (Edition 11) and Technical Advice Note 12 (Design), the applicant is advised to take a sustainable approach in considering water supply in new development proposals, including utilising approaches that improve water efficiency and reduce water consumption. We would recommend that the applicant liaises with the relevant Local Authority Building Control department to discuss their water efficiency requirements. The applicant may need to apply to Dwr Cymru / Welsh Water for any connection to the public sewer under S106 of the Water industry Act 1991. If the connection to the public sewer network is either via a lateral drain (i.e. a drain which extends beyond the connecting property boundary) or via a

new sewer (i.e. serves more than one property), it is now a mandatory requirement to first enter into a Section 104 Adoption Agreement (Water Industry Act 1991). The design of the sewers and lateral drains must also conform to the Welsh Ministers Standards for Gravity Foul Sewers and Lateral Drains, and conform with the publication "Sewers for Adoption"- 7th Edition. Further information can be obtained via the Developer Services pages of www.dwrcymru.com. The applicant is also advised that some public sewers and lateral drains may not be recorded on our maps of public sewers because they were originally privately owned and were transferred into public ownership by nature of the Water Industry (Schemes for Adoption of Private Sewers) Regulations 2011. The presence of such assets may affect the proposal. In order to assist us in dealing with the proposal the applicant may contact Dwr Cymru Welsh Water on 0800 085 3968 to establish the location and status of the apparatus. Under the Water Industry Act 1991 Dwr Cymru Welsh Water has rights of access to its apparatus at all times. Our response is based on the information provided by your application. Should the proposal alter during the course of the application process we kindly request that we are re-consulted and reserve the right to make new representation. If you have any queries please contact Welsh Water on 0800 917 2652 or via email at developer.services@dwrcymru.com

3 Sustainable Drainage Systems (Welsh Water) The proposed development may be subject to Schedule 3 of the Flood and Water Management Act 2010. The development therefore may require approval of Sustainable Drainage Systems (SuDS) features, in accordance with national standards, and is strongly recommended that the developer engage in pre-application consultation with the Local Authority, as the relevant SuDS Approval Body (SAB).

4 Welsh water: The proposed development is crossed by a trunk/distribution watermain, the approximate position being shown on a plan forwarded to the agent on 18.09.24. Dwr Cymru Welsh Water as Statutory Undertaker has statutory powers to access our apparatus at all times. I enclose our Conditions for Development near Watermain(s). It may be possible for this watermain to be diverted under Section 185 of the Water Industry Act 1991, the cost of which will be re-charged to the developer. The developer must consult Dwr Cymru Welsh Water before any development commences on site. We advise that the proposed development is within close proximity of a 100mm public sewer with the approximate position being marked on the Statutory Public Sewer Record. In accordance with the Water Industry Act 1991, Dwr Cymru Welsh Water requires access to its apparatus at all times in order to carry out maintenance and repairs. However, having regard to the submitted 'Proposed site layout', it appears the proposed development will be set back and therefore positioned outside the protection zone of the public sewer. **THE DEVELOPER IS ADVISED THAT THE LAYOUT OF THE PROPOSED DWELLING AT RESERVED MATTERS STAGE MUST TAKE ACCOUNT OF THE DRAINAGE INFRASTRUCTURE ABOVE**

The decision to recommend planning permission has been taken in accordance with Section 38 of The Planning and Compulsory Purchase Act 2004, which requires that, in determining a planning application the determination must be in accordance with the Development Plan unless material considerations indicate otherwise. The Development Plan comprises Future Wales - the National Plan 2040 and the Neath Port Talbot Local Development Plan (2011-2026) adopted January 2016.

The proposal would not have any unacceptable impact upon residential amenity, the character and appearance of the surrounding area, or any adverse impact upon highway

safety, ecology, trees or drainage issues and in this respect it is considered that the proposal for one no. dwelling would not be contrary to Policy BE1 or TR2.

It is further considered that the decision complies with Future Wales - the National Plan 2040 and the Council's well-being objectives and the sustainable development principle in accordance with the requirements of the Well-being of Future Generations (Wales) Act 2015.

Signed: 

Ceri Morris – Head of Planning & Public Protection

Date: 21 November 2024

IMPORTANT:

(1) Please note that for all decisions issued after 16th March 2016 for outline or full planning permission, a revised decision notice will be issued whenever a subsequent consent is given, for example providing details of any Reserved Matters approvals (outline applications only) and/or approval of conditions (including on Reserved Matters). This will ensure that the current status of the conditions applied to a consent is clear. Accordingly you are advised to visit www.npt.gov.uk/planning to view the application documentation to see if this is the current version, or whether it has been superseded by a more up-to-date revision of this Decision Notice. For Reserved Matters approvals the revised Decision Notice will only be shown under the Outline approval.

(2) Please note that this consent is specific to the plans and particulars approved as part of the application. Any departure from the approved plans will constitute unauthorised development and may be liable to enforcement action. You (or any subsequent developer) should advise the Council of any actual or proposed variations from the approved plans immediately so that you can be advised how to best resolve the matter.

(3) In addition, any conditions that the Council has imposed on this consent will be listed above and should be read carefully. It is your (or any subsequent developers) responsibility to ensure that the terms of all conditions are met in full at the appropriate time (as outlined in the specific condition). Please note that any works carried out without compliance with the conditions attached to this approval will be entirely at the risk of the persons involved and may result in formal action being taken by the Local Planning Authority.

(4) The developer should have regard to Sections 4, 7, 8 and 8A of the Chronically Sick and Disabled Persons Act 1970 and to the British Standards Institution's Code of Practice for "Design of buildings and their approaches to meet the needs of disabled people" (BS 8300:2009+A1:2010).

(5) From 1st October 2012 it has been an offence to install a public sewer or lateral drain without having an adoption agreement in place. From the 1st October 2012 the vast majority of all existing private sewers and lateral drains which link with the public sewer network were transferred to Welsh Water. For further details on how this will affect your development please contact: Welsh Water Developer Services, PO Box 3146, Cardiff, CF30 0EH. Telephone No. 0800 9172652 or email: developer.services@dwrcymru.com.

(6) Welsh Water Dwr Cymru advise that the planning permission hereby granted does not extend any rights to carry out any works to the public sewerage or water supply systems without first having obtained the necessary permissions required by the Water Industry Act 1991.

Please note, in accordance with Construction and Design Management (CDM) Regulations, it is the applicant's responsibility to ensure that any proposed works within their curtilage do not conflict with any underground services and is recommended they review their land registry title deeds for any legal covenants. For Sewers or Watermains that may be present and affected by your proposals, you are advised to contact Dwr Cymru Welsh Water who will be able to explain whether your proposed works will be acceptable as well as any consent required. Prior to commencing works, it is also recommend the applicant review the information and guidance on Building Over Sewers

available on Welsh Water's website at

<https://developers.dwrcymru.com/en/applications/planning/build-over-or-near-to-sewers>

The applicant is also advised that some public sewers and lateral drains may not be recorded on Welsh Water maps of public sewers because they were originally privately owned and were transferred into public ownership by nature of the Water Industry (Schemes for Adoption of Private Sewers) Regulations 2011. The presence of such assets may affect the proposal. In order to assist us in dealing with the proposal the applicant may contact Dwr Cymru Welsh Water to establish the location and status of the apparatus. Under the Water Industry Act 1991 Dwr Cymru Welsh Water has rights of access to its apparatus at all times.

IMPORTANT INFORMATION: TOWN AND COUNTRY PLANNING ACT 1990

The applicant's attention is drawn to the notes below.

- (1) If the applicant is aggrieved by the decision of the Local Planning Authority to refuse permission for the proposed development or to grant it subject to conditions, then you can appeal to the Welsh Government under Section 78 of the Town and Country Planning Act 1990 (as amended).
- (2) You can also appeal to the Welsh Government against a decision to refuse permission or grant subject to conditions in respect of applications made for :- Listed Building or Conservation Area Consent; Consent under a Tree Preservation Order; Advertisement Consent.
- (3) You can also appeal If your application for a Certificate of Lawful Existing Use or Lawful Proposed Use is partly or wholly refused or is granted differently from what you asked for (under Section 195/196) of the Town and Country Planning Act 1990 (as amended).
- (4) If you are aggrieved of the LPAs decision, the following deadlines apply for appeals to be submitted to the Welsh Government (from the date of the Council's decision):-

(1) Planning Permission (with the exception of Minor Commercial and Householder applications – see below)	Within 6 Months
(2) Householder Appeal see endnote i	Within 12 weeks
(3) Minor Commercial Appeal see endnote i	Within 12 weeks
(4) Listed Building or Conservation Area Consent appeals	Within 6 months
(5) Tree Preservation Order (TPO) Consent	Within 28 days
(6) Advertisement Consent	Within 8 weeks
(7) Certificate of Lawfulness of Existing (Section 191) or Proposed (Section 192) Use or Development	Within 6 months
(8) Hazardous Substances Consent	Within 6 months
- (5) Appeals must be made on a form which is obtainable from the Planning & Environment Decisions Wales, Crown Buildings, Cathays Park, Cardiff, CF10 3NQ – Tel 0300 060 4400, or online at <https://planningcasework.service.gov.wales/>.
- (6) The Welsh Government has power to allow a longer period for the giving of notice of appeal but they will not normally be prepared to exercise this power unless there are special circumstances which excuse the delay in giving notice of appeal.
- (7) The Welsh Government is not required to entertain an appeal if it appears to them that permission for the proposed development could not have been granted having regard to the statutory requirements to the provisions of the development order, and to any directions given under the Order. They do not in practice refuse to entertain appeals solely because the decision of the Local Planning Authority was based on a direction given by them.
- (8) If permission to develop land is refused or granted subject to conditions, whether by the Local Planning Authority or by the Welsh Government, and the owner of the land claims that the land has become incapable of reasonable beneficial use in its existing state and cannot be rendered capable of reasonable beneficial use by the carrying out of any development which has been or would be permitted, he may serve on the County Borough Council, in which the land is situated, as the case may be, a **purchase notice** requiring that Council purchase his interest in the land in

accordance with the provisions of Part VI of the Town and Country Planning Act 1990.

Making an Appeal

- (9) Please note that for all applications received by the LPA after 5th May 2017, it is now a requirement that any appeal made to the Planning Inspectorate (other than Householder and Minor Commercial Appeals, and appeals against refusal to grant advertisement consent) must be accompanied by all the information and evidence you intend to rely upon (a **“full statement of case”**). You must also send a copy of the notice of appeal and full statement of case to the LPA.
- (10) In addition, for ‘planning appeals’ an amendment to an application following notice of appeal may only be made to correct an error.
- (11) Additional details and information on making an appeal to the Welsh Government is available from the Planning Inspectorate at the above address and website. The relevant documents are entitled “making your planning appeal” and “planning appeals Public Local Inquiries”.
- (12) Further correspondence regarding this application should bear the reference number quoted on the top of the decision notice.

THIS NOTICE RELATES ONLY TO A PLANNING DECISION AND DOES NOT RELATE TO OTHER LEGISLATION INCLUDING ANY LEGISLATION UNDER:

- BUILDING REGULATIONS – Please contact buildingcontrol@npt.gov.uk or 01639 686820 to discuss all aspects of the service that is offered by Building Control
- HIGHWAY LEGISLATION

IF PLANNING CONSENT HAS BEEN GRANTED IT IS ADVISABLE TO ESTABLISH WHETHER ANY OTHER FORM OF CONSENT IS REQUIRED AND TO OBTAIN SUCH CONSENT BEFORE COMMENCING DEVELOPMENT

ⁱ Please see the [Town and Country Planning \(Referred Applications and Appeals Procedure\) \(Wales\) Regulations 2017](#) for appeal procedures and for full definitions of:

- *“householder application”* (essentially an application for the enlargement, improvement or other alteration of a dwellinghouse, or development within the curtilage of such a dwellinghouse, or change of use to enlarge the curtilage of a dwelling house)
- *“householder appeal”* means an appeal in relation to a householder application, but excludes an appeal against conditions on the grant of planning permission; or an appeal which is accompanied by an enforcement or listed building consent appeal.
- *“minor commercial application”* (essentially relates to existing buildings of no more than 250 square metres gross external floor space at ground floor level, currently in use for any of the purposes set out in Schedule 1A to The Town and Country Planning (Development Management Procedure) (Wales) (Amendment) Order 2015 which is an application for change of use from Class A1 to A2 or A3; or Class A2 to A3); or the carrying out of building or other operations to a shop front.
- *“minor commercial appeal”* means an appeal in relation to a minor commercial application but excludes an appeal against conditions on the grant of planning permission; or an appeal which is accompanied by an enforcement or listed building consent appeal.