


An aerial photograph of a park featuring a large, colorful playground structure with yellow and blue sections. The structure has multiple slides and climbing areas. A child is visible on the ground near the base of the structure. The park is surrounded by lush green trees and grass. A large, semi-transparent white box with rounded corners is overlaid on the right side of the image, containing the RSP logo and the company name. A black rectangular box is overlaid on the left side of the image, containing the title text.

Gnoll Park Design Proposal











9m



9m







Product technical sheet

STEEL+ 1745



4 - 14 years



198 kids



174,3 m²



Material specification

- Powder galvanized and powder coated or stainless steel construction of 80 x 80 mm profile,
- Platforms and climbing walls made of durable anti-slip and waterproof HPL plate,
- Roofs and side panels made of durable HDPE plate, resistant to weather conditions,
- Transparent polycarbonate panels with a weather-resistant print,
- Slides made of stainless steel with durable HDPE side panels,
- Fireman's pole made of stainless steel,
- Tubular sled made of stainless steel,
- Stainless steel tube slide,
- Drawing board made of durable HPL plate, resistant to weather conditions,
- Maze windows made of polycarbonate, balls made of synthetic material,
- Music panels made of durable HDPE and HPL plate, resistant to weather conditions,
- Telescope made of stainless steel and durable HDPE plate, resistant to weather conditions,
- Durable climbing stones made of polyester resin composite with mineral fillers,
- Steel ropes in polypropylene braid, connected with durable plastic elements, stainless steel or aluminum,
- Attested, safe seats,
- Calibrated stainless steel chains, preventing fingers entrapment,
- Stainless steel bars and handrails,
- Stainless steel screws and/or screws covered with plastic caps,
- Safe end caps on top of the structure made of rubber or polypropylene,



Facilitating disability



easy access



integration



shelters



Intellectual development



manipulation



thinking



music



Physical development



balance



sliding



passage



roofs



hiding



rest



climbing

**3**

number of towers

**5**

number of slides

**17**

number of roofs

**23**

number of interactive elements

**18**

number of activity elements


Product technical sheet**STEEL+ 1745****Product data**

Length	1530 cm
Width	1520 cm
Total height	955 cm
Age group	4 - 14 years
Number of users	198 kids
Safety zone	174,3 m ²
Free fall height	270 cm
The height of the platforms	90, 120, 150, 180, 210, 300, 330, 360, 420, 450, 480, 540, 570, 600, 630, 690 cm
tube slide platform height	360, 570 cm
slide platform height	90, 180, 210 cm
In accordance with norm EN	1176-1:2017+A1:2023
Weight of the heaviest part	210 kg
Dimensions of the largest part	8x8x585 cm
Availability of spare parts	YES
Color options	

Data is subject to change without prior notice.

Additional information

- ✦ equipment adapted for the disabled; intended for public playgrounds;
- ✦ equipment has a certificate issued by an accredited entity or a declaration of conformity;
- ✦ anchoring on flat surface, 80/70/60 cm deep;
- ✦ anchoring on flat surface, 80/70 cm deep;
- ✦ slide should not be installed southwards;
- ✦ render is for reference only, the actual appearance of the equipment and its color may vary;

**Guarantee****30**

30 year guarantee - Durability of steel and stainless steel structural elements

15

15 year guarantee - Durability of steel and stainless steel structures of mobile devices; durability of Robinia wood structural elements

10

10 year guarantee - Structural strength of HDPE, 100% recycled HDPE and HPL elements; structural elements made of 100% recycled material (composite)

5

5 year guarantee - Corrosion resistance of stainless steel and hot-dip galvanized and powder-coated steel elements, resistance to bark beetles and rotting of wooden structural elements

Warranty

1. The Seller's devices are covered by a 24-month guarantee period starting from the date included in the sales note and the invoice. Moreover:

- 30 year guarantee - Structural strength of steel and stainless steel components
- 15 year guarantee - Structural failure of steel and stainless steel, for dynamic equipment
- 10 year guarantee - Structural failure of high density polyethylene and high pressure laminates components; construction elements made of 100% recycled material, 100% recycled green HDPE panels (for 100% recycled materials the guarantee is obliging for the air temperature $<50^{\circ}\text{C}$)
- 5 year guarantee - Corrosion of stainless steel and hot dip galvanized and powder coated components; against bark beetles and rot in case of wooden structural elements
- 3 year guarantee - On powder galvanized and powder coated components, defects of ropes and nets; wooden structural elements
- 2 year guarantee - All remaining components not specified above

*most companies are stating a lifetime warranty then saying it is lifetime of the park. We prefer to take a more clear and honest approach.