




Tree Survey

At

**Heol Y Glo,
Tonna,
Neath**

*Inspected by:-
Julian Wilkes BSc.For, MSc.Land Man, MIC.For, TechArborA
Treescene Ltd
The Walled Garden
Old Coedarhydyglyn
St Nicholas
Cardiff
CF5 6SG
Tel No. 029 20599300*

22nd January, 2024

**Registered Office: Treescene Limited
The Walled Garden, Old Coedarhydyglyn, St. Nicholas, Cardiff CF5 6SG
Tel. 029 205 99300 Email. trees@treescene.co.uk**

Brief

I have been instructed by Mr. Richard Oatway of Tai Tarian to carry out a survey on trees at Heol Y Glo, Tonna, Neath.

Scope of Report

This Tree Survey has been undertaken within the recommendations of British Standards 5837:2012 and current good arboricultural practice.

The survey entailed a visual inspection from ground level of all trees.

Each tree has been numbered and, where instructed, have been tagged using small durable metal or plastic tags.

Due to variations of existing ground levels through the site, height dimensions are estimated and are given in metres.

Trunk/stem diameters are measured at 1.5 metres above ground level, or immediately above the root flare for multi-stemmed trees.

Estimated branch spread is taken in metres from the centre of the trunk, at the four cardinal points of a compass, to achieve an accurate representation of crown shape.

An assessment of a tree's age classification is made in terms of its maturity within the site's landscape.

An assessment of a tree's physiological condition is made as good, fair, poor, dead.

Data on the structural condition of the tree has been entered, e.g., collapsing, leaning and the presence of any decay or physical defect has been noted.

Preliminary management recommendations include further investigation of suspected defects that require more detailed assessment or potential for wildlife habitat.

An assessment of a tree's future life expectancy is made as <10, 10-20, 20-40 or >40 etc.

Table 1 – Cascade chart for tree quality assessment

Category and definition	Criteria (including subcategories where appropriate)		
<u>Category U</u> Those in such a condition that they cannot realistically be retained as living trees in the context of the current land use for longer than 10 years	- Trees that have a serious, irremediable, structural defect, such that their early loss is expected due to collapse, including those that will become unviable after removal of other U category trees (i.e. where, for whatever reason, the loss of companion shelter cannot be mitigated by pruning) - Trees that are dead or are showing signs of significant, immediate, and irreversible overall decline - Trees infected with pathogens of significance to the health and/or safety of other trees nearby, or very low quality trees suppressing adjacent trees of better quality NOTE Category U trees can have existing or potential conservation value which it might be desirable to preserve; see 4.5.7		
	1 Mainly Arboricultural values	2 Mainly landscape values	3 Mainly cultural values, including conservation
<u>Category A</u> Those of high quality with an estimated remaining life expectancy of at least 40 years	Trees that are particularly good examples of their species, especially if rare or unusual, or essential components of groups, or of formal or semi-formal arboricultural features (e.g. the dominant and/or principal trees within an avenue)	Trees, groups or woodlands of particular visual importance as Arboricultural and/or landscape features	Trees, groups or woodlands of significant conservation; historical, commemorative or other value (e.g. veteran trees or wood-pasture)
<u>Category B</u> Those of moderate quality with an estimated remaining life expectancy of at least 20 years	Trees that might be included in category A, but are downgraded because of impaired condition (e.g. presence of significant though remediable defects, including unsympathetic past management and storm damage), such that they are unlikely to be suitable for retention for beyond 40 years; or trees lacking the special quality necessary to merit the category A designation	Trees present in numbers, usually growing as groups or woodlands, such that they attract a higher collective rating than they might as individuals; or trees occurring as collectives but situated so as to make little visual contribution to the wider locality	Trees with material conservation or other cultural benefits
<u>Category C</u> Those of low quality with an estimated remaining life expectancy of at least 10 years, or young trees with a stem diameter below 150mm	Unremarkable trees of very limited merit or such impaired condition that they do not qualify in higher categories	Trees present in groups or woodlands, but without this conferring on them significantly greater collective landscape value, and/or trees offering low or only temporary/transient landscape benefits	Trees with no material conservation or other cultural value

BRITISH STANDARD BS 5837:2012

Tree No.	Species	Height(m)	Single/Multi Stemmed	Stem Diameter(m)	Branch Spread(m)				Height of Crown(m)	Age	Physiological Condition	Structural Condition	Prel. Man. Recommendations	Est. Remaining Contribution	Category
					N	E	S	W							
T1	Swedish Whitebeam (<i>Sorbus intermedia</i>)	5	Single	0.20	3	3	3	3	2	Middle aged	Fair	Street tree of reasonable form and vigour. Some epicormic shoots at base.	Prune to remove epicormic shoots.	20-40	B
T2	Swedish Whitebeam (<i>Sorbus intermedia</i>)	5	Single	0.23	3	2	2	3	2	Middle aged	Fair	Street tree of reasonable form that has suffered some poor-quality pruning in lower crown. Evidence of mild inclusions within lower forks on main stem at 2m which may become a point of weakness as this specimen matures.	Monitor for safety in relation to lower forks.	10-20	C
T3	Swedish Whitebeam (<i>Sorbus intermedia</i>)	6	Single	0.26	4	3	3	3	2	Middle aged	Fair	Street tree that has suffered some poor-quality pruning in lower crown. Some epicormic shoots at base. Lower pendulous branches potentially obstruct pedestrian and vehicle movement.	Prune to remove epicormic shoots at base. Crown raise to 3.5m. Monitor for health.	20-40	B
T4	Birch (<i>Betula pendula</i>)	15	Multi	0.55	3	5	4	5	2	Mature	Fair	Naturally regenerated, multi-stemmed specimen sited immediately adjacent to low retaining wall. This specimen is more heavily biased towards the south and may become vulnerable to instability as it matures.	Monitor for stability.	10-20	C
T5	Ash (<i>Fraxinus excelsior</i>)	13	Single	0.34	2	2	5	5	2	Middle aged	Poor	Tree of poor form exhibiting early-stage symptoms of Ash Dieback Disease.	Remove.	<10	U
T6	Sycamore (<i>Acer pseudoplatanus</i>)	10	Multi	0.35	4	3	3	3	2	Middle aged	Fair	Boundary tree of reasonable form and vigour.	No action required at this time.	>40	B

Tree No.	Species	Height(m)	Single/Multi Stemmed	Stem Diameter(m)	Branch Spread(m)				Height of Crown(m)	Age	Physiological Condition	Structural Condition	Prel. Man. Recommendations	Est. Remaining Contribution	Category
					N	E	S	W							
G7	Group of: Sycamore (<i>Acer pseudoplatanus</i>), Birch (<i>Betula pendula</i>), Goat Willow (<i>Salix caprea</i>), Oak (<i>Quercus robur</i>)	Up to 14	Single and Multi	0.3	3	3	3	3	2	Middle aged	Fair	Boundary trees of generally reasonable form and vigour.	No action required at this time.	20-40	B
T8	Goat Willow (<i>Salix caprea</i>)	9	Multi	0.75	4	9	5	2	0	Middle aged	Poor	Multi-stemmed specimen that is partially collapsed to the southeast.	Remove.	<10	U
G9	Group of: Sycamore (<i>Acer pseudoplatanus</i>), Birch (<i>Betula pendula</i>)	Up to 15	Single and Multi	0.45 (avg.)	4	4	5	5	2	Middle aged	Fair	Closely spaced boundary trees of reasonable form.	No action required at this time.	20-40	B
G10	Group of: Goat Willow (<i>Salix caprea</i>)	5	Multi	0.1	3	2	0	2	0	Young	Poor	Naturally regenerated specimens leaning to the north that are vulnerable to collapse.	Remove.	<10	U
G11	Group of: Birch (<i>Betula pendula</i>), Goat Willow (<i>Salix caprea</i>)	Up to 16	Single and Multi	0.3 (avg.)	4	4	4	4	1	Middle aged	Fair to poor	Linear boundary feature dominated by Goat Willows that are vulnerable to structural failure as they mature. Some Birch leaning to the north.	Monitor for stability.	10-20	C
T12	Oak (<i>Quercus robur</i>)	14	Multi	0.7	7	5	2	7	3	Middle aged	Fair	Twin-stemmed, misshapen specimen of variable form.	Monitor for stability.	10-20	C

Tree No.	Species	Height(m)	Single/Multi Stemmed	Stem Diameter(m)	Branch Spread(m)				Height of Crown(m)	Age	Physiological Condition	Structural Condition	Prel. Man. Recommendations	Est. Remaining Contribution	Category
					N	E	S	W							
G13	Group of: Goat Willow (<i>Salix caprea</i>), Hazel (<i>Corylus avellana</i>)	8	Single and Multi	0.3	3	4	2	4	0	Middle aged	Fair	Scrubby specimens of variable form. Goat Willow is vulnerable to failure as it matures.	Monitor for stability.	10-20	C
G14	Group of: Oak (<i>Quercus robur</i>)	11	Single and Multi	0.4	4	5	4	5	2	Middle aged	Fair	Trees of reasonable form and vigour. Main stems and mid crown heavily colonised by ivy thus preventing full inspection.	No action required at this time.	>40	B
G15	Group of: Goat Willow (<i>Salix caprea</i>)	3	Multi	0.15	2	1	0	1	0	Young	Poor	Naturally regenerated specimens leaning to the north that are vulnerable to structural failure.	Remove.	<10	U
G16	Group of: Goat Willow (<i>Salix caprea</i>), Hazel (<i>Corylus avellana</i>), Sycamore (<i>Acer pseudoplatanus</i>)	7	Multi	0.3 (avg.)	4	2	3	3	0	Middle aged	Fair to poor	Scrubby boundary specimens vulnerable to structural failure as they mature.	Monitor for stability.	10-20	C

Tree No.	Species	Height(m)	Single/Multi Stemmed	Stem Diameter(m)	Branch Spread(m)				Height of Crown(m)	Age	Physiological Condition	Structural Condition	Prel. Man. Recommendations	Est. Remaining Contribution	Category
					N	E	S	W							
G17	Group of: Oak (<i>Quercus robur</i>), Birch (<i>Betula pendula</i>), Goat Willow (<i>Salix caprea</i>), Hazel (<i>Corylus avellana</i>), Hawthorn (<i>Crataegus monogyna</i>), Holly (<i>Ilex aquifolium</i>)	Up to 17	Single and Multi	0.3 (avg.)	6	3	3	3	1	Middle aged	Fair	Linear boundary feature containing trees of reasonable upright habit.	Monitor Goat Willow for stability.	20-40	B
G18	Group of: Oak (<i>Quercus robur</i>), Birch (<i>Betula pendula</i>), Goat Willow (<i>Salix caprea</i>), Hazel (<i>Corylus avellana</i>), Hawthorn (<i>Crataegus monogyna</i>), Holly (<i>Ilex aquifolium</i>)	Up to 17	Single and Multi	0.3 (avg.)	6	3	3	3	1	Middle aged	Fair	Linear boundary feature containing trees of reasonable upright habit.	Monitor Goat Willow for stability.	20-40	B

Tree No.	Species	Height(m)	Single/Multi Stemmed	Stem Diameter(m)	Branch Spread(m)				Height of Crown(m)	Age	Physiological Condition	Structural Condition	Prel. Man. Recommendations	Est. Remaining Contribution	Category
					N	E	S	W							
T19	Goat Willow (<i>Salix caprea</i>)	13	Multi	0.4	7	2	0	3	0	Middle aged	Poor	Poor quality specimen leaning to the north. Evidence of internal decay associated with historical pruning wounds. This specimen is at risk of structural failure in the foreseeable future.	Remove.	<10	U
G20	Group of: Birch (<i>Betula pendula</i>), Goat Willow (<i>Salix caprea</i>), Hazel (<i>Corylus avellana</i>), Hawthorn (<i>Crataegus monogyna</i>), Sycamore (<i>Acer pseudoplatanus</i>), Oak (<i>Quercus robur</i>), Crab Apple (<i>Malus sylvestris</i>)	Up to 17	Single and Multi	0.3 (avg.)	6	4	3	4	2	Middle aged	Fair	Woodland area sited on sloping bank dominated by Birch.	No action required at this time.	>40	B
G21	Group of: Sycamore (<i>Acer pseudoplatanus</i>)	5	Multi	0.2	1	1	1	1	0	Young	Poor	Squirrel-damaged specimens in a moribund condition.	Remove.	<10	U
T22	Goat Willow (<i>Salix caprea</i>)	10	Multi	0.8	8	7	5	8	0	Mature	Fair to poor	Tree of variable form that has partially collapsed to the north.	Monitor for stability.	10-20	C

Tree No.	Species	Height(m)	Single/Multi Stemmed	Stem Diameter(m)	Branch Spread(m)				Height of Crown(m)	Age	Physiological Condition	Structural Condition	Prel. Man. Recommendations	Est. Remaining Contribution	Category
					N	E	S	W							
G23	Group of: Hazel (<i>Corylus avellana</i>), Cherry (<i>Prunus</i> spp.), Oak (<i>Quercus robur</i>), Alder (<i>Alnus glutinosa</i>), Elder (<i>Sambucus nigra</i>)	Up to 10	Single and Multi	0.2 (avg.)	2	2	2	2	0	Middle aged	Fair	Scrubby specimens forming small copse area dominated by Hazel.	No action required at this time.	20-40	C
G24	Group of: Hazel (<i>Corylus avellana</i>), Goat Willow (<i>Salix caprea</i>)	6	Multi	0.3	3	3	3	3	0	Middle aged	Fair	Scrubby specimens forming small copse area.	No action required at this time.	10-20	C
T25	Sycamore (<i>Acer pseudoplatanus</i>)	11	Single	0.54	3	6	7	8	3	Mature	Poor	Prominent roadside tree exhibiting massive basal decay that is likely to lead to structural failure in the foreseeable future.	Remove.	<10	U
G26	Group of: Hazel (<i>Corylus avellana</i>), Sycamore (<i>Acer pseudoplatanus</i>), Alder (<i>Alnus glutinosa</i>)	Up to 12	Single and Multi	0.25 (avg.)	3	3	3	3	0	Middle aged	Fair	Roadside hedgerow containing some specimens of Sycamore and Alder.	Monitor for safety.	20-40	B
G27	Group of: Goat Willow (<i>Salix caprea</i>)	7	Multi	0.45	1	7	2	7	0	Middle aged	Poor	These specimens are partially collapsed.	Remove.	<10	U

Tree No.	Species	Height(m)	Single/Multi Stemmed	Stem Diameter(m)	Branch Spread(m)				Height of Crown(m)	Age	Physiological Condition	Structural Condition	Prel. Man. Recommendations	Est. Remaining Contribution	Category
					N	E	S	W							
G28	Group of: Ash (<i>Fraxinus excelsior</i>)	14	Multi	0.4	2	3	3	2	4	Middle aged	Poor	Roadside tree severely infected with Ash Dieback Disease. These specimens represent an immediate hazard in relation to the adjacent highway.	Remove.	<10	U
G29	Group of: Oak (<i>Quercus robur</i>)	16	Single and Multi	0.55 (avg.)	7	5	6	6	3	Mature	Fair	Prominent roadside trees containing some dead branches.	Prune to remove unstable deadwood of diameter >50mm that may fail into the adjacent highway.	>40	B
G30	Group of: Sycamore (<i>Acer pseudoplatanus</i>), Holly (<i>Ilex aquifolium</i>)	11	Single	0.35	5	3	3	4	2	Middle aged	Fair	Prominent roadside trees of reasonable form and vigour.	No action required at this time.	20-40	B
T31	Alder (<i>Alnus glutinosa</i>)	11	Single	0.22	3	1	2	2	1	Middle aged	Fair	Tree of reasonable form and vigour.	No action required at this time.	20-40	B
T32	Dead														U
T33	Dead														U
G34	Group of: Oak (<i>Quercus robur</i>), Sycamore (<i>Acer pseudoplatanus</i>), Holly (<i>Ilex aquifolium</i>), Hazel (<i>Corylus avellana</i>)	Up to 16	Single and Multi	0.4 (avg.)	5	4	7	6	1	Middle aged	Fair	Field boundary trees of reasonable form and vigour.	No action required at this time.	>40	B
T35	Hazel (<i>Corylus avellana</i>)	3	Multi	0.15	1	1	1	1	0	Middle aged	Fair	Scrubby boundary shrub.	No action required at this time.	20-40	C

Tree No.	Species	Height(m)	Single/Multi Stemmed	Stem Diameter(m)	Branch Spread(m)				Height of Crown(m)	Age	Physiological Condition	Structural Condition	Prel. Man. Recommendations	Est. Remaining Contribution	Category
					N	E	S	W							
T36	Oak (<i>Quercus robur</i>)	16	Single	0.39	7	6	6	5	4	Middle aged	Good	Prominent offsite tree of good form and vigour.	No action required at this time.	>40	B
T37	Sycamore (<i>Acer pseudoplatanus</i>)	8	Multi	0.15	1	1	1	1	1	Young	Poor	Squirrel-damaged specimen in a moribund condition.	Remove.	<10	U
T38	Birch (<i>Betula pendula</i>)	19	Single	0.36	5	5	4	4	7	Mature	Good	Prominent offsite tree of reasonable form and upright habit.	No action required at this time.	20-40	B
T39	Oak (<i>Quercus robur</i>)	19	Single	0.58	5	9	9	7	5	Mature	Good	Prominent boundary tree that has suffered poor quality pruning in lower crown. Some deadwood within crown.	Prune to remove unstable deadwood of diameter >50mm extending over site.	>40	A
T40	Oak (<i>Quercus robur</i>)	18	Single	0.43	3	5	7	6	4	Middle aged	Good	Prominent boundary tree of reasonable form and upright habit.	No action required at this time.	>40	B
T41	Oak (<i>Quercus robur</i>)	17	Single	0.35	3	4	5	3	3	Middle aged	Good	Prominent offsite tree of good form and upright habit.	No action required at this time.	>40	B
G42	Group of: Ash (<i>Fraxinus excelsior</i>)	17	Multi	0.45	2	1	5	8	2	Middle aged	Poor	These specimens are severely infected with Ash Dieback Disease.	Remove.	<10	U
G43	Group of: Hazel (<i>Corylus avellana</i>)	4	Multi	0.15	1	1	2	1	0	Young	Fair	Scrubby woodland edge specimens whose crowns extend slightly over the application site.	No action required at this time.	20-40	C
T44	Birch (<i>Betula pendula</i>)	17	Single	0.29	3	3	4	2	4	Middle aged	Good	Prominent boundary tree of reasonable form and vigour.	No action required at this time.	20-40	B
T45	Oak (<i>Quercus robur</i>)	17	Single	0.34	3	9	4	2	2	Middle aged	Fair	Prominent offsite tree of reasonable form.	No action required at this time.	>40	B

Tree No.	Species	Height(m)	Single/Multi Stemmed	Stem Diameter(m)	Branch Spread(m)				Height of Crown(m)	Age	Physiological Condition	Structural Condition	Prel. Man. Recommendations	Est. Remaining Contribution	Category
					N	E	S	W							
G46	Group of: Oak (<i>Quercus robur</i>), Birch (<i>Betula pendula</i>), Sycamore (<i>Acer pseudoplatanus</i>)	17	Single	0.35 (avg.)	2	5	5	3	2	Middle aged	Good	Prominent offsite trees of good form and vigour.	No action required at this time.	>40	B
G47	Group of: Oak (<i>Quercus robur</i>), Sycamore (<i>Acer pseudoplatanus</i>)	18	Single and Multi	0.35 (avg.)	7	7	7	5	3	Middle aged	Good	Prominent offsite trees of good form and vigour.	No action required at this time.	>40	B
T48	Oak (<i>Quercus robur</i>)	19	Multi	0.8	12	3	10	4	7	Mature	Good	Prominent offsite tree of reasonable form. Some deadwood extending over site.	Prune to remove unstable deadwood of diameter >50mm extending over site.	>40	A
T49	Birch (<i>Betula pendula</i>)	18	Single	0.34	2	3	9	3	5	Middle aged	Fair	Prominent offsite tree of reasonable form that has suffered some historical storm damage on southern side of lower crown.	Monitor for safety.	20-40	B
T50	Oak (<i>Quercus robur</i>)	19	Single	0.57	9	4	10	8	5	Mature	Good	Prominent offsite tree of good form and vigour.	No action required at this time.	>40	A
T51	Oak (<i>Quercus robur</i>)	19	Single	0.39	3	2	9	7	5	Middle aged	Good	Prominent offsite tree of good upright habit.	No action required at this time.	>40	B
G52	Group of 2: Oak (<i>Quercus robur</i>)	19	Single	0.59	11	7	10	10	4	Mature	Good	Prominent offsite trees of good form and vigour.	No action required at this time.	>40	A

Tree No.	Species	Height(m)	Single/Multi Stemmed	Stem Diameter(m)	Branch Spread(m)				Height of Crown(m)	Age	Physiological Condition	Structural Condition	Prel. Man. Recommendations	Est. Remaining Contribution	Category
					N	E	S	W							
T53	Sycamore (<i>Acer pseudoplatanus</i>)	13	Multi	0.55	3	6	5	5	3	Mature	Fair to poor	Boundary tree exhibiting severe squirrel damage throughout crown.	Prune to remove severely squirrel-damaged and snapped branches. Monitor for safety.	10-20	C
G54	Group of: Oak (<i>Quercus robur</i>)	17	Single	0.45 (avg.)	8	7	7	5	3	Mature	Fair	Offsite trees of reasonable form.	Prune to remove unstable deadwood of diameter >50mm extending over site.	>40	B
T55	Oak (<i>Quercus robur</i>)	19	Single	0.64	11	9	10	9	4	Mature	Good	Prominent offsite tree of good upright habit.	No action required at this time.	>40	A
G56	Group of: Oak (<i>Quercus robur</i>), Birch (<i>Betula pendula</i>)	Up to 17	Single	0.25	3	2	2	3	2	Middle aged	Fair	Offsite trees of reasonable form.	No action required at this time.	20-40	B
G57	Group of: Hazel (<i>Corylus avellana</i>)	4	Multi	0.15	1	1	2	1	0	Young	Fair	Scrubby woodland edge specimens whose crowns extend slightly over the application site.	No action required at this time.	20-40	C
T58	Oak (<i>Quercus robur</i>)	16	Single	0.36	4	6	6	7	4	Middle aged	Fair	Offsite tree of reasonable form.	No action required at this time.	>40	B
T59	Oak (<i>Quercus robur</i>)	18	Single	0.43	3	6	7	5	6	Mature	Good	Prominent offsite tree of reasonable upright habit.	No action required at this time.	>40	A
G60	Group of: Oak (<i>Quercus robur</i>)	16	Single and Multi	0.35	7	4	6	6	3	Middle aged	Fair	Offsite trees of reasonable form.	No action required at this time.	>40	B
T61	Oak (<i>Quercus robur</i>)	10	Single	0.38	1	1	6	1	2	Middle aged	Fair to poor	Scrubby specimen that has suffered poor quality pruning work in lower crown. Crown developed on southern side only.	Monitor for stability.	10-20	C

Tree No.	Species	Height(m)	Single/Multi Stemmed	Stem Diameter(m)	Branch Spread(m)				Height of Crown(m)	Age	Physiological Condition	Structural Condition	Prel. Man. Recommendations	Est. Remaining Contribution	Category
					N	E	S	W							
G62	Group of: Hazel (<i>Corylus avellana</i>)	7	Multi	0.5	3	3	3	2	0	Mature	Fair	Scrubby boundary specimens of variable form.	No action required at this time.	20-40	C
T63	Sawara Cypress (<i>Chamaecyparis pisifera</i>)	14	Multi	0.55	3	3	3	3	4	Mature	Fair	Offsite tree thus preventing full inspection. Twin-stemmed specimen of reasonable form and vigour.	No action required at this time.	20-40	B
G64	Group of: Elm (<i>Ulmus</i> spp.), Privet (<i>Ligustrum</i> spp.), Hazel (<i>Corylus avellana</i>), Sycamore (<i>Acer pseudoplatanus</i>), Oak (<i>Quercus robur</i>)	2	Multi	0.15	0.5	0.5	0.5	0.5	0	Middle aged	Fair	Scrubby specimens forming gappy hedgerow.	No action required at this time.	20-40	C

Tree No.	Species	Height(m)	Single/Multi Stemmed	Stem Diameter(m)	Branch Spread(m)				Height of Crown(m)	Age	Physiological Condition	Structural Condition	Prel. Man. Recommendations	Est. Remaining Contribution	Category
					N	E	S	W							
G65	Group of: Elm (<i>Ulmus</i> spp.), Privet (<i>Ligustrum</i> spp.), Hazel (<i>Corylus avellana</i>), Sycamore (<i>Acer pseudoplatanus</i>), Oak (<i>Quercus robur</i>), Ash (<i>Fraxinus excelsior</i>), Holly (<i>Ilex aquifolium</i>)	2	Multi	0.15	0.5	0.5	0.5	0.5	0	Middle aged	Fair	Scrubby specimens forming gappy hedgerow.	No action required at this time.	20-40	C
G66	Group of: Hazel (<i>Corylus avellana</i>)	1	Multi	0.15	0.5	0.5	0.5	0.5	0	Middle aged	Fair	Scrubby specimens forming gappy field boundary hedgerow.	No action required at this time.	20-40	C
G67	Group of: Hazel (<i>Corylus avellana</i>), Goat Willow (<i>Salix caprea</i>), Blackthorn (<i>Prunus spinosa</i>), Oak (<i>Quercus robur</i>)	Up to 5	Multi	0.15	1	1	3	1	0	Middle aged	Fair	Scrubby specimens forming gappy hedgerow whose crowns have extended to the southeast.	No action required at this time.	20-40	C

Tree No.	Species	Height(m)	Single/Multi Stemmed	Stem Diameter(m)	Branch Spread(m)				Height of Crown(m)	Age	Physiological Condition	Structural Condition	Prel. Man. Recommendations	Est. Remaining Contribution	Category
					N	E	S	W							
T68	Ash (<i>Fraxinus excelsior</i>)	18	Multi	0.6	8	7	7	6	4	Mature	Poor	Roadside tree severely infected with Ash Dieback Disease. This specimen represents an immediate hazard in relation to the adjacent highway.	Remove.	<10	U
T69	Ash (<i>Fraxinus excelsior</i>)	18	Multi	0.55	5	6	7	7	3	Mature	Poor	Prominent roadside tree exhibiting severe symptoms of Ash Dieback Disease. This specimen represents an immediate hazard in relation to the adjacent highway.	Remove.	<10	U
G70	Group of: Hazel (<i>Corylus avellana</i>), Elm (<i>Ulmus</i> spp.), Sycamore (<i>Acer pseudoplatanus</i>)	Up to 10	Single and Multi	0.25 (avg.)	1	2	3	2	0	Middle aged	Fair to poor	Scrubby specimens forming gappy hedgerow containing some Elm trees that are infected with Dutch Elm Disease. Some Elm are dead.	Remove dead, dying and diseased Elm trees.	20-40	C
T71	Ash (<i>Fraxinus excelsior</i>)	16	Multi	0.8	4	4	4	7	2	Mature	Poor	Prominent multi-stemmed roadside tree severely infected with Ash Dieback Disease. This specimen represents an immediate hazard in relation to the adjacent highway.	Remove.	<10	U
G72	Group of: Oak (<i>Quercus robur</i>)	16	Single	0.48	6	7	5	7	3	Mature	Good	Trees of good form and vigour.	No action required at this time.	>40	B
T73	Oak (<i>Quercus robur</i>)	17	Single	0.46	7	6	3	7	3	Middle aged	Good	Prominent specimen of reasonable form.	No action required at this time.	>40	B

Tree No.	Species	Height(m)	Single/Multi Stemmed	Stem Diameter(m)	Branch Spread(m)				Height of Crown(m)	Age	Physiological Condition	Structural Condition	Prel. Man. Recommendations	Est. Remaining Contribution	Category
					N	E	S	W							
T74	Oak (<i>Quercus robur</i>)	17	Multi	0.7	8	12	9	9	2	Mature	Good	Prominent hedgerow tree with broad spreading crown. Major limb extending to the east exhibits significant longitudinal split.	Shorten terminal branches on split limb by 2 to 3m. Monitor for safety.	>40	B
G75	Group of: Oak (<i>Quercus robur</i>), Holly (<i>Ilex aquifolium</i>), Hazel (<i>Corylus avellana</i>)	12	Single and Multi	0.35	4	7	5	8	2	Middle aged	Fair	Linear feature sited on raised hedge bank.	No action required at this time.	>40	B
G76	Group of: Birch (<i>Betula pendula</i>), Holly (<i>Ilex aquifolium</i>), Goat Willow (<i>Salix caprea</i>)	11	Single and Multi	0.2	1	3	2	3	0	Middle aged	Fair	Scrubby specimens forming overgrown hedgerow.	No action required at this time.	10-20	C
G77	Group of: Goat Willow (<i>Salix caprea</i>)	8	Multi	0.3	2	2	2	3	0	Middle aged	Poor	Naturally regenerated specimens of poor form, some of which are collapsed. All specimens are leaning and vulnerable to structural failure.	Remove.	<10	U
T78	Oak (<i>Quercus robur</i>)	11	Single	0.52	5	6	5	6	3	Mature	Fair	Tree of squat habit and reasonable vigour.	No action required at this time.	>40	B

Tree No.	Species	Height(m)	Single/Multi Stemmed	Stem Diameter(m)	Branch Spread(m)				Height of Crown(m)	Age	Physiological Condition	Structural Condition	Prel. Man. Recommendations	Est. Remaining Contribution	Category
					N	E	S	W							
G79	Group of: Hazel (<i>Corylus avellana</i>), Holly (<i>Ilex aquifolium</i>), Field Maple (<i>Acer campestre</i>), Elm (<i>Ulmus</i> spp.)	6	Multi	0.2	2	2	2	2	0	Middle aged	Fair	Scrubby specimens forming gappy overgrown hedgerow.	No action required at this time.	20-40	C
G80	Group of: Sycamore (<i>Acer pseudoplatanus</i>), Oak (<i>Quercus robur</i>)	14	Single and Multi	0.35	4	5	5	5	2	Middle aged	Fair	Roadside trees of reasonable form.	No action required at this time.	20-40	B
G81	Group of: Sycamore (<i>Acer pseudoplatanus</i>)	13	Multi	0.35	3	4	4	4	2	Middle aged	Fair to poor	Roadside trees that have suffered significant squirrel damage leading to death and failure of branches.	Prune to remove dead, dying and squirrel-damaged branches. Monitor for safety.	10-20	C
T82	Dead														U
T83	Dead														U
T84	Ash (<i>Fraxinus excelsior</i>)	12	Multi	0.6	3	5	6	6	2	Mature	Poor	Multi-stemmed roadside tree exhibiting severe symptoms of Ash Dieback Disease. This specimen represents a hazard in relation to the adjacent highway.	Remove.	<10	U
T85	Sycamore (<i>Acer pseudoplatanus</i>)	15	Multi	0.85	7	7	8	8	2	Mature	Poor	Twin-stemmed specimen exhibiting massive basal decay. Northernmost stem is dead and represents a significant and immediate hazard in relation to the adjacent highway.	Remove as soon as possible.	<10	U

Tree No.	Species	Height(m)	Single/Multi Stemmed	Stem Diameter(m)	Branch Spread(m)				Height of Crown(m)	Age	Physiological Condition	Structural Condition	Prel. Man. Recommendations	Est. Remaining Contribution	Category
					N	E	S	W							
T86	Lime (<i>Tilia × europaea</i>)	12	Single	0.36	4	4	3	4	2	Middle aged	Fair	Tree of bushy habit.	No action required at this time.	>40	B
T87	London Plane (<i>Platanus × hispanica</i>)	18	Single	0.66	7	9	5	8	2	Middle aged	Fair	Prominent boundary tree of reasonable form and vigour. Main stem and lower crown colonised by ivy thus preventing full inspection.	No action required at this time.	>40	B
T88	London Plane (<i>Platanus × hispanica</i>)	19	Single	0.74	7	9	9	9	4	Mature	Good	Prominent tree of good form and vigour. Main stem and lower crown heavily colonised by ivy thus preventing full inspection.	No action required at this time.	>40	A
T89	Sweet Chestnut (<i>Castanea sativa</i>)	14	Multi	0.65	2	7	7	7	2	Middle aged	Fair	Multi-stemmed specimen of variable form.	No action required at this time.	20-40	B
T90	Pear (<i>Pyrus</i> spp.)	4	Multi	0.2	2	2	2	2	1	Middle aged	Fair	Fruit tree of variable form.	No action required at this time.	10-20	C
T91	Ash (<i>Fraxinus excelsior</i>)	17	Multi	0.9	8	8	7	9	2	Mature	Poor	Triple-stemmed roadside tree exhibiting severe symptoms of Ash Dieback Disease.	Remove.	<10	U
T92	Ash (<i>Fraxinus excelsior</i>)	6	Multi	0.3	1	2	2	2	0	Middle aged	Poor	Roadside tree infected with Ash Dieback Disease.	Remove.	<10	U
T93	Birch (<i>Betula pendula</i>)	13	Single	0.35	5	5	4	4	4	Mature	Fair to poor	Prominent tree that has suffered historical pruning damage on main stem leading to development of internal decay.	Monitor for stability.	10-20	C
T94	Lime (<i>Tilia × europaea</i>)	19	Multi	0.65	6	7	6	6	2	Mature	Good	Prominent roadside tree of good form and vigour.	No action required at this time.	>40	A
T95	Birch (<i>Betula pendula</i>)	14	Multi	0.55	7	5	5	5	4	Mature	Fair to poor	Prominent twin-stemmed roadside tree of declining vigour.	Monitor for health.	10-20	C
T96	Sycamore (<i>Acer pseudoplatanus</i>)	7	Multi	0.3	1	1	1	2	1	Middle aged	Fair	Triple-stemmed specimen of variable form.	Monitor for stability.	10-20	C

Tree No.	Species	Height(m)	Single/Multi Stemmed	Stem Diameter(m)	Branch Spread(m)				Height of Crown(m)	Age	Physiological Condition	Structural Condition	Prel. Man. Recommendations	Est. Remaining Contribution	Category
					N	E	S	W							
T97	Ash (<i>Fraxinus excelsior</i>)	6	Multi	0.3	1	2	2	1	0	Middle aged	Poor	This specimen exhibits symptoms of Ash Dieback Disease.	Remove.	<10	U