



- KEY
- Porous Asphalt (Private)
 - Porous Paving (Adoptable)
 - Rain Garden (Private)
 - Soakaway
 - Runoff Conveyance

SuDS Strategy is based on information set out in Integral Geotechnique's Desk Study Report (October 2022) which states:

'Soil Infiltration Potential
The Hummocky (moundy) Glacial Deposits are known to be highly variable in nature but often have potential to be of a more granular composition. The viability of soakaways within these materials is difficult to assess without site specific data due to the variability of the infiltration characteristics of these materials. However, due to the potential for materials to be more granular in nature, acceptable soil infiltration rates could be achieved.'

Infiltration testing to BRE365 at suitable locations is required. Should ground conditions not be suitable for infiltration then a positive connection to the nearby DCWW Combined sewer may be an option, although DCWW would resist this. CCTV would be required to identify any other storm drainage systems in Heol Y Glo.

This drawing is copyright and its use or reproduction without the permission of Spring Design Consultancy Limited. All rights are reserved until invoices are paid in full. No responsibility will be taken for any design used for construction prior to receipt of relevant approvals.

rev	date	description	by

Status:
*** PRELIMINARY**

Drawn: VCH
Checked: MCC
Date: April 2024
Scale: 1:200 (A1)

Client: Tai Tarian
Project: Heol-Y-Glo, Tonna
Title: SuDS Strategy Plan
Ref: 2641-500-1

Rev: A