



APPENDIX III – WINDOWLESS SAMPLE BOREHOLE LOGS

Contract : Burrow's Yard Client : NPTCBC / Coastal Housing Group								Window Sample No. QWS01									
Dates : 2/12/15 - 2/12/15 Location : Residential Zone				Job Number : G762 Engineer : Quantum		Ground Level : 6,29 m A.O.D. <i>Level to Local Datum</i> Coordinates: 275822,95 E 189891,32 N <i>Co-ordinates to National Grid</i>											
Samples		Sample Run		Tests		STRATA											
Depth	Type No.	Diam. (mm)	Recovery (%)	Depth	SPT & Hand Vane Results	Depth (Thickness)	DESCRIPTION	Legend	Red. Level A.O.D.	Water							
						0,10	MADE GROUND Loose black sandy GRAVEL. Sand is fine to coarse. Gravel is weak to strong angular some subrounded of siltstone with coal, slag, tar and brick fragments. Window Sample Hole terminated at 0.10m depth due to asbestos.										
Remarks:																	
 Ty Berwig, Llanelli, Carmarthenshire SA14 9ST Tel: 01544 744 880 Fax: 01554 776 150 email: enquiries@quantum-geotech.co.uk						Operator: ST / VW		Logged By: L Weaver		Sheet No. 1 Of 1		m Per Page 6		All measurements in metres unless otherwise stated			

Contract : Burrow's Yard Client : NPTCBC / Coastal Housing Group								Window Sample No. QWS01A									
Dates : 2/12/15 - 2/12/15 Location : Residential Zone				Job Number : G762 Engineer : Quantum		Ground Level : 6,30 m A.O.D. <i>Level to Local Datum</i> Coordinates: 275827,01 E 189893,15 N <i>Co-ordinates to National Grid</i>											
Samples		Sample Run		Tests		STRATA											
Depth	Type No.	Diam. (mm)	Recovery (%)	Depth	SPT & Hand Vane Results	Depth (Thickness)	DESCRIPTION	Legend	Red. Level A.O.D.	Water							
						0,30	MADE GROUND Loose black sandy GRAVEL. Sand is fine to coarse. Gravel is weak to strong angular some subrounded of siltstone with coal, slag, tar and brick fragments. Window Sample Hole terminated at 0.30m depth due to brick culvert.										
Remarks:																	
		Ty Berwig, Llanelli, Carmarthenshire SA14 9ST Tel: 01544 744 880 Fax: 01554 776 150 email: enquiries@quantum-geotech.co.uk				Operator: ST / VW		Logged By: L Weaver		Sheet No. 1 Of 1		m Per Page 6		All measurements in metres unless otherwise stated			

Contract : Burrow's Yard Client : NPTCBC / Coastal Housing Group								Window Sample No. QWS02		
Dates : 3/12/15 - 3/12/15 Location : Residential Zone				Job Number : G762 Engineer : Quantum		Ground Level : 6,48 m A.O.D. <i>Level to Local Datum</i> Coordinates: 275833,91 E 189873,86 N <i>Co-ordinates to National Grid</i>				
Samples		Sample Run		Tests		STRATA				
Depth	Type No.	Diam. (mm)	Recovery (%)	Depth	SPT & Hand Vane Results	Depth (Thickness)	DESCRIPTION	Legend	Red. Level A.O.D.	Water
0,30 -	ES 1						MADE GROUND Loose black sandy GRAVEL. Sand is fine to coarse. Gravel is weak to strong angular some subrounded of siltstone with coal, slag, tar and brick fragments.			
0,60 -	ES 2					(1,20)				
1,00 -	ES 3			1,00 -	SPT (C) 13	1,20	MADE GROUND Medium dense dark brown GRAVEL with medium cobble contents. Gravel is fine to coarse angular medium to very strong siltstone with slag, brick and concrete fragments. Between 1.00 - 1.50m depth: Damp			
1,00 -	B 4			1,45	(3-3-2-3-5-3)	(0,80)				
		97	60							
				2,00 -	SPT (C) 50/125mm (12-13/50mm----)	2,00	Window Sample Hole refused at 2.00m depth.			
Remarks:										
 Ty Berwig, Llanelli, Carmarthenshire SA14 9ST Tel: 01544 744 880 Fax: 01554 776 150 email: enquiries@quantum-geotech.co.uk										
Operator: ST / VW		Logged By: L Weaver		Sheet No. 1 Of 1		m Per Page 6		All measurements in metres unless otherwise stated		

Contract : Burrow's Yard Client : NPTCBC / Coastal Housing Group								Window Sample No. QWS03		
Dates : 2/12/15 - 3/12/15 Location : Residential Zone				Job Number : G762 Engineer : Quantum		Ground Level : 6,57 m A.O.D. <i>Level to Local Datum</i> Coordinates: 275849,58 E 189892,01 N <i>Co-ordinates to National Grid</i>				
Samples		Sample Run		Tests		STRATA				
Depth	Type No.	Diam. (mm)	Recovery (%)	Depth	SPT & Hand Vane Results	Depth (Thickness)	DESCRIPTION	Legend	Red. Level A.O.D.	Water
0,30 -	ES 1					(0,75)	MADE GROUND Loose brownish grey slightly sandy GRAVEL. Sand is fine to coarse. gravel is fine to medium subangular to subrounded of tarmac and concrete.			
0,60 -	ES 2									
1,00 -	ES 3			1,00 -	SPT (C) 7 (4-3-2-2-1-2)					
1,00 -	B 4			1,45						
1,50 -	ES 5	87	100			(1,55)	MADE GROUND Medium dense black sandy GRAVEL. Sand is fine to coarse. Gravel is weak to strong angular some subrounded of siltstone with coal, slag, tar and brick fragments. Between 1.20- 1.35m depth: Slightly damp. Between 1.75 - 1.80m depth: Abundant brick fragments. Below 1.80m depth: Light grey. Between 2.20-2.30m depth: Yellow brick fragments.			
				2,00 -	SPT (S) 6 (2-2-2-2-1-1)					
				2,45						
2,50 -	ES 6	67	100	2,5	Vane - P=12kN/m2	2,30 (0,10)/ 2,40 (0,60)	MADE GROUND Soft dark brown sandy gravelly CLAY with high cobble content Sand is fine to coarse. Gravel is weak to strong angular some subrounded of siltstone with concrete fragments. Cobbles are weak to strong angular siltstone with concrete fragments.			
2,60 - 3,00	B 7									
				2,9	Vane - P=65kN/m2					
				3,00 -	SPT (S) 1 (1-0-0-1-0-0)	3,00 (0,25)	Soft dark brownish grey interbedded orangish brown silty sandy CLAY Sand is fine to coarse.			
				3,45		3,25 (0,45)	Between 2.40 - 2.65m depth: Grading to light brownish grey with depth. Between 2.40 - 2.75m depth: Very sandy.			
3,70 - 4,00	ES 8	57	100			3,70 (0,30)	Below 2.65m depth: light brownish grey.			
4,00 - 5,00	B 9			4,00 -	SPT (S) 1 (0-0-0-1-0-0)	4,00 (0,30)	Below 2.80m depth: becoming firm.			
				4,45		4,30 (0,70)	MADE GROUND Medium dense black sandy GRAVEL. Sand is fine to coarse. Gravel is weak to strong angular some subrounded of siltstone with coal, slag, tar and brick fragments (Possible collapsed material). Soft light brownish grey interbedded orangish brown silty CLAY. Very soft to soft grey silty CLAY. Grey clayey sandy GRAVEL. Sand is fine to coarse. Gravel is medium strong subrounded of sandstone.			
		57	100							
						5,00	Very soft to soft grey silty CLAY. Window Sample Hole collapsing at 5.00m depth.			
Remarks:										



Ty Berwig, Llanelli, Carmarthenshire
 SA14 9ST
 Tel: 01544 744 880
 Fax: 01554 776 150
 email: enquiries@quantum-geotech.co.uk

Operator:
ST / VW


Logged By:
L Weaver


Sheet No.
1 Of 1

m Per
Page
6

All measurements in
metres unless
otherwise stated



Contract : Burrow's Yard Client : NPTCBC / Coastal Housing Group								Window Sample No. QWS04		
Dates : 3/12/15 - 4/12/15 Location : Residential Zone				Job Number : G762 Engineer : Quantum		Ground Level : 6,61 m A.O.D. <i>Level to Local Datum</i> Coordinates: 275845,65 E 189854,46 N <i>Co-ordinates to National Grid</i>				
Samples		Sample Run		Tests		STRATA				
Depth	Type No.	Diam. (mm)	Recovery (%)	Depth	SPT & Hand Vane Results	Depth (Thickness)	DESCRIPTION	Legend	Red. Level A.O.D.	Water
1	0,30 -	ES 1					MADE GROUND: Black ashy sandy GRAVEL with medium to high cobble content and low boulder content. Gravel is fine to coarse, sub-rounded to angular, sandstone, mudstone, limestone, brick, concrete, slag, metal, plastic, glass. Cobbles are sub-angular brick, concrete, sandstone. Boulders sub-angular, cut sandstone, concrete. On North, South and Western sides of pit are brick and stone walls (2,20)			
	0,60 -	ES 2								
	1,00 - 1,00 -	ES 3 B 4								
2	2,00 - 2,10 -	ES 5 W 6				2,20	Window Sample refused at 2.20m depth.			
Remarks:										
 Ty Berwig, Llanelli, Carmarthenshire SA14 9ST Tel: 01544 744 880 Fax: 01554 776 150 email: enquiries@quantum-geotech.co.uk Operator: ST / VW Logged By: L Weaver Sheet No. 1 Of 1 m Per Page 6 All measurements in metres unless otherwise stated 										


Contract : Burrow's Yard Client : NPTCBC / Coastal Housing Group								Window Sample No. QWS05		
Dates : 2/12/15 - 3/12/15 Location : Residential Zone				Job Number : G762 Engineer : Quantum		Ground Level : 6.43 m A.O.D. <i>Level to Local Datum</i> Coordinates: 275856.40 E 189883.60 N <i>Co-ordinates to National Grid</i>				
Samples		Sample Run		Tests		STRATA				
Depth	Type No.	Diam. (mm)	Recovery (%)	Depth	SPT & Hand Vane Results	Depth (Thickness)	DESCRIPTION	Legend	Red. Level A.O.D.	Water
0.30 -	ES 1					(0.85)	MADE GROUND Loose black sandy GRAVEL. Sand is fine to coarse. Gravel is weak to strong angular some subrounded of siltstone with coal, slag, tar and brick fragments.			
0.60 -	ES 2									
1.00 -	ES 3					0.85	Window Sample terminated at 0.85m depth due to services.			
Remarks:										
 Ty Berwig, Llanelli, Carmarthenshire SA14 9ST Tel: 01544 744 880 Fax: 01554 776 150 email: enquiries@quantum-geotech.co.uk Operator: ST / VW Logged By: L Weaver Sheet No. 1 Of 1 m Per Page 6 All measurements in metres unless otherwise stated 										


Contract : Burrow's Yard Client : NPTCBC / Coastal Housing Group								Window Sample No. QWS05A		
Dates : 2/12/15 - 3/12/15 Location : Residential Zone				Job Number : G762 Engineer : Quantum		Ground Level : 6,30 m A.O.D. <i>Level to Local Datum</i> Coordinates: 275862,41 E 189881,45 N <i>Co-ordinates to National Grid</i>				
Samples		Sample Run		Tests		STRATA				
Depth	Type No.	Diam. (mm)	Recovery (%)	Depth	SPT & Hand Vane Results	Depth (Thickness)	DESCRIPTION	Legend	Red. Level A.O.D.	Water
0,30 -	ES 1						MADE GROUND Loose black sandy GRAVEL. Sand is fine to coarse. Gravel is weak to strong angular some subrounded of siltstone with coal, slag, tar and brick fragments.			
0,60 -	ES 2						Below 1.20m depth: becoming reddish brown black with abundant brick fragments			
0,60 -	B 3					(1,80)				
1,00 -	ES 4			1,00 -	SPT (C) 12 (3-2-2-5-3)					
1,00 -	B 5			1,45						
1,60 -	ES 6	97	80							
1,90 -	ES 7					1,80 (0,20)	Soft yellowish brown slightly silty sandy CLAY. Sand is fine to coarse.			
2,20 -	ES 8			2,00 -	SPT (C) 0 (0-0-0-0-0-0)	2,00 (0,40)	MADE GROUND Loose black slightly sandy GRAVEL. Sand is fine to coarse. Gravel is weak to medium strong angular sandstone with slag fragments. Sandstone is fine to coarse. Sand is fine to coarse.			
2,50 -	ES 9	77	80	2,55	Vane - P=33kN/m2	2,40 (0,60)	Between 2.20 - 2.25m depth: Silty CLAY layer. Soft dark brownish grey interbedded orangish brown silty sandy CLAY with some wood fragments. Sand is fine to coarse.			
2,50 - 3,00	B 10			3,00 -	SPT (S) 0 (0-0-0-0-0-0)	3,00	Below 2.70m depth: Becoming light brownish / yellow grey. Below 2.70m depth: Stiff. Window sample hole terminated at 3.00m depth due to collapsing.			
Remarks:										

Ty Berwig, Llanelli, Carmarthenshire
 SA14 9ST
 Tel: 01544 744 880
 Fax: 01554 776 150
 email: enquiries@quantum-geotech.co.uk

Operator: ST / VW	Logged By: L Weaver	Sheet No. 1 Of 1	m Per Page 6	All measurements in metres unless otherwise stated	
----------------------	------------------------	---------------------	-----------------	--	--



Library File: C:\USERS\LARAWEAVER\QUANTUM 4\QUANTUM 4.GLB. Form Name: WINDOW SAMPLE PREC2 WITH SPT. Version 1.10.000, 07/06/06 Output By: laraweaver



Contract : Burrow's Yard Client : NPTCBC / Coastal Housing Group										Window Sample No. QWS06	
Dates : 2/12/15 - 3/12/15 Location : Retail Zone					Job Number : G762 Engineer : Quantum			Ground Level : 6,33 m A.O.D. <i>Level to Local Datum</i> Coordinates: 275877,73 E 189831,67 N <i>Co-ordinates to National Grid</i>			
	Samples		Sample Run		Tests		STRATA				Water
	Depth	Type No.	Diam. (mm)	Recovery (%)	Depth	SPT & Hand Vane Results	Depth (Thickness)	DESCRIPTION	Legend	Red. Level A.O.D.	
1	0,30 -	ES 1						MADE GROUND			
	0,60 -	ES 2					(1,25)				
	1,00 -	ES 3			1,00 - 1,45	SPT (C) 38 (7-8-10-10-9-9)	1,25	Window Sample Hole terminated at 1.25m depth due to concrete at base of hole.			
Remarks:											
 Ty Berwig, Llanelli, Carmarthenshire SA14 9ST Tel: 01544 744 880 Fax: 01554 776 150 email: enquiries@quantum-geotech.co.uk Operator: ST / VW Logged By: L Weaver Sheet No. 1 Of 1 m Per Page 6 All measurements in metres unless otherwise stated 											



Contract : Burrow's Yard Client : NPTCBC / Coastal Housing Group										Window Sample No. QWS07	
Dates : 7/12/15 - 7/12/15 Location : Residential Zone					Job Number : G762 Engineer : Quantum			Ground Level : 5,83 m A.O.D. <i>Level to Local Datum</i> Coordinates: 275901,70 E 189863,42 N <i>Co-ordinates to National Grid</i>			
Samples		Sample Run		Tests		STRATA					
Depth	Type No.	Diam. (mm)	Recovery (%)	Depth	SPT & Hand Vane Results	Depth (Thickness)	DESCRIPTION	Legend	Red. Level A.O.D.	Water	
0,30 -	ES 1						MADE GROUND Medium dense black sandy Gravel. Sand is fine to coarse. Gravel is fine tabular of sandstone with slag, concrete and brick fragments. Sandstone is coarse.				
0,60 -	ES 2					(1,25)					
1,00 - 1,00 - 1,20	ES 3 B 4										
1,30 -	ES 5	97	80	1,20 - 1,65	SPT (S) 2 (0-1-1-0-1-0)	1,25 (0,55)	Medium dense brown slightly silty gravelly very clayey SAND with wood fragments. Sand is fine to coarse. Gravel is medium to coarse angular red sandstone and medium angular very weak black coal fragments,				
1,80 - 1,83 1,80 - 1,90 -	B 6 ES 7 D 8			1,8		1,80 (0,20)	Very stiff to stiff greyish brown slightly silty CLAY interbedded orangish brown slightly silty sandy CLAY. Sand is fine.				
				2,00 - 2,45	SPT (S) 6 (0-2-2-1-1-2)	2,00	Window Sample terminated at 2.00m depth; collapsing to 1.0m depth.				
Remarks:											
 Ty Berwig, Llanelli, Carmarthenshire SA14 9ST Tel: 01544 744 880 Fax: 01554 776 150 email: enquiries@quantum-geotech.co.uk Operator: ST / VW Logged By: L Weaver Sheet No. 1 Of 1 m Per Page 6 All measurements in metres unless otherwise stated 											


Contract : Burrow's Yard Client : NPTCBC / Coastal Housing Group								Window Sample No. QWS08									
Dates : 7/12/15 - 7/12/15 Location : Residential Zone				Job Number : G762 Engineer : Quantum		Ground Level : 6,10 m A.O.D. <i>Level to Local Datum</i> Coordinates: 275924,06 E 189864,71 N <i>Co-ordinates to National Grid</i>											
Samples		Sample Run		Tests		STRATA											
Depth	Type No.	Diam. (mm)	Recovery (%)	Depth	SPT & Hand Vane Results	Depth (Thickness)	DESCRIPTION	Legend	Red. Level A.O.D.	Water							
						(0,10) 0,10	MADE GROUND Window Sample Hole terminated during Inspection Pit due to presence of boulders.	XXXXXX									
Remarks:																	
		Ty Berwig, Llanelli, Carmarthenshire SA14 9ST Tel: 01544 744 880 Fax: 01554 776 150 email: enquiries@quantum-geotech.co.uk				Operator: ST / VW		Logged By: L Weaver		Sheet No. 1 Of 1		m Per Page 6		All measurements in metres unless otherwise stated			

Contract : Burrow's Yard Client : NPTCBC / Coastal Housing Group										Window Sample No. QWS09	
Dates : 7/12/15 - 7/12/15 Location : Retail Zone					Job Number : G762 Engineer : Quantum			Ground Level : 5.83 m A.O.D. <i>Level to Local Datum</i> Coordinates: 275938,33 E 189850,32 N <i>Co-ordinates to National Grid</i>			
Samples		Sample Run		Tests		STRATA					
Depth	Type No.	Diam. (mm)	Recovery (%)	Depth	SPT & Hand Vane Results	Depth (Thickness)	DESCRIPTION	Legend	Red. Level A.O.D.	Water	
						(0,20) 0.20	MADE GROUND At 0.20m depth: Fibrous material POSSIBLE ASBESTOS Window Sample Hole terminated at 0.20m depth due to possible presence of asbestos at base of inspection pit.				
Remarks:											
		Ty Berwig, Llanelli, Carmarthenshire SA14 9ST Tel: 01544 744 880 Fax: 01554 776 150 email: enquiries@quantum-geotech.co.uk				Operator: ST / VW		Logged By: L Weaver		Sheet No. 1 Of 1	
						m Per Page 6		All measurements in metres unless otherwise stated			

Contract : Burrow's Yard Client : NPTCBC / Coastal Housing Group								Window Sample No. QWS10		
Dates : 3/12/15 - 3/12/15 Location : Retail Zone				Job Number : G762 Engineer : Quantum		Ground Level : 6,10 m A.O.D. <i>Level to Local Datum</i> Coordinates: 275886,33 E 189793,59 N <i>Co-ordinates to National Grid</i>				
Samples		Sample Run		Tests		STRATA				
Depth	Type No.	Diam. (mm)	Recovery (%)	Depth	SPT & Hand Vane Results	Depth (Thickness)	DESCRIPTION	Legend	Red. Level A.O.D.	Water
0,30 -	ES 1						MADE GROUND: Black sandy GRAVEL. Sand is fine to coarse. Gravel is angular weak to strong brick, slag and concrete fragments.			
0,60 -	ES 2									
1,00 - 1,00 - 1,20	ES 3 B 4			1,00 - 1,45	SPT (C) 29 (5-4-6-6-7-10)	(1,80)				
1,40 -	ES 5	97	100							
1,90 -	ES 6			2,00 - 2,45	SPT (C) 27 (6-6-7-5-7-8)	1,80 (0,70)	Medium dense blackish grey becoming yellow orangish brown SAND. Sand is fine to coarse.			
2,30 -	ES 7	77	0			2,50	Window Sample hole terminated at 3.00m depth; collapsing to 2.5m depth			
				3,00 - 3,45	SPT (C) 11 (3-4-3-3-2-3)					
Remarks:										
 Ty Berwig, Llanelli, Carmarthenshire SA14 9ST Tel: 01544 744 880 Fax: 01554 776 150 email: enquiries@quantum-geotech.co.uk Operator: ST / VW Logged By: L Weaver Sheet No. 1 Of 1 m Per Page 6 All measurements in metres unless otherwise stated 										

Contract : Burrow's Yard Client : NPTCBC / Coastal Housing Group								Window Sample No. QWS11		
Dates : 3/12/15 - 3/12/15 Location : Retail Zone				Job Number : G762 Engineer : Quantum			Ground Level : 6,09 m A.O.D. <i>Level to Local Datum</i> Coordinates: 275902,80 E 189815,89 N <i>Co-ordinates to National Grid</i>			
Samples		Sample Run		Tests		STRATA				
Depth	Type No.	Diam. (mm)	Recovery (%)	Depth	SPT & Hand Vane Results	Depth (Thickness)	DESCRIPTION	Legend	Red. Level A.O.D.	Water
0,30 -	ES 1						MADE GROUND			
0,60 - 0,60 -	ES 2 B 3					(1,00)				
1,00 - 1,00 - 1,20	ES 4 B 5			1,00 - 1,45	SPT (S) 27 (5-5-6-7-7-7)	1,00	MADE GROUND: Black mottled brown slightly silty sandy GRAVEL with low cobble content. Gravel is fine to coarse sub-rounded to sub-angular brick, concrete, sandstone, slag, coal. Cobbles of sub-angular brick.			
1,40 - 1,70	ES 5	97	100			(0,65)				
						1,65 (0,35)	MADE GROUND: Black mottled brown slightly sandy clayey GRAVEL low cobble content. Gravel is fine to coarse sub-rounded to angular brick, slag, sandstone, concrete. Cobbles of sub-angular concrete.			
2,00 - 2,20	ES 6			2,00 - 2,45	SPT (S) 20 (2-2-2-6-5-7)	2,00	Soft to firm grey mottled brown slightly sandy CLAY			
		77	20			(0,50)				
				3,00 - 3,45	SPT (S) 3 (3-2-1-1-1-0)	2,50	Window Sample Hole terminated at 2.50m depth; due to collapsing			
Remarks:										
 Ty Berwig, Llanelli, Carmarthenshire SA14 9ST Tel: 01544 744 880 Fax: 01554 776 150 email: enquiries@quantum-geotech.co.uk Operator: ST / VW Logged By: L Weaver Sheet No. 1 Of 1 m Per Page 6 All measurements in metres unless otherwise stated 										

Contract : Burrow's Yard Client : NPTCBC / Coastal Housing Group								Window Sample No. QWS12		
Dates : 3/12/15 - 3/12/15 Location : Retail Zone				Job Number : G762 Engineer : Quantum		Ground Level : 6,46 m A.O.D. <i>Level to Local Datum</i> Coordinates: 275925,98 E 189815,70 N <i>Co-ordinates to National Grid</i>				
Samples		Sample Run		Tests		STRATA				
Depth	Type No.	Diam. (mm)	Recovery (%)	Depth	SPT & Hand Vane Results	Depth (Thickness)	DESCRIPTION	Legend	Red. Level A.O.D.	Water
0,30 -	ES 1						MADE GROUND Medium dense black mottled yellowish brown sandy Gravel. Sand is fine to coarse. Gravel is fine to coarse angular sandstone with brick slag and coal fragments. Sandstone is coarse. Between 1.20 - 1.60m depth: Brown and ashy			
0,60 -	ES 2									
1,00 - 1,00 - 1,20	ES 3 B 4	97	100	1,20 - 1,65	SPT (C) 25 (4-6-5-7-6-7)	(3,00)				
1,80 -	ES 5									
2,00 - 2,70	B 7	67	100	2,00 - 2,45	SPT (C) 4 (1-2-1-1-1-1)					
2,80 -	ES 6									
		57	0	3,00 - 3,45	SPT (C) 0 (1-0-0-0-0-0)	3,00	Possibly SAND.			
						4,00	Window Sample hole terminated at 4.00m depth.			
Remarks:										
 Ty Berwig, Llanelli, Carmarthenshire SA14 9ST Tel: 01544 744 880 Fax: 01554 776 150 email: enquiries@quantum-geotech.co.uk Operator: ST / VW Logged By: L Weaver Sheet No. 1 Of 1 m Per Page 6 All measurements in metres unless otherwise stated 										

Contract : Burrow's Yard Client : NPTCBC / Coastal Housing Group								Window Sample No. QWS14 N			
Dates : 4/12/15 - 4/12/15 Location : Retail Zone				Job Number : G762 Engineer : Quantum		Ground Level : 5,82 m A.O.D. <i>Level to Local Datum</i> Coordinates: 275962,95 E 189858,12 N <i>Co-ordinates to National Grid</i>					
Samples		Sample Run		Tests		STRATA					
Depth	Type No.	Diam. (mm)	Recovery (%)	Depth	SPT & Hand Vane Results	Depth (Thickness)	DESCRIPTION	Legend	Red. Level A.O.D.	Water	
0,30 -	ES 1						MADE GROUND Medium dense black sandy Gravel. Sand is fine to coarse. Gravel is fine tabular of sandstone with slag, concrete and brick fragments. Sandstone is coarse.				
0,60 -	ES 2										
1,00 - 1,00 - 1,20	ES 3 B 4			1,20 - 1,65	SPT (S) 3 (0-1-1-1-0-1)	(1,60)					
1,60 - 1,70 - 2,30	ES 5 B 6	97	100			1,60	Loose brownish orange fine to medium SAND interbedded loose dark bluish grey coarse SAND.				
				2,00 - 2,45	SPT (S) 1 (0-0-1-0-0-0)	(0,70)					
						2,30	Borehole terminated at 2.30m depth.				
Remarks:											
 Ty Berwig, Llanelli, Carmarthenshire SA14 9ST Tel: 01544 744 880 Fax: 01554 776 150 email: enquiries@quantum-geotech.co.uk											
Operator:		Logged By:		Sheet No.		m Per Page		All measurements in metres unless otherwise stated			
ST / VW		L Weaver		1 Of 1		6					

Contract : Burrow's Yard Client : NPTCBC / Coastal Housing Group										Window Sample No. QWS14 O							
Dates : 7/12/15 - 7/12/15 Location : Retail Zone					Job Number : G762 Engineer : Quantum			Ground Level : 6,01 m A.O.D. <i>Level to Local Datum</i> Coordinates: 275948,92 E 189849,34 N <i>Co-ordinates to National Grid</i>									
Samples		Sample Run		Tests		STRATA											
Depth	Type No.	Diam. (mm)	Recovery (%)	Depth	SPT & Hand Vane Results	Depth (Thickness)	DESCRIPTION	Legend	Red. Level A.O.D.	Water							
						0,30	MADE GROUND Medium dense black sandy Gravel. Sand is fine to coarse. Gravel is fine tabular of sandstone with slag, concrete and brick fragments. Sandstone is coarse. Window Sample Hole terminated 0.30m depth due to concrete at 0.30m depth.										
Remarks:																	
 Ty Berwig, Llanelli, Carmarthenshire SA14 9ST Tel: 01544 744 880 Fax: 01554 776 150 email: enquiries@quantum-geotech.co.uk						Operator: ST / VW		Logged By: L Weaver		Sheet No. 1 Of 1		m Per Page 6		All measurements in metres unless otherwise stated			

Contract : Burrow's Yard

Client : NPTCBC / Coastal Housing Group

Borehole No.

QWS02

Dates : 3/12/15 - 3/12/15


Job Number : G762

Ground Level : 6.48 m A.O.D.
Level to Local Datum

Location : Residential Zone

Engineer : Quantum

Coordinates: 275833.91 E
189873.86 N
Co-ordinates to National Grid



Ty Berwig, Llanelli, Carmarthenshire
SA14 9ST
Tel: 01544 744 880
Fax: 01554 776 150
email: enquiries@quantum-geotech.co.uk

Operator:
ST / VW

Logged By:
L Weaver

Sheet No.
1 Of 1

m Per
Page
2

All measurements in
metres unless
otherwise stated



Contract : Burrow's Yard

Client : NPTCBC / Coastal Housing Group

Borehole No.

QWS03

Dates : 2/12/15 - 3/12/15

Job Number : G762

Ground Level : 6.57 m A.O.D.
Level to Local Datum

Location : Residential Zone

Engineer : Quantum

Coordinates: 275849.58 E
189892.01 N
Co-ordinates to National Grid



Contract : Burrow's Yard

Client : NPTCBC / Coastal Housing Group

Borehole No.

QWS03

Dates : 2/12/15 - 3/12/15



Job Number : G762

Ground Level : 6.57 m A.O.D.
Level to Local Datum

Location : Residential Zone

Engineer : Quantum

Coordinates: 275849.58 E
189892.01 N
Co-ordinates to National Grid



Ty Berwig, Llanelli, Carmarthenshire
SA14 9ST
Tel: 01544 744 880
Fax: 01554 776 150
email: enquiries@quantum-geotech.co.uk

Operator:
ST / VW

Logged By:
L Weaver

Sheet No.
2 Of 2

m Per Page
2

All measurements in
metres unless
otherwise stated



Contract : Burrow's Yard

Client : NPTCBC / Coastal Housing Group

Borehole No.

QWS05A

Dates : 2/12/15 - 3/12/15



Job Number : G762

Ground Level : 6,30 m A.O.D.
Level to Local Datum

Location : Residential Zone

Engineer : Quantum

Coordinates: 275862,41 E
189881,45 N
Co-ordinates to National Grid



Ty Berwig, Llanelli, Carmarthenshire
SA14 9ST
Tel: 01544 744 880
Fax: 01554 776 150
email: enquiries@quantum-geotech.co.uk

Operator:
ST / VW

Logged By:
L Weaver

Sheet No.
1 Of 1

m Per
Page
2

All measurements in
metres unless
otherwise stated



Contract : Burrow's Yard

Client : NPTCBC / Coastal Housing Group

Borehole No.

QWS07

Dates : 7/12/15 - 7/12/15


Job Number : G762

Ground Level : 5.83 m A.O.D.
Level to Local Datum

Location : Residential Zone

Engineer : Quantum

Coordinates: 275901,70 E
189863,42 N
Co-ordinates to National Grid



Ty Berwig, Llanelli, Carmarthenshire
SA14 9ST
Tel: 01544 744 880
Fax: 01554 776 150
email: enquiries@quantum-geotech.co.uk

Operator:
ST / VW

Logged By:
L Weaver

Sheet No.
1 Of 1

m Per
Page
2

All measurements in
metres unless
otherwise stated



Contract : Burrow's Yard

Client : NPTCBC / Coastal Housing Group

Borehole No.

QWS10

Dates : 3/12/15 - 3/12/15


Job Number : G762

Ground Level : 6,10 m A.O.D.
Level to Local Datum

Location : Retail Zone

Engineer : Quantum

Coordinates: 275886,33 E
189793,59 N
Co-ordinates to National Grid



Ty Berwig, Llanelli, Carmarthenshire
SA14 9ST
Tel: 01544 744 880
Fax: 01554 776 150
email: enquiries@quantum-geotech.co.uk

Operator:
ST / VW

Logged By:
L Weaver

Sheet No.
1 Of 1

m Per
Page
2

All measurements in
metres unless
otherwise stated



Contract : Burrow's Yard

Client : NPTCBC / Coastal Housing Group

Borehole No.

QWS11

Dates : 3/12/15 - 3/12/15

Job Number : G762

Ground Level : 6.09 m A.O.D.
Level to Local Datum

Location : Retail Zone

Engineer : Quantum

Coordinates: 275902,80 E
189815,89 N
Co-ordinates to National Grid



JOB NAME: Burrows Yard
JOB NUMBER: G762
BOREHOLE NUMBER: QWS11
BOX NUMBER: 2 **OF:** 2
FROM (m): 2.0 **TO (m):** 3.0



JOB NAME: Burrows Yard
JOB NUMBER: G762
BOREHOLE NUMBER: QWS11
BOX NUMBER: 2 **OF:** 2
FROM (m): 2.0 **TO (m):** 3.0



Contract : Burrow's Yard		Borehole No.	
Client : NPTCBC / Coastal Housing Group		QWS12	
Dates : 3/12/15 - 3/12/15 Location : Retail Zone	Job Number : G762 Engineer : Quantum	Ground Level :	6.46 m A.O.D. <i>Level to Local Datum</i>
		Coordinates:	275925.98 E 189815.70 N <i>Co-ordinates to National Grid</i>



Contract : Burrow's Yard

Client : NPTCBC / Coastal Housing Group

**Borehole No.
QWS14 N**

Dates : 4/12/15 - 4/12/15

Job Number : G762

Ground Level : 5.82 m A.O.D.
Level to Local Datum

Location : Retail Zone

Engineer : Quantum

Coordinates: 275962.95 E
189858.12 N
Co-ordinates to National Grid

