



acstro

Transport Assessment

**Crymlyn Grove
Skewen**

October 2025

Table of Contents

1 Introduction 1

2 Policy Context.....2

3 The Site 6

4 Proposed Development 15

5 Traffic Impact..... 18

6 Summary & Conclusion 23

Appendices

- Appendix 1 Crymlyn Road Traffic Surveys*
- Appendix 2 Crymlyn Road Junction Surveys*
- Appendix 3 Access Arrangements*
- Appendix 4 TRICS Trip Rate Data*
- Appendix 5 Junction Capacity Assessment*

Revision History

A	13 th September 2024	First Issue
B	27 th September 2024	Revised layout
C	17 th April 2025	For Planning
D	9 th October 2025	Addressing HA Comments

1465-ACS-ZZ-XX-RP-T-241-D Transport Assessment.docx

This report has been prepared for the exclusive use of our client and unless otherwise agreed in writing by Acstro Limited, no other party may copy, reproduce, distribute, make use of, or rely on the contents of the report. Acstro Limited assumes no responsibility to any other party in respect of or arising out of or in connection with this document and/or its content.

© 2024 Acstro Limited



1 Introduction

- 1.1 Acstro has been appointed by J G Hale Construction Ltd., on behalf of Pobl Group, to prepare a Transport Assessment to support an outline planning application for residential development (up to 146 dwellings) on land at Crymlyn Parc, Skewen. The site's general location is shown in Figure 1 below.



Figure 1 Location

- 1.2 This document considers the transport implications of the proposed development. It demonstrates that the site is in a sustainable location that is closely related to existing facilities and services and is accessible to pedestrians, cyclists and public transport users. It is also demonstrated that safe vehicular access to the site can be provided and adequate parking provision is made for the future occupiers and users of the site.
- 1.3 The content of this document has been revised following receipt of the Highway Authority's (HA) observations on the planning application that are dated 30th May 2025. The main revision is that the Transport Assessment reflects the HA's request that analysis of the impact of the development's traffic be based on week long traffic surveys at four junctions located within the study area.
- 1.4 The structure of the Transport Assessment is as follows:
- Section 2 describes the relevant planning policy context that is relevant in terms of transport issues;
 - Section 3 describes the site's location, its proximity to services and facilities and its accessibility by all forms of transport.
 - Section 4 describes the proposed development and its access arrangements. An estimate of the likely trip generation of the proposed development of the land is also provided.
 - Section 5 provides a summary and conclusion.

2 Policy Context

Future Wales - The National Plan 2040

- 2.1 This is the national development framework that sets out the direction for development in Wales to 2040.
- 2.2 Policies 11 and 12 relate to national and regional connectivity, respectively. These seek to encourage longer-distance trips to be made by public transport, while also making longer journeys possible by electric vehicles. In urban areas, to support sustainable growth and regeneration, the priorities are improving and integrating active travel and public transport. In rural areas the priorities are supporting the uptake of ultra-low emission vehicles and diversifying and sustaining local bus services. Active travel must be an essential and integral component of all new developments.
- 2.3 Planning authorities must act to reduce levels of car parking in urban areas, including supporting car-free developments in accessible locations and developments with car parking spaces that allow them to be converted to other uses over time. Where car parking is provided for new non-residential development, planning authorities should seek a minimum of 10% of car parking spaces to have electric vehicle charging points.

Planning Policy Wales (12th Edition)

- 2.4 Planning Policy Wales (PPW) sets out the land use planning policies of the Welsh Government. The primary objective of PPW is to ensure that the planning system contributes towards the delivery of sustainable development and improves the social, economic, environmental and cultural well-being of Wales.
- 2.5 In terms of transport related policies paragraph 4.1.1 states that “the planning system should enable people to access jobs and services through shorter, more efficient and sustainable journeys, by walking, cycling and public transport”.
- 2.6 Paragraph 4.1.10 states that “the planning system has a key role to play in reducing the need to travel and supporting sustainable transport, by facilitating developments which:
 - are sited in the right locations, where they can be easily accessed by sustainable modes of travel and without the need for a car;
 - are designed in a way which integrates them with existing land uses and neighbourhoods; and
 - make it possible for all short journeys within and beyond the development to be easily made by walking and cycling.”
- 2.7 PPW advocates a sustainable transport hierarchy for planning, the hierarchy being, from top to bottom:
 - Walking and Cycling
 - Public Transport
 - Ultra Low Emission Vehicles
 - Other Private Motor Vehicles
- 2.8 It is Welsh Government policy to require the use of a sustainable transport hierarchy in relation to new development, which prioritises walking, cycling and public transport ahead of the private motor vehicles.

- 2.9 The transport hierarchy recognises that Ultra Low Emission Vehicles (ULEV) also have an important role to play in the decarbonisation of transport, particularly in rural areas with limited public transport services. To this end the provision of ULEV charging points is encouraged within new developments.
- 2.10 PPW recommends (4.1.51) that “a design-led approach to the provision of car parking should be taken, which ensures an appropriate level of car parking is integrated in a way which does not dominate the development. Parking provision should be informed by the local context, including public transport accessibility, urban design principles and the objective of reducing reliance on the private car and supporting a modal shift to walking, cycling and public transport. Planning authorities must support schemes which keep parking levels down, especially off-street parking, when well designed”.

[Llwybr Newydd – The Wales Transport Strategy 2021](#)

- 2.11 This document sets out the Welsh Government’s vision for how the country’s transport system can help deliver on a pathway to creating a more prosperous, green and equal society. It lists its priorities as being:
1. Bringing services to people in order to reduce the need to travel. To this end a target has been set that of 30% of the workforce works remotely on a regular basis.
 2. Allow people and goods to move easily from door to door by accessible, sustainable and efficient transport services and infrastructure.
 3. Encourage people to make the change to more sustainable transport.
- 2.12 Modal shift is at the heart of Llwybr Newydd. This means the proportion of trips made by sustainable modes increases and fewer trips are made by private cars.
- 2.13 The Welsh Government has set a target of 45% of journeys to be made by public transport, walking and cycling by 2040. This represents an increase of 13 percentage points on the estimated baseline (2021) mode share of 32%.

[TAN18 Transportation](#)

- 2.14 Planning Policy Wales Technical Advice Note 18 (TAN18) details the Welsh Government Government’s policies in terms of transportation and repeats the general principles advocated in PPW i.e. that development is encouraged in sustainable, accessible, locations that will reduce the need to travel by car. Its aim is to promote an efficient and sustainable transport system and to counter the negative impacts associated with road traffic growth, for example increased air pollution, green house gases and congestion (2.1). It sees the integration of transport and land use planning as key (2.3) in achieving the Welsh Government Governments’ sustainable development policy objectives by:
- promoting travel efficient settlement patterns;
 - ensuring new development is located where there is good access by public transport, walking and cycling thereby minimizing the need for travel and fostering social inclusion;
 - managing parking provision;
 - ensuring that new development includes appropriate provision for pedestrians, cycling, public transport, and traffic management and parking/servicing;
 - encouraging the location of development near other related uses to encourage multi-purpose trips; and

- ensuring that transport infrastructure necessary to serve new development allows existing transport networks to continue to perform their identified functions.

2.15 The needs of walkers and cyclists must be taken into consideration and the use of these most sustainable forms of transport encouraged in all developments (TAN18 Chapter 6). Similarly, all development should be accessible by public transport (Chapter 7).

The Active Travel (Wales) Act 2013

2.16 The Active Travel (Wales) Act 2013 is Welsh Government legislation aimed to support an increase in the level of walking and cycling in Wales; to encourage a shift in travel behaviour to active travel modes, and to facilitate the building of walking and cycling infrastructure.

2.17 The Active Travel (Wales) Act 2013 requires local authorities in Wales to produce maps of walking and cycling networks in their local area, known as Active Travel Network Maps (ATNMs). These maps are designed to show two main things:

- Existing routes** – those current walking and cycling routes that already meet Welsh Government active travel standards, meaning they can be readily used for everyday journeys, and
- Future routes** – new routes that the local authority proposes to create in the future, as well as current routes that are planned for improvement to bring them up to the standards.



Figure 2 Extract from Active Travel Network Map (Source: DataMapWales)

2.18 There is an existing cycling route along the site's southern boundary (NPT-NEA-C00120) and a future walking and cycling route indicated along Crymlyn Road (FR-NEA-SU072).

Neath Port Talbot CBC Local Development Plan (2011 – 2026)

- 2.19 Policy SP20 relates to the transport network and, in terms of development proposals, requires that they be designed to provide safe and efficient access, promote sustainable transport and provide appropriate parking. Developments that have an unacceptable impact on highway safety will be restricted.
- 2.20 Policy TR2 relates to the design and access of new developments and is reproduced in full below.
- Development proposals will only be permitted where all of the following criteria, where relevant, are satisfied:
 1. The development does not compromise the safe, effective and efficient use of the highway network and does not have an adverse impact on highway safety or create unacceptable levels of traffic generation;
 2. Appropriate levels of parking and cycling facilities are provided and the access arrangements for the site allow for the safe manoeuvring of any service vehicles associated with the planned use;
 3. The development is accessible by a range of travel means, including public transport and safe cycle and pedestrian routes;
 4. Transport Assessments and Travel Plans are provided for developments that are likely to create significant traffic generation.

Supplementary Planning Guidance – Car Parking Standards (2016)

- 2.21 The Supplementary Planning Guidance (SPG) sets out the approach to be adopted in determining the appropriate level of parking provision within new development. The SPG is based on the CSS Wales – Wales Parking standards 2014, which sets out parking provision maxima based on the development type and location.
- 2.22 For residential development the car parking requirement is that one parking space per bedroom is required up to a maximum of 3 spaces per dwelling. One visitor parking space per 5 units is also required.

3 The Site

[The Site](#)

3.1 The site's location and surrounding transport infrastructure is shown in Figure 2.




Figure 3 Site Context

- 3.2 The site is located to the north Crymlyn Parc and west of Cae Morfa, part of the Crymlyn Grove development. To the north of the site is the South Wales Main Line railway and the M4 motorway.
- 3.3 The site is between 1.5 to 2 km from Skewen town centre where a wide selection of services and facilities are available. A wider range of services can be accessed in Neath, some 5km to the east. Swansea city centre is approximately 9km to the south west.

[Active Travel](#)

- 3.4 Active travel is a term used to describe walking and cycling for purposeful journeys (also referred to as utility journeys) to a destination, or in combination with public transport. Whilst walking and cycling are in themselves healthy activities that are to be encouraged, it is when they displace car journeys that they deliver significant benefits. The Welsh Government's *Active Travel Act Guidance* (2021) suggests that many people will walk up to 2 miles (approximately 3km) or cycle up to 5 miles (approximately 8km) for utility journeys.

Mode	Less than 1 mile	Up to 2 miles	Up to 3 miles	Up to 4 miles	Up to 5 miles	Up to 7.5 miles	Up to 15 miles
	●	●	●	●	●	●	●
	●	●	●	●	●	●	●
	●	●	●	●	●	●	●

Colour	Average active user likelihood
●	Many users likely to travel this distance for utility journeys
●	Some users likely to travel this distance for utility journeys
●	Few or no users likely to travel this distance for utility journeys

Figure 4 Typical Distance Range for Active Travel

(Source: Active Travel Guidance Table 4.1)

- 3.5 Figure 5 shows the areas that are within 2-miles of the application site where utility journeys to and from the site may be viable on foot.




Figure 5 2-Mile Walk Catchment

- 3.6 Figure 6 shows the areas within a 5-mile catchment area where cycling may be a viable form of travel to and from the site.




Figure 6 5-Mile Cycle Catchment

- 3.7 Neath Port Talbot Council in partnership with The City & County of Swansea has created the Swansea Bay Cycle Network Routes and tube map. The aim of the scheme is to encourage commuters to cycle in preference to traveling by car. Each route is assigned a colour and cyclists will see the tube map colours replicated on signs along the cycle paths to assist with navigation.
- 3.8 The Orange Cycle Route passes within around 500m of the site and runs parallel with the M4. It links with the Blue Route that provides a route to Neath town centre to the east and Jersey Marine to the south.
- 3.9 National Cycle Network Routes 4 and 47 can be reached via the Orange and Blue Routes and provide high quality, largely traffic free, cycle routes to Swansea, Neath, Port Talbot and beyond.




Figure 7 Cycle Routes & Public Transport

Public Transport Network

- 3.10 There are a number of bus stops in the vicinity of the site. There are two within the Crymlyn Parc development and one Crymlyn Road. The bus stops provide access to service number 155 (Neath – Llandarcy Village via Skewen) which provides 5 daily services in each direction on Tuesdays and Thursdays.
- 3.11 The No. 38 (Swansea – Neath) service runs hourly, 7 days a week, and can be accessed from the bus stops located near the Crymlyn Road / Pen yr Alley Avenue junction, some 1200m / 16 minutes walk from the application site.
- 3.12 Skewen railway station is approximately 2km / 30 minutes walk from the site. Bus service 155 described above provides a convenient link between the development site and the railway station. Skewen railway station is on the South Wales mainline, which provides hourly services to Swansea and Cardiff.
- 3.13 Neath and Swansea stations also provide access to mainline services and can both be reached within a reasonable cycle journey.

Highway Network

- 3.14 The site will be accessed via Crymlyn Parc and Cae Morfa. These are modern estate roads whose layout comply with current design standards. Carriageway widths are generally 5.5m with 2m wide footways on both sides. Crymlyn Park and Cae Morfa are accessed by four junctions that link with Crymlyn Road. They are, from west to east, Crymlyn Gardens, Crymlyn Park and two Serecold Avenue junctions. Traffic leaving Crymlyn Park and Cae Morfa can only use the western of the two Serecold Avenue junctions as there is a no entry sign preventing departing traffic from approaching the eastern Serecold Avenue junction.

- 3.15 Crymlyn Road is an urban single carriageway road that varies in width (5.5m to 7.5m approximately) and is subject to a 20mph speed limit. To the west of the site, Crymlyn Road's character changes to a country lane, which eventually leads to Bonymaen.
- 3.16 To the east of the Crymlyn Gardens junction there are a series of traffic calming features along Crymlyn Road in the form of raised road humps. Travelling east, Crymlyn Road passes beneath the M4 and leads into Wern Road, which provides access to a centre of Skewen via a network of one-way streets.
- 3.17 To the north west of Skewen the A4230 provides a link to junction 44 of the M4. To the south of Skewen, Pen-yr Alley Avenue and the B4290 provides a link to junction 43 of the M4 and the A465 Heads of the Valleys Road.
- 3.18 A 7-day traffic speed and volume survey (ATC survey) was undertaken at two locations on Crymlyn Road, commencing 1st April 2025. One was located to the west of the Crymlyn Gardens junction and the other east of the Serecold Avenue junction. The survey data is provided in full in Appendix 1 and summarised below.

Appendix 1 Crymlyn Road Traffic Surveys

	West of Crymlyn Gdns.		East of Serecold Ave.	
	Westbound	Eastbound	Westbound	Eastbound
Weekday Average Daily Volume	1137	1185	2141	1592
Mean Speed	36mph	30mph	21mph	22mph
85 th Percentile Speed	35mph	36mph	25mph	26mph

Table 1 Crymlyn Road Traffic Survey

- 3.19 The surveys show that traffic volume on Crymlyn Road is significantly higher to the east of the Serecold Avenue junction than it is to the west of the Crymlyn Gardens junction. This shows that the majority of traffic movement to and from Crymlyn Parc and Cae Morfa turns to and from the Skewen direction (east).
- 3.20 The figure below shows the variation in two-way traffic volume (from the survey located east of Serecold Avenue) over the course of the 7-day survey and shows that Tuesday and Wednesday were the busiest days of that week. Traffic flow on Saturday and Sunday is lower than on weekdays.




Figure 8 Crymlyn Road Two-Way Traffic Volume (w/c Tuesday 01/04/25)

- 3.21 A 24 hour, seven-day, turning count survey was undertaken at the four junctions that provide access to and from Crymlyn Road, beginning Thursday 11th September 2025. The survey data is included in full in Appendix 2.

Appendix 2 Crymlyn Road Junction Surveys

It is evident that Crymlyn Road is busier during weekdays and it is the weekday highway network peak hours of 8am to 9am (am peak) and 5pm to 6pm (pm peak) that will be most sensitive to any impacts associated with the proposed new development traffic. The traffic movements observed during those weekday peak hours are shown in the following figures.




Figure 9 Observed Peak Hour Traffic Thursday 11th September 2025




Figure 10 Observed Peak Hour Traffic Friday 12th September 2025




Figure 11 Observed Peak Hour Traffic Monday 15th September 2025




Figure 12 Observed Peak Hour Traffic Tuesday 16th September 2025Figure 13 Observed Peak Hour Traffic Tuesday 17th September 2025

Figure 14 Observed Side Road Two Way Traffic Flow Variation (am Peak)




Figure 15 Observed Side Road Two Way Traffic Flow Variation (pm Peak)

- 3.22 The traffic flows to and from the Crymlyn Park and Cae Morfa residential area that use these four junctions are relatively stable throughout the course of the week. Peak hour flows were highest on Monday (am peak) and Tuesday (pm peak).




Figure 16 Observed Crymlyn Road (East of Serecold Ave.) Two Way Traffic Flow Variation

- 3.23 Peak hour traffic flow on Crymlyn Road was found to be highest on the Tuesday. This is consistent with the results of the April 2025 ATC survey described earlier.
- 3.24 A review of injury collision records for the area around the site has been undertaken for latest five-year period for which data is available (2019 – 2023 inclusive). There are no recorded injury collisions on Crymlyn Road nor any of its junctions that serve Crymlyn Parc or Cae Morfa. This indicates that the highway network that serves the site operates safely.




Figure 17 Injury Collision Records 2019 – 2023 (Source DfT / MAVRIC)

Summary

- 3.25 The site is in a sustainable and accessible location. The site is accessible to pedestrians, cyclists and public transport users. The site is located close to services and facilities has good public transport links. This increases the possibility that journeys generated by the development can be made by sustainable forms of transport. It is considered that the public highway from which the site will be accessed operates safely.

4 Proposed Development

4.1 The planning application is in outline for a development of up to 147 dwellings.



Figure 18 Illustrative Masterplan

- 4.2 There will be two main points of access to the site. At the site's south western corner Crymlyn Parc will be extended northwards past the existing play area. The existing street dimensions of Crymlyn Parc will be continued; a 5.5m wide carriageway with 2m wide footways on both sides. Another access, of the same dimensions, will be located on the site's eastern boundary and will link with Cae Morfa.
- 4.3 The two points of access allow for a permeable site layout, minimising the need to provide turning areas.
- 4.4 Whilst the layout of the development is a reserved matter a number of plans are provided in Appendix 3 that demonstrate the suitability of the illustrative layout in highway terms. The drawings demonstrate the position of pedestrian crossing points, the available visibility from internal junctions and forward visibility around bends. Swept path analysis is provided to demonstrate that opposing vehicles can move through the development and that its layout can accommodate the Council's refuse collection vehicle.

Appendix 3 Access Arrangements

Parking

- 4.5 Car and cycle parking provision will be determined at reserved matters stage but will accord with the Council's adopted Parking Standards of 1 space per bedroom but a maximum of 3 spaces per dwelling. Visitor parking spaces will be provided at 1 per 5 dwellings.

Trip Generation

- 4.6 The trip generation of the proposed development has been estimated by reference to the TRICS trip rate database.
- 4.7 Typical weekday peak-hour trip rates of developments of affordable homes have been obtained from the database. The TRICS output is provided in full as Appendix 2 and is summarised in the following tables.

Appendix 4 TRICS Trip Rate Data

Time Range	TRICS Trip Rate per Unit			Trip Generation – 147 Units		
	Arrivals	Departures	Total	Arrivals	Departures	Total
08:00-09:00	0.164	0.284	0.448	24	42	66
17:00-18:00	0.284	0.216	0.5	42	32	74

Table 2 Estimated Traffic Generation

- 4.8 The TRICS data suggests that the development has the potential to generate some 66 to 74 peak hour vehicle movements.
- 4.9 The site will be accessed from Crymlyn Parc and Crymlyn Grove and this dictates that traffic to and from the development can turn to and from Crymlyn Road from the Crymlyn Gardens, Crymlyn Parc and Serecold Avenue junctions.
- 4.10 It is considered, broadly, that the traffic generated by the properties in the western half of the site will use the access to the site from Crymlyn Parc and traffic generated by the remaining properties will use the access from Cae Morfa. A broadly even split therefore.
- 4.11 For the western half of the site, the most direct route to Crymlyn Road is via Crymlyn Gardens. For the eastern half of the site the distance between the site and Crymlyn Road differs little whether the Crymlyn Parc or Serecold Avenue junctions are used.
- 4.12 It is estimated therefore that the development's traffic will be split as follows:
- | | |
|---|-----|
| Crymlyn Road / Crymlyn Gardens junction | 50% |
| Crymlyn Road / Crymlyn Parc junction | 25% |
| Crymlyn Road / Serecold Avenue junction | 25% |
- Departing traffic using Serecold Avenue (west)*
- Arriving traffic using the first Serecold Avenue junction they arrive at*
- 4.13 It is also estimated that approximately 80% of development traffic will turn to and from the east (Skewen direction) with 20% travelling to and from the west (Bonymaen direction). The resultant development traffic distribution is outlined in the following figure.




Figure 19 Development Trip Generation

5 Traffic Impact

- 5.1 Analysis of existing traffic movements at the four junctions that join Crymlyn Road has established that Crymlyn Road is busiest on a Tuesday. Tuesday also exhibits the busiest pm peak for movements to and from the side roads at this junction. Side road peak hour flows were found to be slightly busier on the Monday but this is balanced by lower major road flows on that day. On balance it is considered that the Tuesday peak hours flows place the greatest demand on these four junctions and the analysis of the impact of development traffic is therefore based on the Tuesday peaks.
- 5.2 For the purpose of assessing the impact of the development traffic, it is assumed that the proposed development will be completed and fully occupied within 10 years of this planning application i.e. by 2035.
- 5.3 A locally adjusted¹ growth factor of 1.1068, obtained from the DfT's TEMPRO software, has been applied to the observed traffic to allow for the growth in traffic between 2025 and 2035.




Figure 20 Observed Tuesday Peak Hour Flows Factored to 2035 (2035 Baseline)




Figure 21 2035 Baseline Peak Hour Traffic with Development Traffic Added

¹ Skewen & Jersey Marine Middle Layer Super Output Area

Committed Development Traffic

- 5.4 The application of Temprow, locally adjusted, growth factors makes allowance for general traffic growth associated with Local Development Plan allocations. However, consideration has been given to the need to make allowance for specific development proposals that have been approved in the vicinity of the site that may influence baseline traffic conditions.
- 5.5 No approved developments that are likely to have a significant impact on traffic levels on Crymlyn Road have been identified. Particular consideration has been given to the Coed Darcy development that is located near junction 43 of the M4. Journey planning software (google maps) has been used to investigate likely commuter journey routes between the Coed Darcy development and various destinations in all directions. None of the journeys tested recommended a route that passed along Crymlyn Road. No further allowance for committed development traffic is therefore considered necessary.

Impact

- 5.6 The table below shows the total number of vehicle movements passing through each of the four junctions under consideration. Values are provided for the 2035 baseline condition (without development) and for the anticipated development generated flows. This allows for the percentage impact of the development traffic on each junction to be calculated.

Junction	am Peak Hour			pm Peak Hour		
	2035 Baseline	Development Traffic	% Impact	2035 Baseline	Development Traffic	% Impact
Crymlyn Gardens	255	40	16%	304	44	14%
Crymlyn Park	364	47	13%	275	33	12%
Serecold Avenue (W)	453	42	9%	475	54	11%
Serecold Ave (E)	481	53	11%	551	59	11%

Table 3 Development Traffic % Impact on Crymlyn Road Junctions

- 5.7 It is calculated that the development will increase am peak hour traffic moving through each of the junctions by between 9% and 16%. During the pm peak hour the increase is calculated to be between 11% and 14%.
- 5.8 Increases in traffic of greater than 5% are generally considered to be material, warranting more detail analysis of the operation of the junctions and what impact the development might have on their capacity.

Junction Capacity Assessment

- 5.9 To consider the development's impact in more detail on Crymlyn Road's junctions with Crymlyn Gardens, Crymlyn Parc and Serecold Avenue their operation has been modelled using the industry standard Junctions 10 / PICADY software.
- 5.10 A 'One Hour' flow profile method has been used in the modelling. This assumes a specific type of flow profile for traffic arriving at the junction throughout the hour. The flow profile assumes that a high peak in traffic demand occurs during the middle of the peak hour. This is a 'worst-case' assumption and ensures that the modelling is robust. The detailed PICADY output is included as Appendix 3 and summarised below.

- 5.11 The tables below show the maximum ratio of flow against capacity (RFC) experienced at the junction. A RFC of 1 would indicate that traffic demand is equal to the junction's capacity although junctions are considered to be operating poorly if the RFC exceeds 0.85. RFC figures under 0.85 indicate that the junction is operating with ample spare capacity.

Appendix 5 Junction Capacity Assessment

		RFC	
		Turning from Crymlyn Gardens	Turning Right from Crymlyn Road
2025 Existing	a.m.	0.10	0.01
	p.m.	0.06	0.03
2035 Baseline	a.m.	0.11	0.01
	p.m.	0.06	0.03
2035 Baseline + Development	a.m.	0.15	0.03
	p.m.	0.11	0.06

Table 4 Crymlyn Road / Crymlyn Gardens – Summary of Junction Performance

		RFC	
		Turning from Crymlyn Parc	Turning Right from Crymlyn Parc
2025 Existing	a.m.	0.19	0.07
	p.m.	0.11	0.19
2035 Baseline	a.m.	0.21	0.08
	p.m.	0.12	0.19
2035 Baseline + Development	a.m.	0.24	0.09
	p.m.	0.14	0.21

Table 5 Crymlyn Road / Crymlyn Parc – Summary of Junction Performance

		RFC	
		Turning from Crymlyn Parc	Turning Right from Crymlyn Parc
2025 Existing	a.m.	0.17	0.01
	p.m.	0.10	0.01
2035 Baseline	a.m.	0.18	0.01
	p.m.	0.11	0.01
2035 Baseline + Development	a.m.	0.22	0.01
	p.m.	0.13	0.01

Table 6 Crymlyn Road / Serecold Avenue (west) – Summary of Junction Performance

		RFC	
		Turning from Crymlyn Parc	Turning Right from Crymlyn Parc
2025 Existing	a.m.	0.03	0.05
	p.m.	0.03	0.05
2035 Baseline	a.m.	0.03	0.05
	p.m.	0.03	0.17
2035 Baseline + Development	a.m.	0.03	0.06
	p.m.	0.03	0.20

Table 7 Crymlyn Road / Serecold Avenue (east) – Summary of Junction Performance

- 5.12 The analysis shows that the junctions operate with low RFC's and have ample spare capacity under all tested scenarios. The addition of the development generated traffic has no material impact on the operation of the junctions.

[Impact on M4 Junction 43](#)

- 5.13 In its response the previous PAC submission, Welsh Government requested an assessment of the development traffic's impact on the operation of Junction 43 of the M4.
- 5.14 It is estimated that some 80% of development traffic will turn to and from the east (Skewen direction). This equates to some 55 and 62 vehicle movements in the morning and afternoon peak hours, respectively. For the purpose of this assessment we will assume that half of this traffic (28 to 31 peak hour movements) will travel through junction 43 with the most direct route being via the B4290 that links to the western side of the M4 junction.
- 5.15 A Transport Assessment produced in support of a recent planning application (P2024/0036) for the development of a drive-thru coffee shop near junction 43 includes details of a 2024 traffic survey undertaken where the B4290 emerges near the junction. A figure from that document is reproduced below.




Figure 22 Llandarcy Interchange Survey From P2024/0036 Application

- 5.16 The survey recorded a total of 1217 vehicle movements on the western arm of the Llandarcy Interchange's western arm during the morning peak hour and 1263 during the afternoon peak hour.
- 5.17 If the development adds 28 and 31 additional traffic movements in the morning and afternoon peak hours, the impact on the western arm of the Llandarcy Interchange will equate to a 2% increase in each peak hour. This is not material and the impacts on the operation of the interchange will be imperceptible.

6 Summary & Conclusion

6.1 In summary this Transport Statement has demonstrated that:

- The site is in a sustainable and accessible location. The site is accessible to pedestrians, cyclists and public transport users. This increases the possibility that journeys generated by the development can be made by sustainable forms of transport.
- There is a good range of services and facilities that cater for the day-to-day needs of future residents of the site available within reach by sustainable methods of travel. This reduces the need to travel by car and ensures that future residents without access to cars are not socially excluded.
- The site benefits from a safe means of access.
- The proposal is for a development of up to 154 homes.
- The site will be served by an adoptable streets. Off-street parking is provided for each property and accords with the adopted Parking Standards. Visitor parking will be accommodated within the street.
- The estimated traffic generation of the proposed development is insignificant and will cause no detrimental impact to the continued safe operation of the surrounding highway network.

6.2 As such it is considered that the application site meets planning policy requirements in terms of being in an appropriate location that is safely accessible by all forms of transport and that the impacts of the development on the continued operation and safety of the surrounding highway network would be acceptable.

6.3 It is concluded therefore that there are no transport related issues that should prevent planning permission for the proposed development from being granted.


Appendix 1 Crymlyn Road Traffic Surveys

Job Number & Title: **SS1772 Skewen**

Site Location: Crymlyn Road - No 2

Survey Date: 01 April 2025

Site Location Plan



SS1772 Skewen																	
APRIL 2025						Posted Speed Limit (PSL)	Total Vehicles	5 Day Ave.	7 Day Ave.	Posted Speed Limit (PSL)		110%(PSL) + 2 (SL1)		DfT PSL+15 (SL2)		Mean Speed	85%ile Speed
Site	Location	Lat / Long	Direction	Start Date	End Date					>PSL	>PSL%	>SL1	>SL1%	>SL2	>SL2%		
2	Crymlyn Road - No 2	51.65377, - 3.86687	Eastbound	01 April 2025	07 April 2025	20	7962	1185	1137	7701	96.7	7016	88.1	1480	18.6	30.4	35.7
			Westbound	01 April 2025	07 April 2025		7180	1072	1026	6935	96.6	6213	86.5	1010	14.1	29.6	34.8
			Two-Way	01 April 2025	07 April 2025		15142	2257	2163	14636	97	13229	87	2490	16	30	35



SS1772 Skewen										Site	2	Location										Crymlyn Road - No 2 (51.65377, -3.86687)							
01 April 2025					to					07 April 2025					Direction					Eastbound									
															Speed Limit (PSL)		ACPO (SL1)		DfT (SL2)										
Time Period	Total Vehicles	0 5	5 10	10 15	15 20	20 25	25 30	30 35	35 40	40 45	45 50	50 55	55 60	60 130	20	20	24 ACPO	24 ACPO	35 DFT	35 DFT	Mean Speed	85%ile Speed							
01 April 2025																													
0000	1	0	0	0	0	0	0	1	0	0	0	0	0	0	1	100	1	100	0	0	32.3	-							
0100	3	0	0	0	0	0	1	0	2	0	0	0	0	0	3	100	3	100	2	66.67	34.7	-							
0200	3	0	0	0	1	1	0	1	0	0	0	0	0	0	2	66.67	2	66.67	0	0	24.2	-							
0300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-							
0400	4	0	0	0	0	1	1	0	0	1	0	1	0	0	4	100	3	75	2	50	36.7	-							
0500	2	0	0	0	0	0	1	0	1	0	0	0	0	0	2	100	2	100	1	50	32.4	-							
0600	7	0	0	0	0	0	2	1	4	0	0	0	0	0	7	100	7	100	4	57.14	34	-							
0700	29	0	0	0	0	2	11	7	6	2	1	0	0	0	29	100	27	93.1	9	31.03	32.3	36.2							
0800	60	0	0	0	2	11	18	18	8	2	1	0	0	0	58	96.67	50	83.33	11	18.33	30	36.4							
0900	53	0	0	2	2	5	16	20	6	2	0	0	0	0	49	92.45	47	88.68	8	15.09	30.1	35.1							
1000	44	0	0	0	0	11	12	11	9	0	0	1	0	0	44	100	37	84.09	10	22.73	29.9	36.6							
1100	44	0	0	0	0	5	17	14	4	3	1	0	0	0	44	100	40	90.91	8	18.18	31	36.3							
1200	64	0	0	0	2	10	22	18	9	2	1	0	0	0	62	96.88	56	87.5	12	18.75	30.1	35.6							
1300	77	0	0	0	0	13	28	27	5	4	0	0	0	0	77	100	66	85.71	9	11.69	29.8	34.8							
1400	68	0	0	0	1	10	16	29	10	2	0	0	0	0	67	98.53	63	92.65	12	17.65	30.8	36.2							
1500	82	0	0	0	3	6	26	35	9	1	2	0	0	0	79	96.34	75	91.46	12	14.63	30.8	35							
1600	173	0	0	3	13	13	57	67	18	2	0	0	0	0	157	90.75	149	86.13	20	11.56	29.2	34.5							
1700	163	0	0	7	6	21	48	61	16	4	0	0	0	0	150	92.02	132	80.98	20	12.27	28.9	34.5							
1800	91	0	0	0	3	9	21	32	21	3	2	0	0	0	88	96.7	80	87.91	26	28.57	31.4	37							
1900	74	0	0	0	0	10	16	28	17	3	0	0	0	0	74	100	69	93.24	20	27.03	31.7	36.6							
2000	44	0	0	0	2	2	14	15	8	2	1	0	0	0	42	95.45	40	90.91	11	25	31.5	38.4							
2100	24	0	0	0	0	3	9	7	4	1	0	0	0	0	24	100	23	95.83	5	20.83	30.4	36							
2200	9	0	0	0	0	1	4	2	1	1	0	0	0	0	9	100	8	88.89	2	22.22	30.4	-							
2300	4	0	0	0	0	1	1	1	1	0	0	0	0	0	4	100	3	75	1	25	29.9	-							
07-19	948	0	0	12	32	116	292	339	121	27	8	1	0	0	904	95.36	822	86.71	157	16.56	30	35.3							
06-22	1097	0	0	12	34	131	333	390	154	33	9	1	0	0	1051	95.81	961	87.6	197	17.96	30.2	35.7							
06-00	1110	0	0	12	34	133	338	393	156	34	9	1	0	0	1064	95.86	972	87.57	200	18.02	30.2	35.7							
00-00	1123	0	0	12	35	135	341	395	159	35	9	2	0	0	1076	95.81	983	87.53	205	18.25	30.3	35.8							

SS1772 Skewen										Site	2	Location										Crymlyn Road - No 2 (51.65377, -3.86687)																				
01 April 2025					to					07 April 2025					Direction		Eastbound					Speed Limit		ACPO (SL1)		DfT (SL2)																
Speed Bins												Speed Limit				ACPO (SL1)		DfT (SL2)																								
Time Period	Total Vehicles	0 5	5 10	10 15	15 20	20 25	25 30	30 35	35 40	40 45	45 50	50 55	55 60	60 130	20	20	24 ACPO	24 ACPO	35 DFT	35 DFT	Mean Speed	85%ile Speed																				
02 April 2025																																										
0000	4	0	0	0	0	1	1	1	0	1	0	0	0	0	4	100	4	100	1	25	32.5	-																				
0100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-																				
0200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-																				
0300	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	15.4	-																				
0400	3	0	0	0	0	0	1	1	1	0	0	0	0	0	3	100	3	100	1	33.33	33.1	-																				
0500	3	0	0	0	0	0	0	2	0	0	1	0	0	0	3	100	3	100	1	33.33	38	-																				
0600	6	0	0	0	0	0	0	2	3	1	0	0	0	0	6	100	6	100	4	66.67	37	-																				
0700	31	0	0	0	1	3	7	10	8	1	1	0	0	0	30	96.77	27	87.1	10	32.26	32.1	38.4																				
0800	84	0	0	0	3	10	28	30	10	2	1	0	0	0	81	96.43	74	88.1	13	15.48	30.2	35.2																				
0900	44	0	0	0	1	4	10	19	8	1	1	0	0	0	43	97.73	40	90.91	10	22.73	31.6	37.6																				
1000	47	0	0	0	0	11	14	17	3	1	1	0	0	0	47	100	39	82.98	5	10.64	29.5	34.9																				
1100	47	0	0	0	1	10	14	13	8	1	0	0	0	0	46	97.87	40	85.11	9	19.15	29.8	35.3																				
1200	73	0	0	0	1	11	23	25	11	2	0	0	0	0	72	98.63	68	93.15	13	17.81	30.1	35.6																				
1300	61	0	0	3	1	11	21	15	9	0	1	0	0	0	57	93.44	47	77.05	10	16.39	28.7	35.5																				
1400	81	0	0	0	2	7	32	27	11	2	0	0	0	0	79	97.53	76	93.83	13	16.05	30.3	35.5																				
1500	108	0	0	1	1	17	23	41	19	4	2	0	0	0	106	98.15	97	89.81	25	23.15	31.3	36.8																				
1600	161	0	0	1	3	27	64	53	12	1	0	0	0	0	157	97.52	137	85.09	13	8.075	28.9	33.4																				
1700	170	0	0	0	2	25	59	62	17	4	1	0	0	0	168	98.82	151	88.82	22	12.94	29.8	34.2																				
1800	90	0	0	0	2	10	30	32	12	0	1	3	0	0	88	97.78	81	90	16	17.78	31	35.7																				
1900	55	0	0	0	4	5	17	19	10	0	0	0	0	0	51	92.73	46	83.64	10	18.18	30.2	35.7																				
2000	57	0	0	0	0	6	25	15	9	2	0	0	0	0	57	100	54	94.74	11	19.3	30.4	36.1																				
2100	25	0	0	0	0	3	5	12	3	2	0	0	0	0	25	100	23	92	5	20	32.1	38.4																				
2200	8	0	0	0	0	2	4	2	0	0	0	0	0	0	8	100	6	75	0	0	27.5	-																				
2300	6	0	0	0	1	2	1	1	1	0	0	0	0	0	5	83.33	4	66.67	1	16.67	27.2	-																				
07-19	997	0	0	5	18	146	325	344	128	19	9	3	0	0	974	97.69	877	87.96	159	15.95	30.1	35.3																				
06-22	1140	0	0	5	22	160	372	392	153	24	9	3	0	0	1113	97.63	1006	88.25	189	16.58	30.2	35.5																				
06-00	1154	0	0	5	23	164	377	395	154	24	9	3	0	0	1126	97.57	1016	88.04	190	16.46	30.2	35.5																				
00-00	1165	0	0	5	24	165	379	399	155	25	10	3	0	0	1136	97.51	1026	88.07	193	16.57	30.2	35.5																				

SS1772 Skewen										Site 2		Location Crymlyn Road - No 2 (51.65377, -3.86687)																						
01 April 2025					to					07 April 2025					Direction		Eastbound					Speed Limit (PSL)		ACPO (SL1)		DfT (SL2)								
Time Period	Total Vehicles	Speed Bins																																
		0 5	5 10	10 15	15 20	20 25	25 30	30 35	35 40	40 45	45 50	50 55	55 60	60 130	20	20	24 ACPO	24 ACPO	35 DFT	35 DFT	Mean Speed	85%ile Speed												
03 April 2025																																		
0000	2	0	0	0	0	0	1	1	0	0	0	0	0	0	2	100	2	100	0	0	28.4	-												
0100	2	0	0	0	0	0	0	0	1	1	0	0	0	0	2	100	2	100	2	100	39.8	-												
0200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-												
0300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-												
0400	2	0	0	0	0	0	1	0	1	0	0	0	0	0	2	100	2	100	1	50	31.9	-												
0500	2	0	0	0	1	0	0	0	0	1	0	0	0	0	1	50	1	50	1	50	29.7	-												
0600	7	0	0	0	0	0	0	2	2	2	1	0	0	0	7	100	7	100	5	71.43	38.6	-												
0700	25	0	0	0	2	0	7	5	8	3	0	0	0	0	23	92	23	92	11	44	32.2	40												
0800	67	0	0	0	0	16	17	21	10	1	1	1	0	0	67	100	51	76.12	13	19.4	30.1	35.9												
0900	51	0	0	1	1	7	12	19	9	2	0	0	0	0	49	96.08	43	84.31	11	21.57	30.6	37.9												
1000	61	0	0	0	2	5	29	21	4	0	0	0	0	0	59	96.72	55	90.16	4	6.557	29.3	33.7												
1100	48	0	0	0	0	8	11	18	7	3	0	0	1	0	48	100	45	93.75	11	22.92	31.5	38.7												
1200	54	0	0	0	1	6	15	22	8	1	0	1	0	0	53	98.15	50	92.59	10	18.52	31.1	35.6												
1300	84	0	0	0	0	7	26	30	18	3	0	0	0	0	84	100	78	92.86	21	25	31.3	36.5												
1400	92	0	0	0	1	14	39	30	7	1	0	0	0	0	91	98.91	81	88.04	8	8.696	29.3	33.7												
1500	102	0	0	0	5	8	34	41	10	4	0	0	0	0	97	95.1	90	88.24	14	13.73	30.1	34.7												
1600	182	0	0	0	11	17	64	56	32	1	1	0	0	0	171	93.96	160	87.91	34	18.68	29.9	35.8												
1700	141	0	0	0	3	20	33	50	30	2	2	1	0	0	138	97.87	122	86.52	35	24.82	31.1	36.5												
1800	90	0	0	0	4	13	19	34	15	5	0	0	0	0	86	95.56	73	81.11	20	22.22	30.8	35.9												
1900	73	0	0	0	3	8	17	31	7	5	1	1	0	0	70	95.89	66	90.41	14	19.18	31.6	38.1												
2000	42	0	0	0	0	3	13	16	9	1	0	0	0	0	42	100	40	95.24	10	23.81	31.6	35.5												
2100	24	0	0	0	0	3	6	7	6	1	1	0	0	0	24	100	21	87.5	8	33.33	32.8	39.5												
2200	12	0	0	0	1	0	4	4	3	0	0	0	0	0	11	91.67	11	91.67	3	25	30.9	38.1												
2300	10	0	0	0	1	2	3	4	0	0	0	0	0	0	9	90	8	80	0	0	28.2	-												
07-19	997	0	0	1	30	121	306	347	158	26	4	3	1	0	966	96.89	871	87.36	192	19.26	30.4	35.9												
06-22	1143	0	0	1	33	135	342	403	182	35	7	4	1	0	1109	97.03	1005	87.93	229	20.03	30.7	36												
06-00	1165	0	0	1	35	137	349	411	185	35	7	4	1	0	1129	96.91	1024	87.9	232	19.91	30.6	36												
00-00	1173	0	0	1	36	137	351	412	187	37	7	4	1	0	1136	96.85	1031	87.89	236	20.12	30.6	36.1												

SS1772 Skewen										Site 2		Location Crymlyn Road - No 2 (51.65377, -3.86687)										
01 April 2025					to					07 April 2025					Direction		Eastbound					
															Speed Limit (PSL)		ACPO (SL1)		DfT (SL2)			
Time Period	Total Vehicles	0 5	5 10	10 15	15 20	20 25	25 30	30 35	35 40	40 45	45 50	50 55	55 60	60 130	20	20	24 ACPO	24 ACPO	35 DFT	35 DFT	Mean Speed	85%ile Speed
04 April 2025																						
0000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	
0100	1	0	0	0	0	0	0	0	0	1	0	0	0	0	1	100	1	100	1	100	40.1	-
0200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	
0300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	
0400	1	0	0	0	0	0	0	1	0	0	0	0	0	0	1	100	1	100	0	0	31.9	-
0500	1	0	0	0	0	0	0	1	0	0	0	0	0	0	1	100	1	100	0	0	32.8	-
0600	10	0	0	0	0	0	1	2	7	0	0	0	0	0	10	100	10	100	7	70	35.3	-
0700	31	0	0	0	1	2	7	13	5	3	0	0	0	0	30	96.77	28	90.32	8	25.81	31.7	37.5
0800	59	0	0	0	2	6	14	21	15	1	0	0	0	0	57	96.61	53	89.83	16	27.12	31.2	36.8
0900	47	0	0	0	3	5	16	17	5	1	0	0	0	0	44	93.62	42	89.36	6	12.77	29.8	34.7
1000	46	0	0	0	4	6	13	15	8	0	0	0	0	0	42	91.3	37	80.43	8	17.39	29.4	35.6
1100	56	0	0	1	2	10	15	13	13	1	1	0	0	0	53	94.64	47	83.93	15	26.79	30.4	36.9
1200	67	0	0	0	5	9	20	16	13	4	0	0	0	0	62	92.54	56	83.58	17	25.37	30.2	36.6
1300	119	0	0	0	3	20	44	34	13	3	2	0	0	0	116	97.48	100	84.03	18	15.13	29.4	35.1
1400	133	0	0	0	2	18	43	60	9	0	1	0	0	0	131	98.5	118	88.72	10	7.519	29.9	34.1
1500	153	0	2	0	5	25	47	49	23	2	0	0	0	0	146	95.42	125	81.7	25	16.34	29.4	35.1
1600	219	0	0	0	11	20	74	82	24	3	2	1	2	0	208	94.98	193	88.13	32	14.61	30.3	34.9
1700	166	0	0	0	2	18	51	65	25	5	0	0	0	0	164	98.8	150	90.36	30	18.07	30.7	35.6
1800	79	0	0	0	5	10	25	25	11	2	1	0	0	0	74	93.67	66	83.54	14	17.72	30	35.7
1900	65	0	0	0	1	4	24	16	15	4	0	1	0	0	64	98.46	61	93.85	20	30.77	31.8	37.9
2000	40	0	0	0	1	2	15	17	2	3	0	0	0	0	39	97.5	37	92.5	5	12.5	30.8	34.7
2100	34	0	0	0	0	6	16	9	2	1	0	0	0	0	34	100	30	88.24	3	8.824	28.8	32.6
2200	24	0	0	0	1	3	8	10	0	1	0	1	0	0	23	95.83	21	87.5	2	8.333	30.5	34.2
2300	11	0	0	0	0	1	3	5	1	0	1	0	0	0	11	100	10	90.91	2	18.18	32.8	41.2
07-19	1175	0	2	1	45	149	369	410	164	25	7	1	2	0	1127	95.91	1015	86.38	199	16.94	30.1	35.2
06-22	1324	0	2	1	47	161	425	454	190	33	7	2	2	0	1274	96.22	1153	87.08	234	17.67	30.2	35.5
06-00	1359	0	2	1	48	165	436	469	191	34	8	3	2	0	1308	96.25	1184	87.12	238	17.51	30.2	35.5
00-00	1362	0	2	1	48	165	436	471	191	35	8	3	2	0	1311	96.26	1187	87.15	239	17.55	30.2	35.5



SS1772 Skewen										Site 2		Location Crymlyn Road - No 2 (51.65377, -3.86687)																	
01 April 2025					to					07 April 2025					Direction		Eastbound					Speed Limit (PSL)		ACPO (SL1)		DfT (SL2)		Mean Speed	85%ile Speed
Time Period	Total Vehicles	0 5	5 10	10 15	15 20	20 25	25 30	30 35	35 40	40 45	45 50	50 55	55 60	60 130	20	20	24 ACPO	24 ACPO	35 DFT	35 DFT									
05 April 2025																													
0000	5	0	0	0	0	1	1	2	0	0	0	1	0	0	5	100	5	100	1	20	33.5	-							
0100	5	0	0	0	0	0	1	2	0	1	1	0	0	0	5	100	5	100	2	40	36.3	-							
0200	5	0	0	0	1	1	2	1	0	0	0	0	0	0	4	80	3	60	0	0	26	-							
0300	2	0	0	0	1	0	1	0	0	0	0	0	0	0	1	50	1	50	0	0	20.5	-							
0400	1	0	0	0	0	0	0	1	0	0	0	0	0	0	1	100	1	100	0	0	32.3	-							
0500	3	0	0	0	0	0	0	1	2	0	0	0	0	0	3	100	3	100	2	66.67	34.3	-							
0600	4	0	0	0	0	0	1	1	2	0	0	0	0	0	4	100	4	100	2	50	34.9	-							
0700	9	0	0	0	0	0	3	4	1	1	0	0	0	0	9	100	9	100	2	22.22	31.2	-							
0800	17	0	0	0	0	2	7	5	2	0	1	0	0	0	17	100	16	94.12	3	17.65	30.6	35.6							
0900	40	0	0	0	3	5	13	7	6	5	1	0	0	0	37	92.5	32	80	12	30	30.9	40							
1000	61	0	0	0	0	8	13	23	11	5	1	0	0	0	61	100	55	90.16	17	27.87	31.9	37.7							
1100	70	0	0	0	3	2	19	25	18	2	1	0	0	0	67	95.71	66	94.29	21	30	32.1	37.3							
1200	132	0	0	0	3	12	43	49	19	5	0	1	0	0	129	97.73	122	92.42	25	18.94	30.8	35.2							
1300	112	0	0	1	3	11	33	48	10	4	1	1	0	0	108	96.43	101	90.18	16	14.29	30.6	34.9							
1400	99	0	0	0	1	10	26	44	14	2	1	1	0	0	98	98.99	90	90.91	18	18.18	31.1	35.3							
1500	102	0	0	1	3	13	36	31	16	2	0	0	0	0	98	96.08	89	87.25	18	17.65	29.8	35.2							
1600	79	0	0	0	3	5	27	30	11	3	0	0	0	0	76	96.2	72	91.14	14	17.72	30.4	35.6							
1700	188	0	0	0	3	24	69	64	23	5	0	0	0	0	185	98.4	164	87.23	28	14.89	30	35							
1800	101	0	0	1	1	10	37	35	14	3	0	0	0	0	99	98.02	91	90.1	17	16.83	30.2	35.1							
1900	58	0	0	0	1	13	10	21	11	2	0	0	0	0	57	98.28	50	86.21	13	22.41	30.3	36.5							
2000	35	0	0	0	1	3	10	12	8	0	0	0	1	0	34	97.14	32	91.43	9	25.71	31.9	37.9							
2100	29	0	0	0	3	4	10	7	5	0	0	0	0	0	26	89.66	24	82.76	5	17.24	28.6	35.3							
2200	20	0	0	0	0	2	9	6	2	1	0	0	0	0	20	100	18	90	3	15	30.4	36.9							
2300	9	0	0	0	0	1	5	2	0	1	0	0	0	0	9	100	8	88.89	1	11.11	29.8	-							
07-19	1010	0	0	3	23	102	326	365	145	37	6	3	0	0	984	97.43	907	89.8	191	18.91	30.6	35.6							
06-22	1136	0	0	3	28	122	357	406	171	39	6	3	1	0	1105	97.27	1017	89.52	220	19.37	30.6	35.6							
06-00	1165	0	0	3	28	125	371	414	173	41	6	3	1	0	1134	97.34	1043	89.53	224	19.23	30.6	35.6							
00-00	1186	0	0	3	30	127	376	421	175	42	7	4	1	0	1153	97.22	1061	89.46	229	19.31	30.6	35.7							

SS1772 Skewen										Site 2		Location Crymlyn Road - No 2 (51.65377, -3.86687)											
01 April 2025					to					07 April 2025					Direction		Eastbound						
Time Period	Total Vehicles	Speed Bins										Speed Limit (PSL)					ACPO (SL1)		DfT (SL2)			Mean Speed	85%ile Speed
		0 5	5 10	10 15	15 20	20 25	25 30	30 35	35 40	40 45	45 50	50 55	55 60	60 130	20	20	24 ACPO	24 ACPO	35 DFT	35 DFT			
06 April 2025																							
0000	5	0	0	0	0	2	3	0	0	0	0	0	0	0	5	100	3	60	0	0	24.7	-	
0100	8	0	0	0	0	0	3	4	1	0	0	0	0	0	8	100	8	100	1	12.5	31.6	-	
0200	2	0	0	0	0	0	1	1	0	0	0	0	0	0	2	100	2	100	0	0	28.1	-	
0300	3	0	0	0	0	1	2	0	0	0	0	0	0	0	3	100	2	66.67	0	0	26.6	-	
0400	2	0	0	0	0	0	0	0	1	1	0	0	0	0	2	100	2	100	2	100	38.3	-	
0500	1	0	0	0	0	0	0	1	0	0	0	0	0	0	1	100	1	100	0	0	30.5	-	
0600	1	0	0	0	0	0	0	1	0	0	0	0	0	0	1	100	1	100	0	0	31.9	-	
0700	8	0	0	0	0	2	2	2	2	0	0	0	0	0	8	100	8	100	2	25	30.6	-	
0800	10	0	0	0	1	2	3	3	1	0	0	0	0	0	9	90	7	70	1	10	27.9	-	
0900	13	0	0	1	0	2	3	3	3	1	0	0	0	0	12	92.31	11	84.62	4	30.77	30.3	37.4	
1000	42	0	0	1	1	2	10	16	8	4	0	0	0	0	40	95.24	38	90.48	12	28.57	32.2	38.3	
1100	69	0	0	0	2	2	23	32	9	1	0	0	0	0	67	97.1	66	95.65	10	14.49	30.8	35.3	
1200	115	0	0	1	2	17	35	45	12	2	1	0	0	0	112	97.39	103	89.57	15	13.04	30	34.7	
1300	103	0	0	0	4	11	30	36	19	3	0	0	0	0	99	96.12	91	88.35	22	21.36	30.6	35.6	
1400	93	0	0	0	1	11	31	26	17	6	1	0	0	0	92	98.92	83	89.25	24	25.81	31.2	37.1	
1500	85	0	0	0	2	13	21	30	16	2	1	0	0	0	83	97.65	75	88.24	19	22.35	31	36.7	
1600	68	0	0	0	1	8	23	28	7	1	0	0	0	0	67	98.53	64	94.12	8	11.76	30.4	34.6	
1700	47	0	0	0	2	3	16	20	3	3	0	0	0	0	45	95.74	44	93.62	6	12.77	30.5	34.8	
1800	37	0	0	0	0	3	15	11	6	2	0	0	0	0	37	100	36	97.3	8	21.62	31.4	38.3	
1900	70	0	0	0	1	5	17	32	15	0	0	0	0	0	69	98.57	64	91.43	15	21.43	31.5	36.2	
2000	38	0	0	0	1	5	15	9	5	2	0	0	0	1	37	97.37	33	86.84	8	21.05	31.1	37.6	
2100	16	0	0	0	0	2	4	4	4	1	1	0	0	0	16	100	14	87.5	6	37.5	32.2	39.9	
2200	15	0	0	0	1	0	4	8	0	2	0	0	0	0	14	93.33	14	93.33	2	13.33	31.4	39.8	
2300	2	0	0	0	0	0	1	1	0	0	0	0	0	0	2	100	2	100	0	0	30.1	-	
07-19	690	0	0	3	16	76	212	252	103	25	3	0	0	0	671	97.25	626	90.72	131	18.99	30.7	35.9	
06-22	815	0	0	3	18	88	248	298	127	28	4	0	0	1	794	97.42	738	90.55	160	19.63	30.8	36	
06-00	832	0	0	3	19	88	253	307	127	30	4	0	0	1	810	97.36	754	90.63	162	19.47	30.8	36	
00-00	853	0	0	3	19	91	262	313	129	31	4	0	0	1	831	97.42	772	90.5	165	19.34	30.8	36	

SS1772 Skewen										Site 2		Location Crymlyn Road - No 2 (51.65377, -3.86687)														
01 April 2025					to					07 April 2025					Direction		Eastbound									
															Speed Limit (PSL)		ACPO (SL1)		DfT (SL2)							
Time Period	Total Vehicles	Speed Bins																				Mean Speed	85%ile Speed			
		0 5	5 10	10 15	15 20	20 25	25 30	30 35	35 40	40 45	45 50	50 55	55 60	60 130	20	20	24 ACPO	24 ACPO	35 DFT	35 DFT						
07 April 2025																										
0000	3	0	0	0	0	0	1	2	0	0	0	0	0	0	3	100	3	100	0	0	29.3	-				
0100	1	0	0	0	0	0	0	0	0	1	0	0	0	0	1	100	1	100	1	100	42	-				
0200	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	19.2	-				
0300	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	15.5	-				
0400	2	0	0	0	0	1	1	0	0	0	0	0	0	0	2	100	1	50	0	0	24.6	-				
0500	4	0	0	1	0	0	1	0	1	0	1	0	0	0	3	75	3	75	2	50	31.5	-				
0600	11	0	0	0	0	1	2	5	2	1	0	0	0	0	11	100	11	100	3	27.27	33.6	39.6				
0700	22	0	0	0	1	1	6	6	6	1	0	0	1	0	21	95.45	20	90.91	8	36.36	33.1	39.2				
0800	59	0	0	0	3	10	16	21	6	2	1	0	0	0	56	94.92	48	81.36	9	15.25	30	35.7				
0900	28	0	0	0	2	3	9	10	1	3	0	0	0	0	26	92.86	23	82.14	4	14.29	30.2	35.7				
1000	47	0	0	0	3	3	11	18	9	3	0	0	0	0	44	93.62	43	91.49	12	25.53	31.3	37				
1100	66	0	0	1	2	9	22	15	15	2	0	0	0	0	63	95.45	55	83.33	17	25.76	30.2	36.9				
1200	77	0	0	0	4	20	18	27	4	1	0	3	0	0	73	94.81	58	75.32	8	10.39	29.2	34.1				
1300	82	0	0	1	2	11	27	25	15	1	0	0	0	0	79	96.34	76	92.68	16	19.51	30.3	36.4				
1400	102	0	0	1	3	19	42	25	10	2	0	0	0	0	98	96.08	82	80.39	12	11.76	28.7	34.3				
1500	98	0	0	0	3	19	32	28	9	4	2	0	1	0	95	96.94	83	84.69	16	16.33	29.8	35.5				
1600	142	0	0	0	1	14	46	53	20	4	3	1	0	0	141	99.3	132	92.96	28	19.72	31.1	36.1				
1700	140	0	0	2	4	18	42	46	25	2	1	0	0	0	134	95.71	122	87.14	28	20	30.2	35.7				
1800	81	0	0	0	0	3	36	24	11	4	2	1	0	0	81	100	79	97.53	18	22.22	31.5	36.2				
1900	56	0	0	0	2	3	13	21	12	5	0	0	0	0	54	96.43	51	91.07	17	30.36	31.8	38				
2000	42	0	0	0	1	3	15	17	4	2	0	0	0	0	41	97.62	39	92.86	6	14.29	30.7	35.8				
2100	24	0	0	0	1	5	5	6	3	3	1	0	0	0	23	95.83	18	75	7	29.17	31.5	42.2				
2200	9	0	0	0	2	0	1	5	0	1	0	0	0	0	7	77.78	7	77.78	1	11.11	29.3	-				
2300	2	0	0	0	0	1	0	1	0	0	0	0	0	0	2	100	1	50	0	0	26.5	-				
07-19	944	0	0	5	28	130	307	298	131	29	9	5	2	0	911	96.5	821	86.97	176	18.64	30.3	35.8				
06-22	1077	0	0	5	32	142	342	347	152	40	10	5	2	0	1040	96.56	940	87.28	209	19.41	30.4	36				
06-00	1088	0	0	5	34	143	343	353	152	41	10	5	2	0	1049	96.42	948	87.13	210	19.3	30.4	36				
00-00	1100	0	0	6	36	144	346	355	153	42	11	5	2	0	1058	96.18	956	86.91	213	19.36	30.4	36				

SS1772 Skewen										Site 2		Location Crymlyn Road - No 2 (51.65377, -3.86687)												
01 April 2025					to					07 April 2025					Direction		Eastbound							
Time Period	Total Vehicles	Speed Bins										Speed Limit (PSL)		ACPO (SL1)		DfT (SL2)		Mean Speed	85%ile Speed					
		0 5	5 10	10 15	15 20	20 25	25 30	30 35	35 40	40 45	45 50	50 55	55 60	60 130	20	20	24 ACPO			24 ACPO	35 DfT	35 DfT		
Average Day																								
0000	3	0	0	0	0	1	1	1	0	0	0	0	0	0	3	100	3	90	0	10	29.9	-		
0100	3	0	0	0	0	0	1	1	1	1	0	0	0	0	3	100	3	100	1	45	35	-		
0200	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	72.73	1	63.64	0	0	25.3	-		
0300	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	57.14	0	42.86	0	0	21.7	-		
0400	2	0	0	0	0	0	1	0	0	0	0	0	0	0	2	100	2	86.67	1	40	33.3	-		
0500	2	0	0	0	0	0	0	1	1	0	0	0	0	0	2	87.5	2	87.5	1	43.75	33.2	-		
0600	7	0	0	0	0	0	1	2	3	1	0	0	0	0	7	100	7	100	4	54.35	35.3	-		
0700	22	0	0	0	1	1	6	7	5	2	0	0	0	0	21	96.77	20	91.61	7	32.26	32.1	38.1		
0800	51	0	0	0	2	8	15	17	7	1	1	0	0	0	49	96.91	43	83.99	9	18.54	30.2	35.7		
0900	39	0	0	1	2	4	11	14	5	2	0	0	0	0	37	94.2	34	86.23	8	19.93	30.5	37.1		
1000	50	0	0	0	1	7	15	17	7	2	0	0	0	0	48	96.84	43	87.36	10	19.54	30.5	36.4		
1100	57	0	0	0	1	7	17	19	11	2	0	0	0	0	55	97	51	89.75	13	22.75	30.9	36.6		
1200	83	0	0	0	3	12	25	29	11	2	0	1	0	0	80	96.74	73	88.14	14	17.18	30.2	35.2		
1300	91	0	0	1	2	12	30	31	13	3	1	0	0	0	89	97.18	80	87.62	16	17.55	30.1	35.5		
1400	95	0	0	0	2	13	33	34	11	2	0	0	0	0	94	98.2	85	88.77	14	14.52	30.1	35		
1500	104	0	0	0	3	14	31	36	15	3	1	0	0	0	101	96.44	91	86.85	18	17.67	30.2	35.4		
1600	146	0	0	1	6	15	51	53	18	2	1	0	0	0	140	95.41	130	88.57	21	14.55	30	34.9		
1700	145	0	0	1	3	18	45	53	20	4	1	0	0	0	141	96.95	126	87.19	24	16.65	30.1	35.2		
1800	81	0	0	0	2	8	26	28	13	3	1	1	0	0	79	97.19	72	88.93	17	20.91	30.9	36.1		
1900	64	0	0	0	2	7	16	24	12	3	0	0	0	0	63	97.34	58	90.24	16	24.17	31.3	36.7		
2000	43	0	0	0	1	3	15	14	6	2	0	0	0	0	42	97.99	39	92.28	9	20.13	31.1	36.5		
2100	25	0	0	0	1	4	8	7	4	1	0	0	0	0	25	97.73	22	86.93	6	22.16	30.7	37.3		
2200	14	0	0	0	1	1	5	5	1	1	0	0	0	0	13	94.85	12	87.63	2	13.4	30.3	34.6		
2300	6	0	0	0	0	1	2	2	0	0	0	0	0	0	6	95.45	5	81.82	1	11.36	29.7	-		
07-19	966	0	0	4	27	120	305	336	136	27	7	2	1	0	934	96.69	848	87.84	172	17.82	30.3	35.6		
06-22	1105	0	0	4	31	134	346	384	161	33	7	3	1	0	1069	96.82	974	88.2	205	18.6	30.4	35.7		
06-00	1125	0	0	4	32	136	352	392	163	34	8	3	1	0	1089	96.79	992	88.16	208	18.49	30.4	35.7		
00-00	1137	0	0	4	33	138	356	395	164	35	8	3	1	0	1100	96.72	1002	88.12	211	18.59	30.4	35.7		

SS1772 Skewen										Site	2	Location Crymlyn Road - No 2 (51.65377, -3.86687)												
01 April 2025					to					07 April 2025					Direction		Eastbound		Speed Limit (PSL)		ACPO (SL1)		DfT (SL2)	
Time Period	Total Vehicles	0 5	5 10	10 15	15 20	20 25	25 30	30 35	35 40	40 45	45 50	50 55	55 60	60 130	20	20	24 ACPO	24 ACPO	35 DFT	35 DFT	Mean Speed	85%ile Speed		
Virtual Week																								
Mon	1100	0	0	6	36	144	346	355	153	42	11	5	2	0	1058	96.18	956	86.91	213	19.36	30.4	36		
Tue	1123	0	0	12	35	135	341	395	159	35	9	2	0	0	1076	95.81	983	87.53	205	18.25	30.3	35.8		
Wed	1165	0	0	5	24	165	379	399	155	25	10	3	0	0	1136	97.51	1026	88.07	193	16.57	30.2	35.5		
Thu	1173	0	0	1	36	137	351	412	187	37	7	4	1	0	1136	96.85	1031	87.89	236	20.12	30.6	36.1		
Fri	1362	0	2	1	48	165	436	471	191	35	8	3	2	0	1311	96.26	1187	87.15	239	17.55	30.2	35.5		
Sat	1186	0	0	3	30	127	376	421	175	42	7	4	1	0	1153	97.22	1061	89.46	229	19.31	30.6	35.7		
Sun	853	0	0	3	19	91	262	313	129	31	4	0	0	1	831	97.42	772	90.5	165	19.34	30.8	36		
5 Day Average																								
[--]	1185	0	0	5	36	149	371	406	169	35	9	3	1	0	1143	96.5	1037	87.5	217	18.3	30.3	35.8		
7 Day Average																								
[--]	1137	0	0	4	33	138	356	395	164	35	8	3	1	0	1100	96.7	1002	88.1	211	18.6	30.4	35.7		
Total Vehicles																								
[--]	7962	0	2	31	228	964	2491	2766	1149	247	56	21	6	1	7701	97	7016	88	1480	19	30	36		



SS1772 Skewen										Site 2		Location Crymlyn Road - No 2 (51.65377, -3.86687)															
01 April 2025					to					07 April 2025					Direction		Westbound					Speed Limit (PSL)		ACPO (SL1)		DfT (SL2)	
Time Period	Total Vehicles	Speed Bins										20	20	24 ACPO	24 ACPO	35 DFT	35 DFT	Mean Speed	85%ile Speed								
		0 5	5 10	10 15	15 20	20 25	25 30	30 35	35 40	40 45	45 50									50 55	55 60	60 130					
01 April 2025																											
0000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-						
0100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-						
0200	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	18.3	-						
0300	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	100	1	100	0	27.8						
0400	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	100	1	100	1	100						
0500	11	0	0	0	0	0	4	3	2	1	1	0	0	0	0	11	100	11	100	4	36.36						
0600	20	0	0	0	0	4	4	7	4	1	0	0	0	0	0	20	100	16	80	5	25						
0700	97	0	0	1	2	10	34	35	11	2	1	1	0	0	0	94	96.91	87	89.69	15	15.46						
0800	163	0	0	1	3	22	53	63	14	4	3	0	0	0	0	159	97.55	147	90.18	21	12.88						
0900	77	0	0	1	1	9	29	23	10	2	1	0	1	0	0	75	97.4	67	87.01	14	18.18						
1000	54	0	0	0	6	13	23	7	3	2	0	0	0	0	0	48	88.89	38	70.37	5	9.259						
1100	61	0	0	0	1	12	26	16	5	1	0	0	0	0	0	60	98.36	51	83.61	6	9.836						
1200	54	0	0	1	0	10	26	12	3	1	1	0	0	0	0	53	98.15	46	85.19	5	9.259						
1300	58	0	0	0	2	14	31	9	1	1	0	0	0	0	0	56	96.55	48	82.76	2	3.448						
1400	51	0	0	0	2	6	22	13	6	1	1	0	0	0	0	49	96.08	46	90.2	8	15.69						
1500	63	0	0	0	2	5	26	19	8	3	0	0	0	0	0	61	96.83	57	90.48	11	17.46						
1600	80	0	0	0	0	10	28	27	12	2	0	1	0	0	0	80	100	73	91.25	15	18.75						
1700	77	0	0	0	3	7	20	35	10	1	1	0	0	0	0	74	96.1	68	88.31	12	15.58						
1800	47	0	0	0	2	5	18	15	5	2	0	0	0	0	0	45	95.74	41	87.23	7	14.89						
1900	30	0	0	1	1	3	13	8	4	0	0	0	0	0	0	28	93.33	26	86.67	4	13.33						
2000	23	0	0	1	5	2	8	5	0	2	0	0	0	0	0	17	73.91	16	69.57	2	8.696						
2100	23	0	0	0	2	4	9	4	4	0	0	0	0	0	0	21	91.3	18	78.26	4	17.39						
2200	6	0	0	0	0	1	3	2	0	0	0	0	0	0	0	6	100	5	83.33	0	0						
2300	2	0	0	0	0	0	1	1	0	0	0	0	0	0	0	2	100	2	100	0	0						
07-19	882	0	0	4	24	123	336	274	88	22	8	2	1	0	0	854	96.83	769	87.19	121	13.72						
06-22	978	0	0	6	32	136	370	298	100	25	8	2	1	0	0	940	96.11	845	86.4	136	13.91						
06-00	986	0	0	6	32	137	374	301	100	25	8	2	1	0	0	948	96.15	852	86.41	136	13.79						
00-00	1000	0	0	6	33	137	379	304	102	26	10	2	1	0	0	961	96.1	865	86.5	141	14.1						

SS1772 Skewen										Site 2		Location Crymlyn Road - No 2 (51.65377, -3.86687)												
01 April 2025					to					07 April 2025					Direction Westbound		Speed Limit (PSL)		ACPO (SL1)		DfT (SL2)			
Time Period	Total Vehicles	Speed Bins										20	20	24 ACPO	24 ACPO	35 DFT	35 DFT	Mean Speed	85%ile Speed					
		0 5	5 10	10 15	15 20	20 25	25 30	30 35	35 40	40 45	45 50									50 55	55 60	60 130		
02 April 2025																								
0000	1	0	0	0	0	0	1	0	0	0	0	0	0	0	1	100	1	100	0	0	25.3	-		
0100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-		
0200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-		
0300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-		
0400	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-		
0500	9	0	0	0	0	1	3	3	0	2	0	0	0	0	9	100	8	88.89	2	22.22	31	-		
0600	20	0	0	0	1	1	5	7	5	0	1	0	0	0	19	95	19	95	6	30	31.8	36.3		
0700	109	0	0	0	1	12	39	41	10	5	1	0	0	0	108	99.08	101	92.66	16	14.68	30.5	35		
0800	145	0	0	0	3	15	52	52	16	6	1	0	0	0	142	97.93	129	88.97	23	15.86	30.1	35.3		
0900	68	0	0	0	1	11	27	19	7	3	0	0	0	0	67	98.53	61	89.71	10	14.71	29.6	34.9		
1000	55	1	0	0	1	7	25	14	6	1	0	0	0	0	53	96.36	48	87.27	7	12.73	29.2	34.9		
1100	60	0	0	0	6	17	19	14	3	1	0	0	0	0	54	90	41	68.33	4	6.667	27.3	32.7		
1200	57	0	0	0	1	8	25	17	3	1	1	1	0	0	56	98.25	51	89.47	6	10.53	29.5	34		
1300	63	0	0	0	1	12	18	28	2	1	1	0	0	0	62	98.41	55	87.3	4	6.349	29.5	33.1		
1400	49	0	0	0	2	14	12	17	2	2	0	0	0	0	47	95.92	39	79.59	4	8.163	28.2	33.3		
1500	63	0	0	0	0	17	21	13	9	2	1	0	0	0	63	100	48	76.19	12	19.05	29.3	36.7		
1600	86	0	0	1	1	16	27	30	8	3	0	0	0	0	84	97.67	73	84.88	11	12.79	29.4	34.3		
1700	88	0	0	0	1	16	27	23	9	7	3	0	1	1	87	98.86	78	88.64	21	23.86	31.4	39		
1800	70	0	0	0	1	4	36	18	10	1	0	0	0	0	69	98.57	66	94.29	11	15.71	29.9	35.3		
1900	52	0	0	0	1	5	18	18	8	2	0	0	0	0	51	98.08	48	92.31	10	19.23	30.5	35.6		
2000	25	0	0	0	3	1	13	4	3	1	0	0	0	0	22	88	21	84	4	16	29.2	38.1		
2100	10	0	0	0	0	1	5	3	1	0	0	0	0	0	10	100	9	90	1	10	29.8	-		
2200	4	0	0	0	0	0	2	0	2	0	0	0	0	0	4	100	4	100	2	50	32.2	-		
2300	4	0	0	0	0	2	0	1	1	0	0	0	0	0	4	100	3	75	1	25	28.9	-		
07-19	913	1	0	1	19	149	328	286	85	33	8	1	1	1	892	97.7	790	86.53	129	14.13	29.7	34.8		
06-22	1020	1	0	1	24	157	369	318	102	36	9	1	1	1	994	97.45	887	86.96	150	14.71	29.8	34.9		
06-00	1028	1	0	1	24	159	371	319	105	36	9	1	1	1	1002	97.47	894	86.96	153	14.88	29.8	35		
00-00	1038	1	0	1	24	160	375	322	105	38	9	1	1	1	1012	97.5	903	86.99	155	14.93	29.8	35		

SS1772 Skewen										Site	2	Location Crymlyn Road - No 2 (51.65377, -3.86687)													
01 April 2025					to					07 April 2025					Direction Westbound					Speed Limit (PSL)		ACPO (SL1)		DfT (SL2)	
Time Period	Total Vehicles	Speed Bins										20		20	24	24	35	35	Mean Speed	85%ile Speed					
		0 5	5 10	10 15	15 20	20 25	25 30	30 35	35 40	40 45	45 50	50 55	55 60	60 130	ACPO	ACPO	DFT	DFT							
03 April 2025																									
0000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-				
0100	1	0	0	0	0	0	0	1	0	0	0	0	0	0	1	100	1	100	0	0	33.5	-			
0200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-				
0300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-				
0400	2	0	0	0	0	0	0	0	1	1	0	0	0	0	2	100	2	100	2	100	40.1	-			
0500	9	0	0	0	0	4	1	2	2	0	0	0	0	0	9	100	6	66.67	2	22.22	28.7	-			
0600	17	0	0	1	1	0	5	6	3	0	1	0	0	0	15	88.24	15	88.24	4	23.53	30.5	36.6			
0700	99	0	0	0	2	10	33	32	20	0	2	0	0	0	97	97.98	88	88.89	22	22.22	30.7	36.1			
0800	164	0	0	0	3	27	73	45	13	2	1	0	0	0	161	98.17	141	85.98	16	9.756	29	33.3			
0900	84	0	0	0	3	13	32	21	12	3	0	0	0	0	81	96.43	72	85.71	15	17.86	29.3	35.7			
1000	55	0	0	0	4	6	16	24	4	0	1	0	0	0	51	92.73	48	87.27	5	9.091	29.3	34.1			
1100	52	0	0	0	2	11	19	13	3	4	0	0	0	0	50	96.15	42	80.77	7	13.46	28.6	34.6			
1200	71	0	0	0	2	11	29	15	10	3	1	0	0	0	69	97.18	63	88.73	14	19.72	29.9	36.1			
1300	54	0	0	0	0	7	25	11	7	2	1	1	0	0	54	100	49	90.74	11	20.37	30.4	36.7			
1400	59	0	0	0	4	8	21	20	5	1	0	0	0	0	55	93.22	49	83.05	6	10.17	28.6	32.7			
1500	71	0	0	0	2	12	29	20	8	0	0	0	0	0	69	97.18	60	84.51	8	11.27	28.7	33			
1600	85	0	0	1	2	13	27	24	15	2	1	0	0	0	82	96.47	71	83.53	18	21.18	30	36.8			
1700	92	0	0	0	1	13	35	31	9	3	0	0	0	0	91	98.91	81	88.04	12	13.04	29.9	34.9			
1800	63	0	0	1	2	13	18	21	6	1	1	0	0	0	60	95.24	51	80.95	8	12.7	28.7	34.3			
1900	36	0	0	0	1	3	11	7	5	5	3	1	0	0	35	97.22	32	88.89	14	38.89	33.2	41.7			
2000	23	0	0	0	3	2	8	8	2	0	0	0	0	0	20	86.96	20	86.96	2	8.696	28.5	33.9			
2100	14	0	0	0	0	5	4	3	2	0	0	0	0	0	14	100	10	71.43	2	14.29	28	35.8			
2200	5	0	0	0	0	0	3	2	0	0	0	0	0	0	5	100	5	100	0	0	30.4	-			
2300	6	0	0	0	1	0	1	2	1	1	0	0	0	0	5	83.33	5	83.33	2	33.33	32.3	-			
07-19	949	0	0	2	27	144	357	277	112	21	8	1	0	0	920	96.94	815	85.88	142	14.96	29.5	35			
06-22	1039	0	0	3	32	154	385	301	124	26	12	2	0	0	1004	96.63	892	85.85	164	15.78	29.6	35.2			
06-00	1050	0	0	3	33	154	389	305	125	27	12	2	0	0	1014	96.57	902	85.9	166	15.81	29.6	35.2			
00-00	1062	0	0	3	33	158	390	308	128	28	12	2	0	0	1026	96.61	911	85.78	170	16.01	29.6	35.3			

SS1772 Skewen										Site 2		Location Crymlyn Road - No 2 (51.65377, -3.86687)										
01 April 2025					to					07 April 2025					Direction		Westbound					
Time Period	Total Vehicles	Speed Bins										Speed Limit (PSL)		ACPO (SL1)		DfT (SL2)		Mean Speed	85%ile Speed			
		0 5	5 10	10 15	15 20	20 25	25 30	30 35	35 40	40 45	45 50	50 55	55 60	60 130	20	20	24 ACPO			24 ACPO	35 DFT	35 DFT
04 April 2025																						
0000	1	0	0	0	0	1	0	0	0	0	0	0	0	0	1	100	0	0	0	0	23	-
0100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-
0200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-
0300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-
0400	2	0	0	0	0	0	0	1	0	1	0	0	0	0	2	100	2	100	1	50	36.8	-
0500	13	0	0	0	0	4	5	3	1	0	0	0	0	0	13	100	10	76.92	1	7.692	27.9	33.2
0600	20	0	0	1	2	3	7	3	3	1	0	0	0	0	17	85	14	70	4	20	28.3	35.8
0700	92	0	0	0	2	10	33	32	12	1	2	0	0	0	90	97.83	82	89.13	15	16.3	30.3	35.3
0800	142	0	0	0	5	25	41	45	19	6	1	0	0	0	137	96.48	121	85.21	26	18.31	29.8	35.9
0900	85	0	0	0	0	15	38	25	5	2	0	0	0	0	85	100	75	88.24	7	8.235	29.2	32.3
1000	57	0	0	0	2	13	24	12	5	1	0	0	0	0	55	96.49	46	80.7	6	10.53	28.3	34.6
1100	67	0	0	2	6	14	23	16	4	2	0	0	0	0	59	88.06	50	74.63	6	8.955	27.2	33
1200	56	0	0	0	0	6	18	20	8	2	1	1	0	0	56	100	53	94.64	12	21.43	31.3	35.9
1300	60	0	0	0	0	11	22	16	8	3	0	0	0	0	60	100	54	90	11	18.33	30.1	35.8
1400	96	0	0	0	5	13	45	26	7	0	0	0	0	0	91	94.79	81	84.38	7	7.292	28.4	32.2
1500	110	0	1	2	10	17	35	33	9	3	0	0	0	0	97	88.18	85	77.27	12	10.91	28.1	34.4
1600	104	0	0	0	0	6	48	34	6	8	1	0	1	0	104	100	100	96.15	16	15.38	31.2	35.9
1700	159	0	0	0	5	20	65	46	15	6	2	0	0	0	154	96.86	141	88.68	23	14.47	29.8	34.9
1800	147	0	0	1	1	22	58	42	18	3	2	0	0	0	145	98.64	130	88.44	23	15.65	29.8	35
1900	43	0	0	0	3	7	16	10	3	3	0	1	0	0	40	93.02	35	81.4	7	16.28	29.7	35.5
2000	22	0	0	0	0	6	7	6	1	2	0	0	0	0	22	100	17	77.27	3	13.64	29.4	35.6
2100	20	0	0	0	2	4	7	4	2	0	0	0	1	0	18	90	15	75	3	15	29.1	35.1
2200	9	0	0	0	0	0	2	5	2	0	0	0	0	0	9	100	9	100	2	22.22	33	-
2300	13	0	0	0	1	2	6	1	1	1	0	1	0	0	12	92.31	11	84.62	3	23.08	29.9	42.5
07-19	1175	0	1	5	36	172	450	347	116	37	9	1	1	0	1133	96.43	1018	86.64	164	13.96	29.5	34.7
06-22	1280	0	1	6	43	192	487	370	125	43	9	2	2	0	1230	96.09	1099	85.86	181	14.14	29.5	34.7
06-00	1302	0	1	6	44	194	495	376	128	44	9	3	2	0	1251	96.08	1119	85.94	186	14.29	29.5	34.7
00-00	1318	0	1	6	44	199	500	380	129	45	9	3	2	0	1267	96.13	1131	85.81	188	14.26	29.5	34.7



SS1772 Skewen										Site 2		Location Crymlyn Road - No 2 (51.65377, -3.86687)												
01 April 2025					to					07 April 2025					Direction Westbound		Speed Limit (PSL)		ACPO (SL1)		DfT (SL2)		Mean Speed	85%ile Speed
Time Period	Total Vehicles	0 5	5 10	10 15	15 20	20 25	25 30	30 35	35 40	40 45	45 50	50 55	55 60	60 130	20	20	24 ACPO	24 ACPO	35 DFT	35 DFT				
05 April 2025																								
0000	1	0	0	0	0	1	0	0	0	0	0	0	0	0	1	100	0	0	0	0	23.5	-		
0100	4	0	0	0	0	1	2	0	1	0	0	0	0	0	4	100	3	75	1	25	29.2	-		
0200	3	0	0	0	0	1	1	1	0	0	0	0	0	0	3	100	3	100	0	0	28.7	-		
0300	3	0	0	0	0	1	2	0	0	0	0	0	0	0	3	100	2	66.67	0	0	25.2	-		
0400	1	0	0	0	0	0	0	0	0	1	0	0	0	0	1	100	1	100	1	100	44.8	-		
0500	4	0	0	0	0	0	1	2	0	1	0	0	0	0	4	100	4	100	1	25	33.5	-		
0600	12	0	0	0	0	1	4	4	1	2	0	0	0	0	12	100	11	91.67	3	25	31.1	41.3		
0700	18	0	0	0	0	2	2	10	4	0	0	0	0	0	18	100	17	94.44	4	22.22	32.4	36.9		
0800	54	0	0	0	4	5	19	17	8	1	0	0	0	0	50	92.59	47	87.04	9	16.67	29.7	35.7		
0900	60	0	0	0	3	10	22	13	10	2	0	0	0	0	57	95	50	83.33	12	20	29.4	37.1		
1000	75	0	0	0	1	11	33	24	6	0	0	0	0	0	74	98.67	67	89.33	6	8	29.1	33.8		
1100	100	0	0	0	3	9	39	31	12	5	1	0	0	0	97	97	92	92	18	18	30.3	36.4		
1200	90	0	0	0	1	10	34	25	15	3	2	0	0	0	89	98.89	83	92.22	20	22.22	30.9	36.2		
1300	132	0	0	0	7	28	48	40	7	1	0	1	0	0	125	94.7	105	79.55	9	6.818	28.3	33.6		
1400	118	0	0	0	4	10	52	38	12	1	0	1	0	0	114	96.61	106	89.83	14	11.86	29.5	33.5		
1500	61	0	0	1	1	6	22	23	7	1	0	0	0	0	59	96.72	56	91.8	8	13.11	30.2	34.9		
1600	61	0	0	0	1	6	22	23	8	1	0	0	0	0	60	98.36	58	95.08	9	14.75	30.4	35.1		
1700	80	0	0	0	1	10	32	29	8	0	0	0	0	0	79	98.75	73	91.25	8	10	29.7	34.2		
1800	44	0	0	1	0	5	24	10	1	1	0	2	0	0	43	97.73	39	88.64	4	9.091	29.4	33.7		
1900	32	0	0	0	0	3	9	16	2	2	0	0	0	0	32	100	31	96.88	4	12.5	31	35		
2000	16	0	0	0	0	3	3	7	2	0	0	0	0	1	16	100	14	87.5	3	18.75	32.3	36.5		
2100	18	0	0	0	0	2	7	6	2	0	1	0	0	0	18	100	17	94.44	3	16.67	31.1	36.7		
2200	14	0	0	0	0	3	5	4	1	1	0	0	0	0	14	100	12	85.71	2	14.29	29.5	35.5		
2300	7	0	0	0	0	2	2	1	1	1	0	0	0	0	7	100	6	85.71	2	28.57	30.7	-		
07-19	893	0	0	2	26	112	349	283	98	16	3	4	0	0	865	96.86	793	88.8	121	13.55	29.7	34.8		
06-22	971	0	0	2	26	121	372	316	105	20	4	4	0	1	943	97.12	866	89.19	134	13.8	29.8	34.9		
06-00	992	0	0	2	26	126	379	321	107	22	4	4	0	1	964	97.18	884	89.11	138	13.91	29.8	34.9		
00-00	1008	0	0	2	26	130	385	324	108	24	4	4	0	1	980	97.22	897	88.99	141	13.99	29.9	34.9		

SS1772 Skewen										Site 2		Location Crymlyn Road - No 2 (51.65377, -3.86687)										
01 April 2025					to					07 April 2025					Direction		Westbound					
Time Period	Total Vehicles	Speed Bins										Speed Limit (PSL)		ACPO (SL1)		DfT (SL2)		Mean Speed	85%ile Speed			
		0 5	5 10	10 15	15 20	20 25	25 30	30 35	35 40	40 45	45 50	50 55	55 60	60 130	20	20	24 ACPO			24 ACPO	35 DFT	35 DFT
06 April 2025																						
0000	4	0	0	0	0	2	2	0	0	0	0	0	0	0	4	100	3	75	0	0	24.7	-
0100	7	0	0	0	0	2	3	2	0	0	0	0	0	0	7	100	5	71.43	0	0	27.3	-
0200	2	0	0	0	0	0	0	2	0	0	0	0	0	0	2	100	2	100	0	0	31.5	-
0300	1	0	0	0	0	1	0	0	0	0	0	0	0	0	1	100	0	0	0	0	21.1	-
0400	1	0	0	0	0	0	0	0	0	1	0	0	0	0	1	100	1	100	1	100	41.9	-
0500	4	0	0	0	0	0	2	0	1	0	1	0	0	0	4	100	4	100	2	50	36.2	-
0600	9	0	0	0	0	1	3	3	1	0	1	0	0	0	9	100	8	88.89	2	22.22	32	-
0700	15	0	0	0	0	0	4	6	5	0	0	0	0	0	15	100	15	100	5	33.33	32.5	36.8
0800	20	0	0	0	1	5	4	5	3	2	0	0	0	0	19	95	16	80	5	25	30.6	39.7
0900	46	0	0	0	0	6	13	19	6	2	0	0	0	0	46	100	45	97.83	8	17.39	30.9	35.4
1000	106	0	0	0	6	23	49	20	6	2	0	0	0	0	100	94.34	88	83.02	8	7.547	27.5	31.8
1100	70	0	0	0	5	10	30	19	6	0	0	0	0	0	65	92.86	59	84.29	6	8.571	28.1	34.2
1200	86	0	0	3	3	17	35	24	4	0	0	0	0	0	80	93.02	69	80.23	4	4.651	27.7	32.9
1300	87	0	0	0	4	15	38	29	0	1	0	0	0	0	83	95.4	74	85.06	1	1.149	28.2	32.9
1400	62	0	0	0	3	10	23	18	7	1	0	0	0	0	59	95.16	53	85.48	8	12.9	29	34.7
1500	75	0	0	1	0	8	27	29	9	1	0	0	0	0	74	98.67	68	90.67	10	13.33	30	34.6
1600	72	0	0	0	1	10	24	26	11	0	0	0	0	0	71	98.61	64	88.89	11	15.28	30.2	35.3
1700	47	0	0	0	1	8	17	17	3	1	0	0	0	0	46	97.87	40	85.11	4	8.511	28.9	32.8
1800	31	0	0	0	3	8	14	3	3	0	0	0	0	0	28	90.32	25	80.65	3	9.677	27.5	32.7
1900	26	0	0	0	0	3	11	7	4	1	0	0	0	0	26	100	24	92.31	5	19.23	30.6	36.8
2000	25	0	0	0	1	4	9	7	2	1	1	0	0	0	24	96	22	88	4	16	30	36
2100	8	0	0	0	0	4	2	1	1	0	0	0	0	0	8	100	4	50	1	12.5	26.4	-
2200	6	0	0	0	0	3	1	2	0	0	0	0	0	0	6	100	4	66.67	0	0	26.8	-
2300	2	0	0	0	0	1	0	1	0	0	0	0	0	0	2	100	1	50	0	0	28.7	-
07-19	717	0	0	4	27	120	278	215	63	10	0	0	0	0	686	95.68	616	85.91	73	10.18	28.8	33.8
06-22	785	0	0	4	28	132	303	233	71	12	2	0	0	0	753	95.92	674	85.86	85	10.83	28.9	33.9
06-00	793	0	0	4	28	136	304	236	71	12	2	0	0	0	761	95.96	679	85.62	85	10.72	28.9	33.9
00-00	812	0	0	4	28	141	311	240	72	13	3	0	0	0	780	96.06	694	85.47	88	10.84	28.9	33.9

SS1772 Skewen										Site 2		Location Crymlyn Road - No 2 (51.65377, -3.86687)												
01 April 2025					to					07 April 2025					Direction		Westbound							
Time Period	Total Vehicles	Speed Bins										Speed Limit (PSL)		ACPO (SL1)		DfT (SL2)		Mean Speed	85%ile Speed					
		0 5	5 10	10 15	15 20	20 25	25 30	30 35	35 40	40 45	45 50	50 55	55 60	60 130	20	20	24 ACPO			24 ACPO	35 DFT	35 DFT		
07 April 2025																								
0000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-			
0100	1	0	0	0	0	0	0	1	0	0	0	0	0	0	1	100	1	100	0	0	32	-		
0200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-			
0300	1	0	0	0	0	1	0	0	0	0	0	0	0	0	1	100	0	0	0	0	22.3	-		
0400	1	0	0	0	0	0	0	0	0	1	0	0	0	0	1	100	1	100	1	100	43.1	-		
0500	10	0	0	0	1	0	2	2	1	3	1	0	0	0	9	90	9	90	5	50	34	-		
0600	16	0	0	1	1	2	4	5	3	0	0	0	0	0	14	87.5	13	81.25	3	18.75	28.5	36.7		
0700	92	0	0	0	0	5	27	45	10	4	1	0	0	0	92	100	89	96.74	15	16.3	31.4	35.4		
0800	160	0	0	0	5	29	62	52	10	2	0	0	0	0	155	96.88	139	86.88	12	7.5	28.7	33.2		
0900	64	0	0	0	0	16	20	13	13	2	0	0	0	0	64	100	55	85.94	15	23.44	29.8	36.5		
1000	48	0	0	0	2	15	15	10	4	2	0	0	0	0	46	95.83	37	77.08	6	12.5	28.1	34.6		
1100	54	0	0	0	2	12	18	13	7	2	0	0	0	0	52	96.3	46	85.19	9	16.67	28.7	35.4		
1200	54	0	0	0	4	10	19	15	4	2	0	0	0	0	50	92.59	42	77.78	6	11.11	28.4	34.6		
1300	52	0	0	0	5	16	17	11	1	2	0	0	0	0	47	90.38	35	67.31	3	5.769	27	33.5		
1400	44	0	0	1	5	7	13	12	3	2	1	0	0	0	38	86.36	34	77.27	6	13.64	28.4	34.8		
1500	72	0	0	0	2	5	25	27	8	4	0	0	1	0	70	97.22	66	91.67	13	18.06	30.9	36.4		
1600	75	0	0	0	0	12	26	27	8	2	0	0	0	0	75	100	65	86.67	10	13.33	29.8	34.3		
1700	79	0	1	0	2	9	30	28	8	0	1	0	0	0	76	96.2	71	89.87	9	11.39	29.6	34		
1800	50	0	0	0	0	6	23	14	6	0	1	0	0	0	50	100	45	90	7	14	29.5	34.3		
1900	38	0	0	0	0	1	21	11	4	1	0	0	0	0	38	100	37	97.37	5	13.16	30.5	34.9		
2000	16	0	0	0	1	3	5	7	0	0	0	0	0	0	15	93.75	13	81.25	0	0	28.5	34.1		
2100	8	0	0	0	0	0	2	5	0	1	0	0	0	0	8	100	8	100	1	12.5	32.3	-		
2200	4	0	0	0	0	2	1	0	1	0	0	0	0	0	4	100	3	75	1	25	28	-		
2300	3	0	0	0	0	0	1	2	0	0	0	0	0	0	3	100	3	100	0	0	31.3	-		
07-19	844	0	1	1	27	142	295	267	82	24	4	0	1	0	815	96.56	724	85.78	111	13.15	29.3	34.4		
06-22	922	0	1	2	29	148	327	295	89	26	4	0	1	0	890	96.53	795	86.23	120	13.02	29.4	34.4		
06-00	929	0	1	2	29	150	329	297	90	26	4	0	1	0	897	96.56	801	86.22	121	13.02	29.4	34.4		
00-00	942	0	1	2	30	151	331	300	91	30	5	0	1	0	909	96.5	812	86.2	127	13.48	29.4	34.6		

SS1772 Skewen										Site 2		Location Crymlyn Road - No 2 (51.65377, -3.86687)										
01 April 2025					to					07 April 2025					Direction		Westbound					
Time Period	Total Vehicles	Speed Bins										Speed Limit (PSL)		ACPO (SL1)		DfT (SL2)		Mean Speed	85%ile Speed			
		0 5	5 10	10 15	15 20	20 25	25 30	30 35	35 40	40 45	45 50	50 55	55 60	60 130	20	20	24 ACPO			24 ACPO	35 DFT	35 DFT
Average Day																						
0000	1	0	0	0	0	1	0	0	0	0	0	0	0	0	1	100	1	57.14	0	0	24.4	-
0100	2	0	0	0	0	0	1	1	0	0	0	0	0	0	2	100	1	76.92	0	7.692	28.7	-
0200	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	83.33	1	83.33	0	0	27.9	-
0300	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	100	0	50	0	0	24.5	-
0400	1	0	0	0	0	0	0	0	0	1	0	0	0	0	1	100	1	100	1	87.5	41.1	-
0500	9	0	0	0	0	1	3	2	1	1	0	0	0	0	8	98.33	7	86.67	2	28.33	31.4	-
0600	16	0	0	0	1	2	5	5	3	1	0	0	0	0	15	92.98	14	84.21	4	23.68	30.3	36.7
0700	75	0	0	0	1	7	25	29	10	2	1	0	0	0	73	98.47	68	91.76	13	17.62	30.8	35.5
0800	121	0	0	0	3	18	43	40	12	3	1	0	0	0	118	97.05	106	87.26	16	13.21	29.6	34.4
0900	69	0	0	0	1	11	26	19	9	2	0	0	0	0	68	98.14	61	87.81	12	16.74	29.7	35.5
1000	64	0	0	0	3	13	26	16	5	1	0	0	0	0	61	94.89	53	82.67	6	9.556	28.4	33.7
1100	66	0	0	0	4	12	25	17	6	2	0	0	0	0	62	94.18	54	82.11	8	12.07	28.5	34.1
1200	67	0	0	1	2	10	27	18	7	2	1	0	0	0	65	96.79	58	86.97	10	14.32	29.5	34.9
1300	72	0	0	0	3	15	28	21	4	2	0	0	0	0	70	96.25	60	83	6	8.103	28.6	33.3
1400	68	0	0	0	4	10	27	21	6	1	0	0	0	0	65	94.57	58	85.18	8	11.06	28.9	33.7
1500	74	0	0	1	2	10	26	23	8	2	0	0	0	0	70	95.73	63	85.44	11	14.37	29.5	34.9
1600	80	0	0	0	1	10	29	27	10	3	0	0	0	0	79	98.76	72	89.52	13	15.99	30.3	35.4
1700	89	0	0	0	2	12	32	30	9	3	1	0	0	0	87	97.59	79	88.75	13	14.31	30.1	34.9
1800	65	0	0	0	1	9	27	18	7	1	1	0	0	0	63	97.35	57	87.83	9	13.94	29.5	34.8
1900	37	0	0	0	1	4	14	11	4	2	0	0	0	0	36	97.28	33	90.66	7	19.07	30.6	35.9
2000	21	0	0	0	2	3	8	6	1	1	0	0	0	0	19	90.67	18	82	3	12	29.1	34.8
2100	14	0	0	0	1	3	5	4	2	0	0	0	0	0	14	96.04	12	80.2	2	14.85	29.2	35.1
2200	7	0	0	0	0	1	2	2	1	0	0	0	0	0	7	100	6	87.5	1	14.58	29.8	-
2300	5	0	0	0	0	1	2	1	1	0	0	0	0	0	5	94.59	4	83.78	1	21.62	30.3	-
07-19	910	0	0	3	27	137	342	278	92	23	6	1	1	0	881	96.74	789	86.69	123	13.51	29.5	34.6
06-22	999	0	0	3	31	149	373	304	102	27	7	2	1	0	965	96.55	865	86.6	139	13.87	29.5	34.8
06-00	1011	0	0	3	31	151	377	308	104	27	7	2	1	0	977	96.57	876	86.6	141	13.91	29.5	34.8
00-00	1026	0	0	3	31	154	382	311	105	29	7	2	1	0	991	96.59	888	86.53	144	14.07	29.6	34.8

SS1772 Skewen										Site	2	Location										Crymlyn Road - No 2 (51.65377, -3.86687)					
01 April 2025					to					07 April 2025					Direction		Westbound										
Time Period	Total Vehicles	Speed Bins										Speed Limit (PSL)		ACPO (SL1)		DfT (SL2)		Mean Speed	85%ile Speed								
		0 5	5 10	10 15	15 20	20 25	25 30	30 35	35 40	40 45	45 50	50 55	55 60	60 130	20	20	24 ACPO			24 ACPO	35 DFT	35 DFT					
Virtual Week																											
Mon	942	0	1	2	30	151	331	300	91	30	5	0	1	0	909	96.5	812	86.2	127	13.48	29.4	34.6					
Tue	1000	0	0	6	33	137	379	304	102	26	10	2	1	0	961	96.1	865	86.5	141	14.1	29.7	34.8					
Wed	1038	1	0	1	24	160	375	322	105	38	9	1	1	1	1012	97.5	903	86.99	155	14.93	29.8	35					
Thu	1062	0	0	3	33	158	390	308	128	28	12	2	0	0	1026	96.61	911	85.78	170	16.01	29.6	35.3					
Fri	1318	0	1	6	44	199	500	380	129	45	9	3	2	0	1267	96.13	1131	85.81	188	14.26	29.5	34.7					
Sat	1008	0	0	2	26	130	385	324	108	24	4	4	0	1	980	97.22	897	88.99	141	13.99	29.9	34.9					
Sun	812	0	0	4	28	141	311	240	72	13	3	0	0	0	780	96.06	694	85.47	88	10.84	28.9	33.9					
5 Day Average																											
[--]	1072	0	0	4	33	161	395	323	111	33	9	2	1	0	1035	96.5	924	86.2	156	14.6	29.6	34.9					
7 Day Average																											
[--]	1026	0	0	3	31	154	382	311	105	29	7	2	1	0	991	96.6	888	86.5	144	14.0	29.6	34.8					
Total Vehicles																											
[--]	7180	1	2	24	218	1076	2671	2178	735	204	52	12	5	2	6935	96.6	6213	86.5	1010	14.1	29.6	34.8					




Job Number & Title: **SS1772 Skewen**

Site Location: Crymlyn Road - No 1

Survey Date: 01 April 2025

Site Location Plan



SS1772 Skewen																	
APRIL 2025						Posted Speed Limit (PSL)	Total Vehicles	5 Day Ave.	7 Day Ave.	Posted Speed Limit (PSL)		110%(PSL) + 2 (SL1)		DfT PSL+15 (SL2)		Mean Speed	85%ile Speed
Site	Location	Lat / Long	Direction	Start Date	End Date					>PSL	>PSL%	>SL1	>SL1%	>SL2	>SL2%		
1	Crymlyn Road - No 1	51.65671, - 3.85543	Northbound	01 April 2025	07 April 2025	20	10041	1592	1434	6627	66.0	2822	28.1	49	0.5	21.8	26.1
			Southbound	01 April 2025	07 April 2025		14070	2141	2010	8758	62.3	2832	20.1	21	0.1	21.2	24.8
			Two-Way	01 April 2025	07 April 2025		24111	3733	3444	15385	64	5654	23	70	0	22	25



SS1772 Skewen										Site	1	Location										Crymlyn Road - No 1 (51.65671, -3.85543)							
01 April 2025					to					07 April 2025					Direction					Northbound									
										Speed Bins					Speed Limit (PSL)					ACPO (SL1)		DfT (SL2)							
Time Period	Total Vehicles	0 5	5 10	10 15	15 20	20 25	25 30	30 35	35 40	40 45	45 50	50 55	55 60	60 130	20	20	24 ACPO	24 ACPO	35 DFT	35 DFT	Mean Speed	85%ile Speed							
01 April 2025																													
0000	4	0	0	0	0	1	3	0	0	0	0	0	0	0	4	100	4	100	0	0	26.1	-							
0100	1	0	0	0	0	0	0	1	0	0	0	0	0	0	1	100	1	100	0	0	31.4	-							
0200	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	14.4	-							
0300	2	0	0	0	1	1	0	0	0	0	0	0	0	0	1	50	1	50	0	0	21.8	-							
0400	5	0	0	0	0	1	3	1	0	0	0	0	0	0	5	100	4	80	0	0	27.4	-							
0500	39	0	0	2	5	11	15	3	2	1	0	0	0	0	32	82.05	26	66.67	3	7.692	25.3	31.5							
0600	58	0	0	2	7	23	21	4	1	0	0	0	0	0	49	84.48	30	51.72	1	1.724	24.4	29.4							
0700	183	0	0	9	31	84	51	7	0	0	1	0	0	0	143	78.14	72	39.34	1	0.546	22.9	27.2							
0800	290	0	0	24	101	111	49	4	1	0	0	0	0	0	165	56.9	71	24.48	1	0.345	21.1	25.4							
0900	133	0	0	2	36	72	19	4	0	0	0	0	0	0	95	71.43	32	24.06	0	0	21.8	25.8							
1000	118	0	2	11	38	46	17	4	0	0	0	0	0	0	67	56.78	27	22.88	0	0	20.9	25.6							
1100	96	0	1	7	22	42	20	4	0	0	0	0	0	0	66	68.75	33	34.38	0	0	22	26.6							
1200	111	0	0	8	43	45	12	3	0	0	0	0	0	0	60	54.05	23	20.72	0	0	20.9	24.7							
1300	134	0	0	3	50	60	14	6	1	0	0	0	0	0	81	60.45	27	20.15	1	0.746	21.3	25.4							
1400	166	0	3	14	54	64	29	1	1	0	0	0	0	0	95	57.23	39	23.49	1	0.602	20.8	25.8							
1500	162	0	0	12	58	67	22	3	0	0	0	0	0	0	92	56.79	44	27.16	0	0	21	25.1							
1600	227	0	1	18	100	85	22	0	1	0	0	0	0	0	108	47.58	33	14.54	1	0.441	19.9	23.8							
1700	267	0	3	34	135	79	16	0	0	0	0	0	0	0	95	35.58	28	10.49	0	0	18.8	23.5							
1800	179	0	0	8	71	69	26	5	0	0	0	0	0	0	100	55.87	41	22.91	0	0	21	25.5							
1900	100	0	0	9	47	38	3	3	0	0	0	0	0	0	44	44	9	9	0	0	19.9	23.4							
2000	58	0	0	4	20	23	7	3	1	0	0	0	0	0	34	58.62	14	24.14	1	1.724	21.6	26.1							
2100	40	0	1	1	9	19	9	1	0	0	0	0	0	0	29	72.5	12	30	0	0	22	27.3							
2200	13	0	0	0	1	7	5	0	0	0	0	0	0	0	12	92.31	6	46.15	0	0	24	28.9							
2300	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	18.4	-							
07-19	2066	0	10	150	739	824	297	41	4	0	1	0	0	0	1167	56.49	470	22.75	5	0.242	20.9	25.3							
06-22	2322	0	11	166	822	927	337	52	6	0	1	0	0	0	1323	56.98	535	23.04	7	0.301	21	25.4							
06-00	2336	0	11	166	824	934	342	52	6	0	1	0	0	0	1335	57.15	541	23.16	7	0.3	21	25.4							
00-00	2388	0	11	169	830	948	363	57	8	1	1	0	0	0	1378	57.71	577	24.16	10	0.419	21.1	25.6							

SS1772 Skewen										Site	1	Location										Crymlyn Road - No 1 (51.65671, -3.85543)																			
01 April 2025					to					07 April 2025					Direction		Northbound					Speed Limit		ACPO (SL1)		DfT (SL2)															
										Speed Bins										(PSL)																					
Time Period	Total Vehicles	0 5	5 10	10 15	15 20	20 25	25 30	30 35	35 40	40 45	45 50	50 55	55 60	60 130	20	20	24 ACPO	24 ACPO	35 DFT	35 DFT	Mean Speed	85%ile Speed																			
02 April 2025																																									
0000	6	0	0	0	1	2	2	0	0	1	0	0	0	0	5	83.33	3	50	1	16.67	26.1	-																			
0100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-																			
0200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-																			
0300	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	14.5	-																			
0400	7	0	0	0	1	1	4	1	0	0	0	0	0	0	6	85.71	5	71.43	0	0	24.8	-																			
0500	29	0	1	1	2	12	7	2	3	1	0	0	0	0	25	86.21	15	51.72	4	13.79	25.2	35.4																			
0600	59	0	0	0	10	17	26	5	1	0	0	0	0	0	49	83.05	36	61.02	1	1.695	25.2	29.8																			
0700	189	0	1	14	44	82	39	9	0	0	0	0	0	0	130	68.78	64	33.86	0	0	22	26.5																			
0800	307	0	7	19	89	147	38	7	0	0	0	0	0	0	192	62.54	57	18.57	0	0	20.8	24.8																			
0900	125	0	0	8	46	46	20	4	1	0	0	0	0	0	71	56.8	34	27.2	1	0.8	21.3	26.3																			
1000	98	0	2	3	33	44	13	3	0	0	0	0	0	0	60	61.22	22	22.45	0	0	21.2	25.3																			
1100	124	0	0	7	46	48	21	2	0	0	0	0	0	0	71	57.26	34	27.42	0	0	21.1	25.3																			
1200	128	0	1	4	43	56	24	0	0	0	0	0	0	0	80	62.5	35	27.34	0	0	21.5	26.2																			
1300	111	0	1	6	31	55	14	4	0	0	0	0	0	0	73	65.77	29	26.13	0	0	21.6	25.6																			
1400	180	0	1	14	79	64	20	1	0	1	0	0	0	0	86	47.78	35	19.44	1	0.556	20.1	24.7																			
1500	189	1	2	19	83	66	17	1	0	0	0	0	0	0	84	44.44	28	14.81	0	0	19.4	24																			
1600	143	0	0	18	71	42	12	0	0	0	0	0	0	0	54	37.76	19	13.29	0	0	19.2	23.8																			
1700	107	0	1	6	47	42	9	2	0	0	0	0	0	0	53	49.53	19	17.76	0	0	20.3	24.6																			
1800	88	0	0	3	23	46	15	1	0	0	0	0	0	0	62	70.45	20	22.73	0	0	21.9	25.8																			
1900	49	0	0	0	11	27	10	1	0	0	0	0	0	0	38	77.55	16	32.65	0	0	22.4	25.4																			
2000	40	0	0	1	11	20	7	0	1	0	0	0	0	0	28	70	12	30	1	2.5	22.1	26.4																			
2100	24	0	0	0	3	10	9	1	1	0	0	0	0	0	21	87.5	13	54.17	1	4.167	24.7	28.3																			
2200	9	0	0	0	2	4	3	0	0	0	0	0	0	0	7	77.78	3	33.33	0	0	23	-																			
2300	5	0	0	0	1	2	1	1	0	0	0	0	0	0	4	80	2	40	0	0	24.3	-																			
07-19	1789	1	16	121	635	738	242	34	1	1	0	0	0	0	1016	56.79	396	22.14	2	0.112	20.8	25.1																			
06-22	1961	1	16	122	670	812	294	41	4	1	0	0	0	0	1152	58.75	473	24.12	5	0.255	21	25.4																			
06-00	1975	1	16	122	673	818	298	42	4	1	0	0	0	0	1163	58.89	478	24.2	5	0.253	21.1	25.4																			
00-00	2018	1	17	124	677	833	311	45	7	3	0	0	0	0	1199	59.42	501	24.83	10	0.496	21.1	25.5																			

SS1772 Skewen										Site	1	Location										Crymlyn Road - No 1 (51.65671, -3.85543)								
01 April 2025					to					07 April 2025					Direction					Northbound										
Time Period	Total Vehicles	Speed Bins															Speed Limit (PSL)		ACPO (SL1)		DfT (SL2)		Mean Speed	85%ile Speed						
		0 5	5 10	10 15	15 20	20 25	25 30	30 35	35 40	40 45	45 50	50 55	55 60	60 130	20	20	24 ACPO	24 ACPO	35 DfT	35 DfT										
03 April 2025																														
0000	2	0	0	0	1	1	0	0	0	0	0	0	0	0	1	50	0	0	0	0	20.5	-								
0100	2	0	0	0	1	1	0	0	0	0	0	0	0	0	1	50	0	0	0	0	19.9	-								
0200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-								
0300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-								
0400	2	0	0	0	0	0	2	0	0	0	0	0	0	0	2	100	2	100	0	0	26.4	-								
0500	27	0	0	0	2	10	11	2	2	0	0	0	0	0	25	92.59	18	66.67	2	7.407	26.4	31.2								
0600	40	0	0	0	6	15	16	0	3	0	0	0	0	0	34	85	22	55	3	7.5	24.8	28.9								
0700	112	0	1	1	21	46	34	9	0	0	0	0	0	0	89	79.46	49	43.75	0	0	23.7	28.5								
0800	115	0	0	0	14	71	26	4	0	0	0	0	0	0	101	87.83	41	35.65	0	0	23.5	27								
0900	49	0	0	1	7	29	9	3	0	0	0	0	0	0	41	83.67	17	34.69	0	0	23.1	26.8								
1000	55	0	0	0	8	33	14	0	0	0	0	0	0	0	47	85.45	24	43.64	0	0	23.2	26.7								
1100	50	0	0	1	7	22	13	6	1	0	0	0	0	0	42	84	21	42	1	2	24.3	29.8								
1200	47	0	0	0	7	27	10	3	0	0	0	0	0	0	40	85.11	16	34.04	0	0	23.2	26.1								
1300	64	0	0	0	17	27	20	0	0	0	0	0	0	0	47	73.44	26	40.63	0	0	22.6	26.5								
1400	82	0	0	2	25	38	16	0	1	0	0	0	0	0	55	67.07	21	25.61	1	1.22	21.7	25.5								
1500	53	0	0	2	21	21	6	3	0	0	0	0	0	0	30	56.6	14	26.42	0	0	21.1	25.9								
1600	96	1	0	2	28	53	11	1	0	0	0	0	0	0	65	67.71	20	20.83	0	0	21.3	24.9								
1700	82	0	0	2	24	47	9	0	0	0	0	0	0	0	56	68.29	19	23.17	0	0	21.5	24.7								
1800	69	0	0	1	20	36	9	3	0	0	0	0	0	0	48	69.57	14	20.29	0	0	21.8	25.6								
1900	55	0	0	1	9	24	15	3	1	2	0	0	0	0	45	81.82	26	47.27	3	5.455	24.2	29								
2000	51	0	0	0	14	24	8	5	0	0	0	0	0	0	37	72.55	17	33.33	0	0	23	27.3								
2100	27	0	0	2	4	14	4	2	1	0	0	0	0	0	21	77.78	11	40.74	1	3.704	23.2	27.8								
2200	10	0	0	0	3	4	3	0	0	0	0	0	0	0	7	70	3	30	0	0	22	-								
2300	6	0	0	0	2	4	0	0	0	0	0	0	0	0	4	66.67	1	16.67	0	0	21.9	-								
07-19	874	1	1	12	199	450	177	32	2	0	0	0	0	0	661	75.63	282	32.27	2	0.229	22.6	26.3								
06-22	1047	1	1	15	232	527	220	42	7	2	0	0	0	0	798	76.22	358	34.19	9	0.86	22.8	26.8								
06-00	1063	1	1	15	237	535	223	42	7	2	0	0	0	0	809	76.11	362	34.05	9	0.847	22.8	26.8								
00-00	1096	1	1	15	241	547	236	44	9	2	0	0	0	0	838	76.46	382	34.85	11	1.004	22.9	27								

SS1772 Skewen										Site	1	Location										Crymlyn Road - No 1 (51.65671, -3.85543)																				
01 April 2025					to					07 April 2025					Direction		Northbound					Speed Limit		ACPO (SL1)		DfT (SL2)		Mean Speed	85%ile Speed													
Time Period	Total Vehicles	Speed Bins										(PSL)								35 DFT	35 DFT																					
		0 5	5 10	10 15	15 20	20 25	25 30	30 35	35 40	40 45	45 50	50 55	55 60	60 130	20	20	24 ACPO	24 ACPO																								
04 April 2025																																										
0000	1	0	0	0	0	1	0	0	0	0	0	0	0	0	1	100	1	100	0	0	24.4	-																				
0100	2	0	0	0	0	0	1	1	0	0	0	0	0	0	2	100	2	100	0	0	29.6	-																				
0200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-																				
0300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-																				
0400	5	0	0	0	1	1	3	0	0	0	0	0	0	0	4	80	3	60	0	0	24.8	-																				
0500	19	0	0	0	3	6	6	4	0	0	0	0	0	0	16	84.21	13	68.42	0	0	25.5	31.3																				
0600	40	0	0	0	4	18	15	3	0	0	0	0	0	0	36	90	26	65	0	0	24.7	28.1																				
0700	103	0	0	2	9	49	40	3	0	0	0	0	0	0	92	89.32	50	48.54	0	0	24	27.6																				
0800	125	0	0	3	23	64	28	7	0	0	0	0	0	0	99	79.2	48	38.4	0	0	22.9	26.5																				
0900	60	0	0	2	15	29	9	5	0	0	0	0	0	0	43	71.67	21	35	0	0	22.8	26.3																				
1000	59	0	0	0	15	28	14	2	0	0	0	0	0	0	44	74.58	19	32.2	0	0	23	28.4																				
1100	63	0	0	1	9	32	20	1	0	0	0	0	0	0	53	84.13	25	39.68	0	0	23.2	26.9																				
1200	52	0	0	0	5	28	15	3	1	0	0	0	0	0	47	90.38	26	50	1	1.923	24.3	28.1																				
1300	83	0	0	4	20	46	13	0	0	0	0	0	0	0	59	71.08	16	19.28	0	0	21.5	25.5																				
1400	109	0	0	2	27	66	14	0	0	0	0	0	0	0	80	73.39	21	19.27	0	0	21.6	24.6																				
1500	104	1	0	0	40	51	12	0	0	0	0	0	0	0	63	60.58	21	20.19	0	0	21	24.6																				
1600	96	0	0	5	35	43	12	0	0	1	0	0	0	0	56	58.33	17	17.71	1	1.042	21	24.6																				
1700	117	1	1	3	52	50	10	0	0	0	0	0	0	0	60	51.28	20	17.09	0	0	20.4	24.2																				
1800	67	0	2	2	24	31	7	0	1	0	0	0	0	0	39	58.21	11	16.42	1	1.493	21	24.7																				
1900	54	0	0	2	12	28	9	1	2	0	0	0	0	0	40	74.07	19	35.19	2	3.704	22.5	25.8																				
2000	45	0	0	0	6	26	10	3	0	0	0	0	0	0	39	86.67	14	31.11	0	0	23.3	27.7																				
2100	25	0	0	0	7	14	4	0	0	0	0	0	0	0	18	72	5	20	0	0	21.7	25.3																				
2200	18	0	0	0	6	7	4	1	0	0	0	0	0	0	12	66.67	6	33.33	0	0	22.4	27.9																				
2300	10	0	0	0	3	5	2	0	0	0	0	0	0	0	7	70	3	30	0	0	21.8	-																				
07-19	1038	2	3	24	274	517	194	21	2	1	0	0	0	0	735	70.81	295	28.42	3	0.289	22.1	25.9																				
06-22	1202	2	3	26	303	603	232	28	4	1	0	0	0	0	868	72.21	359	29.87	5	0.416	22.2	26.1																				
06-00	1230	2	3	26	312	615	238	29	4	1	0	0	0	0	887	72.11	368	29.92	5	0.407	22.2	26.1																				
00-00	1257	2	3	26	316	623	248	34	4	1	0	0	0	0	910	72.39	387	30.79	5	0.398	22.3	26.3																				



SS1772 Skewen										Site	1	Location										Crymlyn Road - No 1 (51.65671, -3.85543)							
01 April 2025					to					07 April 2025					Direction		Northbound					Speed Limit		ACPO (SL1)		DfT (SL2)			
Time Period	Total Vehicles	Speed Bins										Speed Limit (PSL)		ACPO (SL1)		DfT (SL2)		Mean Speed	85%ile Speed										
		0 5	5 10	10 15	15 20	20 25	25 30	30 35	35 40	40 45	45 50	50 55	55 60	60 130	20	20	24 ACPO			24 ACPO	35 DfT	35 DfT							
05 April 2025																													
0000	5	0	0	1	2	1	0	1	0	0	0	0	0	0	2	40	1	20	0	0	21.3	-							
0100	2	0	0	0	0	1	1	0	0	0	0	0	0	0	2	100	2	100	0	0	26.6	-							
0200	3	0	0	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	15.6	-							
0300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-							
0400	2	0	0	0	0	0	1	1	0	0	0	0	0	0	2	100	2	100	0	0	30.7	-							
0500	12	0	0	0	2	5	4	1	0	0	0	0	0	0	10	83.33	7	58.33	0	0	24.4	29.3							
0600	23	0	0	0	3	9	10	1	0	0	0	0	0	0	20	86.96	11	47.83	0	0	24.2	28.9							
0700	39	0	0	0	13	9	15	1	1	0	0	0	0	0	26	66.67	20	51.28	1	2.564	23.6	28.4							
0800	82	0	0	0	18	33	24	6	1	0	0	0	0	0	64	78.05	42	51.22	1	1.22	23.8	28.3							
0900	79	1	0	0	21	29	23	4	1	0	0	0	0	0	57	72.15	33	41.77	1	1.266	22.8	27.5							
1000	86	0	0	0	21	46	16	3	0	0	0	0	0	0	65	75.58	25	29.07	0	0	22.4	26.3							
1100	63	0	0	4	18	30	9	1	1	0	0	0	0	0	41	65.08	17	26.98	1	1.587	21.3	25.7							
1200	82	0	0	1	27	38	13	3	0	0	0	0	0	0	54	65.85	23	28.05	0	0	22.2	26.3							
1300	82	1	0	0	15	42	20	3	1	0	0	0	0	0	66	80.49	28	34.15	1	1.22	23	27.7							
1400	50	0	0	0	10	35	5	0	0	0	0	0	0	0	40	80	10	20	0	0	21.8	24.6							
1500	82	0	0	3	28	34	11	4	0	1	1	0	0	0	51	62.2	24	29.27	2	2.439	22.1	25.7							
1600	64	0	1	3	23	28	8	0	0	0	1	0	0	0	37	57.81	17	26.56	1	1.563	21.3	24.8							
1700	120	0	0	2	42	58	16	2	0	0	0	0	0	0	76	63.33	22	18.33	0	0	21.5	25.1							
1800	101	0	0	5	34	50	10	2	0	0	0	0	0	0	62	61.39	17	16.83	0	0	21.1	24.3							
1900	68	0	0	1	21	29	14	2	1	0	0	0	0	0	46	67.65	23	33.82	1	1.471	22.4	27.5							
2000	44	0	0	0	17	21	6	0	0	0	0	0	0	0	27	61.36	9	20.45	0	0	21.2	25							
2100	26	0	0	1	5	15	5	0	0	0	0	0	0	0	20	76.92	5	19.23	0	0	21.7	26							
2200	23	0	0	0	12	8	2	1	0	0	0	0	0	0	11	47.83	3	13.04	0	0	21	24.9							
2300	8	0	0	0	1	5	1	1	0	0	0	0	0	0	7	87.5	3	37.5	0	0	23.5	-							
07-19	930	2	1	18	270	432	170	29	5	1	2	0	0	0	639	68.71	278	29.89	8	0.86	22.2	26.3							
06-22	1091	2	1	20	316	506	205	32	6	1	2	0	0	0	752	68.93	326	29.88	9	0.825	22.2	26.3							
06-00	1122	2	1	20	329	519	208	34	6	1	2	0	0	0	770	68.63	332	29.59	9	0.802	22.2	26.3							
00-00	1146	2	1	22	335	526	214	37	6	1	2	0	0	0	786	68.59	344	30.02	9	0.785	22.2	26.4							

SS1772 Skewen										Site	1	Location										Crymlyn Road - No 1 (51.65671, -3.85543)							
01 April 2025					to					07 April 2025					Direction		Northbound					Speed Limit		ACPO (SL1)		DfT (SL2)			
Time Period	Total Vehicles	Speed Bins										Speed Limit (PSL)		ACPO (SL1)		DfT (SL2)		Mean Speed	85%ile Speed										
		0 5	5 10	10 15	15 20	20 25	25 30	30 35	35 40	40 45	45 50	50 55	55 60	60 130	20	20	24 ACPO			24 ACPO	35 DfT	35 DfT							
06 April 2025																													
0000	6	0	0	0	2	3	1	0	0	0	0	0	0	0	4	66.67	1	16.67	0	0	21.8	-							
0100	10	0	0	0	6	2	2	0	0	0	0	0	0	0	4	40	3	30	0	0	21.7	-							
0200	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	19.9	-							
0300	2	0	0	0	0	2	0	0	0	0	0	0	0	0	2	100	1	50	0	0	23.2	-							
0400	1	0	0	0	0	1	0	0	0	0	0	0	0	0	1	100	0	0	0	0	20.6	-							
0500	6	0	0	0	1	1	3	1	0	0	0	0	0	0	5	83.33	4	66.67	0	0	26.2	-							
0600	10	0	0	0	0	5	3	2	0	0	0	0	0	0	10	100	6	60	0	0	25.7	-							
0700	22	0	0	0	1	12	7	2	0	0	0	0	0	0	21	95.45	12	54.55	0	0	24.4	27.3							
0800	37	0	0	0	4	19	13	1	0	0	0	0	0	0	33	89.19	21	56.76	0	0	24.2	26.7							
0900	80	0	0	0	15	32	29	4	0	0	0	0	0	0	65	81.25	37	46.25	0	0	23.9	27.5							
1000	77	0	0	2	14	37	20	4	0	0	0	0	0	0	61	79.22	27	35.06	0	0	23	27.5							
1100	86	0	0	3	21	48	11	3	0	0	0	0	0	0	62	72.09	19	22.09	0	0	21.9	25.2							
1200	88	1	1	1	23	48	13	1	0	0	0	0	0	0	62	70.45	18	20.45	0	0	21.5	25.4							
1300	79	0	0	1	28	44	4	2	0	0	0	0	0	0	50	63.29	11	13.92	0	0	21.1	23.8							
1400	59	0	0	1	13	26	17	1	1	0	0	0	0	0	45	76.27	25	42.37	1	1.695	23.2	27.5							
1500	37	0	0	0	12	18	7	0	0	0	0	0	0	0	25	67.57	11	29.73	0	0	21.9	25.2							
1600	43	0	1	1	13	15	13	0	0	0	0	0	0	0	28	65.12	14	32.56	0	0	21.9	25.9							
1700	48	0	1	1	16	24	5	1	0	0	0	0	0	0	30	62.5	7	14.58	0	0	21	24							
1800	72	0	0	2	19	39	11	1	0	0	0	0	0	0	51	70.83	16	22.22	0	0	21.7	25.3							
1900	77	0	0	0	25	39	13	0	0	0	0	0	0	0	52	67.53	19	24.68	0	0	22.2	26							
2000	37	0	0	0	13	15	6	3	0	0	0	0	0	0	24	64.86	13	35.14	0	0	22.6	27.4							
2100	29	0	0	1	9	11	6	2	0	0	0	0	0	0	19	65.52	13	44.83	0	0	22.6	26.4							
2200	22	0	0	0	3	11	4	3	1	0	0	0	0	0	19	86.36	9	40.91	1	4.545	24.3	33.9							
2300	5	0	0	0	1	3	1	0	0	0	0	0	0	0	4	80	2	40	0	0	22.7	-							
07-19	728	1	3	12	179	362	150	20	1	0	0	0	0	0	533	73.21	218	29.95	1	0.137	22.3	26.1							
06-22	881	1	3	13	226	432	178	27	1	0	0	0	0	0	638	72.42	269	30.53	1	0.114	22.4	26.3							
06-00	908	1	3	13	230	446	183	30	2	0	0	0	0	0	661	72.8	280	30.84	2	0.22	22.4	26.3							
00-00	934	1	3	13	240	455	189	31	2	0	0	0	0	0	677	72.48	289	30.94	2	0.214	22.4	26.3							

SS1772 Skewen										Site 1		Location Crymlyn Road - No 1 (51.65671, -3.85543)												
01 April 2025					to					07 April 2025					Direction Northbound		Speed Limit (PSL)		ACPO (SL1)		DfT (SL2)		Mean Speed	85%ile Speed
Time Period	Total Vehicles	0 5	5 10	10 15	15 20	20 25	25 30	30 35	35 40	40 45	45 50	50 55	55 60	60 130	20	20	24 ACPO	24 ACPO	35 DFT	35 DFT				
07 April 2025																								
0000	2	0	0	0	0	1	0	1	0	0	0	0	0	0	2	100	1	50	0	0	29.1	-		
0100	1	0	0	0	0	0	0	1	0	0	0	0	0	0	1	100	1	100	0	0	30.4	-		
0200	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	19.4	-		
0300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-		
0400	4	0	0	0	1	1	2	0	0	0	0	0	0	0	3	75	2	50	0	0	23.9	-		
0500	32	0	0	1	3	12	12	4	0	0	0	0	0	0	28	87.5	20	62.5	0	0	25.1	30		
0600	49	0	0	0	7	15	20	7	0	0	0	0	0	0	42	85.71	30	61.22	0	0	25.4	30.1		
0700	114	0	0	0	18	64	28	4	0	0	0	0	0	0	96	84.21	43	37.72	0	0	23.2	27.2		
0800	113	0	1	2	31	57	18	4	0	0	0	0	0	0	79	69.91	33	29.2	0	0	22	25.5		
0900	58	0	2	2	14	25	12	3	0	0	0	0	0	0	40	68.97	15	25.86	0	0	22.2	28		
1000	69	0	0	2	13	39	9	6	0	0	0	0	0	0	54	78.26	22	31.88	0	0	22.8	26.9		
1100	81	0	1	0	25	42	10	1	2	0	0	0	0	0	55	67.9	23	28.4	2	2.469	22.2	25.4		
1200	75	0	0	2	16	37	20	0	0	0	0	0	0	0	57	76	24	32	0	0	22.4	26.9		
1300	81	0	0	4	26	35	12	4	0	0	0	0	0	0	51	62.96	19	23.46	0	0	21.6	26.5		
1400	118	0	0	3	35	64	13	3	0	0	0	0	0	0	80	67.8	23	19.49	0	0	21.5	24.6		
1500	47	0	0	2	19	21	4	1	0	0	0	0	0	0	26	55.32	10	21.28	0	0	20.8	24.6		
1600	74	0	0	5	24	39	5	1	0	0	0	0	0	0	45	60.81	11	14.86	0	0	20.6	24		
1700	77	0	1	3	29	38	5	1	0	0	0	0	0	0	44	57.14	13	16.88	0	0	20.5	24.2		
1800	90	0	1	3	33	42	10	1	0	0	0	0	0	0	53	58.89	18	20	0	0	20.9	24.9		
1900	60	0	0	0	21	29	8	2	0	0	0	0	0	0	39	65	13	21.67	0	0	21.4	25.5		
2000	31	0	0	0	8	15	7	1	0	0	0	0	0	0	23	74.19	10	32.26	0	0	22.6	28.7		
2100	11	0	0	0	2	5	3	1	0	0	0	0	0	0	9	81.82	5	45.45	0	0	23.9	28.5		
2200	7	0	0	1	0	1	2	3	0	0	0	0	0	0	6	85.71	5	71.43	0	0	26.5	-		
2300	7	0	0	0	1	5	1	0	0	0	0	0	0	0	6	85.71	1	14.29	0	0	22.4	-		
07-19	997	0	6	28	283	503	146	29	2	0	0	0	0	0	680	68.2	254	25.48	2	0.201	21.8	25.6		
06-22	1148	0	6	28	321	567	184	40	2	0	0	0	0	0	793	69.08	312	27.18	2	0.174	22	26.2		
06-00	1162	0	6	29	322	573	187	43	2	0	0	0	0	0	805	69.28	318	27.37	2	0.172	22	26.2		
00-00	1202	0	6	30	327	587	201	49	2	0	0	0	0	0	839	69.8	342	28.45	2	0.166	22.1	26.4		

SS1772 Skewen										Site	1	Location										Crymlyn Road - No 1 (51.65671, -3.85543)																					
01 April 2025					to					07 April 2025					Direction		Northbound					Speed Limit		ACPO (SL1)		DfT (SL2)																	
Time Period	Total Vehicles	Speed Bins															Speed Limit (PSL)								Mean Speed	85%ile Speed																	
		0 5	5 10	10 15	15 20	20 25	25 30	30 35	35 40	40 45	45 50	50 55	55 60	60 130	20	20	24 ACPO	24 ACPO	35 DFT	35 DFT																							
Average Day																																											
0000	4	0	0	0	1	1	1	0	0	0	0	0	0	0	3	73.08	2	42.31	0	3.846	23.9	-																					
0100	3	0	0	0	1	1	1	0	0	0	0	0	0	0	2	61.11	1	50	0	0	24	-																					
0200	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	16.7	-																					
0300	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60	0	40	0	0	20.9	-																					
0400	4	0	0	0	0	1	2	0	0	0	0	0	0	0	3	88.46	3	69.23	0	0	25.6	-																					
0500	23	0	0	1	3	8	8	2	1	0	0	0	0	0	20	85.98	15	62.8	1	5.488	25.4	30.1																					
0600	40	0	0	0	5	15	16	3	1	0	0	0	0	0	34	86.02	23	57.71	1	1.792	24.9	29.3																					
0700	109	0	0	4	20	49	31	5	0	0	0	0	0	0	85	78.35	44	40.68	0	0.262	23.1	27.4																					
0800	153	0	1	7	40	72	28	5	0	0	0	0	0	0	105	68.57	45	29.28	0	0.187	21.9	25.9																					
0900	83	0	0	2	22	37	17	4	0	0	0	0	0	0	59	70.55	27	32.36	0	0.342	22.4	26.7																					
1000	80	0	1	3	20	39	15	3	0	0	0	0	0	0	57	70.82	24	29.54	0	0	22.1	26.3																					
1100	80	0	0	3	21	38	15	3	1	0	0	0	0	0	56	69.27	25	30.55	1	0.71	22.1	26.2																					
1200	83	0	0	2	23	40	15	2	0	0	0	0	0	0	57	68.61	24	28.3	0	0.172	22	26.3																					
1300	91	0	0	3	27	44	14	3	0	0	0	0	0	0	61	67.35	22	24.61	0	0.315	21.8	25.9																					
1400	109	0	1	5	35	51	16	1	0	0	0	0	0	0	69	62.96	25	22.77	1	0.524	21.2	25.2																					
1500	96	0	0	5	37	40	11	2	0	0	0	0	0	0	53	55.04	22	22.55	0	0.297	20.7	24.8																					
1600	106	0	0	7	42	44	12	0	0	0	0	0	0	0	56	52.89	19	17.63	0	0.404	20.4	24.3																					
1700	117	0	1	7	49	48	10	1	0	0	0	0	0	0	59	50.61	18	15.65	0	0	20.2	24																					
1800	95	0	0	3	32	45	13	2	0	0	0	0	0	0	59	62.31	20	20.57	0	0.15	21.3	25.1																					
1900	66	0	0	2	21	31	10	2	1	0	0	0	0	0	43	65.66	18	27	1	1.296	21.9	25.9																					
2000	44	0	0	1	13	21	7	2	0	0	0	0	0	0	30	69.28	13	29.08	0	0.654	22.3	26.8																					
2100	26	0	0	1	6	13	6	1	0	0	0	0	0	0	20	75.27	9	35.16	0	1.099	22.7	27																					
2200	15	0	0	0	4	6	3	1	0	0	0	0	0	0	11	72.55	5	34.31	0	0.98	23	28.2																					
2300	6	0	0	0	1	3	1	0	0	0	0	0	0	0	5	76.19	2	28.57	0	0	22.6	-																					
07-19	1203	1	6	52	368	547	197	29	2	0	0	0	0	0	776	64.49	313	26.04	3	0.273	21.6	25.7																					
06-22	1379	1	6	56	413	625	236	37	4	1	0	0	0	0	903	65.52	376	27.27	5	0.394	21.7	25.9																					
06-00	1399	1	6	56	418	634	240	39	4	1	0	0	0	0	919	65.64	383	27.35	6	0.398	21.7	25.9																					
00-00	1434	1	6	57	424	646	252	42	5	1	0	0	0	0	947	66	403	28.1	7	0.488	21.8	26.1																					

SS1772 Skewen										Site	1	Location										Crymlyn Road - No 1 (51.65671, -3.85543)					
01 April 2025					to					07 April 2025					Direction		Northbound										
Time Period	Total Vehicles	Speed Bins										Speed Limit (PSL)		ACPO (SL1)		DfT (SL2)		Mean Speed	85%ile Speed								
		0 5	5 10	10 15	15 20	20 25	25 30	30 35	35 40	40 45	45 50	50 55	55 60	60 130	20	20	24 ACPO			24 ACPO	35 DFT	35 DFT					
Virtual Week																											
Mon	1202	0	6	30	327	587	201	49	2	0	0	0	0	0	839	69.8	342	28.45	2	0.166	22.1	26.4					
Tue	2388	0	11	169	830	948	363	57	8	1	1	0	0	0	1378	57.71	577	24.16	10	0.419	21.1	25.6					
Wed	2018	1	17	124	677	833	311	45	7	3	0	0	0	0	1199	59.42	501	24.83	10	0.496	21.1	25.5					
Thu	1096	1	1	15	241	547	236	44	9	2	0	0	0	0	838	76.46	382	34.85	11	1.004	22.9	27					
Fri	1257	2	3	26	316	623	248	34	4	1	0	0	0	0	910	72.39	387	30.79	5	0.398	22.3	26.3					
Sat	1146	2	1	22	335	526	214	37	6	1	2	0	0	0	786	68.59	344	30.02	9	0.785	22.2	26.4					
Sun	934	1	3	13	240	455	189	31	2	0	0	0	0	0	677	72.48	289	30.94	2	0.214	22.4	26.3					
5 Day Average																											
[--]	1592	1	8	73	478	708	272	46	6	1	0	0	0	0	1033	64.9	438	27.5	8	0.5	21.9	26.2					
7 Day Average																											
[--]	1434	1	6	57	424	646	252	42	5	1	0	0	0	0	947	66.0	403	28.1	7	0.5	21.8	26.1					
Total Vehicles																											
[--]	10041	7	42	399	2966	4519	1762	297	38	8	3	0	0	0	6627	66	2822	28	49	0	22	26					



SS1772 Skewen										Site	1	Location										Crymlyn Road - No 1 (51.65671, -3.85543)															
01 April 2025					to					07 April 2025					Direction					Southbound					Speed Limit		ACPO (SL1)		DfT (SL2)								
Time Period	Total Vehicles	Speed Bins										Speed Limit (PSL)		ACPO (SL1)		DfT (SL2)		Mean Speed	85%ile Speed																		
		0 5	5 10	10 15	15 20	20 25	25 30	30 35	35 40	40 45	45 50	50 55	55 60	60 130	20	20	24 ACPO			24 ACPO	35 DFT	35 DFT															
01 April 2025																																					
0000	5	0	0	0	0	3	1	1	0	0	0	0	0	0	5	100	3	60	0	0	26.2	-															
0100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-															
0200	2	0	0	0	1	1	0	0	0	0	0	0	0	0	1	50	0	0	0	0	20.2	-															
0300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-															
0400	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-															
0500	10	0	0	1	2	3	3	0	1	0	0	0	0	0	7	70	5	50	1	10	23.5	-															
0600	20	1	0	2	5	6	5	1	0	0	0	0	0	0	12	60	7	35	0	0	20.5	27.8															
0700	101	0	0	1	34	48	15	2	0	1	0	0	0	0	66	65.35	25	24.75	1	0.99	21.9	25.3															
0800	225	0	0	7	81	121	16	0	0	0	0	0	0	0	137	60.89	30	13.33	0	0	20.8	23.8															
0900	144	0	2	2	51	68	20	1	0	0	0	0	0	0	89	61.81	29	20.14	0	0	21.4	25															
1000	115	0	0	6	49	48	12	0	0	0	0	0	0	0	60	52.17	17	14.78	0	0	20.3	24															
1100	120	0	2	2	34	58	21	3	0	0	0	0	0	0	82	68.33	34	28.33	0	0	21.8	26															
1200	126	0	1	5	45	60	13	2	0	0	0	0	0	0	75	59.52	23	18.25	0	0	20.9	24.5															
1300	109	0	0	2	36	54	16	1	0	0	0	0	0	0	71	65.14	23	21.1	0	0	21.4	25.1															
1400	120	0	3	2	39	55	17	4	0	0	0	0	0	0	76	63.33	35	29.17	0	0	21.4	25.3															
1500	242	0	0	10	88	113	24	6	1	0	0	0	0	0	144	59.5	42	17.36	1	0.413	21	24.4															
1600	231	0	0	11	78	115	25	2	0	0	0	0	0	0	142	61.47	46	19.91	0	0	21.1	24.6															
1700	255	0	2	25	106	107	15	0	0	0	0	0	0	0	122	47.84	26	10.2	0	0	19.6	23															
1800	169	0	0	5	59	84	20	1	0	0	0	0	0	0	105	62.13	30	17.75	0	0	21	24.4															
1900	140	0	0	2	65	61	11	1	0	0	0	0	0	0	73	52.14	19	13.57	0	0	20.6	23.8															
2000	108	0	0	5	42	43	17	1	0	0	0	0	0	0	61	56.48	20	18.52	0	0	20.9	25.3															
2100	51	0	0	2	20	14	14	1	0	0	0	0	0	0	29	56.86	19	37.25	0	0	21.6	26.4															
2200	29	0	0	0	6	18	3	2	0	0	0	0	0	0	23	79.31	8	27.59	0	0	22.4	25.6															
2300	9	0	0	0	3	3	3	0	0	0	0	0	0	0	6	66.67	4	44.44	0	0	22.6	-															
07-19	1957	0	10	78	700	931	214	22	1	1	0	0	0	0	1169	59.73	360	18.4	2	0.102	20.9	24.4															
06-22	2276	1	10	89	832	1055	261	26	1	1	0	0	0	0	1344	59.05	425	18.67	2	0.088	20.9	24.5															
06-00	2314	1	10	89	841	1076	267	28	1	1	0	0	0	0	1373	59.33	437	18.89	2	0.086	21	24.5															
00-00	2331	1	10	90	844	1083	271	29	2	1	0	0	0	0	1386	59.46	445	19.09	3	0.129	21	24.6															

SS1772 Skewen										Site 1		Location Crymlyn Road - No 1 (51.65671, -3.85543)										
01 April 2025					to					07 April 2025					Direction		Southbound					
Time Period	Total Vehicles	Speed Bins										Speed Limit (PSL)		ACPO (SL1)		DfT (SL2)		Mean Speed	85%ile Speed			
		0 5	5 10	10 15	15 20	20 25	25 30	30 35	35 40	40 45	45 50	50 55	55 60	60 130	20	20	24 ACPO			24 ACPO	35 DFT	35 DFT
02 April 2025																						
0000	6	0	0	0	0	5	1	0	0	0	0	0	0	0	6	100	2	33.33	0	0	23	-
0100	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	18.3	-	
0200	2	0	0	0	0	2	0	0	0	0	0	0	0	0	2	100	0	0	0	22.3	-	
0300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	
0400	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	19.5	-	
0500	6	0	0	0	2	2	1	1	0	0	0	0	0	0	4	66.67	2	33.33	0	0	22	-
0600	23	0	0	1	4	15	2	0	1	0	0	0	0	0	18	78.26	6	26.09	1	4.348	22.5	25.6
0700	115	0	0	3	43	54	14	1	0	0	0	0	0	0	69	60	20	17.39	0	0	21	24.5
0800	190	0	0	4	61	103	22	0	0	0	0	0	0	0	125	65.79	33	17.37	0	0	21.4	24.5
0900	150	0	0	1	63	79	6	1	0	0	0	0	0	0	86	57.33	16	10.67	0	0	20.8	23.6
1000	85	0	1	4	31	39	10	0	0	0	0	0	0	0	49	57.65	19	22.35	0	0	20.6	24.8
1100	128	0	0	9	51	57	11	0	0	0	0	0	0	0	68	53.13	18	14.06	0	0	20.2	23.9
1200	129	1	0	7	42	60	17	2	0	0	0	0	0	0	79	61.24	30	23.26	0	0	21	25
1300	132	0	0	2	41	65	20	4	0	0	0	0	0	0	89	67.42	34	25.76	0	0	21.8	25.5
1400	115	0	3	1	27	66	17	1	0	0	0	0	0	0	84	73.04	30	26.09	0	0	21.7	25.6
1500	247	0	1	6	95	122	21	2	0	0	0	0	0	0	145	58.7	33	13.36	0	0	20.7	23.8
1600	226	0	2	27	101	86	9	1	0	0	0	0	0	0	96	42.48	18	7.965	0	0	19.2	22.9
1700	205	0	0	5	87	101	12	0	0	0	0	0	0	0	113	55.12	25	12.2	0	0	20.5	23.7
1800	157	0	0	4	50	78	21	4	0	0	0	0	0	0	103	65.61	44	28.03	0	0	21.7	25.3
1900	112	0	0	2	35	62	13	0	0	0	0	0	0	0	75	66.96	22	19.64	0	0	21.3	24.5
2000	92	0	0	2	35	38	14	2	1	0	0	0	0	0	55	59.78	20	21.74	1	1.087	21.3	25.4
2100	49	0	0	2	10	27	7	3	0	0	0	0	0	0	37	75.51	13	26.53	0	0	22.2	25.9
2200	22	0	0	2	7	7	5	0	1	0	0	0	0	0	13	59.09	7	31.82	1	4.545	21.5	25.6
2300	13	0	0	0	2	4	4	3	0	0	0	0	0	0	11	84.62	10	76.92	0	0	26.1	31.6
07-19	1879	1	7	73	692	910	180	16	0	0	0	0	0	0	1106	58.86	320	17.03	0	0	20.8	24.3
06-22	2155	1	7	80	776	1052	216	21	2	0	0	0	0	0	1291	59.91	381	17.68	2	0.093	20.9	24.4
06-00	2190	1	7	82	785	1063	225	24	3	0	0	0	0	0	1315	60.05	398	18.17	3	0.137	20.9	24.4
00-00	2206	1	7	82	789	1072	227	25	3	0	0	0	0	0	1327	60.15	402	18.22	3	0.136	20.9	24.5

SS1772 Skewen										Site	1	Location										Crymlyn Road - No 1 (51.65671, -3.85543)							
01 April 2025					to					07 April 2025					Direction					Southbound									
Time Period	Total Vehicles	Speed Bins										Speed Limit (PSL)		ACPO (SL1)		DfT (SL2)		Mean Speed	85%ile Speed										
		0 5	5 10	10 15	15 20	20 25	25 30	30 35	35 40	40 45	45 50	50 55	55 60	60 130	20	20	24 ACPO			24 ACPO	35 DFT	35 DFT							
03 April 2025																													
0000	2	0	0	0	0	1	1	0	0	0	0	0	0	0	2	100	1	50	0	0	25.6	-							
0100	4	0	0	0	2	1	1	0	0	0	0	0	0	0	2	50	2	50	0	0	21.5	-							
0200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-							
0300	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	19	-							
0400	2	0	0	0	1	1	0	0	0	0	0	0	0	0	1	50	0	0	0	0	20.6	-							
0500	9	0	0	1	2	3	1	1	1	0	0	0	0	0	6	66.67	3	33.33	1	11.11	23.1	-							
0600	19	0	0	0	3	13	2	1	0	0	0	0	0	0	16	84.21	3	15.79	0	0	22.7	28.3							
0700	73	0	0	1	25	34	9	3	1	0	0	0	0	0	47	64.38	18	24.66	1	1.37	21.9	25.3							
0800	167	0	0	0	46	93	27	1	0	0	0	0	0	0	121	72.46	47	28.14	0	0	22.1	25.2							
0900	123	0	0	1	35	70	16	1	0	0	0	0	0	0	87	70.73	23	18.7	0	0	21.6	24.8							
1000	81	0	0	0	21	48	10	2	0	0	0	0	0	0	60	74.07	17	20.99	0	0	22.1	25.1							
1100	109	0	0	4	37	54	11	3	0	0	0	0	0	0	68	62.39	27	24.77	0	0	21.4	24.8							
1200	121	0	0	1	36	64	19	1	0	0	0	0	0	0	84	69.42	30	24.79	0	0	21.9	25.6							
1300	110	0	0	1	32	55	17	5	0	0	0	0	0	0	77	70	31	28.18	0	0	22.2	26.1							
1400	106	0	0	0	44	46	12	4	0	0	0	0	0	0	62	58.49	24	22.64	0	0	21.4	25.4							
1500	228	0	0	6	88	112	21	1	0	0	0	0	0	0	134	58.77	35	15.35	0	0	20.8	24							
1600	179	0	0	2	77	73	22	4	0	1	0	0	0	0	100	55.87	40	22.35	1	0.559	21.3	25.2							
1700	189	0	0	5	68	94	19	3	0	0	0	0	0	0	116	61.38	40	21.16	0	0	21	24.5							
1800	169	0	0	1	78	76	13	1	0	0	0	0	0	0	90	53.25	19	11.24	0	0	20.6	23.8							
1900	116	0	0	2	38	58	14	3	1	0	0	0	0	0	76	65.52	31	26.72	1	0.862	21.8	25.2							
2000	95	0	0	2	30	52	10	1	0	0	0	0	0	0	63	66.32	18	18.95	0	0	21.2	24.6							
2100	55	0	0	0	18	31	4	2	0	0	0	0	0	0	37	67.27	12	21.82	0	0	21.6	24.7							
2200	35	0	0	0	6	24	5	0	0	0	0	0	0	0	29	82.86	7	20	0	0	22	25.4							
2300	11	0	0	0	2	4	4	1	0	0	0	0	0	0	9	81.82	9	81.82	0	0	25	29.3							
07-19	1655	0	0	22	587	819	196	29	1	1	0	0	0	0	1046	63.2	351	21.21	2	0.121	21.4	24.8							
06-22	1940	0	0	26	676	973	226	36	2	1	0	0	0	0	1238	63.81	415	21.39	3	0.155	21.4	24.8							
06-00	1986	0	0	26	684	1001	235	37	2	1	0	0	0	0	1276	64.25	431	21.7	3	0.151	21.5	24.8							
00-00	2004	0	0	27	690	1007	238	38	3	1	0	0	0	0	1287	64.22	437	21.81	4	0.2	21.5	24.8							

SS1772 Skewen										Site 1		Location Crymlyn Road - No 1 (51.65671, -3.85543)										
01 April 2025					to					07 April 2025					Direction		Southbound					
Time Period	Total Vehicles	Speed Bins										Speed Limit (PSL)		ACPO (SL1)		DfT (SL2)		Mean Speed	85%ile Speed			
		0 5	5 10	10 15	15 20	20 25	25 30	30 35	35 40	40 45	45 50	50 55	55 60	60 130	20	20	24 ACPO			24 ACPO	35 DFT	35 DFT
04 April 2025																						
0000	5	0	0	0	3	1	1	0	0	0	0	0	0	0	2	40	2	40	0	0	21.8	-
0100	2	0	0	0	1	1	0	0	0	0	0	0	0	0	1	50	0	0	0	0	21.1	-
0200	3	0	0	0	1	2	0	0	0	0	0	0	0	0	2	66.67	0	0	0	0	20	-
0300	1	0	0	0	0	1	0	0	0	0	0	0	0	0	1	100	0	0	0	0	24	-
0400	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-
0500	9	0	0	0	5	4	0	0	0	0	0	0	0	0	4	44.44	0	0	0	0	19.6	-
0600	20	0	0	1	2	13	2	1	1	0	0	0	0	0	17	85	7	35	1	5	22.9	25.8
0700	81	0	0	0	22	44	14	1	0	0	0	0	0	0	59	72.84	20	24.69	0	0	22	25.8
0800	160	0	0	10	46	85	16	3	0	0	0	0	0	0	104	65	33	20.63	0	0	21.2	24.5
0900	112	0	0	4	36	55	17	0	0	0	0	0	0	0	72	64.29	24	21.43	0	0	21.3	25.1
1000	102	0	0	4	41	47	10	0	0	0	0	0	0	0	57	55.88	15	14.71	0	0	20.4	24.1
1100	112	0	0	3	45	52	10	2	0	0	0	0	0	0	64	57.14	15	13.39	0	0	20.7	23.8
1200	110	0	0	0	22	56	30	2	0	0	0	0	0	0	88	80	35	31.82	0	0	22.9	27
1300	122	0	0	2	44	56	15	4	1	0	0	0	0	0	76	62.3	32	26.23	1	0.82	21.6	25.4
1400	170	0	0	8	52	91	15	4	0	0	0	0	0	0	110	64.71	33	19.41	0	0	21.3	24.3
1500	234	0	0	9	85	114	24	2	0	0	0	0	0	0	140	59.83	39	16.67	0	0	20.9	24.4
1600	178	0	0	6	83	76	12	1	0	0	0	0	0	0	89	50	23	12.92	0	0	20.4	23.7
1700	242	0	0	11	94	114	22	1	0	0	0	0	0	0	137	56.61	39	16.12	0	0	20.6	24.2
1800	233	0	0	5	112	102	13	1	0	0	0	0	0	0	116	49.79	23	9.871	0	0	20.2	23
1900	119	0	0	0	43	58	16	2	0	0	0	0	0	0	76	63.87	25	21.01	0	0	21.5	25.3
2000	76	0	0	1	24	44	7	0	0	0	0	0	0	0	51	67.11	9	11.84	0	0	21.3	23.8
2100	67	0	0	3	16	40	7	1	0	0	0	0	0	0	48	71.64	11	16.42	0	0	21.5	24.8
2200	52	0	0	1	17	30	3	1	0	0	0	0	0	0	34	65.38	8	15.38	0	0	21.1	24.2
2300	31	0	0	0	10	13	8	0	0	0	0	0	0	0	21	67.74	10	32.26	0	0	22.1	25.9
07-19	1856	0	0	62	682	892	198	21	1	0	0	0	0	0	1112	59.91	331	17.83	1	0.054	21	24.5
06-22	2138	0	0	67	767	1047	230	25	2	0	0	0	0	0	1304	60.99	383	17.91	2	0.094	21	24.5
06-00	2221	0	0	68	794	1090	241	26	2	0	0	0	0	0	1359	61.19	401	18.05	2	0.09	21.1	24.5
00-00	2241	0	0	68	804	1099	242	26	2	0	0	0	0	0	1369	61.09	403	17.98	2	0.089	21.1	24.5



SS1772 Skewen										Site 1		Location Crymlyn Road - No 1 (51.65671, -3.85543)														
01 April 2025					to					07 April 2025					Direction		Southbound									
Time Period	Total Vehicles	Speed Bins										Speed Limit (PSL)				ACPO (SL1)		DfT (SL2)		Mean Speed	85%ile Speed					
		0 5	5 10	10 15	15 20	20 25	25 30	30 35	35 40	40 45	45 50	50 55	55 60	60 130	20	20	24 ACPO	24 ACPO	35 DFT			35 DFT				
05 April 2025																										
0000	11	0	0	0	0	7	2	2	0	0	0	0	0	0	11	100	5	45.45	0	0	24.3	30.1				
0100	7	0	0	0	1	3	3	0	0	0	0	0	0	0	6	85.71	3	42.86	0	0	24.8	-				
0200	7	0	0	0	4	3	0	0	0	0	0	0	0	0	3	42.86	0	0	0	0	19.6	-				
0300	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	19.2	-				
0400	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	17.7	-				
0500	5	0	0	0	0	2	2	1	0	0	0	0	0	0	5	100	3	60	0	0	26.6	-				
0600	11	0	0	0	1	6	4	0	0	0	0	0	0	0	10	90.91	4	36.36	0	0	23.5	27.9				
0700	27	0	0	4	6	8	8	1	0	0	0	0	0	0	17	62.96	13	48.15	0	0	22.3	27				
0800	67	0	0	0	18	31	16	2	0	0	0	0	0	0	49	73.13	22	32.84	0	0	22.6	26.6				
0900	96	0	0	0	27	53	14	2	0	0	0	0	0	0	69	71.88	25	26.04	0	0	21.9	25.3				
1000	126	0	0	1	41	67	16	1	0	0	0	0	0	0	84	66.67	23	18.25	0	0	21.4	24.5				
1100	159	0	0	4	44	84	24	3	0	0	0	0	0	0	111	69.81	34	21.38	0	0	21.6	25.4				
1200	153	0	0	1	63	68	20	1	0	0	0	0	0	0	89	58.17	32	20.92	0	0	21.3	24.9				
1300	153	0	0	1	62	67	22	1	0	0	0	0	0	0	90	58.82	34	22.22	0	0	21.2	25.5				
1400	147	0	0	1	48	71	25	2	0	0	0	0	0	0	98	66.67	36	24.49	0	0	21.8	25.7				
1500	118	0	0	3	36	58	19	2	0	0	0	0	0	0	79	66.95	25	21.19	0	0	21.4	25.8				
1600	141	0	0	2	58	66	13	1	1	0	0	0	0	0	81	57.45	23	16.31	1	0.709	21	24.1				
1700	135	1	0	4	57	54	17	2	0	0	0	0	0	0	73	54.07	27	20	0	0	21	24.9				
1800	113	0	0	3	43	47	16	4	0	0	0	0	0	0	67	59.29	25	22.12	0	0	21.2	26.1				
1900	93	0	0	4	31	37	17	4	0	0	0	0	0	0	58	62.37	24	25.81	0	0	21.8	27.3				
2000	73	0	0	2	24	40	6	1	0	0	0	0	0	0	47	64.38	10	13.7	0	0	21.1	24				
2100	56	0	0	0	23	25	6	1	1	0	0	0	0	0	33	58.93	9	16.07	1	1.786	21.3	25.2				
2200	35	0	0	0	17	12	5	0	1	0	0	0	0	0	18	51.43	8	22.86	1	2.857	21.3	25.4				
2300	33	0	0	0	13	13	6	1	0	0	0	0	0	0	20	60.61	9	27.27	0	0	21.6	26.3				
07-19	1435	1	0	24	503	674	210	22	1	0	0	0	0	0	907	63.21	319	22.23	1	0.07	21.4	25.3				
06-22	1668	1	0	30	582	782	243	28	2	0	0	0	0	0	1055	63.25	366	21.94	2	0.12	21.5	25.3				
06-00	1736	1	0	30	612	807	254	29	3	0	0	0	0	0	1093	62.96	383	22.06	3	0.173	21.5	25.3				
00-00	1768	1	0	30	619	822	261	32	3	0	0	0	0	0	1118	63.24	394	22.29	3	0.17	21.5	25.4				

SS1772 Skewen										Site 1		Location Crymlyn Road - No 1 (51.65671, -3.85543)												
01 April 2025					to					07 April 2025					Direction Southbound		Speed Limit (PSL)		ACPO (SL1)		DfT (SL2)			
Time Period	Total Vehicles	Speed Bins										20	20	24 ACPO	24 ACPO	35 DFT	35 DFT	Mean Speed	85%ile Speed					
		0 5	5 10	10 15	15 20	20 25	25 30	30 35	35 40	40 45	45 50									50 55	55 60	60 130		
06 April 2025																								
0000	11	0	0	0	6	3	2	0	0	0	0	0	0	0	5	45.45	2	18.18	0	0	20.7	27		
0100	16	0	0	0	8	6	2	0	0	0	0	0	0	0	8	50	3	18.75	0	0	20.6	25.1		
0200	2	0	0	0	0	2	0	0	0	0	0	0	0	0	2	100	1	50	0	0	23.8	-		
0300	4	0	0	0	0	3	1	0	0	0	0	0	0	0	4	100	1	25	0	0	23	-		
0400	2	0	0	0	0	2	0	0	0	0	0	0	0	0	2	100	0	0	0	0	22.1	-		
0500	4	0	0	0	2	0	1	1	0	0	0	0	0	0	2	50	2	50	0	0	24.8	-		
0600	9	0	0	0	1	4	1	2	1	0	0	0	0	0	8	88.89	6	66.67	1	11.11	26.2	-		
0700	19	0	0	0	2	9	7	1	0	0	0	0	0	0	17	89.47	9	47.37	0	0	24.5	28.5		
0800	34	0	0	0	9	14	8	3	0	0	0	0	0	0	25	73.53	13	38.24	0	0	23.1	26.6		
0900	71	0	0	1	21	33	13	3	0	0	0	0	0	0	49	69.01	21	29.58	0	0	22.3	25.8		
1000	131	0	0	0	35	70	24	2	0	0	0	0	0	0	96	73.28	35	26.72	0	0	22.2	26.1		
1100	145	0	1	2	36	85	21	0	0	0	0	0	0	0	106	73.1	30	20.69	0	0	21.7	24.9		
1200	139	0	0	3	32	78	25	0	1	0	0	0	0	0	104	74.82	33	23.74	1	0.719	22	25.5		
1300	129	0	0	0	48	68	11	2	0	0	0	0	0	0	81	62.79	21	16.28	0	0	21.1	24.6		
1400	127	0	0	0	33	70	23	1	0	0	0	0	0	0	94	74.02	39	30.71	0	0	22.1	25.5		
1500	146	0	0	0	45	78	22	1	0	0	0	0	0	0	101	69.18	35	23.97	0	0	21.8	25.2		
1600	143	0	0	1	48	73	18	3	0	0	0	0	0	0	94	65.73	31	21.68	0	0	21.6	25.1		
1700	126	0	0	1	37	70	15	3	0	0	0	0	0	0	88	69.84	27	21.43	0	0	21.5	24.9		
1800	92	0	0	3	32	39	17	1	0	0	0	0	0	0	57	61.96	21	22.83	0	0	21.1	25.4		
1900	97	0	0	0	33	48	12	4	0	0	0	0	0	0	64	65.98	30	30.93	0	0	22.1	25.2		
2000	75	0	0	2	26	34	12	1	0	0	0	0	0	0	47	62.67	18	24	0	0	21.5	25.9		
2100	46	0	0	0	14	27	5	0	0	0	0	0	0	0	32	69.57	8	17.39	0	0	21.5	24.2		
2200	17	0	0	0	3	12	2	0	0	0	0	0	0	0	14	82.35	4	23.53	0	0	22.3	25.7		
2300	13	0	0	1	6	6	0	0	0	0	0	0	0	0	6	46.15	2	15.38	0	0	19.8	24.4		
07-19	1302	0	1	11	378	687	204	20	1	0	0	0	0	0	912	70.05	315	24.19	1	0.077	21.8	25.3		
06-22	1529	0	1	13	452	800	234	27	2	0	0	0	0	0	1063	69.52	377	24.66	2	0.131	21.8	25.3		
06-00	1559	0	1	14	461	818	236	27	2	0	0	0	0	0	1083	69.47	383	24.57	2	0.128	21.8	25.3		
00-00	1598	0	1	14	477	834	242	28	2	0	0	0	0	0	1106	69.21	392	24.53	2	0.125	21.8	25.3		

SS1772 Skewen					Site 1										Location Crymlyn Road - No 1 (51.65671, -3.85543)									
01 April 2025					to 07 April 2025										Direction Southbound									
Time Period	Total Vehicles	Speed Bins										Speed Limit (PSL)		ACPO (SL1)		DfT (SL2)		Mean Speed	85%ile Speed					
		0 5	5 10	10 15	15 20	20 25	25 30	30 35	35 40	40 45	45 50	50 55	55 60	60 130	20	20	24 ACPO			24 ACPO	35 DFT	35 DFT		
07 April 2025																								
0000	2	0	0	0	1	0	1	0	0	0	0	0	0	0	1	50	1	50	0	0	23.5	-		
0100	1	0	0	0	0	0	1	0	0	0	0	0	0	0	1	100	1	100	0	0	27.9	-		
0200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-		
0300	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	16.2	-		
0400	1	0	0	0	0	1	0	0	0	0	0	0	0	0	1	100	0	0	0	0	21.3	-		
0500	7	0	0	0	4	1	1	1	0	0	0	0	0	0	3	42.86	2	28.57	0	0	21.9	-		
0600	18	0	0	0	4	12	1	0	1	0	0	0	0	0	14	77.78	3	16.67	1	5.556	22.8	24.3		
0700	71	0	0	0	19	37	14	1	0	0	0	0	0	0	52	73.24	22	30.99	0	0	22.1	25.6		
0800	168	0	1	6	59	80	22	0	0	0	0	0	0	0	102	60.71	29	17.26	0	0	21.1	24.7		
0900	123	0	1	2	49	57	12	2	0	0	0	0	0	0	71	57.72	19	15.45	0	0	20.8	24.2		
1000	92	0	0	3	30	41	15	2	1	0	0	0	0	0	59	64.13	22	23.91	1	1.087	21.7	25.7		
1100	103	0	0	2	38	50	11	1	1	0	0	0	0	0	63	61.17	17	16.5	1	0.971	21.4	24.6		
1200	102	0	0	0	24	53	23	1	1	0	0	0	0	0	78	76.47	34	33.33	1	0.98	22.6	25.9		
1300	107	0	0	0	26	68	12	1	0	0	0	0	0	0	81	75.7	23	21.5	0	0	22	24.5		
1400	85	0	0	4	28	43	8	2	0	0	0	0	0	0	53	62.35	15	17.65	0	0	21.2	24.5		
1500	219	0	0	6	94	90	27	2	0	0	0	0	0	0	119	54.34	36	16.44	0	0	20.7	24.4		
1600	178	0	0	3	76	80	18	1	0	0	0	0	0	0	99	55.62	24	13.48	0	0	20.7	23.6		
1700	214	0	0	9	98	90	16	1	0	0	0	0	0	0	107	50	24	11.21	0	0	20.2	23.3		
1800	161	0	0	2	58	91	9	1	0	0	0	0	0	0	101	62.73	27	16.77	0	0	21.1	24.3		
1900	104	0	0	1	40	45	16	2	0	0	0	0	0	0	63	60.58	24	23.08	0	0	21.6	25.1		
2000	79	0	0	4	27	40	7	1	0	0	0	0	0	0	48	60.76	12	15.19	0	0	21	24.2		
2100	44	0	0	2	18	17	5	2	0	0	0	0	0	0	24	54.55	9	20.45	0	0	21.3	25.7		
2200	28	0	0	1	11	6	8	2	0	0	0	0	0	0	16	57.14	10	35.71	0	0	22.3	28.3		
2300	14	0	0	1	4	4	5	0	0	0	0	0	0	0	9	64.29	5	35.71	0	0	22.8	28.1		
07-19	1623	0	2	37	599	780	187	15	3	0	0	0	0	0	985	60.69	292	17.99	3	0.185	21.1	24.5		
06-22	1868	0	2	44	688	894	216	20	4	0	0	0	0	0	1134	60.71	340	18.2	4	0.214	21.1	24.5		
06-00	1910	0	2	46	703	904	229	22	4	0	0	0	0	0	1159	60.68	355	18.59	4	0.209	21.2	24.6		
00-00	1922	0	2	46	709	906	232	23	4	0	0	0	0	0	1165	60.61	359	18.68	4	0.208	21.2	24.7		

SS1772 Skewen										Site 1		Location Crymlyn Road - No 1 (51.65671, -3.85543)										
01 April 2025					to					07 April 2025					Direction		Southbound					
Time Period	Total Vehicles	Speed Bins										Speed Limit (PSL)		ACPO (SL1)		DfT (SL2)		Mean Speed	85%ile Speed			
		0 5	5 10	10 15	15 20	20 25	25 30	30 35	35 40	40 45	45 50	50 55	55 60	60 130	20	20	24 ACPO			24 ACPO	35 DFT	35 DFT
Average Day																						
0000	6	0	0	0	1	3	1	0	0	0	0	0	0	0	5	76.19	2	38.1	0	0	23.1	-
0100	4	0	0	0	2	2	1	0	0	0	0	0	0	0	3	58.06	1	29.03	0	0	21.9	-
0200	2	0	0	0	1	1	0	0	0	0	0	0	0	0	1	62.5	0	6.25	0	0	20.6	-
0300	1	0	0	0	0	1	0	0	0	0	0	0	0	0	1	62.5	0	12.5	0	0	21.3	-
0400	1	0	0	0	0	1	0	0	0	0	0	0	0	0	1	57.14	0	0	0	0	20.5	-
0500	7	0	0	0	2	2	1	1	0	0	0	0	0	0	4	62	2	34	0	4	22.7	-
0600	17	0	0	1	3	10	2	1	1	0	0	0	0	0	14	79.17	5	30	1	3.333	22.7	26.2
0700	70	0	0	1	22	33	12	1	0	0	0	0	0	0	47	67.15	18	26.08	0	0.411	21.9	25.7
0800	144	0	0	4	46	75	18	1	0	0	0	0	0	0	95	65.58	30	20.47	0	0	21.4	24.7
0900	117	0	0	2	40	59	14	1	0	0	0	0	0	0	75	63.86	22	19.17	0	0	21.4	24.6
1000	105	0	0	3	35	51	14	1	0	0	0	0	0	0	66	63.52	21	20.22	0	0.137	21.2	24.8
1100	125	0	0	4	41	63	16	2	0	0	0	0	0	0	80	64.16	25	19.98	0	0.114	21.3	24.8
1200	126	0	0	2	38	63	21	1	0	0	0	0	0	0	85	67.84	31	24.66	0	0.227	21.7	25.5
1300	123	0	0	1	41	62	16	3	0	0	0	0	0	0	81	65.55	28	22.97	0	0.116	21.6	25.1
1400	124	0	1	2	39	63	17	3	0	0	0	0	0	0	82	66.32	30	24.37	0	0	21.6	25.2
1500	205	0	0	6	76	98	23	2	0	0	0	0	0	0	123	60.11	35	17.09	0	0.07	21	24.4
1600	182	0	0	7	74	81	17	2	0	0	0	0	0	0	100	54.94	29	16.07	0	0.157	20.7	24.2
1700	195	0	0	9	78	90	17	1	0	0	0	0	0	0	108	55.34	30	15.23	0	0	20.5	24
1800	156	0	0	3	62	74	16	2	0	0	0	0	0	0	91	58.41	27	17.28	0	0	20.9	24.4
1900	112	0	0	2	41	53	14	2	0	0	0	0	0	0	69	62.1	25	22.41	0	0.128	21.5	24.9
2000	85	0	0	3	30	42	10	1	0	0	0	0	0	0	53	62.21	15	17.89	0	0.167	21.2	24.6
2100	53	0	0	1	17	26	7	1	0	0	0	0	0	0	34	65.22	12	22.01	0	0.272	21.6	25.4
2200	31	0	0	1	10	16	4	1	0	0	0	0	0	0	21	67.43	7	23.85	0	0.917	21.7	25.5
2300	18	0	0	0	6	7	4	1	0	0	0	0	0	0	12	66.13	7	39.52	0	0	22.5	27.6
07-19	1672	0	3	44	592	813	198	21	1	0	0	0	0	0	1034	61.82	327	19.54	1	0.085	21.2	24.7
06-22	1939	0	3	50	682	943	232	26	2	0	0	0	0	0	1204	62.1	384	19.8	2	0.125	21.2	24.7
06-00	1988	0	3	51	697	966	241	28	2	0	0	0	0	0	1237	62.22	398	20.03	3	0.137	21.2	24.7
00-00	2010	0	3	51	705	975	245	29	3	0	0	0	0	0	1251	62.25	405	20.13	3	0.149	21.2	24.8

SS1772 Skewen										Site	1	Location										Crymlyn Road - No 1 (51.65671, -3.85543)										
01 April 2025					to					07 April 2025					Direction					Southbound					Speed Limit (PSL)		ACPO (SL1)		DfT (SL2)			
Time Period	Total Vehicles	Speed Bins																														
		0	5	10	15	20	25	30	35	40	45	50	55	60	20	20	24	24	35	35	Mean Speed	85%ile Speed										
Virtual Week																																
Mon	1922	0	2	46	709	906	232	23	4	0	0	0	0	0	1165	60.61	359	18.68	4	0.208	21.2	24.7										
Tue	2331	1	10	90	844	1083	271	29	2	1	0	0	0	0	1386	59.46	445	19.09	3	0.129	21	24.6										
Wed	2206	1	7	82	789	1072	227	25	3	0	0	0	0	0	1327	60.15	402	18.22	3	0.136	20.9	24.5										
Thu	2004	0	0	27	690	1007	238	38	3	1	0	0	0	0	1287	64.22	437	21.81	4	0.2	21.5	24.8										
Fri	2241	0	0	68	804	1099	242	26	2	0	0	0	0	0	1369	61.09	403	17.98	2	0.089	21.1	24.5										
Sat	1768	1	0	30	619	822	261	32	3	0	0	0	0	0	1118	63.24	394	22.29	3	0.17	21.5	25.4										
Sun	1598	0	1	14	477	834	242	28	2	0	0	0	0	0	1106	69.21	392	24.53	2	0.125	21.8	25.3										
5 Day Average																																
[--]	2141	0	4	63	767	1033	242	28	3	0	0	0	0	0	1307	61.0	409	19.1	3	0.1	21.1	24.6										
7 Day Average																																
[--]	2010	0	3	51	705	975	245	29	3	0	0	0	0	0	1251	62.2	405	20.1	3	0.1	21.2	24.8										
Total Vehicles																																
[--]	14070	3	20	357	4932	6823	1713	201	19	2	0	0	0	0	8758	62.3	2832	20.1	21	0.1	21.2	24.8										



Appendix 2 Crymlyn Road Junction Surveys



SUMMARY	
Project	Skewen Neath
Project Code	SS2006
Site Name	Site 01
Legs and Movements	All Processed Legs & Movements
Count Interval	15
Start Time	00:00
End Time	23:45
Location	Site 01
Latitude and Longitude	(51.653795, -3.86616)

	START	END	PHF
AM PEAK			
PM PEAK			
Mid-Day PEAK			
Forced Peak AM			
Forced Peak PM			





Site: Site 01

GPS: 51.653795, -3.86616

Date: 09-11-2025

TURNING MOVEMENT DATA

Leg	Crymlyn Gardens						Heol Crymlyn						Heol Crymlyn						
Direction	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	Int Total
00:00	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	1	0	0	2
00:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
00:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
00:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hourly Total	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	1	0	0	2
01:00	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1
01:15	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	1
01:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
01:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hourly Total	0	0	0	0	0	0	1	0	0	1	0	0	0	1	0	1	0	0	2
02:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hourly Total	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:00	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1
03:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hourly Total	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1
04:00	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1
04:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
04:30	0	0	0	0	0	0	2	0	0	2	0	0	0	1	0	1	0	0	3
04:45	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Hourly Total	0	1	0	1	0	0	2	0	0	2	0	0	0	2	0	2	0	0	5
05:00	1	2	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3
05:15	0	2	0	2	0	0	0	0	0	0	0	0	0	1	0	1	0	0	3
05:30	1	0	0	1	0	0	3	0	0	3	0	0	0	0	0	0	0	0	4
05:45	2	2	0	4	0	0	0	0	0	0	0	0	0	1	0	1	0	0	5
Hourly Total	4	6	0	10	0	0	3	0	0	3	0	0	0	2	0	2	0	0	15
06:00	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	2	0	0	2
06:15	2	1	0	3	0	0	2	0	0	2	0	0	0	1	0	1	0	0	6
06:30	0	4	0	4	0	0	4	0	0	4	0	0	1	3	0	4	0	0	12
06:45	1	2	0	3	0	0	5	1	0	6	0	0	0	3	0	3	0	0	12
Hourly Total	3	7	0	10	0	0	11	1	0	12	0	0	2	8	0	10	0	0	32



Site: Site 01

GPS: 51.653795, -3.86616

Date: 09-11-2025

TURNING MOVEMENT DATA

Leg	Crymlyn Gardens						Heol Crymlyn						Heol Crymlyn						
Direction	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	Int Total
07:00	0	0	0	0	0	0	6	0	0	6	0	0	1	4	0	5	0	0	11
07:15	3	9	0	12	0	0	10	1	0	11	0	0	0	3	0	3	0	0	26
07:30	1	9	0	10	0	0	21	0	1	22	0	0	1	6	0	7	0	0	39
07:45	3	12	0	15	0	0	22	4	0	26	0	0	0	8	0	8	0	0	49
Hourly Total	7	30	0	37	0	0	59	5	1	65	0	0	2	21	0	23	0	0	125
08:00	6	11	0	17	0	0	37	1	0	38	0	0	2	10	0	12	0	0	67
08:15	6	12	0	18	0	0	27	0	0	27	0	0	1	9	0	10	0	0	55
08:30	6	8	0	14	0	0	25	3	0	28	0	0	1	13	0	14	0	0	56
08:45	3	4	0	7	0	0	17	2	0	19	0	0	0	11	0	11	0	0	37
Hourly Total	21	35	0	56	0	0	106	6	0	112	0	0	4	43	0	47	0	0	215
09:00	0	3	0	3	0	0	13	2	0	15	0	0	2	8	0	10	0	0	28
09:15	2	2	0	4	0	0	10	1	0	11	0	0	3	10	0	13	0	0	28
09:30	3	3	0	6	0	0	8	1	0	9	0	0	2	2	0	4	0	0	19
09:45	0	1	0	1	0	0	12	1	0	13	0	0	2	7	0	9	0	0	23
Hourly Total	5	9	0	14	0	0	43	5	0	48	0	0	9	27	0	36	0	0	98
10:00	2	2	0	4	0	0	3	0	0	3	0	0	2	9	0	11	0	0	18
10:15	2	2	0	4	0	0	7	3	0	10	0	0	2	9	0	11	0	0	25
10:30	0	3	0	3	0	0	4	0	0	4	0	0	1	8	0	9	0	0	16
10:45	1	3	0	4	0	0	6	2	0	8	0	0	0	12	0	12	0	0	24
Hourly Total	5	10	0	15	0	0	20	5	0	25	0	0	5	38	0	43	0	0	83
11:00	2	5	0	7	0	0	10	1	0	11	0	0	2	8	0	10	0	0	28
11:15	1	1	0	2	0	0	6	1	0	7	0	0	8	7	0	15	0	0	24
11:30	1	2	0	3	0	0	6	2	0	8	0	0	1	10	0	11	0	0	22
11:45	0	3	0	3	0	0	10	1	0	11	0	0	3	8	0	11	0	0	25
Hourly Total	4	11	0	15	0	0	32	5	0	37	0	0	14	33	0	47	0	0	99
12:00	1	0	0	1	0	0	9	0	0	9	0	0	0	8	0	8	0	0	18
12:15	0	4	0	4	0	0	8	0	0	8	0	0	2	4	0	6	0	0	18
12:30	0	1	0	1	0	0	7	0	0	7	0	0	5	18	0	23	0	0	31
12:45	1	3	0	4	0	0	6	1	0	7	0	0	3	10	0	13	0	0	24
Hourly Total	2	8	0	10	0	0	30	1	0	31	0	0	10	40	0	50	0	0	91
13:00	0	2	0	2	0	0	6	0	0	6	0	0	4	7	0	11	0	0	19
13:15	1	2	0	3	0	0	17	2	0	19	0	0	1	18	0	19	0	0	41
13:30	3	5	0	8	0	0	3	0	0	3	0	0	4	9	0	13	0	0	24
13:45	2	0	0	2	0	0	14	0	0	14	0	0	2	8	0	10	0	0	26
Hourly Total	6	9	0	15	0	0	40	2	0	42	0	0	11	42	0	53	0	0	110



Site: Site 01

GPS: 51.653795, -3.86616

Date: 09-11-2025

TURNING MOVEMENT DATA

Leg Direction	Crymlyn Gardens						Heol Crymlyn						Heol Crymlyn						
	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	Int Total
14:00	4	0	0	4	0	0	10	0	0	10	0	0	3	11	0	14	0	0	28
14:15	3	1	0	4	0	0	10	3	0	13	0	0	3	19	0	22	0	0	39
14:30	3	2	0	5	0	0	6	3	0	9	0	0	2	11	0	13	0	0	27
14:45	1	2	0	3	0	0	13	1	0	14	0	0	3	18	0	21	0	0	38
Hourly Total	11	5	0	16	0	0	39	7	0	46	0	0	11	59	0	70	0	0	132
15:00	1	0	0	1	0	0	17	3	0	20	0	0	3	16	0	19	0	0	40
15:15	1	1	0	2	0	0	12	4	0	16	0	0	5	18	0	23	0	0	41
15:30	1	2	0	3	0	0	10	2	0	12	0	0	5	21	0	26	0	0	41
15:45	3	3	0	6	0	0	12	0	0	12	0	0	7	20	0	27	0	0	45
Hourly Total	6	6	0	12	0	0	51	9	0	60	0	0	20	75	0	95	0	0	167
16:00	4	2	0	6	0	0	22	4	0	26	0	0	4	28	0	32	0	0	64
16:15	0	6	0	6	0	0	13	3	0	16	0	0	11	35	0	46	0	0	68
16:30	2	2	0	4	0	0	27	1	0	28	0	0	10	37	0	47	0	0	79
16:45	0	4	0	4	0	0	19	2	0	21	0	0	3	31	0	34	0	0	59
Hourly Total	6	14	0	20	0	0	81	10	0	91	0	0	28	131	0	159	0	0	270
17:00	0	4	0	4	0	0	23	2	0	25	0	0	9	28	0	37	0	0	66
17:15	2	3	0	5	0	0	24	2	0	26	0	0	13	33	0	46	0	0	77
17:30	4	5	0	9	0	0	15	1	0	16	0	0	7	25	0	32	0	0	57
17:45	4	5	0	9	0	0	11	3	0	14	0	0	6	27	0	33	0	0	56
Hourly Total	10	17	0	27	0	0	73	8	0	81	0	0	35	113	0	148	0	0	256
18:00	3	6	0	9	0	0	18	3	0	21	0	0	8	21	0	29	0	0	59
18:15	1	2	0	3	0	0	9	1	0	10	0	0	4	15	0	19	0	0	32
18:30	0	7	0	7	0	0	9	0	0	9	0	0	2	9	0	11	0	0	27
18:45	3	2	0	5	0	0	5	1	0	6	0	0	4	12	0	16	0	0	27
Hourly Total	7	17	0	24	0	0	41	5	0	46	0	0	18	57	0	75	0	0	145
19:00	2	2	0	4	0	0	3	3	0	6	0	0	5	12	0	17	0	0	27
19:15	1	2	0	3	0	0	3	0	0	3	0	0	2	11	0	13	0	0	19
19:30	0	2	0	2	0	0	5	1	0	6	0	0	5	5	0	10	0	0	18
19:45	1	2	0	3	0	0	4	1	0	5	0	0	1	3	0	4	0	0	12
Hourly Total	4	8	0	12	0	0	15	5	0	20	0	0	13	31	0	44	0	0	76
20:00	0	2	0	2	0	0	2	2	0	4	0	0	2	5	0	7	0	0	13
20:15	1	0	0	1	0	0	1	4	0	5	0	0	3	4	0	7	0	0	13
20:30	1	0	0	1	0	0	3	3	0	6	0	0	2	3	0	5	0	0	12
20:45	2	1	0	3	0	0	5	0	1	6	0	0	3	4	0	7	0	0	16
Hourly Total	4	3	0	7	0	0	11	9	1	21	0	0	10	16	0	26	0	0	54



Site: Site 01

GPS: 51.653795, -3.86616

Date: 09-11-2025

TURNING MOVEMENT DATA

Leg	Crymlyn Gardens						Heol Crymlyn						Heol Crymlyn						
Direction	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	Int Total
21:00	0	0	0	0	0	0	1	1	0	2	0	0	1	4	0	5	0	0	7
21:15	0	1	0	1	0	0	2	1	0	3	0	0	0	3	0	3	0	0	7
21:30	0	1	0	1	0	0	1	2	0	3	0	0	3	3	0	6	0	0	10
21:45	1	0	0	1	0	0	0	2	0	2	0	0	1	1	0	2	0	0	5
Hourly Total	1	2	0	3	0	0	4	6	0	10	0	0	5	11	0	16	0	0	29
22:00	0	0	0	0	0	0	1	1	0	2	0	0	1	1	0	2	0	0	4
22:15	1	0	0	1	0	0	1	0	0	1	0	0	3	2	0	5	0	0	7
22:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
22:45	1	0	0	1	0	0	0	0	0	0	0	0	0	1	0	1	0	0	2
Hourly Total	2	0	0	2	0	0	2	1	0	3	0	0	4	4	0	8	0	0	13
23:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
23:15	0	2	0	2	0	0	1	0	0	1	0	0	2	2	0	4	0	0	7
23:30	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1
23:45	0	0	0	0	0	0	1	0	0	1	0	0	1	0	0	1	0	0	2
Hourly Total	0	2	0	2	0	0	2	0	0	2	0	0	4	2	0	6	0	0	10
Grand Total	108	201	0	309	0	0	666	90	2	758	0	0	205	758	0	963	0	0	2030
Approach %	34	65	0	100	0	0	87	11	0	100	0	0	21	78	0	100	0	0	300
Total %	5	9	0	15	0	0	32	4	0	37	0	0	10	37	0	47	0	0	100
Car	93	183	0	276	0	0	580	83	2	665	0	0	189	657	0	846	0	0	1787
Car %	86	0	0	0	0	0	0	92	100	0	0	0	92	86	0	0	0	0	88
LGV	4	16	0	20	0	0	72	6	0	78	0	0	15	86	0	101	0	0	199
LGV %	3	0	0	0	0	0	0	6	0	0	0	0	7	11	0	0	0	0	9
OGV1	0	1	0	1	0	0	5	0	0	5	0	0	1	5	0	6	0	0	12
OGV1 %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OGV2	0	1	0	1	0	0	2	0	0	2	0	0	0	2	0	2	0	0	5
OGV2 %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSV	11	0	0	11	0	0	1	1	0	2	0	0	0	0	0	0	0	0	13
PSV %	10	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
MC	0	0	0	0	0	0	5	0	0	5	0	0	0	8	0	8	0	0	13
MC %	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
PC	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	1
PC %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0




Site: Site 01

GPS: 51.653795, -3.86616

Date: 09-11-2025

Turning Movement Data





SUMMARY	
Project	Skewen Neath
Project Code	SS2006
Site Name	Site 01
Legs and Movements	All Processed Legs & Movements
Count Interval	15
Start Time	00:00
End Time	23:45
Location	Site 01
Latitude and Longitude	(51.653795, -3.86616)

	START	END	PHF
AM PEAK			
PM PEAK			
Mid-Day PEAK			
Forced Peak AM			
Forced Peak PM			





Site: Site 01

GPS: 51.653795, -3.86616

Date: 09-12-2025

TURNING MOVEMENT DATA

Leg	Crymlyn Gardens						Heol Crymlyn						Heol Crymlyn						
Direction	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	Int Total
00:00	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	2	0	0	2
00:15	0	0	0	0	0	0	1	0	0	1	0	0	3	0	0	3	0	0	4
00:30	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1
00:45	1	0	0	1	0	0	0	0	0	0	0	0	1	0	0	1	0	0	2
Hourly Total	1	0	0	1	0	0	1	0	0	1	0	0	4	3	0	7	0	0	9
01:00	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1
01:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
01:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
01:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hourly Total	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1
02:00	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1
02:15	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
02:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02:45	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1
Hourly Total	0	1	0	1	0	0	0	0	0	0	0	0	1	1	0	2	0	0	3
03:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hourly Total	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
04:00	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1
04:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
04:30	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	1
04:45	0	1	0	1	0	0	1	0	0	1	0	0	0	0	0	0	0	0	2
Hourly Total	0	1	0	1	0	0	2	0	0	2	0	0	0	1	0	1	0	0	4
05:00	1	0	0	1	0	0	0	0	0	0	0	0	0	1	0	1	0	0	2
05:15	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
05:30	0	1	0	1	0	0	1	0	0	1	0	0	0	0	0	0	0	0	2
05:45	3	2	0	5	0	0	2	0	0	2	0	0	0	1	0	1	0	0	8
Hourly Total	4	4	0	8	0	0	3	0	0	3	0	0	0	2	0	2	0	0	13
06:00	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	1	0	0	2
06:15	0	0	0	0	0	0	3	0	0	3	0	0	0	1	0	1	0	0	4
06:30	2	3	0	5	0	0	5	1	0	6	0	0	0	3	0	3	0	0	14
06:45	3	3	0	6	0	0	5	0	0	5	0	0	3	4	0	7	0	0	18
Hourly Total	5	7	0	12	0	0	13	1	0	14	0	0	3	9	0	12	0	0	38



Site: Site 01

GPS: 51.653795, -3.86616

Date: 09-12-2025

TURNING MOVEMENT DATA

Leg	Crymlyn Gardens						Heol Crymlyn						Heol Crymlyn						
Direction	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	Int Total
07:00	1	5	0	6	0	0	4	2	0	6	0	0	3	4	0	7	0	0	19
07:15	2	5	0	7	0	0	7	0	0	7	0	0	0	2	0	2	0	0	16
07:30	3	7	0	10	0	0	21	0	0	21	0	0	1	2	0	3	0	0	34
07:45	3	8	0	11	0	0	27	2	0	29	0	0	0	11	0	11	0	0	51
Hourly Total	9	25	0	34	0	0	59	4	0	63	0	0	4	19	0	23	0	0	120
08:00	3	6	0	9	0	0	20	2	0	22	0	0	0	9	0	9	0	0	40
08:15	7	12	0	19	0	0	27	0	0	27	0	0	1	10	0	11	0	0	57
08:30	1	3	0	4	0	0	26	2	0	28	0	0	3	11	0	14	0	0	46
08:45	5	7	0	12	0	0	15	2	0	17	0	0	2	12	0	14	0	0	43
Hourly Total	16	28	0	44	0	0	88	6	0	94	0	0	6	42	0	48	0	0	186
09:00	0	3	0	3	0	0	9	2	0	11	0	0	0	10	0	10	0	0	24
09:15	3	7	0	10	0	0	14	2	0	16	0	0	0	5	0	5	0	0	31
09:30	0	4	0	4	0	0	9	0	0	9	0	0	2	3	0	5	0	0	18
09:45	2	1	0	3	0	0	9	0	0	9	0	0	3	6	0	9	0	0	21
Hourly Total	5	15	0	20	0	0	41	4	0	45	0	0	5	24	0	29	0	0	94
10:00	2	1	0	3	0	0	8	1	0	9	0	0	6	6	0	12	0	0	24
10:15	1	1	0	2	0	0	7	0	0	7	0	0	3	11	0	14	0	0	23
10:30	1	2	0	3	0	0	4	1	0	5	0	0	1	7	0	8	0	0	16
10:45	1	7	0	8	0	0	11	2	0	13	0	0	1	11	0	12	0	0	33
Hourly Total	5	11	0	16	0	0	30	4	0	34	0	0	11	35	0	46	0	0	96
11:00	1	2	0	3	0	0	15	3	0	18	0	0	0	15	0	15	0	0	36
11:15	2	1	0	3	0	0	13	1	0	14	0	0	3	12	0	15	0	0	32
11:30	0	6	0	6	0	0	14	1	0	15	0	0	2	7	0	9	0	0	30
11:45	2	1	0	3	0	0	10	1	0	11	0	0	6	14	0	20	0	0	34
Hourly Total	5	10	0	15	0	0	52	6	0	58	0	0	11	48	0	59	0	0	132
12:00	0	2	0	2	0	0	14	1	0	15	0	0	5	11	0	16	0	0	33
12:15	0	2	0	2	0	0	14	3	0	17	0	0	1	14	0	15	0	0	34
12:30	3	2	0	5	0	0	13	1	0	14	0	0	2	17	0	19	0	0	38
12:45	4	4	0	8	0	0	18	0	0	18	0	0	4	9	0	13	0	0	39
Hourly Total	7	10	0	17	0	0	59	5	0	64	0	0	12	51	0	63	0	0	144
13:00	0	4	0	4	0	0	14	0	0	14	0	0	4	14	0	18	0	0	36
13:15	0	1	0	1	0	0	6	2	0	8	0	0	8	22	0	30	0	0	39
13:30	4	0	0	4	0	0	10	1	0	11	0	0	6	21	0	27	0	0	42
13:45	1	3	0	4	0	0	12	0	0	12	0	0	2	16	0	18	0	0	34
Hourly Total	5	8	0	13	0	0	42	3	0	45	0	0	20	73	0	93	0	0	151



Site: Site 01

GPS: 51.653795, -3.86616

Date: 09-12-2025

TURNING MOVEMENT DATA

Leg Direction	Crymlyn Gardens						Heol Crymlyn						Heol Crymlyn						
	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	Int Total
14:00	1	3	0	4	0	0	15	0	0	15	0	0	3	23	0	26	0	0	45
14:15	0	1	0	1	0	0	10	0	0	10	0	0	6	21	0	27	0	0	38
14:30	2	4	0	6	0	0	10	2	0	12	0	0	6	18	0	24	0	0	42
14:45	2	3	0	5	0	0	8	1	0	9	0	0	3	17	0	20	0	0	34
Hourly Total	5	11	0	16	0	0	43	3	0	46	0	0	18	79	0	97	0	0	159
15:00	0	1	0	1	0	0	20	1	0	21	0	0	4	17	0	21	0	0	43
15:15	1	1	0	2	0	0	12	3	0	15	0	0	11	26	0	37	0	0	54
15:30	3	1	0	4	0	0	11	2	0	13	0	0	4	26	0	30	0	0	47
15:45	4	3	0	7	0	0	16	6	0	22	0	0	3	28	0	31	0	0	60
Hourly Total	8	6	0	14	0	0	59	12	0	71	0	0	22	97	0	119	0	0	204
16:00	3	7	0	10	0	0	22	5	0	27	0	0	6	29	0	35	0	0	72
16:15	1	6	0	7	0	0	15	3	0	18	0	0	10	26	0	36	0	0	61
16:30	4	2	0	6	0	0	24	2	0	26	0	0	5	24	0	29	0	0	61
16:45	1	5	0	6	0	0	24	2	0	26	0	0	5	22	0	27	0	0	59
Hourly Total	9	20	0	29	0	0	85	12	0	97	0	0	26	101	0	127	0	0	253
17:00	0	5	0	5	0	0	29	1	0	30	0	0	7	23	0	30	0	0	65
17:15	2	8	0	10	0	0	26	1	0	27	0	0	7	30	0	37	0	0	74
17:30	2	5	0	7	0	0	23	3	0	26	0	0	8	24	0	32	0	0	65
17:45	3	5	0	8	0	0	14	2	0	16	0	0	6	20	0	26	0	0	50
Hourly Total	7	23	0	30	0	0	92	7	0	99	0	0	28	97	0	125	0	0	254
18:00	2	3	0	5	0	0	12	1	0	13	0	0	7	19	0	26	0	0	44
18:15	5	5	0	10	0	0	6	2	0	8	0	0	3	13	0	16	0	0	34
18:30	2	3	0	5	0	0	7	2	0	9	0	0	2	15	0	17	0	0	31
18:45	1	6	0	7	0	0	9	1	0	10	0	0	5	10	0	15	0	0	32
Hourly Total	10	17	0	27	0	0	34	6	0	40	0	0	17	57	0	74	0	0	141
19:00	0	2	0	2	0	0	10	2	0	12	0	0	5	9	0	14	0	0	28
19:15	0	2	0	2	0	0	7	3	0	10	0	0	5	13	0	18	0	0	30
19:30	1	0	0	1	0	0	5	2	0	7	0	0	3	5	0	8	0	0	16
19:45	1	4	0	5	0	0	5	0	0	5	0	0	5	10	0	15	0	0	25
Hourly Total	2	8	0	10	0	0	27	7	0	34	0	0	18	37	0	55	0	0	99
20:00	1	1	0	2	0	0	2	2	0	4	0	0	2	9	0	11	0	0	17
20:15	0	0	0	0	0	0	6	1	0	7	0	0	3	2	0	5	0	0	12
20:30	1	2	0	3	0	0	4	0	0	4	0	0	3	4	0	7	0	0	14
20:45	0	0	0	0	0	0	5	1	0	6	0	0	1	1	0	2	0	0	8
Hourly Total	2	3	0	5	0	0	17	4	0	21	0	0	9	16	0	25	0	0	51



Site: Site 01

GPS: 51.653795, -3.86616

Date: 09-12-2025

TURNING MOVEMENT DATA

Leg	Crymlyn Gardens						Heol Crymlyn						Heol Crymlyn						
Direction	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	Int Total
21:00	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	1
21:15	0	1	0	1	0	0	2	0	0	2	0	0	2	4	0	6	0	0	9
21:30	0	1	0	1	0	0	0	0	0	0	0	0	4	2	0	6	0	0	7
21:45	1	3	0	4	0	0	1	1	0	2	0	0	4	3	0	7	0	0	13
Hourly Total	1	5	0	6	0	0	4	1	0	5	0	0	10	9	0	19	0	0	30
22:00	2	2	0	4	0	0	3	2	0	5	0	0	2	1	0	3	0	0	12
22:15	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	3	0	0	3
22:30	0	0	0	0	0	0	2	1	0	3	0	0	2	2	0	4	0	0	7
22:45	0	1	0	1	0	0	1	0	0	1	0	0	0	4	0	4	0	0	6
Hourly Total	2	3	0	5	0	0	6	3	0	9	0	0	5	9	0	14	0	0	28
23:00	0	0	0	0	0	0	1	0	0	1	0	0	0	1	0	1	0	0	2
23:15	0	2	0	2	0	0	3	1	0	4	0	0	0	1	0	1	0	0	7
23:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
23:45	0	0	0	0	0	0	4	0	0	4	0	0	0	3	0	3	0	0	7
Hourly Total	0	2	0	2	0	0	8	1	0	9	0	0	0	5	0	5	0	0	16
Grand Total	108	218	0	326	0	0	765	89	0	854	0	0	231	815	0	1046	0	0	2226
Approach %	33	66	0	100	0	0	89	10	0	100	0	0	22	77	0	100	0	0	300
Total %	4	9	0	14	0	0	34	4	0	38	0	0	10	36	0	46	0	0	100
Car	94	199	0	293	0	0	658	81	0	739	0	0	216	722	0	938	0	0	1970
Car %	87	0	0	0	0	0	0	91	0	0	0	0	93	88	0	0	0	0	88
LGV	11	17	0	28	0	0	94	7	0	101	0	0	14	81	0	95	0	0	224
LGV %	10	0	0	0	0	0	0	7	0	0	0	0	6	9	0	0	0	0	10
OGV1	0	1	0	1	0	0	6	0	0	6	0	0	0	3	0	3	0	0	10
OGV1 %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OGV2	0	0	0	0	0	0	1	0	0	1	0	0	0	1	0	1	0	0	2
OGV2 %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSV	3	0	0	3	0	0	2	1	0	3	0	0	0	0	0	0	0	0	6
PSV %	2	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
MC	0	0	0	0	0	0	2	0	0	2	0	0	0	7	0	7	0	0	9
MC %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PC	0	1	0	1	0	0	2	0	0	2	0	0	1	1	0	2	0	0	5
PC %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0



Site: Site 01

GPS: 51.653795, -3.86616

Date: 09-12-2025

Turning Movement Data

Class
Car
LGV
OGV1
OGV2
PSV
MC
PC
Total


Out	In	Total
297	293	590
21	28	49
0	1	1
0	0	0
1	3	4
0	0	0
1	1	2
320	326	646



Right	Left	U-Turn
199	94	0
17	11	0
1	0	0
0	0	0
0	3	0
0	0	0
1	0	0
218	108	0

Out	In	Total
857	938	1795
111	95	206
7	3	10
1	1	2
2	0	2
2	7	9
3	2	5
983	1046	2029

Thru	Left	U-Turn
722	216	0
81	14	0
3	0	0
1	0	0
0	0	0
7	0	0
1	1	0
815	231	0



Right	Thru	U-Turn
81	658	0
7	94	0
0	6	0
0	1	0
1	2	0
0	2	0
0	2	0
89	765	0

Out	In	Total
816	739	1555
92	101	193
3	6	9
1	1	2
3	3	6
7	2	9
1	2	3
923	854	1777



SUMMARY	
Project	Skewen Neath
Project Code	SS2006
Site Name	Site 01
Legs and Movements	All Processed Legs & Movements
Count Interval	15
Start Time	00:00
End Time	23:45
Location	Site 01
Latitude and Longitude	(51.653795, -3.86616)

	START	END	PHF
AM PEAK			
PM PEAK			
Mid-Day PEAK			
Forced Peak AM			
Forced Peak PM			





Site: Site 01

GPS: 51.653795, -3.86616

Date: 09-15-2025

TURNING MOVEMENT DATA

Leg	Crymlyn Gardens						Heol Crymlyn						Heol Crymlyn						
Direction	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	Int Total
00:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
00:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
00:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
00:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hourly Total	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
01:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
01:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
01:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
01:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hourly Total	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hourly Total	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hourly Total	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
04:00	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1
04:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
04:30	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	1
04:45	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1
Hourly Total	0	0	0	0	0	0	1	0	0	1	0	0	1	1	0	2	0	0	3
05:00	3	2	0	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5
05:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
05:30	0	2	0	2	0	0	1	0	0	1	0	0	0	0	0	0	0	0	3
05:45	2	2	0	4	0	0	1	0	0	1	0	0	0	1	0	1	0	0	6
Hourly Total	5	6	0	11	0	0	2	0	0	2	0	0	0	1	0	1	0	0	14
06:00	2	1	0	3	0	0	0	0	0	0	0	0	1	1	0	2	0	0	5
06:15	3	1	0	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4
06:30	1	1	0	2	0	0	0	0	0	0	0	0	2	0	0	2	0	0	4
06:45	3	0	0	3	0	0	3	0	0	3	0	0	0	5	0	5	0	0	11
Hourly Total	9	3	0	12	0	0	3	0	0	3	0	0	3	6	0	9	0	0	24



Site: Site 01

GPS: 51.653795, -3.86616

Date: 09-15-2025

TURNING MOVEMENT DATA

Leg Direction	Crymlyn Gardens						Heol Crymlyn						Heol Crymlyn						
	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	Int Total
07:00	2	2	0	4	0	0	6	0	0	6	0	0	1	4	0	5	0	0	15
07:15	0	3	0	3	0	0	7	0	0	7	0	0	1	2	0	3	0	0	13
07:30	4	14	0	18	0	0	25	0	0	25	0	0	0	3	0	3	0	0	46
07:45	3	11	0	14	0	0	33	3	0	36	0	0	0	8	0	8	0	0	58
Hourly Total	9	30	0	39	0	0	71	3	0	74	0	0	2	17	0	19	0	0	132
08:00	5	9	0	14	0	0	47	0	0	47	0	0	2	6	0	8	0	0	69
08:15	4	8	0	12	0	0	37	2	0	39	0	0	4	11	0	15	0	0	66
08:30	3	10	0	13	0	0	34	2	0	36	0	0	0	10	0	10	0	0	59
08:45	1	8	0	9	0	0	20	2	0	22	0	0	2	11	0	13	0	0	44
Hourly Total	13	35	0	48	0	0	138	6	0	144	0	0	8	38	0	46	0	0	238
09:00	1	2	0	3	0	0	16	1	0	17	0	0	1	7	0	8	0	0	28
09:15	2	6	0	8	0	0	13	0	0	13	0	0	2	6	0	8	0	0	29
09:30	2	3	0	5	0	0	10	1	0	11	0	0	2	7	0	9	0	0	25
09:45	2	3	0	5	0	0	5	1	0	6	0	0	2	6	0	8	0	0	19
Hourly Total	7	14	0	21	0	0	44	3	0	47	0	0	7	26	0	33	0	0	101
10:00	3	4	0	7	0	0	5	0	0	5	0	0	0	7	0	7	0	0	19
10:15	0	5	0	5	0	0	7	1	0	8	0	0	1	7	0	8	0	0	21
10:30	0	4	0	4	0	0	12	2	0	14	0	0	3	7	0	10	0	0	28
10:45	3	3	0	6	0	0	8	1	0	9	0	0	2	7	0	9	0	0	24
Hourly Total	6	16	0	22	0	0	32	4	0	36	0	0	6	28	0	34	0	0	92
11:00	3	2	0	5	0	0	14	1	0	15	0	0	3	10	0	13	0	0	33
11:15	0	3	0	3	0	0	8	1	0	9	0	0	2	9	0	11	0	0	23
11:30	0	3	0	3	0	0	9	0	0	9	0	0	1	6	0	7	0	0	19
11:45	1	1	0	2	0	0	10	0	0	10	0	0	4	8	0	12	0	0	24
Hourly Total	4	9	0	13	0	0	41	2	0	43	0	0	10	33	0	43	0	0	99
12:00	3	0	0	3	0	0	7	1	0	8	0	0	1	8	0	9	0	0	20
12:15	3	0	0	3	0	0	10	0	1	11	0	0	4	8	0	12	0	0	26
12:30	1	5	0	6	0	0	6	2	0	8	0	0	4	9	0	13	0	0	27
12:45	3	2	0	5	0	0	10	1	0	11	0	0	6	12	0	18	0	0	34
Hourly Total	10	7	0	17	0	0	33	4	1	38	0	0	15	37	0	52	0	0	107
13:00	1	1	0	2	0	0	10	3	0	13	0	0	3	9	0	12	0	0	27
13:15	3	3	0	6	0	0	7	1	0	8	0	0	2	8	0	10	0	0	24
13:30	0	1	0	1	0	0	9	3	0	12	0	0	2	9	0	11	0	0	24
13:45	1	3	0	4	0	0	5	2	0	7	0	0	7	9	0	16	0	0	27
Hourly Total	5	8	0	13	0	0	31	9	0	40	0	0	14	35	0	49	0	0	102



Site: Site 01

GPS: 51.653795, -3.86616

Date: 09-15-2025

TURNING MOVEMENT DATA

Leg	Crymlyn Gardens						Heol Crymlyn						Heol Crymlyn						
Direction	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	Int Total
14:00	0	0	0	0	0	0	4	1	1	6	0	0	3	14	1	18	0	0	24
14:15	4	1	0	5	0	0	15	0	0	15	0	0	2	11	0	13	0	0	33
14:30	8	3	0	11	0	0	8	2	1	11	0	0	2	15	0	17	0	0	39
14:45	13	5	0	18	0	0	6	1	0	7	0	0	2	18	0	20	0	0	45
Hourly Total	25	9	0	34	0	0	33	4	2	39	0	0	9	58	1	68	0	0	141
15:00	3	0	0	3	0	0	11	1	0	12	0	0	4	13	0	17	0	0	32
15:15	1	1	0	2	0	0	12	3	0	15	0	0	5	16	0	21	0	0	38
15:30	0	2	0	2	0	0	8	2	0	10	0	0	5	12	0	17	0	0	29
15:45	5	1	0	6	0	0	14	2	0	16	0	0	7	12	0	19	0	0	41
Hourly Total	9	4	0	13	0	0	45	8	0	53	0	0	21	53	0	74	0	0	140
16:00	2	2	0	4	0	0	20	5	0	25	0	0	5	21	0	26	0	0	55
16:15	3	2	0	5	0	0	16	1	0	17	0	0	7	21	0	28	0	0	50
16:30	3	5	0	8	0	0	17	0	0	17	0	0	7	26	0	33	0	0	58
16:45	5	4	0	9	0	0	16	4	0	20	0	0	4	30	0	34	0	0	63
Hourly Total	13	13	0	26	0	0	69	10	0	79	0	0	23	98	0	121	0	0	226
17:00	0	2	0	2	0	0	14	5	0	19	0	0	8	20	0	28	0	0	49
17:15	4	2	0	6	0	0	13	6	0	19	0	0	8	39	0	47	0	0	72
17:30	3	8	0	11	0	0	10	0	0	10	0	0	6	29	0	35	0	0	56
17:45	3	6	0	9	0	0	10	2	0	12	0	0	13	25	0	38	0	0	59
Hourly Total	10	18	0	28	0	0	47	13	0	60	0	0	35	113	0	148	0	0	236
18:00	1	2	0	3	0	0	13	1	0	14	0	0	3	7	0	10	0	0	27
18:15	0	4	0	4	0	0	14	2	0	16	0	0	7	14	0	21	0	0	41
18:30	0	4	0	4	0	0	9	2	0	11	0	0	1	15	0	16	0	0	31
18:45	3	2	0	5	0	0	5	0	0	5	0	0	2	8	0	10	0	0	20
Hourly Total	4	12	0	16	0	0	41	5	0	46	0	0	13	44	0	57	0	0	119
19:00	1	3	0	4	0	0	7	1	0	8	0	0	2	13	0	15	0	0	27
19:15	1	2	0	3	0	0	7	1	0	8	0	0	4	11	0	15	0	0	26
19:30	2	1	0	3	0	0	7	1	0	8	0	0	2	8	0	10	0	0	21
19:45	1	3	0	4	0	0	3	4	0	7	0	0	6	10	0	16	0	0	27
Hourly Total	5	9	0	14	0	0	24	7	0	31	0	0	14	42	0	56	0	0	101
20:00	0	0	0	0	0	0	1	0	0	1	0	0	2	3	0	5	0	0	6
20:15	0	2	0	2	0	0	7	2	0	9	0	0	5	5	0	10	0	0	21
20:30	0	2	0	2	0	0	0	0	0	0	0	0	3	2	0	5	0	0	7
20:45	0	1	0	1	0	0	0	2	1	3	0	0	1	2	0	3	0	0	7
Hourly Total	0	5	0	5	0	0	8	4	1	13	0	0	11	12	0	23	0	0	41



Site: Site 01

GPS: 51.653795, -3.86616

Date: 09-15-2025

TURNING MOVEMENT DATA

Leg Direction	Crymlyn Gardens						Heol Crymlyn						Heol Crymlyn						
	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	Int Total
21:00	1	1	1	3	0	0	4	0	0	4	0	0	0	4	0	4	0	0	11
21:15	0	0	0	0	0	0	0	0	0	0	0	0	4	3	0	7	0	0	7
21:30	1	0	0	1	0	0	1	1	0	2	0	0	2	1	0	3	0	0	6
21:45	0	0	0	0	0	0	0	0	0	0	0	0	4	0	0	4	0	0	4
Hourly Total	2	1	1	4	0	0	5	1	0	6	0	0	10	8	0	18	0	0	28
22:00	1	0	0	1	0	0	0	1	0	1	0	0	1	1	0	2	0	0	4
22:15	0	1	0	1	0	0	0	0	0	0	0	0	1	1	0	2	0	0	3
22:30	1	0	0	1	0	0	1	0	1	2	0	0	1	1	0	2	0	0	5
22:45	1	0	0	1	0	0	2	0	0	2	0	0	1	0	0	1	0	0	4
Hourly Total	3	1	0	4	0	0	3	1	1	5	0	0	4	3	0	7	0	0	16
23:00	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	1	0	0	2
23:15	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1
23:30	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1
23:45	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	1
Hourly Total	0	1	0	1	0	0	1	0	0	1	0	0	1	2	0	3	0	0	5
Grand Total	139	201	1	341	0	0	672	84	5	761	0	0	207	655	1	863	0	0	1965
Approach %	40	58	0	100	0	0	88	11	0	100	0	0	23	75	0	100	0	0	300
Total %	7	10	0	17	0	0	34	4	0	38	0	0	10	33	0	43	0	0	100
Car	108	183	1	292	0	0	577	74	4	655	0	0	189	588	1	778	0	0	1725
Car %	77	0	100	0	0	0	0	88	80	0	0	0	91	89	0	0	0	0	87
LGV	25	14	0	39	0	0	80	9	1	90	0	0	16	58	0	74	0	0	203
LGV %	17	0	0	0	0	0	0	10	20	0	0	0	7	8	0	0	0	0	10
OGV1	2	1	0	3	0	0	8	0	0	8	0	0	0	3	0	3	0	0	14
OGV1 %	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OGV2	0	0	0	0	0	0	1	0	0	1	0	0	0	2	0	2	0	0	3
OGV2 %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSV	3	0	0	3	0	0	0	1	0	1	0	0	0	1	0	1	0	0	5
PSV %	2	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
MC	1	3	0	4	0	0	5	0	0	5	0	0	2	3	0	5	0	0	14
MC %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PC	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	1
PC %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0




Site: Site 01

GPS: 51.653795, -3.86616

Date: 09-15-2025

Turning Movement Data





SUMMARY	
Project	Skewen Neath
Project Code	SS2006
Site Name	Site 01
Legs and Movements	All Processed Legs & Movements
Count Interval	15
Start Time	00:00
End Time	23:45
Location	Site 01
Latitude and Longitude	(51.653795, -3.86616)

	START	END	PHF
AM PEAK			
PM PEAK			
Mid-Day PEAK			
Forced Peak AM			
Forced Peak PM			





Site: Site 01

GPS: 51.653795, -3.86616

Date: 09-16-2025

TURNING MOVEMENT DATA

Leg Direction	Crymlyn Gardens						Heol Crymlyn						Heol Crymlyn						
	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	Int Total
00:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
00:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
00:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
00:45	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1
Hourly Total	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1
01:00	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1
01:15	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	2	0	0	2
01:30	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	1
01:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hourly Total	0	0	0	0	0	0	0	1	0	1	0	0	2	1	0	3	0	0	4
02:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02:15	0	0	0	0	0	0	2	0	0	2	0	0	0	0	0	0	0	0	2
02:30	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1
02:45	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Hourly Total	1	0	0	1	0	0	2	0	0	2	0	0	0	1	0	1	0	0	4
03:00	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1
03:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hourly Total	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1
04:00	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	2	0	0	2
04:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
04:30	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	1
04:45	0	0	0	0	0	0	1	0	0	1	0	0	1	0	0	1	0	0	2
Hourly Total	0	0	0	0	0	0	2	0	0	2	0	0	1	2	0	3	0	0	5
05:00	1	2	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3
05:15	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1
05:30	0	1	0	1	0	0	2	0	0	2	0	0	0	2	0	2	0	0	5
05:45	2	4	0	6	0	0	0	0	0	0	0	0	0	1	0	1	0	0	7
Hourly Total	3	7	0	10	0	0	2	0	0	2	0	0	0	4	0	4	0	0	16
06:00	0	1	0	1	0	0	1	0	0	1	0	0	1	2	0	3	0	0	5
06:15	3	2	0	5	0	0	1	0	0	1	0	0	0	1	0	1	0	0	7
06:30	2	3	0	5	0	0	2	0	0	2	0	0	1	1	0	2	0	0	9
06:45	1	2	0	3	0	0	7	0	0	7	0	0	0	4	0	4	0	0	14
Hourly Total	6	8	0	14	0	0	11	0	0	11	0	0	2	8	0	10	0	0	35



Site: Site 01

GPS: 51.653795, -3.86616

Date: 09-16-2025

TURNING MOVEMENT DATA

Leg	Crymlyn Gardens						Heol Crymlyn						Heol Crymlyn						
Direction	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	Int Total
07:00	3	4	0	7	0	0	11	0	0	11	0	0	1	3	0	4	0	0	22
07:15	5	6	0	11	0	0	11	0	0	11	0	0	2	6	0	8	0	0	30
07:30	5	7	0	12	0	0	27	0	0	27	0	0	3	6	0	9	0	0	48
07:45	9	15	0	24	0	0	21	2	0	23	0	0	1	7	0	8	0	0	55
Hourly Total	22	32	0	54	0	0	70	2	0	72	0	0	7	22	0	29	0	0	155
08:00	3	12	0	15	0	0	31	1	0	32	0	0	1	13	0	14	0	0	61
08:15	5	10	0	15	0	0	38	3	0	41	0	0	0	11	0	11	0	0	67
08:30	1	6	0	7	0	0	37	1	0	38	0	0	4	14	0	18	0	0	63
08:45	0	2	0	2	0	0	28	1	0	29	0	0	1	7	0	8	0	0	39
Hourly Total	9	30	0	39	0	0	134	6	0	140	0	0	6	45	0	51	0	0	230
09:00	1	3	0	4	0	0	19	1	0	20	0	0	4	8	0	12	0	0	36
09:15	2	4	0	6	0	0	14	2	0	16	0	0	1	10	0	11	0	0	33
09:30	3	1	0	4	0	0	13	1	0	14	0	0	4	7	0	11	0	0	29
09:45	0	5	0	5	0	0	8	1	0	9	0	0	0	6	0	6	0	0	20
Hourly Total	6	13	0	19	0	0	54	5	0	59	0	0	9	31	0	40	0	0	118
10:00	1	3	0	4	0	0	11	1	0	12	0	0	3	4	0	7	0	0	23
10:15	3	3	0	6	0	0	10	1	0	11	0	0	3	7	0	10	0	0	27
10:30	2	1	0	3	0	0	4	1	0	5	0	0	3	12	0	15	0	0	23
10:45	1	1	0	2	0	0	4	0	0	4	0	0	2	5	0	7	0	0	13
Hourly Total	7	8	0	15	0	0	29	3	0	32	0	0	11	28	0	39	0	0	86
11:00	1	1	0	2	0	0	6	1	0	7	0	0	2	10	0	12	0	0	21
11:15	1	3	0	4	0	0	8	1	0	9	0	0	4	11	0	15	0	0	28
11:30	4	3	0	7	0	0	18	0	0	18	0	0	2	8	0	10	0	0	35
11:45	1	3	0	4	0	0	10	2	0	12	0	0	3	11	0	14	0	0	30
Hourly Total	7	10	0	17	0	0	42	4	0	46	0	0	11	40	0	51	0	0	114
12:00	0	2	0	2	0	0	9	0	0	9	0	0	2	9	0	11	0	0	22
12:15	0	3	0	3	0	0	11	1	0	12	0	0	0	7	0	7	0	0	22
12:30	0	3	0	3	0	0	9	0	0	9	0	0	3	12	0	15	0	0	27
12:45	0	1	0	1	0	0	10	1	0	11	0	0	0	10	0	10	0	0	22
Hourly Total	0	9	0	9	0	0	39	2	0	41	0	0	5	38	0	43	0	0	93
13:00	1	4	0	5	0	0	10	0	0	10	0	0	4	13	0	17	0	0	32
13:15	0	0	0	0	0	0	8	0	1	9	0	0	5	8	0	13	0	0	22
13:30	3	3	0	6	0	0	8	1	0	9	0	0	1	11	0	12	0	0	27
13:45	2	3	0	5	0	0	9	0	0	9	0	0	1	12	0	13	0	0	27
Hourly Total	6	10	0	16	0	0	35	1	1	37	0	0	11	44	0	55	0	0	108



Site: Site 01

GPS: 51.653795, -3.86616

Date: 09-16-2025

TURNING MOVEMENT DATA

Leg Direction	Crymlyn Gardens						Heol Crymlyn						Heol Crymlyn						
	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	Int Total
14:00	2	1	0	3	0	0	10	0	0	10	0	0	2	13	0	15	0	0	28
14:15	0	2	0	2	0	0	5	0	0	5	0	0	2	19	0	21	0	0	28
14:30	5	3	0	8	0	0	4	2	1	7	0	0	4	11	0	15	0	0	30
14:45	0	1	0	1	0	0	12	2	0	14	0	0	2	16	0	18	0	0	33
Hourly Total	7	7	0	14	0	0	31	4	1	36	0	0	10	59	0	69	0	0	119
15:00	2	4	0	6	0	0	13	2	0	15	0	0	5	19	0	24	0	0	45
15:15	3	3	0	6	0	0	8	3	0	11	0	0	5	17	0	22	0	0	39
15:30	1	1	0	2	0	0	16	1	0	17	0	0	4	13	0	17	0	0	36
15:45	4	0	0	4	0	0	14	4	0	18	0	0	3	23	0	26	0	0	48
Hourly Total	10	8	0	18	0	0	51	10	0	61	0	0	17	72	0	89	0	0	168
16:00	2	1	0	3	0	0	12	4	0	16	0	0	4	27	0	31	0	0	50
16:15	5	4	0	9	0	0	13	3	0	16	0	0	7	23	0	30	0	0	55
16:30	2	3	0	5	0	0	14	3	0	17	0	0	9	24	0	33	0	0	55
16:45	1	1	0	2	0	0	15	2	1	18	0	0	8	37	0	45	0	0	65
Hourly Total	10	9	0	19	0	0	54	12	1	67	0	0	28	111	0	139	0	0	225
17:00	2	5	0	7	0	0	18	4	0	22	0	0	4	44	0	48	0	0	77
17:15	2	1	0	3	0	0	24	5	0	29	0	0	11	31	0	42	0	0	74
17:30	5	4	0	9	0	0	18	0	0	18	0	0	4	37	0	41	0	0	68
17:45	3	2	0	5	0	0	10	4	0	14	0	0	1	36	0	37	0	0	56
Hourly Total	12	12	0	24	0	0	70	13	0	83	0	0	20	148	0	168	0	0	275
18:00	1	0	0	1	0	0	8	0	0	8	0	0	7	19	0	26	0	0	35
18:15	3	5	0	8	0	0	15	2	0	17	0	0	8	16	0	24	0	0	49
18:30	3	0	0	3	0	0	11	3	0	14	0	0	9	12	0	21	0	0	38
18:45	1	1	0	2	0	0	9	1	0	10	0	0	5	9	0	14	0	0	26
Hourly Total	8	6	0	14	0	0	43	6	0	49	0	0	29	56	0	85	0	0	148
19:00	0	2	0	2	0	0	8	0	0	8	0	0	2	11	0	13	0	0	23
19:15	1	3	0	4	0	0	7	3	0	10	0	0	0	11	0	11	0	0	25
19:30	1	3	0	4	0	0	6	0	0	6	0	0	2	9	0	11	0	0	21
19:45	4	0	0	4	0	0	9	2	0	11	0	0	6	8	0	14	0	0	29
Hourly Total	6	8	0	14	0	0	30	5	0	35	0	0	10	39	0	49	0	0	98
20:00	2	3	0	5	0	0	6	0	0	6	0	0	1	7	0	8	0	0	19
20:15	0	4	0	4	0	0	9	0	0	9	0	0	3	5	0	8	0	0	21
20:30	2	1	0	3	0	0	6	1	0	7	0	0	6	4	0	10	0	0	20
20:45	1	5	0	6	0	0	7	0	0	7	0	0	1	4	0	5	0	0	18
Hourly Total	5	13	0	18	0	0	28	1	0	29	0	0	11	20	0	31	0	0	78



Site: Site 01

GPS: 51.653795, -3.86616

Date: 09-16-2025

TURNING MOVEMENT DATA

Leg	Crymlyn Gardens						Heol Crymlyn						Heol Crymlyn						
Direction	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	Int Total
21:00	0	0	0	0	0	0	2	1	0	3	0	0	2	2	0	4	0	0	7
21:15	0	1	0	1	0	0	4	3	0	7	0	0	1	3	0	4	0	0	12
21:30	0	1	0	1	0	0	6	0	0	6	0	0	0	5	0	5	0	0	12
21:45	0	3	0	3	0	0	3	1	0	4	0	0	2	4	0	6	0	0	13
Hourly Total	0	5	0	5	0	0	15	5	0	20	0	0	5	14	0	19	0	0	44
22:00	0	0	0	0	0	0	1	0	0	1	0	0	0	1	0	1	0	0	2
22:15	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	1	0	0	2
22:30	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	3	0	0	3
22:45	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	2	0	0	2
Hourly Total	0	1	0	1	0	0	1	0	0	1	0	0	4	3	0	7	0	0	9
23:00	0	1	0	1	0	0	0	0	0	0	0	0	1	2	0	3	0	0	4
23:15	0	0	0	0	0	0	3	0	0	3	0	0	0	0	0	0	0	0	3
23:30	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1
23:45	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1
Hourly Total	0	1	0	1	0	0	3	0	0	3	0	0	2	3	0	5	0	0	9
Grand Total	125	197	0	322	0	0	746	80	3	829	0	0	201	791	0	992	0	0	2143
Approach %	38	61	0	100	0	0	89	9	0	100	0	0	20	79	0	100	0	0	300
Total %	5	9	0	15	0	0	34	3	0	38	0	0	9	36	0	46	0	0	100
Car	99	187	0	286	0	0	658	76	2	736	0	0	184	717	0	901	0	0	1923
Car %	79	0	0	0	0	0	0	95	66	0	0	0	91	90	0	0	0	0	89
LGV	13	10	0	23	0	0	68	4	1	73	0	0	12	62	0	74	0	0	170
LGV %	10	0	0	0	0	0	0	5	33	0	0	0	5	7	0	0	0	0	7
OGV1	1	0	0	1	0	0	9	0	0	9	0	0	0	4	0	4	0	0	14
OGV1 %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OGV2	0	0	0	0	0	0	2	0	0	2	0	0	0	2	0	2	0	0	4
OGV2 %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSV	12	0	0	12	0	0	1	0	0	1	0	0	2	0	0	2	0	0	15
PSV %	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MC	0	0	0	0	0	0	7	0	0	7	0	0	2	6	0	8	0	0	15
MC %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PC	0	0	0	0	0	0	1	0	0	1	0	0	1	0	0	1	0	0	2
PC %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0




Site: Site 01

GPS: 51.653795, -3.86616

Date: 09-16-2025

Turning Movement Data





SUMMARY	
Project	Skewen Neath
Project Code	SS2006
Site Name	Site 01
Legs and Movements	All Processed Legs & Movements
Count Interval	15
Start Time	00:00
End Time	23:45
Location	Site 01
Latitude and Longitude	(51.653795, -3.86616)

	START	END	PHF
AM PEAK			
PM PEAK			
Mid-Day PEAK			
Forced Peak AM			
Forced Peak PM			





Site: Site 01

GPS: 51.653795, -3.86616

Date: 09-17-2025

TURNING MOVEMENT DATA

Leg Direction	Crymlyn Gardens						Heol Crymlyn						Heol Crymlyn						
	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	Int Total
00:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
00:15	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	2	0	0	2
00:30	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
00:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hourly Total	0	1	0	1	0	0	0	0	0	0	0	0	0	2	0	2	0	0	3
01:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
01:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
01:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
01:45	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	1
Hourly Total	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	1
02:00	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1
02:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02:30	0	0	0	0	0	0	1	0	0	1	0	0	0	1	0	1	0	0	2
02:45	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1
Hourly Total	0	0	0	0	0	0	1	0	0	1	0	0	0	3	0	3	0	0	4
03:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hourly Total	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
04:00	1	0	0	1	0	0	0	0	0	0	0	0	0	1	0	1	0	0	2
04:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
04:30	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	1
04:45	0	1	0	1	0	0	0	0	0	0	0	0	1	0	0	1	0	0	2
Hourly Total	1	1	0	2	0	0	1	0	0	1	0	0	1	1	0	2	0	0	5
05:00	0	2	0	2	0	0	0	0	0	0	0	0	1	2	0	3	0	0	5
05:15	1	1	0	2	0	0	0	0	0	0	0	0	0	1	0	1	0	0	3
05:30	2	1	0	3	0	0	1	0	0	1	0	0	0	0	0	0	0	0	4
05:45	2	4	0	6	0	0	0	0	0	0	0	0	0	1	0	1	0	0	7
Hourly Total	5	8	0	13	0	0	1	0	0	1	0	0	1	4	0	5	0	0	19
06:00	3	0	0	3	0	0	0	0	0	0	0	0	0	1	0	1	0	0	4
06:15	2	3	0	5	0	0	3	0	0	3	0	0	0	0	0	0	0	0	8
06:30	3	3	0	6	0	0	3	0	0	3	0	0	0	3	0	3	0	0	12
06:45	2	1	0	3	0	0	5	0	0	5	0	0	0	1	0	1	0	0	9
Hourly Total	10	7	0	17	0	0	11	0	0	11	0	0	0	5	0	5	0	0	33



Site: Site 01

GPS: 51.653795, -3.86616

Date: 09-17-2025

TURNING MOVEMENT DATA

Leg Direction	Crymlyn Gardens						Heol Crymlyn						Heol Crymlyn						
	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	Int Total
07:00	3	1	0	4	0	0	8	0	0	8	0	0	2	3	0	5	0	0	17
07:15	6	7	0	13	0	0	4	1	0	5	0	0	1	2	0	3	0	0	21
07:30	4	11	0	15	0	0	17	0	0	17	0	0	1	6	0	7	0	0	39
07:45	3	11	0	14	0	0	20	3	0	23	0	0	0	5	0	5	0	0	42
Hourly Total	16	30	0	46	0	0	49	4	0	53	0	0	4	16	0	20	0	0	119
08:00	2	7	0	9	0	0	30	2	0	32	0	0	1	8	0	9	0	0	50
08:15	6	7	0	13	0	0	35	0	0	35	0	0	0	14	0	14	0	0	62
08:30	2	5	0	7	0	0	25	1	0	26	0	0	1	10	0	11	0	0	44
08:45	3	5	0	8	0	0	23	0	0	23	0	0	0	13	0	13	0	0	44
Hourly Total	13	24	0	37	0	0	113	3	0	116	0	0	2	45	0	47	0	0	200
09:00	1	2	0	3	0	0	15	2	0	17	0	0	8	6	0	14	0	0	34
09:15	2	4	0	6	0	0	8	0	0	8	0	0	3	12	0	15	0	0	29
09:30	1	3	0	4	0	0	8	0	0	8	0	0	0	6	0	6	0	0	18
09:45	0	4	0	4	0	0	8	1	0	9	0	0	4	5	0	9	0	0	22
Hourly Total	4	13	0	17	0	0	39	3	0	42	0	0	15	29	0	44	0	0	103
10:00	0	2	0	2	0	0	11	0	0	11	0	0	3	3	0	6	0	0	19
10:15	5	0	0	5	0	0	7	1	0	8	0	0	2	2	0	4	0	0	17
10:30	1	2	0	3	0	0	9	2	0	11	0	0	1	6	0	7	0	0	21
10:45	0	5	0	5	0	0	6	0	0	6	0	0	1	5	0	6	0	0	17
Hourly Total	6	9	0	15	0	0	33	3	0	36	0	0	7	16	0	23	0	0	74
11:00	1	2	0	3	0	0	9	1	0	10	0	0	1	9	0	10	0	0	23
11:15	3	4	0	7	0	0	14	0	0	14	0	0	4	9	0	13	0	0	34
11:30	1	4	0	5	0	0	8	1	0	9	0	0	2	7	0	9	0	0	23
11:45	1	4	0	5	0	0	12	3	0	15	0	0	5	8	0	13	0	0	33
Hourly Total	6	14	0	20	0	0	43	5	0	48	0	0	12	33	0	45	0	0	113
12:00	3	6	0	9	0	0	8	1	0	9	0	0	2	12	0	14	0	0	32
12:15	2	4	0	6	0	0	5	1	0	6	0	0	3	17	0	20	0	0	32
12:30	0	3	0	3	0	0	9	1	0	10	0	0	6	8	0	14	0	0	27
12:45	0	3	0	3	0	0	5	1	0	6	0	0	2	6	0	8	0	0	17
Hourly Total	5	16	0	21	0	0	27	4	0	31	0	0	13	43	0	56	0	0	108
13:00	2	5	0	7	0	0	7	1	0	8	0	0	3	8	0	11	0	0	26
13:15	1	0	0	1	0	0	15	1	0	16	0	0	6	9	0	15	0	0	32
13:30	0	2	0	2	0	0	10	0	0	10	0	0	4	16	0	20	0	0	32
13:45	2	4	0	6	0	0	7	1	0	8	0	0	2	17	0	19	0	0	33
Hourly Total	5	11	0	16	0	0	39	3	0	42	0	0	15	50	0	65	0	0	123



Site: Site 01

GPS: 51.653795, -3.86616

Date: 09-17-2025

TURNING MOVEMENT DATA

Leg Direction	Crymlyn Gardens						Heol Crymlyn						Heol Crymlyn						
	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	Int Total
14:00	1	0	0	1	0	0	10	1	0	11	0	0	1	8	0	9	0	0	21
14:15	2	5	0	7	0	0	6	0	0	6	0	0	4	14	0	18	0	0	31
14:30	1	2	0	3	0	0	6	1	0	7	0	0	6	14	0	20	0	0	30
14:45	2	2	0	4	0	0	8	0	0	8	0	0	3	8	0	11	0	0	23
Hourly Total	6	9	0	15	0	0	30	2	0	32	0	0	14	44	0	58	0	0	105
15:00	5	4	0	9	0	0	5	1	0	6	0	0	2	12	0	14	0	0	29
15:15	1	1	0	2	0	0	14	5	0	19	0	0	4	15	0	19	0	0	40
15:30	0	1	0	1	0	0	9	3	0	12	0	0	2	18	0	20	0	0	33
15:45	2	1	0	3	0	0	9	4	0	13	0	0	5	15	0	20	0	0	36
Hourly Total	8	7	0	15	0	0	37	13	0	50	0	0	13	60	0	73	0	0	138
16:00	1	4	0	5	0	0	16	5	0	21	0	0	12	13	0	25	0	0	51
16:15	1	3	0	4	0	0	12	1	0	13	0	0	7	26	0	33	0	0	50
16:30	0	7	0	7	0	0	14	1	0	15	0	0	6	32	0	38	0	0	60
16:45	3	4	0	7	0	0	10	3	0	13	0	0	10	28	0	38	0	0	58
Hourly Total	5	18	0	23	0	0	52	10	0	62	0	0	35	99	0	134	0	0	219
17:00	2	4	0	6	0	0	21	2	0	23	0	0	5	25	0	30	0	0	59
17:15	0	3	0	3	0	0	23	5	0	28	0	0	9	28	0	37	0	0	68
17:30	1	3	0	4	0	0	24	2	0	26	0	0	6	13	0	19	0	0	49
17:45	4	8	0	12	0	0	16	7	0	23	0	0	5	14	0	19	0	0	54
Hourly Total	7	18	0	25	0	0	84	16	0	100	0	0	25	80	0	105	0	0	230
18:00	1	5	0	6	0	0	14	0	0	14	0	0	4	10	0	14	0	0	34
18:15	3	2	0	5	0	0	15	0	0	15	0	0	0	13	0	13	0	0	33
18:30	3	4	0	7	0	0	24	0	0	24	0	0	0	12	0	12	0	0	43
18:45	3	5	0	8	0	0	20	2	0	22	0	0	2	11	0	13	0	0	43
Hourly Total	10	16	0	26	0	0	73	2	0	75	0	0	6	46	0	52	0	0	153
19:00	1	6	0	7	0	0	14	2	1	17	0	0	3	10	0	13	0	0	37
19:15	1	5	0	6	0	0	17	0	0	17	0	0	6	6	0	12	0	0	35
19:30	0	3	0	3	0	0	9	3	0	12	0	0	2	9	0	11	0	0	26
19:45	2	2	0	4	0	0	5	1	0	6	0	0	1	6	0	7	0	0	17
Hourly Total	4	16	0	20	0	0	45	6	1	52	0	0	12	31	0	43	0	0	115
20:00	0	3	0	3	0	0	1	1	0	2	0	0	2	7	0	9	0	0	14
20:15	1	2	0	3	0	0	2	0	0	2	0	0	4	2	0	6	0	0	11
20:30	0	4	0	4	0	0	4	2	0	6	0	0	2	4	0	6	0	0	16
20:45	0	0	0	0	0	0	3	1	0	4	0	0	2	5	0	7	0	0	11
Hourly Total	1	9	0	10	0	0	10	4	0	14	0	0	10	18	0	28	0	0	52



Site: Site 01

GPS: 51.653795, -3.86616

Date: 09-17-2025

TURNING MOVEMENT DATA

Leg Direction	Crymlyn Gardens						Heol Crymlyn						Heol Crymlyn						
	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	Int Total
21:00	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	3	0	0	3
21:15	0	1	0	1	0	0	2	1	0	3	0	0	4	3	0	7	0	0	11
21:30	0	4	0	4	0	0	3	1	0	4	0	0	2	0	0	2	0	0	10
21:45	0	1	0	1	0	0	4	0	0	4	0	0	1	2	0	3	0	0	8
Hourly Total	0	6	0	6	0	0	9	2	0	11	0	0	7	8	0	15	0	0	32
22:00	0	1	0	1	0	0	6	1	0	7	0	0	3	5	0	8	0	0	16
22:15	0	4	0	4	0	0	2	1	0	3	0	0	3	16	0	19	0	0	26
22:30	0	0	0	0	0	0	1	0	0	1	0	0	5	13	0	18	0	0	19
22:45	0	2	0	2	0	0	4	0	0	4	0	0	5	4	0	9	0	0	15
Hourly Total	0	7	0	7	0	0	13	2	0	15	0	0	16	38	0	54	0	0	76
23:00	0	1	0	1	0	0	1	0	0	1	0	0	1	0	0	1	0	0	3
23:15	0	0	0	0	0	0	3	0	0	3	0	0	2	2	0	4	0	0	7
23:30	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1
23:45	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	1
Hourly Total	0	1	0	1	0	0	5	0	0	5	0	0	3	3	0	6	0	0	12
Grand Total	112	241	0	353	0	0	716	82	1	799	0	0	211	674	0	885	0	0	2037
Approach %	31	68	0	100	0	0	89	10	0	100	0	0	23	76	0	100	0	0	300
Total %	5	11	0	17	0	0	35	4	0	39	0	0	10	33	0	43	0	0	100
Car	94	222	0	316	0	0	630	70	1	701	0	0	193	616	0	809	0	0	1826
Car %	83	0	0	0	0	0	0	85	100	0	0	0	91	91	0	0	0	0	89
LGV	18	17	0	35	0	0	76	9	0	85	0	0	17	51	0	68	0	0	188
LGV %	16	0	0	0	0	0	0	10	0	0	0	0	8	7	0	0	0	0	9
OGV1	0	2	0	2	0	0	5	1	0	6	0	0	1	1	0	2	0	0	10
OGV1 %	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
OGV2	0	0	0	0	0	0	2	0	0	2	0	0	0	2	0	2	0	0	4
OGV2 %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSV	0	0	0	0	0	0	1	2	0	3	0	0	0	2	0	2	0	0	5
PSV %	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0
MC	0	0	0	0	0	0	2	0	0	2	0	0	0	2	0	2	0	0	4
MC %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PC	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PC %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0




Site: Site 01

GPS: 51.653795, -3.86616

Date: 09-17-2025


Turning Movement Data





SUMMARY	
Project	Skewen Neath
Project Code	SS2006
Site Name	Site 02
Legs and Movements	All Processed Legs & Movements
Count Interval	15
Start Time	00:00
End Time	23:45
Location	Site 02
Latitude and Longitude	(51.654744, -3.860581)

	START	END	PHF
AM PEAK			
PM PEAK			
Mid-Day PEAK			
Forced Peak AM			
Forced Peak PM			





Site: Site 02

GPS: 51.654744, -3.860581

Date: 09-11-2025

TURNING MOVEMENT DATA

Leg	Crymlyn Parc						Heol Crymlyn						Heol Crymlyn						
Direction	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	Int Total
00:00	0	0	0	0	0	0	0	1	0	1	0	0	0	1	0	1	0	0	2
00:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
00:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
00:45	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	1
Hourly Total	0	0	0	0	0	0	1	1	0	2	0	0	0	1	0	1	0	0	3
01:00	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1
01:15	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
01:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
01:45	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Hourly Total	1	1	0	2	0	0	0	0	0	0	0	0	1	0	0	1	0	0	3
02:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hourly Total	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:00	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	2	0	0	2
03:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hourly Total	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	2	0	0	2
04:00	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1
04:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
04:30	0	0	0	0	0	0	2	0	0	2	0	0	0	0	0	0	0	0	2
04:45	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	1
Hourly Total	0	0	0	0	0	0	2	1	0	3	0	0	0	1	0	1	0	0	4
05:00	1	0	0	1	0	0	0	0	0	0	0	0	0	1	0	1	0	0	2
05:15	2	0	0	2	0	0	0	1	0	1	0	0	0	3	0	3	0	0	6
05:30	1	1	0	2	0	0	2	0	0	2	0	0	0	1	0	1	0	0	5
05:45	7	0	0	7	0	0	0	0	0	0	0	0	0	3	0	3	0	0	10
Hourly Total	11	1	0	12	0	0	2	1	0	3	0	0	0	8	0	8	0	0	23
06:00	1	0	0	1	0	0	1	0	0	1	0	0	0	1	0	1	0	0	3
06:15	3	0	0	3	0	0	2	2	0	4	0	0	0	1	0	1	0	0	8
06:30	4	0	0	4	0	0	5	1	0	6	0	0	0	5	0	5	0	0	15
06:45	6	0	0	6	0	0	6	5	0	11	0	0	0	5	0	5	0	0	22
Hourly Total	14	0	0	14	0	0	14	8	0	22	0	0	0	12	0	12	0	0	48



Site: Site 02

GPS: 51.654744, -3.860581

Date: 09-11-2025

TURNING MOVEMENT DATA

Leg	Crymlyn Parc						Heol Crymlyn						Heol Crymlyn						
Direction	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	Int Total
07:00	16	1	0	17	0	0	6	4	0	10	0	0	0	3	0	3	0	0	30
07:15	12	0	0	12	0	0	13	2	0	15	0	0	0	6	0	6	0	0	33
07:30	23	2	0	25	0	0	17	5	0	22	0	0	0	7	0	7	0	0	54
07:45	28	2	0	30	0	0	26	4	0	30	0	0	0	12	0	12	0	0	72
Hourly Total	79	5	0	84	0	0	62	15	0	77	0	0	0	28	0	28	0	0	189
08:00	28	3	0	31	0	0	38	14	1	53	0	0	0	15	0	15	0	0	99
08:15	28	0	0	28	0	0	27	9	0	36	0	0	0	18	0	18	0	0	82
08:30	20	1	0	21	0	0	29	7	0	36	0	0	0	17	0	17	0	0	74
08:45	12	0	0	12	0	0	16	9	0	25	0	0	1	17	0	18	0	0	55
Hourly Total	88	4	0	92	0	0	110	39	1	150	0	0	1	67	0	68	0	0	310
09:00	6	1	0	7	0	0	13	18	0	31	0	0	1	8	0	9	0	0	47
09:15	13	1	0	14	0	0	11	7	0	18	0	0	0	12	0	12	0	0	44
09:30	6	0	0	6	0	0	9	11	0	20	0	0	0	5	0	5	0	0	31
09:45	16	1	0	17	0	0	11	4	0	15	0	0	0	8	0	8	0	0	40
Hourly Total	41	3	0	44	0	0	44	40	0	84	0	0	1	33	0	34	0	0	162
10:00	9	0	0	9	0	0	4	7	0	11	0	0	0	9	0	9	0	0	29
10:15	10	0	0	10	0	0	8	6	1	15	0	0	0	12	0	12	0	0	37
10:30	14	1	0	15	0	0	5	5	0	10	0	0	1	8	0	9	0	0	34
10:45	17	0	0	17	0	0	9	7	0	16	0	0	0	11	0	11	0	0	44
Hourly Total	50	1	0	51	0	0	26	25	1	52	0	0	1	40	0	41	0	0	144
11:00	9	1	0	10	0	0	9	6	0	15	0	0	0	13	0	13	0	0	38
11:15	10	0	0	10	0	0	8	7	0	15	0	0	0	5	0	5	0	0	30
11:30	8	0	0	8	0	0	7	18	0	25	0	0	2	11	0	13	0	0	46
11:45	12	2	0	14	0	0	10	11	0	21	0	0	0	6	0	6	0	0	41
Hourly Total	39	3	0	42	0	0	34	42	0	76	0	0	2	35	0	37	0	0	155
12:00	8	2	0	10	0	0	7	9	1	17	0	0	1	9	0	10	0	0	37
12:15	10	0	0	10	0	0	11	13	0	24	0	0	0	4	0	4	0	0	38
12:30	6	1	0	7	0	0	4	10	0	14	0	0	1	14	0	15	0	0	36
12:45	7	1	0	8	0	0	7	9	0	16	0	0	0	14	0	14	0	0	38
Hourly Total	31	4	0	35	0	0	29	41	1	71	0	0	2	41	0	43	0	0	149
13:00	12	0	0	12	0	0	5	10	0	15	0	0	1	6	0	7	0	0	34
13:15	6	2	0	8	0	0	18	12	0	30	0	0	0	18	0	18	0	0	56
13:30	9	0	0	9	0	0	2	9	0	11	0	0	1	13	0	14	0	0	34
13:45	13	0	0	13	0	0	14	13	0	27	0	0	0	10	0	10	0	0	50
Hourly Total	40	2	0	42	0	0	39	44	0	83	0	0	2	47	0	49	0	0	174



Site: Site 02

GPS: 51.654744, -3.860581

Date: 09-11-2025

TURNING MOVEMENT DATA

Leg	Crymlyn Parc						Heol Crymlyn						Heol Crymlyn						
Direction	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	Int Total
14:00	15	0	0	15	0	0	10	7	0	17	0	0	1	15	0	16	0	0	48
14:15	11	1	0	12	0	0	14	12	0	26	0	0	2	20	0	22	0	0	60
14:30	7	1	0	8	0	0	9	8	0	17	0	0	0	15	0	15	0	0	40
14:45	20	1	0	21	0	0	12	8	0	20	0	0	0	22	0	22	0	0	63
Hourly Total	53	3	0	56	0	0	45	35	0	80	0	0	3	72	0	75	0	0	211
15:00	12	0	0	12	0	0	19	11	0	30	0	0	0	15	0	15	0	0	57
15:15	13	0	0	13	0	0	17	18	0	35	0	0	2	17	0	19	0	0	67
15:30	8	1	0	9	0	0	11	19	0	30	0	0	1	18	0	19	0	0	58
15:45	8	0	0	8	0	0	13	24	0	37	0	0	1	25	0	26	0	0	71
Hourly Total	41	1	0	42	0	0	60	72	0	132	0	0	4	75	0	79	0	0	253
16:00	5	1	0	6	0	0	24	17	1	42	0	0	0	34	0	34	0	0	82
16:15	11	0	0	11	0	0	16	21	0	37	0	0	1	33	0	34	0	0	82
16:30	11	1	0	12	0	0	27	24	0	51	0	0	2	36	0	38	0	0	101
16:45	20	0	0	20	0	0	23	23	1	47	0	0	1	29	0	30	0	0	97
Hourly Total	47	2	0	49	0	0	90	85	2	177	0	0	4	132	0	136	0	0	362
17:00	11	1	0	12	0	0	23	27	2	52	0	0	1	31	0	32	0	0	96
17:15	14	1	0	15	0	0	25	13	0	38	0	0	2	29	0	31	0	0	84
17:30	20	2	0	22	0	0	14	14	0	28	0	0	0	32	0	32	0	0	82
17:45	7	2	0	9	0	0	12	12	0	24	0	0	1	28	0	29	0	0	62
Hourly Total	52	6	0	58	0	0	74	66	2	142	0	0	4	120	0	124	0	0	324
18:00	11	1	0	12	0	0	19	14	0	33	0	0	1	21	0	22	0	0	67
18:15	11	0	0	11	0	0	10	15	0	25	0	0	0	18	0	18	0	0	54
18:30	9	1	0	10	0	0	9	17	0	26	0	0	0	9	0	9	0	0	45
18:45	14	2	0	16	0	0	4	9	0	13	0	0	1	14	0	15	0	0	44
Hourly Total	45	4	0	49	0	0	42	55	0	97	0	0	2	62	0	64	0	0	210
19:00	8	0	0	8	0	0	6	11	0	17	0	0	1	13	0	14	0	0	39
19:15	12	0	0	12	0	0	2	14	0	16	0	0	1	11	0	12	0	0	40
19:30	9	0	0	9	0	0	6	9	0	15	0	0	1	3	0	4	0	0	28
19:45	5	0	0	5	0	0	7	8	0	15	0	0	0	5	0	5	0	0	25
Hourly Total	34	0	0	34	0	0	21	42	0	63	0	0	3	32	0	35	0	0	132
20:00	8	0	0	8	0	0	4	13	0	17	0	0	1	8	0	9	0	0	34
20:15	2	0	0	2	0	0	5	9	0	14	0	0	1	4	0	5	0	0	21
20:30	8	1	0	9	0	0	4	7	0	11	0	0	3	2	0	5	0	0	25
20:45	5	3	0	8	0	0	3	6	0	9	0	0	1	5	0	6	0	0	23
Hourly Total	23	4	0	27	0	0	16	35	0	51	0	0	6	19	0	25	0	0	103



Site: Site 02

GPS: 51.654744, -3.860581

Date: 09-11-2025


TURNING MOVEMENT DATA

Leg	Crymlyn Parc						Heol Crymlyn						Heol Crymlyn						
Direction	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	Int Total
21:00	2	0	0	2	0	0	6	4	0	10	0	0	0	5	0	5	0	0	17
21:15	3	0	0	3	0	0	1	4	1	6	0	0	0	3	0	3	0	0	12
21:30	2	1	0	3	0	0	1	5	0	6	0	0	0	4	0	4	0	0	13
21:45	2	0	0	2	0	0	2	4	0	6	0	0	0	2	0	2	0	0	10
Hourly Total	9	1	0	10	0	0	10	17	1	28	0	0	0	14	0	14	0	0	52
22:00	1	0	0	1	0	0	1	4	0	5	0	0	0	2	0	2	0	0	8
22:15	2	0	0	2	0	0	1	4	0	5	0	0	0	2	0	2	0	0	9
22:30	0	0	0	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	2
22:45	1	0	0	1	0	0	1	2	0	3	0	0	0	1	0	1	0	0	5
Hourly Total	4	0	0	4	0	0	3	12	0	15	0	0	0	5	0	5	0	0	24
23:00	0	0	0	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	2
23:15	0	0	0	0	0	0	1	2	0	3	0	0	0	2	0	2	0	0	5
23:30	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	1
23:45	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	1
Hourly Total	0	0	0	0	0	0	3	4	0	7	0	0	0	2	0	2	0	0	9
Grand Total	702	45	0	747	0	0	727	680	8	1415	0	0	36	848	0	884	0	0	3046
Approach %	93	6	0	100	0	0	51	48	0	100	0	0	4	95	0	100	0	0	300
Total %	23	1	0	24	0	0	23	22	0	46	0	0	1	27	0	29	0	0	100
Car	643	40	0	683	0	0	638	624	7	1269	0	0	33	734	0	767	0	0	2719
Car %	91	0	0	0	0	0	0	91	87	0	0	0	91	86	0	0	0	0	89
LGV	51	5	0	56	0	0	74	39	1	114	0	0	3	88	0	91	0	0	261
LGV %	7	0	0	0	0	0	0	5	12	0	0	0	8	10	0	0	0	0	8
OGV1	3	0	0	3	0	0	5	2	0	7	0	0	0	5	0	5	0	0	15
OGV1 %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OGV2	1	0	0	1	0	0	2	1	0	3	0	0	0	2	0	2	0	0	6
OGV2 %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSV	4	0	0	4	0	0	2	14	0	16	0	0	0	11	0	11	0	0	31
PSV %	0	0	0	0	0	0	0	2	0	0	0	0	0	1	0	0	0	0	1
MC	0	0	0	0	0	0	5	0	0	5	0	0	0	8	0	8	0	0	13
MC %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PC	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	1
PC %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0



Site: Site 02
GPS: 51.654744, -3.860581
Date: 09-11-2025


Turning Movement Data





SUMMARY	
Project	Skewen Neath
Project Code	SS2006
Site Name	Site 02
Legs and Movements	All Processed Legs & Movements
Count Interval	15
Start Time	00:00
End Time	23:45
Location	Site 02
Latitude and Longitude	(51.654744, -3.860581)

	START	END	PHF
AM PEAK			
PM PEAK			
Mid-Day PEAK			
Forced Peak AM			
Forced Peak PM			





Site: Site 02

GPS: 51.654744, -3.860581

Date: 09-12-2025

TURNING MOVEMENT DATA

Leg	Crymlyn Parc						Heol Crymlyn						Heol Crymlyn						
Direction	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	Int Total
00:00	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	2	0	0	2
00:15	1	0	0	1	0	0	1	2	0	3	0	0	0	0	0	0	0	0	4
00:30	1	0	0	1	0	0	0	0	0	0	0	0	0	1	0	1	0	0	2
00:45	0	0	0	0	0	0	0	1	0	1	0	0	0	1	0	1	0	0	2
Hourly Total	2	0	0	2	0	0	1	3	0	4	0	0	0	4	0	4	0	0	10
01:00	1	0	0	1	0	0	0	1	0	1	0	0	0	0	0	0	0	0	2
01:15	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	1
01:30	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
01:45	1	0	0	1	0	0	0	1	0	1	0	0	0	0	0	0	0	0	2
Hourly Total	3	0	0	3	0	0	0	3	0	3	0	0	0	0	0	0	0	0	6
02:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02:15	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	1
02:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02:45	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1
Hourly Total	0	0	0	0	0	0	0	1	0	1	0	0	0	1	0	1	0	0	2
03:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hourly Total	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
04:00	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1
04:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
04:30	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	1
04:45	1	0	0	1	0	0	1	1	0	2	0	0	0	0	0	0	0	0	3
Hourly Total	1	0	0	1	0	0	2	1	0	3	0	0	0	1	0	1	0	0	5
05:00	2	0	0	2	0	0	0	0	0	0	0	0	0	2	0	2	0	0	4
05:15	4	1	0	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5
05:30	3	0	0	3	0	0	1	0	0	1	0	0	0	0	0	0	0	0	4
05:45	4	1	0	5	0	0	1	0	0	1	0	0	0	4	0	4	0	0	10
Hourly Total	13	2	0	15	0	0	2	0	0	2	0	0	0	6	0	6	0	0	23
06:00	2	0	0	2	0	0	0	0	0	0	0	0	0	1	0	1	0	0	3
06:15	2	0	0	2	0	0	6	0	0	6	0	0	0	1	0	1	0	0	9
06:30	2	1	0	3	0	0	4	1	0	5	0	0	0	5	0	5	0	0	13
06:45	7	0	0	7	0	0	7	3	0	10	0	0	0	7	0	7	0	0	24
Hourly Total	13	1	0	14	0	0	17	4	0	21	0	0	0	14	0	14	0	0	49



Site: Site 02

GPS: 51.654744, -3.860581

Date: 09-12-2025

TURNING MOVEMENT DATA

Leg	Crymlyn Parc						Heol Crymlyn						Heol Crymlyn						
Direction	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	Int Total
07:00	10	0	0	10	0	0	8	5	0	13	0	0	0	5	0	5	0	0	28
07:15	14	0	0	14	0	0	5	3	0	8	0	0	0	4	0	4	0	0	26
07:30	20	0	0	20	0	0	22	1	0	23	0	0	0	6	0	6	0	0	49
07:45	31	1	0	32	0	0	27	2	0	29	0	0	0	13	0	13	0	0	74
Hourly Total	75	1	0	76	0	0	62	11	0	73	0	0	0	28	0	28	0	0	177
08:00	32	4	0	36	0	0	25	9	1	35	0	0	0	11	0	11	0	0	82
08:15	31	0	0	31	0	0	20	7	0	27	0	0	0	18	0	18	0	0	76
08:30	11	1	0	12	0	0	26	4	0	30	0	0	1	9	0	10	0	0	52
08:45	13	1	0	14	0	0	16	11	0	27	0	0	0	18	0	18	0	0	59
Hourly Total	87	6	0	93	0	0	87	31	1	119	0	0	1	56	0	57	0	0	269
09:00	5	0	0	5	0	0	19	10	0	29	0	0	0	10	0	10	0	0	44
09:15	14	0	0	14	0	0	11	10	0	21	0	0	0	9	0	9	0	0	44
09:30	15	2	0	17	0	0	10	8	0	18	0	0	0	3	0	3	0	0	38
09:45	9	1	0	10	0	0	7	5	0	12	0	0	0	8	0	8	0	0	30
Hourly Total	43	3	0	46	0	0	47	33	0	80	0	0	0	30	0	30	0	0	156
10:00	10	0	0	10	0	0	10	5	0	15	0	0	0	8	0	8	0	0	33
10:15	9	0	0	9	0	0	4	6	0	10	0	0	0	11	0	11	0	0	30
10:30	14	0	0	14	0	0	5	10	0	15	0	0	0	9	0	9	0	0	38
10:45	15	0	0	15	0	0	13	7	1	21	0	0	0	13	0	13	0	0	49
Hourly Total	48	0	0	48	0	0	32	28	1	61	0	0	0	41	0	41	0	0	150
11:00	9	4	0	13	0	0	14	11	1	26	0	0	0	16	0	16	0	0	55
11:15	7	0	0	7	0	0	17	10	2	29	0	0	0	13	0	13	0	0	49
11:30	8	0	0	8	0	0	10	10	0	20	0	0	1	8	0	9	0	0	37
11:45	13	1	0	14	0	0	10	11	0	21	0	0	2	14	0	16	0	0	51
Hourly Total	37	5	0	42	0	0	51	42	3	96	0	0	3	51	0	54	0	0	192
12:00	13	1	0	14	0	0	16	14	1	31	0	0	0	11	0	11	0	0	56
12:15	2	1	0	3	0	0	16	12	1	29	0	0	0	14	0	14	0	0	46
12:30	9	1	0	10	0	0	14	10	2	26	0	0	0	20	0	20	0	0	56
12:45	11	0	0	11	0	0	18	17	0	35	0	0	1	11	0	12	0	0	58
Hourly Total	35	3	0	38	0	0	64	53	4	121	0	0	1	56	0	57	0	0	216
13:00	5	1	0	6	0	0	14	11	0	25	0	0	1	16	0	17	0	0	48
13:15	2	1	0	3	0	0	8	11	0	19	0	0	1	21	0	22	0	0	44
13:30	2	1	0	3	0	0	12	4	0	16	0	0	0	24	0	24	0	0	43
13:45	7	1	0	8	0	0	11	9	0	20	0	0	0	19	0	19	0	0	47
Hourly Total	16	4	0	20	0	0	45	35	0	80	0	0	2	80	0	82	0	0	182



Site: Site 02

GPS: 51.654744, -3.860581

Date: 09-12-2025

TURNING MOVEMENT DATA

Leg	Crymlyn Parc						Heol Crymlyn						Heol Crymlyn						
Direction	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	Int Total
14:00	11	1	0	12	0	0	14	8	0	22	0	0	1	24	0	25	0	0	59
14:15	11	1	0	12	0	0	7	9	0	16	0	0	1	18	0	19	0	0	47
14:30	14	0	0	14	0	0	13	3	0	16	0	0	0	21	0	21	0	0	51
14:45	14	2	0	16	0	0	9	13	0	22	0	0	1	18	0	19	0	0	57
Hourly Total	50	4	0	54	0	0	43	33	0	76	0	0	3	81	0	84	0	0	214
15:00	11	0	0	11	0	0	20	11	0	31	0	0	1	17	0	18	0	0	60
15:15	10	0	0	10	0	0	15	24	1	40	0	0	0	25	0	25	0	0	75
15:30	10	0	0	10	0	0	12	18	0	30	0	0	0	25	0	25	0	0	65
15:45	7	1	0	8	0	0	23	26	0	49	0	0	2	34	0	36	0	0	93
Hourly Total	38	1	0	39	0	0	70	79	1	150	0	0	3	101	0	104	0	0	293
16:00	14	0	0	14	0	0	25	11	0	36	0	0	2	30	0	32	0	0	82
16:15	20	1	0	21	0	0	19	20	1	40	0	0	1	27	0	28	0	0	89
16:30	13	1	0	14	0	0	26	21	0	47	0	0	0	28	0	28	0	0	89
16:45	11	0	0	11	0	0	27	18	1	46	0	0	2	23	0	25	0	0	82
Hourly Total	58	2	0	60	0	0	97	70	2	169	0	0	5	108	0	113	0	0	342
17:00	10	2	0	12	0	0	28	25	0	53	0	0	1	22	0	23	0	0	88
17:15	13	1	0	14	0	0	27	13	1	41	0	0	1	30	0	31	0	0	86
17:30	13	0	0	13	0	0	26	14	0	40	0	0	1	25	0	26	0	0	79
17:45	10	1	0	11	0	0	16	15	0	31	0	0	1	20	0	21	0	0	63
Hourly Total	46	4	0	50	0	0	97	67	1	165	0	0	4	97	0	101	0	0	316
18:00	16	1	0	17	0	0	12	17	0	29	0	0	2	22	0	24	0	0	70
18:15	8	0	0	8	0	0	9	15	0	24	0	0	1	17	0	18	0	0	50
18:30	11	0	0	11	0	0	7	9	0	16	0	0	0	15	0	15	0	0	42
18:45	7	1	0	8	0	0	8	7	0	15	0	0	1	11	0	12	0	0	35
Hourly Total	42	2	0	44	0	0	36	48	0	84	0	0	4	65	0	69	0	0	197
19:00	9	1	0	10	0	0	10	15	0	25	0	0	0	10	0	10	0	0	45
19:15	10	0	0	10	0	0	10	4	1	15	0	0	1	13	0	14	0	0	39
19:30	4	1	0	5	0	0	5	7	2	14	0	0	1	6	0	7	0	0	26
19:45	2	1	0	3	0	0	6	8	0	14	0	0	0	12	0	12	0	0	29
Hourly Total	25	3	0	28	0	0	31	34	3	68	0	0	2	41	0	43	0	0	139
20:00	6	0	0	6	0	0	5	6	0	11	0	0	1	9	0	10	0	0	27
20:15	10	1	0	11	0	0	6	6	0	12	0	0	0	3	0	3	0	0	26
20:30	6	1	0	7	0	0	4	10	0	14	0	0	1	5	0	6	0	0	27
20:45	2	0	0	2	0	0	7	4	0	11	0	0	0	1	0	1	0	0	14
Hourly Total	24	2	0	26	0	0	22	26	0	48	0	0	2	18	0	20	0	0	94



Site: Site 02

GPS: 51.654744, -3.860581

Date: 09-12-2025


TURNING MOVEMENT DATA

Leg	Crymlyn Parc						Heol Crymlyn						Heol Crymlyn						
Direction	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	Int Total
21:00	4	0	0	4	0	0	1	3	0	4	0	0	0	0	0	0	0	0	8
21:15	1	0	0	1	0	0	3	7	0	10	0	0	0	5	0	5	0	0	16
21:30	3	0	0	3	0	0	0	5	0	5	0	0	0	2	0	2	0	0	10
21:45	3	0	0	3	0	0	2	4	0	6	0	0	0	4	0	4	0	0	13
Hourly Total	11	0	0	11	0	0	6	19	0	25	0	0	0	11	0	11	0	0	47
22:00	2	0	0	2	0	0	4	5	0	9	0	0	1	1	0	2	0	0	13
22:15	1	0	0	1	0	0	1	2	0	3	0	0	0	2	0	2	0	0	6
22:30	1	0	0	1	0	0	3	1	0	4	0	0	0	2	0	2	0	0	7
22:45	1	0	0	1	0	0	1	5	0	6	0	0	0	4	0	4	0	0	11
Hourly Total	5	0	0	5	0	0	9	13	0	22	0	0	1	9	0	10	0	0	37
23:00	3	0	0	3	0	0	1	1	0	2	0	0	0	1	1	2	0	0	7
23:15	2	1	0	3	0	0	4	3	0	7	0	0	0	1	0	1	0	0	11
23:30	2	0	0	2	0	0	0	1	0	1	0	0	0	0	0	0	0	0	3
23:45	0	0	0	0	0	0	3	2	0	5	0	0	0	3	0	3	0	0	8
Hourly Total	7	1	0	8	0	0	8	7	0	15	0	0	0	5	1	6	0	0	29
Grand Total	679	44	0	723	0	0	829	641	16	1486	0	0	31	904	1	936	0	0	3145
Approach %	93	6	0	100	0	0	55	43	1	100	0	0	3	96	0	99	0	0	300
Total %	21	1	0	22	0	0	26	20	0	47	0	0	0	28	0	29	0	0	100
Car	636	41	0	677	0	0	714	600	14	1328	0	0	31	796	1	828	0	0	2833
Car %	93	0	0	0	0	0	0	93	87	0	0	0	100	88	0	0	0	0	90
LGV	39	1	0	40	0	0	102	36	1	139	0	0	0	93	0	93	0	0	272
LGV %	5	0	0	0	0	0	0	5	6	0	0	0	0	10	0	0	0	0	8
OGV1	0	0	0	0	0	0	6	0	1	7	0	0	0	3	0	3	0	0	10
OGV1 %	0	0	0	0	0	0	0	0	6	0	0	0	0	0	0	0	0	0	0
OGV2	0	0	0	0	0	0	1	0	0	1	0	0	0	1	0	1	0	0	2
OGV2 %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSV	4	2	0	6	0	0	1	5	0	6	0	0	0	3	0	3	0	0	15
PSV %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MC	0	0	0	0	0	0	3	0	0	3	0	0	0	7	0	7	0	0	10
MC %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PC	0	0	0	0	0	0	2	0	0	2	0	0	0	1	0	1	0	0	3
PC %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0



Site: Site 02
GPS: 51.654744, -3.860581
Date: 09-12-2025


Turning Movement Data





SUMMARY	
Project	Skewen Neath
Project Code	SS2006
Site Name	Site 02
Legs and Movements	All Processed Legs & Movements
Count Interval	15
Start Time	00:00
End Time	23:45
Location	Site 02
Latitude and Longitude	(51.654744, -3.860581)

	START	END	PHF
AM PEAK			
PM PEAK			
Mid-Day PEAK			
Forced Peak AM			
Forced Peak PM			





Site: Site 02

GPS: 51.654744, -3.860581

Date: 09-15-2025

TURNING MOVEMENT DATA

Leg	Crymlyn Parc						Heol Crymlyn						Heol Crymlyn						
Direction	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	Int Total
00:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
00:15	1	0	0	1	0	0	0	3	0	3	0	0	0	0	0	0	0	0	4
00:30	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	1
00:45	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	1
Hourly Total	1	0	0	1	0	0	0	5	0	5	0	0	0	0	0	0	0	0	6
01:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
01:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
01:30	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
01:45	1	0	0	1	0	0	0	1	0	1	0	0	0	0	0	0	0	0	2
Hourly Total	2	0	0	2	0	0	0	1	0	1	0	0	0	0	0	0	0	0	3
02:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hourly Total	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:30	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
03:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hourly Total	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
04:00	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	2	0	0	2
04:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
04:30	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	1
04:45	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	1
Hourly Total	0	0	0	0	0	0	1	1	0	2	0	0	1	1	0	2	0	0	4
05:00	1	0	0	1	0	0	0	0	0	0	0	0	1	2	0	3	0	0	4
05:15	3	0	0	3	0	0	0	1	0	1	0	0	0	0	0	0	0	0	4
05:30	5	1	0	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	6
05:45	0	0	0	0	0	0	1	0	0	1	0	0	0	4	0	4	0	0	5
Hourly Total	9	1	0	10	0	0	1	1	0	2	0	0	1	6	0	7	0	0	19
06:00	8	0	0	8	0	0	1	1	0	2	0	0	0	3	0	3	0	0	13
06:15	3	0	0	3	0	0	0	1	0	1	0	0	0	3	0	3	0	0	7
06:30	2	0	0	2	0	0	0	1	0	1	0	0	0	2	0	2	0	0	5
06:45	4	0	0	4	0	0	3	5	0	8	0	0	0	7	0	7	0	0	19
Hourly Total	17	0	0	17	0	0	4	8	0	12	0	0	0	15	0	15	0	0	44



Site: Site 02

GPS: 51.654744, -3.860581

Date: 09-15-2025

TURNING MOVEMENT DATA

Leg	Crymlyn Parc						Heol Crymlyn						Heol Crymlyn						
Direction	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	Int Total
07:00	7	1	0	8	0	0	6	3	0	9	0	0	0	6	0	6	0	0	23
07:15	11	0	0	11	0	0	7	2	0	9	0	0	0	2	0	2	0	0	22
07:30	20	1	0	21	0	0	23	5	1	29	0	0	0	7	0	7	0	0	57
07:45	28	3	0	31	0	0	33	8	0	41	0	0	1	9	0	10	0	0	82
Hourly Total	66	5	0	71	0	0	69	18	1	88	0	0	1	24	0	25	0	0	184
08:00	35	2	0	37	0	0	48	10	2	60	0	0	1	12	0	13	0	0	110
08:15	34	2	0	36	0	0	36	11	0	47	0	0	0	15	0	15	0	0	98
08:30	18	0	0	18	0	0	35	10	0	45	0	0	0	12	0	12	0	0	75
08:45	8	0	0	8	0	0	20	10	0	30	0	0	2	11	0	13	0	0	51
Hourly Total	95	4	0	99	0	0	139	41	2	182	0	0	3	50	0	53	0	0	334
09:00	12	1	0	13	0	0	17	13	0	30	0	0	1	7	0	8	0	0	51
09:15	5	2	0	7	0	0	12	11	0	23	0	0	1	8	0	9	0	0	39
09:30	16	0	0	16	0	0	11	3	0	14	0	0	0	9	0	9	0	0	39
09:45	13	1	0	14	0	0	6	6	0	12	0	0	0	8	0	8	0	0	34
Hourly Total	46	4	0	50	0	0	46	33	0	79	0	0	2	32	0	34	0	0	163
10:00	9	0	0	9	0	0	5	7	0	12	0	0	0	8	0	8	0	0	29
10:15	5	2	0	7	0	0	6	8	0	14	0	0	0	7	0	7	0	0	28
10:30	10	0	0	10	0	0	15	10	0	25	0	0	1	7	0	8	0	0	43
10:45	0	0	0	0	0	0	8	12	0	20	0	0	3	8	0	11	0	0	31
Hourly Total	24	2	0	26	0	0	34	37	0	71	0	0	4	30	0	34	0	0	131
11:00	9	0	0	9	0	0	14	8	1	23	0	0	1	13	0	14	0	0	46
11:15	5	0	0	5	0	0	8	7	0	15	0	0	1	7	0	8	0	0	28
11:30	10	0	0	10	0	0	10	9	0	19	0	0	0	6	0	6	0	0	35
11:45	10	2	0	12	0	0	7	12	0	19	0	0	3	6	0	9	0	0	40
Hourly Total	34	2	0	36	0	0	39	36	1	76	0	0	5	32	0	37	0	0	149
12:00	10	0	0	10	0	0	8	9	1	18	0	0	0	8	0	8	0	0	36
12:15	7	1	0	8	0	0	10	12	0	22	0	0	1	12	0	13	0	0	43
12:30	8	0	0	8	0	0	9	5	0	14	0	0	1	10	0	11	0	0	33
12:45	7	1	0	8	0	0	9	10	0	19	0	0	0	12	0	12	0	0	39
Hourly Total	32	2	0	34	0	0	36	36	1	73	0	0	2	42	0	44	0	0	151
13:00	7	0	0	7	0	0	14	8	1	23	0	0	0	11	0	11	0	0	41
13:15	6	0	0	6	0	0	8	9	0	17	0	0	2	8	0	10	0	0	33
13:30	7	1	0	8	0	0	11	8	0	19	0	0	0	7	0	7	0	0	34
13:45	9	0	0	9	0	0	8	9	0	17	0	0	0	9	0	9	0	0	35
Hourly Total	29	1	0	30	0	0	41	34	1	76	0	0	2	35	0	37	0	0	143



Site: Site 02

GPS: 51.654744, -3.860581

Date: 09-15-2025

TURNING MOVEMENT DATA

Leg	Crymlyn Parc						Heol Crymlyn						Heol Crymlyn						
Direction	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	Int Total
14:00	5	0	0	5	0	0	6	5	0	11	0	0	0	12	0	12	0	0	28
14:15	12	1	0	13	0	0	20	5	0	25	0	0	2	14	0	16	0	0	54
14:30	15	0	0	15	0	0	7	8	0	15	0	0	2	24	0	26	0	0	56
14:45	0	0	0	0	0	0	11	11	0	22	0	0	2	33	0	35	0	0	57
Hourly Total	32	1	0	33	0	0	44	29	0	73	0	0	6	83	0	89	0	0	195
15:00	9	1	0	10	0	0	12	28	0	40	0	0	3	13	0	16	0	0	66
15:15	5	0	0	5	0	0	15	18	0	33	0	0	1	16	0	17	0	0	55
15:30	3	0	0	3	0	0	9	25	0	34	0	0	0	15	0	15	0	0	52
15:45	16	1	0	17	0	0	15	25	0	40	0	0	2	18	0	20	0	0	77
Hourly Total	33	2	0	35	0	0	51	96	0	147	0	0	6	62	0	68	0	0	250
16:00	14	1	0	15	0	0	25	10	0	35	0	0	3	20	0	23	0	0	73
16:15	14	1	0	15	0	0	14	17	0	31	0	0	1	24	0	25	0	0	71
16:30	9	0	0	9	0	0	18	17	0	35	0	0	1	28	0	29	0	0	73
16:45	8	0	0	8	0	0	21	15	0	36	0	0	1	32	0	33	0	0	77
Hourly Total	45	2	0	47	0	0	78	59	0	137	0	0	6	104	0	110	0	0	294
17:00	12	0	0	12	0	0	18	21	1	40	0	0	0	18	0	18	0	0	70
17:15	7	1	0	8	0	0	19	14	0	33	0	0	0	42	0	42	0	0	83
17:30	3	3	0	6	0	0	9	15	0	24	0	0	3	33	0	36	0	0	66
17:45	7	0	0	7	0	0	14	17	0	31	0	0	0	27	0	27	0	0	65
Hourly Total	29	4	0	33	0	0	60	67	1	128	0	0	3	120	0	123	0	0	284
18:00	9	1	0	10	0	0	14	18	1	33	0	0	1	12	0	13	0	0	56
18:15	12	0	0	12	0	0	16	10	1	27	0	0	1	13	0	14	0	0	53
18:30	6	0	0	6	0	0	14	11	0	25	0	0	0	19	0	19	0	0	50
18:45	13	2	0	15	0	0	3	9	1	13	0	0	1	11	0	12	0	0	40
Hourly Total	40	3	0	43	0	0	47	48	3	98	0	0	3	55	0	58	0	0	199
19:00	5	1	0	6	0	0	7	17	0	24	0	0	0	12	0	12	0	0	42
19:15	8	1	0	9	0	0	8	11	0	19	0	0	5	11	0	16	0	0	44
19:30	5	1	0	6	0	0	7	4	0	11	0	0	0	9	0	9	0	0	26
19:45	3	0	0	3	0	0	8	4	0	12	0	0	0	13	0	13	0	0	28
Hourly Total	21	3	0	24	0	0	30	36	0	66	0	0	5	45	0	50	0	0	140
20:00	4	0	0	4	0	0	1	12	0	13	0	0	1	2	0	3	0	0	20
20:15	2	1	0	3	0	0	8	10	0	18	0	0	0	4	0	4	0	0	25
20:30	4	0	0	4	0	0	0	7	0	7	0	0	0	3	0	3	0	0	14
20:45	2	0	0	2	0	0	2	6	0	8	0	0	0	2	0	2	0	0	12
Hourly Total	12	1	0	13	0	0	11	35	0	46	0	0	1	11	0	12	0	0	71



Site: Site 02

GPS: 51.654744, -3.860581

Date: 09-15-2025


TURNING MOVEMENT DATA

Leg	Crymlyn Parc						Heol Crymlyn						Heol Crymlyn						
Direction	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	Int Total
21:00	1	0	0	1	0	0	4	2	0	6	0	0	0	6	0	6	0	0	13
21:15	0	0	0	0	0	0	0	4	0	4	0	0	0	3	0	3	0	0	7
21:30	2	0	0	2	0	0	2	0	0	2	0	0	0	2	0	2	0	0	6
21:45	1	0	0	1	0	0	0	1	0	1	0	0	0	0	0	0	0	0	2
Hourly Total	4	0	0	4	0	0	6	7	0	13	0	0	0	11	0	11	0	0	28
22:00	2	0	0	2	0	0	1	3	0	4	0	0	0	2	0	2	0	0	8
22:15	1	0	0	1	0	0	0	7	0	7	0	0	0	1	0	1	0	0	9
22:30	1	0	0	1	0	0	0	1	0	1	0	0	0	2	1	3	0	0	5
22:45	0	0	0	0	0	0	2	0	0	2	0	0	0	1	0	1	0	0	3
Hourly Total	4	0	0	4	0	0	3	11	0	14	0	0	0	6	1	7	0	0	25
23:00	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	2	0	0	2
23:15	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	1
23:30	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1
23:45	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	1
Hourly Total	0	0	0	0	0	0	1	1	0	2	0	0	0	3	0	3	0	0	5
Grand Total	576	37	0	613	0	0	741	640	10	1391	0	0	51	767	1	819	0	0	2823
Approach %	93	6	0	100	0	0	53	46	0	100	0	0	6	93	0	100	0	0	300
Total %	20	1	0	21	0	0	26	22	0	49	0	0	1	27	0	29	0	0	100
Car	528	34	0	562	0	0	640	586	9	1235	0	0	44	674	0	718	0	0	2515
Car %	91	0	0	0	0	0	0	91	90	0	0	0	86	87	0	0	0	0	89
LGV	43	3	0	46	0	0	85	44	1	130	0	0	7	78	1	86	0	0	262
LGV %	7	0	0	0	0	0	0	6	10	0	0	0	13	10	0	0	0	0	9
OGV1	2	0	0	2	0	0	8	2	0	10	0	0	0	5	0	5	0	0	17
OGV1 %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OGV2	0	0	0	0	0	0	1	0	0	1	0	0	0	2	0	2	0	0	3
OGV2 %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSV	3	0	0	3	0	0	1	7	0	8	0	0	0	4	0	4	0	0	15
PSV %	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
MC	0	0	0	0	0	0	5	1	0	6	0	0	0	4	0	4	0	0	10
MC %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PC	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	1
PC %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0



Site: Site 02
GPS: 51.654744, -3.860581
Date: 09-15-2025


Turning Movement Data





SUMMARY	
Project	Skewen Neath
Project Code	SS2006
Site Name	Site 02
Legs and Movements	All Processed Legs & Movements
Count Interval	15
Start Time	00:00
End Time	23:45
Location	Site 02
Latitude and Longitude	(51.654744, -3.860581)

	START	END	PHF
AM PEAK			
PM PEAK			
Mid-Day PEAK			
Forced Peak AM			
Forced Peak PM			





Site: Site 02

GPS: 51.654744, -3.860581

Date: 09-16-2025

TURNING MOVEMENT DATA

Leg	Crymlyn Parc						Heol Crymlyn						Heol Crymlyn						
Direction	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	Int Total
00:00	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	1
00:15	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1
00:30	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	1
00:45	0	0	0	0	0	0	0	1	0	1	0	0	0	1	0	1	0	0	2
Hourly Total	0	0	0	0	0	0	0	3	0	3	0	0	0	2	0	2	0	0	5
01:00	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1
01:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
01:30	1	0	0	1	0	0	1	0	0	1	0	0	0	0	0	0	0	0	2
01:45	1	0	0	1	0	0	0	1	0	1	0	0	0	0	0	0	0	0	2
Hourly Total	2	0	0	2	0	0	1	1	0	2	0	0	0	1	0	1	0	0	5
02:00	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
02:15	1	0	0	1	0	0	2	0	0	2	0	0	0	0	0	0	0	0	3
02:30	0	0	0	0	0	0	0	1	0	1	0	0	0	1	0	1	0	0	2
02:45	1	0	0	1	0	0	0	0	0	0	0	0	0	1	0	1	0	0	2
Hourly Total	3	0	0	3	0	0	2	1	0	3	0	0	0	2	0	2	0	0	8
03:00	0	0	0	0	0	0	2	0	0	2	0	0	0	0	0	0	0	0	2
03:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hourly Total	0	0	0	0	0	0	2	0	0	2	0	0	0	0	0	0	0	0	2
04:00	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	2	0	0	2
04:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
04:30	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	1
04:45	0	0	0	0	0	0	1	1	0	2	0	0	0	0	0	0	0	0	2
Hourly Total	0	0	0	0	0	0	2	1	0	3	0	0	0	2	0	2	0	0	5
05:00	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1
05:15	4	0	0	4	0	0	0	0	0	0	0	0	0	1	0	1	0	0	5
05:30	3	1	0	4	0	0	2	0	0	2	0	0	0	0	0	0	0	0	6
05:45	4	1	0	5	0	0	0	1	0	1	0	0	0	3	0	3	0	0	9
Hourly Total	11	2	0	13	0	0	2	1	0	3	0	0	0	5	0	5	0	0	21
06:00	5	1	0	6	0	0	1	1	0	2	0	0	1	2	0	3	0	0	11
06:15	3	0	0	3	0	0	1	0	0	1	0	0	0	2	0	2	0	0	6
06:30	3	0	0	3	0	0	4	2	0	6	0	0	0	6	0	6	0	0	15
06:45	5	0	0	5	0	0	7	7	0	14	0	0	0	5	0	5	0	0	24
Hourly Total	16	1	0	17	0	0	13	10	0	23	0	0	1	15	0	16	0	0	56



Site: Site 02

GPS: 51.654744, -3.860581

Date: 09-16-2025

TURNING MOVEMENT DATA

Leg	Crymlyn Parc						Heol Crymlyn						Heol Crymlyn						
Direction	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	Int Total
07:00	9	1	0	10	0	0	9	5	0	14	0	0	0	5	0	5	0	0	29
07:15	11	0	0	11	0	0	10	6	0	16	0	0	1	11	0	12	0	0	39
07:30	20	1	0	21	0	0	27	2	0	29	0	0	0	13	0	13	0	0	63
07:45	30	0	0	30	0	0	22	4	0	26	0	0	0	13	0	13	0	0	69
Hourly Total	70	2	0	72	0	0	68	17	0	85	0	0	1	42	0	43	0	0	200
08:00	28	4	0	32	0	0	31	9	0	40	0	0	0	19	0	19	0	0	91
08:15	26	2	0	28	0	0	37	12	0	49	0	0	0	14	0	14	0	0	91
08:30	23	0	0	23	0	0	38	5	0	43	0	0	0	18	0	18	0	0	84
08:45	12	1	0	13	0	0	29	9	0	38	0	0	1	8	0	9	0	0	60
Hourly Total	89	7	0	96	0	0	135	35	0	170	0	0	1	59	0	60	0	0	326
09:00	15	1	0	16	0	0	19	12	0	31	0	0	0	8	0	8	0	0	55
09:15	8	0	0	8	0	0	17	6	0	23	0	0	0	13	0	13	0	0	44
09:30	11	4	0	15	0	0	11	8	0	19	0	0	2	9	0	11	0	0	45
09:45	9	1	0	10	0	0	8	8	0	16	0	0	0	5	0	5	0	0	31
Hourly Total	43	6	0	49	0	0	55	34	0	89	0	0	2	35	0	37	0	0	175
10:00	9	0	0	9	0	0	12	6	1	19	0	0	1	5	0	6	0	0	34
10:15	7	0	0	7	0	0	11	5	0	16	0	0	0	9	0	9	0	0	32
10:30	8	1	0	9	0	0	5	4	0	9	0	0	1	13	0	14	0	0	32
10:45	9	0	0	9	0	0	4	5	0	9	0	0	0	8	0	8	0	0	26
Hourly Total	33	1	0	34	0	0	32	20	1	53	0	0	2	35	0	37	0	0	124
11:00	7	0	0	7	0	0	7	11	0	18	0	0	1	9	0	10	0	0	35
11:15	11	1	0	12	0	0	7	8	0	15	0	0	0	11	0	11	0	0	38
11:30	14	2	0	16	0	0	17	5	0	22	0	0	0	13	0	13	0	0	51
11:45	4	1	0	5	0	0	11	15	0	26	0	0	1	12	0	13	0	0	44
Hourly Total	36	4	0	40	0	0	42	39	0	81	0	0	2	45	0	47	0	0	168
12:00	7	0	0	7	0	0	9	10	1	20	0	0	0	11	0	11	0	0	38
12:15	5	1	0	6	0	0	10	9	0	19	0	0	0	5	0	5	0	0	30
12:30	8	1	0	9	0	0	7	10	0	17	0	0	1	12	0	13	0	0	39
12:45	7	1	0	8	0	0	10	9	0	19	0	0	0	9	0	9	0	0	36
Hourly Total	27	3	0	30	0	0	36	38	1	75	0	0	1	37	0	38	0	0	143
13:00	10	1	0	11	0	0	10	14	0	24	0	0	1	13	0	14	0	0	49
13:15	6	0	0	6	0	0	7	9	0	16	0	0	1	9	0	10	0	0	32
13:30	8	0	0	8	0	0	8	7	0	15	0	0	0	9	0	9	0	0	32
13:45	7	2	0	9	0	0	8	14	0	22	0	0	1	15	0	16	0	0	47
Hourly Total	31	3	0	34	0	0	33	44	0	77	0	0	3	46	0	49	0	0	160



Site: Site 02

GPS: 51.654744, -3.860581

Date: 09-16-2025

TURNING MOVEMENT DATA

Leg	Crymlyn Parc						Heol Crymlyn						Heol Crymlyn						
Direction	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	Int Total
14:00	9	0	0	9	0	0	11	5	1	17	0	0	2	11	0	13	0	0	39
14:15	12	0	0	12	0	0	4	10	0	14	0	0	1	19	0	20	0	0	46
14:30	12	0	0	12	0	0	7	9	0	16	0	0	1	17	0	18	0	0	46
14:45	13	0	0	13	0	0	15	8	0	23	0	0	0	19	0	19	0	0	55
Hourly Total	46	0	0	46	0	0	37	32	1	70	0	0	4	66	0	70	0	0	186
15:00	15	1	0	16	0	0	13	14	0	27	0	0	1	17	0	18	0	0	61
15:15	13	1	0	14	0	0	10	19	0	29	0	0	1	22	0	23	0	0	66
15:30	8	2	0	10	0	0	16	24	1	41	0	0	0	15	0	15	0	0	66
15:45	14	0	0	14	0	0	18	20	0	38	0	0	1	26	0	27	0	0	79
Hourly Total	50	4	0	54	0	0	57	77	1	135	0	0	3	80	0	83	0	0	272
16:00	9	0	0	9	0	0	17	12	0	29	0	0	1	32	0	33	0	0	71
16:15	19	0	0	19	0	0	16	18	0	34	0	0	0	27	0	27	0	0	80
16:30	7	0	0	7	0	0	17	25	0	42	0	0	2	26	0	28	0	0	77
16:45	15	0	0	15	0	0	19	16	3	38	0	0	0	37	0	37	0	0	90
Hourly Total	50	0	0	50	0	0	69	71	3	143	0	0	3	122	0	125	0	0	318
17:00	9	1	0	10	0	0	22	22	0	44	0	0	0	48	0	48	0	0	102
17:15	13	0	0	13	0	0	25	28	0	53	0	0	1	35	0	36	0	0	102
17:30	17	1	0	18	0	0	19	17	0	36	0	0	2	39	0	41	0	0	95
17:45	14	0	0	14	0	0	15	18	0	33	0	0	0	40	0	40	0	0	87
Hourly Total	53	2	0	55	0	0	81	85	0	166	0	0	3	162	0	165	0	0	386
18:00	12	0	0	12	0	0	14	14	0	28	0	0	0	17	0	17	0	0	57
18:15	9	2	0	11	0	0	13	15	2	30	0	0	0	21	0	21	0	0	62
18:30	8	1	0	9	0	0	13	18	1	32	0	0	0	15	0	15	0	0	56
18:45	10	0	0	10	0	0	10	9	0	19	0	0	0	10	0	10	0	0	39
Hourly Total	39	3	0	42	0	0	50	56	3	109	0	0	0	63	0	63	0	0	214
19:00	4	0	0	4	0	0	11	5	0	16	0	0	0	12	0	12	0	0	32
19:15	6	1	0	7	0	0	7	12	0	19	0	0	0	12	0	12	0	0	38
19:30	7	0	0	7	0	0	3	12	0	15	0	0	1	12	0	13	0	0	35
19:45	7	0	0	7	0	0	5	10	0	15	0	0	4	7	0	11	0	0	33
Hourly Total	24	1	0	25	0	0	26	39	0	65	0	0	5	43	0	48	0	0	138
20:00	2	0	0	2	0	0	5	8	0	13	0	0	0	9	0	9	0	0	24
20:15	2	0	0	2	0	0	7	6	0	13	0	0	0	7	0	7	0	0	22
20:30	6	1	0	7	0	0	5	3	0	8	0	0	0	4	0	4	0	0	19
20:45	6	0	0	6	0	0	7	1	0	8	0	0	0	4	0	4	0	0	18
Hourly Total	16	1	0	17	0	0	24	18	0	42	0	0	0	24	0	24	0	0	83



Site: Site 02

GPS: 51.654744, -3.860581

Date: 09-16-2025


TURNING MOVEMENT DATA

Leg	Crymlyn Parc						Heol Crymlyn						Heol Crymlyn						
Direction	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	Int Total
21:00	4	0	0	4	0	0	1	6	0	7	0	0	0	3	0	3	0	0	14
21:15	6	0	0	6	0	0	1	6	0	7	0	0	0	3	0	3	0	0	16
21:30	1	0	0	1	0	0	5	3	0	8	0	0	0	3	0	3	0	0	12
21:45	3	0	0	3	0	0	2	2	0	4	0	0	0	5	0	5	0	0	12
Hourly Total	14	0	0	14	0	0	9	17	0	26	0	0	0	14	0	14	0	0	54
22:00	1	0	0	1	0	0	2	3	0	5	0	0	0	1	0	1	0	0	7
22:15	1	0	0	1	0	0	1	4	0	5	0	0	0	1	0	1	0	0	7
22:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
22:45	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	1
Hourly Total	2	0	0	2	0	0	3	8	0	11	0	0	0	2	0	2	0	0	15
23:00	0	0	0	0	0	0	0	3	0	3	0	0	0	3	0	3	0	0	6
23:15	1	0	0	1	0	0	1	2	0	3	0	0	0	0	0	0	0	0	4
23:30	0	0	0	0	0	0	2	2	0	4	0	0	0	1	0	1	0	0	5
23:45	0	0	0	0	0	0	1	2	0	3	0	0	0	0	0	0	0	0	3
Hourly Total	1	0	0	1	0	0	4	9	0	13	0	0	0	4	0	4	0	0	18
Grand Total	656	40	0	696	0	0	783	656	10	1449	0	0	31	906	0	937	0	0	3082
Approach %	94	5	0	100	0	0	54	45	0	100	0	0	3	96	0	100	0	0	300
Total %	21	1	0	22	0	0	25	21	0	47	0	0	1	29	0	30	0	0	100
Car	609	35	0	644	0	0	696	592	10	1298	0	0	31	804	0	835	0	0	2777
Car %	92	0	0	0	0	0	0	90	100	0	0	0	100	88	0	0	0	0	90
LGV	42	4	0	46	0	0	68	47	0	115	0	0	0	76	0	76	0	0	237
LGV %	6	0	0	0	0	0	0	7	0	0	0	0	0	8	0	0	0	0	7
OGV1	2	1	0	3	0	0	8	4	0	12	0	0	0	5	0	5	0	0	20
OGV1 %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OGV2	0	0	0	0	0	0	2	0	0	2	0	0	0	2	0	2	0	0	4
OGV2 %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSV	2	0	0	2	0	0	1	13	0	14	0	0	0	12	0	12	0	0	28
PSV %	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0
MC	0	0	0	0	0	0	7	0	0	7	0	0	0	6	0	6	0	0	13
MC %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PC	1	0	0	1	0	0	1	0	0	1	0	0	0	1	0	1	0	0	3
PC %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0



Site: Site 02
GPS: 51.654744, -3.860581
Date: 09-16-2025


Turning Movement Data





SUMMARY	
Project	Skewen Neath
Project Code	SS2006
Site Name	Site 02
Legs and Movements	All Processed Legs & Movements
Count Interval	15
Start Time	00:00
End Time	23:45
Location	Site 02
Latitude and Longitude	(51.654744, -3.860581)

	START	END	PHF
AM PEAK			
PM PEAK			
Mid-Day PEAK			
Forced Peak AM			
Forced Peak PM			





Site: Site 02

GPS: 51.654744, -3.860581

Date: 09-17-2025

TURNING MOVEMENT DATA

Leg	Crymlyn Parc						Heol Crymlyn						Heol Crymlyn						
Direction	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	Int Total
00:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
00:15	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	2	0	0	2
00:30	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	1
00:45	1	0	0	1	0	0	0	1	0	1	0	0	0	0	0	0	0	0	2
Hourly Total	1	0	0	1	0	0	1	1	0	2	0	0	0	2	0	2	0	0	5
01:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
01:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
01:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
01:45	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	1
Hourly Total	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	1
02:00	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1
02:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02:30	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	1
02:45	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1
Hourly Total	0	0	0	0	0	0	1	0	0	1	0	0	0	2	0	2	0	0	3
03:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:45	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Hourly Total	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
04:00	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1
04:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
04:30	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	1
04:45	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	1
Hourly Total	0	0	0	0	0	0	1	1	0	2	0	0	0	1	0	1	0	0	3
05:00	0	0	0	0	0	0	1	0	0	1	0	0	0	2	0	2	0	0	3
05:15	4	0	0	4	0	0	0	0	1	1	0	0	0	1	0	1	0	0	6
05:30	4	1	0	5	0	0	0	1	0	1	0	0	0	2	0	2	0	0	8
05:45	3	0	0	3	0	0	0	0	0	0	0	0	0	3	0	3	0	0	6
Hourly Total	11	1	0	12	0	0	1	1	1	3	0	0	0	8	0	8	0	0	23
06:00	3	0	0	3	0	0	0	1	0	1	0	0	0	3	0	3	0	0	7
06:15	5	0	0	5	0	0	3	0	0	3	0	0	0	2	0	2	0	0	10
06:30	3	1	0	4	0	0	2	3	0	5	0	0	1	2	0	3	0	0	12
06:45	4	1	0	5	0	0	6	4	0	10	0	0	0	4	0	4	0	0	19
Hourly Total	15	2	0	17	0	0	11	8	0	19	0	0	1	11	0	12	0	0	48



Site: Site 02

GPS: 51.654744, -3.860581

Date: 09-17-2025

TURNING MOVEMENT DATA

Leg	Crymlyn Parc						Heol Crymlyn						Heol Crymlyn						
Direction	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	Int Total
07:00	16	1	0	17	0	0	5	6	0	11	0	0	6	6	0	12	0	0	40
07:15	16	0	0	16	0	0	5	3	0	8	0	0	0	7	0	7	0	0	31
07:30	21	0	0	21	0	0	18	7	0	25	0	0	0	9	0	9	0	0	55
07:45	39	0	0	39	0	0	22	1	0	23	0	0	0	11	0	11	0	0	73
Hourly Total	92	1	0	93	0	0	50	17	0	67	0	0	6	33	0	39	0	0	199
08:00	29	3	0	32	0	0	28	10	0	38	0	0	0	14	0	14	0	0	84
08:15	29	0	0	29	0	0	35	7	0	42	0	0	0	20	0	20	0	0	91
08:30	13	1	0	14	0	0	27	9	0	36	0	0	0	11	0	11	0	0	61
08:45	13	0	0	13	0	0	23	7	0	30	0	0	0	12	0	12	0	0	55
Hourly Total	84	4	0	88	0	0	113	33	0	146	0	0	0	57	0	57	0	0	291
09:00	7	1	0	8	0	0	15	11	0	26	0	0	0	8	0	8	0	0	42
09:15	11	0	0	11	0	0	7	8	0	15	0	0	0	11	0	11	0	0	37
09:30	9	2	0	11	0	0	7	8	0	15	0	0	0	7	0	7	0	0	33
09:45	5	3	0	8	0	0	5	7	0	12	0	0	0	8	0	8	0	0	28
Hourly Total	32	6	0	38	0	0	34	34	0	68	0	0	0	34	0	34	0	0	140
10:00	12	1	0	13	0	0	10	13	0	23	0	0	0	4	0	4	0	0	40
10:15	7	1	0	8	0	0	9	4	0	13	0	0	0	6	0	6	0	0	27
10:30	11	1	0	12	0	0	9	8	0	17	0	0	0	6	0	6	0	0	35
10:45	14	1	0	15	0	0	6	13	0	19	0	0	0	6	0	6	0	0	40
Hourly Total	44	4	0	48	0	0	34	38	0	72	0	0	0	22	0	22	0	0	142
11:00	10	1	0	11	0	0	11	7	0	18	0	0	1	6	0	7	0	0	36
11:15	11	0	0	11	0	0	13	5	0	18	0	0	1	13	0	14	0	0	43
11:30	11	0	0	11	0	0	11	14	0	25	0	0	0	9	0	9	0	0	45
11:45	10	1	0	11	0	0	11	9	0	20	0	0	0	9	0	9	0	0	40
Hourly Total	42	2	0	44	0	0	46	35	0	81	0	0	2	37	0	39	0	0	164
12:00	10	1	0	11	0	0	9	11	0	20	0	0	1	13	0	14	0	0	45
12:15	4	0	0	4	0	0	6	10	0	16	0	0	1	17	0	18	0	0	38
12:30	7	1	0	8	0	0	10	13	0	23	0	0	1	8	0	9	0	0	40
12:45	9	0	0	9	0	0	6	6	0	12	0	0	0	9	0	9	0	0	30
Hourly Total	30	2	0	32	0	0	31	40	0	71	0	0	3	47	0	50	0	0	153
13:00	5	0	0	5	0	0	9	7	0	16	0	0	0	10	0	10	0	0	31
13:15	7	5	0	12	0	0	13	7	0	20	0	0	0	12	0	12	0	0	44
13:30	5	1	0	6	0	0	9	5	0	14	0	0	1	15	0	16	0	0	36
13:45	8	0	0	8	0	0	9	9	0	18	0	0	1	17	0	18	0	0	44
Hourly Total	25	6	0	31	0	0	40	28	0	68	0	0	2	54	0	56	0	0	155



Site: Site 02

GPS: 51.654744, -3.860581

Date: 09-17-2025

TURNING MOVEMENT DATA

Leg Direction	Crymlyn Parc						Heol Crymlyn						Heol Crymlyn						Int Total
	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	
14:00	8	1	0	9	0	0	10	6	0	16	0	0	1	8	0	9	0	0	34
14:15	9	0	0	9	0	0	6	2	0	8	0	0	1	16	0	17	0	0	34
14:30	12	0	0	12	0	0	7	2	0	9	0	0	0	14	0	14	0	0	35
14:45	10	0	0	10	0	0	7	6	0	13	0	0	0	11	0	11	0	0	34
Hourly Total	39	1	0	40	0	0	30	16	0	46	0	0	2	49	0	51	0	0	137
15:00	12	1	0	13	0	0	5	20	0	25	0	0	1	13	0	14	0	0	52
15:15	12	0	0	12	0	0	20	18	0	38	0	0	1	15	0	16	0	0	66
15:30	12	0	0	12	0	0	13	25	0	38	0	0	3	12	0	15	0	0	65
15:45	12	0	0	12	0	0	15	20	0	35	0	0	0	20	0	20	0	0	67
Hourly Total	48	1	0	49	0	0	53	83	0	136	0	0	5	60	0	65	0	0	250
16:00	9	0	0	9	0	0	20	17	0	37	0	0	4	11	0	15	0	0	61
16:15	15	0	0	15	0	0	13	14	0	27	0	0	1	26	0	27	0	0	69
16:30	7	0	0	7	0	0	16	22	0	38	0	0	1	31	0	32	0	0	77
16:45	9	0	0	9	0	0	11	20	0	31	0	0	0	33	0	33	0	0	73
Hourly Total	40	0	0	40	0	0	60	73	0	133	0	0	6	101	0	107	0	0	280
17:00	9	2	0	11	0	0	23	23	0	46	0	0	1	24	0	25	0	0	82
17:15	6	0	0	6	0	0	31	18	0	49	0	0	1	26	0	27	0	0	82
17:30	17	3	0	20	0	0	20	15	0	35	0	0	0	14	0	14	0	0	69
17:45	12	0	0	12	0	0	24	13	0	37	0	0	4	17	0	21	0	0	70
Hourly Total	44	5	0	49	0	0	98	69	0	167	0	0	6	81	0	87	0	0	303
18:00	14	1	0	15	0	0	13	24	1	38	0	0	0	12	0	12	0	0	65
18:15	12	0	0	12	0	0	14	14	0	28	0	0	2	17	0	19	0	0	59
18:30	10	0	0	10	0	0	24	13	0	37	0	0	1	14	0	15	0	0	62
18:45	9	0	0	9	0	0	22	10	0	32	0	0	0	14	0	14	0	0	55
Hourly Total	45	1	0	46	0	0	73	61	1	135	0	0	3	57	0	60	0	0	241
19:00	9	1	0	10	0	0	16	11	0	27	0	0	1	12	0	13	0	0	50
19:15	4	0	0	4	0	0	17	9	0	26	0	0	0	7	0	7	0	0	37
19:30	5	2	0	7	0	0	10	14	0	24	0	0	1	10	0	11	0	0	42
19:45	6	0	0	6	0	0	8	6	0	14	0	0	0	9	0	9	0	0	29
Hourly Total	24	3	0	27	0	0	51	40	0	91	0	0	2	38	0	40	0	0	158
20:00	4	0	0	4	0	0	2	6	0	8	0	0	1	7	0	8	0	0	20
20:15	2	0	0	2	0	0	2	9	0	11	0	0	1	1	0	2	0	0	15
20:30	6	0	0	6	0	0	8	7	0	15	0	0	1	3	0	4	0	0	25
20:45	5	0	0	5	0	0	2	2	0	4	0	0	1	4	0	5	0	0	14
Hourly Total	17	0	0	17	0	0	14	24	0	38	0	0	4	15	0	19	0	0	74



Site: Site 02

GPS: 51.654744, -3.860581

Date: 09-17-2025


TURNING MOVEMENT DATA

Leg	Crymlyn Parc						Heol Crymlyn						Heol Crymlyn						
Direction	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	Int Total
21:00	1	0	0	1	0	0	0	3	0	3	0	0	1	2	0	3	0	0	7
21:15	0	1	0	1	0	0	3	5	0	8	0	0	1	3	0	4	0	0	13
21:30	1	0	0	1	0	0	3	2	0	5	0	0	0	0	0	0	0	0	6
21:45	1	0	0	1	0	0	4	0	0	4	0	0	0	1	0	1	0	0	6
Hourly Total	3	1	0	4	0	0	10	10	0	20	0	0	2	6	0	8	0	0	32
22:00	2	0	0	2	0	0	7	1	0	8	0	0	0	6	0	6	0	0	16
22:15	4	0	0	4	0	0	2	5	0	7	0	0	0	13	0	13	0	0	24
22:30	2	0	0	2	0	0	1	6	0	7	0	0	0	16	0	16	0	0	25
22:45	3	1	0	4	0	0	3	2	0	5	0	0	0	2	0	2	0	0	11
Hourly Total	11	1	0	12	0	0	13	14	0	27	0	0	0	37	0	37	0	0	76
23:00	1	0	0	1	0	0	2	3	0	5	0	0	0	0	0	0	0	0	6
23:15	1	0	0	1	0	0	2	0	0	2	0	0	0	1	0	1	0	0	4
23:30	0	0	0	0	0	0	1	2	0	3	0	0	0	2	0	2	0	0	5
23:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hourly Total	2	0	0	2	0	0	5	5	0	10	0	0	0	3	0	3	0	0	15
Grand Total	650	41	0	691	0	0	771	631	2	1404	0	0	44	755	0	799	0	0	2894
Approach %	94	5	0	100	0	0	54	44	0	100	0	0	5	94	0	100	0	0	300
Total %	22	1	0	23	0	0	26	21	0	48	0	0	1	26	0	27	0	0	100
Car	607	34	0	641	0	0	680	593	2	1275	0	0	40	684	0	724	0	0	2640
Car %	93	0	0	0	0	0	0	93	100	0	0	0	90	90	0	0	0	0	91
LGV	41	6	0	47	0	0	79	34	0	113	0	0	4	64	0	68	0	0	228
LGV %	6	0	0	0	0	0	0	5	0	0	0	0	9	8	0	0	0	0	7
OGV1	0	1	0	1	0	0	5	1	0	6	0	0	0	1	0	1	0	0	8
OGV1 %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OGV2	0	0	0	0	0	0	2	0	0	2	0	0	0	2	0	2	0	0	4
OGV2 %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSV	2	0	0	2	0	0	3	3	0	6	0	0	0	2	0	2	0	0	10
PSV %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MC	0	0	0	0	0	0	2	0	0	2	0	0	0	2	0	2	0	0	4
MC %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PC	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PC %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0



Site: Site 02
GPS: 51.654744, -3.860581
Date: 09-17-2025

Turning Movement Data





SUMMARY	
Project	Skewen Neath
Project Code	SS2006
Site Name	Site 03
Legs and Movements	All Processed Legs & Movements
Count Interval	15
Start Time	00:00
End Time	23:45
Location	Site 03
Latitude and Longitude	(51.655637, -3.858453)

	START	END	PHF
AM PEAK			
PM PEAK			
Mid-Day PEAK			
Forced Peak AM			
Forced Peak PM			





Site: Site 03

GPS: 51.655637, -3.858453

Date: 09-11-2025

TURNING MOVEMENT DATA

Leg Direction	Serecold Ave						Heol Crymlyn						Heol Crymlyn						Int Total
	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	
00:00	0	0	0	0	0	0	1	0	0	1	0	0	0	1	0	1	0	0	2
00:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
00:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
00:45	0	0	0	0	0	0	1	0	0	1	0	0	0	1	0	1	0	0	2
Hourly Total	0	0	0	0	0	0	2	0	0	2	0	0	0	2	0	2	0	0	4
01:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
01:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
01:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
01:45	1	0	0	1	0	0	0	0	0	0	0	0	0	1	0	1	0	0	2
Hourly Total	1	0	0	1	0	0	0	0	0	0	0	0	0	1	0	1	0	0	2
02:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hourly Total	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:00	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1
03:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:30	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
03:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hourly Total	1	0	0	1	0	0	0	0	0	0	0	0	0	1	0	1	0	0	2
04:00	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1
04:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
04:30	0	1	0	1	0	0	1	0	0	1	0	0	0	0	0	0	0	0	2
04:45	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	1
Hourly Total	0	1	0	1	0	0	2	0	0	2	0	0	0	1	0	1	0	0	4
05:00	1	0	0	1	0	0	0	0	0	0	0	0	0	2	0	2	0	0	3
05:15	2	0	0	2	0	0	1	0	0	1	0	0	1	4	0	5	0	0	8
05:30	3	0	0	3	0	0	2	0	0	2	0	0	0	4	0	4	0	0	9
05:45	5	0	0	5	0	0	0	0	1	1	0	0	0	11	0	11	0	0	17
Hourly Total	11	0	0	11	0	0	3	0	1	4	0	0	1	21	0	22	0	0	37
06:00	2	1	0	3	0	0	0	0	0	0	0	0	0	2	0	2	0	0	5
06:15	3	2	0	5	0	0	3	0	0	3	0	0	1	3	0	4	0	0	12
06:30	2	0	0	2	0	0	6	0	0	6	0	0	0	9	0	9	0	0	17
06:45	12	1	0	13	0	0	10	0	0	10	0	0	0	11	0	11	0	0	34
Hourly Total	19	4	0	23	0	0	19	0	0	19	0	0	1	25	0	26	0	0	68



Site: Site 03

GPS: 51.655637, -3.858453

Date: 09-11-2025

TURNING MOVEMENT DATA

Leg	Serecold Ave						Heol Crymlyn						Heol Crymlyn						
Direction	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	Int Total
07:00	10	0	0	10	0	0	9	0	0	9	0	0	0	19	0	19	0	0	38
07:15	7	0	0	7	0	0	16	2	0	18	0	0	0	20	0	20	0	0	45
07:30	19	4	0	23	0	0	17	0	0	17	0	0	0	32	0	32	0	0	72
07:45	35	2	0	37	0	0	28	0	0	28	0	0	0	41	0	41	0	0	106
Hourly Total	71	6	0	77	0	0	70	2	0	72	0	0	0	112	0	112	0	0	261
08:00	24	2	0	26	0	0	50	1	1	52	0	0	0	45	0	45	0	0	123
08:15	23	3	0	26	0	0	36	0	0	36	0	0	0	46	0	46	0	0	108
08:30	16	1	0	17	0	0	35	0	0	35	0	0	0	40	0	40	0	0	92
08:45	10	0	0	10	0	0	24	1	0	25	0	0	0	29	0	29	0	0	64
Hourly Total	73	6	0	79	0	0	145	2	1	148	0	0	0	160	0	160	0	0	387
09:00	7	1	0	8	0	0	31	0	0	31	0	0	0	15	0	15	0	0	54
09:15	3	0	0	3	0	0	21	0	0	21	0	0	0	23	0	23	0	0	47
09:30	5	0	0	5	0	0	17	0	0	17	0	0	2	13	0	15	0	0	37
09:45	2	1	0	3	0	0	16	0	0	16	0	0	0	24	0	24	0	0	43
Hourly Total	17	2	0	19	0	0	85	0	0	85	0	0	2	75	0	77	0	0	181
10:00	3	0	0	3	0	0	11	0	0	11	0	0	0	18	0	18	0	0	32
10:15	5	1	0	6	0	0	15	0	0	15	0	0	0	23	0	23	0	0	44
10:30	6	0	0	6	0	0	10	0	0	10	0	0	0	22	0	22	0	0	38
10:45	1	1	0	2	0	0	18	0	0	18	0	0	0	26	0	26	0	0	46
Hourly Total	15	2	0	17	0	0	54	0	0	54	0	0	0	89	0	89	0	0	160
11:00	4	0	0	4	0	0	14	0	0	14	0	0	0	25	0	25	0	0	43
11:15	8	0	0	8	0	0	13	0	0	13	0	0	0	15	0	15	0	0	36
11:30	8	0	0	8	0	0	27	1	0	28	0	0	0	21	0	21	0	0	57
11:45	7	0	0	7	0	0	20	0	0	20	0	0	0	18	0	18	0	0	45
Hourly Total	27	0	0	27	0	0	74	1	0	75	0	0	0	79	0	79	0	0	181
12:00	1	0	0	1	0	0	19	0	0	19	0	0	0	19	0	19	0	0	39
12:15	5	0	0	5	0	0	24	1	0	25	0	0	1	13	0	14	0	0	44
12:30	5	1	0	6	0	0	16	0	0	16	0	0	1	22	0	23	0	0	45
12:45	6	0	0	6	0	0	19	0	0	19	0	0	0	20	0	20	0	0	45
Hourly Total	17	1	0	18	0	0	78	1	0	79	0	0	2	74	0	76	0	0	173
13:00	4	0	0	4	0	0	17	2	0	19	0	0	0	18	0	18	0	0	41
13:15	4	1	0	5	0	0	29	1	0	30	0	0	2	22	0	24	0	0	59
13:30	10	0	0	10	0	0	10	0	0	10	0	0	0	23	0	23	0	0	43
13:45	4	1	0	5	0	0	26	0	0	26	0	0	0	23	0	23	0	0	54
Hourly Total	22	2	0	24	0	0	82	3	0	85	0	0	2	86	0	88	0	0	197



Site: Site 03

GPS: 51.655637, -3.858453

Date: 09-11-2025

TURNING MOVEMENT DATA

Leg Direction	Serecold Ave						Heol Crymlyn						Heol Crymlyn						Int Total
	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	
14:00	8	1	0	9	0	0	19	0	0	19	0	0	1	29	0	30	0	0	58
14:15	10	0	0	10	0	0	25	0	0	25	0	0	0	31	0	31	0	0	66
14:30	7	0	0	7	0	0	17	1	1	19	0	0	1	21	0	22	0	0	48
14:45	11	0	0	11	0	0	23	1	0	24	0	0	1	42	0	43	0	0	78
Hourly Total	36	1	0	37	0	0	84	2	1	87	0	0	3	123	0	126	0	0	250
15:00	6	1	0	7	0	0	30	2	0	32	0	0	0	29	0	29	0	0	68
15:15	5	2	0	7	0	0	34	2	0	36	0	0	1	29	0	30	0	0	73
15:30	6	2	0	8	0	0	28	2	0	30	0	0	0	28	0	28	0	0	66
15:45	13	1	0	14	0	0	36	0	0	36	0	0	0	35	0	35	0	0	85
Hourly Total	30	6	0	36	0	0	128	6	0	134	0	0	1	121	0	122	0	0	292
16:00	9	2	0	11	0	0	40	0	1	41	0	0	2	39	0	41	0	0	93
16:15	6	0	0	6	0	0	39	0	0	39	0	0	0	42	0	42	0	0	87
16:30	8	1	0	9	0	0	55	0	0	55	0	0	2	42	0	44	0	0	108
16:45	6	1	0	7	0	0	45	0	0	45	0	0	1	48	0	49	0	0	101
Hourly Total	29	4	0	33	0	0	179	0	1	180	0	0	5	171	0	176	0	0	389
17:00	11	0	0	11	0	0	51	0	0	51	0	0	1	40	0	41	0	0	103
17:15	9	2	0	11	0	0	36	2	0	38	0	0	0	46	0	46	0	0	95
17:30	12	1	0	13	0	0	28	0	0	28	0	0	1	51	0	52	0	0	93
17:45	11	0	0	11	0	0	26	1	0	27	0	0	2	35	0	37	0	0	75
Hourly Total	43	3	0	46	0	0	141	3	0	144	0	0	4	172	0	176	0	0	366
18:00	19	2	0	21	0	0	31	3	0	34	0	0	0	33	0	33	0	0	88
18:15	13	2	0	15	0	0	23	0	0	23	0	0	0	30	0	30	0	0	68
18:30	4	0	0	4	0	0	26	1	0	27	0	0	1	18	0	19	0	0	50
18:45	1	1	0	2	0	0	13	0	0	13	0	0	2	24	0	26	0	0	41
Hourly Total	37	5	0	42	0	0	93	4	0	97	0	0	3	105	0	108	0	0	247
19:00	4	0	0	4	0	0	17	0	0	17	0	0	1	22	0	23	0	0	44
19:15	3	0	0	3	0	0	18	1	0	19	0	0	1	23	0	24	0	0	46
19:30	4	0	0	4	0	0	15	0	0	15	0	0	0	11	0	11	0	0	30
19:45	2	0	0	2	0	0	16	0	0	16	0	0	1	10	0	11	0	0	29
Hourly Total	13	0	0	13	0	0	66	1	0	67	0	0	3	66	0	69	0	0	149
20:00	2	0	0	2	0	0	25	0	0	25	0	0	0	15	0	15	0	0	42
20:15	4	0	0	4	0	0	15	0	0	15	0	0	1	7	0	8	0	0	27
20:30	5	0	0	5	0	0	10	1	0	11	0	0	0	7	0	7	0	0	23
20:45	2	0	0	2	0	0	10	1	0	11	0	0	1	9	0	10	0	0	23
Hourly Total	13	0	0	13	0	0	60	2	0	62	0	0	2	38	0	40	0	0	115



Site: Site 03

GPS: 51.655637, -3.858453

Date: 09-11-2025

TURNING MOVEMENT DATA

Leg	Serecold Ave						Heol Crymlyn						Heol Crymlyn						
Direction	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	Int Total
21:00	0	1	0	1	0	0	9	0	0	9	0	0	0	7	0	7	0	0	17
21:15	1	0	0	1	0	0	7	0	0	7	0	0	0	8	0	8	0	0	16
21:30	3	0	0	3	0	0	7	0	0	7	0	0	0	5	0	5	0	0	15
21:45	0	0	0	0	0	0	6	0	1	7	0	0	0	4	0	4	0	0	11
Hourly Total	4	1	0	5	0	0	29	0	1	30	0	0	0	24	0	24	0	0	59
22:00	0	0	0	0	0	0	6	0	0	6	0	0	0	3	0	3	0	0	9
22:15	0	0	0	0	0	0	6	0	0	6	0	0	0	4	0	4	0	0	10
22:30	1	0	0	1	0	0	2	0	0	2	0	0	0	0	0	0	0	0	3
22:45	2	0	0	2	0	0	3	0	0	3	0	0	0	2	0	2	0	0	7
Hourly Total	3	0	0	3	0	0	17	0	0	17	0	0	0	9	0	9	0	0	29
23:00	1	0	0	1	0	0	2	0	0	2	0	0	0	0	0	0	0	0	3
23:15	0	0	0	0	0	0	3	0	0	3	0	0	1	1	0	2	0	0	5
23:30	2	1	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3
23:45	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	1
Hourly Total	3	1	0	4	0	0	6	0	0	6	0	0	1	1	0	2	0	0	12
Grand Total	485	45	0	530	0	0	1417	27	5	1449	0	0	30	1556	0	1586	0	0	3565
Approach %	91	8	0	100	0	0	97	1	0	100	0	0	1	98	0	100	0	0	300
Total %	13	1	0	14	0	0	39	0	0	40	0	0	0	43	0	44	0	0	100
Car	441	43	0	484	0	0	1274	23	4	1301	0	0	26	1386	0	1412	0	0	3197
Car %	90	0	0	0	0	0	0	85	80	0	0	0	86	89	0	0	0	0	89
LGV	43	2	0	45	0	0	111	4	1	116	0	0	4	137	0	141	0	0	302
LGV %	8	0	0	0	0	0	0	14	20	0	0	0	13	8	0	0	0	0	8
OGV1	0	0	0	0	0	0	7	0	0	7	0	0	0	8	0	8	0	0	15
OGV1 %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OGV2	0	0	0	0	0	0	3	0	0	3	0	0	0	3	0	3	0	0	6
OGV2 %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSV	1	0	0	1	0	0	16	0	0	16	0	0	0	15	0	15	0	0	32
PSV %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MC	0	0	0	0	0	0	5	0	0	5	0	0	0	7	0	7	0	0	12
MC %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PC	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	1
PC %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0



Site: Site 03


GPS: 51.655637, -3.858453

Date: 09-11-2025


Turning Movement Data

Class
Car
LGV
OGV1
OGV2
PSV
MC
PC
Total

Out	In	Total
49	484	533
8	45	53
0	0	0
0	0	0
0	1	1
0	0	0
0	0	0
57	530	587



Right	Left	U-Turn
43	441	0
2	43	0
0	0	0
0	0	0
0	1	0
0	0	0
0	0	0
45	485	0





SUMMARY	
Project	Skewen Neath
Project Code	SS2006
Site Name	Site 03
Legs and Movements	All Processed Legs & Movements
Count Interval	15
Start Time	00:00
End Time	23:45
Location	Site 03
Latitude and Longitude	(51.655637, -3.858453)

	START	END	PHF
AM PEAK			
PM PEAK			
Mid-Day PEAK			
Forced Peak AM			
Forced Peak PM			





Site: Site 03

GPS: 51.655637, -3.858453

Date: 09-12-2025

TURNING MOVEMENT DATA

Leg Direction	Serecold Ave						Heol Crymlyn						Heol Crymlyn						Int Total
	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	
00:00	1	0	0	1	0	0	0	0	0	0	0	0	1	1	0	2	0	0	3
00:15	0	0	0	0	0	0	3	0	0	3	0	0	0	1	0	1	0	0	4
00:30	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	2	0	0	2
00:45	1	0	0	1	0	0	1	0	0	1	0	0	0	1	0	1	0	0	3
Hourly Total	2	0	0	2	0	0	4	0	0	4	0	0	1	5	0	6	0	0	12
01:00	0	0	0	0	0	0	1	0	0	1	0	0	0	1	0	1	0	0	2
01:15	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	1
01:30	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1
01:45	0	0	0	0	0	0	1	0	0	1	0	0	0	1	0	1	0	0	2
Hourly Total	0	0	0	0	0	0	3	0	0	3	0	0	0	3	0	3	0	0	6
02:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02:15	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	1
02:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02:45	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1
Hourly Total	0	0	0	0	0	0	1	0	0	1	0	0	0	1	0	1	0	0	2
03:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hourly Total	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
04:00	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1
04:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
04:30	1	0	0	1	0	0	1	0	0	1	0	0	0	0	0	0	0	0	2
04:45	0	1	0	1	0	0	1	0	0	1	0	0	0	1	0	1	0	0	3
Hourly Total	1	1	0	2	0	0	2	0	0	2	0	0	0	2	0	2	0	0	6
05:00	1	0	0	1	0	0	0	0	0	0	0	0	0	4	0	4	0	0	5
05:15	2	0	0	2	0	0	0	0	0	0	0	0	0	4	0	4	0	0	6
05:30	2	0	0	2	0	0	1	0	0	1	0	0	0	4	0	4	0	0	7
05:45	4	0	0	4	0	0	1	0	1	2	0	0	0	8	0	8	0	0	14
Hourly Total	9	0	0	9	0	0	2	0	1	3	0	0	0	20	0	20	0	0	32
06:00	5	1	0	6	0	0	0	0	0	0	0	0	0	3	0	3	0	0	9
06:15	3	0	0	3	0	0	5	0	0	5	0	0	0	3	0	3	0	0	11
06:30	4	1	0	5	0	0	4	0	0	4	0	0	0	9	0	9	0	0	18
06:45	7	1	0	8	0	0	9	0	0	9	0	0	0	12	0	12	0	0	29
Hourly Total	19	3	0	22	0	0	18	0	0	18	0	0	0	27	0	27	0	0	67



Site: Site 03

GPS: 51.655637, -3.858453

Date: 09-12-2025

TURNING MOVEMENT DATA

Leg Direction	Serecold Ave						Heol Crymlyn						Heol Crymlyn						
	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	Int Total
07:00	8	0	0	8	0	0	11	0	0	11	0	0	0	18	0	18	0	0	37
07:15	8	0	0	8	0	0	10	0	0	10	0	0	0	17	0	17	0	0	35
07:30	6	0	0	6	0	0	25	0	0	25	0	0	0	25	0	25	0	0	56
07:45	27	0	0	27	0	0	25	0	0	25	0	0	2	46	0	48	0	0	100
Hourly Total	49	0	0	49	0	0	71	0	0	71	0	0	2	106	0	108	0	0	228
08:00	25	2	0	27	0	0	34	3	1	38	0	0	0	48	0	48	0	0	113
08:15	15	1	0	16	0	0	24	0	0	24	0	0	0	51	0	51	0	0	91
08:30	16	0	0	16	0	0	33	0	0	33	0	0	0	21	0	21	0	0	70
08:45	12	0	0	12	0	0	26	0	0	26	0	0	0	29	0	29	0	0	67
Hourly Total	68	3	0	71	0	0	117	3	1	121	0	0	0	149	0	149	0	0	341
09:00	5	1	0	6	0	0	27	1	0	28	0	0	0	17	0	17	0	0	51
09:15	2	1	0	3	0	0	20	1	0	21	0	0	0	26	0	26	0	0	50
09:30	6	0	0	6	0	0	17	0	0	17	0	0	0	17	0	17	0	0	40
09:45	5	0	0	5	0	0	15	0	0	15	0	0	0	19	0	19	0	0	39
Hourly Total	18	2	0	20	0	0	79	2	0	81	0	0	0	79	0	79	0	0	180
10:00	11	0	0	11	0	0	16	0	0	16	0	0	0	18	0	18	0	0	45
10:15	6	1	0	7	0	0	12	0	0	12	0	0	0	19	0	19	0	0	38
10:30	3	0	0	3	0	0	14	0	0	14	0	0	0	27	0	27	0	0	44
10:45	5	2	0	7	0	0	20	0	0	20	0	0	0	28	0	28	0	0	55
Hourly Total	25	3	0	28	0	0	62	0	0	62	0	0	0	92	0	92	0	0	182
11:00	8	0	0	8	0	0	26	0	0	26	0	0	1	26	0	27	0	0	61
11:15	7	0	0	7	0	0	30	0	0	30	0	0	1	22	0	23	0	0	60
11:30	6	0	0	6	0	0	18	0	0	18	0	0	0	17	0	17	0	0	41
11:45	5	1	0	6	0	0	24	0	0	24	0	0	0	31	0	31	0	0	61
Hourly Total	26	1	0	27	0	0	98	0	0	98	0	0	2	96	0	98	0	0	223
12:00	5	2	0	7	0	0	32	1	0	33	0	0	1	23	0	24	0	0	64
12:15	7	2	0	9	0	0	28	0	1	29	0	0	0	16	0	16	0	0	54
12:30	7	0	0	7	0	0	24	0	0	24	0	0	1	30	0	31	0	0	62
12:45	8	3	0	11	0	0	33	1	0	34	0	0	0	22	0	22	0	0	67
Hourly Total	27	7	0	34	0	0	117	2	1	120	0	0	2	91	0	93	0	0	247
13:00	14	0	0	14	0	0	25	3	0	28	0	0	0	23	0	23	0	0	65
13:15	5	0	0	5	0	0	20	1	0	21	0	0	0	25	0	25	0	0	51
13:30	7	0	0	7	0	0	12	1	0	13	0	0	1	26	0	27	0	0	47
13:45	8	0	0	8	0	0	21	2	1	24	0	0	2	25	0	27	0	0	59
Hourly Total	34	0	0	34	0	0	78	7	1	86	0	0	3	99	0	102	0	0	222



Site: Site 03

GPS: 51.655637, -3.858453

Date: 09-12-2025

TURNING MOVEMENT DATA

Leg Direction	Serecold Ave						Heol Crymlyn						Heol Crymlyn						
	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	Int Total
14:00	4	0	0	4	0	0	22	1	0	23	0	0	1	34	0	35	0	0	62
14:15	14	3	0	17	0	0	13	2	0	15	0	0	0	31	0	31	0	0	63
14:30	10	2	0	12	0	0	18	0	0	18	0	0	0	37	0	37	0	0	67
14:45	11	0	0	11	0	0	22	0	0	22	0	0	1	31	0	32	0	0	65
Hourly Total	39	5	0	44	0	0	75	3	0	78	0	0	2	133	0	135	0	0	257
15:00	9	0	0	9	0	0	31	2	0	33	0	0	3	29	0	32	0	0	74
15:15	7	2	0	9	0	0	39	0	0	39	0	0	1	35	0	36	0	0	84
15:30	8	2	0	10	0	0	28	0	0	28	0	0	0	36	0	36	0	0	74
15:45	9	2	0	11	0	0	49	2	0	51	0	0	0	41	0	41	0	0	103
Hourly Total	33	6	0	39	0	0	147	4	0	151	0	0	4	141	0	145	0	0	335
16:00	12	0	0	12	0	0	39	1	0	40	0	0	1	39	0	40	0	0	92
16:15	6	1	0	7	0	0	40	1	0	41	0	0	1	52	0	53	0	0	101
16:30	12	1	0	13	0	0	42	1	0	43	0	0	3	36	0	39	0	0	95
16:45	11	2	0	13	0	0	44	0	0	44	0	0	0	34	0	34	0	0	91
Hourly Total	41	4	0	45	0	0	165	3	0	168	0	0	5	161	0	166	0	0	379
17:00	14	2	0	16	0	0	51	0	0	51	0	0	0	32	0	32	0	0	99
17:15	12	1	0	13	0	0	43	0	0	43	0	0	1	41	0	42	0	0	98
17:30	11	1	0	12	0	0	42	0	0	42	0	0	1	37	0	38	0	0	92
17:45	10	0	0	10	0	0	30	0	0	30	0	0	0	31	0	31	0	0	71
Hourly Total	47	4	0	51	0	0	166	0	0	166	0	0	2	141	0	143	0	0	360
18:00	15	2	0	17	0	0	25	1	2	28	0	0	2	37	0	39	0	0	84
18:15	15	0	0	15	0	0	26	1	0	27	0	0	1	27	0	28	0	0	70
18:30	3	0	0	3	0	0	15	0	0	15	0	0	1	24	0	25	0	0	43
18:45	8	0	0	8	0	0	15	1	0	16	0	0	0	18	0	18	0	0	42
Hourly Total	41	2	0	43	0	0	81	3	2	86	0	0	4	106	0	110	0	0	239
19:00	3	1	0	4	0	0	24	0	0	24	0	0	0	17	0	17	0	0	45
19:15	4	0	0	4	0	0	17	1	0	18	0	0	2	21	0	23	0	0	45
19:30	5	0	0	5	0	0	14	0	0	14	0	0	0	11	0	11	0	0	30
19:45	3	1	0	4	0	0	12	0	0	12	0	0	1	13	0	14	0	0	30
Hourly Total	15	2	0	17	0	0	67	1	0	68	0	0	3	62	0	65	0	0	150
20:00	6	0	0	6	0	0	12	0	0	12	0	0	0	12	0	12	0	0	30
20:15	6	0	0	6	0	0	10	0	0	10	0	0	0	10	0	10	0	0	26
20:30	4	0	0	4	0	0	16	0	0	16	0	0	0	11	0	11	0	0	31
20:45	1	1	0	2	0	0	9	1	0	10	0	0	0	3	0	3	0	0	15
Hourly Total	17	1	0	18	0	0	47	1	0	48	0	0	0	36	0	36	0	0	102



Site: Site 03

GPS: 51.655637, -3.858453

Date: 09-12-2025

TURNING MOVEMENT DATA

Leg	Serecold Ave						Heol Crymlyn						Heol Crymlyn						
Direction	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	Int Total
21:00	1	0	0	1	0	0	7	0	0	7	0	0	0	4	0	4	0	0	12
21:15	2	0	0	2	0	0	12	0	0	12	0	0	0	6	0	6	0	0	20
21:30	1	0	0	1	0	0	5	1	0	6	0	0	0	5	0	5	0	0	12
21:45	2	1	0	3	0	0	8	0	0	8	0	0	1	4	0	5	0	0	16
Hourly Total	6	1	0	7	0	0	32	1	0	33	0	0	1	19	0	20	0	0	60
22:00	3	0	0	3	0	0	6	0	0	6	0	0	0	2	0	2	0	0	11
22:15	2	0	0	2	0	0	3	0	0	3	0	0	0	3	0	3	0	0	8
22:30	0	0	0	0	0	0	4	0	0	4	0	0	0	3	0	3	0	0	7
22:45	1	0	0	1	0	0	6	0	0	6	0	0	1	3	0	4	0	0	11
Hourly Total	6	0	0	6	0	0	19	0	0	19	0	0	1	11	0	12	0	0	37
23:00	3	0	0	3	0	0	3	0	0	3	0	0	0	2	0	2	0	0	8
23:15	1	0	0	1	0	0	5	1	0	6	0	0	0	2	0	2	0	0	9
23:30	0	0	0	0	0	0	2	0	0	2	0	0	0	2	0	2	0	0	4
23:45	1	0	0	1	0	0	5	0	0	5	0	0	0	1	0	1	0	0	7
Hourly Total	5	0	0	5	0	0	15	1	0	16	0	0	0	7	0	7	0	0	28
Grand Total	528	45	0	573	0	0	1466	31	6	1503	0	0	32	1587	0	1619	0	0	3695
Approach %	92	7	0	100	0	0	97	2	0	100	0	0	1	98	0	100	0	0	300
Total %	14	1	0	15	0	0	39	0	0	40	0	0	0	42	0	43	0	0	100
Car	480	44	0	524	0	0	1311	29	5	1345	0	0	29	1440	0	1469	0	0	3338
Car %	90	0	0	0	0	0	0	93	83	0	0	0	90	90	0	0	0	0	90
LGV	48	1	0	49	0	0	136	2	1	139	0	0	3	127	0	130	0	0	318
LGV %	9	0	0	0	0	0	0	6	16	0	0	0	9	8	0	0	0	0	8
OGV1	0	0	0	0	0	0	7	0	0	7	0	0	0	4	0	4	0	0	11
OGV1 %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OGV2	0	0	0	0	0	0	1	0	0	1	0	0	0	1	0	1	0	0	2
OGV2 %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSV	0	0	0	0	0	0	6	0	0	6	0	0	0	7	0	7	0	0	13
PSV %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MC	0	0	0	0	0	0	3	0	0	3	0	0	0	7	0	7	0	0	10
MC %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PC	0	0	0	0	0	0	2	0	0	2	0	0	0	1	0	1	0	0	3
PC %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0



Site: Site 03
GPS: 51.655637, -3.858453
Date: 09-12-2025

Turning Movement Data

Class
Car
LGV
OGV1
OGV2
PSV
MC
PC
Total


Out	In	Total
58	524	582
5	49	54
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
63	573	636



Right	Left	U-Turn
44	480	0
1	48	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
45	528	0

Out	In	Total
1355	1469	2824
137	130	267
7	4	11
1	1	2
6	7	13
3	7	10
2	1	3
1511	1619	3130

Thru	Left	U-Turn
1440	29	0
127	3	0
4	0	0
1	0	0
7	0	0
7	0	0
1	0	0
1587	32	0



Right	Thru	U-Turn
29	1311	5
2	136	1
0	7	0
0	1	0
0	6	0
0	3	0
0	2	0
31	1466	6

Out	In	Total
1925	1340	3265
176	138	314
4	7	11
1	1	2
7	6	13
7	3	10
1	2	3
2121	1497	3618



SUMMARY	
Project	Skewen Neath
Project Code	SS2006
Site Name	Site 03
Legs and Movements	All Processed Legs & Movements
Count Interval	15
Start Time	00:00
End Time	23:45
Location	Site 03
Latitude and Longitude	(51.655637, -3.858453)

	START	END	PHF
AM PEAK			
PM PEAK			
Mid-Day PEAK			
Forced Peak AM			
Forced Peak PM			





Site: Site 03

GPS: 51.655637, -3.858453

Date: 09-15-2025

TURNING MOVEMENT DATA

Leg Direction	Serecold Ave						Heol Crymlyn						Heol Crymlyn						Int Total
	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	
00:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
00:15	0	0	0	0	0	0	3	0	0	3	0	0	0	1	0	1	0	0	4
00:30	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	1
00:45	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	1
Hourly Total	0	0	0	0	0	0	5	0	0	5	0	0	0	1	0	1	0	0	6
01:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
01:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
01:30	0	0	0	0	0	0	1	0	0	1	0	0	0	1	0	1	0	0	2
01:45	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1
Hourly Total	0	0	0	0	0	0	1	0	0	1	0	0	0	2	0	2	0	0	3
02:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02:15	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
02:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hourly Total	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
03:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1
03:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hourly Total	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1
04:00	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	2	0	0	2
04:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
04:30	1	1	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
04:45	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	1
Hourly Total	1	1	0	2	0	0	1	0	0	1	0	0	0	2	0	2	0	0	5
05:00	1	0	0	1	0	0	0	0	0	0	0	0	0	4	0	4	0	0	5
05:15	1	0	0	1	0	0	1	0	0	1	0	0	0	4	0	4	0	0	6
05:30	3	0	0	3	0	0	0	0	0	0	0	0	1	4	0	5	0	0	8
05:45	7	0	0	7	0	0	1	0	0	1	0	0	0	5	0	5	0	0	13
Hourly Total	12	0	0	12	0	0	2	0	0	2	0	0	1	17	0	18	0	0	32
06:00	3	0	0	3	0	0	2	0	0	2	0	0	0	10	0	10	0	0	15
06:15	4	0	0	4	0	0	1	0	0	1	0	0	0	6	0	6	0	0	11
06:30	1	0	0	1	0	0	1	0	0	1	0	0	0	5	0	5	0	0	7
06:45	7	0	0	7	0	0	10	0	0	10	0	0	0	9	0	9	0	0	26
Hourly Total	15	0	0	15	0	0	14	0	0	14	0	0	0	30	0	30	0	0	59



Site: Site 03

GPS: 51.655637, -3.858453

Date: 09-15-2025

TURNING MOVEMENT DATA

Leg Direction	Serecold Ave						Heol Crymlyn						Heol Crymlyn						Int Total
	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	
07:00	8	0	0	8	0	0	7	0	0	7	0	0	0	16	0	16	0	0	31
07:15	10	0	0	10	0	0	6	0	0	6	0	0	0	27	0	27	0	0	43
07:30	11	0	0	11	0	0	21	0	0	21	0	0	0	28	0	28	0	0	60
07:45	30	0	0	30	0	0	18	0	0	18	0	0	1	46	0	47	0	0	95
Hourly Total	59	0	0	59	0	0	52	0	0	52	0	0	1	117	0	118	0	0	229
08:00	29	1	0	30	0	0	30	0	0	30	0	0	0	39	0	39	0	0	99
08:15	23	3	0	26	0	0	35	0	0	35	0	0	0	45	0	45	0	0	106
08:30	15	1	0	16	0	0	39	1	0	40	0	0	0	29	0	29	0	0	85
08:45	10	0	0	10	0	0	30	0	0	30	0	0	0	26	0	26	0	0	66
Hourly Total	77	5	0	82	0	0	134	1	0	135	0	0	0	139	0	139	0	0	356
09:00	7	1	0	8	0	0	34	1	0	35	0	0	0	12	0	12	0	0	55
09:15	6	0	0	6	0	0	22	0	0	22	0	0	0	17	0	17	0	0	45
09:30	6	0	0	6	0	0	21	1	0	22	0	0	1	20	0	21	0	0	49
09:45	8	0	0	8	0	0	18	2	0	20	0	0	0	14	0	14	0	0	42
Hourly Total	27	1	0	28	0	0	95	4	0	99	0	0	1	63	0	64	0	0	191
10:00	4	0	0	4	0	0	17	0	0	17	0	0	0	20	0	20	0	0	41
10:15	2	0	0	2	0	0	10	0	0	10	0	0	0	13	0	13	0	0	25
10:30	4	0	0	4	0	0	10	0	0	10	0	0	0	20	0	20	0	0	34
10:45	5	0	0	5	0	0	13	0	0	13	0	0	0	15	0	15	0	0	33
Hourly Total	15	0	0	15	0	0	50	0	0	50	0	0	0	68	0	68	0	0	133
11:00	7	1	0	8	0	0	19	0	0	19	0	0	0	24	0	24	0	0	51
11:15	3	0	0	3	0	0	26	0	0	26	0	0	0	23	0	23	0	0	52
11:30	3	0	0	3	0	0	18	0	0	18	0	0	1	14	0	15	0	0	36
11:45	8	0	0	8	0	0	12	1	0	13	0	0	0	14	0	14	0	0	35
Hourly Total	21	1	0	22	0	0	75	1	0	76	0	0	1	75	0	76	0	0	174
12:00	7	2	0	9	0	0	17	0	0	17	0	0	0	22	0	22	0	0	48
12:15	10	0	0	10	0	0	20	0	0	20	0	0	0	17	0	17	0	0	47
12:30	2	1	0	3	0	0	15	0	0	15	0	0	1	18	0	19	0	0	37
12:45	8	0	0	8	0	0	21	0	0	21	0	0	0	22	0	22	0	0	51
Hourly Total	27	3	0	30	0	0	73	0	0	73	0	0	1	79	0	80	0	0	183
13:00	3	0	0	3	0	0	21	0	0	21	0	0	0	18	0	18	0	0	42
13:15	7	0	0	7	0	0	18	1	0	19	0	0	0	14	0	14	0	0	40
13:30	3	0	0	3	0	0	19	0	0	19	0	0	0	15	0	15	0	0	37
13:45	0	0	0	0	0	0	18	0	0	18	0	0	1	19	0	20	0	0	38
Hourly Total	13	0	0	13	0	0	76	1	0	77	0	0	1	66	0	67	0	0	157



Site: Site 03

GPS: 51.655637, -3.858453

Date: 09-15-2025

TURNING MOVEMENT DATA

Leg	Serecold Ave						Heol Crymlyn						Heol Crymlyn						
Direction	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	Int Total
14:00	9	0	0	9	0	0	12	0	0	12	0	0	1	19	0	20	0	0	41
14:15	7	1	0	8	0	0	25	1	0	26	0	0	0	25	0	25	0	0	59
14:30	11	0	0	11	0	0	15	0	2	17	0	0	0	36	0	36	0	0	64
14:45	9	1	0	10	0	0	24	0	0	24	0	0	0	42	0	42	0	0	76
Hourly Total	36	2	0	38	0	0	76	1	2	79	0	0	1	122	0	123	0	0	240
15:00	7	0	0	7	0	0	41	0	0	41	0	0	1	19	0	20	0	0	68
15:15	14	1	0	15	0	0	34	0	0	34	0	0	1	22	0	23	0	0	72
15:30	11	2	0	13	0	0	31	0	0	31	0	0	0	18	0	18	0	0	62
15:45	8	0	0	8	0	0	43	1	0	44	0	0	1	33	0	34	0	0	86
Hourly Total	40	3	0	43	0	0	149	1	0	150	0	0	3	92	0	95	0	0	288
16:00	11	1	0	12	0	0	36	0	0	36	0	0	2	32	0	34	0	0	82
16:15	8	0	0	8	0	0	32	0	0	32	0	0	2	37	0	39	0	0	79
16:30	9	2	0	11	0	0	35	0	0	35	0	0	1	37	0	38	0	0	84
16:45	10	0	0	10	0	0	37	1	0	38	0	0	1	38	0	39	0	0	87
Hourly Total	38	3	0	41	0	0	140	1	0	141	0	0	6	144	0	150	0	0	332
17:00	14	2	0	16	0	0	35	2	0	37	0	0	1	31	0	32	0	0	85
17:15	11	1	0	12	0	0	34	0	0	34	0	0	2	45	0	47	0	0	93
17:30	6	0	0	6	0	0	24	0	0	24	0	0	2	36	0	38	0	0	68
17:45	9	0	0	9	0	0	28	1	0	29	0	0	0	34	0	34	0	0	72
Hourly Total	40	3	0	43	0	0	121	3	0	124	0	0	5	146	0	151	0	0	318
18:00	9	0	0	9	0	0	33	1	0	34	0	0	2	21	0	23	0	0	66
18:15	15	0	0	15	0	0	26	0	0	26	0	0	1	26	0	27	0	0	68
18:30	11	1	0	12	0	0	25	1	0	26	0	0	1	24	0	25	0	0	63
18:45	9	0	0	9	0	0	16	1	0	17	0	0	0	25	0	25	0	0	51
Hourly Total	44	1	0	45	0	0	100	3	0	103	0	0	4	96	0	100	0	0	248
19:00	6	1	0	7	0	0	24	0	0	24	0	0	1	16	0	17	0	0	48
19:15	2	0	0	2	0	0	19	0	0	19	0	0	1	18	0	19	0	0	40
19:30	5	1	0	6	0	0	11	0	0	11	0	0	0	14	0	14	0	0	31
19:45	3	0	0	3	0	0	9	0	0	9	0	0	1	14	0	15	0	0	27
Hourly Total	16	2	0	18	0	0	63	0	0	63	0	0	3	62	0	65	0	0	146
20:00	1	0	0	1	0	0	14	0	0	14	0	0	0	6	0	6	0	0	21
20:15	3	0	0	3	0	0	19	0	0	19	0	0	0	6	0	6	0	0	28
20:30	3	0	0	3	0	0	8	1	0	9	0	0	0	7	0	7	0	0	19
20:45	3	0	0	3	0	0	8	1	0	9	0	0	1	3	0	4	0	0	16
Hourly Total	10	0	0	10	0	0	49	2	0	51	0	0	1	22	0	23	0	0	84



Site: Site 03

GPS: 51.655637, -3.858453

Date: 09-15-2025


TURNING MOVEMENT DATA

Leg	Serecold Ave						Heol Crymlyn						Heol Crymlyn						
Direction	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	Int Total
21:00	3	1	0	4	0	0	6	0	0	6	0	0	2	5	0	7	0	0	17
21:15	3	0	0	3	0	0	4	0	0	4	0	0	1	2	0	3	0	0	10
21:30	3	0	0	3	0	0	2	0	0	2	0	0	0	5	0	5	0	0	10
21:45	3	0	0	3	0	0	1	0	0	1	0	0	0	1	0	1	0	0	5
Hourly Total	12	1	0	13	0	0	13	0	0	13	0	0	3	13	0	16	0	0	42
22:00	0	0	0	0	0	0	3	0	0	3	0	0	0	4	0	4	0	0	7
22:15	4	0	0	4	0	0	7	0	0	7	0	0	0	2	0	2	0	0	13
22:30	0	0	0	0	0	0	1	0	0	1	0	0	0	3	0	3	0	0	4
22:45	0	0	0	0	0	0	2	0	0	2	0	0	0	1	0	1	0	0	3
Hourly Total	4	0	0	4	0	0	13	0	0	13	0	0	0	10	0	10	0	0	27
23:00	1	0	0	1	0	0	1	0	0	1	0	0	0	2	0	2	0	0	4
23:15	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	1
23:30	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1
23:45	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	1
Hourly Total	1	0	0	1	0	0	3	0	0	3	0	0	0	3	0	3	0	0	7
Grand Total	509	26	0	535	0	0	1305	18	2	1325	0	0	32	1370	0	1402	0	0	3262
Approach %	95	4	0	100	0	0	98	1	0	100	0	0	2	97	0	100	0	0	300
Total %	15	0	0	16	0	0	40	0	0	40	0	0	0	42	0	42	0	0	100
Car	450	25	0	475	0	0	1173	14	2	1189	0	0	30	1245	0	1275	0	0	2939
Car %	88	0	0	0	0	0	0	77	100	0	0	0	93	90	0	0	0	0	90
LGV	55	1	0	56	0	0	112	4	0	116	0	0	2	106	0	108	0	0	280
LGV %	10	0	0	0	0	0	0	22	0	0	0	0	6	7	0	0	0	0	8
OGV1	0	0	0	0	0	0	9	0	0	9	0	0	0	10	0	10	0	0	19
OGV1 %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OGV2	0	0	0	0	0	0	1	0	0	1	0	0	0	1	0	1	0	0	2
OGV2 %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSV	3	0	0	3	0	0	4	0	0	4	0	0	0	5	0	5	0	0	12
PSV %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MC	1	0	0	1	0	0	5	0	0	5	0	0	0	3	0	3	0	0	9
MC %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PC	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	1
PC %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0



Site: Site 03
GPS: 51.655637, -3.858453
Date: 09-15-2025

Turning Movement Data





SUMMARY	
Project	Skewen Neath
Project Code	SS2006
Site Name	Site 03
Legs and Movements	All Processed Legs & Movements
Count Interval	15
Start Time	00:00
End Time	23:45
Location	Site 03
Latitude and Longitude	(51.655637, -3.858453)

	START	END	PHF
AM PEAK			
PM PEAK			
Mid-Day PEAK			
Forced Peak AM			
Forced Peak PM			





Site: Site 03

GPS: 51.655637, -3.858453

Date: 09-16-2025

TURNING MOVEMENT DATA

Leg	Serecold Ave						Heol Crymlyn						Heol Crymlyn						
Direction	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	Int Total
00:00	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	1
00:15	0	0	0	0	0	0	1	0	0	1	0	0	0	1	0	1	0	0	2
00:30	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	1
00:45	0	0	0	0	0	0	1	0	0	1	0	0	0	1	0	1	0	0	2
Hourly Total	0	0	0	0	0	0	4	0	0	4	0	0	0	2	0	2	0	0	6
01:00	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1
01:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
01:30	0	0	0	0	0	0	1	0	0	1	0	0	0	1	0	1	0	0	2
01:45	0	0	0	0	0	0	1	0	0	1	0	0	0	1	0	1	0	0	2
Hourly Total	0	0	0	0	0	0	2	0	0	2	0	0	0	3	0	3	0	0	5
02:00	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1
02:15	0	0	0	0	0	0	2	0	0	2	0	0	0	1	0	1	0	0	3
02:30	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	1	0	0	2
02:45	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	2	0	0	2
Hourly Total	0	1	0	1	0	0	2	0	0	2	0	0	0	5	0	5	0	0	8
03:00	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	1
03:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hourly Total	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	1
04:00	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	2	0	0	2
04:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
04:30	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	1
04:45	1	1	0	2	0	0	2	0	0	2	0	0	0	0	0	0	0	0	4
Hourly Total	1	1	0	2	0	0	3	0	0	3	0	0	0	2	0	2	0	0	7
05:00	1	0	0	1	0	0	0	0	0	0	0	0	0	1	0	1	0	0	2
05:15	3	0	0	3	0	0	0	0	0	0	0	0	1	4	0	5	0	0	8
05:30	3	1	0	4	0	0	1	0	0	1	0	0	0	4	0	4	0	0	9
05:45	5	0	0	5	0	0	2	0	0	2	0	0	0	5	0	5	0	0	12
Hourly Total	12	1	0	13	0	0	3	0	0	3	0	0	1	14	0	15	0	0	31
06:00	4	0	0	4	0	0	1	0	0	1	0	0	0	6	0	6	0	0	11
06:15	3	0	0	3	0	0	1	0	0	1	0	0	0	5	0	5	0	0	9
06:30	8	2	0	10	0	0	3	0	0	3	0	0	0	9	0	9	0	0	22
06:45	4	1	0	5	0	0	13	0	0	13	0	0	0	10	0	10	0	0	28
Hourly Total	19	3	0	22	0	0	18	0	0	18	0	0	0	30	0	30	0	0	70



Site: Site 03

GPS: 51.655637, -3.858453

Date: 09-16-2025

TURNING MOVEMENT DATA

Leg Direction	Serecold Ave						Heol Crymlyn						Heol Crymlyn						Int Total
	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	
07:00	10	2	0	12	0	0	11	0	0	11	0	0	0	16	0	16	0	0	39
07:15	8	2	0	10	0	0	16	0	0	16	0	0	0	25	0	25	0	0	51
07:30	9	3	0	12	0	0	25	0	0	25	0	0	0	37	0	37	0	0	74
07:45	32	2	0	34	0	0	24	1	0	25	0	0	0	45	0	45	0	0	104
Hourly Total	59	9	0	68	0	0	76	1	0	77	0	0	0	123	0	123	0	0	268
08:00	26	0	0	26	0	0	41	2	0	43	0	0	1	50	0	51	0	0	120
08:15	23	2	0	25	0	0	49	1	0	50	0	0	1	40	0	41	0	0	116
08:30	19	0	0	19	0	0	42	1	0	43	0	0	1	40	0	41	0	0	103
08:45	9	2	0	11	0	0	35	1	0	36	0	0	0	23	0	23	0	0	70
Hourly Total	77	4	0	81	0	0	167	5	0	172	0	0	3	153	0	156	0	0	409
09:00	9	1	0	10	0	0	30	0	0	30	0	0	0	22	0	22	0	0	62
09:15	8	1	0	9	0	0	22	0	0	22	0	0	0	24	0	24	0	0	55
09:30	7	0	0	7	0	0	17	0	0	17	0	0	0	19	0	19	0	0	43
09:45	5	1	0	6	0	0	17	0	0	17	0	0	0	12	0	12	0	0	35
Hourly Total	29	3	0	32	0	0	86	0	0	86	0	0	0	77	0	77	0	0	195
10:00	6	3	0	9	0	0	16	0	0	16	0	0	0	16	0	16	0	0	41
10:15	2	0	0	2	0	0	16	0	0	16	0	0	0	18	0	18	0	0	36
10:30	4	0	0	4	0	0	10	0	0	10	0	0	0	20	0	20	0	0	34
10:45	2	0	0	2	0	0	9	0	0	9	0	0	0	15	0	15	0	0	26
Hourly Total	14	3	0	17	0	0	51	0	0	51	0	0	0	69	0	69	0	0	137
11:00	7	0	0	7	0	0	20	0	0	20	0	0	0	19	0	19	0	0	46
11:15	7	0	0	7	0	0	16	0	0	16	0	0	0	20	0	20	0	0	43
11:30	1	2	0	3	0	0	21	0	0	21	0	0	1	26	0	27	0	0	51
11:45	6	0	0	6	0	0	26	0	0	26	0	0	0	16	0	16	0	0	48
Hourly Total	21	2	0	23	0	0	83	0	0	83	0	0	1	81	0	82	0	0	188
12:00	5	1	0	6	0	0	21	0	0	21	0	0	0	16	0	16	0	0	43
12:15	8	0	0	8	0	0	18	1	0	19	0	0	2	10	0	12	0	0	39
12:30	7	0	0	7	0	0	16	1	0	17	0	0	0	24	0	24	0	0	48
12:45	5	1	0	6	0	0	19	2	0	21	0	0	0	15	0	15	0	0	42
Hourly Total	25	2	0	27	0	0	74	4	0	78	0	0	2	65	0	67	0	0	172
13:00	5	1	0	6	0	0	23	0	0	23	0	0	0	22	0	22	0	0	51
13:15	8	0	0	8	0	0	15	0	0	15	0	0	1	18	0	19	0	0	42
13:30	4	0	0	4	0	0	20	0	0	20	0	0	0	18	0	18	0	0	42
13:45	7	0	0	7	0	0	14	1	0	15	0	0	0	23	0	23	0	0	45
Hourly Total	24	1	0	25	0	0	72	1	0	73	0	0	1	81	0	82	0	0	180



Site: Site 03

GPS: 51.655637, -3.858453

Date: 09-16-2025

TURNING MOVEMENT DATA

Leg Direction	Serecold Ave						Heol Crymlyn						Heol Crymlyn						
	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	Int Total
14:00	6	0	0	6	0	0	18	0	0	18	0	0	0	22	0	22	0	0	46
14:15	10	0	0	10	0	0	14	0	0	14	0	0	0	27	0	27	0	0	51
14:30	6	0	0	6	0	0	15	1	0	16	0	0	1	29	0	30	0	0	52
14:45	6	2	0	8	0	0	23	1	0	24	0	0	0	30	0	30	0	0	62
Hourly Total	28	2	0	30	0	0	70	2	0	72	0	0	1	108	0	109	0	0	211
15:00	11	1	0	12	0	0	30	1	0	31	0	0	2	33	0	35	0	0	78
15:15	10	2	0	12	0	0	26	1	0	27	0	0	1	34	0	35	0	0	74
15:30	8	3	0	11	0	0	39	1	0	40	0	0	1	21	0	22	0	0	73
15:45	8	0	0	8	0	0	40	0	0	40	0	0	0	39	0	39	0	0	87
Hourly Total	37	6	0	43	0	0	135	3	0	138	0	0	4	127	0	131	0	0	312
16:00	4	3	0	7	0	0	26	1	1	28	0	0	1	40	0	41	0	0	76
16:15	6	0	0	6	0	0	37	0	0	37	0	0	2	44	0	46	0	0	89
16:30	10	2	0	12	0	0	42	0	0	42	0	0	2	34	0	36	0	0	90
16:45	4	1	0	5	0	0	39	0	0	39	0	0	0	52	0	52	0	0	96
Hourly Total	24	6	0	30	0	0	144	1	1	146	0	0	5	170	0	175	0	0	351
17:00	10	3	0	13	0	0	41	2	0	43	0	0	2	53	0	55	0	0	111
17:15	8	1	0	9	0	0	50	0	0	50	0	0	1	50	0	51	0	0	110
17:30	15	0	0	15	0	0	37	0	0	37	0	0	1	54	0	55	0	0	107
17:45	6	1	0	7	0	0	34	0	0	34	0	0	1	59	0	60	0	0	101
Hourly Total	39	5	0	44	0	0	162	2	0	164	0	0	5	216	0	221	0	0	429
18:00	8	4	0	12	0	0	25	0	0	25	0	0	0	32	0	32	0	0	69
18:15	12	1	0	13	0	0	33	1	0	34	0	0	0	32	0	32	0	0	79
18:30	4	0	0	4	0	0	31	0	0	31	0	0	1	21	0	22	0	0	57
18:45	11	0	0	11	0	0	17	0	0	17	0	0	0	20	0	20	0	0	48
Hourly Total	35	5	0	40	0	0	106	1	0	107	0	0	1	105	0	106	0	0	253
19:00	6	0	0	6	0	0	18	0	0	18	0	0	1	16	0	17	0	0	41
19:15	8	0	0	8	0	0	20	1	0	21	0	0	0	19	0	19	0	0	48
19:30	5	0	0	5	0	0	14	0	0	14	0	0	1	17	0	18	0	0	37
19:45	1	0	0	1	0	0	15	0	0	15	0	0	0	13	0	13	0	0	29
Hourly Total	20	0	0	20	0	0	67	1	0	68	0	0	2	65	0	67	0	0	155
20:00	2	2	0	4	0	0	10	0	0	10	0	0	2	9	0	11	0	0	25
20:15	2	1	0	3	0	0	14	0	0	14	0	0	0	6	0	6	0	0	23
20:30	3	0	0	3	0	0	7	0	0	7	0	0	1	9	0	10	0	0	20
20:45	5	1	0	6	0	0	8	0	0	8	0	0	0	8	0	8	0	0	22
Hourly Total	12	4	0	16	0	0	39	0	0	39	0	0	3	32	0	35	0	0	90



Site: Site 03

GPS: 51.655637, -3.858453

Date: 09-16-2025


TURNING MOVEMENT DATA

Leg	Serecold Ave						Heol Crymlyn						Heol Crymlyn						
Direction	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	Int Total
21:00	2	0	0	2	0	0	8	0	0	8	0	0	0	7	0	7	0	0	17
21:15	1	0	0	1	0	0	7	0	0	7	0	0	1	9	0	10	0	0	18
21:30	2	0	0	2	0	0	5	0	0	5	0	0	1	3	0	4	0	0	11
21:45	2	0	0	2	0	0	4	0	0	4	0	0	1	8	0	9	0	0	15
Hourly Total	7	0	0	7	0	0	24	0	0	24	0	0	3	27	0	30	0	0	61
22:00	2	0	0	2	0	0	5	0	0	5	0	0	0	4	0	4	0	0	11
22:15	1	0	0	1	0	0	4	0	0	4	0	0	0	2	0	2	0	0	7
22:30	0	0	0	0	0	0	3	0	0	3	0	0	0	1	0	1	0	0	4
22:45	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Hourly Total	4	0	0	4	0	0	12	0	0	12	0	0	0	7	0	7	0	0	23
23:00	0	0	0	0	0	0	1	0	0	1	0	0	0	2	0	2	0	0	3
23:15	0	0	0	0	0	0	2	0	0	2	0	0	0	2	0	2	0	0	4
23:30	1	0	0	1	0	0	5	0	0	5	0	0	0	1	0	1	0	0	7
23:45	0	1	0	1	0	0	2	0	0	2	0	0	0	0	0	0	0	0	3
Hourly Total	1	1	0	2	0	0	10	0	0	10	0	0	0	5	0	5	0	0	17
Grand Total	488	59	0	547	0	0	1411	21	1	1433	0	0	32	1567	0	1599	0	0	3579
Approach %	89	10	0	100	0	0	98	1	0	100	0	0	2	97	0	100	0	0	300
Total %	13	1	0	15	0	0	39	0	0	40	0	0	0	43	0	44	0	0	100
Car	440	55	0	495	0	0	1266	16	0	1282	0	0	30	1418	0	1448	0	0	3225
Car %	90	0	0	0	0	0	0	76	0	0	0	0	93	90	0	0	0	0	90
LGV	46	4	0	50	0	0	112	5	1	118	0	0	2	118	0	120	0	0	288
LGV %	9	0	0	0	0	0	0	23	100	0	0	0	6	7	0	0	0	0	8
OGV1	1	0	0	1	0	0	12	0	0	12	0	0	0	7	0	7	0	0	20
OGV1 %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OGV2	0	0	0	0	0	0	2	0	0	2	0	0	0	2	0	2	0	0	4
OGV2 %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSV	1	0	0	1	0	0	14	0	0	14	0	0	0	14	0	14	0	0	29
PSV %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MC	0	0	0	0	0	0	4	0	0	4	0	0	0	6	0	6	0	0	10
MC %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PC	0	0	0	0	0	0	1	0	0	1	0	0	0	2	0	2	0	0	3
PC %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0



Site: Site 03
GPS: 51.655637, -3.858453
Date: 09-16-2025

Turning Movement Data





SUMMARY	
Project	Skewen Neath
Project Code	SS2006
Site Name	Site 03
Legs and Movements	All Processed Legs & Movements
Count Interval	15
Start Time	00:00
End Time	23:45
Location	Site 03
Latitude and Longitude	(51.655637, -3.858453)

	START	END	PHF
AM PEAK			
PM PEAK			
Mid-Day PEAK			
Forced Peak AM			
Forced Peak PM			





Site: Site 03

GPS: 51.655637, -3.858453

Date: 09-17-2025

TURNING MOVEMENT DATA

Leg Direction	Serecold Ave						Heol Crymlyn						Heol Crymlyn						Int Total
	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	
00:00	1	0	0	1	0	0	1	0	0	1	0	0	0	0	0	0	0	0	2
00:15	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	2	0	0	2
00:30	0	0	0	0	0	0	2	0	0	2	0	0	0	0	0	0	0	0	2
00:45	0	0	0	0	0	0	1	0	0	1	0	0	0	1	0	1	0	0	2
Hourly Total	1	0	0	1	0	0	4	0	0	4	0	0	0	3	0	3	0	0	8
01:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
01:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
01:30	1	0	0	1	0	0	0	1	0	1	0	0	0	0	0	0	0	0	2
01:45	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	1
Hourly Total	1	0	0	1	0	0	1	1	0	2	0	0	0	0	0	0	0	0	3
02:00	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1
02:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02:30	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	1
02:45	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1
Hourly Total	0	0	0	0	0	0	1	0	0	1	0	0	0	2	0	2	0	0	3
03:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:30	2	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
03:45	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1
Hourly Total	2	0	0	2	0	0	0	0	0	0	0	0	0	1	0	1	0	0	3
04:00	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1
04:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
04:30	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	1
04:45	1	0	0	1	0	0	1	0	0	1	0	0	0	0	0	0	0	0	2
Hourly Total	1	0	0	1	0	0	2	0	0	2	0	0	0	1	0	1	0	0	4
05:00	1	0	0	1	0	0	1	0	0	1	0	0	0	2	0	2	0	0	4
05:15	5	0	0	5	0	0	0	0	0	0	0	0	1	5	0	6	0	0	11
05:30	1	0	0	1	0	0	1	0	0	1	0	0	1	6	0	7	0	0	9
05:45	6	0	0	6	0	0	1	0	0	1	0	0	0	5	0	5	0	0	12
Hourly Total	13	0	0	13	0	0	3	0	0	3	0	0	2	18	0	20	0	0	36
06:00	9	0	0	9	0	0	1	0	0	1	0	0	0	6	0	6	0	0	16
06:15	9	1	0	10	0	0	2	0	0	2	0	0	0	7	0	7	0	0	19
06:30	3	0	0	3	0	0	5	0	0	5	0	0	0	5	0	5	0	0	13
06:45	9	1	0	10	0	0	9	0	0	9	0	0	0	8	0	8	0	0	27
Hourly Total	30	2	0	32	0	0	17	0	0	17	0	0	0	26	0	26	0	0	75



Site: Site 03

GPS: 51.655637, -3.858453

Date: 09-17-2025

TURNING MOVEMENT DATA

Leg Direction	Serecold Ave						Heol Crymlyn						Heol Crymlyn						Int Total
	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	
07:00	10	0	0	10	0	0	10	0	0	10	0	0	1	22	0	23	0	0	43
07:15	8	0	0	8	0	0	9	0	0	9	0	0	0	23	0	23	0	0	40
07:30	7	1	0	8	0	0	26	0	0	26	0	0	0	30	0	30	0	0	64
07:45	26	0	0	26	0	0	26	0	0	26	0	0	0	52	0	52	0	0	104
Hourly Total	51	1	0	52	0	0	71	0	0	71	0	0	1	127	0	128	0	0	251
08:00	27	1	0	28	0	0	35	3	0	38	0	0	0	45	0	45	0	0	111
08:15	20	3	0	23	0	0	40	0	0	40	0	0	0	54	0	54	0	0	117
08:30	12	1	0	13	0	0	34	0	0	34	0	0	0	26	0	26	0	0	73
08:45	10	2	0	12	0	0	30	0	0	30	0	0	0	25	0	25	0	0	67
Hourly Total	69	7	0	76	0	0	139	3	0	142	0	0	0	150	0	150	0	0	368
09:00	10	0	0	10	0	0	25	0	0	25	0	0	0	16	0	16	0	0	51
09:15	3	0	0	3	0	0	15	0	0	15	0	0	0	22	0	22	0	0	40
09:30	4	0	0	4	0	0	15	1	0	16	0	0	0	16	0	16	0	0	36
09:45	4	0	0	4	0	0	14	0	0	14	0	0	0	14	0	14	0	0	32
Hourly Total	21	0	0	21	0	0	69	1	0	70	0	0	0	68	0	68	0	0	159
10:00	5	0	0	5	0	0	21	0	0	21	0	0	0	18	0	18	0	0	44
10:15	5	1	0	6	0	0	13	0	0	13	0	0	0	10	0	10	0	0	29
10:30	6	0	0	6	0	0	18	0	0	18	0	0	0	17	0	17	0	0	41
10:45	3	0	0	3	0	0	19	0	0	19	0	0	0	20	0	20	0	0	42
Hourly Total	19	1	0	20	0	0	71	0	0	71	0	0	0	65	0	65	0	0	156
11:00	3	0	0	3	0	0	19	0	0	19	0	0	0	13	0	13	0	0	35
11:15	2	0	0	2	0	0	21	1	0	22	0	0	0	27	0	27	0	0	51
11:30	11	1	0	12	0	0	23	0	0	23	0	0	0	19	0	19	0	0	54
11:45	4	0	0	4	0	0	15	0	0	15	0	0	0	18	0	18	0	0	37
Hourly Total	20	1	0	21	0	0	78	1	0	79	0	0	0	77	0	77	0	0	177
12:00	6	2	0	8	0	0	18	3	0	21	0	0	0	24	0	24	0	0	53
12:15	9	0	0	9	0	0	18	1	0	19	0	0	1	19	0	20	0	0	48
12:30	11	1	0	12	0	0	23	0	0	23	0	0	3	13	0	16	0	0	51
12:45	4	1	0	5	0	0	11	0	0	11	0	0	0	18	0	18	0	0	34
Hourly Total	30	4	0	34	0	0	70	4	0	74	0	0	4	74	0	78	0	0	186
13:00	6	0	0	6	0	0	15	0	0	15	0	0	0	17	0	17	0	0	38
13:15	6	1	0	7	0	0	20	1	0	21	0	0	1	15	0	16	0	0	44
13:30	6	1	0	7	0	0	17	0	0	17	0	0	1	22	0	23	0	0	47
13:45	2	0	0	2	0	0	17	0	0	17	0	0	1	26	0	27	0	0	46
Hourly Total	20	2	0	22	0	0	69	1	0	70	0	0	3	80	0	83	0	0	175



Site: Site 03

GPS: 51.655637, -3.858453

Date: 09-17-2025

TURNING MOVEMENT DATA

Leg Direction	Serecold Ave						Heol Crymlyn						Heol Crymlyn						Int Total
	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	
14:00	8	1	0	9	0	0	14	2	0	16	0	0	1	15	0	16	0	0	41
14:15	4	1	0	5	0	0	9	0	0	9	0	0	1	26	0	27	0	0	41
14:30	9	0	0	9	0	0	10	0	0	10	0	0	0	27	0	27	0	0	46
14:45	16	0	0	16	0	0	14	2	0	16	0	0	0	22	0	22	0	0	54
Hourly Total	37	2	0	39	0	0	47	4	0	51	0	0	2	90	0	92	0	0	182
15:00	9	0	0	9	0	0	26	0	0	26	0	0	1	24	0	25	0	0	60
15:15	14	0	0	14	0	0	38	2	0	40	0	0	2	27	0	29	0	0	83
15:30	5	2	0	7	0	0	40	0	0	40	0	0	1	24	0	25	0	0	72
15:45	8	0	0	8	0	0	35	0	0	35	0	0	0	32	0	32	0	0	75
Hourly Total	36	2	0	38	0	0	139	2	0	141	0	0	4	107	0	111	0	0	290
16:00	11	0	0	11	0	0	37	0	0	37	0	0	0	19	0	19	0	0	67
16:15	4	1	0	5	0	0	26	2	0	28	0	0	2	41	0	43	0	0	76
16:30	6	1	0	7	0	0	39	1	0	40	0	0	0	36	0	36	0	0	83
16:45	5	0	0	5	0	0	31	0	0	31	0	0	3	43	0	46	0	0	82
Hourly Total	26	2	0	28	0	0	133	3	0	136	0	0	5	139	0	144	0	0	308
17:00	10	2	0	12	0	0	48	0	0	48	0	0	2	33	0	35	0	0	95
17:15	10	5	0	15	0	0	48	1	0	49	0	0	1	34	0	35	0	0	99
17:30	12	1	0	13	0	0	35	1	0	36	0	0	0	32	0	32	0	0	81
17:45	8	0	0	8	0	0	38	2	0	40	0	0	0	27	0	27	0	0	75
Hourly Total	40	8	0	48	0	0	169	4	0	173	0	0	3	126	0	129	0	0	350
18:00	12	1	0	13	0	0	35	0	0	35	0	0	0	26	0	26	0	0	74
18:15	8	1	0	9	0	0	36	1	0	37	0	0	1	28	0	29	0	0	75
18:30	8	2	0	10	0	0	34	0	0	34	0	0	2	22	0	24	0	0	68
18:45	3	1	0	4	0	0	31	1	0	32	0	0	0	22	0	22	0	0	58
Hourly Total	31	5	0	36	0	0	136	2	0	138	0	0	3	98	0	101	0	0	275
19:00	3	2	0	5	0	0	24	0	0	24	0	0	0	25	0	25	0	0	54
19:15	2	2	0	4	0	0	27	1	0	28	0	0	0	14	0	14	0	0	46
19:30	5	1	0	6	0	0	19	1	0	20	0	0	0	18	0	18	0	0	44
19:45	3	2	0	5	0	0	15	1	0	16	0	0	0	14	0	14	0	0	35
Hourly Total	13	7	0	20	0	0	85	3	0	88	0	0	0	71	0	71	0	0	179
20:00	1	0	0	1	0	0	8	0	0	8	0	0	0	13	0	13	0	0	22
20:15	2	1	0	3	0	0	9	1	0	10	0	0	0	6	0	6	0	0	19
20:30	1	2	0	3	0	0	14	0	0	14	0	0	0	5	0	5	0	0	22
20:45	6	0	0	6	0	0	4	0	0	4	0	0	0	8	0	8	0	0	18
Hourly Total	10	3	0	13	0	0	35	1	0	36	0	0	0	32	0	32	0	0	81



Site: Site 03

GPS: 51.655637, -3.858453

Date: 09-17-2025


TURNING MOVEMENT DATA

Leg	Serecold Ave						Heol Crymlyn						Heol Crymlyn						
Direction	SouthBound						WestBound						EastBound						
Start Time	Left	Right	U-Turn	App Total	Peds CW	Peds CCW	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	U-Turn	App Total	Peds CW	Peds CCW	Int Total
21:00	5	0	0	5	0	0	5	0	0	5	0	0	0	1	0	1	0	0	11
21:15	4	0	0	4	0	0	8	0	0	8	0	0	0	2	0	2	0	0	14
21:30	4	0	0	4	0	0	5	0	0	5	0	0	0	1	0	1	0	0	10
21:45	3	0	0	3	0	0	5	0	0	5	0	0	0	2	0	2	0	0	10
Hourly Total	16	0	0	16	0	0	23	0	0	23	0	0	0	6	0	6	0	0	45
22:00	1	0	0	1	0	0	7	0	0	7	0	0	1	7	0	8	0	0	16
22:15	2	0	0	2	0	0	5	2	0	7	0	0	2	16	0	18	0	0	27
22:30	2	1	0	3	0	0	7	1	0	8	0	0	1	17	0	18	0	0	29
22:45	2	0	0	2	0	0	5	0	0	5	0	0	0	7	0	7	0	0	14
Hourly Total	7	1	0	8	0	0	24	3	0	27	0	0	4	47	0	51	0	0	86
23:00	1	0	0	1	0	0	4	0	0	4	0	0	0	1	0	1	0	0	6
23:15	0	0	0	0	0	0	2	0	0	2	0	0	0	1	0	1	0	0	3
23:30	1	0	0	1	0	0	4	0	0	4	0	0	0	1	0	1	0	0	6
23:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hourly Total	2	0	0	2	0	0	10	0	0	10	0	0	0	3	0	3	0	0	15
Grand Total	496	48	0	544	0	0	1396	33	0	1429	0	0	31	1411	0	1442	0	0	3415
Approach %	91	8	0	100	0	0	97	2	0	100	0	0	2	97	0	100	0	0	300
Total %	14	1	0	15	0	0	40	0	0	41	0	0	0	41	0	42	0	0	100
Car	459	40	0	499	0	0	1274	31	0	1305	0	0	29	1298	0	1327	0	0	3131
Car %	92	0	0	0	0	0	0	93	0	0	0	0	93	91	0	0	0	0	91
LGV	35	8	0	43	0	0	106	2	0	108	0	0	2	104	0	106	0	0	257
LGV %	7	0	0	0	0	0	0	6	0	0	0	0	6	7	0	0	0	0	7
OGV1	1	0	0	1	0	0	6	0	0	6	0	0	0	1	0	1	0	0	8
OGV1 %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OGV2	0	0	0	0	0	0	2	0	0	2	0	0	0	2	0	2	0	0	4
OGV2 %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSV	1	0	0	1	0	0	6	0	0	6	0	0	0	4	0	4	0	0	11
PSV %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MC	0	0	0	0	0	0	2	0	0	2	0	0	0	2	0	2	0	0	4
MC %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PC	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PC %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0



Site: Site 03
GPS: 51.655637, -3.858453
Date: 09-17-2025

Turning Movement Data





SUMMARY	
Project	Skewen Neath
Project Code	SS2006
Site Name	Site 04
Legs and Movements	All Processed Legs & Movements
Count Interval	15
Start Time	00:00
End Time	23:45
Location	Site 04
Latitude and Longitude	(51.656435, -3.856365)

	START	END	PHF
AM PEAK			
PM PEAK			
Mid-Day PEAK			
Forced Peak AM			
Forced Peak PM			





Site: Site 04

GPS: 51.656435, -3.856365

Date: 09-11-2025

TURNING MOVEMENT DATA

Leg	Coombe-Tennant Ave							Crymlyn Rd							Heol Crymlyn							Serecold Ave							
Direction	SouthBound							WestBound							NorthBound							EastBound							
Start Time	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Int Total
00:00	0	0	0	0	0	0	0	1	2	0	0	3	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	4
00:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
00:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
00:45	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	2
Hourly Total	0	0	0	0	0	0	0	2	2	0	0	4	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	6
01:00	0	0	0	0	0	0	0	0	2	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
01:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
01:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
01:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	2
Hourly Total	0	0	0	0	0	0	0	0	2	0	0	2	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	4
02:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02:30	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
02:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hourly Total	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
03:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1
03:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	1	1	0	0	2	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	3
03:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hourly Total	0	0	0	0	0	0	0	1	1	0	0	2	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	4
04:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1
04:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
04:30	1	0	0	0	1	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
04:45	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Hourly Total	1	0	0	0	1	0	0	2	0	0	0	2	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	4
05:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	3	0	0	0	0	0	0	0	0	0	3
05:15	0	0	0	0	0	0	0	2	0	0	0	2	0	0	0	0	7	0	7	0	0	0	0	0	0	0	0	0	9
05:30	3	0	0	0	3	0	0	2	0	0	0	2	0	0	0	0	7	0	7	0	0	0	0	0	0	0	0	0	12
05:45	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	18	0	18	0	0	0	1	0	0	0	0	0	20
Hourly Total	3	0	0	0	3	0	0	4	0	0	1	5	0	0	0	0	35	0	35	0	0	0	1	0	0	0	0	0	44
06:00	2	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	4	0	4	0	0	0	0	0	0	0	0	0	6
06:15	0	0	0	0	0	0	0	4	0	0	0	4	0	0	0	0	7	0	7	0	0	0	0	0	0	0	0	0	11
06:30	2	0	0	0	2	0	0	5	2	0	0	7	0	0	0	0	11	0	11	0	0	0	1	0	0	0	0	0	21
06:45	0	1	0	0	1	0	0	9	5	0	0	14	0	0	0	0	24	0	24	0	0	0	0	0	0	0	0	0	39
Hourly Total	4	1	0	0	5	0	0	18	7	0	0	25	0	0	0	0	46	0	46	0	0	0	1	0	0	0	0	0	77



Site: Site 04

GPS: 51.656435, -3.856365

Date: 09-11-2025

TURNING MOVEMENT DATA

Leg	Coombe-Tennant Ave							Crymlyn Rd							Heol Crymlyn							Serecold Ave								
Direction	SouthBound							WestBound							NorthBound							EastBound								
Start Time	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Int Total	
07:00	0	0	0	0	0	0	0	8	1	0	0	9	0	0	1	0	27	0	28	0	0	0	0	0	0	0	0	0	37	
07:15	0	0	0	0	0	0	0	16	3	0	0	19	0	0	0	0	29	0	29	0	0	0	0	1	0	1	0	0	49	
07:30	0	0	0	0	0	0	0	17	5	1	0	23	0	0	1	0	49	0	50	0	0	0	0	1	0	1	0	0	74	
07:45	1	0	0	0	1	0	0	28	3	2	0	33	0	0	1	0	75	0	76	0	0	0	0	0	0	0	0	0	110	
Hourly Total	1	0	0	0	1	0	0	69	12	3	0	84	0	0	3	0	180	0	183	0	0	0	0	1	1	0	2	0	0	270
08:00	6	0	0	0	6	0	0	54	5	0	0	59	0	0	0	0	73	0	73	0	0	0	0	1	0	1	0	0	139	
08:15	4	0	0	0	4	0	0	36	3	0	0	39	0	0	0	0	71	0	71	0	0	0	0	0	0	0	0	0	114	
08:30	1	0	0	0	1	0	0	37	2	0	0	39	0	0	0	0	58	0	58	0	0	0	0	2	0	2	0	0	100	
08:45	1	0	0	0	1	0	0	25	4	0	0	29	0	0	0	1	38	0	39	0	0	0	0	0	0	0	0	0	69	
Hourly Total	12	0	0	0	12	0	0	152	14	0	0	166	0	0	0	1	240	0	241	0	0	0	0	3	0	3	0	0	422	
09:00	1	0	0	0	1	0	0	31	8	2	0	41	0	0	0	0	24	0	24	0	0	0	0	1	0	1	0	0	67	
09:15	0	0	0	0	0	0	0	21	8	0	0	29	0	0	0	0	26	0	26	0	0	0	0	1	0	1	0	0	56	
09:30	2	0	0	0	2	0	0	17	3	0	0	20	0	0	1	0	21	0	22	0	0	0	0	0	0	0	0	0	44	
09:45	0	0	0	0	0	0	0	16	5	3	0	24	0	0	0	0	27	0	27	0	0	0	0	1	0	1	0	0	52	
Hourly Total	3	0	0	0	3	0	0	85	24	5	0	114	0	0	1	0	98	0	99	0	0	0	0	3	0	3	0	0	219	
10:00	1	0	0	0	1	0	0	12	6	0	1	19	0	0	0	0	21	0	21	0	0	0	0	1	0	1	0	0	42	
10:15	2	0	0	0	2	0	0	15	7	0	0	22	0	0	0	0	30	0	30	0	0	0	0	0	0	0	0	0	54	
10:30	1	0	0	0	1	0	0	10	7	0	0	17	0	0	0	1	27	0	28	0	0	0	0	0	0	0	0	0	46	
10:45	2	0	0	0	2	0	0	18	2	0	0	20	0	0	0	1	29	0	30	0	0	0	0	1	0	1	0	0	53	
Hourly Total	6	0	0	0	6	0	0	55	22	0	1	78	0	0	0	2	107	0	109	0	0	0	0	2	0	2	0	0	195	
11:00	2	0	0	0	2	0	0	15	1	2	0	18	0	0	0	0	32	0	32	0	0	0	0	0	0	0	0	0	52	
11:15	2	0	0	0	2	0	0	16	6	0	0	22	0	0	0	0	22	0	22	0	0	0	0	0	0	0	0	0	46	
11:30	2	0	0	0	2	0	0	29	3	3	0	35	0	0	0	0	30	0	30	0	0	0	0	2	0	2	0	0	69	
11:45	2	0	0	0	2	0	0	20	0	2	0	22	0	0	0	1	28	0	29	0	0	0	0	1	0	1	0	0	54	
Hourly Total	8	0	0	0	8	0	0	80	10	7	0	97	0	0	0	1	112	0	113	0	0	0	0	3	0	3	0	0	221	
12:00	1	0	0	0	1	0	0	20	4	1	0	25	0	0	0	0	19	0	19	0	0	0	0	0	0	0	0	0	45	
12:15	1	0	0	0	1	0	0	28	4	3	0	35	0	0	0	0	18	0	18	0	0	0	0	0	0	0	0	0	54	
12:30	0	0	0	0	0	0	0	17	2	0	0	19	0	0	0	0	29	0	29	0	0	0	0	0	0	0	0	0	48	
12:45	1	0	0	0	1	0	0	18	6	1	0	25	0	0	0	0	26	0	26	0	0	0	0	1	0	1	0	0	53	
Hourly Total	3	0	0	0	3	0	0	83	16	5	0	104	0	0	0	0	92	0	92	0	0	0	0	1	0	1	0	0	200	
13:00	0	0	0	0	0	0	0	20	3	3	0	26	0	0	0	0	22	0	22	0	0	0	0	0	0	0	0	0	48	
13:15	1	1	0	0	2	0	0	24	8	2	0	34	0	0	0	1	26	0	27	0	0	0	0	0	0	0	0	0	63	
13:30	1	1	0	0	2	0	0	10	2	1	0	13	0	0	0	1	29	0	30	0	0	0	0	0	0	0	0	0	45	
13:45	5	0	0	0	5	0	0	25	4	2	0	31	0	0	0	1	33	0	34	0	0	0	0	3	0	3	0	0	73	
Hourly Total	7	2	0	0	9	0	0	79	17	8	0	104	0	0	0	3	110	0	113	0	0	0	0	3	0	3	0	0	229	



Site: Site 04

GPS: 51.656435, -3.856365

Date: 09-11-2025

TURNING MOVEMENT DATA

Leg	Coombe-Tennant Ave							Crymlyn Rd							Heol Crymlyn							Serecold Ave							
Direction	SouthBound							WestBound							NorthBound							EastBound							
Start Time	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Int Total
14:00	3	0	0	0	3	0	0	22	6	3	0	31	0	0	0	1	35	0	36	0	0	0	0	0	0	0	0	0	70
14:15	1	0	0	0	1	0	0	22	8	2	0	32	0	0	0	0	39	0	39	0	0	0	1	0	0	1	0	0	73
14:30	3	0	0	0	3	0	0	18	6	3	0	27	0	0	0	0	31	0	31	0	0	0	1	0	0	1	0	0	62
14:45	5	0	0	0	5	0	0	23	6	3	0	32	0	0	1	2	49	0	52	0	0	0	1	0	0	1	0	0	90
Hourly Total	12	0	0	0	12	0	0	85	26	11	0	122	0	0	1	3	154	0	158	0	0	0	3	0	0	3	0	0	295
15:00	4	0	0	0	4	0	0	34	18	3	0	55	0	0	0	0	37	0	37	0	0	0	1	0	0	1	0	0	97
15:15	2	0	0	0	2	0	0	35	13	1	0	49	0	0	0	0	35	0	35	0	0	0	1	0	0	1	0	0	87
15:30	1	1	0	0	2	0	0	34	10	3	0	47	0	0	1	0	33	0	34	0	0	0	0	0	0	0	0	0	83
15:45	1	1	1	0	3	0	0	35	26	1	0	62	0	0	1	0	47	0	48	0	0	0	1	0	0	1	0	0	114
Hourly Total	8	2	1	0	11	0	0	138	67	8	0	213	0	0	2	0	152	0	154	0	0	0	3	0	0	3	0	0	381
16:00	0	0	0	0	0	0	0	42	16	2	1	61	0	0	1	0	49	0	50	0	0	0	1	0	0	1	0	0	112
16:15	4	0	0	0	4	0	0	31	10	2	0	43	0	0	0	1	45	0	46	0	0	0	0	0	0	0	0	0	93
16:30	2	0	0	0	2	0	0	54	17	3	1	75	0	0	0	0	51	0	51	0	0	0	0	0	0	0	0	0	128
16:45	1	0	0	0	1	0	0	44	15	3	1	63	0	0	1	0	53	0	54	0	0	0	0	0	0	0	0	0	118
Hourly Total	7	0	0	0	7	0	0	171	58	10	3	242	0	0	2	1	198	0	201	0	0	0	1	0	0	1	0	0	451
17:00	2	1	0	0	3	0	0	55	12	3	0	70	0	0	0	0	50	0	50	0	0	0	1	0	0	1	0	0	124
17:15	0	1	0	0	1	0	0	36	17	3	0	56	0	0	4	0	55	0	59	0	0	0	0	0	0	0	0	0	116
17:30	2	0	0	0	2	0	0	29	10	2	0	41	0	0	0	1	62	0	63	0	0	0	0	0	0	0	0	0	106
17:45	1	1	0	0	2	0	0	26	13	0	0	39	0	0	1	0	47	0	48	0	0	0	0	0	0	0	0	0	89
Hourly Total	5	3	0	0	8	0	0	146	52	8	0	206	0	0	5	1	214	0	220	0	0	0	1	0	0	1	0	0	435
18:00	0	0	0	0	0	0	0	35	20	1	1	57	0	0	2	1	49	0	52	0	0	0	0	0	0	0	0	0	109
18:15	0	0	0	0	0	0	0	22	14	2	1	39	0	0	1	0	42	0	43	0	0	0	1	0	0	1	0	0	83
18:30	1	0	0	0	1	0	0	26	10	2	0	38	0	0	1	0	20	0	21	0	0	0	1	0	0	1	0	0	61
18:45	0	0	1	0	1	0	0	11	13	2	0	26	0	0	0	0	29	0	29	0	0	0	0	0	0	0	0	0	56
Hourly Total	1	0	1	0	2	0	0	94	57	7	2	160	0	0	4	1	140	0	145	0	0	0	2	0	0	2	0	0	309
19:00	2	0	0	0	2	0	0	18	8	1	0	27	0	0	1	0	25	0	26	0	0	0	0	0	0	0	0	0	55
19:15	0	0	0	0	0	0	0	21	15	5	1	42	0	0	0	0	27	0	27	0	0	0	1	0	0	1	0	0	70
19:30	1	0	0	0	1	0	0	15	2	0	1	18	0	0	0	0	16	0	16	0	0	0	0	0	0	0	0	0	35
19:45	0	0	0	0	0	0	0	18	10	2	0	30	0	0	0	0	9	0	9	0	0	0	0	0	0	0	0	0	39
Hourly Total	3	0	0	0	3	0	0	72	35	8	2	117	0	0	1	0	77	0	78	0	0	0	1	0	0	1	0	0	199
20:00	3	0	0	0	3	0	0	26	5	3	0	34	0	0	0	0	18	0	18	0	0	0	0	0	0	0	0	0	55
20:15	0	0	0	0	0	0	0	15	5	1	0	21	0	0	0	0	11	0	11	0	0	0	0	0	0	0	0	0	32
20:30	1	0	0	0	1	0	0	10	7	1	0	18	0	0	0	0	14	0	14	0	0	0	0	0	0	0	0	0	33
20:45	1	0	0	0	1	0	0	14	6	0	0	20	0	0	0	0	11	0	11	0	0	0	0	0	0	0	0	0	32
Hourly Total	5	0	0	0	5	0	0	65	23	5	0	93	0	0	0	0	54	0	54	0	0	0	0	0	0	0	0	0	152



Site: Site 04

GPS: 51.656435, -3.856365

Date: 09-11-2025

TURNING MOVEMENT DATA

Leg	Coombe-Tennant Ave							Crymlyn Rd							Heol Crymlyn								Serecold Ave							
Direction	SouthBound							WestBound							NorthBound								EastBound							
Start Time	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Int Total	
21:00	1	0	0	0	1	0	0	9	3	1	2	15	0	0	0	0	4	0	4	0	0	0	0	0	0	0	0	0	20	
21:15	0	0	0	0	0	0	0	7	3	0	0	10	0	0	0	1	7	0	8	0	0	0	0	0	0	0	0	0	18	
21:30	1	0	0	0	1	0	0	9	3	2	0	14	0	0	0	0	7	0	7	0	0	0	0	0	0	0	0	0	22	
21:45	0	0	0	0	0	0	0	4	1	1	0	6	0	0	0	0	3	0	3	0	0	0	0	0	0	0	0	0	9	
Hourly Total	2	0	0	0	2	0	0	29	10	4	2	45	0	0	0	1	21	0	22	0	0	0	0	0	0	0	0	0	69	
22:00	0	0	0	0	0	0	0	6	3	1	0	10	0	0	0	0	4	0	4	0	0	0	0	0	0	0	0	0	14	
22:15	1	0	0	0	1	0	0	6	0	2	1	9	0	0	1	0	3	0	4	0	0	0	1	0	0	1	0	0	15	
22:30	0	0	0	0	0	0	0	2	3	0	1	6	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	7	
22:45	0	0	0	0	0	0	0	3	2	1	0	6	0	0	0	0	4	0	4	0	0	0	0	0	0	0	0	0	10	
Hourly Total	1	0	0	0	1	0	0	17	8	4	2	31	0	0	1	0	12	0	13	0	0	0	1	0	0	1	0	0	46	
23:00	1	0	0	0	1	0	0	2	4	1	0	7	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	9	
23:15	0	0	0	0	0	0	0	3	1	0	0	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	
23:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	2	
23:45	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
Hourly Total	1	0	0	0	1	0	0	6	5	1	0	12	0	0	0	0	3	0	3	0	0	0	0	0	0	0	0	0	16	
Grand Total	93	8	2	0	103	0	0	1453	469	94	13	2029	0	0	20	14	2052	0	2086	0	0	0	30	1	0	31	0	0	4249	
Approach %	90	7	1	0	100	0	0	71	23	4	0	100	0	0	0	0	98	0	100	0	0	0	96	3	0	100	0	0	400	
Total %	2	0	0	0	2	0	0	34	11	2	0	47	0	0	0	0	48	0	49	0	0	0	0	0	0	0	0	0	100	
Car	80	5	2	0	87	0	0	1310	424	80	13	1827	0	0	19	12	1837	0	1868	0	0	0	27	1	0	28	0	0	3810	
Car %	86	62	0	0	0	0	0	90	0	85	100	0	0	0	0	85	89	0	0	0	0	90	100	0	0	0	0	0	89	
LGV	12	3	0	0	15	0	0	111	44	13	0	168	0	0	1	2	181	0	184	0	0	0	3	0	0	3	0	0	370	
LGV %	12	37	0	0	0	0	0	7	0	13	0	0	0	0	0	14	8	0	0	0	0	10	0	0	0	0	0	0	8	
OGV1	0	0	0	0	0	0	0	7	0	0	0	7	0	0	0	0	8	0	8	0	0	0	0	0	0	0	0	0	15	
OGV1 %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
OGV2	0	0	0	0	0	0	0	3	0	0	0	3	0	0	0	0	3	0	3	0	0	0	0	0	0	0	0	0	6	
OGV2 %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
PSV	1	0	0	0	1	0	0	16	0	1	0	17	0	0	0	0	16	0	16	0	0	0	0	0	0	0	0	0	34	
PSV %	1	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
MC	0	0	0	0	0	0	0	5	0	0	0	5	0	0	0	0	7	0	7	0	0	0	0	0	0	0	0	0	12	
MC %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
PC	0	0	0	0	0	0	0	1	1	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	
PC %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	




Site: Site 04

GPS: 51.656435, -3.856365

Date: 09-11-2025

Turning Movement Data

Out	In	Total
92	87	179
15	15	30
0	0	0
0	0	0
1	1	2
0	0	0
0	0	0
108	103	211



Class
Car
LGV
OGV1
OGV2
PSV
MC
PC
Total

Right	Thru	Left	U-Turn
2	5	80	0
0	3	12	0
0	0	0	0
0	0	0	0
0	0	1	0
0	0	0	0
0	0	0	0
2	8	93	0

Out	In	Total
445	28	473
45	3	48
0	0	0
0	0	0
0	0	0
0	0	0
1	0	1
491	31	522

Right	Thru	Left	U-Turn
1	27	0	0
0	3	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
1	30	0	0

12:00 AM - 11:59 PM

Right	Thru	Left	U-Turn
80	424	1310	13
13	44	111	0
0	0	7	0
0	0	3	0
1	0	16	0
0	0	5	0
0	1	1	0
94	469	1453	13

Out	In	Total
1957	1814	3771
196	168	364
8	7	15
3	3	6
17	17	34
7	5	12
0	2	2
2188	2016	4204

U-Turn	Left	Thru	Right
0	19	12	1837
0	1	2	181
0	0	0	8
0	0	0	3
0	0	0	16
0	0	0	7
0	0	0	0
0	20	14	2052

Out	In	Total
1316	1868	3184
114	184	298
7	8	15
3	3	6
16	16	32
5	7	12
1	0	1
1462	2086	3548



SUMMARY	
Project	Skewen Neath
Project Code	SS2006
Site Name	Site 04
Legs and Movements	All Processed Legs & Movements
Count Interval	15
Start Time	00:00
End Time	23:45
Location	Site 04
Latitude and Longitude	(51.656435, -3.856365)

	START	END	PHF
AM PEAK			
PM PEAK			
Mid-Day PEAK			
Forced Peak AM			
Forced Peak PM			





Site: Site 04

GPS: 51.656435, -3.856365

Date: 09-12-2025

TURNING MOVEMENT DATA

Leg	Coombe-Tennant Ave							Crymlyn Rd							Heol Crymlyn							Serecold Ave							
Direction	SouthBound							WestBound							NorthBound							EastBound							
Start Time	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Int Total
00:00	0	0	0	0	0	0	0	1	1	0	0	2	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	4
00:15	0	0	0	0	0	0	0	3	1	0	0	4	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	6
00:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1
00:45	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Hourly Total	0	0	0	0	0	0	0	5	2	0	0	7	0	0	0	0	5	0	5	0	0	0	0	0	0	0	0	0	12
01:00	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	2
01:15	0	0	0	0	0	0	0	1	1	0	0	2	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	3
01:30	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
01:45	0	0	0	0	0	0	0	1	1	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
Hourly Total	0	0	0	0	0	0	0	3	3	0	0	6	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	8
02:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02:15	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	2
02:30	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
02:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hourly Total	0	0	0	0	0	0	0	1	1	0	0	2	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	3
03:00	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
03:15	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
03:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1
03:45	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Hourly Total	1	0	0	0	1	0	0	0	2	0	0	2	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	4
04:00	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	2
04:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1
04:30	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	2
04:45	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	2
Hourly Total	0	0	0	0	0	0	0	3	0	0	0	3	0	0	0	0	4	0	4	0	0	0	0	0	0	0	0	0	7
05:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	7	0	7	0	0	0	0	0	0	0	0	0	7
05:15	1	0	0	0	1	0	0	1	0	0	1	2	0	0	0	0	6	0	6	0	0	0	0	0	0	0	0	0	9
05:30	2	0	0	0	2	0	0	1	1	0	0	2	0	0	0	0	7	0	7	0	0	0	0	0	0	0	0	0	11
05:45	1	0	0	0	1	0	0	2	1	0	0	3	0	0	0	0	7	0	7	0	0	0	1	0	0	1	0	0	12
Hourly Total	4	0	0	0	4	0	0	4	2	0	1	7	0	0	0	0	27	0	27	0	0	0	1	0	0	1	0	0	39
06:00	1	0	0	0	1	0	0	1	0	0	0	1	0	0	0	0	12	0	12	0	0	0	0	0	0	0	0	0	14
06:15	1	0	0	0	1	0	0	5	1	0	0	6	0	0	0	0	6	0	6	0	0	0	0	0	0	0	0	0	13
06:30	1	0	0	0	1	0	0	5	1	0	0	6	0	0	0	0	14	0	14	0	0	0	0	0	0	0	0	0	21
06:45	0	1	0	0	1	0	0	7	0	0	0	7	0	0	0	0	19	0	19	0	0	0	0	0	0	0	0	0	27
Hourly Total	3	1	0	0	4	0	0	18	2	0	0	20	0	0	0	0	51	0	51	0	0	0	0	0	0	0	0	0	75



Site: Site 04

GPS: 51.656435, -3.856365

Date: 09-12-2025

TURNING MOVEMENT DATA

Leg	Coombe-Tennant Ave							Crymlyn Rd							Heol Crymlyn							Serecold Ave							
Direction	SouthBound							WestBound							NorthBound							EastBound							
Start Time	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Int Total
07:00	0	0	0	0	0	0	0	11	2	0	1	14	0	0	0	0	26	0	26	0	0	0	0	0	0	0	0	0	40
07:15	2	0	0	0	2	0	0	9	1	0	0	10	0	0	0	0	21	0	21	0	0	0	0	0	0	0	0	0	33
07:30	2	0	0	0	2	0	0	24	6	0	0	30	0	0	0	0	31	0	31	0	0	0	0	0	0	0	0	0	63
07:45	1	0	0	0	1	0	0	28	2	1	0	31	0	0	1	0	72	0	73	0	0	0	0	2	0	0	0	0	107
Hourly Total	5	0	0	0	5	0	0	72	11	1	1	85	0	0	1	0	150	0	151	0	0	0	0	2	0	0	0	0	243
08:00	1	0	0	0	1	0	0	35	6	3	1	45	0	0	1	0	80	0	81	0	0	0	0	2	0	0	0	0	129
08:15	6	0	0	0	6	0	0	26	9	1	1	37	0	0	0	0	65	0	65	0	0	0	0	2	0	0	0	0	110
08:30	5	0	0	0	5	0	0	32	9	3	0	44	0	0	0	0	39	0	39	0	0	0	0	0	0	0	0	0	88
08:45	3	0	0	0	3	0	0	26	9	2	1	38	0	0	0	0	38	0	38	0	0	0	0	1	0	0	0	0	80
Hourly Total	15	0	0	0	15	0	0	119	33	9	3	164	0	0	1	0	222	0	223	0	0	0	0	5	0	0	0	0	407
09:00	2	0	0	0	2	0	0	30	11	1	1	43	0	0	0	1	20	0	21	0	0	0	0	0	0	0	0	0	66
09:15	4	0	0	0	4	0	0	23	5	1	0	29	0	0	0	1	28	0	29	0	0	0	0	0	0	0	0	0	62
09:30	1	0	0	0	1	0	0	17	5	0	0	22	0	0	0	0	24	0	24	0	0	0	0	0	0	0	0	0	47
09:45	0	0	0	0	0	0	0	17	9	0	0	26	0	0	0	0	22	0	22	0	0	0	0	0	0	0	0	0	48
Hourly Total	7	0	0	0	7	0	0	87	30	2	1	120	0	0	0	2	94	0	96	0	0	0	0	0	0	0	0	0	223
10:00	2	0	0	0	2	0	0	16	3	5	1	25	0	0	1	0	29	0	30	0	0	0	0	0	0	0	0	0	57
10:15	1	0	0	0	1	0	0	14	3	4	0	21	0	0	0	0	24	0	24	0	0	0	0	0	0	0	0	0	46
10:30	0	0	0	0	0	0	0	13	5	1	0	19	0	0	0	0	31	0	31	0	0	0	0	0	0	0	0	0	50
10:45	2	0	0	0	2	0	0	23	4	1	0	28	0	0	0	0	33	0	33	0	0	0	0	0	0	0	0	0	63
Hourly Total	5	0	0	0	5	0	0	66	15	11	1	93	0	0	1	0	117	0	118	0	0	0	0	0	0	0	0	0	216
11:00	1	0	0	0	1	0	0	24	5	0	0	29	0	0	0	1	34	0	35	0	0	0	0	0	0	0	0	0	65
11:15	1	0	0	0	1	0	0	30	2	0	0	32	0	0	0	0	28	1	29	0	0	0	0	0	0	0	0	0	62
11:30	3	0	0	0	3	0	0	18	3	2	0	23	0	0	0	1	23	0	24	0	0	0	0	0	0	0	0	0	50
11:45	2	0	1	0	3	0	0	21	6	1	0	28	0	0	0	1	36	0	37	0	0	0	0	0	0	0	0	0	68
Hourly Total	7	0	1	0	8	0	0	93	16	3	0	112	0	0	0	3	121	1	125	0	0	0	0	0	0	0	0	0	245
12:00	2	0	0	0	2	0	0	33	8	2	0	43	0	0	0	0	27	0	27	0	0	0	0	0	0	0	0	0	72
12:15	0	0	0	0	0	0	0	29	6	1	0	36	0	0	0	0	24	0	24	0	0	0	0	0	0	0	0	0	60
12:30	1	0	0	0	1	0	0	26	5	1	0	32	0	0	0	0	38	0	38	0	0	0	0	1	0	0	0	0	72
12:45	2	0	0	0	2	0	0	34	10	2	0	46	0	0	0	0	29	0	29	0	0	0	0	1	0	0	0	0	78
Hourly Total	5	0	0	0	5	0	0	122	29	6	0	157	0	0	0	0	118	0	118	0	0	0	0	2	0	0	0	0	282
13:00	0	0	0	0	0	0	0	26	6	1	0	33	0	0	1	0	37	0	38	0	0	0	0	0	0	0	0	0	71
13:15	0	0	0	0	0	0	0	20	3	1	0	24	0	0	0	0	31	0	31	0	0	0	0	1	0	1	0	0	56
13:30	2	0	0	0	2	0	0	14	7	3	0	24	0	0	0	0	31	0	31	0	0	0	0	0	0	0	0	0	57
13:45	2	0	0	0	2	0	0	23	8	3	0	34	0	0	1	0	37	0	38	0	0	0	0	0	0	0	0	0	74
Hourly Total	4	0	0	0	4	0	0	83	24	8	0	115	0	0	2	0	136	0	138	0	0	0	0	0	1	0	1	0	258



Site: Site 04

GPS: 51.656435, -3.856365

Date: 09-12-2025

TURNING MOVEMENT DATA

Leg	Coombe-Tennant Ave							Crymlyn Rd							Heol Crymlyn							Serecold Ave							
Direction	SouthBound							WestBound							NorthBound							EastBound							
Start Time	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Int Total
14:00	2	0	0	0	2	0	0	23	8	0	1	32	0	0	0	0	36	0	36	0	0	0	3	0	0	3	0	0	73
14:15	3	0	0	0	3	0	0	17	12	2	1	32	0	0	0	0	48	0	48	0	0	0	0	1	0	1	0	0	84
14:30	5	0	1	0	6	0	0	18	4	6	0	28	0	0	0	1	47	0	48	0	0	0	1	1	0	2	0	0	84
14:45	3	0	0	0	3	0	0	20	5	0	0	25	0	0	0	0	42	0	42	0	0	0	0	0	0	0	0	0	70
Hourly Total	13	0	1	0	14	0	0	78	29	8	2	117	0	0	0	1	173	0	174	0	0	0	4	2	0	6	0	0	311
15:00	2	0	0	0	2	0	0	33	16	5	1	55	0	0	0	0	38	0	38	0	0	0	0	0	0	0	0	0	95
15:15	1	0	0	0	1	0	0	43	17	2	0	62	0	0	1	1	41	0	43	0	0	0	0	1	0	1	0	0	107
15:30	3	0	0	0	3	0	0	31	20	1	1	53	0	0	0	0	40	0	40	0	0	0	0	0	0	0	0	0	96
15:45	0	0	0	0	0	0	0	54	18	2	1	75	0	0	0	0	53	0	53	0	0	0	1	0	0	1	0	0	129
Hourly Total	6	0	0	0	6	0	0	161	71	10	3	245	0	0	1	1	172	0	174	0	0	0	1	1	0	2	0	0	427
16:00	2	0	1	0	3	0	0	39	12	3	0	54	0	0	1	0	50	0	51	0	0	0	2	0	0	2	0	0	110
16:15	0	2	0	0	2	0	0	41	10	1	0	52	0	0	0	0	54	0	54	0	0	0	0	0	0	0	0	0	108
16:30	2	0	0	0	2	0	0	42	12	0	0	54	0	0	0	0	52	0	52	0	0	0	1	0	0	1	0	0	109
16:45	2	0	0	0	2	0	0	42	12	5	0	59	0	0	2	1	42	0	45	0	0	0	0	0	0	0	0	0	106
Hourly Total	6	2	1	0	9	0	0	164	46	9	0	219	0	0	3	1	198	0	202	0	0	0	3	0	0	3	0	0	433
17:00	3	0	0	0	3	0	0	51	19	6	0	76	0	0	0	2	44	0	46	0	0	0	0	0	0	0	0	0	125
17:15	3	0	0	0	3	0	0	44	14	2	0	60	0	0	0	0	57	0	57	0	0	0	0	0	0	0	0	0	120
17:30	2	1	0	0	3	0	0	42	9	2	0	53	0	0	0	0	47	0	47	0	0	0	0	0	0	0	0	0	103
17:45	1	0	0	0	1	0	0	28	15	6	0	49	0	0	1	0	42	0	43	0	0	0	2	0	0	2	0	0	95
Hourly Total	9	1	0	0	10	0	0	165	57	16	0	238	0	0	1	2	190	0	193	0	0	0	2	0	0	2	0	0	443
18:00	1	0	0	0	1	0	0	26	19	3	0	48	0	0	1	0	51	0	52	0	0	0	1	0	0	1	0	0	102
18:15	1	0	0	0	1	0	0	22	16	1	0	39	0	0	0	1	36	0	37	0	0	0	0	0	0	0	0	0	77
18:30	2	0	0	0	2	0	0	15	10	2	0	27	0	0	0	0	31	0	31	0	0	0	0	0	0	0	0	0	60
18:45	1	0	0	0	1	0	0	17	12	0	0	29	0	0	0	0	28	0	28	0	0	0	1	0	0	1	0	0	59
Hourly Total	5	0	0	0	5	0	0	80	57	6	0	143	0	0	1	1	146	0	148	0	0	0	2	0	0	2	0	0	298
19:00	2	0	0	0	2	0	0	23	9	2	1	35	0	0	0	0	20	0	20	0	0	0	1	0	0	1	0	0	58
19:15	0	0	0	0	0	0	0	21	8	0	1	30	0	0	1	0	24	0	25	0	0	0	0	0	0	0	0	0	55
19:30	0	0	0	0	0	0	0	14	14	0	1	29	0	0	1	0	17	0	18	0	0	0	0	0	0	0	0	0	47
19:45	2	0	0	0	2	0	0	14	6	2	0	22	0	0	0	0	15	0	15	0	0	0	0	0	0	0	0	0	39
Hourly Total	4	0	0	0	4	0	0	72	37	4	3	116	0	0	2	0	76	0	78	0	0	0	1	0	0	1	0	0	199
20:00	1	0	0	0	1	0	0	14	11	3	1	29	0	0	0	0	19	0	19	0	0	0	0	0	0	0	0	0	49
20:15	2	0	0	0	2	0	0	11	6	2	0	19	0	0	0	0	16	0	16	0	0	0	1	0	0	1	0	0	38
20:30	1	0	0	0	1	0	0	14	9	0	1	24	0	0	0	0	12	0	12	0	0	0	0	0	0	0	0	0	37
20:45	0	0	0	0	0	0	0	10	3	1	2	16	0	0	0	0	4	0	4	0	0	0	0	0	0	0	0	0	20
Hourly Total	4	0	0	0	4	0	0	49	29	6	4	88	0	0	0	0	51	0	51	0	0	0	1	0	0	1	0	0	144



Site: Site 04

GPS: 51.656435, -3.856365

Date: 09-12-2025

TURNING MOVEMENT DATA

Leg	Coombe-Tennant Ave							Crymlyn Rd							Heol Crymlyn							Serecold Ave							
Direction	SouthBound							WestBound							NorthBound							EastBound							
Start Time	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Int Total
21:00	0	0	0	0	0	0	0	8	5	1	1	15	0	0	0	0	4	0	4	0	0	0	1	0	0	1	0	0	20
21:15	4	0	0	0	4	0	0	9	5	2	0	16	0	0	0	0	7	0	7	0	0	0	0	0	0	0	0	0	27
21:30	3	0	0	0	3	0	0	9	6	2	0	17	0	0	0	0	6	0	6	0	0	0	0	0	0	0	0	0	26
21:45	1	0	0	0	1	0	0	9	1	3	0	13	0	0	0	0	4	0	4	0	0	0	0	0	0	0	0	0	18
Hourly Total	8	0	0	0	8	0	0	35	17	8	1	61	0	0	0	0	21	0	21	0	0	0	1	0	0	1	0	0	91
22:00	1	0	0	0	1	0	0	7	6	0	0	13	0	0	0	0	4	0	4	0	0	0	0	0	0	0	0	0	18
22:15	1	0	0	0	1	0	0	4	2	0	0	6	0	0	1	2	3	0	6	0	0	0	0	0	0	0	0	0	13
22:30	1	0	0	0	1	0	0	3	2	2	0	7	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	10
22:45	0	0	0	0	0	0	0	8	2	1	0	11	0	0	0	0	5	0	5	0	0	0	0	0	0	0	0	0	16
Hourly Total	3	0	0	0	3	0	0	22	12	3	0	37	0	0	1	2	14	0	17	0	0	0	0	0	0	0	0	0	57
23:00	0	0	1	0	1	0	0	3	3	0	0	6	0	0	0	1	6	0	7	0	0	0	0	0	0	0	0	0	14
23:15	0	0	0	0	0	0	0	6	3	1	0	10	0	0	0	0	4	0	4	0	0	0	0	0	0	0	0	0	14
23:30	2	0	0	0	2	0	0	2	1	2	0	5	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	9
23:45	0	0	0	1	1	0	0	5	1	0	0	6	0	0	0	0	3	0	3	0	0	0	0	0	0	0	0	0	10
Hourly Total	2	0	1	1	4	0	0	16	8	3	0	27	0	0	0	1	15	0	16	0	0	0	0	0	0	0	0	0	47
Grand Total	116	4	4	1	125	0	0	1518	533	113	20	2184	0	0	14	14	2105	1	2134	0	0	0	25	4	0	29	0	0	4472
Approach %	92	3	3	0	100	0	0	69	24	5	0	100	0	0	0	0	98	0	100	0	0	0	86	13	0	99	0	0	400
Total %	2	0	0	0	2	0	0	33	11	2	0	48	0	0	0	0	47	0	47	0	0	0	0	0	0	0	0	0	100
Car	94	3	1	1	99	0	0	1365	492	86	18	1961	0	0	14	12	1913	1	1940	0	0	0	22	2	0	24	0	0	4024
Car %	81	75	0	100	0	0	0	89	0	76	90	0	0	0	0	85	90	100	0	0	0	88	50	0	0	0	0	0	89
LGV	22	1	3	0	26	0	0	134	41	27	2	204	0	0	0	2	172	0	174	0	0	0	0	2	0	2	0	0	406
LGV %	18	25	0	0	0	0	0	8	0	23	10	0	0	0	0	14	8	0	0	0	0	0	50	0	0	0	0	0	9
OGV1	0	0	0	0	0	0	0	7	0	0	0	7	0	0	0	0	4	0	4	0	0	0	0	0	0	0	0	0	11
OGV1 %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OGV2	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	2
OGV2 %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSV	0	0	0	0	0	0	0	6	0	0	0	6	0	0	0	0	7	0	7	0	0	0	0	0	0	0	0	0	13
PSV %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MC	0	0	0	0	0	0	0	3	0	0	0	3	0	0	0	0	7	0	7	0	0	0	0	0	0	0	0	0	10
MC %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PC	0	0	0	0	0	0	0	2	0	0	0	2	0	0	0	0	1	0	1	0	0	0	3	0	0	3	0	0	6
PC %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	12	0	0	0	0	0	0




Site: Site 04

GPS: 51.656435, -3.856365

Date: 09-12-2025


Turning Movement Data

Out	In	Total
99	98	197
29	26	55
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
128	124	252



Class
Car
LGV
OGV1
OGV2
PSV
MC
PC
Total

Right	Thru	Left	U-Turn
1	3	94	1
3	1	22	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
4	4	116	1



Out	In	Total
507	24	531
44	2	46
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	3	3
551	29	580

Right	Thru	Left	U-Turn
2	22	0	0
2	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	3	0	0
4	25	0	0

Right	Thru	Left	U-Turn
86	492	1365	18
27	41	134	2
0	0	7	0
0	0	1	0
0	0	6	0
0	0	3	0
0	0	2	0
113	533	1518	20

Out	In	Total
2047	1943	3990
196	202	398
4	7	11
1	1	2
7	6	13
7	3	10
4	2	6
2266	2164	4430

U-Turn	Left	Thru	Right
1	14	12	1913
0	0	2	172
0	0	0	4
0	0	0	1
0	0	0	7
0	0	0	7
0	0	0	1
1	14	14	2105

Out	In	Total
1371	1939	3310
137	174	311
7	4	11
1	1	2
6	7	13
3	7	10
2	1	3
1527	2133	3660



SUMMARY	
Project	Skewen Neath
Project Code	SS2006
Site Name	Site 04
Legs and Movements	All Processed Legs & Movements
Count Interval	15
Start Time	00:00
End Time	23:45
Location	Site 04
Latitude and Longitude	(51.656435, -3.856365)

	START	END	PHF
AM PEAK			
PM PEAK			
Mid-Day PEAK			
Forced Peak AM			
Forced Peak PM			





Site: Site 04

GPS: 51.656435, -3.856365

Date: 09-15-2025

TURNING MOVEMENT DATA

Leg	Coombe-Tennant Ave							Crymlyn Rd							Heol Crymlyn							Serecold Ave							
Direction	SouthBound							WestBound							NorthBound							EastBound							
Start Time	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Int Total
00:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
00:15	0	0	0	0	0	0	0	3	0	0	0	3	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	4
00:30	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
00:45	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Hourly Total	0	0	0	0	0	0	0	5	0	0	0	5	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	6
01:00	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
01:15	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
01:30	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	2
01:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1
Hourly Total	0	0	0	0	0	0	0	1	1	1	0	3	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	5
02:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1
02:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hourly Total	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1
03:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1
03:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hourly Total	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1
04:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	2
04:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
04:30	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	2
04:45	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Hourly Total	1	0	0	0	1	0	0	1	0	0	0	1	0	0	0	0	3	0	3	0	0	0	0	0	0	0	0	0	5
05:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	0	5	0	0	0	0	0	0	0	0	0	5
05:15	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	6	0	6	0	0	0	0	0	0	0	0	0	7
05:30	1	0	0	0	1	0	0	0	1	0	0	1	0	0	0	0	7	0	7	0	0	0	1	0	0	1	0	0	10
05:45	1	0	0	0	1	0	0	1	1	0	0	2	0	0	0	0	13	0	13	0	0	0	0	0	0	0	0	0	16
Hourly Total	2	0	0	0	2	0	0	2	2	0	0	4	0	0	0	0	31	0	31	0	0	0	1	0	0	1	0	0	38
06:00	0	0	0	0	0	0	0	2	0	0	0	2	0	0	0	0	13	0	13	0	0	0	0	0	0	0	0	0	15
06:15	1	0	0	0	1	0	0	1	0	0	0	1	0	0	0	0	10	0	10	0	0	0	0	0	0	0	0	0	12
06:30	1	0	0	0	1	0	0	1	0	0	0	1	0	0	0	0	6	0	6	0	0	0	0	0	0	0	0	0	8
06:45	1	1	0	0	2	0	0	16	7	1	0	24	0	0	0	0	31	0	31	0	0	0	0	0	0	0	0	0	57
Hourly Total	3	1	0	0	4	0	0	20	7	1	0	28	0	0	0	0	60	0	60	0	0	0	0	0	0	0	0	0	92



Site: Site 04

GPS: 51.656435, -3.856365

Date: 09-15-2025

TURNING MOVEMENT DATA

Leg	Coombe-Tennant Ave							Crymlyn Rd							Heol Crymlyn							Serecold Ave								
Direction	SouthBound							WestBound							NorthBound							EastBound								
Start Time	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Int Total	
07:00	2	1	0	0	3	0	0	7	4	0	0	11	0	0	0	0	22	0	22	0	0	0	0	0	0	0	0	0	36	
07:15	0	0	0	0	0	0	0	13	2	0	1	16	0	0	0	0	29	0	29	0	0	0	0	0	0	0	0	0	45	
07:30	2	0	0	0	2	0	0	25	4	0	0	29	0	0	0	0	47	0	47	0	0	0	0	0	0	0	0	0	78	
07:45	2	0	0	0	2	0	0	39	4	0	0	43	0	0	0	0	76	0	76	0	0	0	0	0	0	0	0	0	121	
Hourly Total	6	1	0	0	7	0	0	84	14	0	1	99	0	0	0	0	174	0	174	0	0	0	0	0	0	0	0	0	280	
08:00	3	0	0	0	3	0	0	59	6	0	1	66	0	0	0	0	85	0	85	0	0	0	0	1	0	0	0	0	155	
08:15	2	0	0	0	2	0	0	42	9	0	0	51	0	0	2	0	56	0	58	0	0	0	1	0	0	0	0	0	112	
08:30	3	1	0	0	4	0	0	46	9	3	0	58	0	0	0	0	50	0	50	0	0	0	2	0	0	0	0	0	114	
08:45	4	1	0	0	5	0	0	28	10	4	1	43	0	0	0	0	26	0	26	0	0	0	0	0	0	0	0	0	74	
Hourly Total	12	2	0	0	14	0	0	175	34	7	2	218	0	0	2	0	217	0	219	0	0	0	4	0	0	4	0	0	455	
09:00	2	0	0	0	2	0	0	31	8	0	0	39	0	0	0	0	28	0	28	0	0	0	0	0	0	0	0	0	69	
09:15	1	0	0	0	1	0	0	21	4	2	0	27	0	0	0	0	18	0	18	0	0	0	1	0	0	2	0	0	48	
09:30	0	0	0	0	0	0	0	16	3	1	0	20	0	0	1	0	25	0	26	0	0	0	0	0	0	0	0	0	46	
09:45	2	1	0	0	3	0	0	10	5	2	0	17	0	0	0	0	23	0	23	0	0	0	0	0	0	0	0	0	43	
Hourly Total	5	1	0	0	6	0	0	78	20	5	0	103	0	0	1	0	94	0	95	0	0	0	1	0	1	0	2	0	0	206
10:00	2	0	0	0	2	0	0	13	5	1	0	19	0	0	1	1	19	0	21	0	0	0	0	0	0	0	0	0	42	
10:15	1	0	0	0	1	0	0	14	4	1	1	20	0	0	0	0	19	0	19	0	0	0	1	0	0	1	0	0	41	
10:30	0	0	0	0	0	0	0	26	6	1	0	33	0	0	0	0	9	0	9	0	0	0	0	0	0	0	0	0	42	
10:45	1	0	0	0	1	0	0	17	8	0	0	25	0	0	0	0	34	0	34	0	0	0	1	0	0	1	0	0	61	
Hourly Total	4	0	0	0	4	0	0	70	23	3	1	97	0	0	1	1	81	0	83	0	0	0	2	0	0	2	0	0	186	
11:00	0	0	0	0	0	0	0	5	0	0	0	5	0	0	0	0	4	0	4	0	0	0	0	0	0	0	0	0	9	
11:15	2	0	1	0	3	0	0	12	4	1	1	18	0	0	0	0	23	0	23	0	0	0	0	0	0	0	0	0	44	
11:30	0	0	0	0	0	0	0	20	6	3	0	29	0	0	0	0	23	0	23	0	0	0	1	0	0	1	0	0	53	
11:45	1	0	0	0	1	0	0	15	1	3	0	19	0	0	0	0	28	0	28	0	0	0	0	0	0	0	0	0	48	
Hourly Total	3	0	1	0	4	0	0	52	11	7	1	71	0	0	0	0	78	0	78	0	0	0	1	0	0	1	0	0	154	
12:00	0	0	0	0	0	0	0	21	8	0	0	29	0	0	0	0	32	0	32	0	0	0	0	0	0	0	0	0	61	
12:15	0	0	0	0	0	0	0	20	2	2	0	24	0	0	0	0	22	0	22	0	0	0	0	1	0	1	0	0	47	
12:30	1	0	0	0	1	0	0	15	5	1	0	21	0	0	0	0	19	0	19	0	0	0	0	0	0	0	0	0	41	
12:45	2	0	0	0	2	0	0	21	4	4	0	29	0	0	0	0	27	0	27	0	0	0	0	0	0	0	0	0	58	
Hourly Total	3	0	0	0	3	0	0	77	19	7	0	103	0	0	0	0	100	0	100	0	0	0	0	1	0	1	0	0	207	
13:00	3	0	1	0	4	0	0	21	4	5	0	30	0	0	0	0	24	0	24	0	0	0	1	0	0	1	0	0	59	
13:15	2	0	0	0	2	0	0	19	1	1	0	21	0	0	0	0	23	0	23	0	0	0	0	0	0	0	0	0	46	
13:30	3	0	0	0	3	0	0	20	7	1	0	28	0	0	1	1	18	0	20	0	0	0	1	0	0	1	0	0	52	
13:45	0	0	0	0	0	0	0	18	2	1	0	21	0	0	0	0	20	0	20	0	0	0	0	0	0	0	0	0	41	
Hourly Total	8	0	1	0	9	0	0	78	14	8	0	100	0	0	1	1	85	0	87	0	0	0	2	0	0	2	0	0	198	



Site: Site 04

GPS: 51.656435, -3.856365

Date: 09-15-2025

TURNING MOVEMENT DATA

Leg	Coombe-Tennant Ave							Crymlyn Rd							Heol Crymlyn							Serecold Ave							
Direction	SouthBound							WestBound							NorthBound							EastBound							
Start Time	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Int Total
14:00	4	1	0	0	5	0	0	11	4	0	0	15	0	0	0	0	27	0	27	0	0	0	1	0	0	1	0	0	48
14:15	3	0	0	0	3	0	0	26	9	2	0	37	0	0	0	0	32	0	32	0	0	0	0	0	0	0	0	0	72
14:30	3	0	1	0	4	0	0	16	6	4	0	26	0	0	0	0	49	0	49	0	0	0	0	0	0	0	0	0	79
14:45	2	0	0	0	2	0	0	15	4	5	0	24	0	0	1	0	53	0	54	0	0	0	0	0	0	0	0	0	80
Hourly Total	12	1	1	0	14	0	0	68	23	11	0	102	0	0	1	0	161	0	162	0	0	0	1	0	0	1	0	0	279
15:00	1	0	0	0	1	0	0	41	17	3	0	61	0	0	0	0	27	0	27	0	0	0	0	0	0	0	0	0	89
15:15	1	0	0	0	1	0	0	36	15	2	0	53	0	0	0	0	33	0	33	0	0	0	0	0	0	0	0	0	87
15:30	0	0	0	0	0	0	0	33	14	1	0	48	0	0	2	1	27	0	30	0	0	0	0	0	0	0	0	0	78
15:45	2	0	0	0	2	0	0	43	16	2	0	61	0	0	0	0	40	0	40	0	0	0	1	0	0	1	0	0	104
Hourly Total	4	0	0	0	4	0	0	153	62	8	0	223	0	0	2	1	127	0	130	0	0	0	1	0	0	1	0	0	358
16:00	1	0	0	0	1	0	0	38	13	0	0	51	0	0	1	0	43	0	44	0	0	0	4	0	0	4	0	0	100
16:15	1	0	0	0	1	0	0	34	12	4	0	50	0	0	0	0	47	0	47	0	0	0	2	0	0	2	0	0	100
16:30	1	0	0	0	1	0	0	37	14	1	0	52	0	0	0	0	46	0	46	0	0	0	0	0	0	0	0	0	99
16:45	1	0	0	0	1	0	0	38	14	3	0	55	0	0	1	0	45	0	46	0	0	0	0	0	0	0	0	0	102
Hourly Total	4	0	0	0	4	0	0	147	53	8	0	208	0	0	2	0	181	0	183	0	0	0	6	0	0	6	0	0	401
17:00	1	0	1	0	2	0	0	39	25	1	1	66	0	0	0	1	44	0	45	0	0	0	0	0	0	0	0	0	113
17:15	2	0	0	0	2	0	0	36	14	1	0	51	0	0	0	0	54	0	54	0	0	0	1	0	0	1	0	0	108
17:30	1	0	2	0	3	0	0	25	8	3	0	36	0	0	0	1	45	0	46	0	0	0	0	0	0	0	0	0	85
17:45	2	0	0	0	2	0	0	29	17	2	1	49	0	0	0	1	42	0	43	0	0	0	0	0	0	0	0	0	94
Hourly Total	6	0	3	0	9	0	0	129	64	7	2	202	0	0	0	3	185	0	188	0	0	0	1	0	0	1	0	0	400
18:00	1	0	1	0	2	0	0	34	14	2	0	50	0	0	0	1	30	0	31	0	0	0	0	0	0	0	0	0	83
18:15	1	1	0	0	2	0	0	24	9	1	0	34	0	0	0	1	41	0	42	0	0	0	0	0	0	0	0	0	78
18:30	2	0	0	0	2	0	0	24	14	0	0	38	0	0	0	1	32	0	33	0	0	0	0	0	0	0	0	0	73
18:45	0	0	0	0	0	0	0	17	10	0	0	27	0	0	0	0	33	0	33	0	0	0	0	0	0	0	0	0	60
Hourly Total	4	1	1	0	6	0	0	99	47	3	0	149	0	0	0	3	136	0	139	0	0	0	0	0	0	0	0	0	294
19:00	2	0	1	0	3	0	0	25	12	2	1	40	0	0	0	0	24	0	24	0	0	0	0	0	0	0	0	0	67
19:15	0	0	0	0	0	0	0	18	6	3	0	27	0	0	0	0	20	0	20	0	0	0	1	0	0	1	0	0	48
19:30	1	0	0	0	1	0	0	11	6	1	1	19	0	0	0	0	18	0	18	0	0	0	0	0	0	0	0	0	38
19:45	1	0	0	0	1	0	0	10	12	1	0	23	0	0	0	0	17	0	17	0	0	0	0	0	0	0	0	0	41
Hourly Total	4	0	1	0	5	0	0	64	36	7	2	109	0	0	0	0	79	0	79	0	0	0	1	0	0	1	0	0	194
20:00	0	0	0	0	0	0	0	20	7	0	0	27	0	0	0	0	9	0	9	0	0	0	0	0	0	0	0	0	36
20:15	1	0	0	0	1	0	0	15	2	0	0	17	0	0	0	0	9	0	9	0	0	0	0	0	0	0	0	0	27
20:30	2	0	0	0	2	0	0	7	6	0	0	13	0	0	0	0	11	0	11	0	0	0	0	0	0	0	0	0	26
20:45	1	0	0	0	1	0	0	10	3	0	0	13	0	0	0	0	5	0	5	0	0	0	0	0	0	0	0	0	19
Hourly Total	4	0	0	0	4	0	0	52	18	0	0	70	0	0	0	0	34	0	34	0	0	0	0	0	0	0	0	0	108



Site: Site 04

GPS: 51.656435, -3.856365

Date: 09-15-2025

TURNING MOVEMENT DATA

Leg	Coombe-Tennant Ave							Crymlyn Rd							Heol Crymlyn							Serecold Ave								
Direction	SouthBound							WestBound							NorthBound							EastBound								
Start Time	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Int Total	
21:00	1	0	0	0	1	0	0	5	4	2	0	11	0	0	0	0	7	0	7	0	0	0	1	0	0	1	0	0	20	
21:15	0	0	0	0	0	0	0	5	3	0	0	8	0	0	0	1	5	0	6	0	0	0	0	0	0	0	0	0	14	
21:30	0	0	0	0	0	0	0	3	2	0	0	5	0	0	0	0	7	0	7	0	0	0	0	0	0	0	0	0	12	
21:45	1	0	0	0	1	0	0	2	5	0	0	7	0	0	0	0	4	0	4	0	0	0	0	0	0	0	0	0	12	
Hourly Total	2	0	0	0	2	0	0	15	14	2	0	31	0	0	0	1	23	0	24	0	0	0	0	1	0	0	1	0	0	58
22:00	0	0	0	0	0	0	0	4	6	2	0	12	0	0	0	0	4	0	4	0	0	0	0	0	0	0	0	0	16	
22:15	0	0	0	0	0	0	0	6	2	2	0	10	0	0	0	0	6	0	6	0	0	0	0	0	0	0	0	0	16	
22:30	0	0	0	0	0	0	0	2	2	0	0	4	0	0	0	0	3	0	3	0	0	0	0	0	0	0	0	0	7	
22:45	0	0	0	0	0	0	0	2	2	1	0	5	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	6	
Hourly Total	0	0	0	0	0	0	0	14	12	5	0	31	0	0	0	0	14	0	14	0	0	0	0	0	0	0	0	0	45	
23:00	0	0	0	0	0	0	0	1	4	0	0	5	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	7	
23:15	0	0	0	0	0	0	0	1	1	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	
23:30	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	2	
23:45	0	0	0	0	0	0	0	1	1	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	
Hourly Total	0	0	0	0	0	0	0	3	7	0	0	10	0	0	0	0	3	0	3	0	0	0	0	0	0	0	0	0	13	
Grand Total	87	7	8	0	102	0	0	1387	481	90	9	1967	0	0	10	10	1871	0	1891	0	0	0	22	2	0	24	0	0	3984	
Approach %	85	6	7	0	100	0	0	70	24	4	0	100	0	0	0	0	98	0	100	0	0	0	91	8	0	99	0	0	400	
Total %	2	0	0	0	2	0	0	34	12	2	0	49	0	0	0	0	46	0	47	0	0	0	0	0	0	0	0	0	100	
Car	78	3	4	0	85	0	0	1232	436	79	9	1756	0	0	9	7	1674	0	1690	0	0	0	19	2	0	21	0	0	3552	
Car %	89	42	0	0	0	0	0	88	0	87	100	0	0	0	0	70	89	0	0	0	0	86	100	0	0	0	0	0	89	
LGV	9	4	4	0	17	0	0	131	37	11	0	179	0	0	1	3	173	0	177	0	0	0	1	0	0	1	0	0	374	
LGV %	10	57	0	0	0	0	0	9	0	12	0	0	0	0	0	30	9	0	0	0	0	4	0	0	0	0	0	0	9	
OGV1	0	0	0	0	0	0	0	8	3	0	0	11	0	0	0	0	7	0	7	0	0	0	0	0	0	0	0	0	18	
OGV1 %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
OGV2	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	3	
OGV2 %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
PSV	0	0	0	0	0	0	0	8	3	0	0	11	0	0	0	0	10	0	10	0	0	0	0	0	0	0	0	0	21	
PSV %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
MC	0	0	0	0	0	0	0	6	0	0	0	6	0	0	0	0	5	0	5	0	0	0	0	0	0	0	0	0	11	
MC %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
PC	0	0	0	0	0	0	0	1	2	0	0	3	0	0	0	0	0	0	0	0	0	0	2	0	0	2	0	0	5	
PC %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	9	0	0	0	0	0	0	0	



Site: Site 04
GPS: 51.656435, -3.856365
Date: 09-15-2025

Turning Movement Data

Class
Car
LGV
OGV1
OGV2
PSV
MC
PC
Total


Out	In	Total
86	85	171
14	17	31
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
100	102	202



Right	Thru	Left	U-Turn
4	3	78	0
4	4	9	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
8	7	87	0

Out	In	Total
449	21	470
42	1	43
3	0	3
0	0	0
3	0	3
0	0	0
2	2	4
499	24	523

Right	Thru	Left	U-Turn
2	19	0	0
0	1	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
2	22	0	0



Right	Thru	Left	U-Turn
79	436	1232	9
11	37	131	0
0	3	8	0
0	0	1	0
0	3	8	0
0	0	6	0
0	2	1	0
90	481	1387	9

Out	In	Total
1780	1747	3527
183	179	362
7	11	18
2	1	3
10	11	21
5	6	11
2	3	5
1989	1958	3947

U-Turn	Left	Thru	Right
0	9	7	1674
0	1	3	173
0	0	0	7
0	0	0	2
0	0	0	10
0	0	0	5
0	0	0	0
0	10	10	1871

Out	In	Total
1237	1690	2927
135	177	312
8	7	15
1	2	3
8	10	18
6	5	11
1	0	1
1396	1891	3287



SUMMARY	
Project	Skewen Neath
Project Code	SS2006
Site Name	Site 04
Legs and Movements	All Processed Legs & Movements
Count Interval	15
Start Time	00:00
End Time	23:45
Location	Site 04
Latitude and Longitude	(51.656435, -3.856365)

	START	END	PHF
AM PEAK			
PM PEAK			
Mid-Day PEAK			
Forced Peak AM			
Forced Peak PM			





Site: Site 04

GPS: 51.656435, -3.856365

Date: 09-16-2025

TURNING MOVEMENT DATA

Leg	Coombe-Tennant Ave							Crymlyn Rd							Heol Crymlyn							Serecold Ave							
Direction	SouthBound							WestBound							NorthBound							EastBound							
Start Time	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Int Total
00:00	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
00:15	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	2
00:30	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
00:45	0	0	0	0	0	0	0	2	0	0	0	2	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	3
Hourly Total	0	0	0	0	0	0	0	4	1	0	0	5	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	7
01:00	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	2
01:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
01:30	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	2
01:45	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	2
Hourly Total	0	0	0	0	0	0	0	2	1	0	0	3	0	0	0	0	3	0	3	0	0	0	0	0	0	0	0	0	6
02:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1
02:15	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	2
02:30	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	2
02:45	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	3
Hourly Total	0	0	0	0	0	0	0	1	2	0	0	3	0	0	0	0	5	0	5	0	0	0	0	0	0	0	0	0	8
03:00	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
03:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hourly Total	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
04:00	0	0	0	0	0	0	0	1	1	0	0	2	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	4
04:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
04:30	1	0	0	0	1	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
04:45	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	2
Hourly Total	1	0	0	0	1	0	0	3	1	0	0	4	0	0	0	0	3	0	3	0	0	0	0	0	0	0	0	0	8
05:00	1	0	0	0	1	0	0	0	1	0	0	1	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	4
05:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	9	0	9	0	0	0	0	0	0	0	0	0	9
05:30	2	0	0	0	2	0	0	1	1	0	0	2	0	0	0	0	10	0	10	0	0	0	0	0	0	0	0	0	14
05:45	0	0	0	0	0	0	0	3	3	0	0	6	0	0	0	0	12	0	12	0	0	0	2	0	0	2	0	0	20
Hourly Total	3	0	0	0	3	0	0	4	5	0	0	9	0	0	0	0	33	0	33	0	0	0	2	0	0	2	0	0	47
06:00	2	0	0	0	2	0	0	2	0	0	0	2	0	0	0	0	12	0	12	0	0	0	0	0	0	0	0	0	16
06:15	0	0	0	0	0	0	0	2	2	0	1	5	0	0	0	0	9	0	9	0	0	0	0	0	0	0	0	0	14
06:30	0	0	0	0	0	0	0	3	1	0	0	4	0	0	0	0	17	0	17	0	0	0	1	0	0	1	0	0	22
06:45	0	1	0	0	1	0	0	10	1	0	0	11	0	0	0	0	14	0	14	0	0	0	0	0	0	0	0	0	26
Hourly Total	2	1	0	0	3	0	0	17	4	0	1	22	0	0	0	0	52	0	52	0	0	0	1	0	0	1	0	0	78



Site: Site 04

GPS: 51.656435, -3.856365

Date: 09-16-2025

TURNING MOVEMENT DATA

Leg	Coombe-Tennant Ave							Crymlyn Rd							Heol Crymlyn							Serecold Ave							
Direction	SouthBound							WestBound							NorthBound							EastBound							
Start Time	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Int Total
07:00	0	0	0	0	0	0	0	10	2	0	0	12	0	0	0	0	28	0	28	0	0	0	1	0	0	1	0	0	41
07:15	0	0	0	0	0	0	0	16	2	0	0	18	0	0	0	0	33	0	33	0	0	0	0	0	0	0	0	0	51
07:30	1	0	0	0	1	0	0	28	3	0	0	31	0	0	0	0	46	0	46	0	0	0	0	0	0	0	0	0	78
07:45	0	0	0	0	0	0	0	27	3	0	0	30	0	0	0	0	76	0	76	0	0	0	0	0	0	0	0	0	106
Hourly Total	1	0	0	0	1	0	0	81	10	0	0	91	0	0	0	0	183	0	183	0	0	0	1	0	0	1	0	0	276
08:00	3	0	0	0	3	0	0	43	5	1	0	49	0	0	0	0	78	0	78	0	0	0	2	0	0	2	0	0	132
08:15	3	0	0	0	3	0	0	47	2	2	0	51	0	0	0	0	63	0	63	0	0	0	1	0	0	1	0	0	118
08:30	2	0	0	0	2	0	0	43	2	2	0	47	0	0	0	1	58	0	59	0	0	0	1	0	0	1	0	0	109
08:45	6	0	0	0	6	0	0	36	3	3	0	42	0	0	0	0	32	0	32	0	0	0	0	0	0	0	0	0	80
Hourly Total	14	0	0	0	14	0	0	169	12	8	0	189	0	0	0	1	231	0	232	0	0	0	4	0	0	4	0	0	439
09:00	2	0	0	0	2	0	0	30	9	3	0	42	0	0	1	0	30	0	31	0	0	0	0	0	0	0	0	0	75
09:15	2	0	0	0	2	0	0	20	9	0	0	29	0	0	0	1	31	0	32	0	0	0	0	0	0	0	0	0	63
09:30	0	0	1	0	1	0	0	15	3	0	0	18	0	0	1	0	26	0	27	0	0	0	0	0	0	0	0	0	46
09:45	1	0	0	0	1	0	0	18	7	0	0	25	0	0	1	0	17	0	18	0	0	0	0	0	0	0	0	0	44
Hourly Total	5	0	1	0	6	0	0	83	28	3	0	114	0	0	3	1	104	0	108	0	0	0	0	0	0	0	0	0	228
10:00	0	0	0	0	0	0	0	17	7	0	0	24	0	0	1	0	21	0	22	0	0	0	0	0	0	0	0	0	46
10:15	2	0	0	0	2	0	0	15	3	0	0	18	0	0	1	1	21	0	23	0	0	0	0	0	0	0	0	0	43
10:30	0	0	0	0	0	0	0	10	1	0	0	11	0	0	0	0	28	0	28	0	0	0	1	0	0	1	0	0	40
10:45	0	0	0	0	0	0	0	14	4	2	0	20	0	0	0	0	17	0	17	0	0	0	2	0	0	2	0	0	39
Hourly Total	2	0	0	0	2	0	0	56	15	2	0	73	0	0	2	1	87	0	90	0	0	0	3	0	0	3	0	0	168
11:00	2	0	2	0	4	0	0	17	5	3	0	25	0	0	0	0	25	0	25	0	0	0	0	0	0	0	0	0	54
11:15	3	0	0	0	3	0	0	17	5	1	0	23	0	0	0	0	28	0	28	0	0	0	0	0	0	0	0	0	54
11:30	4	0	0	0	4	0	0	21	6	2	0	29	0	0	0	0	29	0	29	0	0	0	0	0	0	0	0	0	62
11:45	2	0	0	0	2	0	0	26	2	2	0	30	0	0	0	0	21	0	21	0	0	0	0	0	0	0	0	0	53
Hourly Total	11	0	2	0	13	0	0	81	18	8	0	107	0	0	0	0	103	0	103	0	0	0	0	0	0	0	0	0	223
12:00	1	0	0	0	1	0	0	21	6	3	1	31	0	0	0	1	23	0	24	0	0	0	0	0	0	0	0	0	56
12:15	0	0	0	0	0	0	0	18	4	1	2	25	0	0	0	0	17	0	17	0	0	0	0	0	0	0	0	0	42
12:30	3	0	0	0	3	0	0	19	7	2	2	30	0	0	0	1	31	0	32	0	0	0	1	0	0	1	0	0	66
12:45	5	0	0	0	5	0	0	20	9	1	0	30	0	0	0	0	21	0	21	0	0	0	0	0	0	0	0	0	56
Hourly Total	9	0	0	0	9	0	0	78	26	7	5	116	0	0	0	2	92	0	94	0	0	0	1	0	0	1	0	0	220
13:00	2	1	0	0	3	0	0	23	6	2	0	31	0	0	0	1	24	0	25	0	0	0	0	0	0	0	0	0	59
13:15	0	0	0	0	0	0	0	13	2	0	0	15	0	0	0	0	26	0	26	0	0	0	0	0	0	0	0	0	41
13:30	0	0	0	0	0	0	0	19	3	2	0	24	0	0	0	0	21	0	21	0	0	0	0	0	0	0	0	0	45
13:45	0	1	0	0	1	0	0	13	3	0	0	16	0	0	0	0	31	0	31	0	0	0	0	0	0	0	0	0	48
Hourly Total	2	2	0	0	4	0	0	68	14	4	0	86	0	0	0	1	102	0	103	0	0	0	0	0	0	0	0	0	193



Site: Site 04

GPS: 51.656435, -3.856365

Date: 09-16-2025

TURNING MOVEMENT DATA

Leg	Coombe-Tennant Ave							Crymlyn Rd							Heol Crymlyn							Serecold Ave							
Direction	SouthBound							WestBound							NorthBound							EastBound							
Start Time	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Int Total
14:00	2	0	0	0	2	0	0	19	12	3	2	36	0	0	0	0	29	1	30	0	0	0	0	0	0	0	0	0	68
14:15	2	0	0	0	2	0	0	14	7	2	1	24	0	0	0	0	38	0	38	0	0	0	0	0	0	0	0	0	64
14:30	1	1	0	0	2	0	0	14	2	3	0	19	0	0	0	1	33	0	34	0	0	0	1	0	0	1	0	0	56
14:45	4	0	0	0	4	0	0	24	7	4	0	35	0	0	0	0	38	0	38	0	0	0	1	0	0	1	0	0	78
Hourly Total	9	1	0	0	10	0	0	71	28	12	3	114	0	0	0	1	138	1	140	0	0	0	2	0	0	2	0	0	266
15:00	4	1	0	0	5	0	0	30	17	4	2	53	0	0	0	1	43	0	44	0	0	0	2	0	0	2	0	0	104
15:15	2	0	0	0	2	0	0	28	17	5	0	50	0	0	0	1	43	0	44	0	0	0	0	0	0	0	0	0	96
15:30	3	0	0	0	3	0	0	43	22	3	0	68	0	0	1	1	25	0	27	0	0	0	1	0	0	1	0	0	99
15:45	0	0	1	0	1	0	0	40	17	2	0	59	0	0	1	0	45	0	46	0	0	0	1	0	0	1	0	0	107
Hourly Total	9	1	1	0	11	0	0	141	73	14	2	230	0	0	2	3	156	0	161	0	0	0	4	0	0	4	0	0	406
16:00	0	0	0	0	0	0	0	31	12	0	0	43	0	0	1	1	41	0	43	0	0	0	0	0	0	0	0	0	86
16:15	2	0	0	0	2	0	0	39	14	3	0	56	0	0	2	0	48	0	50	0	0	0	0	0	0	0	0	0	108
16:30	2	0	0	0	2	0	0	46	18	2	0	66	0	0	0	0	37	0	37	0	0	0	1	0	0	1	0	0	106
16:45	2	1	0	0	3	0	0	38	15	3	0	56	0	0	0	0	58	0	58	0	0	0	0	0	0	0	0	0	117
Hourly Total	6	1	0	0	7	0	0	154	59	8	0	221	0	0	3	1	184	0	188	0	0	0	1	0	0	1	0	0	417
17:00	1	0	0	0	1	0	0	45	15	5	0	65	0	0	0	1	58	0	59	0	0	0	1	0	0	1	0	0	126
17:15	1	0	0	0	1	0	0	52	19	2	0	73	0	0	0	1	57	0	58	0	0	0	0	0	0	0	0	0	132
17:30	2	0	0	0	2	0	0	40	13	1	0	54	0	0	0	1	68	0	69	0	0	0	2	0	0	2	0	0	127
17:45	3	1	1	0	5	0	0	30	9	4	0	43	0	0	0	2	66	0	68	0	0	0	0	0	0	0	0	0	116
Hourly Total	7	1	1	0	9	0	0	167	56	12	0	235	0	0	0	5	249	0	254	0	0	0	3	0	0	3	0	0	501
18:00	4	1	0	0	5	0	0	24	17	5	1	47	0	0	0	0	37	0	37	0	0	0	0	0	0	0	0	0	89
18:15	3	0	0	0	3	0	0	34	16	0	0	50	0	0	1	0	40	0	41	0	0	0	0	0	0	0	0	0	94
18:30	1	1	0	0	2	0	0	30	18	5	0	53	0	0	2	0	25	0	27	0	0	0	1	0	0	1	0	0	83
18:45	2	0	0	0	2	0	0	17	10	2	0	29	0	0	0	0	29	0	29	0	0	0	0	0	0	0	0	0	60
Hourly Total	10	2	0	0	12	0	0	105	61	12	1	179	0	0	3	0	131	0	134	0	0	0	1	0	0	1	0	0	326
19:00	0	0	0	0	0	0	0	18	13	1	3	35	0	0	0	0	21	0	21	0	0	0	0	0	0	0	0	0	56
19:15	1	0	0	0	1	0	0	20	14	2	0	36	0	0	1	0	27	0	28	0	0	0	0	0	0	0	0	0	65
19:30	0	0	0	0	0	0	0	15	8	2	0	25	0	0	0	0	24	0	24	0	0	0	0	0	0	0	0	0	49
19:45	2	1	0	0	3	0	0	16	9	3	1	29	0	0	0	0	14	0	14	0	0	0	0	0	0	0	0	0	46
Hourly Total	3	1	0	0	4	0	0	69	44	8	4	125	0	0	1	0	86	0	87	0	0	0	0	0	0	0	0	0	216
20:00	2	0	0	0	2	0	0	10	9	0	2	21	0	0	1	0	11	0	12	0	0	0	0	0	0	0	0	0	35
20:15	1	0	0	0	1	0	0	13	5	2	0	20	0	0	0	0	11	0	11	0	0	0	0	0	0	0	0	0	32
20:30	1	0	0	0	1	0	0	9	6	0	0	15	0	0	0	0	15	1	16	0	0	0	0	0	0	0	0	0	32
20:45	1	0	0	0	1	0	0	7	3	0	0	10	0	0	0	0	15	0	15	0	0	0	0	0	0	0	0	0	26
Hourly Total	5	0	0	0	5	0	0	39	23	2	2	66	0	0	1	0	52	1	54	0	0	0	0	0	0	0	0	0	125



Site: Site 04

GPS: 51.656435, -3.856365

Date: 09-16-2025

TURNING MOVEMENT DATA

Leg	Coombe-Tennant Ave								Crymlyn Rd								Heol Crymlyn								Serecold Ave								
Direction	SouthBound								WestBound								NorthBound								EastBound								
Start Time	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Int Total				
21:00	0	0	0	0	0	0	0	9	2	0	0	11	0	0	0	0	9	0	9	0	0	0	0	0	0	0	0	0	20				
21:15	0	0	0	0	0	0	0	7	5	1	0	13	0	0	0	1	8	0	9	0	0	0	0	0	0	0	0	0	22				
21:30	1	0	0	0	1	0	0	4	2	2	2	10	0	0	0	0	9	0	9	0	0	0	0	0	0	0	0	0	20				
21:45	1	0	0	0	1	0	0	4	0	0	0	4	0	0	0	0	7	0	7	0	0	0	0	0	0	0	0	0	12				
Hourly Total	2	0	0	0	2	0	0	24	9	3	2	38	0	0	0	1	33	0	34	0	0	0	0	0	0	0	0	0	74				
22:00	0	0	0	0	0	0	0	4	3	0	0	7	0	0	0	0	7	0	7	0	0	0	0	0	0	0	0	0	14				
22:15	0	0	0	0	0	0	0	6	3	1	0	10	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	12				
22:30	0	0	0	0	0	0	0	5	4	0	0	9	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	10				
22:45	0	0	0	0	0	0	0	0	2	0	1	3	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	4				
Hourly Total	0	0	0	0	0	0	0	15	12	1	1	29	0	0	0	0	11	0	11	0	0	0	0	0	0	0	0	0	40				
23:00	0	0	0	0	0	0	0	2	0	0	0	2	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	4				
23:15	0	0	0	0	0	0	0	2	1	0	0	3	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	5				
23:30	0	0	0	0	0	0	0	4	2	0	0	6	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	8				
23:45	0	0	0	0	0	0	0	2	1	0	0	3	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	4				
Hourly Total	0	0	0	0	0	0	0	10	4	0	0	14	0	0	0	0	6	0	6	0	0	0	1	0	0	1	0	0	21				
Grand Total	101	10	5	0	116	0	0	1443	506	104	21	2074	0	0	15	17	2046	2	2080	0	0	0	24	0	0	24	0	0	4294				
Approach %	87	8	4	0	100	0	0	69	24	5	1	99	0	0	0	0	98	0	99	0	0	0	100	0	0	100	0	0	400				
Total %	2	0	0	0	2	0	0	33	11	2	0	48	0	0	0	0	47	0	48	0	0	0	0	0	0	0	0	100					
Car	88	8	2	0	98	0	0	1295	467	95	19	1876	0	0	14	11	1852	2	1879	0	0	0	20	0	0	20	0	0	3873				
Car %	87	80	0	0	0	0	0	89	0	91	90	0	0	0	0	64	90	100	0	0	0	0	83	0	0	0	0	0	90				
LGV	13	2	3	0	18	0	0	114	36	8	2	160	0	0	1	5	163	0	169	0	0	0	2	0	0	2	0	0	349				
LGV %	12	20	0	0	0	0	0	7	0	7	9	0	0	0	0	29	7	0	0	0	0	0	8	0	0	0	0	0	8				
OGV1	0	0	0	0	0	0	0	12	1	1	0	14	0	0	0	0	8	0	8	0	0	0	0	0	0	0	0	0	22				
OGV1 %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
OGV2	0	0	0	0	0	0	0	2	0	0	0	2	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	4				
OGV2 %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
PSV	0	0	0	0	0	0	0	14	1	0	0	15	0	0	0	0	15	0	15	0	0	0	0	0	0	0	0	0	30				
PSV %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
MC	0	0	0	0	0	0	0	5	0	0	0	5	0	0	0	1	5	0	6	0	0	0	1	0	0	1	0	0	12				
MC %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	0	0	0	0	0	0	4	0	0	0	0	0					
PC	0	0	0	0	0	0	0	1	1	0	0	2	0	0	0	0	1	0	1	0	0	0	1	0	0	1	0	0	4				
PC %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	0	0	0	0	0					



Site: Site 04
GPS: 51.656435, -3.856365
Date: 09-16-2025

Turning Movement Data

Class
Car
LGV
OGV1
OGV2
PSV
MC
PC
Total


Out	In	Total
106	98	204
13	18	31
1	0	1
0	0	0
0	0	0
1	0	1
0	0	0
121	116	237



Right	Thru	Left	U-Turn
2	8	88	0
3	2	13	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
5	10	101	0

Out	In	Total
483	20	503
40	2	42
1	0	1
0	0	0
1	0	1
0	1	1
1	1	2
526	24	550

Right	Thru	Left	U-Turn
0	20	0	0
0	2	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	1	0	0
0	1	0	0
0	42	0	0



Right	Thru	Left	U-Turn
95	467	1295	19
8	36	114	2
1	1	12	0
0	0	2	0
0	1	14	0
0	0	5	0
104	506	1443	21

Out	In	Total
1979	1857	3836
180	158	338
8	14	22
2	2	4
15	15	30
6	5	11
2	2	4
2192	2053	4245

U-Turn	Left	Thru	Right
2	14	11	1852
0	1	5	163
0	0	0	8
0	0	0	2
0	0	0	15
0	0	1	5
0	0	0	1
2	15	17	2046

Out	In	Total
1305	1877	3182
116	169	285
12	8	20
2	2	4
14	15	29
5	6	11
1	1	2
1455	2078	3533



SUMMARY	
Project	Skewen Neath
Project Code	SS2006
Site Name	Site 04
Legs and Movements	All Processed Legs & Movements
Count Interval	15
Start Time	00:00
End Time	23:45
Location	Site 04
Latitude and Longitude	(51.656435, -3.856365)

	START	END	PHF
AM PEAK			
PM PEAK			
Mid-Day PEAK			
Forced Peak AM			
Forced Peak PM			





Site: Site 04

GPS: 51.656435, -3.856365

Date: 09-17-2025

TURNING MOVEMENT DATA

Leg	Coombe-Tennant Ave							Crymlyn Rd							Heol Crymlyn							Serecold Ave							
Direction	SouthBound							WestBound							NorthBound							EastBound							
Start Time	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Int Total
00:00	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	2
00:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	2	0	0	0	0	0	0	0	0	0	2
00:30	0	0	0	0	0	0	0	2	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
00:45	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	2
Hourly Total	0	0	0	0	0	0	0	4	0	0	0	4	0	0	0	1	3	0	4	0	0	0	0	0	0	0	0	0	8
01:00	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
01:15	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
01:30	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	2
01:45	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Hourly Total	0	0	0	0	0	0	0	2	2	0	0	4	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	5
02:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1
02:15	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
02:30	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
02:45	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	2
Hourly Total	0	0	0	0	0	0	0	1	2	0	0	3	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	5
03:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	2
03:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1
Hourly Total	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	3	0	0	0	0	0	0	0	0	0	3
04:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1
04:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
04:30	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
04:45	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	2
Hourly Total	0	0	0	0	0	0	0	2	0	0	0	2	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	4
05:00	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	3	0	3	0	0	0	0	0	0	0	0	0	4
05:15	0	0	0	0	0	0	0	2	0	0	0	2	0	0	0	0	10	0	10	0	0	0	0	0	0	0	0	0	12
05:30	1	0	0	0	1	0	0	1	1	0	0	2	0	0	0	0	7	0	7	0	0	0	1	0	0	0	0	0	11
05:45	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	12	0	12	0	0	0	0	0	0	0	0	0	13
Hourly Total	1	0	0	0	1	0	0	4	2	0	0	6	0	0	0	0	32	0	32	0	0	0	1	0	0	0	0	0	40
06:00	3	0	0	0	3	0	0	1	1	0	0	2	0	0	0	1	13	0	14	0	0	0	0	0	0	0	0	0	19
06:15	3	0	0	0	3	0	0	1	2	0	0	3	0	0	0	0	16	0	16	0	0	0	0	0	0	0	0	0	22
06:30	1	0	0	0	1	0	0	4	1	0	1	6	0	0	0	0	10	0	10	0	0	0	0	0	0	0	0	0	17
06:45	0	1	0	0	1	0	0	8	2	2	1	13	0	0	0	0	18	0	18	0	0	0	0	0	0	0	0	0	32
Hourly Total	7	1	0	0	8	0	0	14	6	2	2	24	0	0	0	1	57	0	58	0	0	0	0	0	0	0	0	0	90



Site: Site 04

GPS: 51.656435, -3.856365

Date: 09-17-2025

TURNING MOVEMENT DATA

Leg	Coombe-Tennant Ave								Crymlyn Rd								Heol Crymlyn								Serecold Ave							
Direction	SouthBound								WestBound								NorthBound								EastBound							
Start Time	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Int Total			
07:00	0	0	0	0	0	0	0	9	4	0	0	13	0	0	0	0	32	0	32	0	0	0	0	0	0	0	0	0	45			
07:15	1	0	0	0	1	0	0	8	3	0	0	11	0	0	0	0	31	0	31	0	0	0	0	0	0	0	0	43				
07:30	0	0	0	0	0	0	0	26	4	0	0	30	0	0	0	0	38	0	38	0	0	0	0	0	0	0	0	68				
07:45	0	0	0	0	0	0	0	26	3	0	0	29	0	0	0	0	77	0	77	0	0	0	0	0	0	0	0	106				
Hourly Total	1	0	0	0	1	0	0	69	14	0	0	83	0	0	0	0	178	0	178	0	0	0	0	0	0	0	0	262				
08:00	4	0	0	0	4	0	0	39	4	0	0	43	0	0	0	0	74	0	74	0	0	0	0	1	0	0	1	122				
08:15	4	0	0	0	4	0	0	39	9	0	0	48	0	0	0	0	76	0	76	0	0	0	0	1	0	0	1	129				
08:30	3	0	0	0	3	0	0	32	0	0	0	32	0	0	0	0	43	0	43	0	0	0	0	1	0	0	1	79				
08:45	1	0	0	0	1	0	0	31	12	1	0	44	0	0	0	0	38	0	38	0	0	0	0	0	0	0	0	83				
Hourly Total	12	0	0	0	12	0	0	141	25	1	0	167	0	0	0	0	231	0	231	0	0	0	0	3	0	0	3	413				
09:00	1	0	0	0	1	0	0	27	5	1	1	34	0	0	0	0	28	0	28	0	0	0	0	1	0	0	1	64				
09:15	0	0	1	0	1	0	0	16	2	3	0	21	0	0	0	0	26	0	26	0	0	0	0	0	0	0	0	48				
09:30	0	0	0	0	0	0	0	15	5	0	1	21	0	0	0	0	20	0	20	0	0	0	0	0	0	0	0	41				
09:45	1	0	0	0	1	0	0	15	4	1	0	20	0	0	0	0	17	0	17	0	0	0	2	0	0	2	40					
Hourly Total	2	0	1	0	3	0	0	73	16	5	2	96	0	0	0	0	91	0	91	0	0	0	0	3	0	0	3	193				
10:00	1	0	0	0	1	0	0	21	5	0	0	26	0	0	0	0	1	22	0	23	0	0	0	0	0	0	0	50				
10:15	1	0	0	0	1	0	0	13	4	0	0	17	0	0	0	0	16	0	16	0	0	0	0	0	0	0	0	34				
10:30	0	1	1	0	2	0	0	16	2	1	0	19	0	0	0	0	24	0	24	0	0	0	0	0	0	0	0	45				
10:45	0	0	0	0	0	0	0	22	6	0	0	28	0	0	0	0	22	0	22	0	0	0	0	0	0	0	0	50				
Hourly Total	2	1	1	0	4	0	0	72	17	1	0	90	0	0	0	0	1	84	0	85	0	0	0	0	0	0	0	179				
11:00	1	0	1	0	2	0	0	17	6	1	1	25	0	0	0	0	17	0	17	0	0	0	0	1	0	0	1	45				
11:15	0	0	0	0	0	0	0	22	2	0	2	26	0	0	0	0	28	0	28	0	0	0	0	0	0	0	0	54				
11:30	0	0	0	0	0	0	0	22	4	1	0	27	0	0	0	0	31	0	31	0	0	0	0	0	0	0	0	58				
11:45	1	0	1	0	2	0	0	15	4	2	1	22	0	0	0	0	24	0	24	0	0	0	0	0	0	0	0	48				
Hourly Total	2	0	2	0	4	0	0	76	16	4	4	100	0	0	0	0	100	0	100	0	0	0	0	1	0	0	1	205				
12:00	2	1	0	0	3	0	0	20	7	0	0	27	0	0	1	0	31	0	32	0	0	0	0	0	0	0	0	62				
12:15	1	0	1	0	2	0	0	20	7	1	0	28	0	0	0	0	25	0	25	0	0	0	0	0	0	0	0	55				
12:30	0	0	0	0	0	0	0	24	6	0	0	30	0	0	0	0	24	0	24	0	0	0	0	0	0	0	0	54				
12:45	0	0	0	0	0	0	0	11	4	0	0	15	0	0	0	0	24	0	24	0	0	0	0	0	0	0	0	39				
Hourly Total	3	1	1	0	5	0	0	75	24	1	0	100	0	0	1	0	104	0	105	0	0	0	0	0	0	0	0	210				
13:00	1	0	0	0	1	0	0	16	5	1	0	22	0	0	0	0	25	0	25	0	0	0	0	1	0	0	1	49				
13:15	1	0	0	0	1	0	0	20	5	1	0	26	0	0	1	0	22	0	23	0	0	0	0	1	0	0	1	51				
13:30	3	0	1	0	4	0	0	19	7	4	0	30	0	0	0	0	25	0	25	0	0	0	0	0	0	0	0	59				
13:45	1	0	0	0	1	0	0	20	4	2	0	26	0	0	0	0	30	0	30	0	0	0	0	1	0	0	1	58				
Hourly Total	6	0	1	0	7	0	0	75	21	8	0	104	0	0	1	0	102	0	103	0	0	0	0	3	0	0	3	217				



Site: Site 04

GPS: 51.656435, -3.856365

Date: 09-17-2025

TURNING MOVEMENT DATA

Leg	Coombe-Tennant Ave							Crymlyn Rd							Heol Crymlyn							Serecold Ave							
Direction	SouthBound							WestBound							NorthBound							EastBound							
Start Time	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Int Total
14:00	1	0	0	0	1	0	0	16	1	1	1	19	0	0	0	1	24	0	25	0	0	0	1	0	0	1	0	0	46
14:15	0	0	0	0	0	0	0	11	1	2	0	14	0	0	0	0	28	0	28	0	0	0	0	0	0	0	0	0	42
14:30	1	0	0	0	1	0	0	11	2	0	0	13	0	0	0	0	36	0	36	0	0	0	0	0	0	0	0	0	50
14:45	1	0	0	0	1	0	0	19	3	1	1	24	0	0	0	0	38	0	38	0	0	0	1	0	0	1	0	0	64
Hourly Total	3	0	0	0	3	0	0	57	7	4	2	70	0	0	0	1	126	0	127	0	0	0	2	0	0	2	0	0	202
15:00	3	0	0	0	3	0	0	29	16	0	1	46	0	0	0	0	32	0	32	0	0	0	1	0	0	1	0	0	82
15:15	1	0	1	0	2	0	0	39	21	4	1	65	0	0	0	0	42	0	42	0	0	0	0	1	0	1	0	0	110
15:30	1	0	0	0	1	0	0	40	19	2	0	61	0	0	1	1	28	0	30	0	0	0	0	0	0	0	0	0	92
15:45	1	0	0	0	1	0	0	35	20	2	0	57	0	0	0	0	43	0	43	0	0	0	1	0	0	1	0	0	102
Hourly Total	6	0	1	0	7	0	0	143	76	8	2	229	0	0	1	1	145	0	147	0	0	0	2	1	0	3	0	0	386
16:00	2	0	0	0	2	0	0	39	20	3	1	63	0	0	0	0	30	0	30	0	0	0	1	0	0	1	0	0	96
16:15	2	0	0	0	2	0	0	29	7	0	1	37	0	0	0	0	43	0	43	0	0	0	0	0	0	0	0	0	82
16:30	0	0	0	0	0	0	0	41	13	3	0	57	0	0	0	0	46	0	46	0	0	0	1	0	0	1	0	0	104
16:45	0	0	0	0	0	0	0	32	15	3	0	50	0	0	0	0	55	0	55	0	0	0	1	0	0	1	0	0	106
Hourly Total	4	0	0	0	4	0	0	141	55	9	2	207	0	0	0	0	174	0	174	0	0	0	3	0	0	3	0	0	388
17:00	0	0	0	0	0	0	0	46	20	1	0	67	0	0	0	1	41	0	42	0	0	0	0	0	0	0	0	0	109
17:15	2	0	0	0	2	0	0	55	20	1	0	76	0	0	0	0	42	0	42	0	0	0	0	0	0	0	0	0	120
17:30	1	0	0	0	1	0	0	37	17	1	0	55	0	0	0	0	44	0	44	0	0	0	0	0	0	0	0	0	100
17:45	2	0	0	0	2	0	0	38	17	4	0	59	0	0	0	0	36	0	36	0	0	0	0	0	0	0	0	0	97
Hourly Total	5	0	0	0	5	0	0	176	74	7	0	257	0	0	0	1	163	0	164	0	0	0	0	0	0	0	0	0	426
18:00	0	0	0	0	0	0	0	36	16	1	0	53	0	0	2	0	36	0	38	0	0	0	0	0	0	0	0	0	91
18:15	1	0	0	0	1	0	0	37	17	2	0	56	0	0	0	0	37	0	37	0	0	0	1	0	0	1	0	0	95
18:30	1	1	0	0	2	0	0	33	9	0	0	42	0	0	0	1	30	0	31	0	0	0	0	0	0	0	0	0	75
18:45	0	0	0	0	0	0	0	33	7	2	0	42	0	0	0	0	26	0	26	0	0	0	0	0	0	0	0	0	68
Hourly Total	2	1	0	0	3	0	0	139	49	5	0	193	0	0	2	1	129	0	132	0	0	0	1	0	0	1	0	0	329
19:00	2	0	0	0	2	0	0	26	7	1	0	34	0	0	1	0	26	0	27	0	0	0	1	0	0	1	0	0	64
19:15	2	0	0	0	2	0	0	28	10	1	0	39	0	0	0	0	17	0	17	0	0	0	0	0	0	0	0	0	58
19:30	0	0	0	0	0	0	0	20	10	1	0	31	0	0	0	1	20	0	21	0	0	0	0	0	0	0	0	0	52
19:45	0	0	0	0	0	0	0	14	10	0	0	24	0	0	0	0	19	0	19	0	0	1	0	0	1	0	0	44	
Hourly Total	4	0	0	0	4	0	0	88	37	3	0	128	0	0	1	1	82	0	84	0	0	1	1	0	0	2	0	0	218
20:00	1	0	0	0	1	0	0	5	6	0	0	11	0	0	0	0	11	1	12	0	0	0	0	0	0	0	0	0	24
20:15	1	0	0	0	1	0	0	12	6	0	0	18	0	0	0	0	6	0	6	0	0	0	1	0	0	1	0	0	26
20:30	0	0	0	0	0	0	0	14	8	0	0	22	0	0	0	0	8	0	8	0	0	0	0	0	0	0	0	0	30
20:45	1	0	0	0	1	0	0	7	6	0	0	13	0	0	0	0	13	0	13	0	0	0	0	0	0	0	0	0	27
Hourly Total	3	0	0	0	3	0	0	38	26	0	0	64	0	0	0	0	38	1	39	0	0	0	1	0	0	1	0	0	107



Site: Site 04

GPS: 51.656435, -3.856365

Date: 09-17-2025

TURNING MOVEMENT DATA

Leg	Coombe-Tennant Ave							Crymlyn Rd							Heol Crymlyn							Serecold Ave							
Direction	SouthBound							WestBound							NorthBound							EastBound							
Start Time	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Left	Thru	Right	U-Turn	App Total	Peds CW	Peds CCW	Int Total
21:00	0	0	0	0	0	0	0	2	3	0	0	5	0	0	0	0	7	0	7	0	0	0	0	0	0	0	0	0	12
21:15	0	1	0	0	1	0	0	7	9	0	0	16	0	0	1	0	4	0	5	0	0	0	0	0	0	0	0	0	22
21:30	0	0	0	0	0	0	0	6	5	2	0	13	0	0	0	0	4	0	4	0	0	0	0	0	0	0	0	0	17
21:45	0	0	0	0	0	0	0	5	0	0	0	5	0	0	0	0	5	0	5	0	0	0	0	0	0	0	0	0	10
Hourly Total	0	1	0	0	1	0	0	20	17	2	0	39	0	0	1	0	20	0	21	0	0	0	0	0	0	0	0	0	61
22:00	0	0	0	0	0	0	0	7	3	1	0	11	0	0	0	0	7	0	7	0	0	0	0	0	0	0	0	0	18
22:15	0	0	0	0	0	0	0	6	1	0	0	7	0	0	0	0	17	0	17	0	0	0	0	0	0	0	0	0	24
22:30	0	0	0	0	0	0	0	10	4	1	0	15	0	0	0	0	23	0	23	0	0	0	0	0	0	0	0	0	38
22:45	0	0	0	0	0	0	0	4	2	1	0	7	0	0	0	0	8	0	8	0	0	0	0	0	0	0	0	0	15
Hourly Total	0	0	0	0	0	0	0	27	10	3	0	40	0	0	0	0	55	0	55	0	0	0	0	0	0	0	0	0	95
23:00	0	0	0	0	0	0	0	5	1	1	0	7	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	9
23:15	0	1	0	0	1	0	0	2	1	1	0	4	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	6
23:30	0	0	0	0	0	0	0	2	1	0	0	3	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	5
23:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hourly Total	0	1	0	0	1	0	0	9	3	2	0	14	0	0	0	0	5	0	5	0	0	0	0	0	0	0	0	0	20
Grand Total	63	6	7	0	76	0	0	1446	499	65	14	2024	0	0	7	8	1927	1	1943	0	0	1	21	1	0	23	0	0	4066
Approach %	82	7	9	0	100	0	0	71	24	3	0	100	0	0	0	0	99	0	100	0	0	4	91	4	0	99	0	0	400
Total %	1	0	0	0	1	0	0	35	12	1	0	49	0	0	0	0	47	0	47	0	0	0	0	0	0	0	0	0	100
Car	60	5	1	0	66	0	0	1325	461	59	14	1859	0	0	7	7	1776	1	1791	0	0	1	19	0	0	20	0	0	3736
Car %	95	83	0	0	0	0	0	91	0	90	100	0	0	0	0	87	92	100	0	0	0	100	90	0	0	0	0	0	91
LGV	3	1	6	0	10	0	0	105	33	6	0	144	0	0	0	1	140	0	141	0	0	0	1	1	0	2	0	0	297
LGV %	4	16	0	0	0	0	0	7	0	9	0	0	0	0	0	12	7	0	0	0	0	0	4	100	0	0	0	0	7
OGV1	0	0	0	0	0	0	0	6	2	0	0	8	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	10
OGV1 %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OGV2	0	0	0	0	0	0	0	2	0	0	0	2	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	4
OGV2 %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSV	0	0	0	0	0	0	0	6	2	0	0	8	0	0	0	0	5	0	5	0	0	0	0	0	0	0	0	0	13
PSV %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MC	0	0	0	0	0	0	0	2	0	0	0	2	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	4
MC %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PC	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	2
PC %	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	0	0	0	0	0	0




Site: Site 04

GPS: 51.656435, -3.856365

Date: 09-17-2025

Turning Movement Data

Out	In	Total
67	66	133
7	10	17
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
74	76	150



Class
Car
LGV
OGV1
OGV2
PSV
MC
PC
Total

Right	Thru	Left	U-Turn
1	5	60	0
6	1	3	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
7	6	63	0

Out	In	Total
469	20	489
39	2	41
2	0	2
0	0	0
2	0	2
0	0	0
1	1	2
513	23	536

Right	Thru	Left	U-Turn
0	19	1	0
1	1	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	1	0	0
1	21	1	0

12:00 AM - 11:59 PM


Right	Inru	Left	U-turn
59	461	1325	14
6	33	105	0
0	2	6	0
0	0	2	0
0	2	6	0
0	0	2	0
0	1	0	0
65	499	1446	14

Out	In	Total
1869	1845	3714
144	144	288
2	8	10
2	2	4
5	8	13
2	2	4
1	1	2
2025	2010	4035


U-Turn	Left	Thru	Right
1	7	7	1776
0	0	1	140
0	0	0	2
0	0	0	2
0	0	0	5
0	0	0	2
0	0	0	0
1	7	8	1927


Out	In	Total
1331	1790	3121
107	141	248
6	2	8
2	2	4
6	5	11
2	2	4
0	0	0
1454	1942	3396

Appendix 3 Access Arrangements





A	First Issue	28-01-25
acstro Unit 19, Yr Hen Farchnad, Carmarthen Street, Llandeilo SA19 6BJ E-mail: mail@acstro.com www.acstro.com Tel: 01558 824021		
Project	CRYMLYN PARK	
Drawing	JUNCTION & FORWARD VISIBILITY & PEDESTRIAN CROSSING POINTS	
Drawing No.	1465-ACS-XX-ZZ-DR-T-101-A	
Scale	1:500 @ A1	






Phoenix 2 One-Pass (with Elite 6x4 chassis)
Overall Length 11.180m
Overall Width 2.550m
Overall Body Height 3.760m
Min Body Ground Clearance 0.312m
Track Width 2.550m
Lock to lock time 4.08s
Kerb to Kerb Turning Radius 10.150m

A	First Issue	28-01-25
 Unit 19, Yr Hen Farchnod, Carmarthen Street, Llandoello SA19 6BJ E-mail: mail@acstro.com www.acstro.com Tel: 01558 824021		
Project	CRYMLYN PARK	
Drawing	REFUSE VEHICLE TRACKING 1 OF 2	
Drawing No.	1465-ACS-XX-ZZ-DR-T-102-A	
Scale	1:500 @ A1	



Phoenix 2 One-Pass (with Elite 6x4 chassis)
Overall Length 11.180m
Overall Width 4.815m
Overall Body Height 3.760m
Min Body Ground Clearance 0.312m
Track Width 2.550m
Lock to lock time 4.035s
Kerb to Kerb Turning Radius 10.150m

A	First Issue	28-01-25
 Unit 19, Yr Hen Farchnod, Carmarthen Street, Llandoello SA19 6BJ E-mail: mail@acstro.com www.acstro.com Tel: 01558 824021		
Project CRYMLYN PARK		
Drawing REFUSE VEHICLE TRACKING 2 OF 2		
Drawing No. 1465-ACS-XX-ZZ-DR-T-103-A		
Scale 1:500 @ A1		



Appendix 4 TRICS Trip Rate Data

Calculation Reference: AUDIT-648801-240913-0934

TRIP RATE CALCULATION SELECTION PARAMETERS:

Land Use : 03 - RESIDENTIAL
Category : B - AFFORDABLE/LOCAL AUTHORITY HOUSES
TOTAL VEHICLES

Selected regions and areas:

03	SOUTH WEST	
	WL WILTSHIRE	1 days
06	WEST MIDLANDS	
	WM WEST MIDLANDS	1 days
07	YORKSHIRE & NORTH LINCOLNSHIRE	
	KS KIRKLEES	1 days
08	NORTH WEST	
	AC CHESHIRE WEST & CHESTER	1 days
09	NORTH	
	NB NORTHUMBERLAND	1 days
11	SCOTLAND	
	DU DUNDEE CITY	1 days

This section displays the number of survey days per TRICS® sub-region in the selected set

Primary Filtering selection:

This data displays the chosen trip rate parameter and its selected range. Only sites that fall within the parameter range are included in the trip rate calculation.

Parameter: No of Dwellings
 Actual Range: 54 to 97 (units:)
 Range Selected by User: 50 to 516 (units:)

Parking Spaces Range: All Surveys Included

Parking Spaces per Dwelling Range: All Surveys Included

Bedrooms per Dwelling Range: All Surveys Included

Percentage of dwellings privately owned: All Surveys Included

Public Transport Provision:

Selection by: Include all surveys

Date Range: 01/01/10 to 13/05/22

This data displays the range of survey dates selected. Only surveys that were conducted within this date range are included in the trip rate calculation.

Selected survey days:

Monday 3 days
 Tuesday 2 days
 Friday 1 days

This data displays the number of selected surveys by day of the week.

Selected survey types:

Manual count 6 days
 Directional ATC Count 0 days

This data displays the number of manual classified surveys and the number of unclassified ATC surveys, the total adding up to the overall number of surveys in the selected set. Manual surveys are undertaken using staff, whilst ATC surveys are undertaken using machines.

Selected Locations:

Suburban Area (PPS6 Out of Centre) 2
 Edge of Town 4

This data displays the number of surveys per main location category within the selected set. The main location categories consist of Free Standing, Edge of Town, Suburban Area, Neighbourhood Centre, Edge of Town Centre, Town Centre and Not Known.

Selected Location Sub Categories:

Residential Zone 6

This data displays the number of surveys per location sub-category within the selected set. The location sub-categories consist of Commercial Zone, Industrial Zone, Development Zone, Residential Zone, Retail Zone, Built-Up Zone, Village, Out of Town, High Street and No Sub Category.

Inclusion of Servicing Vehicles Counts:

Servicing vehicles Included X days - Selected
 Servicing vehicles Excluded 6 days - Selected

Secondary Filtering selection:Use Class:

C3 6 days

This data displays the number of surveys per Use Class classification within the selected set. The Use Classes Order (England) 2020 has been used for this purpose, which can be found within the Library module of TRICS®.

Population within 500m Range:

All Surveys Included

Secondary Filtering selection (Cont.):Population within 1 mile:

5,001 to 10,000	2 days
10,001 to 15,000	1 days
15,001 to 20,000	3 days

This data displays the number of selected surveys within stated 1-mile radii of population.

Population within 5 miles:

25,001 to 50,000	1 days
75,001 to 100,000	1 days
125,001 to 250,000	3 days
250,001 to 500,000	1 days

This data displays the number of selected surveys within stated 5-mile radii of population.

Car ownership within 5 miles:

0.6 to 1.0	4 days
1.1 to 1.5	2 days

This data displays the number of selected surveys within stated ranges of average cars owned per residential dwelling, within a radius of 5-miles of selected survey sites.

Travel Plan:

No	6 days
----	--------

This data displays the number of surveys within the selected set that were undertaken at sites with Travel Plans in place, and the number of surveys that were undertaken at sites without Travel Plans.

PTAL Rating:

No PTAL Present	6 days
-----------------	--------

This data displays the number of selected surveys with PTAL Ratings.

LIST OF SITES relevant to selection parameters

1	AC-03-B-01	HOUSES & FLATS	CHESHIRE WEST & CHESTER
	WORDSWORTH CRES.		
	CHESTER		
	BLACON		
	Edge of Town		
	Residential Zone		
	Total No of Dwellings:	80	
	Survey date: MONDAY	17/11/14	Survey Type: MANUAL
2	DU-03-B-01	TERRACED BUNGALOWS	DUNDEE CITY
	307-441 BALUNIE DRIVE		
	DUNDEE		
	DOUGLAS & ANGUS		
	Suburban Area (PPS6 Out of Centre)		
	Residential Zone		
	Total No of Dwellings:	68	
	Survey date: FRIDAY	21/04/17	Survey Type: MANUAL
3	KS-03-B-01	MIXED HOUSES	KIRKLEES
	WHITEACRE STREET		
	HUDDERSFIELD		
	DEIGHTON		
	Edge of Town		
	Residential Zone		
	Total No of Dwellings:	54	
	Survey date: TUESDAY	17/09/13	Survey Type: MANUAL
4	NB-03-B-01	SEMI DET. & TERRACED	NORTHUMBERLAND
	WESTLEA		
	BEDLINGTON		
	Edge of Town		
	Residential Zone		
	Total No of Dwellings:	97	
	Survey date: MONDAY	19/11/12	Survey Type: MANUAL
5	WL-03-B-01	TERRACED HOUSES	WILTSHIRE
	BUTTERFIELD DRIVE		
	AMESBURY		
	Suburban Area (PPS6 Out of Centre)		
	Residential Zone		
	Total No of Dwellings:	54	
	Survey date: TUESDAY	18/09/18	Survey Type: MANUAL
6	WM-03-B-01	SEMI DET./TERRACED	WEST MIDLANDS
	YORKMINSTER DRIVE		
	BIRMINGHAM		
	CHELMSLEY WOOD		
	Edge of Town		
	Residential Zone		
	Total No of Dwellings:	97	
	Survey date: MONDAY	17/10/11	Survey Type: MANUAL

This section provides a list of all survey sites and days in the selected set. For each individual survey site, it displays a unique site reference code and site address, the selected trip rate calculation parameter and its value, the day of the week and date of each survey, and whether the survey was a manual classified count or an ATC count.

TRIP RATE for Land Use 03 - RESIDENTIAL/B - AFFORDABLE/LOCAL AUTHORITY HOUSES

TOTAL VEHICLES**Calculation factor: 1 DWELLS****BOLD print indicates peak (busiest) period**

Time Range	ARRIVALS			DEPARTURES			TOTALS		
	No. Days	Ave. DWELLS	Trip Rate	No. Days	Ave. DWELLS	Trip Rate	No. Days	Ave. DWELLS	Trip Rate
00:00 - 01:00									
01:00 - 02:00									
02:00 - 03:00									
03:00 - 04:00									
04:00 - 05:00									
05:00 - 06:00									
06:00 - 07:00									
07:00 - 08:00	6	75	0.080	6	75	0.193	6	75	0.273
08:00 - 09:00	6	75	0.164	6	75	0.284	6	75	0.448
09:00 - 10:00	6	75	0.156	6	75	0.236	6	75	0.392
10:00 - 11:00	6	75	0.160	6	75	0.184	6	75	0.344
11:00 - 12:00	6	75	0.156	6	75	0.160	6	75	0.316
12:00 - 13:00	6	75	0.187	6	75	0.138	6	75	0.325
13:00 - 14:00	6	75	0.167	6	75	0.149	6	75	0.316
14:00 - 15:00	6	75	0.202	6	75	0.204	6	75	0.406
15:00 - 16:00	6	75	0.213	6	75	0.164	6	75	0.377
16:00 - 17:00	6	75	0.278	6	75	0.133	6	75	0.411
17:00 - 18:00	6	75	0.284	6	75	0.216	6	75	0.500
18:00 - 19:00	6	75	0.182	6	75	0.164	6	75	0.346
19:00 - 20:00									
20:00 - 21:00									
21:00 - 22:00									
22:00 - 23:00									
23:00 - 24:00									
Total Rates:			2.229			2.225			4.454

This section displays the trip rate results based on the selected set of surveys and the selected count type (shown just above the table). It is split by three main columns, representing arrivals trips, departures trips, and total trips (arrivals plus departures). Within each of these main columns are three sub-columns. These display the number of survey days where count data is included (per time period), the average value of the selected trip rate calculation parameter (per time period), and the trip rate result (per time period). Total trip rates (the sum of the column) are also displayed at the foot of the table.

To obtain a trip rate, the average (mean) trip rate parameter value (TRP) is first calculated for all selected survey days that have count data available for the stated time period. The average (mean) number of arrivals, departures or totals (whichever applies) is also calculated (COUNT) for all selected survey days that have count data available for the stated time period. Then, the average count is divided by the average trip rate parameter value, and multiplied by the stated calculation factor (shown just above the table and abbreviated here as FACT). So, the method is: $COUNT/TRP*FACT$. Trip rates are then rounded to 3 decimal places.

The survey data, graphs and all associated supporting information, contained within the TRICS Database are published by TRICS Consortium Limited ("the Company") and the Company claims copyright and database rights in this published work. The Company authorises those who possess a current TRICS licence to access the TRICS Database and copy the data contained within the TRICS Database for the licence holders' use only. Any resulting copy must retain all copyrights and other proprietary notices, and any disclaimer contained thereon.

The Company accepts no responsibility for loss which may arise from reliance on data contained in the TRICS Database. [No warranty of any kind, express or implied, is made as to the data contained in the TRICS Database.]

Parameter summary

Trip rate parameter range selected:	54 - 97 (units:)
Survey date range:	01/01/10 - 13/05/22
Number of weekdays (Monday-Friday):	6
Number of Saturdays:	0
Number of Sundays:	0
Surveys automatically removed from selection:	0
Surveys manually removed from selection:	0

This section displays a quick summary of some of the data filtering selections made by the TRICS® user. The trip rate calculation parameter range of all selected surveys is displayed first, followed by the range of minimum and maximum survey dates selected by the user. Then, the total number of selected weekdays and weekend days in the selected set of surveys are shown. Finally, the number of survey days that have been manually removed from the selected set outside of the standard filtering procedure are displayed.

Appendix 5 Junction Capacity Assessment

Junctions 11																		
PICADY 11 - Priority Intersection Module																		
Version: 11.0.0.2177																		
© Copyright TRL Software Limited, 2024																		
For sales and distribution information, program advice and maintenance, contact TRL Software:																		
+44 (0)1344 379777 software@trl.co.uk trlsoftware.com																		
The users of this computer program for the solution of an engineering problem are in no way relieved of their responsibility for the correctness of the solution																		

Filename: Import of Crymlyn Gardens.j11

Path: C:\Users\AlunRees\OneDrive - Acstro Limited\Shared with Everyone\ACSTRO Jobs\1465 Crymlyn Park\2024 Application\Junction Analysis

Report generation date: 09/10/2025 17:22:59

- »Existing Layout - 2025 | Existing | AM
- »Existing Layout - 2025 | Existing | PM
- »Existing Layout - 2035 | Baseline | AM
- »Existing Layout - 2035 | Baseline | PM
- »Existing Layout - 2035 | + Development | AM
- »Existing Layout - 2035 | + Development | PM

Summary of junction performance

	AM									PM								
	Set ID	Queue (Veh)	95% Queue (Veh)	Delay (s)	RFC	LOS	Junction Delay (s)	Junction LOS	Network Residual Capacity	Set ID	Queue (Veh)	95% Queue (Veh)	Delay (s)	RFC	LOS	Junction Delay (s)	Junction LOS	Network Residual Capacity
	Existing Layout - 2025 - Existing																	
Stream B-AC	D1	0.1	0.5	8.84	0.10	A	1.68	A	399 %	D2	0.1	0.5	8.28	0.06	A	1.07	A	410
Stream C-AB		0.0	0.5	6.78	0.01	A			[Stream B-AC]		0.0	0.5	7.30	0.03	A			[Stream B-AC]
	Existing Layout - 2035 - + Development																	
Stream B-AC	D5	0.2	0.5	9.08	0.15	A	2.35	A	271 %	D6	0.1	0.5	8.98	0.10	A	1.53	A	246
Stream C-AB		0.0	0.5	6.90	0.03	A			[Stream B-AC]		0.1	0.5	7.65	0.06	A			[Stream B-AC]
	Existing Layout - 2035 - Baseline																	
Stream B-AC	D3	0.1	0.5	9.01	0.11	A	1.71	A	352 %	D4	0.1	0.5	8.44	0.06	A	1.08	A	362
Stream C-AB		0.0	0.5	6.80	0.01	A			[Stream B-AC]		0.0	0.5	7.38	0.03	A			[Stream B-AC]

There are warnings associated with one or more model runs - see the 'Data Errors and Warnings' tables for each Analysis or Demand Set.

Values shown are the highest values encountered over all time segments. Delay is the maximum value of average delay per arriving vehicle. Junction LOS and Junction Delay are demand-weighted averages. Network Residual Capacity indicates the amount by which network flow could be increased before a user-definable threshold (see Analysis Options) is met.

File summary

File Description

Title	Crymlyn Gardens Junction
Location	
Site number	
Date	29/06/2021
Version	
Status	
Identifier	
Client	
Jobnumber	
Enumerator	Administrator [ALUNREES41AF]
Description	

Units

Distance units	Speed units	Traffic units input	Traffic units results	Flow units	Average delay units	Total delay units	Rate of delay units
m	kph	Veh	Veh	perMin	s	-Min	perMin

Analysis Options

Vehicle length (m)	Calculate Queue Percentiles	Calculate detailed queueing delay	Show lane queues in feet / metres	Show all PICADY stream intercepts	Calculate residual capacity	Residual capacity criteria type	RFC Threshold	Average Delay threshold (s)	Queue threshold (PCU)	Use simulation for HCM roundabouts	Use iterations for HCM roundabouts
5.75	✓				✓	Delay	0.85	36.00	20.00		

Demand Set Summary

ID	Year	Scenario	Time period	Description	Traffic profile type	Start time (HH:mm)	Finish time (HH:mm)	Time segment length (min)	Results for central hour only	Run automatically
D1	2025	Existing	AM	2024 Existing AM	ONE HOUR	07:45	09:15	15	✓	✓
D2	2025	Existing	PM	2024 Existing PM	ONE HOUR	16:45	18:15	15	✓	✓
D3	2035	Baseline	AM	2035 Baseline AM	ONE HOUR	07:45	09:15	15	✓	✓
D4	2035	Baseline	PM	2035 Baseline PM	ONE HOUR	16:45	18:15	15	✓	✓
D5	2035	+ Development	AM	2035 Baseline + Development AM	ONE HOUR	07:45	09:15	15	✓	✓
D6	2035	+ Development	PM	2035 Baseline + Development PM	ONE HOUR	16:45	18:15	15	✓	✓

Analysis Set Details

ID	Name	Include in report	Network flow scaling factor (%)	Network capacity scaling factor (%)
A1	Existing Layout	✓	100.000	100.000

Existing Layout - 2025 | Existing | AM

Data Errors and Warnings

Severity	Area	Item	Description
Warning	Demand Sets	D1 - 2025 Existing AM	Time results are shown for central hour only. (Model is run for a 90 minute period.)
Warning	Queue variations	Analysis Options	Queue percentiles may be unreliable if the mean queue in any time segment is very low or very high.

Junction Network

Junctions

Junction	Name	Junction type	Arm A Direction	Arm B Direction	Arm C Direction	Use circulating lanes	Junction Delay (s)	Junction LOS
1	untitled	T-Junction	Two-way	Two-way	Two-way		1.68	A

Junction Network

Driving side	Lighting	Network residual capacity (%)	First arm reaching threshold	Network delay (s)	Network LOS
Left	Normal/unknown	399	Stream B-AC	1.68	A

Arms

Arms

Arm	Name	Description	Arm type
A	Crymlyn Rd (West)		Major
B	Crymlyn Gardens		Minor
C	Crymlyn Rd (East)		Major

Major Arm Geometry

Arm	Width of carriageway (m)	Has kerbed central reserve	Has right-turn storage	Visibility for right turn (m)	Blocks?	Blocking queue (PCU)
C - Crymlyn Rd (East)	6.00			50.0	✓	1.00

Geometries for Arm C are measured opposite Arm B. Geometries for Arm A (if relevant) are measured opposite Arm D.

Minor Arm Geometry

Arm	Minor arm type	Lane width (m)	Visibility to left (m)	Visibility to right (m)
B - Crymlyn Gardens	One lane	2.75	50	50

Slope / Intercept / Capacity

Priority Intersection Slopes and Intercepts

Stream	Intercept (Veh/min)	Slope for A-B	Slope for A-C	Slope for C-A	Slope for C-B
B-A	8.425	0.092	0.233	0.146	0.332
B-C	10.650	0.098	0.248	-	-
C-B	10.049	0.234	0.234	-	-

The slopes and intercepts shown above include custom intercept adjustments only.

Streams may be combined, in which case capacity will be adjusted.

Values are shown for the first time segment only; they may differ for subsequent time segments.

Traffic Demand

Demand Set Details

ID	Year	Scenario	Time period	Description	Traffic profile type	Start time (HH:mm)	Finish time (HH:mm)	Time segment length (min)	Results for central hour only	Run automatically
D1	2025	Existing	AM	2024 Existing AM	ONE HOUR	07:45	09:15	15	✓	✓

Demand overview (Traffic)

Arm	Linked arm	Profile type	Use O-D data	Average Demand (Veh/min)	Scaling Factor (%)
A - Crymlyn Rd (West)		ONE HOUR	✓	0.85	100.000
B - Crymlyn Gardens		ONE HOUR	✓	0.65	100.000
C - Crymlyn Rd (East)		ONE HOUR	✓	2.33	100.000

Origin-Destination Data

Demand (Veh/min)

	To			
		A - Crymlyn Rd (West)	B - Crymlyn Gardens	C - Crymlyn Rd (East)
From				
	A - Crymlyn Rd (West)	0.00	0.10	0.75
	B - Crymlyn Gardens	0.50	0.00	0.15
	C - Crymlyn Rd (East)	2.23	0.10	0.00

Vehicle Mix

HV data entry mode	PCU Factor for a HV (PCU)
HV Percentages	2.00

Heavy Vehicle %

	To			
		A - Crymlyn Rd (West)	B - Crymlyn Gardens	C - Crymlyn Rd (East)
From				
	A - Crymlyn Rd (West)	10	10	10
	B - Crymlyn Gardens	10	10	10
	C - Crymlyn Rd (East)	10	10	10

Results

Results Summary for whole modelled period

Stream	Max RFC	Max Delay (s)	Max Queue (Veh)	Max 95th percentile Queue (Veh)	Max LOS	Average Demand (Veh/min)	Total Junction Arrivals (Veh)
B-AC	0.10	8.84	0.1	0.5	A	0.65	39.00
C-AB	0.01	6.78	0.0	0.5	A	0.10	6.03
C-A						2.23	133.77
A-B						0.10	6.00
A-C						0.75	45.00

Main Results for each time segment

08:00 - 08:15

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.58	8.77	0.00	7.60	0.077	0.58	0.1	0.1	8.548	A
C-AB	0.09	1.35	0.00	8.99	0.010	0.09	0.0	0.0	6.743	A
C-A	2.00	30.07	0.00			2.00				
A-B	0.09	1.35	0.00			0.09				
A-C	0.67	10.11	0.00			0.67				

08:15 - 08:30

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.72	10.73	0.00	7.50	0.095	0.71	0.1	0.1	8.839	A
C-AB	0.11	1.66	0.00	8.96	0.012	0.11	0.0	0.0	6.778	A
C-A	2.45	36.82	0.00			2.45				
A-B	0.11	1.65	0.00			0.11				
A-C	0.83	12.39	0.00			0.83				

08:30 - 08:45

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.72	10.73	0.00	7.50	0.095	0.72	0.1	0.1	8.842	A
C-AB	0.11	1.66	0.00	8.96	0.012	0.11	0.0	0.0	6.778	A
C-A	2.45	36.82	0.00			2.45				
A-B	0.11	1.65	0.00			0.11				
A-C	0.83	12.39	0.00			0.83				

08:45 - 09:00

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.58	8.77	0.00	7.60	0.077	0.59	0.1	0.1	8.553	A
C-AB	0.09	1.35	0.00	8.99	0.010	0.09	0.0	0.0	6.745	A
C-A	2.00	30.07	0.00			2.00				
A-B	0.09	1.35	0.00			0.09				
A-C	0.67	10.11	0.00			0.67				

Queue Variation Results for each time segment

08:00 - 08:15

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.08	0.03	0.26	0.47	0.49			N/A	N/A
C-AB	0.01	0.01	0.25	0.45	0.48			N/A	N/A

08:15 - 08:30

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.10	0.03	0.26	0.47	0.49			N/A	N/A
C-AB	0.01	0.00	0.00	0.01	0.01			N/A	N/A

08:30 - 08:45

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.10	0.03	0.25	0.45	0.48			N/A	N/A
C-AB	0.01	0.00	0.00	0.01	0.01			N/A	N/A

08:45 - 09:00

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.08	0.00	0.00	0.08	0.08			N/A	N/A
C-AB	0.01	0.00	0.00	0.01	0.01			N/A	N/A

Existing Layout - 2025 | Existing | PM

Data Errors and Warnings

Severity	Area	Item	Description
Warning	Demand Sets	D2 - 2025 Existing PM	Time results are shown for central hour only. (Model is run for a 90 minute period.)
Warning	Queue variations	Analysis Options	Queue percentiles may be unreliable if the mean queue in any time segment is very low or very high.

Junction Network

Junctions

Junction	Name	Junction type	Arm A Direction	Arm B Direction	Arm C Direction	Use circulating lanes	Junction Delay (s)	Junction LOS
1	untitled	T-Junction	Two-way	Two-way	Two-way		1.07	A

Junction Network

Driving side	Lighting	Network residual capacity (%)	First arm reaching threshold	Network delay (s)	Network LOS
Left	Normal/unknown	410	Stream B-AC	1.07	A

Traffic Demand

Demand Set Details

ID	Year	Scenario	Time period	Description	Traffic profile type	Start time (HH:mm)	Finish time (HH:mm)	Time segment length (min)	Results for central hour only	Run automatically
D2	2025	Existing	PM	2024 Existing PM	ONE HOUR	16:45	18:15	15	✓	✓

Demand overview (Traffic)

Arm	Linked arm	Profile type	Use O-D data	Average Demand (Veh/min)	Scaling Factor (%)
A - Crymlyn Rd (West)		ONE HOUR	✓	2.80	100.000
B - Crymlyn Gardens		ONE HOUR	✓	0.40	100.000
C - Crymlyn Rd (East)		ONE HOUR	✓	1.39	100.000

Origin-Destination Data

Demand (Veh/min)

From	To			
		A - Crymlyn Rd (West)	B - Crymlyn Gardens	C - Crymlyn Rd (East)
	A - Crymlyn Rd (West)	0.00	0.33	2.47
	B - Crymlyn Gardens	0.20	0.00	0.20
	C - Crymlyn Rd (East)	1.17	0.22	0.00

Vehicle Mix

HV data entry mode	PCU Factor for a HV (PCU)
HV Percentages	2.00

Heavy Vehicle %

From	To			
		A - Crymlyn Rd (West)	B - Crymlyn Gardens	C - Crymlyn Rd (East)
	A - Crymlyn Rd (West)	10	10	10
	B - Crymlyn Gardens	10	10	10
	C - Crymlyn Rd (East)	10	10	10

Results

Results Summary for whole modelled period

Stream	Max RFC	Max Delay (s)	Max Queue (Veh)	Max 95th percentile Queue (Veh)	Max LOS	Average Demand (Veh/min)	Total Junction Arrivals (Veh)
B-AC	0.06	8.28	0.1	0.5	A	0.40	24.00
C-AB	0.03	7.30	0.0	0.5	A	0.22	13.27
C-A						1.17	70.13
A-B						0.33	19.80
A-C						2.47	148.20

Main Results for each time segment

17:00 - 17:15

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.36	5.39	0.00	7.85	0.046	0.36	0.0	0.0	8.013	A
C-AB	0.20	2.98	0.00	8.58	0.023	0.20	0.0	0.0	7.156	A
C-A	1.05	15.77	0.00			1.05				
A-B	0.30	4.45	0.00			0.30				
A-C	2.22	33.31	0.00			2.22				

17:15 - 17:30

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.44	6.61	0.00	7.69	0.057	0.44	0.0	0.1	8.277	A
C-AB	0.24	3.66	0.00	8.47	0.029	0.24	0.0	0.0	7.296	A
C-A	1.29	19.30	0.00			1.29				
A-B	0.36	5.45	0.00			0.36				
A-C	2.72	40.79	0.00			2.72				

17:30 - 17:45

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.44	6.61	0.00	7.69	0.057	0.44	0.1	0.1	8.279	A
C-AB	0.24	3.66	0.00	8.47	0.029	0.24	0.0	0.0	7.296	A
C-A	1.29	19.30	0.00			1.29				
A-B	0.36	5.45	0.00			0.36				
A-C	2.72	40.79	0.00			2.72				

17:45 - 18:00

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.36	5.39	0.00	7.85	0.046	0.36	0.1	0.0	8.015	A
C-AB	0.20	2.98	0.00	8.58	0.023	0.20	0.0	0.0	7.160	A
C-A	1.05	15.77	0.00			1.05				
A-B	0.30	4.45	0.00			0.30				
A-C	2.22	33.31	0.00			2.22				

Queue Variation Results for each time segment

17:00 - 17:15

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.05	0.03	0.25	0.45	0.48			N/A	N/A
C-AB	0.02	0.02	0.25	0.45	0.48			N/A	N/A

17:15 - 17:30

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.06	0.03	0.26	0.46	0.49			N/A	N/A
C-AB	0.03	0.00	0.00	0.03	0.03			N/A	N/A

17:30 - 17:45

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.06	0.00	0.00	0.06	0.06			N/A	N/A
C-AB	0.03	0.00	0.00	0.03	0.03			N/A	N/A

17:45 - 18:00

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.05	0.00	0.00	0.05	0.05			N/A	N/A
C-AB	0.02	0.00	0.00	0.02	0.02			N/A	N/A

Existing Layout - 2035 | Baseline | AM

Data Errors and Warnings

Severity	Area	Item	Description
Warning	Demand Sets	D3 - 2035 Baseline AM	Time results are shown for central hour only. (Model is run for a 90 minute period.)
Warning	Queue variations	Analysis Options	Queue percentiles may be unreliable if the mean queue in any time segment is very low or very high.

Junction Network

Junctions

Junction	Name	Junction type	Arm A Direction	Arm B Direction	Arm C Direction	Use circulating lanes	Junction Delay (s)	Junction LOS
1	untitled	T-Junction	Two-way	Two-way	Two-way		1.71	A

Junction Network

Driving side	Lighting	Network residual capacity (%)	First arm reaching threshold	Network delay (s)	Network LOS
Left	Normal/unknown	352	Stream B-AC	1.71	A

Traffic Demand

Demand Set Details

ID	Year	Scenario	Time period	Description	Traffic profile type	Start time (HH:mm)	Finish time (HH:mm)	Time segment length (min)	Results for central hour only	Run automatically
D3	2035	Baseline	AM	2035 Baseline AM	ONE HOUR	07:45	09:15	15	✓	✓

Demand overview (Traffic)

Arm	Linked arm	Profile type	Use O-D data	Average Demand (Veh/min)	Scaling Factor (%)
A - Crymlyn Rd (West)		ONE HOUR	✓	0.94	100.000
B - Crymlyn Gardens		ONE HOUR	✓	0.72	100.000
C - Crymlyn Rd (East)		ONE HOUR	✓	2.58	100.000

Origin-Destination Data

Demand (Veh/min)

	To			
		A - Crymlyn Rd (West)	B - Crymlyn Gardens	C - Crymlyn Rd (East)
From	A - Crymlyn Rd (West)	0.00	0.11	0.83
	B - Crymlyn Gardens	0.55	0.00	0.17
	C - Crymlyn Rd (East)	2.47	0.11	0.00

Vehicle Mix

HV data entry mode	PCU Factor for a HV (PCU)
HV Percentages	2.00

Heavy Vehicle %

From	To			
		A - Crymlyn Rd (West)	B - Crymlyn Gardens	C - Crymlyn Rd (East)
	A - Crymlyn Rd (West)	10	10	10
	B - Crymlyn Gardens	10	10	10
	C - Crymlyn Rd (East)	10	10	10

Results

Results Summary for whole modelled period

Stream	Max RFC	Max Delay (s)	Max Queue (Veh)	Max 95th percentile Queue (Veh)	Max LOS	Average Demand (Veh/min)	Total Junction Arrivals (Veh)
B-AC	0.11	9.01	0.1	0.5	A	0.72	43.20
C-AB	0.01	6.80	0.0	0.5	A	0.11	6.63
C-A						2.47	148.17
A-B						0.11	6.60
A-C						0.83	49.80

Main Results for each time segment

08:00 - 08:15

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.65	9.71	0.00	7.56	0.086	0.65	0.1	0.1	8.671	A
C-AB	0.10	1.49	0.00	8.97	0.011	0.10	0.0	0.0	6.759	A
C-A	2.22	33.30	0.00			2.22				
A-B	0.10	1.48	0.00			0.10				
A-C	0.75	11.19	0.00			0.75				

08:15 - 08:30

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.79	11.89	0.00	7.45	0.106	0.79	0.1	0.1	9.004	A
C-AB	0.12	1.83	0.00	8.95	0.014	0.12	0.0	0.0	6.797	A
C-A	2.72	40.78	0.00			2.72				
A-B	0.12	1.82	0.00			0.12				
A-C	0.91	13.71	0.00			0.91				

08:30 - 08:45

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.79	11.89	0.00	7.45	0.106	0.79	0.1	0.1	9.008	A
C-AB	0.12	1.83	0.00	8.95	0.014	0.12	0.0	0.0	6.797	A
C-A	2.72	40.78	0.00			2.72				
A-B	0.12	1.82	0.00			0.12				
A-C	0.91	13.71	0.00			0.91				

08:45 - 09:00

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.65	9.71	0.00	7.56	0.086	0.65	0.1	0.1	8.679	A
C-AB	0.10	1.49	0.00	8.97	0.011	0.10	0.0	0.0	6.759	A
C-A	2.22	33.30	0.00			2.22				
A-B	0.10	1.48	0.00			0.10				
A-C	0.75	11.19	0.00			0.75				

Queue Variation Results for each time segment

08:00 - 08:15

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.09	0.03	0.25	0.45	0.48			N/A	N/A
C-AB	0.01	0.01	0.25	0.45	0.48			N/A	N/A

08:15 - 08:30

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.12	0.03	0.26	0.47	0.49			N/A	N/A
C-AB	0.01	0.00	0.00	0.01	0.01			N/A	N/A

08:30 - 08:45

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.12	0.03	0.25	0.45	0.48			N/A	N/A
C-AB	0.01	0.00	0.00	0.01	0.01			N/A	N/A

08:45 - 09:00

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.09	0.00	0.00	0.09	0.09			N/A	N/A
C-AB	0.01	0.00	0.00	0.01	0.01			N/A	N/A

Existing Layout - 2035 | Baseline | PM

Data Errors and Warnings

Severity	Area	Item	Description
Warning	Demand Sets	D4 - 2035 Baseline PM	Time results are shown for central hour only. (Model is run for a 90 minute period.)
Warning	Queue variations	Analysis Options	Queue percentiles may be unreliable if the mean queue in any time segment is very low or very high.

Junction Network

Junctions

Junction	Name	Junction type	Arm A Direction	Arm B Direction	Arm C Direction	Use circulating lanes	Junction Delay (s)	Junction LOS
1	untitled	T-Junction	Two-way	Two-way	Two-way		1.08	A

Junction Network

Driving side	Lighting	Network residual capacity (%)	First arm reaching threshold	Network delay (s)	Network LOS
Left	Normal/unknown	362	Stream B-AC	1.08	A

Traffic Demand

Demand Set Details

ID	Year	Scenario	Time period	Description	Traffic profile type	Start time (HH:mm)	Finish time (HH:mm)	Time segment length (min)	Results for central hour only	Run automatically
D4	2035	Baseline	PM	2035 Baseline PM	ONE HOUR	16:45	18:15	15	✓	✓

Demand overview (Traffic)

Arm	Linked arm	Profile type	Use O-D data	Average Demand (Veh/min)	Scaling Factor (%)
A - Crymlyn Rd (West)		ONE HOUR	✓	3.10	100.000
B - Crymlyn Gardens		ONE HOUR	✓	0.44	100.000
C - Crymlyn Rd (East)		ONE HOUR	✓	1.53	100.000

Origin-Destination Data

Demand (Veh/min)

	To			
		A - Crymlyn Rd (West)	B - Crymlyn Gardens	C - Crymlyn Rd (East)
From	A - Crymlyn Rd (West)	0.00	0.37	2.73
	B - Crymlyn Gardens	0.22	0.00	0.22
	C - Crymlyn Rd (East)	1.29	0.24	0.00

Vehicle Mix

HV data entry mode	PCU Factor for a HV (PCU)
HV Percentages	2.00

Heavy Vehicle %

From	To			
		A - Crymlyn Rd (West)	B - Crymlyn Gardens	C - Crymlyn Rd (East)
	A - Crymlyn Rd (West)	10	10	10
	B - Crymlyn Gardens	10	10	10
	C - Crymlyn Rd (East)	10	10	10

Results

Results Summary for whole modelled period

Stream	Max RFC	Max Delay (s)	Max Queue (Veh)	Max 95th percentile Queue (Veh)	Max LOS	Average Demand (Veh/min)	Total Junction Arrivals (Veh)
B-AC	0.06	8.44	0.1	0.5	A	0.44	26.40
C-AB	0.03	7.38	0.0	0.5	A	0.24	14.49
C-A						1.29	77.31
A-B						0.37	22.20
A-C						2.73	163.80

Main Results for each time segment

17:00 - 17:15

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.40	5.93	0.00	7.77	0.051	0.39	0.0	0.1	8.133	A
C-AB	0.22	3.25	0.00	8.53	0.025	0.22	0.0	0.0	7.220	A
C-A	1.16	17.38	0.00			1.16				
A-B	0.33	4.99	0.00			0.33				
A-C	2.45	36.81	0.00			2.45				

17:15 - 17:30

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.48	7.27	0.00	7.60	0.064	0.48	0.1	0.1	8.435	A
C-AB	0.27	3.99	0.00	8.40	0.032	0.27	0.0	0.0	7.376	A
C-A	1.42	21.28	0.00			1.42				
A-B	0.41	6.11	0.00			0.41				
A-C	3.01	45.09	0.00			3.01				

17:30 - 17:45

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.48	7.27	0.00	7.60	0.064	0.48	0.1	0.1	8.437	A
C-AB	0.27	3.99	0.00	8.40	0.032	0.27	0.0	0.0	7.376	A
C-A	1.42	21.28	0.00			1.42				
A-B	0.41	6.11	0.00			0.41				
A-C	3.01	45.09	0.00			3.01				

17:45 - 18:00

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.40	5.93	0.00	7.77	0.051	0.40	0.1	0.1	8.136	A
C-AB	0.22	3.25	0.00	8.53	0.025	0.22	0.0	0.0	7.221	A
C-A	1.16	17.38	0.00			1.16				
A-B	0.33	4.99	0.00			0.33				
A-C	2.45	36.81	0.00			2.45				

Queue Variation Results for each time segment

17:00 - 17:15

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.05	0.03	0.25	0.45	0.48			N/A	N/A
C-AB	0.03	0.03	0.25	0.45	0.48			N/A	N/A

17:15 - 17:30

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.07	0.03	0.26	0.47	0.49			N/A	N/A
C-AB	0.03	0.03	0.25	0.45	0.48			N/A	N/A

17:30 - 17:45

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.07	0.00	0.00	0.07	0.07			N/A	N/A
C-AB	0.03	0.00	0.00	0.03	0.03			N/A	N/A

17:45 - 18:00

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.05	0.00	0.00	0.05	0.05			N/A	N/A
C-AB	0.03	0.00	0.00	0.03	0.03			N/A	N/A

Existing Layout - 2035 | + Development | AM

Data Errors and Warnings

Severity	Area	Item	Description
Warning	Demand Sets	D5 - 2035 + Development AM	Time results are shown for central hour only. (Model is run for a 90 minute period.)
Warning	Queue variations	Analysis Options	Queue percentiles may be unreliable if the mean queue in any time segment is very low or very high.

Junction Network

Junctions

Junction	Name	Junction type	Arm A Direction	Arm B Direction	Arm C Direction	Use circulating lanes	Junction Delay (s)	Junction LOS
1	untitled	T-Junction	Two-way	Two-way	Two-way		2.35	A

Junction Network

Driving side	Lighting	Network residual capacity (%)	First arm reaching threshold	Network delay (s)	Network LOS
Left	Normal/unknown	271	Stream B-AC	2.35	A

Traffic Demand

Demand Set Details

ID	Year	Scenario	Time period	Description	Traffic profile type	Start time (HH:mm)	Finish time (HH:mm)	Time segment length (min)	Results for central hour only	Run automatically
D5	2035	+ Development	AM	2035 Baseline + Development AM	ONE HOUR	07:45	09:15	15	✓	✓

Demand overview (Traffic)

Arm	Linked arm	Profile type	Use O-D data	Average Demand (Veh/min)	Scaling Factor (%)
A - Crymlyn Rd (West)		ONE HOUR	✓	1.03	100.000
B - Crymlyn Gardens		ONE HOUR	✓	1.06	100.000
C - Crymlyn Rd (East)		ONE HOUR	✓	2.81	100.000

Origin-Destination Data

Demand (Veh/min)

	To			
		A - Crymlyn Rd (West)	B - Crymlyn Gardens	C - Crymlyn Rd (East)
From	A - Crymlyn Rd (West)	0.00	0.15	0.88
	B - Crymlyn Gardens	0.62	0.00	0.44
	C - Crymlyn Rd (East)	2.54	0.27	0.00

Vehicle Mix

HV data entry mode	PCU Factor for a HV (PCU)
HV Percentages	2.00

Heavy Vehicle %

From	To			
		A - Crymlyn Rd (West)	B - Crymlyn Gardens	C - Crymlyn Rd (East)
	A - Crymlyn Rd (West)	10	10	10
	B - Crymlyn Gardens	10	10	10
	C - Crymlyn Rd (East)	10	10	10

Results

Results Summary for whole modelled period

Stream	Max RFC	Max Delay (s)	Max Queue (Veh)	Max 95th percentile Queue (Veh)	Max LOS	Average Demand (Veh/min)	Total Junction Arrivals (Veh)
B-AC	0.15	9.08	0.2	0.5	A	1.06	63.60
C-AB	0.03	6.90	0.0	0.5	A	0.27	16.40
C-A						2.54	152.20
A-B						0.15	9.00
A-C						0.88	52.80

Main Results for each time segment

08:00 - 08:15

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.95	14.29	0.00	7.89	0.121	0.95	0.1	0.1	8.651	A
C-AB	0.25	3.68	0.00	9.01	0.027	0.24	0.0	0.0	6.848	A
C-A	2.28	34.22	0.00			2.28				
A-B	0.13	2.02	0.00			0.13				
A-C	0.79	11.87	0.00			0.79				

08:15 - 08:30

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	1.17	17.51	0.00	7.77	0.150	1.16	0.1	0.2	9.078	A
C-AB	0.30	4.52	0.00	9.00	0.034	0.30	0.0	0.0	6.898	A
C-A	2.79	41.88	0.00			2.79				
A-B	0.17	2.48	0.00			0.17				
A-C	0.97	14.53	0.00			0.97				

08:30 - 08:45

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	1.17	17.51	0.00	7.77	0.150	1.17	0.2	0.2	9.085	A
C-AB	0.30	4.52	0.00	9.00	0.034	0.30	0.0	0.0	6.898	A
C-A	2.79	41.88	0.00			2.79				
A-B	0.17	2.48	0.00			0.17				
A-C	0.97	14.53	0.00			0.97				

08:45 - 09:00

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.95	14.29	0.00	7.89	0.121	0.96	0.2	0.1	8.660	A
C-AB	0.25	3.68	0.00	9.01	0.027	0.25	0.0	0.0	6.851	A
C-A	2.28	34.22	0.00			2.28				
A-B	0.13	2.02	0.00			0.13				
A-C	0.79	11.87	0.00			0.79				

Queue Variation Results for each time segment

08:00 - 08:15

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.14	0.00	0.00	0.14	0.14			N/A	N/A
C-AB	0.03	0.03	0.25	0.45	0.48			N/A	N/A

08:15 - 08:30

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.17	0.03	0.26	0.46	0.49			N/A	N/A
C-AB	0.03	0.03	0.25	0.45	0.48			N/A	N/A

08:30 - 08:45

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.18	0.03	0.26	0.46	0.48			N/A	N/A
C-AB	0.04	0.00	0.00	0.04	0.04			N/A	N/A

08:45 - 09:00

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.14	0.00	0.00	0.14	0.14			N/A	N/A
C-AB	0.03	0.00	0.00	0.03	0.03			N/A	N/A

Existing Layout - 2035 | + Development | PM

Data Errors and Warnings

Severity	Area	Item	Description
Warning	Demand Sets	D6 - 2035 + Development PM	Time results are shown for central hour only. (Model is run for a 90 minute period.)
Warning	Queue variations	Analysis Options	Queue percentiles may be unreliable if the mean queue in any time segment is very low or very high.

Junction Network

Junctions

Junction	Name	Junction type	Arm A Direction	Arm B Direction	Arm C Direction	Use circulating lanes	Junction Delay (s)	Junction LOS
1	untitled	T-Junction	Two-way	Two-way	Two-way		1.53	A

Junction Network

Driving side	Lighting	Network residual capacity (%)	First arm reaching threshold	Network delay (s)	Network LOS
Left	Normal/unknown	246	Stream B-AC	1.53	A

Traffic Demand

Demand Set Details

ID	Year	Scenario	Time period	Description	Traffic profile type	Start time (HH:mm)	Finish time (HH:mm)	Time segment length (min)	Results for central hour only	Run automatically
D6	2035	+ Development	PM	2035 Baseline + Development PM	ONE HOUR	16:45	18:15	15	✓	✓

Demand overview (Traffic)

Arm	Linked arm	Profile type	Use O-D data	Average Demand (Veh/min)	Scaling Factor (%)
A - Crymlyn Rd (West)		ONE HOUR	✓	3.59	100.000
B - Crymlyn Gardens		ONE HOUR	✓	0.71	100.000
C - Crymlyn Rd (East)		ONE HOUR	✓	2.24	100.000

Origin-Destination Data

Demand (Veh/min)

	To			
		A - Crymlyn Rd (West)	B - Crymlyn Gardens	C - Crymlyn Rd (East)
From	A - Crymlyn Rd (West)	0.00	0.51	3.08
	B - Crymlyn Gardens	0.33	0.00	0.38
	C - Crymlyn Rd (East)	1.77	0.47	0.00

Vehicle Mix

HV data entry mode	PCU Factor for a HV (PCU)
HV Percentages	2.00

Heavy Vehicle %

From	To			
		A - Crymlyn Rd (West)	B - Crymlyn Gardens	C - Crymlyn Rd (East)
	A - Crymlyn Rd (West)	10	10	10
	B - Crymlyn Gardens	10	10	10
	C - Crymlyn Rd (East)	10	10	10

Results

Results Summary for whole modelled period

Stream	Max RFC	Max Delay (s)	Max Queue (Veh)	Max 95th percentile Queue (Veh)	Max LOS	Average Demand (Veh/min)	Total Junction Arrivals (Veh)
B-AC	0.10	8.98	0.1	0.5	A	0.71	42.60
C-AB	0.06	7.65	0.1	0.5	A	0.48	28.66
C-A						1.76	105.74
A-B						0.51	30.60
A-C						3.08	184.80

Main Results for each time segment

17:00 - 17:15

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.64	9.57	0.00	7.68	0.083	0.64	0.1	0.1	8.520	A
C-AB	0.43	6.42	0.00	8.49	0.050	0.43	0.0	0.1	7.444	A
C-A	1.59	23.79	0.00			1.59				
A-B	0.46	6.88	0.00			0.46				
A-C	2.77	41.53	0.00			2.77				

17:15 - 17:30

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.78	11.73	0.00	7.46	0.105	0.78	0.1	0.1	8.975	A
C-AB	0.53	7.91	0.00	8.37	0.063	0.53	0.1	0.1	7.649	A
C-A	1.94	29.08	0.00			1.94				
A-B	0.56	8.42	0.00			0.56				
A-C	3.39	50.87	0.00			3.39				

17:30 - 17:45

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.78	11.73	0.00	7.46	0.105	0.78	0.1	0.1	8.979	A
C-AB	0.53	7.91	0.00	8.37	0.063	0.53	0.1	0.1	7.649	A
C-A	1.94	29.08	0.00			1.94				
A-B	0.56	8.42	0.00			0.56				
A-C	3.39	50.87	0.00			3.39				

17:45 - 18:00

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.64	9.57	0.00	7.68	0.083	0.64	0.1	0.1	8.527	A
C-AB	0.43	6.42	0.00	8.49	0.050	0.43	0.1	0.1	7.446	A
C-A	1.59	23.79	0.00			1.59				
A-B	0.46	6.88	0.00			0.46				
A-C	2.77	41.53	0.00			2.77				

Queue Variation Results for each time segment
17:00 - 17:15

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.09	0.03	0.25	0.45	0.48			N/A	N/A
C-AB	0.05	0.03	0.25	0.45	0.48			N/A	N/A

17:15 - 17:30

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.12	0.03	0.26	0.47	0.49			N/A	N/A
C-AB	0.07	0.03	0.26	0.47	0.49			N/A	N/A

17:30 - 17:45

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.12	0.03	0.25	0.45	0.48			N/A	N/A
C-AB	0.07	0.00	0.00	0.07	0.07			N/A	N/A

17:45 - 18:00

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.09	0.00	0.00	0.09	0.09			N/A	N/A
C-AB	0.05	0.00	0.00	0.05	0.05			N/A	N/A

Junctions 11																		
PICADY 11 - Priority Intersection Module																		
Version: 11.0.0.2177																		
© Copyright TRL Software Limited, 2024																		
For sales and distribution information, program advice and maintenance, contact TRL Software:																		
+44 (0)1344 379777 software@trl.co.uk trlsoftware.com																		
The users of this computer program for the solution of an engineering problem are in no way relieved of their responsibility for the correctness of the solution																		

Filename: Import of Crymlyn Parc.j11

Path: C:\Users\AlunRees\OneDrive - Acstro Limited\Shared with Everyone\ACSTRO Jobs\1465 Crymlyn Park\2024 Application\Junction Analysis

Report generation date: 09/10/2025 17:34:05

- »Existing Layout - 2024 | Existing | AM
- »Existing Layout - 2024 | Existing | PM
- »Existing Layout - 2035 | Baseline | AM
- »Existing Layout - 2035 | Baseline | PM
- »Existing Layout - 2035 | + Development | AM
- »Existing Layout - 2035 | + Development | PM

Summary of junction performance

	AM									PM								
	Set ID	Queue (Veh)	95% Queue (Veh)	Delay (s)	RFC	LOS	Junction Delay (s)	Junction LOS	Network Residual Capacity	Set ID	Queue (Veh)	95% Queue (Veh)	Delay (s)	RFC	LOS	Junction Delay (s)	Junction LOS	Network Residual Capacity
	Existing Layout - 2024 - Existing																	
Stream B-AC	D1	0.2	1.1	8.12	0.19	A	3.14	A	269 %	D2	0.1	0.5	7.68	0.11	A	3.01	A	255 %
Stream C-AB		0.1	0.5	7.11	0.07	A			[Stream B-AC]		0.2	1.1	8.42	0.19	A			[Stream C-AB]
	Existing Layout - 2035 - + Development																	
Stream B-AC	D5	0.3	1.4	8.76	0.24	A	3.29	A	196 %	D6	0.2	0.5	7.49	0.14	A	4.23	A	289 %
Stream C-AB		0.1	0.5	7.27	0.09	A			[Stream B-AC]		0.3	1.3	8.08	0.21	A			[Stream C-AB]
	Existing Layout - 2035 - Baseline																	
Stream B-AC	D3	0.3	1.3	8.37	0.21	A	3.23	A	234 %	D4	0.1	0.5	7.24	0.12	A	4.42	A	335 %
Stream C-AB		0.1	0.5	7.16	0.08	A			[Stream B-AC]		0.2	1.1	7.93	0.19	A			[Stream C-AB]

There are warnings associated with one or more model runs - see the 'Data Errors and Warnings' tables for each Analysis or Demand Set.

Values shown are the highest values encountered over all time segments. Delay is the maximum value of average delay per arriving vehicle. Junction LOS and Junction Delay are demand-weighted averages. Network Residual Capacity indicates the amount by which network flow could be increased before a user-definable threshold (see Analysis Options) is met.

File summary

File Description

Title	Crymlyn Gardens Junction
Location	
Site number	
Date	29/06/2021
Version	
Status	
Identifier	
Client	
Jobnumber	
Enumerator	Administrator [ALUNREES41AF]
Description	

Units

Distance units	Speed units	Traffic units input	Traffic units results	Flow units	Average delay units	Total delay units	Rate of delay units
m	kph	Veh	Veh	perMin	s	-Min	perMin

Analysis Options

Vehicle length (m)	Calculate Queue Percentiles	Calculate detailed queueing delay	Show lane queues in feet / metres	Show all PICADY stream intercepts	Calculate residual capacity	Residual capacity criteria type	RFC Threshold	Average Delay threshold (s)	Queue threshold (PCU)	Use simulation for HCM roundabouts	Use iterations for HCM roundabouts
5.75	✓				✓	Delay	0.85	36.00	20.00		

Demand Set Summary

ID	Year	Scenario	Time period	Description	Traffic profile type	Start time (HH:mm)	Finish time (HH:mm)	Time segment length (min)	Results for central hour only	Run automatically
D1	2024	Existing	AM	2024 Existing AM	ONE HOUR	07:45	09:15	15		✓
D2	2024	Existing	PM	2024 Existing PM	ONE HOUR	16:45	18:15	15	✓	✓
D3	2035	Baseline	AM	2035 Baseline AM	ONE HOUR	07:45	09:15	15	✓	✓
D4	2035	Baseline	PM	2035 Baseline PM	ONE HOUR	16:45	18:15	15	✓	✓
D5	2035	+ Development	AM	2035 Baseline + Development AM	ONE HOUR	07:45	09:15	15	✓	✓
D6	2035	+ Development	PM	2035 Baseline + Development PM	ONE HOUR	16:45	18:15	15	✓	✓

Analysis Set Details

ID	Name	Include in report	Network flow scaling factor (%)	Network capacity scaling factor (%)
A1	Existing Layout	✓	100.000	100.000

Existing Layout - 2024 | Existing | AM

Data Errors and Warnings

Severity	Area	Item	Description
Warning	Queue variations	Analysis Options	Queue percentiles may be unreliable if the mean queue in any time segment is very low or very high.

Junction Network

Junctions

Junction	Name	Junction type	Arm A Direction	Arm B Direction	Arm C Direction	Use circulating lanes	Junction Delay (s)	Junction LOS
1	untitled	T-Junction	Two-way	Two-way	Two-way		3.14	A

Junction Network

Driving side	Lighting	Network residual capacity (%)	First arm reaching threshold	Network delay (s)	Network LOS
Left	Normal/unknown	269	Stream B-AC	3.14	A

Arms

Arms

Arm	Name	Description	Arm type
A	Crymlyn Rd (E)		Major
B	Crymlyn Parc		Minor
C	Crymlyn Rd (W)		Major

Major Arm Geometry

Arm	Width of carriageway (m)	Has kerbed central reserve	Has right-turn storage	Visibility for right turn (m)	Blocks?	Blocking queue (PCU)
C - Crymlyn Rd (W)	6.00			50.0	✓	1.00

Geometries for Arm C are measured opposite Arm B. Geometries for Arm A (if relevant) are measured opposite Arm D.

Minor Arm Geometry

Arm	Minor arm type	Lane width (m)	Visibility to left (m)	Visibility to right (m)
B - Crymlyn Parc	One lane	2.75	50	50

Slope / Intercept / Capacity

Priority Intersection Slopes and Intercepts

Stream	Intercept (Veh/min)	Slope for A-B	Slope for A-C	Slope for C-A	Slope for C-B
B-A	8.425	0.092	0.233	0.146	0.332
B-C	10.650	0.098	0.248	-	-
C-B	10.049	0.234	0.234	-	-

The slopes and intercepts shown above include custom intercept adjustments only.

Streams may be combined, in which case capacity will be adjusted.

Values are shown for the first time segment only; they may differ for subsequent time segments.

Traffic Demand

Demand Set Details

ID	Year	Scenario	Time period	Description	Traffic profile type	Start time (HH:mm)	Finish time (HH:mm)	Time segment length (min)	Run automatically
D1	2024	Existing	AM	2024 Existing AM	ONE HOUR	07:45	09:15	15	✓

Demand overview (Traffic)

Arm	Linked arm	Profile type	Use O-D data	Average Demand (Veh/min)	Scaling Factor (%)
A - Crymlyn Rd (E)		ONE HOUR	✓	1.05	100.000
B - Crymlyn Parc		ONE HOUR	✓	1.60	100.000
C - Crymlyn Rd (W)		ONE HOUR	✓	2.83	100.000

Origin-Destination Data

Demand (Veh/min)

	To			
		A - Crymlyn Rd (E)	B - Crymlyn Parc	C - Crymlyn Rd (W)
From	A - Crymlyn Rd (E)	0.00	0.07	0.98
	B - Crymlyn Parc	0.12	0.00	1.48
	C - Crymlyn Rd (W)	2.25	0.58	0.00

Vehicle Mix

HV data entry mode	PCU Factor for a HV (PCU)
HV Percentages	2.00

Heavy Vehicle %

	To			
		A - Crymlyn Rd (E)	B - Crymlyn Parc	C - Crymlyn Rd (W)
From	A - Crymlyn Rd (E)	10	10	10
	B - Crymlyn Parc	10	10	10
	C - Crymlyn Rd (W)	10	10	10

Results

Results Summary for whole modelled period

Stream	Max RFC	Max Delay (s)	Max Queue (Veh)	Max 95th percentile Queue (Veh)	Max LOS	Average Demand (Veh/min)	Total Junction Arrivals (Veh)
B-AC	0.19	8.12	0.2	1.1	A	1.47	132.14
C-AB	0.07	7.11	0.1	0.5	A	0.54	48.82
C-A						2.05	184.90
A-B						0.06	5.78
A-C						0.90	80.93

Main Results for each time segment

07:45 - 08:00

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	1.20	18.07	0.00	9.26	0.130	1.19	0.0	0.1	7.431	A
C-AB	0.44	6.63	0.00	9.06	0.049	0.44	0.0	0.1	6.960	A
C-A	1.69	25.33	0.00			1.69				
A-B	0.05	0.79	0.00			0.05				
A-C	0.74	11.07	0.00			0.74				

08:00 - 08:15

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	1.44	21.58	0.00	9.21	0.156	1.44	0.1	0.2	7.713	A
C-AB	0.53	7.96	0.00	9.07	0.058	0.53	0.1	0.1	7.027	A
C-A	2.01	30.21	0.00			2.01				
A-B	0.06	0.94	0.00			0.06				
A-C	0.88	13.22	0.00			0.88				

08:15 - 08:30

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	1.76	26.42	0.00	9.15	0.193	1.76	0.2	0.2	8.116	A
C-AB	0.65	9.82	0.00	9.09	0.072	0.65	0.1	0.1	7.110	A
C-A	2.46	36.91	0.00			2.46				
A-B	0.08	1.16	0.00			0.08				
A-C	1.08	16.19	0.00			1.08				

08:30 - 08:45

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	1.76	26.42	0.00	9.15	0.193	1.76	0.2	0.2	8.123	A
C-AB	0.65	9.82	0.00	9.09	0.072	0.65	0.1	0.1	7.110	A
C-A	2.46	36.91	0.00			2.46				
A-B	0.08	1.16	0.00			0.08				
A-C	1.08	16.19	0.00			1.08				

08:45 - 09:00

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	1.44	21.58	0.00	9.21	0.156	1.44	0.2	0.2	7.724	A
C-AB	0.53	7.96	0.00	9.07	0.058	0.53	0.1	0.1	7.031	A
C-A	2.01	30.21	0.00			2.01				
A-B	0.06	0.94	0.00			0.06				
A-C	0.88	13.22	0.00			0.88				

09:00 - 09:15

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	1.20	18.07	0.00	9.26	0.130	1.21	0.2	0.2	7.453	A
C-AB	0.44	6.63	0.00	9.06	0.049	0.44	0.1	0.1	6.963	A
C-A	1.69	25.33	0.00			1.69				
A-B	0.05	0.79	0.00			0.05				
A-C	0.74	11.07	0.00			0.74				

Queue Variation Results for each time segment

07:45 - 08:00

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.15	0.00	0.00	0.15	0.15			N/A	N/A
C-AB	0.05	0.00	0.00	0.05	0.05			N/A	N/A

08:00 - 08:15

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.18	0.00	0.00	0.18	0.18			N/A	N/A
C-AB	0.06	0.03	0.25	0.45	0.48			N/A	N/A

08:15 - 08:30

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.24	0.03	0.26	0.46	0.49			N/A	N/A
C-AB	0.08	0.03	0.26	0.47	0.49			N/A	N/A

08:30 - 08:45

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.24	0.03	0.29	0.73	1.13			N/A	N/A
C-AB	0.08	0.00	0.00	0.08	0.08			N/A	N/A

08:45 - 09:00

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.19	0.00	0.00	0.19	0.19			N/A	N/A
C-AB	0.06	0.00	0.00	0.06	0.06			N/A	N/A

09:00 - 09:15

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.15	0.00	0.00	0.15	0.15			N/A	N/A
C-AB	0.05	0.00	0.00	0.05	0.05			N/A	N/A

Existing Layout - 2024 | Existing | PM

Data Errors and Warnings

Severity	Area	Item	Description
Warning	Demand Sets	D2 - 2024 Existing PM	Time results are shown for central hour only. (Model is run for a 90 minute period.)
Warning	Queue variations	Analysis Options	Queue percentiles may be unreliable if the mean queue in any time segment is very low or very high.

Junction Network

Junctions

Junction	Name	Junction type	Arm A Direction	Arm B Direction	Arm C Direction	Use circulating lanes	Junction Delay (s)	Junction LOS
1	untitled	T-Junction	Two-way	Two-way	Two-way		3.01	A

Junction Network

Driving side	Lighting	Network residual capacity (%)	First arm reaching threshold	Network delay (s)	Network LOS
Left	Normal/unknown	255	Stream C-AB	3.01	A

Traffic Demand

Demand Set Details

ID	Year	Scenario	Time period	Description	Traffic profile type	Start time (HH:mm)	Finish time (HH:mm)	Time segment length (min)	Results for central hour only	Run automatically
D2	2024	Existing	PM	2024 Existing PM	ONE HOUR	16:45	18:15	15	✓	✓

Demand overview (Traffic)

Arm	Linked arm	Profile type	Use O-D data	Average Demand (Veh/min)	Scaling Factor (%)
A - Crymlyn Rd (E)		ONE HOUR	✓	2.75	100.000
B - Crymlyn Parc		ONE HOUR	✓	0.91	100.000
C - Crymlyn Rd (W)		ONE HOUR	✓	2.77	100.000

Origin-Destination Data

Demand (Veh/min)

	To			
		A - Crymlyn Rd (E)	B - Crymlyn Parc	C - Crymlyn Rd (W)
From	A - Crymlyn Rd (E)	0.00	0.05	2.70
	B - Crymlyn Parc	0.03	0.00	0.88
	C - Crymlyn Rd (W)	1.35	1.42	0.00

Vehicle Mix

HV data entry mode	PCU Factor for a HV (PCU)
HV Percentages	2.00

Heavy Vehicle %

From	To			
		A - Crymlyn Rd (E)	B - Crymlyn Parc	C - Crymlyn Rd (W)
	A - Crymlyn Rd (E)	10	10	10
	B - Crymlyn Parc	10	10	10
	C - Crymlyn Rd (W)	10	10	10

Results

Results Summary for whole modelled period

Stream	Max RFC	Max Delay (s)	Max Queue (Veh)	Max 95th percentile Queue (Veh)	Max LOS	Average Demand (Veh/min)	Total Junction Arrivals (Veh)
B-AC	0.11	7.68	0.1	0.5	A	0.91	54.60
C-AB	0.19	8.42	0.2	1.1	A	1.47	87.95
C-A						1.30	78.25
A-B						0.05	3.00
A-C						2.70	162.00

Main Results for each time segment

17:00 - 17:15

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.82	12.27	0.00	8.96	0.091	0.82	0.1	0.1	7.369	A
C-AB	1.31	19.63	0.00	8.77	0.149	1.31	0.1	0.2	8.034	A
C-A	1.18	17.72	0.00			1.18				
A-B	0.04	0.67	0.00			0.04				
A-C	2.43	36.41	0.00			2.43				

17:15 - 17:30

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	1.00	15.03	0.00	8.81	0.114	1.00	0.1	0.1	7.677	A
C-AB	1.62	24.35	0.00	8.75	0.186	1.62	0.2	0.2	8.412	A
C-A	1.43	21.40	0.00			1.43				
A-B	0.06	0.83	0.00			0.06				
A-C	2.97	44.59	0.00			2.97				

17:30 - 17:45

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	1.00	15.03	0.00	8.81	0.114	1.00	0.1	0.1	7.680	A
C-AB	1.62	24.35	0.00	8.75	0.186	1.62	0.2	0.2	8.420	A
C-A	1.43	21.40	0.00			1.43				
A-B	0.06	0.83	0.00			0.06				
A-C	2.97	44.59	0.00			2.97				

17:45 - 18:00

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.82	12.27	0.00	8.96	0.091	0.82	0.1	0.1	7.375	A
C-AB	1.31	19.63	0.00	8.77	0.149	1.31	0.2	0.2	8.046	A
C-A	1.18	17.72	0.00			1.18				
A-B	0.04	0.67	0.00			0.04				
A-C	2.43	36.41	0.00			2.43				

Queue Variation Results for each time segment

17:00 - 17:15

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.10	0.03	0.25	0.45	0.48			N/A	N/A
C-AB	0.18	0.00	0.00	0.18	0.18			N/A	N/A

17:15 - 17:30

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.13	0.03	0.26	0.46	0.49			N/A	N/A
C-AB	0.23	0.03	0.26	0.46	0.49			N/A	N/A

17:30 - 17:45

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.13	0.03	0.25	0.45	0.48			N/A	N/A
C-AB	0.23	0.03	0.28	0.64	1.08			N/A	N/A

17:45 - 18:00

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.10	0.00	0.00	0.10	0.10			N/A	N/A
C-AB	0.18	0.00	0.00	0.18	0.18			N/A	N/A

Existing Layout - 2035 | Baseline | AM

Data Errors and Warnings

Severity	Area	Item	Description
Warning	Demand Sets	D3 - 2035 Baseline AM	Time results are shown for central hour only. (Model is run for a 90 minute period.)
Warning	Queue variations	Analysis Options	Queue percentiles may be unreliable if the mean queue in any time segment is very low or very high.

Junction Network

Junctions

Junction	Name	Junction type	Arm A Direction	Arm B Direction	Arm C Direction	Use circulating lanes	Junction Delay (s)	Junction LOS
1	untitled	T-Junction	Two-way	Two-way	Two-way		3.23	A

Junction Network

Driving side	Lighting	Network residual capacity (%)	First arm reaching threshold	Network delay (s)	Network LOS
Left	Normal/unknown	234	Stream B-AC	3.23	A

Traffic Demand

Demand Set Details

ID	Year	Scenario	Time period	Description	Traffic profile type	Start time (HH:mm)	Finish time (HH:mm)	Time segment length (min)	Results for central hour only	Run automatically
D3	2035	Baseline	AM	2035 Baseline AM	ONE HOUR	07:45	09:15	15	✓	✓

Demand overview (Traffic)

Arm	Linked arm	Profile type	Use O-D data	Average Demand (Veh/min)	Scaling Factor (%)
A - Crymlyn Rd (E)		ONE HOUR	✓	1.16	100.000
B - Crymlyn Parc		ONE HOUR	✓	1.77	100.000
C - Crymlyn Rd (W)		ONE HOUR	✓	3.14	100.000

Origin-Destination Data

Demand (Veh/min)

	To			
		A - Crymlyn Rd (E)	B - Crymlyn Parc	C - Crymlyn Rd (W)
From	A - Crymlyn Rd (E)	0.00	0.07	1.09
	B - Crymlyn Parc	0.13	0.00	1.64
	C - Crymlyn Rd (W)	2.49	0.65	0.00

Vehicle Mix

HV data entry mode	PCU Factor for a HV (PCU)
HV Percentages	2.00

Heavy Vehicle %

From	To			
		A - Crymlyn Rd (E)	B - Crymlyn Parc	C - Crymlyn Rd (W)
	A - Crymlyn Rd (E)	10	10	10
	B - Crymlyn Parc	10	10	10
	C - Crymlyn Rd (W)	10	10	10

Results

Results Summary for whole modelled period

Stream	Max RFC	Max Delay (s)	Max Queue (Veh)	Max 95th percentile Queue (Veh)	Max LOS	Average Demand (Veh/min)	Total Junction Arrivals (Veh)
B-AC	0.21	8.37	0.3	1.3	A	1.77	106.20
C-AB	0.08	7.16	0.1	0.5	A	0.67	40.05
C-A						2.47	148.35
A-B						0.07	4.20
A-C						1.09	65.40

Main Results for each time segment

08:00 - 08:15

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	1.59	23.87	0.00	9.19	0.173	1.59	0.2	0.2	7.895	A
C-AB	0.60	8.95	0.00	9.08	0.066	0.60	0.1	0.1	7.071	A
C-A	2.23	33.39	0.00			2.23				
A-B	0.06	0.94	0.00			0.06				
A-C	0.98	14.70	0.00			0.98				

08:15 - 08:30

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	1.95	29.23	0.00	9.11	0.214	1.94	0.2	0.3	8.362	A
C-AB	0.74	11.07	0.00	9.12	0.081	0.74	0.1	0.1	7.161	A
C-A	2.72	40.78	0.00			2.72				
A-B	0.08	1.16	0.00			0.08				
A-C	1.20	18.00	0.00			1.20				

08:30 - 08:45

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	1.95	29.23	0.00	9.11	0.214	1.95	0.3	0.3	8.373	A
C-AB	0.74	11.07	0.00	9.12	0.081	0.74	0.1	0.1	7.164	A
C-A	2.72	40.78	0.00			2.72				
A-B	0.08	1.16	0.00			0.08				
A-C	1.20	18.00	0.00			1.20				

08:45 - 09:00

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	1.59	23.87	0.00	9.19	0.173	1.60	0.3	0.2	7.908	A
C-AB	0.60	8.95	0.00	9.08	0.066	0.60	0.1	0.1	7.076	A
C-A	2.23	33.39	0.00			2.23				
A-B	0.06	0.94	0.00			0.06				
A-C	0.98	14.70	0.00			0.98				

Queue Variation Results for each time segment

08:00 - 08:15

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.21	0.00	0.00	0.21	0.21			N/A	N/A
C-AB	0.07	0.03	0.25	0.45	0.48			N/A	N/A

08:15 - 08:30

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.27	0.03	0.26	0.46	0.49			N/A	N/A
C-AB	0.09	0.03	0.26	0.47	0.49			N/A	N/A

08:30 - 08:45

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.27	0.03	0.30	0.96	1.28			N/A	N/A
C-AB	0.09	0.00	0.00	0.09	0.09			N/A	N/A

08:45 - 09:00

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.21	0.00	0.00	0.21	0.21			N/A	N/A
C-AB	0.07	0.00	0.00	0.07	0.07			N/A	N/A

Existing Layout - 2035 | Baseline | PM

Data Errors and Warnings

Severity	Area	Item	Description
Warning	Demand Sets	D4 - 2035 Baseline PM	Time results are shown for central hour only. (Model is run for a 90 minute period.)
Warning	Queue variations	Analysis Options	Queue percentiles may be unreliable if the mean queue in any time segment is very low or very high.

Junction Network

Junctions

Junction	Name	Junction type	Arm A Direction	Arm B Direction	Arm C Direction	Use circulating lanes	Junction Delay (s)	Junction LOS
1	untitled	T-Junction	Two-way	Two-way	Two-way		4.42	A

Junction Network

Driving side	Lighting	Network residual capacity (%)	First arm reaching threshold	Network delay (s)	Network LOS
Left	Normal/unknown	335	Stream C-AB	4.42	A

Traffic Demand

Demand Set Details

ID	Year	Scenario	Time period	Description	Traffic profile type	Start time (HH:mm)	Finish time (HH:mm)	Time segment length (min)	Results for central hour only	Run automatically
D4	2035	Baseline	PM	2035 Baseline PM	ONE HOUR	16:45	18:15	15	✓	✓

Demand overview (Traffic)

Arm	Linked arm	Profile type	Use O-D data	Average Demand (Veh/min)	Scaling Factor (%)
A - Crymlyn Rd (E)		ONE HOUR	✓	0.51	100.000
B - Crymlyn Parc		ONE HOUR	✓	1.02	100.000
C - Crymlyn Rd (W)		ONE HOUR	✓	3.06	100.000

Origin-Destination Data

Demand (Veh/min)

	To			
		A - Crymlyn Rd (E)	B - Crymlyn Parc	C - Crymlyn Rd (W)
From	A - Crymlyn Rd (E)	0.00	0.10	0.41
	B - Crymlyn Parc	0.04	0.00	0.98
	C - Crymlyn Rd (W)	1.49	1.57	0.00

Vehicle Mix

HV data entry mode	PCU Factor for a HV (PCU)
HV Percentages	2.00

Heavy Vehicle %

From	To			
		A - Crymlyn Rd (E)	B - Crymlyn Parc	C - Crymlyn Rd (W)
	A - Crymlyn Rd (E)	10	10	10
	B - Crymlyn Parc	10	10	10
	C - Crymlyn Rd (W)	10	10	10

Results

Results Summary for whole modelled period

Stream	Max RFC	Max Delay (s)	Max Queue (Veh)	Max 95th percentile Queue (Veh)	Max LOS	Average Demand (Veh/min)	Total Junction Arrivals (Veh)
B-AC	0.12	7.24	0.1	0.5	A	1.02	61.20
C-AB	0.19	7.93	0.2	1.1	A	1.62	97.47
C-A						1.44	86.13
A-B						0.10	6.00
A-C						0.41	24.60

Main Results for each time segment

17:00 - 17:15

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.92	13.75	0.00	9.44	0.097	0.92	0.1	0.1	7.040	A
C-AB	1.45	21.75	0.00	9.28	0.156	1.45	0.2	0.2	7.662	A
C-A	1.30	19.51	0.00			1.30				
A-B	0.09	1.35	0.00			0.09				
A-C	0.37	5.53	0.00			0.37				

17:15 - 17:30

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	1.12	16.85	0.00	9.40	0.119	1.12	0.1	0.1	7.241	A
C-AB	1.80	26.98	0.00	9.37	0.192	1.80	0.2	0.2	7.918	A
C-A	1.57	23.55	0.00			1.57				
A-B	0.11	1.65	0.00			0.11				
A-C	0.45	6.77	0.00			0.45				

17:30 - 17:45

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	1.12	16.85	0.00	9.40	0.119	1.12	0.1	0.1	7.244	A
C-AB	1.80	26.98	0.00	9.37	0.192	1.80	0.2	0.2	7.927	A
C-A	1.57	23.55	0.00			1.57				
A-B	0.11	1.65	0.00			0.11				
A-C	0.45	6.77	0.00			0.45				

17:45 - 18:00

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.92	13.75	0.00	9.44	0.097	0.92	0.1	0.1	7.046	A
C-AB	1.45	21.75	0.00	9.28	0.156	1.45	0.2	0.2	7.676	A
C-A	1.30	19.51	0.00			1.30				
A-B	0.09	1.35	0.00			0.09				
A-C	0.37	5.53	0.00			0.37				

Queue Variation Results for each time segment

17:00 - 17:15

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.11	0.00	0.00	0.11	0.11			N/A	N/A
C-AB	0.19	0.00	0.00	0.19	0.19			N/A	N/A

17:15 - 17:30

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.13	0.03	0.26	0.46	0.49			N/A	N/A
C-AB	0.24	0.03	0.26	0.46	0.49			N/A	N/A

17:30 - 17:45

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.14	0.03	0.25	0.45	0.48			N/A	N/A
C-AB	0.25	0.03	0.29	0.76	1.14			N/A	N/A

17:45 - 18:00

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.11	0.00	0.00	0.11	0.11			N/A	N/A
C-AB	0.19	0.00	0.00	0.19	0.19			N/A	N/A

Existing Layout - 2035 | + Development | AM

Data Errors and Warnings

Severity	Area	Item	Description
Warning	Demand Sets	D5 - 2035 + Development AM	Time results are shown for central hour only. (Model is run for a 90 minute period.)
Warning	Queue variations	Analysis Options	Queue percentiles may be unreliable if the mean queue in any time segment is very low or very high.

Junction Network

Junctions

Junction	Name	Junction type	Arm A Direction	Arm B Direction	Arm C Direction	Use circulating lanes	Junction Delay (s)	Junction LOS
1	untitled	T-Junction	Two-way	Two-way	Two-way		3.29	A

Junction Network

Driving side	Lighting	Network residual capacity (%)	First arm reaching threshold	Network delay (s)	Network LOS
Left	Normal/unknown	196	Stream B-AC	3.29	A

Traffic Demand

Demand Set Details

ID	Year	Scenario	Time period	Description	Traffic profile type	Start time (HH:mm)	Finish time (HH:mm)	Time segment length (min)	Results for central hour only	Run automatically
D5	2035	+ Development	AM	2035 Baseline + Development AM	ONE HOUR	07:45	09:15	15	✓	✓

Demand overview (Traffic)

Arm	Linked arm	Profile type	Use O-D data	Average Demand (Veh/min)	Scaling Factor (%)
A - Crymlyn Rd (E)		ONE HOUR	✓	1.49	100.000
B - Crymlyn Parc		ONE HOUR	✓	1.94	100.000
C - Crymlyn Rd (W)		ONE HOUR	✓	3.41	100.000

Origin-Destination Data

Demand (Veh/min)

	To			
		A - Crymlyn Rd (E)	B - Crymlyn Parc	C - Crymlyn Rd (W)
From	A - Crymlyn Rd (E)	0.00	0.09	1.40
	B - Crymlyn Parc	0.16	0.00	1.78
	C - Crymlyn Rd (W)	2.68	0.73	0.00

Vehicle Mix

HV data entry mode	PCU Factor for a HV (PCU)
HV Percentages	2.00

Heavy Vehicle %

From	To			
		A - Crymlyn Rd (E)	B - Crymlyn Parc	C - Crymlyn Rd (W)
	A - Crymlyn Rd (E)	10	10	10
	B - Crymlyn Parc	10	10	10
	C - Crymlyn Rd (W)	10	10	10

Results

Results Summary for whole modelled period

Stream	Max RFC	Max Delay (s)	Max Queue (Veh)	Max 95th percentile Queue (Veh)	Max LOS	Average Demand (Veh/min)	Total Junction Arrivals (Veh)
B-AC	0.24	8.76	0.3	1.4	A	1.94	116.40
C-AB	0.09	7.27	0.1	0.5	A	0.75	45.23
C-A						2.66	159.37
A-B						0.09	5.40
A-C						1.40	84.00

Main Results for each time segment

08:00 - 08:15

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	1.74	26.16	0.00	9.08	0.192	1.74	0.2	0.2	8.174	A
C-AB	0.67	10.10	0.00	9.05	0.074	0.67	0.1	0.1	7.162	A
C-A	2.39	35.89	0.00			2.39				
A-B	0.08	1.21	0.00			0.08				
A-C	1.26	18.88	0.00			1.26				

08:15 - 08:30

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	2.14	32.04	0.00	8.99	0.238	2.13	0.2	0.3	8.745	A
C-AB	0.83	12.52	0.00	9.09	0.092	0.83	0.1	0.1	7.268	A
C-A	2.92	43.80	0.00			2.92				
A-B	0.10	1.49	0.00			0.10				
A-C	1.54	23.12	0.00			1.54				

08:30 - 08:45

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	2.14	32.04	0.00	8.99	0.238	2.14	0.3	0.3	8.757	A
C-AB	0.83	12.52	0.00	9.09	0.092	0.83	0.1	0.1	7.271	A
C-A	2.92	43.80	0.00			2.92				
A-B	0.10	1.49	0.00			0.10				
A-C	1.54	23.12	0.00			1.54				

08:45 - 09:00

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	1.74	26.16	0.00	9.08	0.192	1.75	0.3	0.2	8.192	A
C-AB	0.67	10.10	0.00	9.05	0.074	0.67	0.1	0.1	7.167	A
C-A	2.39	35.89	0.00			2.39				
A-B	0.08	1.21	0.00			0.08				
A-C	1.26	18.88	0.00			1.26				

Queue Variation Results for each time segment

08:00 - 08:15

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.24	0.00	0.00	0.24	0.24			N/A	N/A
C-AB	0.08	0.03	0.25	0.46	0.48			N/A	N/A

08:15 - 08:30

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.31	0.03	0.26	0.46	0.49			N/A	N/A
C-AB	0.10	0.03	0.26	0.47	0.49			N/A	N/A

08:30 - 08:45

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.31	0.03	0.31	1.10	1.42			N/A	N/A
C-AB	0.10	0.03	0.25	0.45	0.48			N/A	N/A

08:45 - 09:00

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.24	0.00	0.00	0.24	0.24			N/A	N/A
C-AB	0.08	0.00	0.00	0.08	0.08			N/A	N/A

Existing Layout - 2035 | + Development | PM

Data Errors and Warnings

Severity	Area	Item	Description
Warning	Demand Sets	D6 - 2035 + Development PM	Time results are shown for central hour only. (Model is run for a 90 minute period.)
Warning	Queue variations	Analysis Options	Queue percentiles may be unreliable if the mean queue in any time segment is very low or very high.

Junction Network

Junctions

Junction	Name	Junction type	Arm A Direction	Arm B Direction	Arm C Direction	Use circulating lanes	Junction Delay (s)	Junction LOS
1	untitled	T-Junction	Two-way	Two-way	Two-way		4.23	A

Junction Network

Driving side	Lighting	Network residual capacity (%)	First arm reaching threshold	Network delay (s)	Network LOS
Left	Normal/unknown	289	Stream C-AB	4.23	A

Traffic Demand

Demand Set Details

ID	Year	Scenario	Time period	Description	Traffic profile type	Start time (HH:mm)	Finish time (HH:mm)	Time segment length (min)	Results for central hour only	Run automatically
D6	2035	+ Development	PM	2035 Baseline + Development PM	ONE HOUR	16:45	18:15	15	✓	✓

Demand overview (Traffic)

Arm	Linked arm	Profile type	Use O-D data	Average Demand (Veh/min)	Scaling Factor (%)
A - Crymlyn Rd (E)		ONE HOUR	✓	0.79	100.000
B - Crymlyn Parc		ONE HOUR	✓	1.15	100.000
C - Crymlyn Rd (W)		ONE HOUR	✓	3.51	100.000

Origin-Destination Data

Demand (Veh/min)

	To			
		A - Crymlyn Rd (E)	B - Crymlyn Parc	C - Crymlyn Rd (W)
From	A - Crymlyn Rd (E)	0.00	0.14	0.65
	B - Crymlyn Parc	0.06	0.00	1.09
	C - Crymlyn Rd (W)	1.80	1.71	0.00

Vehicle Mix

HV data entry mode	PCU Factor for a HV (PCU)
HV Percentages	2.00

Heavy Vehicle %

From	To			
		A - Crymlyn Rd (E)	B - Crymlyn Parc	C - Crymlyn Rd (W)
	A - Crymlyn Rd (E)	10	10	10
	B - Crymlyn Parc	10	10	10
	C - Crymlyn Rd (W)	10	10	10

Results

Results Summary for whole modelled period

Stream	Max RFC	Max Delay (s)	Max Queue (Veh)	Max 95th percentile Queue (Veh)	Max LOS	Average Demand (Veh/min)	Total Junction Arrivals (Veh)
B-AC	0.14	7.49	0.2	0.5	A	1.15	69.00
C-AB	0.21	8.08	0.3	1.3	A	1.79	107.32
C-A						1.72	103.28
A-B						0.14	8.40
A-C						0.65	39.00

Main Results for each time segment

17:00 - 17:15

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	1.03	15.51	0.00	9.33	0.111	1.03	0.1	0.1	7.234	A
C-AB	1.59	23.90	0.00	9.29	0.171	1.59	0.2	0.2	7.785	A
C-A	1.56	23.44	0.00			1.56				
A-B	0.13	1.89	0.00			0.13				
A-C	0.58	8.77	0.00			0.58				

17:15 - 17:30

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	1.27	18.99	0.00	9.27	0.137	1.26	0.1	0.2	7.489	A
C-AB	1.98	29.76	0.00	9.41	0.211	1.98	0.2	0.3	8.069	A
C-A	1.88	28.21	0.00			1.88				
A-B	0.15	2.31	0.00			0.15				
A-C	0.72	10.73	0.00			0.72				

17:30 - 17:45

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	1.27	18.99	0.00	9.27	0.137	1.27	0.2	0.2	7.492	A
C-AB	1.98	29.76	0.00	9.41	0.211	1.98	0.3	0.3	8.077	A
C-A	1.88	28.21	0.00			1.88				
A-B	0.15	2.31	0.00			0.15				
A-C	0.72	10.73	0.00			0.72				

17:45 - 18:00

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	1.03	15.51	0.00	9.33	0.111	1.04	0.2	0.1	7.241	A
C-AB	1.59	23.90	0.00	9.29	0.171	1.60	0.3	0.2	7.801	A
C-A	1.56	23.44	0.00			1.56				
A-B	0.13	1.89	0.00			0.13				
A-C	0.58	8.77	0.00			0.58				

Queue Variation Results for each time segment
17:00 - 17:15

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.12	0.00	0.00	0.12	0.12			N/A	N/A
C-AB	0.21	0.00	0.00	0.21	0.21			N/A	N/A

17:15 - 17:30

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.16	0.03	0.26	0.46	0.49			N/A	N/A
C-AB	0.28	0.03	0.26	0.46	0.49			N/A	N/A

17:30 - 17:45

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.16	0.03	0.25	0.45	0.48			N/A	N/A
C-AB	0.28	0.03	0.30	0.97	1.28			N/A	N/A

17:45 - 18:00

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.13	0.00	0.00	0.13	0.13			N/A	N/A
C-AB	0.22	0.00	0.00	0.22	0.22			N/A	N/A

Junctions 11																		
PICADY 11 - Priority Intersection Module																		
Version: 11.0.0.2177																		
© Copyright TRL Software Limited, 2024																		
For sales and distribution information, program advice and maintenance, contact TRL Software:																		
+44 (0)1344 379777 software@trl.co.uk trlsoftware.com																		
The users of this computer program for the solution of an engineering problem are in no way relieved of their responsibility for the correctness of the solution																		

Filename: Serecold Ave West.j11

Path: C:\Users\AlunRees\OneDrive - Acstro Limited\Shared with Everyone\ACSTRO Jobs\1465 Crymlyn Park\2024 Application\Junction Analysis

Report generation date: 09/10/2025 17:40:56

- »Existing Layout - 2025 | Existing | AM
- »Existing Layout - 2025 | Existing | PM
- »Existing Layout - 2035 | Baseline | AM
- »Existing Layout - 2035 | Baseline | PM
- »Existing Layout - 2035 | + Development | AM
- »Existing Layout - 2035 | + Development | PM

Summary of junction performance

	AM									PM								
	Set ID	Queue (Veh)	95% Queue (Veh)	Delay (s)	RFC	LOS	Junction Delay (s)	Junction LOS	Network Residual Capacity	Set ID	Queue (Veh)	95% Queue (Veh)	Delay (s)	RFC	LOS	Junction Delay (s)	Junction LOS	Network Residual Capacity
	Existing Layout - 2025 - Existing																	
Stream B-AC	D1	0.2	0.7	8.19	0.17	A	1.71	A	252 %	D2	0.1	0.5	7.96	0.10	A	0.84	A	299
Stream C-AB		0.0	0.5	7.12	0.01	A			[Stream B-AC]		0.0	0.5	7.34	0.00	A			[Stream B-AC]
	Existing Layout - 2035 - + Development																	
Stream B-AC	D5	0.3	1.3	8.93	0.21	A	1.85	A	179 %	D6	0.1	0.5	8.54	0.13	A	0.95	A	216
Stream C-AB		0.0	0.5	7.28	0.01	A			[Stream B-AC]		0.0	0.5	7.51	0.01	A			[Stream B-AC]
	Existing Layout - 2035 - Baseline																	
Stream B-AC	D3	0.2	1.1	8.44	0.19	A	1.75	A	220 %	D4	0.1	0.5	8.18	0.11	A	0.88	A	259
Stream C-AB		0.0	0.5	7.18	0.01	A			[Stream B-AC]		0.0	0.5	7.43	0.01	A			[Stream B-AC]

There are warnings associated with one or more model runs - see the 'Data Errors and Warnings' tables for each Analysis or Demand Set.

Values shown are the highest values encountered over all time segments. Delay is the maximum value of average delay per arriving vehicle. Junction LOS and Junction Delay are demand-weighted averages. Network Residual Capacity indicates the amount by which network flow could be increased before a user-definable threshold (see Analysis Options) is met.

File summary

File Description

Title	Crymlyn Gardens Junction
Location	
Site number	
Date	29/06/2021
Version	
Status	
Identifier	
Client	
Jobnumber	
Enumerator	Administrator [ALUNREES41AF]
Description	

Units

Distance units	Speed units	Traffic units input	Traffic units results	Flow units	Average delay units	Total delay units	Rate of delay units
m	kph	Veh	Veh	perMin	s	-Min	perMin

Analysis Options

Vehicle length (m)	Calculate Queue Percentiles	Calculate detailed queueing delay	Show lane queues in feet / metres	Show all PICADY stream intercepts	Calculate residual capacity	Residual capacity criteria type	RFC Threshold	Average Delay threshold (s)	Queue threshold (PCU)	Use simulation for HCM roundabouts	Use iterations for HCM roundabouts
5.75	✓				✓	Delay	0.85	36.00	20.00		

Demand Set Summary

ID	Year	Scenario	Time period	Description	Traffic profile type	Start time (HH:mm)	Finish time (HH:mm)	Time segment length (min)	Results for central hour only	Run automatically
D1	2025	Existing	AM	2024 Existing AM	ONE HOUR	07:45	09:15	15		✓
D2	2025	Existing	PM	2024 Existing PM	ONE HOUR	16:45	18:15	15	✓	✓
D3	2035	Baseline	AM	2035 Baseline AM	ONE HOUR	07:45	09:15	15	✓	✓
D4	2035	Baseline	PM	2035 Baseline PM	ONE HOUR	16:45	18:15	15	✓	✓
D5	2035	+ Development	AM	2035 Baseline + Development AM	ONE HOUR	07:45	09:15	15	✓	✓
D6	2035	+ Development	PM	2035 Baseline + Development PM	ONE HOUR	16:45	18:15	15	✓	✓

Analysis Set Details

ID	Name	Include in report	Network flow scaling factor (%)	Network capacity scaling factor (%)
A1	Existing Layout	✓	100.000	100.000

Existing Layout - 2025 | Existing | AM

Data Errors and Warnings

Severity	Area	Item	Description
Warning	Queue variations	Analysis Options	Queue percentiles may be unreliable if the mean queue in any time segment is very low or very high.

Junction Network

Junctions

Junction	Name	Junction type	Arm A Direction	Arm B Direction	Arm C Direction	Use circulating lanes	Junction Delay (s)	Junction LOS
1	untitled	T-Junction	Two-way	Two-way	Two-way		1.71	A

Junction Network

Driving side	Lighting	Network residual capacity (%)	First arm reaching threshold	Network delay (s)	Network LOS
Left	Normal/unknown	252	Stream B-AC	1.71	A

Arms

Arms

Arm	Name	Description	Arm type
A	Crymlyn Rd (West)		Major
B	Serecold Avenue (West)		Minor
C	Crymlyn Rd (East)		Major

Major Arm Geometry

Arm	Width of carriageway (m)	Has kerbed central reserve	Has right-turn storage	Visibility for right turn (m)	Blocks?	Blocking queue (PCU)
C - Crymlyn Rd (East)	6.00			50.0	✓	1.00

Geometries for Arm C are measured opposite Arm B. Geometries for Arm A (if relevant) are measured opposite Arm D.

Minor Arm Geometry

Arm	Minor arm type	Lane width (m)	Visibility to left (m)	Visibility to right (m)
B - Serecold Avenue (West)	One lane	2.75	50	50

Slope / Intercept / Capacity

Priority Intersection Slopes and Intercepts

Stream	Intercept (Veh/min)	Slope for A-B	Slope for A-C	Slope for C-A	Slope for C-B
B-A	8.425	0.092	0.233	0.146	0.332
B-C	10.650	0.098	0.248	-	-
C-B	10.049	0.234	0.234	-	-

The slopes and intercepts shown above include custom intercept adjustments only.

Streams may be combined, in which case capacity will be adjusted.

Values are shown for the first time segment only; they may differ for subsequent time segments.

Traffic Demand

Demand Set Details

ID	Year	Scenario	Time period	Description	Traffic profile type	Start time (HH:mm)	Finish time (HH:mm)	Time segment length (min)	Run automatically
D1	2025	Existing	AM	2024 Existing AM	ONE HOUR	07:45	09:15	15	✓

Demand overview (Traffic)

Arm	Linked arm	Profile type	Use O-D data	Average Demand (Veh/min)	Scaling Factor (%)
A - Crymlyn Rd (West)		ONE HOUR	✓	2.60	100.000
B - Serecold Avenue (West)		ONE HOUR	✓	1.35	100.000
C - Crymlyn Rd (East)		ONE HOUR	✓	2.86	100.000

Origin-Destination Data

Demand (Veh/min)

	To			
		A - Crymlyn Rd (West)	B - Serecold Avenue (West)	C - Crymlyn Rd (East)
From	A - Crymlyn Rd (West)	0.00	0.05	2.55
	B - Serecold Avenue (West)	0.07	0.00	1.28
	C - Crymlyn Rd (East)	2.78	0.08	0.00

Vehicle Mix

HV data entry mode	PCU Factor for a HV (PCU)
HV Percentages	2.00

Heavy Vehicle %

	To			
		A - Crymlyn Rd (West)	B - Serecold Avenue (West)	C - Crymlyn Rd (East)
From	A - Crymlyn Rd (West)	10	10	10
	B - Serecold Avenue (West)	10	10	10
	C - Crymlyn Rd (East)	10	10	10

Results

Results Summary for whole modelled period

Stream	Max RFC	Max Delay (s)	Max Queue (Veh)	Max 95th percentile Queue (Veh)	Max LOS	Average Demand (Veh/min)	Total Junction Arrivals (Veh)
B-AC	0.17	8.19	0.2	0.7	A	1.24	111.49
C-AB	0.01	7.12	0.0	0.5	A	0.07	6.63
C-A						2.55	229.56
A-B						0.05	4.13
A-C						2.34	210.59

Main Results for each time segment

07:45 - 08:00

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	1.02	15.25	0.00	9.04	0.112	1.01	0.0	0.1	7.457	A
C-AB	0.06	0.91	0.00	8.70	0.007	0.06	0.0	0.0	6.943	A
C-A	2.09	31.39	0.00			2.09				
A-B	0.04	0.56	0.00			0.04				
A-C	1.92	28.80	0.00			1.92				

08:00 - 08:15

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	1.21	18.20	0.00	8.95	0.136	1.21	0.1	0.2	7.756	A
C-AB	0.07	1.08	0.00	8.62	0.008	0.07	0.0	0.0	7.017	A
C-A	2.50	37.48	0.00			2.50				
A-B	0.04	0.67	0.00			0.04				
A-C	2.29	34.39	0.00			2.29				

08:15 - 08:30

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	1.49	22.30	0.00	8.81	0.169	1.48	0.2	0.2	8.186	A
C-AB	0.09	1.33	0.00	8.51	0.010	0.09	0.0	0.0	7.119	A
C-A	3.06	45.91	0.00			3.06				
A-B	0.06	0.83	0.00			0.06				
A-C	2.81	42.11	0.00			2.81				

08:30 - 08:45

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	1.49	22.30	0.00	8.81	0.169	1.49	0.2	0.2	8.193	A
C-AB	0.09	1.33	0.00	8.51	0.010	0.09	0.0	0.0	7.119	A
C-A	3.06	45.91	0.00			3.06				
A-B	0.06	0.83	0.00			0.06				
A-C	2.81	42.11	0.00			2.81				

08:45 - 09:00

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	1.21	18.20	0.00	8.95	0.136	1.22	0.2	0.2	7.766	A
C-AB	0.07	1.08	0.00	8.62	0.008	0.07	0.0	0.0	7.017	A
C-A	2.50	37.48	0.00			2.50				
A-B	0.04	0.67	0.00			0.04				
A-C	2.29	34.39	0.00			2.29				

09:00 - 09:15

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	1.02	15.25	0.00	9.04	0.112	1.02	0.2	0.1	7.479	A
C-AB	0.06	0.91	0.00	8.70	0.007	0.06	0.0	0.0	6.946	A
C-A	2.09	31.39	0.00			2.09				
A-B	0.04	0.56	0.00			0.04				
A-C	1.92	28.80	0.00			1.92				

Queue Variation Results for each time segment

07:45 - 08:00

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.13	0.00	0.00	0.13	0.13			N/A	N/A
C-AB	0.01	0.00	0.00	0.01	0.01			N/A	N/A

08:00 - 08:15

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.16	0.00	0.00	0.16	0.16			N/A	N/A
C-AB	0.01	0.01	0.25	0.45	0.48			N/A	N/A

08:15 - 08:30

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.20	0.03	0.26	0.46	0.49			N/A	N/A
C-AB	0.01	0.00	0.00	0.01	0.01			N/A	N/A

08:30 - 08:45

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.20	0.03	0.27	0.48	0.65			N/A	N/A
C-AB	0.01	0.00	0.00	0.01	0.01			N/A	N/A

08:45 - 09:00

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.16	0.00	0.00	0.16	0.16			N/A	N/A
C-AB	0.01	0.00	0.00	0.01	0.01			N/A	N/A

09:00 - 09:15

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.13	0.00	0.00	0.13	0.13			N/A	N/A
C-AB	0.01	0.00	0.00	0.01	0.01			N/A	N/A

Existing Layout - 2025 | Existing | PM

Data Errors and Warnings

Severity	Area	Item	Description
Warning	Demand Sets	D2 - 2025 Existing PM	Time results are shown for central hour only. (Model is run for a 90 minute period.)
Warning	Queue variations	Analysis Options	Queue percentiles may be unreliable if the mean queue in any time segment is very low or very high.

Junction Network

Junctions

Junction	Name	Junction type	Arm A Direction	Arm B Direction	Arm C Direction	Use circulating lanes	Junction Delay (s)	Junction LOS
1	untitled	T-Junction	Two-way	Two-way	Two-way		0.84	A

Junction Network

Driving side	Lighting	Network residual capacity (%)	First arm reaching threshold	Network delay (s)	Network LOS
Left	Normal/unknown	299	Stream B-AC	0.84	A

Traffic Demand

Demand Set Details

ID	Year	Scenario	Time period	Description	Traffic profile type	Start time (HH:mm)	Finish time (HH:mm)	Time segment length (min)	Results for central hour only	Run automatically
D2	2025	Existing	PM	2024 Existing PM	ONE HOUR	16:45	18:15	15	✓	✓

Demand overview (Traffic)

Arm	Linked arm	Profile type	Use O-D data	Average Demand (Veh/min)	Scaling Factor (%)
A - Crymlyn Rd (West)		ONE HOUR	✓	3.68	100.000
B - Serecold Avenue (West)		ONE HOUR	✓	0.73	100.000
C - Crymlyn Rd (East)		ONE HOUR	✓	2.73	100.000

Origin-Destination Data

Demand (Veh/min)

	To			
		A - Crymlyn Rd (West)	B - Serecold Avenue (West)	C - Crymlyn Rd (East)
From	A - Crymlyn Rd (West)	0.00	0.08	3.60
	B - Serecold Avenue (West)	0.08	0.00	0.65
	C - Crymlyn Rd (East)	2.70	0.03	0.00

Vehicle Mix

HV data entry mode	PCU Factor for a HV (PCU)
HV Percentages	2.00

Heavy Vehicle %

From	To			
		A - Crymlyn Rd (West)	B - Serecold Avenue (West)	C - Crymlyn Rd (East)
	A - Crymlyn Rd (West)	10	10	10
	B - Serecold Avenue (West)	10	10	10
	C - Crymlyn Rd (East)	10	10	10

Results

Results Summary for whole modelled period

Stream	Max RFC	Max Delay (s)	Max Queue (Veh)	Max 95th percentile Queue (Veh)	Max LOS	Average Demand (Veh/min)	Total Junction Arrivals (Veh)
B-AC	0.10	7.96	0.1	0.5	A	0.73	43.80
C-AB	0.00	7.34	0.0	0.5	A	0.03	1.80
C-A						2.70	162.00
A-B						0.08	4.80
A-C						3.60	216.00

Main Results for each time segment

17:00 - 17:15

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.66	9.84	0.00	8.54	0.077	0.66	0.1	0.1	7.610	A
C-AB	0.03	0.41	0.00	8.38	0.003	0.03	0.0	0.0	7.186	A
C-A	2.43	36.41	0.00			2.43				
A-B	0.07	1.08	0.00			0.07				
A-C	3.24	48.54	0.00			3.24				

17:15 - 17:30

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.80	12.06	0.00	8.34	0.096	0.80	0.1	0.1	7.956	A
C-AB	0.03	0.50	0.00	8.21	0.004	0.03	0.0	0.0	7.338	A
C-A	2.97	44.59	0.00			2.97				
A-B	0.09	1.32	0.00			0.09				
A-C	3.96	59.46	0.00			3.96				

17:30 - 17:45

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.80	12.06	0.00	8.34	0.096	0.80	0.1	0.1	7.959	A
C-AB	0.03	0.50	0.00	8.21	0.004	0.03	0.0	0.0	7.338	A
C-A	2.97	44.59	0.00			2.97				
A-B	0.09	1.32	0.00			0.09				
A-C	3.96	59.46	0.00			3.96				

17:45 - 18:00

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.66	9.84	0.00	8.54	0.077	0.66	0.1	0.1	7.613	A
C-AB	0.03	0.41	0.00	8.38	0.003	0.03	0.0	0.0	7.186	A
C-A	2.43	36.41	0.00			2.43				
A-B	0.07	1.08	0.00			0.07				
A-C	3.24	48.54	0.00			3.24				

Queue Variation Results for each time segment

17:00 - 17:15

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.08	0.03	0.26	0.47	0.49			N/A	N/A
C-AB	0.00	0.00	0.25	0.45	0.48			N/A	N/A

17:15 - 17:30

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.11	0.03	0.26	0.47	0.49			N/A	N/A
C-AB	0.00	0.00	0.00	0.00	0.00			N/A	N/A

17:30 - 17:45

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.11	0.03	0.25	0.45	0.48			N/A	N/A
C-AB	0.00	0.00	0.00	0.00	0.00			N/A	N/A

17:45 - 18:00

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.08	0.00	0.00	0.08	0.08			N/A	N/A
C-AB	0.00	0.00	0.00	0.00	0.00			N/A	N/A

Existing Layout - 2035 | Baseline | AM

Data Errors and Warnings

Severity	Area	Item	Description
Warning	Demand Sets	D3 - 2035 Baseline AM	Time results are shown for central hour only. (Model is run for a 90 minute period.)
Warning	Queue variations	Analysis Options	Queue percentiles may be unreliable if the mean queue in any time segment is very low or very high.

Junction Network

Junctions

Junction	Name	Junction type	Arm A Direction	Arm B Direction	Arm C Direction	Use circulating lanes	Junction Delay (s)	Junction LOS
1	untitled	T-Junction	Two-way	Two-way	Two-way		1.75	A

Junction Network

Driving side	Lighting	Network residual capacity (%)	First arm reaching threshold	Network delay (s)	Network LOS
Left	Normal/unknown	220	Stream B-AC	1.75	A

Traffic Demand

Demand Set Details

ID	Year	Scenario	Time period	Description	Traffic profile type	Start time (HH:mm)	Finish time (HH:mm)	Time segment length (min)	Results for central hour only	Run automatically
D3	2035	Baseline	AM	2035 Baseline AM	ONE HOUR	07:45	09:15	15	✓	✓

Demand overview (Traffic)

Arm	Linked arm	Profile type	Use O-D data	Average Demand (Veh/min)	Scaling Factor (%)
A - Crymlyn Rd (West)		ONE HOUR	✓	2.88	100.000
B - Serecold Avenue (West)		ONE HOUR	✓	1.49	100.000
C - Crymlyn Rd (East)		ONE HOUR	✓	3.17	100.000

Origin-Destination Data

Demand (Veh/min)

	To			
		A - Crymlyn Rd (West)	B - Serecold Avenue (West)	C - Crymlyn Rd (East)
From	A - Crymlyn Rd (West)	0.00	0.06	2.82
	B - Serecold Avenue (West)	0.07	0.00	1.42
	C - Crymlyn Rd (East)	3.08	0.09	0.00

Vehicle Mix

HV data entry mode	PCU Factor for a HV (PCU)
HV Percentages	2.00

Heavy Vehicle %

From	To			
		A - Crymlyn Rd (West)	B - Serecold Avenue (West)	C - Crymlyn Rd (East)
	A - Crymlyn Rd (West)	10	10	10
	B - Serecold Avenue (West)	10	10	10
	C - Crymlyn Rd (East)	10	10	10

Results

Results Summary for whole modelled period

Stream	Max RFC	Max Delay (s)	Max Queue (Veh)	Max 95th percentile Queue (Veh)	Max LOS	Average Demand (Veh/min)	Total Junction Arrivals (Veh)
B-AC	0.19	8.44	0.2	1.1	A	1.49	89.40
C-AB	0.01	7.18	0.0	0.5	A	0.09	5.43
C-A						3.08	184.77
A-B						0.06	3.60
A-C						2.82	169.20

Main Results for each time segment

08:00 - 08:15

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	1.34	20.09	0.00	8.90	0.151	1.34	0.1	0.2	7.934	A
C-AB	0.08	1.22	0.00	8.57	0.009	0.08	0.0	0.0	7.066	A
C-A	2.77	41.53	0.00			2.77				
A-B	0.05	0.81	0.00			0.05				
A-C	2.54	38.03	0.00			2.54				

08:15 - 08:30

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	1.64	24.61	0.00	8.75	0.188	1.64	0.2	0.2	8.435	A
C-AB	0.10	1.50	0.00	8.45	0.012	0.10	0.0	0.0	7.180	A
C-A	3.39	50.86	0.00			3.39				
A-B	0.07	0.99	0.00			0.07				
A-C	3.10	46.57	0.00			3.10				

08:30 - 08:45

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	1.64	24.61	0.00	8.75	0.188	1.64	0.2	0.2	8.443	A
C-AB	0.10	1.50	0.00	8.45	0.012	0.10	0.0	0.0	7.180	A
C-A	3.39	50.86	0.00			3.39				
A-B	0.07	0.99	0.00			0.07				
A-C	3.10	46.57	0.00			3.10				

08:45 - 09:00

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	1.34	20.09	0.00	8.90	0.151	1.34	0.2	0.2	7.946	A
C-AB	0.08	1.22	0.00	8.57	0.009	0.08	0.0	0.0	7.070	A
C-A	2.77	41.53	0.00			2.77				
A-B	0.05	0.81	0.00			0.05				
A-C	2.54	38.03	0.00			2.54				

Queue Variation Results for each time segment

08:00 - 08:15

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.18	0.00	0.00	0.18	0.18			N/A	N/A
C-AB	0.01	0.01	0.25	0.45	0.48			N/A	N/A

08:15 - 08:30

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.23	0.03	0.26	0.46	0.49			N/A	N/A
C-AB	0.01	0.00	0.00	0.01	0.01			N/A	N/A

08:30 - 08:45

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.23	0.03	0.28	0.64	1.08			N/A	N/A
C-AB	0.01	0.00	0.00	0.01	0.01			N/A	N/A

08:45 - 09:00

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.18	0.00	0.00	0.18	0.18			N/A	N/A
C-AB	0.01	0.00	0.00	0.01	0.01			N/A	N/A

Existing Layout - 2035 | Baseline | PM

Data Errors and Warnings

Severity	Area	Item	Description
Warning	Demand Sets	D4 - 2035 Baseline PM	Time results are shown for central hour only. (Model is run for a 90 minute period.)
Warning	Queue variations	Analysis Options	Queue percentiles may be unreliable if the mean queue in any time segment is very low or very high.

Junction Network

Junctions

Junction	Name	Junction type	Arm A Direction	Arm B Direction	Arm C Direction	Use circulating lanes	Junction Delay (s)	Junction LOS
1	untitled	T-Junction	Two-way	Two-way	Two-way		0.88	A

Junction Network

Driving side	Lighting	Network residual capacity (%)	First arm reaching threshold	Network delay (s)	Network LOS
Left	Normal/unknown	259	Stream B-AC	0.88	A

Traffic Demand

Demand Set Details

ID	Year	Scenario	Time period	Description	Traffic profile type	Start time (HH:mm)	Finish time (HH:mm)	Time segment length (min)	Results for central hour only	Run automatically
D4	2035	Baseline	PM	2035 Baseline PM	ONE HOUR	16:45	18:15	15	✓	✓

Demand overview (Traffic)

Arm	Linked arm	Profile type	Use O-D data	Average Demand (Veh/min)	Scaling Factor (%)
A - Crymlyn Rd (West)		ONE HOUR	✓	4.07	100.000
B - Serecold Avenue (West)		ONE HOUR	✓	0.81	100.000
C - Crymlyn Rd (East)		ONE HOUR	✓	3.03	100.000

Origin-Destination Data

Demand (Veh/min)

	To			
		A - Crymlyn Rd (West)	B - Serecold Avenue (West)	C - Crymlyn Rd (East)
From	A - Crymlyn Rd (West)	0.00	0.09	3.98
	B - Serecold Avenue (West)	0.09	0.00	0.72
	C - Crymlyn Rd (East)	2.99	0.04	0.00

Vehicle Mix

HV data entry mode	PCU Factor for a HV (PCU)
HV Percentages	2.00

Heavy Vehicle %

From	To			
		A - Crymlyn Rd (West)	B - Serecold Avenue (West)	C - Crymlyn Rd (East)
	A - Crymlyn Rd (West)	10	10	10
	B - Serecold Avenue (West)	10	10	10
	C - Crymlyn Rd (East)	10	10	10

Results

Results Summary for whole modelled period

Stream	Max RFC	Max Delay (s)	Max Queue (Veh)	Max 95th percentile Queue (Veh)	Max LOS	Average Demand (Veh/min)	Total Junction Arrivals (Veh)
B-AC	0.11	8.18	0.1	0.5	A	0.81	48.60
C-AB	0.01	7.43	0.0	0.5	A	0.04	2.41
C-A						2.99	179.39
A-B						0.09	5.40
A-C						3.98	238.80

Main Results for each time segment

17:00 - 17:15

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.73	10.92	0.00	8.44	0.086	0.73	0.1	0.1	7.777	A
C-AB	0.04	0.54	0.00	8.30	0.004	0.04	0.0	0.0	7.259	A
C-A	2.69	40.32	0.00			2.69				
A-B	0.08	1.21	0.00			0.08				
A-C	3.58	53.67	0.00			3.58				

17:15 - 17:30

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.89	13.38	0.00	8.22	0.108	0.89	0.1	0.1	8.181	A
C-AB	0.04	0.66	0.00	8.12	0.005	0.04	0.0	0.0	7.431	A
C-A	3.29	49.38	0.00			3.29				
A-B	0.10	1.49	0.00			0.10				
A-C	4.38	65.73	0.00			4.38				

17:30 - 17:45

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.89	13.38	0.00	8.22	0.108	0.89	0.1	0.1	8.185	A
C-AB	0.04	0.66	0.00	8.12	0.005	0.04	0.0	0.0	7.431	A
C-A	3.29	49.38	0.00			3.29				
A-B	0.10	1.49	0.00			0.10				
A-C	4.38	65.73	0.00			4.38				

17:45 - 18:00

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.73	10.92	0.00	8.44	0.086	0.73	0.1	0.1	7.782	A
C-AB	0.04	0.54	0.00	8.30	0.004	0.04	0.0	0.0	7.262	A
C-A	2.69	40.32	0.00			2.69				
A-B	0.08	1.21	0.00			0.08				
A-C	3.58	53.67	0.00			3.58				

Queue Variation Results for each time segment
17:00 - 17:15

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.09	0.03	0.25	0.45	0.48			N/A	N/A
C-AB	0.00	0.00	0.25	0.45	0.48			N/A	N/A

17:15 - 17:30

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.12	0.03	0.26	0.47	0.49			N/A	N/A
C-AB	0.01	0.00	0.00	0.01	0.01			N/A	N/A

17:30 - 17:45

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.12	0.03	0.25	0.45	0.48			N/A	N/A
C-AB	0.01	0.00	0.00	0.01	0.01			N/A	N/A

17:45 - 18:00

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.10	0.00	0.00	0.10	0.10			N/A	N/A
C-AB	0.00	0.00	0.00	0.00	0.00			N/A	N/A

Existing Layout - 2035 | + Development | AM

Data Errors and Warnings

Severity	Area	Item	Description
Warning	Demand Sets	D5 - 2035 + Development AM	Time results are shown for central hour only. (Model is run for a 90 minute period.)
Warning	Queue variations	Analysis Options	Queue percentiles may be unreliable if the mean queue in any time segment is very low or very high.

Junction Network

Junctions

Junction	Name	Junction type	Arm A Direction	Arm B Direction	Arm C Direction	Use circulating lanes	Junction Delay (s)	Junction LOS
1	untitled	T-Junction	Two-way	Two-way	Two-way		1.85	A

Junction Network

Driving side	Lighting	Network residual capacity (%)	First arm reaching threshold	Network delay (s)	Network LOS
Left	Normal/unknown	179	Stream B-AC	1.85	A

Traffic Demand

Demand Set Details

ID	Year	Scenario	Time period	Description	Traffic profile type	Start time (HH:mm)	Finish time (HH:mm)	Time segment length (min)	Results for central hour only	Run automatically
D5	2035	+ Development	AM	2035 Baseline + Development AM	ONE HOUR	07:45	09:15	15	✓	✓

Demand overview (Traffic)

Arm	Linked arm	Profile type	Use O-D data	Average Demand (Veh/min)	Scaling Factor (%)
A - Crymlyn Rd (West)		ONE HOUR	✓	3.33	100.000
B - Serecold Avenue (West)		ONE HOUR	✓	1.67	100.000
C - Crymlyn Rd (East)		ONE HOUR	✓	3.41	100.000

Origin-Destination Data

Demand (Veh/min)

	To			
		A - Crymlyn Rd (West)	B - Serecold Avenue (West)	C - Crymlyn Rd (East)
From	A - Crymlyn Rd (West)	0.00	0.09	3.24
	B - Serecold Avenue (West)	0.11	0.00	1.56
	C - Crymlyn Rd (East)	3.32	0.09	0.00

Vehicle Mix

HV data entry mode	PCU Factor for a HV (PCU)
HV Percentages	2.00

Heavy Vehicle %

From	To			
		A - Crymlyn Rd (West)	B - Serecold Avenue (West)	C - Crymlyn Rd (East)
	A - Crymlyn Rd (West)	10	10	10
	B - Serecold Avenue (West)	10	10	10
	C - Crymlyn Rd (East)	10	10	10

Results

Results Summary for whole modelled period

Stream	Max RFC	Max Delay (s)	Max Queue (Veh)	Max 95th percentile Queue (Veh)	Max LOS	Average Demand (Veh/min)	Total Junction Arrivals (Veh)
B-AC	0.21	8.93	0.3	1.3	A	1.67	100.20
C-AB	0.01	7.28	0.0	0.5	A	0.09	5.44
C-A						3.32	199.16
A-B						0.09	5.40
A-C						3.24	194.40

Main Results for each time segment

08:00 - 08:15

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	1.50	22.52	0.00	8.74	0.172	1.50	0.2	0.2	8.283	A
C-AB	0.08	1.22	0.00	8.48	0.010	0.08	0.0	0.0	7.143	A
C-A	2.98	44.76	0.00			2.98				
A-B	0.08	1.21	0.00			0.08				
A-C	2.91	43.69	0.00			2.91				

08:15 - 08:30

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	1.84	27.58	0.00	8.56	0.215	1.83	0.2	0.3	8.915	A
C-AB	0.10	1.50	0.00	8.34	0.012	0.10	0.0	0.0	7.276	A
C-A	3.65	54.82	0.00			3.65				
A-B	0.10	1.49	0.00			0.10				
A-C	3.57	53.51	0.00			3.57				

08:30 - 08:45

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	1.84	27.58	0.00	8.56	0.215	1.84	0.3	0.3	8.926	A
C-AB	0.10	1.50	0.00	8.34	0.012	0.10	0.0	0.0	7.276	A
C-A	3.65	54.82	0.00			3.65				
A-B	0.10	1.49	0.00			0.10				
A-C	3.57	53.51	0.00			3.57				

08:45 - 09:00

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	1.50	22.52	0.00	8.74	0.172	1.51	0.3	0.2	8.301	A
C-AB	0.08	1.22	0.00	8.48	0.010	0.08	0.0	0.0	7.146	A
C-A	2.98	44.76	0.00			2.98				
A-B	0.08	1.21	0.00			0.08				
A-C	2.91	43.69	0.00			2.91				

Queue Variation Results for each time segment

08:00 - 08:15

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.21	0.00	0.00	0.21	0.21			N/A	N/A
C-AB	0.01	0.01	0.25	0.45	0.48			N/A	N/A

08:15 - 08:30

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.27	0.03	0.26	0.46	0.49			N/A	N/A
C-AB	0.01	0.00	0.00	0.01	0.01			N/A	N/A

08:30 - 08:45

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.27	0.03	0.30	0.96	1.28			N/A	N/A
C-AB	0.01	0.00	0.00	0.01	0.01			N/A	N/A

08:45 - 09:00

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.21	0.00	0.00	0.21	0.21			N/A	N/A
C-AB	0.01	0.00	0.00	0.01	0.01			N/A	N/A

Existing Layout - 2035 | + Development | PM

Data Errors and Warnings

Severity	Area	Item	Description
Warning	Demand Sets	D6 - 2035 + Development PM	Time results are shown for central hour only. (Model is run for a 90 minute period.)
Warning	Queue variations	Analysis Options	Queue percentiles may be unreliable if the mean queue in any time segment is very low or very high.

Junction Network

Junctions

Junction	Name	Junction type	Arm A Direction	Arm B Direction	Arm C Direction	Use circulating lanes	Junction Delay (s)	Junction LOS
1	untitled	T-Junction	Two-way	Two-way	Two-way		0.95	A

Junction Network

Driving side	Lighting	Network residual capacity (%)	First arm reaching threshold	Network delay (s)	Network LOS
Left	Normal/unknown	216	Stream B-AC	0.95	A

Traffic Demand

Demand Set Details

ID	Year	Scenario	Time period	Description	Traffic profile type	Start time (HH:mm)	Finish time (HH:mm)	Time segment length (min)	Results for central hour only	Run automatically
D6	2035	+ Development	PM	2035 Baseline + Development PM	ONE HOUR	16:45	18:15	15	✓	✓

Demand overview (Traffic)

Arm	Linked arm	Profile type	Use O-D data	Average Demand (Veh/min)	Scaling Factor (%)
A - Crymlyn Rd (West)		ONE HOUR	✓	4.43	100.000
B - Serecold Avenue (West)		ONE HOUR	✓	0.95	100.000
C - Crymlyn Rd (East)		ONE HOUR	✓	3.45	100.000

Origin-Destination Data

Demand (Veh/min)

	To			
		A - Crymlyn Rd (West)	B - Serecold Avenue (West)	C - Crymlyn Rd (East)
From	A - Crymlyn Rd (West)	0.00	0.13	4.30
	B - Serecold Avenue (West)	0.12	0.00	0.83
	C - Crymlyn Rd (East)	3.41	0.04	0.00

Vehicle Mix

HV data entry mode	PCU Factor for a HV (PCU)
HV Percentages	2.00

Heavy Vehicle %

From	To			
		A - Crymlyn Rd (West)	B - Serecold Avenue (West)	C - Crymlyn Rd (East)
	A - Crymlyn Rd (West)	10	10	10
	B - Serecold Avenue (West)	10	10	10
	C - Crymlyn Rd (East)	10	10	10

Results

Results Summary for whole modelled period

Stream	Max RFC	Max Delay (s)	Max Queue (Veh)	Max 95th percentile Queue (Veh)	Max LOS	Average Demand (Veh/min)	Total Junction Arrivals (Veh)
B-AC	0.13	8.54	0.1	0.5	A	0.95	57.00
C-AB	0.01	7.51	0.0	0.5	A	0.04	2.41
C-A						3.41	204.59
A-B						0.13	7.80
A-C						4.30	258.00

Main Results for each time segment

17:00 - 17:15

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.85	12.81	0.00	8.31	0.103	0.85	0.1	0.1	8.045	A
C-AB	0.04	0.54	0.00	8.23	0.004	0.04	0.0	0.0	7.324	A
C-A	3.07	45.98	0.00			3.07				
A-B	0.12	1.75	0.00			0.12				
A-C	3.87	57.98	0.00			3.87				

17:15 - 17:30

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	1.05	15.69	0.00	8.07	0.130	1.04	0.1	0.1	8.540	A
C-AB	0.04	0.66	0.00	8.03	0.006	0.04	0.0	0.0	7.513	A
C-A	3.75	56.31	0.00			3.75				
A-B	0.14	2.15	0.00			0.14				
A-C	4.73	71.02	0.00			4.73				

17:30 - 17:45

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	1.05	15.69	0.00	8.07	0.130	1.05	0.1	0.1	8.545	A
C-AB	0.04	0.66	0.00	8.03	0.006	0.04	0.0	0.0	7.513	A
C-A	3.75	56.31	0.00			3.75				
A-B	0.14	2.15	0.00			0.14				
A-C	4.73	71.02	0.00			4.73				

17:45 - 18:00

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.85	12.81	0.00	8.31	0.103	0.86	0.1	0.1	8.053	A
C-AB	0.04	0.54	0.00	8.23	0.004	0.04	0.0	0.0	7.324	A
C-A	3.07	45.98	0.00			3.07				
A-B	0.12	1.75	0.00			0.12				
A-C	3.87	57.98	0.00			3.87				

Queue Variation Results for each time segment
17:00 - 17:15

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.11	0.00	0.00	0.11	0.11			N/A	N/A
C-AB	0.00	0.00	0.25	0.45	0.48			N/A	N/A

17:15 - 17:30

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.15	0.03	0.26	0.46	0.49			N/A	N/A
C-AB	0.01	0.00	0.00	0.01	0.01			N/A	N/A

17:30 - 17:45

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.15	0.03	0.25	0.45	0.48			N/A	N/A
C-AB	0.01	0.00	0.00	0.01	0.01			N/A	N/A

17:45 - 18:00

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.12	0.00	0.00	0.12	0.12			N/A	N/A
C-AB	0.00	0.00	0.00	0.00	0.00			N/A	N/A

Junctions 11																		
PICADY 11 - Priority Intersection Module																		
Version: 11.0.0.2177																		
© Copyright TRL Software Limited, 2024																		
For sales and distribution information, program advice and maintenance, contact TRL Software:																		
+44 (0)1344 379777 software@trl.co.uk trlsoftware.com																		
The users of this computer program for the solution of an engineering problem are in no way relieved of their responsibility for the correctness of the solution																		

Filename: Serecold Ave East.j11

Path: C:\Users\AlunRees\OneDrive - Acstro Limited\Shared with Everyone\ACSTRO Jobs\1465 Crymlyn Park\2024 Application\Junction Analysis

Report generation date: 09/10/2025 17:52:27

- »Existing Layout - 2025 | Existing | AM
- »Existing Layout - 2025 | Existing | PM
- »Existing Layout - 2035 | Baseline | AM
- »Existing Layout - 2035 | Baseline | PM
- »Existing Layout - 2035 | + Development | AM
- »Existing Layout - 2035 | + Development | PM

Summary of junction performance

	AM									PM								
	Set ID	Queue (Veh)	95% Queue (Veh)	Delay (s)	RFC	LOS	Junction Delay (s)	Junction LOS	Network Residual Capacity	Set ID	Queue (Veh)	95% Queue (Veh)	Delay (s)	RFC	LOS	Junction Delay (s)	Junction LOS	Network Residual Capacity
	Existing Layout - 2025 - Existing																	
Stream B-AC	D1	0.0	0.5	7.16	0.03	A	0.58	A	514 %	D2	0.0	0.5	7.63	0.04	A	0.60	A	322
Stream C-AB		0.0	0.5	7.54	0.04	A			[Stream B-AC]		0.0	0.5	7.63	0.05	A			[Stream B-AC]
	Existing Layout - 2035 - + Development																	
Stream B-AC	D5	0.0	0.5	7.42	0.03	A	0.62	A	398 %	D6	0.0	0.5	8.41	0.03	A	1.43	A	186
Stream C-AB		0.1	0.5	7.82	0.06	A			[Stream C-AB]		0.3	1.2	8.59	0.20	A			[Stream B-AC]
	Existing Layout - 2035 - Baseline																	
Stream B-AC	D3	0.0	0.5	7.29	0.03	A	0.60	A	453 %	D4	0.0	0.5	8.21	0.02	A	1.38	A	216
Stream C-AB		0.1	0.5	7.65	0.05	A			[Stream B-AC]		0.2	0.9	8.42	0.17	A			[Stream B-AC]

There are warnings associated with one or more model runs - see the 'Data Errors and Warnings' tables for each Analysis or Demand Set.

Values shown are the highest values encountered over all time segments. Delay is the maximum value of average delay per arriving vehicle. Junction LOS and Junction Delay are demand-weighted averages. Network Residual Capacity indicates the amount by which network flow could be increased before a user-definable threshold (see Analysis Options) is met.

File summary

File Description

Title	Crymlyn Gardens Junction
Location	
Site number	
Date	29/06/2021
Version	
Status	
Identifier	
Client	
Jobnumber	
Enumerator	Administrator [ALUNREES41AF]
Description	

Units

Distance units	Speed units	Traffic units input	Traffic units results	Flow units	Average delay units	Total delay units	Rate of delay units
m	kph	Veh	Veh	perMin	s	-Min	perMin

Analysis Options

Vehicle length (m)	Calculate Queue Percentiles	Calculate detailed queueing delay	Show lane queues in feet / metres	Show all PICADY stream intercepts	Calculate residual capacity	Residual capacity criteria type	RFC Threshold	Average Delay threshold (s)	Queue threshold (PCU)	Use simulation for HCM roundabouts	Use iterations for HCM roundabouts
5.75	✓				✓	Delay	0.85	36.00	20.00		

Demand Set Summary

ID	Year	Scenario	Time period	Description	Traffic profile type	Start time (HH:mm)	Finish time (HH:mm)	Time segment length (min)	Results for central hour only	Run automatically
D1	2025	Existing	AM	2024 Existing AM	ONE HOUR	07:45	09:15	15		✓
D2	2025	Existing	PM	2024 Existing PM	ONE HOUR	16:45	18:15	15	✓	✓
D3	2035	Baseline	AM	2035 Baseline AM	ONE HOUR	07:45	09:15	15	✓	✓
D4	2035	Baseline	PM	2035 Baseline PM	ONE HOUR	16:45	18:15	15	✓	✓
D5	2035	+ Development	AM	2035 Baseline + Development AM	ONE HOUR	07:45	09:15	15	✓	✓
D6	2035	+ Development	PM	2035 Baseline + Development PM	ONE HOUR	16:45	18:15	15	✓	✓

Analysis Set Details

ID	Name	Include in report	Network flow scaling factor (%)	Network capacity scaling factor (%)
A1	Existing Layout	✓	100.000	100.000

Existing Layout - 2025 | Existing | AM

Data Errors and Warnings

Severity	Area	Item	Description
Warning	Queue variations	Analysis Options	Queue percentiles may be unreliable if the mean queue in any time segment is very low or very high.

Junction Network

Junctions

Junction	Name	Junction type	Arm A Direction	Arm B Direction	Arm C Direction	Use circulating lanes	Junction Delay (s)	Junction LOS
1	untitled	T-Junction	Two-way	Two-way	Two-way		0.58	A

Junction Network

Driving side	Lighting	Network residual capacity (%)	First arm reaching threshold	Network delay (s)	Network LOS
Left	Normal/unknown	514	Stream B-AC	0.58	A

Arms

Arms

Arm	Name	Description	Arm type
A	Crymlyn Rd (West)		Major
B	Serecold Avenue (East)		Minor
C	Crymlyn Rd (East)		Major

Major Arm Geometry

Arm	Width of carriageway (m)	Has kerbed central reserve	Has right-turn storage	Visibility for right turn (m)	Blocks?	Blocking queue (PCU)
C - Crymlyn Rd (East)	6.00			50.0	✓	1.00

Geometries for Arm C are measured opposite Arm B. Geometries for Arm A (if relevant) are measured opposite Arm D.

Minor Arm Geometry

Arm	Minor arm type	Lane width (m)	Visibility to left (m)	Visibility to right (m)
B - Serecold Avenue (East)	One lane	2.75	50	50

Slope / Intercept / Capacity

Priority Intersection Slopes and Intercepts

Stream	Intercept (Veh/min)	Slope for A-B	Slope for A-C	Slope for C-A	Slope for C-B
B-A	8.425	0.092	0.233	0.146	0.332
B-C	10.650	0.098	0.248	-	-
C-B	10.049	0.234	0.234	-	-

The slopes and intercepts shown above include custom intercept adjustments only.

Streams may be combined, in which case capacity will be adjusted.

Values are shown for the first time segment only; they may differ for subsequent time segments.

Traffic Demand

Demand Set Details

ID	Year	Scenario	Time period	Description	Traffic profile type	Start time (HH:mm)	Finish time (HH:mm)	Time segment length (min)	Run automatically
D1	2025	Existing	AM	2024 Existing AM	ONE HOUR	07:45	09:15	15	✓

Demand overview (Traffic)

Arm	Linked arm	Profile type	Use O-D data	Average Demand (Veh/min)	Scaling Factor (%)
A - Crymlyn Rd (West)		ONE HOUR	✓	3.87	100.000
B - Serecold Avenue (East)		ONE HOUR	✓	0.23	100.000
C - Crymlyn Rd (East)		ONE HOUR	✓	3.15	100.000

Origin-Destination Data

Demand (Veh/min)

	To			
		A - Crymlyn Rd (West)	B - Serecold Avenue (East)	C - Crymlyn Rd (East)
From	A - Crymlyn Rd (West)	0.00	0.02	3.85
	B - Serecold Avenue (East)	0.00	0.00	0.23
	C - Crymlyn Rd (East)	2.82	0.33	0.00

Vehicle Mix

HV data entry mode	PCU Factor for a HV (PCU)
HV Percentages	2.00

Heavy Vehicle %

	To			
		A - Crymlyn Rd (West)	B - Serecold Avenue (East)	C - Crymlyn Rd (East)
From	A - Crymlyn Rd (West)	10	10	10
	B - Serecold Avenue (East)	10	10	10
	C - Crymlyn Rd (East)	10	10	10

Results

Results Summary for whole modelled period

Stream	Max RFC	Max Delay (s)	Max Queue (Veh)	Max 95th percentile Queue (Veh)	Max LOS	Average Demand (Veh/min)	Total Junction Arrivals (Veh)
B-AC	0.03	7.16	0.0	0.5	A	0.21	18.99
C-AB	0.04	7.54	0.0	0.5	A	0.31	27.71
C-A						2.58	232.44
A-B						0.02	1.65
A-C						3.53	317.95

Main Results for each time segment

07:45 - 08:00

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.17	2.60	0.00	8.96	0.019	0.17	0.0	0.0	6.825	A
C-AB	0.25	3.76	0.00	8.54	0.029	0.25	0.0	0.0	7.234	A
C-A	2.12	31.81	0.00			2.12				
A-B	0.02	0.23	0.00			0.02				
A-C	2.90	43.48	0.00			2.90				

08:00 - 08:15

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.21	3.10	0.00	8.82	0.023	0.21	0.0	0.0	6.962	A
C-AB	0.30	4.52	0.00	8.44	0.036	0.30	0.0	0.0	7.366	A
C-A	2.53	37.96	0.00			2.53				
A-B	0.02	0.27	0.00			0.02				
A-C	3.46	51.92	0.00			3.46				

08:15 - 08:30

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.25	3.80	0.00	8.63	0.029	0.25	0.0	0.0	7.161	A
C-AB	0.37	5.57	0.00	8.32	0.045	0.37	0.0	0.0	7.544	A
C-A	3.10	46.45	0.00			3.10				
A-B	0.02	0.33	0.00			0.02				
A-C	4.24	63.58	0.00			4.24				

08:30 - 08:45

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.25	3.80	0.00	8.63	0.029	0.25	0.0	0.0	7.161	A
C-AB	0.37	5.57	0.00	8.32	0.045	0.37	0.0	0.0	7.544	A
C-A	3.10	46.45	0.00			3.10				
A-B	0.02	0.33	0.00			0.02				
A-C	4.24	63.58	0.00			4.24				

08:45 - 09:00

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.21	3.10	0.00	8.82	0.023	0.21	0.0	0.0	6.965	A
C-AB	0.30	4.52	0.00	8.44	0.036	0.30	0.0	0.0	7.367	A
C-A	2.53	37.96	0.00			2.53				
A-B	0.02	0.27	0.00			0.02				
A-C	3.46	51.92	0.00			3.46				

09:00 - 09:15

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.17	2.60	0.00	8.96	0.019	0.17	0.0	0.0	6.825	A
C-AB	0.25	3.76	0.00	8.54	0.029	0.25	0.0	0.0	7.237	A
C-A	2.12	31.81	0.00			2.12				
A-B	0.02	0.23	0.00			0.02				
A-C	2.90	43.48	0.00			2.90				

Queue Variation Results for each time segment

07:45 - 08:00

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.02	0.00	0.00	0.02	0.02			N/A	N/A
C-AB	0.03	0.00	0.00	0.03	0.03			N/A	N/A

08:00 - 08:15

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.02	0.02	0.25	0.45	0.48			N/A	N/A
C-AB	0.04	0.03	0.25	0.45	0.48			N/A	N/A

08:15 - 08:30

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.03	0.00	0.00	0.03	0.03			N/A	N/A
C-AB	0.05	0.03	0.26	0.46	0.48			N/A	N/A

08:30 - 08:45

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.03	0.00	0.00	0.03	0.03			N/A	N/A
C-AB	0.05	0.00	0.00	0.05	0.05			N/A	N/A

08:45 - 09:00

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.02	0.00	0.00	0.02	0.02			N/A	N/A
C-AB	0.04	0.00	0.00	0.04	0.04			N/A	N/A

09:00 - 09:15

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.02	0.00	0.00	0.02	0.02			N/A	N/A
C-AB	0.03	0.00	0.00	0.03	0.03			N/A	N/A

Existing Layout - 2025 | Existing | PM

Data Errors and Warnings

Severity	Area	Item	Description
Warning	Demand Sets	D2 - 2025 Existing PM	Time results are shown for central hour only. (Model is run for a 90 minute period.)
Warning	Queue variations	Analysis Options	Queue percentiles may be unreliable if the mean queue in any time segment is very low or very high.

Junction Network

Junctions

Junction	Name	Junction type	Arm A Direction	Arm B Direction	Arm C Direction	Use circulating lanes	Junction Delay (s)	Junction LOS
1	untitled	T-Junction	Two-way	Two-way	Two-way		0.60	A

Junction Network

Driving side	Lighting	Network residual capacity (%)	First arm reaching threshold	Network delay (s)	Network LOS
Left	Normal/unknown	322	Stream B-AC	0.60	A

Traffic Demand

Demand Set Details

ID	Year	Scenario	Time period	Description	Traffic profile type	Start time (HH:mm)	Finish time (HH:mm)	Time segment length (min)	Results for central hour only	Run automatically
D2	2025	Existing	PM	2024 Existing PM	ONE HOUR	16:45	18:15	15	✓	✓

Demand overview (Traffic)

Arm	Linked arm	Profile type	Use O-D data	Average Demand (Veh/min)	Scaling Factor (%)
A - Crymlyn Rd (West)		ONE HOUR	✓	4.23	100.000
B - Serecold Avenue (East)		ONE HOUR	✓	0.26	100.000
C - Crymlyn Rd (East)		ONE HOUR	✓	3.15	100.000

Origin-Destination Data

Demand (Veh/min)

From	To			
		A - Crymlyn Rd (West)	B - Serecold Avenue (East)	C - Crymlyn Rd (East)
	A - Crymlyn Rd (West)	0.00	0.08	4.15
	B - Serecold Avenue (East)	0.03	0.00	0.23
	C - Crymlyn Rd (East)	2.82	0.33	0.00

Vehicle Mix

HV data entry mode	PCU Factor for a HV (PCU)
HV Percentages	2.00

Heavy Vehicle %

From	To			
		A - Crymlyn Rd (West)	B - Serecold Avenue (East)	C - Crymlyn Rd (East)
	A - Crymlyn Rd (West)	10	10	10
	B - Serecold Avenue (East)	10	10	10
	C - Crymlyn Rd (East)	10	10	10

Results

Results Summary for whole modelled period

Stream	Max RFC	Max Delay (s)	Max Queue (Veh)	Max 95th percentile Queue (Veh)	Max LOS	Average Demand (Veh/min)	Total Junction Arrivals (Veh)
B-AC	0.04	7.63	0.0	0.5	A	0.26	15.60
C-AB	0.05	7.63	0.0	0.5	A	0.34	20.18
C-A						2.81	168.82
A-B						0.08	4.80
A-C						4.15	249.00

Main Results for each time segment

17:00 - 17:15

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.23	3.51	0.00	8.38	0.028	0.23	0.0	0.0	7.366	A
C-AB	0.30	4.52	0.00	8.37	0.036	0.30	0.0	0.0	7.434	A
C-A	2.53	37.96	0.00			2.53				
A-B	0.07	1.08	0.00			0.07				
A-C	3.73	55.96	0.00			3.73				

17:15 - 17:30

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.29	4.29	0.00	8.15	0.035	0.29	0.0	0.0	7.632	A
C-AB	0.37	5.58	0.00	8.23	0.045	0.37	0.0	0.0	7.631	A
C-A	3.10	46.45	0.00			3.10				
A-B	0.09	1.32	0.00			0.09				
A-C	4.57	68.54	0.00			4.57				

17:30 - 17:45

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.29	4.29	0.00	8.15	0.035	0.29	0.0	0.0	7.632	A
C-AB	0.37	5.58	0.00	8.23	0.045	0.37	0.0	0.0	7.631	A
C-A	3.10	46.45	0.00			3.10				
A-B	0.09	1.32	0.00			0.09				
A-C	4.57	68.54	0.00			4.57				

17:45 - 18:00

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.23	3.51	0.00	8.38	0.028	0.23	0.0	0.0	7.369	A
C-AB	0.30	4.52	0.00	8.37	0.036	0.30	0.0	0.0	7.436	A
C-A	2.53	37.96	0.00			2.53				
A-B	0.07	1.08	0.00			0.07				
A-C	3.73	55.96	0.00			3.73				

Queue Variation Results for each time segment

17:00 - 17:15

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.03	0.03	0.25	0.45	0.48			N/A	N/A
C-AB	0.04	0.03	0.25	0.45	0.48			N/A	N/A

17:15 - 17:30

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.04	0.03	0.25	0.45	0.48			N/A	N/A
C-AB	0.05	0.03	0.26	0.46	0.49			N/A	N/A

17:30 - 17:45

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.04	0.00	0.00	0.04	0.04			N/A	N/A
C-AB	0.05	0.00	0.00	0.05	0.05			N/A	N/A

17:45 - 18:00

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.03	0.00	0.00	0.03	0.03			N/A	N/A
C-AB	0.04	0.00	0.00	0.04	0.04			N/A	N/A

Existing Layout - 2035 | Baseline | AM

Data Errors and Warnings

Severity	Area	Item	Description
Warning	Demand Sets	D3 - 2035 Baseline AM	Time results are shown for central hour only. (Model is run for a 90 minute period.)
Warning	Queue variations	Analysis Options	Queue percentiles may be unreliable if the mean queue in any time segment is very low or very high.

Junction Network

Junctions

Junction	Name	Junction type	Arm A Direction	Arm B Direction	Arm C Direction	Use circulating lanes	Junction Delay (s)	Junction LOS
1	untitled	T-Junction	Two-way	Two-way	Two-way		0.60	A

Junction Network

Driving side	Lighting	Network residual capacity (%)	First arm reaching threshold	Network delay (s)	Network LOS
Left	Normal/unknown	453	Stream B-AC	0.60	A

Traffic Demand

Demand Set Details

ID	Year	Scenario	Time period	Description	Traffic profile type	Start time (HH:mm)	Finish time (HH:mm)	Time segment length (min)	Results for central hour only	Run automatically
D3	2035	Baseline	AM	2035 Baseline AM	ONE HOUR	07:45	09:15	15	✓	✓

Demand overview (Traffic)

Arm	Linked arm	Profile type	Use O-D data	Average Demand (Veh/min)	Scaling Factor (%)
A - Crymlyn Rd (West)		ONE HOUR	✓	4.28	100.000
B - Serecold Avenue (East)		ONE HOUR	✓	0.26	100.000
C - Crymlyn Rd (East)		ONE HOUR	✓	3.49	100.000

Origin-Destination Data

Demand (Veh/min)

	To			
		A - Crymlyn Rd (West)	B - Serecold Avenue (East)	C - Crymlyn Rd (East)
From	A - Crymlyn Rd (West)	0.00	0.02	4.26
	B - Serecold Avenue (East)	0.00	0.00	0.26
	C - Crymlyn Rd (East)	3.12	0.37	0.00

Vehicle Mix

HV data entry mode	PCU Factor for a HV (PCU)
HV Percentages	2.00

Heavy Vehicle %

From	To			
		A - Crymlyn Rd (West)	B - Serecold Avenue (East)	C - Crymlyn Rd (East)
	A - Crymlyn Rd (West)	10	10	10
	B - Serecold Avenue (East)	10	10	10
	C - Crymlyn Rd (East)	10	10	10

Results

Results Summary for whole modelled period

Stream	Max RFC	Max Delay (s)	Max Queue (Veh)	Max 95th percentile Queue (Veh)	Max LOS	Average Demand (Veh/min)	Total Junction Arrivals (Veh)
B-AC	0.03	7.29	0.0	0.5	A	0.26	15.60
C-AB	0.05	7.65	0.1	0.5	A	0.38	22.73
C-A						3.11	186.67
A-B						0.02	1.20
A-C						4.26	255.60

Main Results for each time segment

08:00 - 08:15

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.23	3.51	0.00	8.73	0.027	0.23	0.0	0.0	7.059	A
C-AB	0.34	5.08	0.00	8.39	0.040	0.34	0.0	0.0	7.453	A
C-A	2.80	41.98	0.00			2.80				
A-B	0.02	0.27	0.00			0.02				
A-C	3.83	57.44	0.00			3.83				

08:15 - 08:30

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.29	4.29	0.00	8.52	0.034	0.29	0.0	0.0	7.287	A
C-AB	0.42	6.28	0.00	8.26	0.051	0.42	0.0	0.1	7.648	A
C-A	3.42	51.35	0.00			3.42				
A-B	0.02	0.33	0.00			0.02				
A-C	4.69	70.36	0.00			4.69				

08:30 - 08:45

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.29	4.29	0.00	8.52	0.034	0.29	0.0	0.0	7.287	A
C-AB	0.42	6.28	0.00	8.26	0.051	0.42	0.1	0.1	7.648	A
C-A	3.42	51.35	0.00			3.42				
A-B	0.02	0.33	0.00			0.02				
A-C	4.69	70.36	0.00			4.69				

08:45 - 09:00

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.23	3.51	0.00	8.73	0.027	0.23	0.0	0.0	7.062	A
C-AB	0.34	5.08	0.00	8.39	0.040	0.34	0.1	0.0	7.457	A
C-A	2.80	41.98	0.00			2.80				
A-B	0.02	0.27	0.00			0.02				
A-C	3.83	57.44	0.00			3.83				

Queue Variation Results for each time segment

08:00 - 08:15

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.03	0.03	0.25	0.45	0.48			N/A	N/A
C-AB	0.04	0.03	0.25	0.45	0.48			N/A	N/A

08:15 - 08:30

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.03	0.03	0.25	0.45	0.48			N/A	N/A
C-AB	0.05	0.03	0.26	0.46	0.49			N/A	N/A

08:30 - 08:45

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.03	0.00	0.00	0.03	0.03			N/A	N/A
C-AB	0.05	0.00	0.00	0.05	0.05			N/A	N/A

08:45 - 09:00

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.03	0.00	0.00	0.03	0.03			N/A	N/A
C-AB	0.04	0.00	0.00	0.04	0.04			N/A	N/A

Existing Layout - 2035 | Baseline | PM

Data Errors and Warnings

Severity	Area	Item	Description
Warning	Demand Sets	D4 - 2035 Baseline PM	Time results are shown for central hour only. (Model is run for a 90 minute period.)
Warning	Queue variations	Analysis Options	Queue percentiles may be unreliable if the mean queue in any time segment is very low or very high.

Junction Network

Junctions

Junction	Name	Junction type	Arm A Direction	Arm B Direction	Arm C Direction	Use circulating lanes	Junction Delay (s)	Junction LOS
1	untitled	T-Junction	Two-way	Two-way	Two-way		1.38	A

Junction Network

Driving side	Lighting	Network residual capacity (%)	First arm reaching threshold	Network delay (s)	Network LOS
Left	Normal/unknown	216	Stream B-AC	1.38	A

Traffic Demand

Demand Set Details

ID	Year	Scenario	Time period	Description	Traffic profile type	Start time (HH:mm)	Finish time (HH:mm)	Time segment length (min)	Results for central hour only	Run automatically
D4	2035	Baseline	PM	2035 Baseline PM	ONE HOUR	16:45	18:15	15	✓	✓

Demand overview (Traffic)

Arm	Linked arm	Profile type	Use O-D data	Average Demand (Veh/min)	Scaling Factor (%)
A - Crymlyn Rd (West)		ONE HOUR	✓	4.68	100.000
B - Serecold Avenue (East)		ONE HOUR	✓	0.17	100.000
C - Crymlyn Rd (East)		ONE HOUR	✓	4.33	100.000

Origin-Destination Data

Demand (Veh/min)

	To			
		A - Crymlyn Rd (West)	B - Serecold Avenue (East)	C - Crymlyn Rd (East)
From	A - Crymlyn Rd (West)	0.00	0.09	4.59
	B - Serecold Avenue (East)	0.04	0.00	0.13
	C - Crymlyn Rd (East)	3.08	1.25	0.00

Vehicle Mix

HV data entry mode	PCU Factor for a HV (PCU)
HV Percentages	2.00

Heavy Vehicle %

From	To			
		A - Crymlyn Rd (West)	B - Serecold Avenue (East)	C - Crymlyn Rd (East)
	A - Crymlyn Rd (West)	10	10	10
	B - Serecold Avenue (East)	10	10	10
	C - Crymlyn Rd (East)	10	10	10

Results

Results Summary for whole modelled period

Stream	Max RFC	Max Delay (s)	Max Queue (Veh)	Max 95th percentile Queue (Veh)	Max LOS	Average Demand (Veh/min)	Total Junction Arrivals (Veh)
B-AC	0.02	8.21	0.0	0.5	A	0.17	10.20
C-AB	0.17	8.42	0.2	0.9	A	1.34	80.48
C-A						2.99	179.32
A-B						0.09	5.40
A-C						4.59	275.40

Main Results for each time segment

17:00 - 17:15

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.15	2.29	0.00	7.80	0.020	0.15	0.0	0.0	7.845	A
C-AB	1.19	17.80	0.00	8.61	0.138	1.18	0.1	0.2	8.079	A
C-A	2.71	40.59	0.00			2.71				
A-B	0.08	1.21	0.00			0.08				
A-C	4.13	61.89	0.00			4.13				

17:15 - 17:30

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.19	2.81	0.00	7.49	0.025	0.19	0.0	0.0	8.212	A
C-AB	1.50	22.44	0.00	8.62	0.174	1.49	0.2	0.2	8.411	A
C-A	3.27	49.07	0.00			3.27				
A-B	0.10	1.49	0.00			0.10				
A-C	5.05	75.81	0.00			5.05				

17:30 - 17:45

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.19	2.81	0.00	7.49	0.025	0.19	0.0	0.0	8.213	A
C-AB	1.50	22.44	0.00	8.62	0.174	1.50	0.2	0.2	8.424	A
C-A	3.27	49.07	0.00			3.27				
A-B	0.10	1.49	0.00			0.10				
A-C	5.05	75.81	0.00			5.05				

17:45 - 18:00

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.15	2.29	0.00	7.80	0.020	0.15	0.0	0.0	7.848	A
C-AB	1.19	17.80	0.00	8.61	0.138	1.19	0.2	0.2	8.094	A
C-A	2.71	40.59	0.00			2.71				
A-B	0.08	1.21	0.00			0.08				
A-C	4.13	61.89	0.00			4.13				

Queue Variation Results for each time segment
17:00 - 17:15

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.02	0.02	0.25	0.45	0.48			N/A	N/A
C-AB	0.17	0.00	0.00	0.17	0.17			N/A	N/A

17:15 - 17:30

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.03	0.00	0.00	0.03	0.03			N/A	N/A
C-AB	0.22	0.03	0.26	0.46	0.49			N/A	N/A

17:30 - 17:45

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.03	0.00	0.00	0.03	0.03			N/A	N/A
C-AB	0.23	0.03	0.27	0.49	0.89			N/A	N/A

17:45 - 18:00

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.02	0.00	0.00	0.02	0.02			N/A	N/A
C-AB	0.17	0.00	0.00	0.17	0.17			N/A	N/A

Existing Layout - 2035 | + Development | AM

Data Errors and Warnings

Severity	Area	Item	Description
Warning	Demand Sets	D5 - 2035 + Development AM	Time results are shown for central hour only. (Model is run for a 90 minute period.)
Warning	Queue variations	Analysis Options	Queue percentiles may be unreliable if the mean queue in any time segment is very low or very high.

Junction Network

Junctions

Junction	Name	Junction type	Arm A Direction	Arm B Direction	Arm C Direction	Use circulating lanes	Junction Delay (s)	Junction LOS
1	untitled	T-Junction	Two-way	Two-way	Two-way		0.62	A

Junction Network

Driving side	Lighting	Network residual capacity (%)	First arm reaching threshold	Network delay (s)	Network LOS
Left	Normal/unknown	398	Stream C-AB	0.62	A

Traffic Demand

Demand Set Details

ID	Year	Scenario	Time period	Description	Traffic profile type	Start time (HH:mm)	Finish time (HH:mm)	Time segment length (min)	Results for central hour only	Run automatically
D5	2035	+ Development	AM	2035 Baseline + Development AM	ONE HOUR	07:45	09:15	15	✓	✓

Demand overview (Traffic)

Arm	Linked arm	Profile type	Use O-D data	Average Demand (Veh/min)	Scaling Factor (%)
A - Crymlyn Rd (West)		ONE HOUR	✓	4.84	100.000
B - Serecold Avenue (East)		ONE HOUR	✓	0.26	100.000
C - Crymlyn Rd (East)		ONE HOUR	✓	3.81	100.000

Origin-Destination Data

Demand (Veh/min)

	To			
		A - Crymlyn Rd (West)	B - Serecold Avenue (East)	C - Crymlyn Rd (East)
From	A - Crymlyn Rd (West)	0.00	0.02	4.82
	B - Serecold Avenue (East)	0.00	0.00	0.26
	C - Crymlyn Rd (East)	3.36	0.45	0.00

Vehicle Mix

HV data entry mode	PCU Factor for a HV (PCU)
HV Percentages	2.00

Heavy Vehicle %

From	To			
		A - Crymlyn Rd (West)	B - Serecold Avenue (East)	C - Crymlyn Rd (East)
	A - Crymlyn Rd (West)	10	10	10
	B - Serecold Avenue (East)	10	10	10
	C - Crymlyn Rd (East)	10	10	10

Results

Results Summary for whole modelled period

Stream	Max RFC	Max Delay (s)	Max Queue (Veh)	Max 95th percentile Queue (Veh)	Max LOS	Average Demand (Veh/min)	Total Junction Arrivals (Veh)
B-AC	0.03	7.42	0.0	0.5	A	0.26	15.60
C-AB	0.06	7.82	0.1	0.5	A	0.46	27.86
C-A						3.35	200.74
A-B						0.02	1.20
A-C						4.82	289.20

Main Results for each time segment

08:00 - 08:15

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.23	3.51	0.00	8.61	0.027	0.23	0.0	0.0	7.164	A
C-AB	0.41	6.22	0.00	8.32	0.050	0.41	0.0	0.1	7.592	A
C-A	3.01	45.16	0.00			3.01				
A-B	0.02	0.27	0.00			0.02				
A-C	4.33	65.00	0.00			4.33				

08:15 - 08:30

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.29	4.29	0.00	8.37	0.034	0.29	0.0	0.0	7.425	A
C-AB	0.51	7.71	0.00	8.19	0.063	0.51	0.1	0.1	7.815	A
C-A	3.68	55.21	0.00			3.68				
A-B	0.02	0.33	0.00			0.02				
A-C	5.31	79.60	0.00			5.31				

08:30 - 08:45

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.29	4.29	0.00	8.37	0.034	0.29	0.0	0.0	7.425	A
C-AB	0.51	7.71	0.00	8.19	0.063	0.51	0.1	0.1	7.817	A
C-A	3.68	55.21	0.00			3.68				
A-B	0.02	0.33	0.00			0.02				
A-C	5.31	79.60	0.00			5.31				

08:45 - 09:00

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.23	3.51	0.00	8.61	0.027	0.23	0.0	0.0	7.168	A
C-AB	0.41	6.22	0.00	8.32	0.050	0.42	0.1	0.1	7.597	A
C-A	3.01	45.16	0.00			3.01				
A-B	0.02	0.27	0.00			0.02				
A-C	4.33	65.00	0.00			4.33				

Queue Variation Results for each time segment

08:00 - 08:15

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.03	0.03	0.25	0.45	0.48			N/A	N/A
C-AB	0.05	0.03	0.25	0.45	0.48			N/A	N/A

08:15 - 08:30

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.04	0.03	0.25	0.45	0.48			N/A	N/A
C-AB	0.07	0.03	0.26	0.47	0.49			N/A	N/A

08:30 - 08:45

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.04	0.00	0.00	0.04	0.04			N/A	N/A
C-AB	0.07	0.00	0.00	0.07	0.07			N/A	N/A

08:45 - 09:00

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.03	0.00	0.00	0.03	0.03			N/A	N/A
C-AB	0.05	0.00	0.00	0.05	0.05			N/A	N/A

Existing Layout - 2035 | + Development | PM

Data Errors and Warnings

Severity	Area	Item	Description
Warning	Demand Sets	D6 - 2035 + Development PM	Time results are shown for central hour only. (Model is run for a 90 minute period.)
Warning	Queue variations	Analysis Options	Queue percentiles may be unreliable if the mean queue in any time segment is very low or very high.

Junction Network

Junctions

Junction	Name	Junction type	Arm A Direction	Arm B Direction	Arm C Direction	Use circulating lanes	Junction Delay (s)	Junction LOS
1	untitled	T-Junction	Two-way	Two-way	Two-way		1.43	A

Junction Network

Driving side	Lighting	Network residual capacity (%)	First arm reaching threshold	Network delay (s)	Network LOS
Left	Normal/unknown	186	Stream B-AC	1.43	A

Traffic Demand

Demand Set Details

ID	Year	Scenario	Time period	Description	Traffic profile type	Start time (HH:mm)	Finish time (HH:mm)	Time segment length (min)	Results for central hour only	Run automatically
D6	2035	+ Development	PM	2035 Baseline + Development PM	ONE HOUR	16:45	18:15	15	✓	✓

Demand overview (Traffic)

Arm	Linked arm	Profile type	Use O-D data	Average Demand (Veh/min)	Scaling Factor (%)
A - Crymlyn Rd (West)		ONE HOUR	✓	5.11	100.000
B - Serecold Avenue (East)		ONE HOUR	✓	0.17	100.000
C - Crymlyn Rd (East)		ONE HOUR	✓	4.90	100.000

Origin-Destination Data

Demand (Veh/min)

	To			
		A - Crymlyn Rd (West)	B - Serecold Avenue (East)	C - Crymlyn Rd (East)
From	A - Crymlyn Rd (West)	0.00	0.09	5.02
	B - Serecold Avenue (East)	0.04	0.00	0.13
	C - Crymlyn Rd (East)	3.50	1.40	0.00

Vehicle Mix

HV data entry mode	PCU Factor for a HV (PCU)
HV Percentages	2.00

Heavy Vehicle %

From	To			
		A - Crymlyn Rd (West)	B - Serecold Avenue (East)	C - Crymlyn Rd (East)
	A - Crymlyn Rd (West)	10	10	10
	B - Serecold Avenue (East)	10	10	10
	C - Crymlyn Rd (East)	10	10	10

Results

Results Summary for whole modelled period

Stream	Max RFC	Max Delay (s)	Max Queue (Veh)	Max 95th percentile Queue (Veh)	Max LOS	Average Demand (Veh/min)	Total Junction Arrivals (Veh)
B-AC	0.03	8.41	0.0	0.5	A	0.17	10.20
C-AB	0.20	8.59	0.3	1.2	A	1.53	91.93
C-A						3.37	202.07
A-B						0.09	5.40
A-C						5.02	301.20

Main Results for each time segment

17:00 - 17:15

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.15	2.29	0.00	7.66	0.020	0.15	0.0	0.0	7.989	A
C-AB	1.35	20.24	0.00	8.64	0.156	1.35	0.2	0.2	8.220	A
C-A	3.06	45.83	0.00			3.06				
A-B	0.08	1.21	0.00			0.08				
A-C	4.51	67.69	0.00			4.51				

17:15 - 17:30

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.19	2.81	0.00	7.32	0.026	0.19	0.0	0.0	8.412	A
C-AB	1.71	25.72	0.00	8.70	0.197	1.71	0.2	0.3	8.581	A
C-A	3.68	55.20	0.00			3.68				
A-B	0.10	1.49	0.00			0.10				
A-C	5.53	82.91	0.00			5.53				

17:30 - 17:45

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.19	2.81	0.00	7.32	0.026	0.19	0.0	0.0	8.413	A
C-AB	1.71	25.72	0.00	8.70	0.197	1.71	0.3	0.3	8.593	A
C-A	3.68	55.20	0.00			3.68				
A-B	0.10	1.49	0.00			0.10				
A-C	5.53	82.91	0.00			5.53				

17:45 - 18:00

Stream	Total Demand (Veh/min)	Junction Arrivals (Veh)	Pedestrian demand (Ped/min)	Capacity (Veh/min)	RFC	Throughput (Veh/min)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0.15	2.29	0.00	7.66	0.020	0.15	0.0	0.0	7.991	A
C-AB	1.35	20.24	0.00	8.64	0.156	1.35	0.3	0.2	8.238	A
C-A	3.06	45.83	0.00			3.06				
A-B	0.08	1.21	0.00			0.08				
A-C	4.51	67.69	0.00			4.51				

Queue Variation Results for each time segment
17:00 - 17:15

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.02	0.02	0.25	0.45	0.48			N/A	N/A
C-AB	0.20	0.00	0.00	0.20	0.20			N/A	N/A

17:15 - 17:30

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.03	0.00	0.00	0.03	0.03			N/A	N/A
C-AB	0.27	0.03	0.26	0.46	0.49			N/A	N/A

17:30 - 17:45

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.03	0.00	0.00	0.03	0.03			N/A	N/A
C-AB	0.27	0.03	0.30	0.88	1.21			N/A	N/A

17:45 - 18:00

Stream	Mean (Veh)	Q05 (Veh)	Q50 (Veh)	Q90 (Veh)	Q95 (Veh)	Percentile message	Marker message	Probability of reaching or exceeding marker	Probability of exactly reaching marker
B-AC	0.02	0.00	0.00	0.02	0.02			N/A	N/A
C-AB	0.20	0.00	0.00	0.20	0.20			N/A	N/A

The logo for Acstro, featuring the word "acstro" in a bold, blue, sans-serif font. The background of the entire page is white with blue curved borders at the top and bottom.

acstro

Acstro Ltd., Yr Hen Farchnad, Unit 19, Carmarthen Street, Llandeilo, Carmarthenshire SA19 6BJ

(01558) 824021
www.acstro.com