

Plate 5: Eastern edge of Stockpile of Demolition Rubble
(looking north)



Plate 6: Eastern edge of Stockpile of Demolition Rubble
(looking south-west)

PROJECT:	PROPOSED RESIDENTIAL DEVELOPMENT FORMER TUDOR INN, CIMLA, NEATH
PLATES	

Earth Science Partnership
Consulting Engineers | Geologists | Environmental Scientists
33 Cardiff Road, Taff's Well, Cardiff CF15 7RB
Tel: 029 2081 3385 enquiries@earthsciencepartnership.com



Plate 7: Asbestos Cement Sheet within Stockpile of Demolition Rubble (northern margins)



Plate 8: Fragments of Asbestos Cement Sheet on Surface, to east of Stockpile

PROJECT:	PROPOSED RESIDENTIAL DEVELOPMENT FORMER TUDOR INN, CIMLA, NEATH
PLATES	

Earth Science Partnership
Consulting Engineers | Geologists | Environmental Scientists
33 Cardiff Road, Taff's Well, Cardiff CF15 7RB
Tel: 029 2081 3385 enquiries@earthsciencepartnership.com



Plate 9: Open Grassed Central Area
(looking south-east)



Plate 10: Open Grassed Central Area. Heavily overgrown south-western area on right.
(Looking east)

PROJECT:	PROPOSED RESIDENTIAL DEVELOPMENT FORMER TUDOR INN, CIMLA, NEATH
PLATES	

Earth Science Partnership
Consulting Engineers | Geologists | Environmental Scientists
33 Cardiff Road, Taff's Well, Cardiff CF15 7RB
Tel: 029 2081 3385 enquiries@earthsciencepartnership.com



Plate 11: Heavily Overgrown South-western Margins
(looking west from above old quarry)




Plate 12: Downslope to Track to South-west
(Alongside Stockpile)

PROJECT:	PROPOSED RESIDENTIAL DEVELOPMENT FORMER TUDOR INN, CIMLA, NEATH
PLATES	

Earth Science Partnership
Consulting Engineers | Geologists | Environmental Scientists
33 Cardiff Road, Taff's Well, Cardiff CF15 7RB
Tel: 029 2081 3385 enquiries@earthsciencepartnership.com

FIGURES

N



N

Earth Science Partnership

Consulting Engineers | Geologists | Environmental Scientists


LEGEND

- Site Boundary
- Development Area

Contains OS data © Crown copyright and database right (2022). Data may be re-used under the terms of the Open Government Licence (OGL).

PROJECT NAME:	PROPOSED RESIDENTIAL DEVELOPMENT, FORMER TUDOR INN, CIMLA, NEATH
PROJECT REF:	ESP.8398.3830
CLIENT:	TAI TARIAN LTD
FIGURE 1:	PROPOSED DEVELOPMENT LAYOUT
	REV.: *00*
PREPARED: *CD*	DATE: *17/01/2023*
CHECKED: *JPH*	SCALE: Not to Scale

esp ENGINEERS GEOLOGISTS SCIENTISTS
EARTH SCIENCE PARTNERSHIP
33 Cardiff Road, Taff's Well,
Cardiff CF15 7RB Tel: 029 2081 3385
enquiries@earthsciencepartnership.com



Earth Science Partnership

Consulting Engineers | Geologists | Environmental Scientists


LEGEND

- Site Boundary
- Demolition Rubble
- Dip of Bedrock Strata
- Former Planter
- Heavily Vegetated Overgrown Area
- Old Coal Pit (Historical Maps)
- Old Quarry (Historical Maps)
- Outcrop of Graigola Coal Seam (Indicative Only)
- Potential Area of End Tipped Materials (Extent to be Confirmed)
- Development Area

Contains OS data © Crown copyright and database right (2022). Data may be re-used under the terms of the Open Government Licence (OGL).

PROJECT NAME:	PROPOSED RESIDENTIAL DEVELOPMENT, FORMER TUDOR INN, CIMLA, NEATH
PROJECT REF:	ESP.8398.3830
CLIENT:	TAI TARIAN LTD
FIGURE 2:	SITE PLAN
REV.:	00
PREPARED: CD	DATE: 17/01/2023
CHECKED: JPH	SCALE: 1: 1000

esp ENGINEERS GEOLOGISTS SCIENTISTS
EARTH SCIENCE PARTNERSHIP
33 Cardiff Road, Taff's Well,
Cardiff CF15 7RB Tel: 029 2081 3385
enquiries@earthsciencepartnership.com



Earth Science Partnership

Consulting Engineers | Geologists | Environmental Scientists

LEGEND


- Site Boundary
- Rotary Borehole Location (ESP, 2013)
- Trial Pit Location (ESP, 2013)
- Section Lines
- Development Area

Contains OS data © Crown copyright and database right (2022). Data may be re-used under the terms of the Open Government Licence (OGL).


PROJECT NAME:	PROPOSED RESIDENTIAL DEVELOPMENT, FORMER TUDOR INN, CIMLA, NEATH
PROJECT REF:	ESP.8398.3830
CLIENT:	TAI TARIAN LTD
FIGURE 1:	EXPLORATORY HOLE INVESTIGATION PLAN
	REV.: *00*
PREPARED: *CD*	DATE: *10/01/2023*
CHECKED: *JPH*	SCALE: *1: 1000*

esp ENGINEERS GEOLOGISTS SCIENTISTS
EARTH SCIENCE PARTNERSHIP
33 Cardiff Road, Taff's Well,
Cardiff CF15 7RB Tel: 029 2081 3385
enquiries@earthsciencepartnership.com

Section 1



Section 2



Legend:

- Made Ground/Topsoil
- Sandstone
- Mudstone
- Coal (Probable Graigola seam)


Line of Section shown on Figure 1.

PROJECT:
PROPOSED RESIDENTIAL DEVELOPMENT,
FORMER TUDOR INN, NEATH

SCALE: As shown

FIGURE 4:
CONCEPTUAL GROUND MODEL

Earth Science Partnership
Consulting Engineers | Geologists | Environmental Scientists
33 Cardiff Road, Taff's Well,
Cardiff CF15 7RB Tel: 029 2081 3385
enquiries@earthsciencepartnership.com



Earth Science Partnership

Consulting Engineers | Geologists | Environmental Scientists

LEGEND

- Site Boundary
- Rotary Borehole Location (ESP, 2013)
- Trial Pit Location (ESP, 2013)
- Section Lines
- Demolition Rubble
- 0mm — Depth to Coal Measures Bedrock
- Development Area

Contains OS data © Crown copyright and database right (2022). Data may be re-used under the terms of the Open Government Licence (OGL).

PROJECT NAME:	PROPOSED RESIDENTIAL DEVELOPMENT, FORMER TUDOR INN, CIMLA, NEATH
PROJECT REF:	ESP.8398.3830
CLIENT:	TAI TARIAN LTD
FIGURE 5:	DEPTH TO BEDROCK AT INVESTIGATION POINT
	REV.: *00*
PREPARED: *CD*	DATE: *17/01/2023*
CHECKED: *JPH*	SCALE: *1: 1000*

esp ENGINEERS GEOLOGISTS SCIENTISTS
EARTH SCIENCE PARTNERSHIP
33 Cardiff Road, Taff's Well,
Cardiff CF15 7RB Tel: 029 2081 3385
enquiries@earthsciencepartnership.com

APPENDIX A Risk Evaluation Methodology

APPENDIX A
RISK EVALUATION METHODOLOGY

The methodology set out in CIRIA C552 (2001), *Contaminated Land Risk Assessment – A Guide to Good Practice*, has been used to assess whether or not risks are acceptable, and to determine the need for collating further information or remedial action. The following tables have been used to classify the risk for each pathway. Tables A2 to A4 have been revised to include for circumstances where no plausible risk has been identified.

Table A1 - *Classification of Consequence*

Classification	Definition	Examples
Severe	• Short-term (acute) risk to human health likely to result in *Significant Harm*. • Short-term risk of pollution to a sensitive water resource. • Catastrophic damage to buildings/property. • Short-term risk to ecosystem, or organism forming part of that ecosystem.	• High concentrations of Cyanide at surface of informal recreation area. • Major spillage of contaminants from site into controlled water. • Explosion causing building collapse.
Medium	• Chronic damage to human health. • Pollution of sensitive water resource. • A significant change to ecosystem, or organism forming part of that ecosystem.	• Contaminant concentrations exceed assessment criteria. • Leaching of contaminants to Secondary A aquifer. • Death of species within nature reserve.
Mild	• Pollution of non-sensitive water resources. • Significant damage to crops, buildings, structures. • Damage to sensitive buildings, structures or the environment.	• Pollution of Secondary groundwater sources. • Damage to building rendering it unsafe to occupy.
Minor	• Harm, although not necessarily significant harm, which may result in financial loss, or expenditure to resolve. • Non permanent risks to human health (easily prevented by means of PPE). • Easily repairable effects of damage to buildings and structures.	• The presence of contaminants at such concentrations that PPE is required during site works. • The loss of plants in a landscaping scheme. • Discoloration of concrete.

Table A2: *Classification of Probability*

Classification	Definition
High Likelihood	There is a pollutant linkage and an event that either appears very likely in the short term and almost inevitable over the longer term. Or, there is already evidence at the receptor of harm or pollution.
Likely	There is a pollution linkage and all the elements are present and in the right place, which means that it is probable that an event will occur. Circumstances are such that an event is not inevitable, but possible in the short term and likely over the longer term.
Low Likelihood	There is a pollutant linkage and circumstances are possible under which an event could occur. However, it is by no means certain that even over a longer period such an event would take place, and is less likely in the shorter term.
Unlikely	There is a pollutant linkage, but circumstances are such that it is improbable that an event would occur, even in the very long term.
No Linkage	No plausible linkage has been established.

Table A3: *Risk Categories – Comparison of consequence against probability*

		Consequence			
		Severe	**Medium**	**Mild**	**Minor**
Probability	**High Likelihood**	Very High Risk	High Risk	Moderate Risk	Moderate / Low Risk
	Likely	High Risk	Moderate Risk	Moderate / Low Risk	Low Risk
	Low Likelihood	Moderate Risk	Moderate / Low Risk	Low Risk	Very Low Risk
	Unlikely	Moderate / Low Risk	Low Risk	Very Low Risk	Very Low Risk
	No Linkage	No Risk			


Table A4: *Description of Risk Categories*

Classification	Description
Very High Risk	• There is a probability that severe harm could arise to a designated receptor from an identified hazard. Or, there is evidence that severe harm to a designated receptor is currently happening. • The risk, if realised, is likely to result in a substantial liability. • Urgent investigation (if not already undertaken) and remedial action are likely to be required.
High Risk	• Harm is likely to arise to a designated receptor from an identified hazard. • Realisation of the risk is likely to present a substantial liability. • Urgent investigation (if not already undertaken) is required, and remedial action may be necessary in the short term and are likely over the longer term.
Moderate Risk	• It is possible that harm could arise to a designated receptor from an identified hazard. However, it is either relatively unlikely that any such harm would be severe, or if any harm were to occur, it is more likely that the harm would be mild. • Investigation (if not already undertaken) is normally required to clarify the risk and to determine potential liability. Some remedial action may be required in the longer term.
Low Risk	• It is possible that harm could arise to a designated receptor from an identified hazard, but it is likely that this harm, if realised, would at worst normally be mild.
Very Low Risk	• There is a very low possibility that harm could arise at a receptor. In the event of such harm being realised, it is not likely to be severe.
No Risk	• No risk mitigation required.

APPENDIX B Extracts from Historical Maps

Historical Mapping Legends

Ordnance Survey County Series and Ordnance Survey Plan 1:2,500



County Boundary (Geographical)

County & Civil Parish Boundary


Administrative County & Civil Parish Boundary

Co. Boro. Bdy. County Borough Boundary (England)

Co. Burgh Bdy. County Burgh Boundary (Scotland)

B P B S	Boundary Post or Stone	P.C.B	Police Call Box
B.R.	Bridle Road	P	Pump
E.P	Electricity Pylon	S.P	Signal Post
F.B.	Foot Bridge	St.	Sluice
F.P.	Foot Path	Sp.	Spring
G.P	Guide Post or Board	T.C.B	Telephone Call Box
M.S	Mile Stone	Tr.	Trough
M.P M.R	Mooring Post or Ring	W	Well

Ordnance Survey Plan, Additional SIMs and Supply of Unpublished Survey Information 1:2,500 and 1:1,250



County Boundary (Geographical)

County & Civil Parish Boundary

Civil Parish Boundary


Admin. County or County Bor. Boundary

L B Bdy London Borough Boundary

Symbol marking point where boundary mereing changes

BH	Beer House	P	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
El P	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
H	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	Wr Pt, Wr T	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

Large-Scale National Grid Data 1:2,500 and 1:1,250



Civil parish/community boundary

District boundary

County boundary

Boundary post/stone

Boundary mereing symbol (note: these always appear in opposed pairs or groups of three)


Bks	Barracks	P	Pillar, Pole or Post
Bty	Battery	PO	Post Office
Cemy	Cemetery	PC	Public Convenience
Chy	Chimney	Pp	Pump
Cis	Cistern	Ppg Sta	Pumping Station
Dismtd Rly	Dismantled Railway	PW	Place of Worship
El Gen Sta	Electricity Generating Station	Sewage Ppg Sta	Sewage Pumping Station
El P	Electricity Pole, Pillar	SB, S Br	Signal Box or Bridge
El Sub Sta	Electricity Sub Station	SP, SL	Signal Post or Light
FB	Filter Bed	Spr	Spring
Fn / D Fn	Fountain / Drinking Ftn.	Tk	Tank or Track
Gas Gov	Gas Valve Compound	Tr	Trough
GVC	Gas Governer	Wd Pp	Wind Pump
GP	Guide Post	Wr Pt, Wr T	Water Point, Water Tap
MH	Manhole	Wks	Works (building or area)
MP, MS	Mile Post or Mile Stone	W	Well

Intégral Géotechnique

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Glamorganshire	1:2,500	1881	2
Glamorganshire	1:2,500	1899	3
Glamorganshire	1:2,500	1919	4
Glamorganshire	1:2,500	1935	5
Ordnance Survey Plan	1:1,250	1949 - 1967	6
Ordnance Survey Plan	1:2,500	1952 - 1970	7
Ordnance Survey Plan	1:1,250	1956 - 1957	8
Ordnance Survey Plan	1:1,250	1963 - 1974	9
Ordnance Survey Plan	1:2,500	1964	10
Ordnance Survey Plan	1:1,250	1971	11
Additional SIMs	1:2,500	1978	12
Additional SIMs	1:2,500	1985	13
Additional SIMs	1:1,250	1989	14
Large-Scale National Grid Data	1:1,250	1993	15
Large-Scale National Grid Data	1:2,500	1993	16
Historical Aerial Photography	1:2,500	2000	17

Historical Map - Segment A13



Order Details


Order Number:	294212658_1_1
Customer Ref:	14036/LP
National Grid Reference:	276040, 196030
Slice:	A
Site Area (Ha):	0.78
Search Buffer (m):	100

Site Details

Phase 1, Former Tudor Inn, Beacons View, Cimla, Neath, SA11 3SB

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Intégral Géotechnique


Glamorganshire

Published 1881


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A13




Order Details

Order Number:	294212658_1_1
Customer Ref:	14036/LP
National Grid Reference:	276040, 196030
Slice:	A
Site Area (Ha):	0.78
Search Buffer (m):	100

Site Details

Phase 1, Former Tudor Inn, Beacons View, Cimla, Neath, SA11 3SB

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

0 100 m

Intégral Géotechnique


Glamorganshire

Published 1899


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A13



Order Details


Order Number:	294212658_1_1
Customer Ref:	14036/LP
National Grid Reference:	276040, 196030
Slice:	A
Site Area (Ha):	0.78
Search Buffer (m):	100

Site Details

Phase 1, Former Tudor Inn, Beacons View, Cimla, Neath, SA11 3SB

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Intégral Géotechnique


Glamorganshire

Published 1919


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A13




Order Details

Order Number:	294212658_1_1
Customer Ref:	14036/LP
National Grid Reference:	276040, 196030
Slice:	A
Site Area (Ha):	0.78
Search Buffer (m):	100

Site Details

Phase 1, Former Tudor Inn, Beacons View, Cimla, Neath, SA11 3SB

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Intégral Géotechnique


Glamorganshire

Published 1935


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A13




Order Details

Order Number:	294212658_1_1
Customer Ref:	14036/LP
National Grid Reference:	276040, 196030
Slice:	A
Site Area (Ha):	0.78
Search Buffer (m):	100

Site Details

Phase 1, Former Tudor Inn, Beacons View, Cimla, Neath, SA11 3SB

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Intégral Géotechnique

Ordnance Survey Plan

Published 1949 - 1967


Source map scale - 1:1,250

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)

SS7596SE 1951 1:1,250
SS7696SW 1949 1:1,250
SS7695NW 1967 1:1,250

Historical Map - Segment A13




Order Details

Order Number:	294212658_1_1
Customer Ref:	14036/LP
National Grid Reference:	276040, 196030
Slice:	A
Site Area (Ha):	0.78
Search Buffer (m):	100

Site Details

Phase 1, Former Tudor Inn, Beacons View, Cimla, Neath, SA11 3SB

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Intégral Géotechnique


Ordnance Survey Plan

Published 1952 - 1970


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A13



Order Details


Order Number:	294212658_1_1
Customer Ref:	14036/LP
National Grid Reference:	276040, 196030
Slice:	A
Site Area (Ha):	0.78
Search Buffer (m):	100

Site Details

Phase 1, Former Tudor Inn, Beacons View, Cimla, Neath, SA11 3SB

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Intégral Géotechnique


Ordnance Survey Plan

Published 1956 - 1957


Source map scale - 1:1,250

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A13




Order Details

Order Number:	294212658_1_1
Customer Ref:	14036/LP
National Grid Reference:	276040, 196030
Slice:	A
Site Area (Ha):	0.78
Search Buffer (m):	100

Site Details

Phase 1, Former Tudor Inn, Beacons View, Cimla, Neath, SA11 3SB

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Intégral Géotechnique


Ordnance Survey Plan

Published 1963 - 1974


Source map scale - 1:1,250

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A13




Order Details

Order Number:	294212658_1_1
Customer Ref:	14036/LP
National Grid Reference:	276040, 196030
Slice:	A
Site Area (Ha):	0.78
Search Buffer (m):	100

Site Details

Phase 1, Former Tudor Inn, Beacons View, Cimla, Neath, SA11 3SB

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Intégral Géotechnique


Ordnance Survey Plan

Published 1964


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A13




Order Details

Order Number:	294212658_1_1
Customer Ref:	14036/LP
National Grid Reference:	276040, 196030
Slice:	A
Site Area (Ha):	0.78
Search Buffer (m):	100

Site Details

Phase 1, Former Tudor Inn, Beacons View, Cimla, Neath, SA11 3SB

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Intégral Géotechnique

Ordnance Survey Plan

Published 1971


Source map scale - 1:1,250

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)

SS7696SW
1971
1:1,250

Historical Map - Segment A13




Order Details

Order Number:	294212658_1_1
Customer Ref:	14036/LP
National Grid Reference:	276040, 196030
Slice:	A
Site Area (Ha):	0.78
Search Buffer (m):	100

Site Details

Phase 1, Former Tudor Inn, Beacons View, Cimla, Neath, SA11 3SB

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Intégral Géotechnique


Additional SIMs

Published 1978


Source map scale - 1:2,500

The SIM cards (Ordnance Survey's `Survey of Information on Microfilm') are further, minor editions of mapping which were produced and published in between the main editions as an area was updated. They date from 1947 to 1994, and contain detailed information on buildings, roads and land-use. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment A13




Order Details

Order Number:	294212658_1_1
Customer Ref:	14036/LP
National Grid Reference:	276040, 196030
Slice:	A
Site Area (Ha):	0.78
Search Buffer (m):	100

Site Details

Phase 1, Former Tudor Inn, Beacons View, Cimla, Neath, SA11 3SB

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Intégral Géotechnique


Additional SIMs

Published 1985


Source map scale - 1:2,500

The SIM cards (Ordnance Survey's `Survey of Information on Microfilm') are further, minor editions of mapping which were produced and published in between the main editions as an area was updated. They date from 1947 to 1994, and contain detailed information on buildings, roads and land-use. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment A13




Order Details

Order Number:	294212658_1_1
Customer Ref:	14036/LP
National Grid Reference:	276040, 196030
Slice:	A
Site Area (Ha):	0.78
Search Buffer (m):	100

Site Details

Phase 1, Former Tudor Inn, Beacons View, Cimla, Neath, SA11 3SB

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Intégral Géotechnique


Additional SIMs

Published 1989


Source map scale - 1:1,250

The SIM cards (Ordnance Survey's `Survey of Information on Microfilm') are further, minor editions of mapping which were produced and published in between the main editions as an area was updated. They date from 1947 to 1994, and contain detailed information on buildings, roads and land-use. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment A13




Order Details

Order Number:	294212658_1_1
Customer Ref:	14036/LP
National Grid Reference:	276040, 196030
Slice:	A
Site Area (Ha):	0.78
Search Buffer (m):	100

Site Details

Phase 1, Former Tudor Inn, Beacons View, Cimla, Neath, SA11 3SB

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Intégral Géotechnique


Large-Scale National Grid Data

Published 1993


Source map scale - 1:1,250

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment A13




Order Details

Order Number:	294212658_1_1
Customer Ref:	14036/LP
National Grid Reference:	276040, 196030
Slice:	A
Site Area (Ha):	0.78
Search Buffer (m):	100

Site Details

Phase 1, Former Tudor Inn, Beacons View, Cimla, Neath, SA11 3SB

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Intégral Géotechnique


Large-Scale National Grid Data

Published 1993


Source map scale - 1:2,500

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment A13



Order Details

Order Number:	294212658_1_1
Customer Ref:	14036/LP
National Grid Reference:	276040, 196030
Slice:	A
Site Area (Ha):	0.78
Search Buffer (m):	100

Site Details

Phase 1, Former Tudor Inn, Beacons View, Cimla, Neath, SA11 3SB

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk




Intégral Géotechnique

Historical Aerial Photography

Published 2000

This aerial photography was produced by Getmapping, these vertical aerial photographs provide a seamless, full colour survey of the whole of Great Britain

Historical Aerial Photography - Segment A13



Order Details

Order Number:	294212658_1_1
Customer Ref:	14036/LP
National Grid Reference:	276040, 196030
Slice:	A
Site Area (Ha):	0.78
Search Buffer (m):	100

Site Details

Phase 1, Former Tudor Inn, Beacons View, Cimla, Neath, SA11 3SB

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Historical Mapping Legends

Ordnance Survey County Series 1:10,560

Gravel Pit
Sand Pit
Other Pits
Quarry
Shingle
Orchard
Osiers
Reeds
Marsh
Mixed Wood
Deciduous
Brushwood
Fir
Furze
Rough Pasture
Arrow denotes flow of water
Trigonometrical Station
Site of Antiquities
Bench Mark
Pump, Guide Post, Signal Post
Well, Spring, Boundary Post
285 Surface Level
Sketched Contour
Instrumental Contour
Main Roads
Fenced
Un-Fenced
Minor Roads
Fenced
Un-Fenced
Sunken Road
Raised Road
Road over Railway
Railway over River
Railway over Road
Level Crossing
Road over River or Canal
Road over Stream
Road over Stream
County Boundary (Geographical)
County & Civil Parish Boundary
Administrative County & Civil Parish Boundary
Co. Boro. Bdy.
County Borough Boundary (England)
Co. Burgh Bdy.
County Burgh Boundary (Scotland)
R.D. Bdy.
Rural District Boundary
Civil Parish Boundary

Ordnance Survey Plan 1:10,000

Chalk Pit, Clay Pit or Quarry
Gravel Pit
Sand Pit
Disused Pit or Quarry
Refuse or Slag Heap
Lake, Loch or Pond
Dunes
Boulders
Coniferous Trees
Non-Coniferous Trees
Orchard
Scrub
Coppice
Bracken
Heath
Rough Grassland
Marsh
Reeds
Saltings
Building
Direction of Flow of Water
Shingle
Sand
Glasshouse
Pylon
Pylon
Electricity Transmission Line
Sloping Masonry
Cutting
Embankment
Standard Gauge Multiple Track
Road Under
Road Over
Level Crossing
Foot Bridge
Standard Gauge Single Track
Siding, Tramway or Mineral Line
Narrow Gauge
Geographical County
Administrative County, County Borough or County of City
Municipal Borough, Urban or Rural District, Burgh or District Council
Borough, Burgh or County Constituency
Shown only when not coincident with other boundaries
Civil Parish
Shown alternately when coincidence of boundaries occurs

BP, BS	Boundary Post or Stone	Pol Sta	Police Station
Ch	Church	PO	Post Office
CH	Club House	PC	Public Convenience
F E Sta	Fire Engine Station	PH	Public House
FB	Foot Bridge	SB	Signal Box
Fn	Fountain	Spr	Spring
GP	Guide Post	TCB	Telephone Call Box
MP	Mile Post	TCP	Telephone Call Post
MS	Mile Stone	W	Well

1:10,000 Raster Mapping


Gravel Pit
Refuse tip or slag heap
Rock
Rock (scattered)
Boulders
Boulders (scattered)
Shingle
Mud
Mud
Sand
Sand
Sand Pit
Slopes
Top of cliff
General detail
Underground detail
Overhead detail
Narrow gauge railway
Multi-track railway
Single track railway
County boundary (England only)
Civil, parish or community boundary
District, Unitary, Metropolitan, London Borough boundary
Constituency boundary
Area of wooded vegetation
Non-coniferous trees
Non-coniferous trees (scattered)
Coniferous trees
Coniferous trees (scattered)
Positioned tree
Orchard
Coppice or Osiers
Rough Grassland
Heath
Scrub
Marsh, Salt Marsh or Reeds
Water feature
Flow arrows
MHW(S)
Mean high water (springs)
MLW(S)
Mean low water (springs)
Telephone line (where shown)
Electricity transmission line (with poles)
BM 123.45 m
Bench mark (where shown)
Triangulation station
Point feature (e.g. Guide Post or Mile Stone)
Pylon, flare stack or lighting tower
Site of (antiquity)
Glasshouse
General Building
Important Building

Intégral Géotechnique

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Glamorganshire	1:10,560	1884	2
Glamorganshire	1:10,560	1900	3
Glamorganshire	1:10,560	1921	4
Glamorganshire	1:10,560	1936	5
Glamorganshire	1:10,560	1938 - 1951	6
Historical Aerial Photography	1:10,560	1945 - 1949	7
Glamorganshire	1:10,560	1951	8
Ordnance Survey Plan	1:10,000	1964 - 1965	9
Ordnance Survey Plan	1:10,000	1970 - 1974	10
Ordnance Survey Plan	1:10,000	1980 - 1983	11
Ordnance Survey Plan	1:10,000	1992 - 1996	12
10K Raster Mapping	1:10,000	1999	13
10K Raster Mapping	1:10,000	2006	14
VectorMap Local	1:10,000	2021	15

Historical Map - Slice A




Order Details

Order Number: 294212658_1_1
Customer Ref: 14036/LP
National Grid Reference: 276040, 196030
Slice: A
Site Area (Ha): 0.78
Search Buffer (m): 1000

Site Details

Phase 1, Former Tudor Inn, Beacons View, Cimla, Neath, SA11 3SB

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Intégral Géotechnique

Glamorganshire

Published 1884

Source map scale - 1:10,560


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

01600
1884
1:10,560

02500
1884
1:10,560

Historical Map - Slice A




Order Details

Order Number:	294212658_1_1
Customer Ref:	14036/LP
National Grid Reference:	276040, 196030
Slice:	A
Site Area (Ha):	0.78
Search Buffer (m):	1000

Site Details

Phase 1, Former Tudor Inn, Beacons View, Cimla, Neath, SA11 3SB

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Intégral Géotechnique

Glamorganshire

Published 1900

Source map scale - 1:10,560


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

016SW
1900
1:10,560

025NW
1900
1:10,560

Historical Map - Slice A



Order Details


Order Number:	294212658_1_1
Customer Ref:	14036/LP
National Grid Reference:	276040, 196030
Slice:	A
Site Area (Ha):	0.78
Search Buffer (m):	1000

Site Details

Phase 1, Former Tudor Inn, Beacons View, Cimla, Neath, SA11 3SB

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Intégral Géotechnique


Glamorganshire

Published 1921


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A




Order Details

Order Number:	294212658_1_1
Customer Ref:	14036/LP
National Grid Reference:	276040, 196030
Slice:	A
Site Area (Ha):	0.78
Search Buffer (m):	1000

Site Details

Phase 1, Former Tudor Inn, Beacons View, Cimla, Neath, SA11 3SB

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Intégral Géotechnique


Glamorganshire

Published 1936


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number:	294212658_1_1
Customer Ref:	14036/LP
National Grid Reference:	276040, 196030
Slice:	A
Site Area (Ha):	0.78
Search Buffer (m):	1000

Site Details

Phase 1, Former Tudor Inn, Beacons View, Cimla, Neath, SA11 3SB

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Intégral Géotechnique


Glamorganshire

Published 1938 - 1951


Source map scale - 1:10,560


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A





Order Details


Order Number: 294212658_1_1
Customer Ref: 14036/LP
National Grid Reference: 276040, 196030
Slice: A
Site Area (Ha): 0.78
Search Buffer (m): 1000

Site Details

Phase 1, Former Tudor Inn, Beacons View, Cimla, Neath, SA11 3SB

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Intégral Géotechnique

Historical Aerial Photography


Published 1945 - 1949

Source map scale - 1:10,560


The Historical Aerial Photos were produced by the Ordnance Survey at a scale of 1:1,250 and 1:10,560 from Air Force photography. They were produced between 1944 and 1951 as an interim measure, pending preparation of conventional mapping, due to post war resource shortages. New security measures in the 1950's meant that every photograph was re-checked for potentially unsafe information with security sites replaced by fake fields or clouds. The original editions were withdrawn and only later made available after a period of fifty years although due to the accuracy of the editing, without viewing both revisions it is not easy to spot the edits. Where available Landmark have included both revisions.

© Landmark Information Group and/or Data Suppliers 2010.

Map Name(s) and Date(s)



Historical Aerial Photography - Slice A



BRITISH LIBRARY

Order Details


Order Number:	294212658_1_1
Customer Ref:	14036/LP
National Grid Reference:	276040, 196030
Slice:	A
Site Area (Ha):	0.78
Search Buffer (m):	1000

Site Details

Phase 1, Former Tudor Inn, Beacons View, Cimla, Neath, SA11 3SB

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Intégral Géotechnique


Glamorganshire

Published 1951


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number:	294212658_1_1
Customer Ref:	14036/LP
National Grid Reference:	276040, 196030
Slice:	A
Site Area (Ha):	0.78
Search Buffer (m):	1000

Site Details

Phase 1, Former Tudor Inn, Beacons View, Cimla, Neath, SA11 3SB

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Intégral Géotechnique

Ordnance Survey Plan

Published 1964 - 1965


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

SS79NW 1965 1:10,560	SS79NE 1964 1:10,560
SS79SW 1964 1:10,560	SS79SE 1964 1:10,560

Historical Map - Slice A



N

Order Details


Order Number:	294212658_1_1
Customer Ref:	14036/LP
National Grid Reference:	276040, 196030
Slice:	A
Site Area (Ha):	0.78
Search Buffer (m):	1000

Site Details

Phase 1, Former Tudor Inn, Beacons View, Cimla, Neath, SA11 3SB

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Intégral Géotechnique

Ordnance Survey Plan

Published 1970 - 1974

Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.


Map Name(s) and Date(s)

SS79NW 1970 1:10,560

SS79NE 1973 1:10,000

SS79SE 1974 1:10,560

Historical Map - Slice A



Order Details


Order Number:	294212658_1_1
Customer Ref:	14036/LP
National Grid Reference:	276040, 196030
Slice:	A
Site Area (Ha):	0.78
Search Buffer (m):	1000

Site Details

Phase 1, Former Tudor Inn, Beacons View, Cimla, Neath, SA11 3SB

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Intégral Géotechnique

Ordnance Survey Plan

Published 1980 - 1983


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

SS79NW 1980 1:10,000	SS79NE 1983 1:10,000
SS79SW 1980 1:10,000	SS79SE 1980 1:10,000

Historical Map - Slice A



Order Details


Order Number:	294212658_1_1
Customer Ref:	14036/LP
National Grid Reference:	276040, 196030
Slice:	A
Site Area (Ha):	0.78
Search Buffer (m):	1000

Site Details

Phase 1, Former Tudor Inn, Beacons View, Cimla, Neath, SA11 3SB

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

0 400 m

Intégral Géotechnique

Ordnance Survey Plan

Published 1992 - 1996

Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.


Map Name(s) and Date(s)

SS79NW 1992 1:10,000

SS79NE 1992 1:10,000

SS79SE 1996 1:10,000

Historical Map - Slice A



Order Details


Order Number: 294212658_1_1
Customer Ref: 14036/LP
National Grid Reference: 276040, 196030
Slice: A
Site Area (Ha): 0.78
Search Buffer (m): 1000

Site Details

Phase 1, Former Tudor Inn, Beacons View, Cimla, Neath, SA11 3SB

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Intégral Géotechnique

10k Raster Mapping

Published 1999


Source map scale - 1:10,000

The historical maps shown were produced from the Ordnance Survey`s 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)

SS79NW 1999 1:10,000	SS79NE 1999 1:10,000
SS79SW 1999 1:10,000	SS79SE 1999 1:10,000

Historical Map - Slice A



Order Details


Order Number:	294212658_1_1
Customer Ref:	14036/LP
National Grid Reference:	276040, 196030
Slice:	A
Site Area (Ha):	0.78
Search Buffer (m):	1000

Site Details

Phase 1, Former Tudor Inn, Beacons View, Cimla, Neath, SA11 3SB

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Intégral Géotechnique


10k Raster Mapping

Published 2006


Source map scale - 1:10,000

The historical maps shown were produced from the Ordnance Survey`s 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details

Order Number: 294212658_1_1
Customer Ref: 14036/LP
National Grid Reference: 276040, 196030
Slice: A
Site Area (Ha): 0.78
Search Buffer (m): 1000

Site Details

Phase 1, Former Tudor Inn, Beacons View, Cimla, Neath, SA11 3SB

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Intégral Géotechnique

VectorMap Local

Published 2021


Source map scale - 1:10,000

VectorMap Local (Raster) is Ordnance Survey's highest detailed 'backdrop' mapping product. These maps are produced from OS's VectorMap Local, a simple vector dataset at a nominal scale of 1:10,000, covering the whole of Great Britain, that has been designed for creating graphical mapping. OS VectorMap Local is derived from large-scale information surveyed at 1:1250 scale (covering major towns and cities),1:2500 scale (smaller towns, villages and developed rural areas), and 1:10 000 scale (mountain, moorland and river estuary areas).

Map Name(s) and Date(s)

SS79NW 2021 Variable	SS79NE 2021 Variable
SS79SW 2021 Variable	SS79SE 2021 Variable

Historical Map - Slice A



Order Details

Order Number:	294212658_1_1
Customer Ref:	14036/LP
National Grid Reference:	276040, 196030
Slice:	A
Site Area (Ha):	0.78
Search Buffer (m):	1000

Site Details

Phase 1, Former Tudor Inn, Beacons View, Cimla, Neath, SA11 3SB

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

APPENDIX C Environmental Data Report

Intégral
Géotechnique

Envirocheck® Report:

Datasheet

Order Details:

Order Number:
294212658_1_1

Customer Reference:
14036/LP

National Grid Reference:
276040, 196030

Slice:
A

Site Area (Ha):
0.78

Search Buffer (m):
1000

Site Details:

Phase 1
Former Tudor Inn, Beacons View
Cimla
Neath
SA11 3SB

Client Details:

MR H Pritchard
Integral Geotechnique
Integral House
7 Beddau Way
Castlegate Business Park
Caerphilly
CF83 2AX

Intégral Géotechnique

Contents

Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	30
Hazardous Substances	-
Geological	32
Industrial Land Use	48
Sensitive Land Use	54
Data Currency	56
Data Suppliers	62
Useful Contacts	63

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination.
For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client.
In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2022. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer.
A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report.
© Environment Agency & United Kingdom Research and Innovation 2022. © Natural Resources Wales & United Kingdom Research and Innovation 2022.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3.0.

Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Stantec Copyright Notice

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England.

Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2022. Land & Property Services © Crown copyright and database right.

Report Version v53.0

Intégral Géotechnique

Summary

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Agency & Hydrological					
BGS Groundwater Flooding Susceptibility	pg 1	Yes	Yes	Yes	n/a
Contaminated Land Register Entries and Notices					
Discharge Consents	pg 3		1	5	12
Prosecutions Relating to Controlled Waters			n/a	n/a	n/a
Enforcement and Prohibition Notices					
Integrated Pollution Controls					
Integrated Pollution Prevention And Control					
Local Authority Integrated Pollution Prevention And Control					
Local Authority Pollution Prevention and Controls					
Local Authority Pollution Prevention and Control Enforcements					
Nearest Surface Water Feature	pg 7		Yes		
Pollution Incidents to Controlled Waters	pg 7			1	4
Prosecutions Relating to Authorised Processes					
Registered Radioactive Substances					
River Quality					
River Quality Biology Sampling Points					
River Quality Chemistry Sampling Points					
Substantiated Pollution Incident Register	pg 8			1	
Water Abstractions	pg 8				1
Water Industry Act Referrals					
Groundwater Vulnerability Map	pg 9	Yes	n/a	n/a	n/a
Bedrock Aquifer Designations	pg 9	Yes	n/a	n/a	n/a
Superficial Aquifer Designations			n/a	n/a	n/a
Source Protection Zones					
Extreme Flooding from Rivers or Sea without Defences	pg 9		Yes	n/a	n/a
Flooding from Rivers or Sea without Defences	pg 9		Yes	n/a	n/a
Areas Benefiting from Flood Defences				n/a	n/a
Flood Water Storage Areas				n/a	n/a
Flood Defences				n/a	n/a
OS Water Network Lines	pg 10		2	40	136

Intégral Géotechnique

Summary

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Waste					
BGS Recorded Landfill Sites					
Historical Landfill Sites					
Integrated Pollution Control Registered Waste Sites					
Licensed Waste Management Facilities (Landfill Boundaries)					
Licensed Waste Management Facilities (Locations)					
Local Authority Landfill Coverage	pg 30	1	n/a	n/a	n/a
Local Authority Recorded Landfill Sites					
Potentially Infilled Land (Non-Water)	pg 30		1	5	10
Potentially Infilled Land (Water)	pg 31			2	8
Registered Landfill Sites					
Registered Waste Transfer Sites					
Registered Waste Treatment or Disposal Sites					
Hazardous Substances					
Control of Major Accident Hazards Sites (COMAH)					
Explosive Sites					
Notification of Installations Handling Hazardous Substances (NIHHS)					
Planning Hazardous Substance Consents					
Planning Hazardous Substance Enforcements					

Intégral Géotechnique

Summary

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Geological					
BGS 1:625,000 Solid Geology	pg 32	Yes	n/a	n/a	n/a
BGS Estimated Soil Chemistry	pg 32	Yes	Yes	Yes	Yes
BGS Recorded Mineral Sites	pg 41		3	6	10
BGS Urban Soil Chemistry	pg 44			Yes	Yes
BGS Urban Soil Chemistry Averages	pg 46	Yes			
CBSCB Compensation District			n/a	n/a	n/a
Coal Mining Affected Areas	pg 46	Yes	n/a	n/a	n/a
Mining Instability	pg 46	Yes	n/a	n/a	n/a
Man-Made Mining Cavities					
Natural Cavities					
Non Coal Mining Areas of Great Britain				n/a	n/a
Potential for Collapsible Ground Stability Hazards	pg 46	Yes		n/a	n/a
Potential for Compressible Ground Stability Hazards				n/a	n/a
Potential for Ground Dissolution Stability Hazards				n/a	n/a
Potential for Landslide Ground Stability Hazards	pg 47	Yes	Yes	n/a	n/a
Potential for Running Sand Ground Stability Hazards	pg 47		Yes	n/a	n/a
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 47		Yes	n/a	n/a
Radon Potential - Radon Affected Areas	pg 47	Yes	n/a	n/a	n/a
Radon Potential - Radon Protection Measures	pg 47	Yes	n/a	n/a	n/a
Industrial Land Use					
Contemporary Trade Directory Entries	pg 48		1	10	8
Fuel Station Entries	pg 49			1	
Points of Interest - Commercial Services	pg 49			1	5
Points of Interest - Education and Health	pg 50			4	
Points of Interest - Manufacturing and Production	pg 50				2
Points of Interest - Public Infrastructure	pg 50		2	3	10
Points of Interest - Recreational and Environmental	pg 51		5	3	6
Gas Pipelines					
Underground Electrical Cables					

Summary

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Sensitive Land Use					
Ancient Woodland	pg 54			7	17
Areas of Adopted Green Belt					
Areas of Unadopted Green Belt					
Areas of Outstanding Natural Beauty					
Environmentally Sensitive Areas					
Forest Parks					
Local Nature Reserves	pg 55			1	
Marine Nature Reserves					
National Nature Reserves					
National Parks					
Nitrate Sensitive Areas					
Nitrate Vulnerable Zones					
Ramsar Sites					
Sites of Special Scientific Interest					
Special Areas of Conservation					
Special Protection Areas					
World Heritage Sites					

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A13SW (SE)	0	1	276040 196030
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A13SW (SW)	139	1	275900 195900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A13SW (SW)	140	1	275950 195850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A13NE (NE)	164	1	276200 196150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A13SW (SW)	170	1	275900 195850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A13SW (S)	170	1	276000 195800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A13SW (S)	186	1	275950 195800
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A13SW (SW)	208	1	275850 195850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A13SW (SW)	209	1	275900 195800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A13SW (S)	209	1	276040 195750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A13SW (W)	216	1	275800 195950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A13SW (S)	218	1	276000 195750
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A13SW (S)	233	1	275950 195750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A13SW (SW)	250	1	275800 195850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A13SE (S)	257	1	276050 195700
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A13SW (S)	259	1	276040 195700
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A13SW (S)	267	1	276000 195700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A13SW (S)	281	1	275950 195700
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A8NE (S)	307	1	276050 195650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A8NW (S)	308	1	276040 195650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A8NE (S)	314	1	276150 195650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A12NE (NW)	322	1	275700 196250

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A18SE (N)	335	1	276150 196400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A13SE (SE)	337	1	276300 195700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A8NE (S)	357	1	276100 195600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A8NE (S)	363	1	276150 195600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A13SE (SE)	372	1	276350 195700
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A8NE (SE)	377	1	276300 195650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A14NW (NE)	387	1	276450 196200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A14SW (SE)	410	1	276400 195700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A17SE (NW)	412	1	275700 196400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A13NE (NE)	415	1	276350 196350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A12NE (NW)	417	1	275650 196350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A18SE (NE)	431	1	276250 196450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A8NE (SE)	440	1	276250 195550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A18SW (N)	445	1	275950 196550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A14NW (NE)	445	1	276400 196350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A8NE (SE)	447	1	276350 195600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A17SE (NW)	448	1	275650 196400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A17SE (NW)	449	1	275700 196450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A14SW (E)	450	1	276550 195900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A18SE (NE)	456	1	276350 196400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A18SE (NE)	463	1	276300 196450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A14NW (E)	476	1	276550 196200

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A9NW (SE)	479	1	276400 195600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A9NW (SE)	480	1	276450 195650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A17SE (NW)	482	1	275650 196450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A8NE (SE)	488	1	276350 195550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A18SE (NE)	498	1	276350 196450
1	**Discharge Consents** Operator: Bennett I J Property Type: Undefined Or Other Location: Cimla 5 Noddfa Cottage Western Moor, 5 Noddfa Cottage Western Moor Ne, Western Moor Neath Authority: Natural Resources Wales Catchment Area: River Neath Reference: Bp0018001 Permit Version: 1 Effective Date: 11th June 1986 Issued Date: 11th June 1986 Revocation Date: 11th July 1994 Discharge Type: Unspecified Discharge Environment: Not Supplied Receiving Water: To Land **Status: Consent expired** Positional Accuracy: Located by supplier to within 100m	A13NW (NW)	83	2	275900 196100
2	**Discharge Consents** Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Cimla Common 2 Upper Neath Authority: Natural Resources Wales Catchment Area: Not Given Reference: BP0240601 Permit Version: 1 Effective Date: 21st July 1994 Issued Date: 21st July 1994 Revocation Date: 31st March 2004 Discharge Type: Unspecified Discharge Environment: Not Supplied Receiving Water: Hollins Clough Ditch **Status: New Consent, by Application (Water Resources Act 1991, Section 88)** Positional Accuracy: Located by supplier to within 100m	A14NW (NE)	380	2	276390 196270
3	**Discharge Consents** Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Cso 9 Cimla Common Cimla Neath, Afan Valley Rd, Cimla, Neath, Sa11 3su Authority: Natural Resources Wales Catchment Area: NEATH - CONF WITH NEDD FECHAN AND MELLTE TO TL Reference: Bp0240601 Permit Version: 3 Effective Date: 11th October 2019 Issued Date: 11th October 2019 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: Hollins Clough Ditch **Status: Effective** Positional Accuracy: Located by supplier to within 10m	A14NW (NE)	403	2	276411 196281

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
3	**Discharge Consents** Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Cso 9 Cimla Common Cimla Neath, Cimla Common, Cimla Authority: Natural Resources Wales Catchment Area: NEATH - CONF WITH NEDD FECHAN AND MELLTE TO TL Reference: Bp0240601 Permit Version: 2 Effective Date: 1st April 2004 Issued Date: 31st March 2004 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: Hollins Clough Ditch **Status:** **Effective** Positional Accuracy: Located by supplier to within 10m	A14NW (NE)	403	2	276411 196281
3	**Discharge Consents** Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Cso 9 Cimla Common Cimla Neath, Cimla Common, Cimla Authority: Natural Resources Wales Catchment Area: NEATH - CONF WITH NEDD FECHAN AND MELLTE TO TL Reference: Bp0240601 Permit Version: 2 Effective Date: 1st April 2004 Issued Date: 31st March 2004 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: Hollins Clough Ditch **Status:** **Effective** Positional Accuracy: Located by supplier to within 10m	A14NW (NE)	403	2	276411 196281
3	**Discharge Consents** Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Swo/Hollins Clough Dtch - Nea Authority: Natural Resources Wales Catchment Area: River Neath Reference: BW2903801 Permit Version: 1 Effective Date: 8th June 1967 Issued Date: 8th June 1967 Revocation Date: 31st March 2004 Discharge Type: Unspecified Discharge Environment: Not Supplied Receiving Water: Hollins Clough Ditch **Status:** **Revoked (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 100m	A14NW (NE)	420	2	276450 196260
4	**Discharge Consents** Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Swo Nr St Joseph Church - Neat Authority: Natural Resources Wales Catchment Area: River Neath Reference: BW2903601 Permit Version: 1 Effective Date: 6th March 1967 Issued Date: 6th March 1967 Revocation Date: 5th March 2003 Discharge Type: Unspecified Discharge Environment: Not Supplied Receiving Water: Eastland Brook **Status:** **New Consent, by Application (Water Resources Act 1991, Section 88)** Positional Accuracy: Located by supplier to within 100m	A17SE (NW)	624	2	275540 196540

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
4	**Discharge Consents** Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Pumping Staions Location: St Joseph'S Church Cso, Nr St Josephs Church, Cook Rees Avenue, Neath, Sa11 1un Authority: Natural Resources Wales Catchment Area: NEATH ESTUARY Reference: Bw2903601 Permit Version: 3 Effective Date: 24th September 2019 Issued Date: 24th September 2019 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: Eastland Brook **Status:** **Effective** Positional Accuracy: Located by supplier to within 10m	A17SE (NW)	642	2	275522 196547
4	**Discharge Consents** Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Pumping Staions Location: Cso 32 Nr St Joesephs Church, Cook Rees Avenue, Neath Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bw2903601 Permit Version: 2 Effective Date: 6th March 2003 Issued Date: 5th March 2003 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: Eastland Brook **Status:** **Effective** Positional Accuracy: Located by supplier to within 10m	A17SE (NW)	642	2	275522 196547
4	**Discharge Consents** Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Pumping Staions Location: Cso 32 Nr St Joesephs Church, Cook Rees Avenue, Neath Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bw2903601 Permit Version: 2 Effective Date: 6th March 2003 Issued Date: 5th March 2003 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: Eastland Brook **Status:** **Effective** Positional Accuracy: Located by supplier to within 10m	A17SE (NW)	642	2	275522 196547
5	**Discharge Consents** Operator: Dwr Cymru Cyfyngedig Property Type: Water Supply Grid Location: Cimla Chlorin.Overflow Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bp0175701 Permit Version: 1 Effective Date: 2nd October 1989 Issued Date: 2nd October 1989 Revocation Date: 14th March 1994 Discharge Type: Unspecified Discharge Environment: Not Supplied Receiving Water: To Land **Status:** **Consent expired** Positional Accuracy: Located by supplier to within 100m	A14NE (E)	745	2	276800 196300

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
6	**Discharge Consents** Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Swo At Cimla Rd - Neath Authority: Natural Resources Wales Catchment Area: River Neath Reference: BW2903701 Permit Version: 1 Effective Date: 6th March 1967 Issued Date: 6th March 1967 Revocation Date: 31st March 2004 Discharge Type: Unspecified Discharge Environment: Not Supplied Receiving Water: Gnoll Brook **Status: New Consent, by Application (Water Resources Act 1991, Section 88)** Positional Accuracy: Located by supplier to within 100m	A18NW (N)	788	2	275840 196880
7	**Discharge Consents** Operator: M Davies Property Type: Domestic Property (Single) Location: The Grove Eaglesbush Neath Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: BP0045101 Permit Version: 2 Effective Date: 19th September 1995 Issued Date: 18th September 1995 Revocation Date: Not Supplied Discharge Type: Not Supplied Discharge Environment: Freshwater Stream/River Receiving Water: Unnamed Stram At Eaglebush, Ne **Status: Effective** Positional Accuracy: Located by supplier to within 100m	A12NW (W)	885	2	275100 196150
7	**Discharge Consents** Operator: Mr M Davies Property Type: Domestic Property (Single) Location: The Grove Eaglesbush Neath Authority: Natural Resources Wales Catchment Area: River Neath Reference: Bp0045101 Permit Version: 1 Effective Date: 30th April 1987 Issued Date: 30th April 1987 Revocation Date: 18th September 1995 Discharge Type: Unspecified Discharge Environment: Not Supplied Receiving Water: Unnamed Stram At Eaglebush, Ne **Status: Authorisation revoked** Positional Accuracy: Located by supplier to within 10m	A12NW (W)	885	2	275100 196150
8	**Discharge Consents** Operator: Ballard W & Sons Ltd Property Type: Builders, Carpentry & Joinery Location: Land Sw Afan Val Authority: Natural Resources Wales Catchment Area: River Neath Reference: Bb4001601 Permit Version: 1 Effective Date: 8th January 1973 Issued Date: 8th January 1973 Revocation Date: 21st August 1995 Discharge Type: Unspecified Discharge Environment: Not Supplied Receiving Water: River Neath **Status: Consent expired** Positional Accuracy: Located by supplier to within 100m	A14NE (E)	933	2	277000 196300

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
9	**Discharge Consents** Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Cso 33 Cimla Road Cimla Neath, Nr 54 Cimla Rd, Cimla, Neath, Neath Port Talbot Cbc, Sa11 3bq Authority: Natural Resources Wales Catchment Area: NEATH - CONF WITH NEDD FECHAN AND MELLTE TO TL Reference: Bw2903701 Permit Version: 3 Effective Date: 7th October 2019 Issued Date: 7th October 2019 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: Gnoll Brook **Status:** **Effective** Positional Accuracy: Located by supplier to within 10m	A23SW (N)	979	2	275929 197083
9	**Discharge Consents** Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Cso 33 Cimla Road Cimla Neath, Cimla, Neath Port Talbot Cbc Authority: Natural Resources Wales Catchment Area: NEATH - CONF WITH NEDD FECHAN AND MELLTE TO TL Reference: Bw2903701 Permit Version: 2 Effective Date: 1st April 2004 Issued Date: 31st March 2004 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: Gnoll Brook **Status:** **Effective** Positional Accuracy: Located by supplier to within 10m	A23SW (N)	979	2	275929 197083
9	**Discharge Consents** Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Cso 33 Cimla Road Cimla Neath, Cimla, Neath Port Talbot Cbc Authority: Natural Resources Wales Catchment Area: NEATH - CONF WITH NEDD FECHAN AND MELLTE TO TL Reference: Bw2903701 Permit Version: 2 Effective Date: 1st April 2004 Issued Date: 31st March 2004 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: Gnoll Brook **Status:** **Effective** Positional Accuracy: Located by supplier to within 10m	A23SW (N)	979	2	275929 197083
	Nearest Surface Water Feature	A13NW (NW)	199	-	275863 196260
10	**Pollution Incidents to Controlled Waters** Property Type: Not Given Location: Brook Leading, Down To Gnoll, Ponds Area Authority: Environment Agency, Welsh Region Pollutant: Oils - Diesel (Including Agricultural) Note: Not Supplied Incident Date: 5th August 1994 Incident Reference: 20738 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Unknown Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m	A14NW (NE)	344	3	276400 196200

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
11	**Pollution Incidents to Controlled Waters** Property Type: Not Given Location: Between Gnoll Estate And House Authority: Environment Agency, Welsh Region Pollutant: Stagnant Water Note: Mechanical/Electrical Plant Failure Incident Date: 19th August 1996 Incident Reference: 29813 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Leakage Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A19SW (NE)	722	3	276400 196700
12	**Pollution Incidents to Controlled Waters** Property Type: Not Given Location: Rear Of Factory Cottage, Former Siliconics Site, NEATH Authority: Environment Agency, Welsh Region Pollutant: Unknown Note: Deliberate Act Incident Date: 16th July 1996 Incident Reference: 29179 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Direct Discharge Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A12NW (W)	790	3	275200 196200
13	**Pollution Incidents to Controlled Waters** Property Type: Road (Lost Load) Location: Pond Up Stream Of, Waterfall Near, Builders Pub Authority: Environment Agency, Welsh Region Pollutant: Unknown Note: Deliberate Act Incident Date: 1st December 1994 Incident Reference: 21885 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Direct Discharge Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A12NW (W)	810	3	275200 196300
14	**Pollution Incidents to Controlled Waters** Property Type: Water Company Sewage: Surface Water Outfall Location: Jeff Lewis, Transport, Millands Road Authority: Environment Agency, Welsh Region Pollutant: Chlorinated Water Note: Inadequate Design/Capacity Incident Date: 15th November 1995 Incident Reference: 26712 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Runoff Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A17NE (NW)	910	3	275400 196800
15	**Substantiated Pollution Incident Register** Authority: Natural Resources Wales Incident Date: 24th July 2006 Incident Reference: 420428 Water Impact: Category 2 - Significant Incident Air Impact: Category 4 - No Impact Land Impact: Category 4 - No Impact Positional Accuracy: Located by supplier to within 10m Pollutant: Crude Sewage	A14NW (NE)	405	2	276425 196268
16	**Water Abstractions** Operator: Mr A Thomas Licence Number: 21/58/74/0016 Permit Version: 100 Location: Well At Cefn Crinallt Authority: Environment Agency, Welsh Region Abstraction: General Farming And Domestic Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Well At Cefn Crinallt Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 25th March 1966 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 100m	A9NE (SE)	708	3	276740 195680

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: >550 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: Medium	A13SW (S)	0	2	276040 196000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: >550 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: No Data	A13SW (W)	0	2	276000 196030
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: >550 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: Medium	A13SW (SE)	0	2	276040 196030
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	A13SW (SE)	0	2	276040 196030
	Superficial Aquifer Designations No Data Available				
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (SW)	238	2	275865 195790
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (SW)	240	2	275875 195780
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas None				
	Flood Defences None				

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
17	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 218.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NW (NW)	199	4	275863 196260
18	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 496.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Crythan Brook Catchment Name: Neath Primacy: 1	A13SW (SW)	245	4	275852 195791
19	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 233.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13SW (SW)	251	4	275874 195768
20	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 166.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Crythan Brook Catchment Name: Neath Primacy: 1	A13SW (SW)	251	4	275874 195768
21	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 193.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Eastland Brook Catchment Name: Neath Primacy: 1	A12NE (W)	301	4	275682 196067
22	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 222.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8NW (S)	327	4	275969 195646
23	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 39.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Crythan Brook Catchment Name: Neath Primacy: 1	A8NW (S)	327	4	275969 195646
24	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 62.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Crythan Brook Catchment Name: Neath Primacy: 1	A8NE (S)	329	4	276085 195628
25	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 75.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Crythan Brook Catchment Name: Neath Primacy: 1	A8NE (S)	335	4	276110 195623

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
26	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 3.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8NE (S)	337	4	276095 195620
27	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 3.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8NW (S)	337	4	276003 195628
28	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 31.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Crythan Brook Catchment Name: Neath Primacy: 1	A8NW (S)	337	4	276003 195628
29	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 34.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8NE (S)	340	4	276094 195617
30	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 33.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8NW (S)	340	4	276001 195626
31	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 16.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Crythan Brook Catchment Name: Neath Primacy: 1	A8NW (S)	351	4	276028 195609
32	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 19.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8NW (S)	351	4	276044 195608
33	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 1.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8NW (S)	352	4	276028 195609
34	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 42.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8NW (S)	354	4	276028 195607

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
35	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 40.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Crythan Brook Catchment Name: Neath Primacy: 1	A8NE (S)	367	4	276166 195600
36	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 12.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8NE (S)	368	4	276162 195598
37	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 3.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Eastland Brook Catchment Name: Neath Primacy: 1	A12NE (NW)	370	4	275649 196254
38	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 218.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8NW (S)	371	4	275984 195598
39	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 104.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A12NE (NW)	373	4	275648 196257
40	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 105.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Eastland Brook Catchment Name: Neath Primacy: 1	A12NE (NW)	373	4	275648 196258
41	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 132.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8NE (S)	374	4	276087 195583
42	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 18.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8NE (S)	378	4	276171 195590
43	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 255.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Crythan Brook Catchment Name: Neath Primacy: 1	A8NE (S)	381	4	276203 195595

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
44	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 165.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8NE (S)	383	4	276142 195579
45	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 6.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8NE (S)	384	4	276198 195591
46	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 50.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NE (NE)	384	4	276317 196335
47	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 18.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8NE (S)	389	4	276201 195587
48	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 86.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8NE (S)	394	4	276168 195572
49	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 101.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8NW (S)	395	4	276021 195566
50	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 159.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NE (NE)	402	4	276363 196328
51	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 16.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8NE (S)	406	4	276213 195573
52	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 102.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SE (NE)	427	4	276328 196379

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
53	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 209.7 Watercourse Level: Underground Permanent: True Watercourse Name: Eastland Brook Catchment Name: Neath Primacy: 1	A12NE (NW)	452	4	275610 196353
54	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 40.4 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A12NE (NW)	469	4	275544 196256
55	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 87.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8NE (S)	476	4	276160 195487
56	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 41.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A12NE (NW)	489	4	275538 196297
57	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 107.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A19SW (NE)	491	4	276431 196384
58	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 226.9 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A19SW (NE)	493	4	276443 196375
59	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 206.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A12NE (NW)	506	4	275538 196337
60	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 168.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A8NE (SE)	509	4	276284 195490
61	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 210.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SE (NE)	515	4	276350 196474

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
62	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 1.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SE (NE)	515	4	276350 196474
63	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 38.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SE (NE)	515	4	276351 196473
64	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 35.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A19SW (NE)	527	4	276387 196461
65	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 12.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Crythan Brook Catchment Name: Neath Primacy: 1	A9NW (SE)	541	4	276391 195513
66	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 17.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Crythan Brook Catchment Name: Neath Primacy: 1	A9NW (SE)	553	4	276402 195507
67	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 4.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NW (SE)	553	4	276402 195507
68	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 8.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NW (SE)	555	4	276400 195503
69	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 278.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Crythan Brook Catchment Name: Neath Primacy: 1	A12SE (W)	558	4	275446 195928
70	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 26.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8NE (S)	561	4	276173 195403

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
71	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 149.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NW (SE)	563	4	276402 195494
72	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 94.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8NW (S)	568	4	275982 195398
73	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 18.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8NW (S)	568	4	275982 195398
74	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 4.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Crythan Brook Catchment Name: Neath Primacy: 1	A9NW (SE)	570	4	276411 195493
75	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 58.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Crythan Brook Catchment Name: Neath Primacy: 1	A9NW (SE)	574	4	276413 195489
76	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 33.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8NE (S)	587	4	276147 195373
77	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 15.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8NE (S)	587	4	276170 195377
78	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 3.4 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8SE (S)	611	4	276057 195346
79	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 6.2 Watercourse Level: Underground Permanent: True Watercourse Name: Crythan Brook Catchment Name: Neath Primacy: 1	A9NW (SE)	612	4	276468 195482

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
80	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 36.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8SE (S)	614	4	276058 195343
81	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 446.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Crythan Brook Catchment Name: Neath Primacy: 1	A9NW (SE)	615	4	276474 195484
82	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 52.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A14NW (NE)	632	4	276664 196321
83	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 1.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Eastland Brook Catchment Name: Neath Primacy: 1	A17SE (NW)	640	4	275521 196543
84	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 13.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Eastland Brook Catchment Name: Neath Primacy: 1	A17SE (NW)	640	4	275521 196544
85	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 84.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A14NW (E)	657	4	276707 196293
86	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 193.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Preswylfa Brook Catchment Name: Neath Primacy: 1	A18SE (NE)	658	4	276322 196676
87	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 51.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Preswylfa Brook Catchment Name: Neath Primacy: 1	A18SE (NE)	660	4	276322 196676
88	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 100.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NW (SE)	666	4	276393 195368

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
89	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 287.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NW (SE)	666	4	276393 195368
90	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 18.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SE (NE)	674	4	276381 196655
91	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 3.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A19SW (NE)	680	4	276670 196400
92	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 56.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Preswylfa Brook Catchment Name: Neath Primacy: 1	A18SE (NE)	684	4	276374 196672
93	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 177.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8SE (S)	686	4	276313 195311
94	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 151.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8SE (S)	686	4	276313 195311
95	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 92.5 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A14NE (E)	707	4	276774 196260
96	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 6.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A19SW (NE)	708	4	276517 196592
97	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 125.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A19SW (NE)	709	4	276453 196643

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
98	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 20.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A19SW (NE)	714	4	276519 196598
99	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 51.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Preswylfa Brook Catchment Name: Neath Primacy: 1	A19SW (NE)	721	4	276430 196677
100	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 26.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A19SW (NE)	726	4	276533 196602
101	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 39.5 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A19SW (NE)	726	4	276541 196597
102	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 500.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A19SW (NE)	740	4	276579 196586
103	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 64.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NW (W)	751	4	275232 196103
104	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 99.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Crythan Brook Catchment Name: Neath Primacy: 1	A12NW (W)	759	4	275224 196072
105	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 155.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Preswylfa Brook Catchment Name: Neath Primacy: 1	A19SW (NE)	760	4	276467 196698
106	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 7.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A19SW (NE)	762	4	276461 196704

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
107	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 30.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A18NE (N)	771	4	276259 196829
108	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 33.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Preswylfa Brook Catchment Name: Neath Primacy: 1	A18NE (N)	771	4	276259 196829
109	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 76.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NW (W)	773	4	275213 196163
110	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 9.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A14NE (E)	789	4	276835 196330
111	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 6.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7SE (SW)	796	4	275648 195268
112	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 17.2 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A14NE (E)	796	4	276844 196326
113	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 28.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NW (W)	796	4	275188 196137
114	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 18.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7SE (SW)	798	4	275630 195276
115	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 1.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Preswylfa Brook Catchment Name: Neath Primacy: 1	A18NE (N)	799	4	276262 196857

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
116	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 4.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7SE (SW)	800	4	275646 195264
117	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 13.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A18NE (N)	801	4	276262 196859
118	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 34.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Preswylfa Brook Catchment Name: Neath Primacy: 1	A18NE (N)	801	4	276262 196859
119	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 8.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7SE (SW)	802	4	275642 195265
120	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 4.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7SE (SW)	802	4	275643 195264
121	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 12.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A18NE (N)	805	4	276251 196867
122	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 27.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A18NE (N)	805	4	276251 196867
123	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 40.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A14NE (E)	808	4	276860 196320
124	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 38.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A18NE (N)	809	4	276242 196875

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
125	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 35.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7SE (SW)	810	4	275635 195259
126	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 4.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A7SE (SW)	810	4	275635 195259
127	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 34.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7SE (SW)	812	4	275631 195259
128	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 66.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Cryddan Brook Catchment Name: Neath Primacy: 1	A12NW (W)	815	4	275170 196152
129	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 37.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8SE (S)	829	4	276322 195164
130	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 459.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8SE (S)	829	4	276322 195164
131	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 41.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Preswylfa Brook Catchment Name: Neath Primacy: 1	A18NE (N)	832	4	276257 196893
132	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 13.5 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A14NE (E)	836	4	276896 196303
133	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 190.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Cryddan Brook Catchment Name: Neath Primacy: 1	A12NW (W)	843	4	275149 196214

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
134	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 75.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A18NE (N)	843	4	276234 196913
135	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 27.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A18NE (N)	843	4	276234 196913
136	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 3.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NW (W)	843	4	275149 196214
137	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 10.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7SE (SW)	844	4	275612 195233
138	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 21.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A14NE (E)	846	4	276909 196297
139	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 56.0 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NW (W)	846	4	275146 196213
140	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 57.4 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7SE (SW)	854	4	275607 195225
141	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 95.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (N)	861	4	275918 196965
142	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 113.9 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A14NE (E)	863	4	276929 196292

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
143	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 25.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Preswylfa Brook Catchment Name: Neath Primacy: 1	A18NE (N)	868	4	276249 196934
144	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 145.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A19NW (NE)	870	4	276594 196735
145	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 123.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Preswylfa Brook Catchment Name: Neath Primacy: 1	A19NW (NE)	870	4	276594 196735
146	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 18.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7SE (SW)	876	4	275617 195194
147	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 14.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7SE (SW)	878	4	275607 195197
148	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 50.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Preswylfa Brook Catchment Name: Neath Primacy: 1	A18NE (N)	892	4	276253 196958
149	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 28.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7SE (SW)	892	4	275602 195183
150	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 16.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NW (W)	897	4	275092 196198
151	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 35.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7SE (SW)	904	4	275612 195165

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
152	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 16.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A18NE (N)	908	4	276217 196985
153	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 162.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NW (W)	909	4	275079 196190
154	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 49.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7SE (SW)	909	4	275567 195183
155	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 64.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Preswylfa Brook Catchment Name: Neath Primacy: 1	A18NE (N)	918	4	276207 196998
156	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 14.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Preswylfa Brook Catchment Name: Neath Primacy: 1	A18NE (N)	918	4	276221 196994
157	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 54.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7SE (SW)	918	4	275579 195167
158	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 27.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (N)	921	4	275900 197023
159	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 25.9 Watercourse Level: Underground Permanent: True Watercourse Name: Cryddan Brook Catchment Name: Neath Primacy: 1	A17SW (W)	926	4	275106 196389
160	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 70.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A14SE (E)	931	4	277038 195895

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
161	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 36.2 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (N)	934	4	275923 197038
162	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 12.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A14NE (E)	938	4	276989 196347
163	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 5.1 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A14NE (E)	941	4	276985 196363
164	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 4.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A14NE (E)	944	4	276990 196360
165	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 95.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A14NE (E)	947	4	276993 196359
166	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 14.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Cryddan Brook Catchment Name: Neath Primacy: 1	A17SW (W)	950	4	275085 196404
167	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 98.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7SE (SW)	953	4	275528 195155
168	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 20.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A23SE (N)	954	4	276106 197053
169	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 192.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7SE (SW)	963	4	275558 195127

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
170	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 309.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A14NE (E)	964	4	277041 196272
171	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 25.3 Watercourse Level: Underground Permanent: True Watercourse Name: Cryddan Brook Catchment Name: Neath Primacy: 1	A17SW (W)	964	4	275074 196413
172	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 182.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Gnoll Brook Catchment Name: Neath Primacy: 1	A23SW (N)	965	4	275971 197071
173	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 89.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Preswylfa Brook Catchment Name: Neath Primacy: 1	A23SE (N)	969	4	276186 197055
174	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 16.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A23SW (N)	969	4	275929 197073
175	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 14.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A19NW (NE)	970	4	276702 196780
176	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 2.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Preswylfa Brook Catchment Name: Neath Primacy: 1	A19NW (NE)	970	4	276702 196780
177	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 14.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A19NW (NE)	972	4	276704 196781
178	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 21.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Preswylfa Brook Catchment Name: Neath Primacy: 1	A19NW (NE)	972	4	276704 196781

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
179	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 11.8 Watercourse Level: Underground Permanent: True Watercourse Name: Gnoll Brook Catchment Name: Neath Primacy: 1	A23SE (N)	973	4	276105 197073
180	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 176.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9SW (SE)	973	4	276524 195090
181	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 2.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Gnoll Brook Catchment Name: Neath Primacy: 1	A23SE (N)	974	4	276105 197073
182	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 2.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Gnoll Brook Catchment Name: Neath Primacy: 1	A23SE (N)	974	4	276107 197073
183	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 11.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A19NE (NE)	976	4	276726 196769
184	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 7.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A19NE (NE)	976	4	276728 196768
185	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 1.6 Watercourse Level: Underground Permanent: True Watercourse Name: Gnoll Brook Catchment Name: Neath Primacy: 1	A23SE (N)	976	4	276108 197075
186	**OS Water Network Lines** Watercourse Form: Lake Watercourse Length: 140.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A23SE (N)	977	4	276109 197076
187	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 117.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Preswylfa Brook Catchment Name: Neath Primacy: 1	A19NW (NE)	979	4	276721 196777

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
188	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 10.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A19NW (NE)	979	4	276700 196794
189	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 12.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A19NW (NE)	979	4	276721 196777
190	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 111.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Cryddan Brook Catchment Name: Neath Primacy: 1	A17SW (W)	984	4	275060 196434
191	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 201.3 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A11NE (W)	985	4	274998 196052
192	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 371.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Gnoll Brook Catchment Name: Neath Primacy: 1	A23SW (N)	985	4	275929 197090
193	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 185.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A23SE (N)	993	4	276265 197061
194	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 8.5 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A15SW (E)	997	4	277106 195911

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Local Authority Landfill Coverage Name: Neath Port Talbot County Borough Council - Has supplied landfill data		0	5	276040 196030
195	**Potentially Infilled Land (Non-Water)** Bearing Ref: SW Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A13SW (SW)	113	-	275907 195953
196	**Potentially Infilled Land (Non-Water)** Bearing Ref: S Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A8NE (S)	271	-	276084 195686
197	**Potentially Infilled Land (Non-Water)** Bearing Ref: E Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A14SW (E)	387	-	276483 195893
198	**Potentially Infilled Land (Non-Water)** Bearing Ref: SE Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A8NE (SE)	405	-	276384 195688
199	**Potentially Infilled Land (Non-Water)** Bearing Ref: N Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A18SW (N)	455	-	276044 196558
200	**Potentially Infilled Land (Non-Water)** Bearing Ref: NE Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A18SE (NE)	490	-	276326 196463
201	**Potentially Infilled Land (Non-Water)** Bearing Ref: E Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A14NW (E)	573	-	276686 196043
202	**Potentially Infilled Land (Non-Water)** Bearing Ref: N Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A18NE (N)	645	-	276052 196748
203	**Potentially Infilled Land (Non-Water)** Bearing Ref: E Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A14SE (E)	687	-	276801 196001
204	**Potentially Infilled Land (Non-Water)** Bearing Ref: W Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A12SW (W)	721	-	275264 196030
205	**Potentially Infilled Land (Non-Water)** Bearing Ref: NW Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A17NE (NW)	868	-	275431 196772
206	**Potentially Infilled Land (Non-Water)** Bearing Ref: N Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A18NW (N)	877	-	275926 196981
207	**Potentially Infilled Land (Non-Water)** Bearing Ref: NW Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A17NW (NW)	904	-	275354 196750
208	**Potentially Infilled Land (Non-Water)** Bearing Ref: N Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A18NW (N)	910	-	275784 196993
209	**Potentially Infilled Land (Non-Water)** Bearing Ref: E Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A19SE (E)	969	-	276999 196401
210	**Potentially Infilled Land (Non-Water)** Bearing Ref: N Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A23SW (N)	996	-	275985 197103

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
211	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1900	A14NW (NE)	377	-	276408 196245
212	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1964	A14NW (NE)	434	-	276470 196257
213	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1921	A12NE (NW)	587	-	275460 196362
214	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1964	A14NW (NE)	635	-	276664 196328
215	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1935	A14NE (E)	667	-	276733 196258
216	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1964	A14NE (E)	669	-	276761 196175
217	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1935	A14NE (E)	687	-	276770 196215
218	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1921	A17NE (NW)	848	-	275449 196761
219	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1921	A17NE (NW)	894	-	275519 196867
220	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1964	A15SW (E)	999	-	277108 195915

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: South Wales Upper Coal Measures Formation	A13SW (SE)	0	1	276040 196030
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 35 - 45 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A13SW (S)	0	1	276040 196000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 45 - 60 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A13SW (SE)	0	1	276040 196030
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 25 - 35 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A13SW (SW)	26	1	275979 195978
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 25 - 35 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A13NE (NE)	108	1	276153 196128
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 35 - 45 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A13SW (SW)	140	1	275918 195874
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 35 - 45 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A13NE (NE)	162	1	276184 196170

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 35 - 45 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A13SW (SW)	219	1	275824 195869
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 45 - 60 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A13SW (W)	275	1	275720 196000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 35 - 45 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A12NE (NW)	355	1	275662 196246
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 35 - 45 mg/kg Cadmium Concentration: 1.8 - 2.2 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A18SW (N)	394	1	276040 196500
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 25 - 35 mg/kg Cadmium Concentration: 1.8 - 2.2 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A18SW (N)	396	1	275947 196500
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 45 - 60 mg/kg Cadmium Concentration: 1.8 - 2.2 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A18SW (N)	399	1	275927 196500

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 25 - 35 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A13NE (NE)	401	1	276364 196326
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 25 - 35 mg/kg Cadmium Concentration: 1.8 - 2.2 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A18SW (NW)	443	1	275785 196500
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 25 - 35 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A14SW (E)	444	1	276558 195999
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 35 - 45 mg/kg Cadmium Concentration: 1.8 - 2.2 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A17SE (NW)	487	1	275701 196500
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 25 - 35 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A14NW (E)	515	1	276597 196192
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 45 - 60 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A14NW (E)	518	1	276626 196090

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 25 - 35 mg/kg Cadmium Concentration: 1.8 - 2.2 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A18SE (NE)	526	1	276339 196500
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 35 - 45 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A14SW (E)	532	1	276646 196000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 35 - 45 mg/kg Cadmium Concentration: 1.8 - 2.2 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A18SE (NE)	540	1	276359 196500
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 25 - 35 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A12SW (W)	617	1	275373 195991
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 25 - 35 mg/kg Cadmium Concentration: 1.8 - 2.2 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A19SW (NE)	620	1	276493 196500
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 35 - 45 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A12SW (W)	676	1	275314 195985

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 35 - 45 mg/kg Cadmium Concentration: 1.8 - 2.2 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A18SE (NE)	680	1	276334 196692
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 45 - 60 mg/kg Cadmium Concentration: 1.8 - 2.2 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A17SE (NW)	684	1	275430 196500
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 45 - 60 mg/kg Cadmium Concentration: 1.8 - 2.2 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A19SW (NE)	687	1	276451 196616
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 45 - 60 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A19SW (NE)	709	1	276500 196604
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 25 - 35 mg/kg Cadmium Concentration: 1.8 - 2.2 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A18NW (N)	714	1	275844 196806
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 25 - 35 mg/kg Cadmium Concentration: 1.8 - 2.2 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A19SW (NE)	731	1	276472 196655

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 25 - 35 mg/kg Cadmium Concentration: 1.8 - 2.2 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A19SW (NE)	745	1	276435 196703
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 35 - 45 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A9NE (SE)	752	1	276729 195575
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 45 - 60 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A19SW (NE)	776	1	276500 196691
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 35 - 45 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A7SE (SW)	799	1	275648 195264
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 25 - 35 mg/kg Cadmium Concentration: 1.8 - 2.2 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A17NE (NW)	868	1	275525 196840
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 35 - 45 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A9SW (SE)	874	1	276514 195197

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 35 - 45 mg/kg Cadmium Concentration: 1.8 - 2.2 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A17NE (NW)	879	1	275631 196909
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 25 - 35 mg/kg Cadmium Concentration: 1.8 - 2.2 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A17NE (NW)	885	1	275661 196928
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 35 - 45 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A14SE (E)	886	1	277000 196000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 45 - 60 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A14SE (E)	888	1	277000 195947
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 25 - 35 mg/kg Cadmium Concentration: 2.2 - 3.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A18NW (N)	894	1	275953 197000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 35 - 45 mg/kg Cadmium Concentration: 2.2 - 3.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A18NW (N)	894	1	276040 197000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 35 - 45 mg/kg Cadmium Concentration: 1.8 - 2.2 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A18NW (N)	897	1	275792 196981
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 35 - 45 mg/kg Cadmium Concentration: 2.2 - 3.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A18NW (N)	909	1	275823 197000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 25 - 35 mg/kg Cadmium Concentration: 2.2 - 3.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A18NW (N)	919	1	275774 197000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 35 - 45 mg/kg Cadmium Concentration: 2.2 - 3.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A18NE (N)	919	1	276203 197000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: 1.8 - 2.2 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A17NE (NW)	927	1	275649 196969
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: 2.2 - 3.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A17NE (N)	943	1	275689 197000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: 1.8 - 2.2 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A17NW (NW)	955	1	275341 196809
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 35 - 45 mg/kg Cadmium Concentration: 1.8 - 2.2 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A3NW (S)	957	1	276040 195000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 35 - 45 mg/kg Cadmium Concentration: 2.2 - 3.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A3NW (S)	960	1	276000 195000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 25 - 35 mg/kg Cadmium Concentration: 2.2 - 3.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A17NE (NW)	960	1	275638 197000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 25 - 35 mg/kg Cadmium Concentration: 2.2 - 3.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A18NE (N)	973	1	276373 197000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 25 - 35 mg/kg Cadmium Concentration: 2.2 - 3.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A23SW (N)	986	1	275739 197060

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
221	**BGS Recorded Mineral Sites** Site Name: Westernmoor Cottages Location: Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154443 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A13NW (NW)	21	1	275978 196125
222	**BGS Recorded Mineral Sites** Site Name: Cae Rhys Ddu Location: Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154423 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A13SE (SE)	148	1	276171 195839
223	**BGS Recorded Mineral Sites** Site Name: Cwm Cottage Location: Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154424 Type: Underground **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Hughes Member Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A13SW (SW)	225	1	275843 195832
224	**BGS Recorded Mineral Sites** Site Name: Cwm-Pandy Location: Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154432 Type: Underground **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Hughes Member Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A13SE (S)	261	1	276094 195696
225	**BGS Recorded Mineral Sites** Site Name: Ty'N-Yr-Heol Arms Location: Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154421 Type: Underground **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Member Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A14SW (E)	391	1	276489 195901
226	**BGS Recorded Mineral Sites** Site Name: Cwm-Pandy Location: Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154433 Type: Underground **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Hughes Member Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A9NW (SE)	405	1	276387 195691

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
227	**BGS Recorded Mineral Sites** Site Name: Highfield Location: Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154414 Type: Underground **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Member Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A18SE (N)	456	1	276063 196556
228	**BGS Recorded Mineral Sites** Site Name: Ty-Segur Location: Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154425 Type: Underground **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Hughes Member Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A17SE (NW)	477	1	275603 196387
229	**BGS Recorded Mineral Sites** Site Name: Ysgubor-Newydd Location: Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154422 Type: Underground **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Member Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A18SE (NE)	496	1	276322 196474
230	**BGS Recorded Mineral Sites** Site Name: Gimlu Park Location: Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154412 Type: Underground **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Member Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A18NE (N)	650	1	276059 196752
231	**BGS Recorded Mineral Sites** Site Name: Crynollt Location: Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154420 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Hughes Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A14SE (E)	691	1	276805 196007
232	**BGS Recorded Mineral Sites** Site Name: Cimla Park Location: Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154451 Type: Underground **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Member Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A18NW (N)	886	1	275898 196988

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
233	**BGS Recorded Mineral Sites** Site Name: Eaglesbush Grove Location: Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154426 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Hughes Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A12NW (W)	891	1	275095 196171
234	**BGS Recorded Mineral Sites** Site Name: Westernmoor Colliery Location: Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154409 Type: Underground **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Hughes Member Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A17NW (NW)	907	1	275353 196754
235	**BGS Recorded Mineral Sites** Site Name: Cefn Saeson Dingle Location: Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154419 Type: Underground **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Brithdir Member Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A19SE (NE)	913	1	276926 196425
236	**BGS Recorded Mineral Sites** Site Name: Mount Pleasant Location: Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154442 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Hughes Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A17SW (NW)	937	1	275175 196572
237	**BGS Recorded Mineral Sites** Site Name: Gnoll Colliery Location: Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154410 Type: Underground **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Member Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A23SW (N)	981	1	275778 197064
238	**BGS Recorded Mineral Sites** Site Name: Garth-Mor Location: Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154431 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Hughes Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A7NW (SW)	986	1	275103 195605

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
239	**BGS Recorded Mineral Sites** Site Name: Gnoll Colliery Location: Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154411 Type: Underground **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Member Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A23SW (N)	994	1	275873 197094
	BGS Measured Urban Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Grid: 276240, 195760 Soil Sample Type: Topsoil Sample Area: Swansea Arsenic Measured Concentration: 76.00 mg/kg Cadmium Measured Concentration: 1.90 mg/kg Chromium Measured Concentration: 90.40 mg/kg Lead Measured Concentration: 125.30 mg/kg Nickel Measured Concentration: 34.60 mg/kg	A13SE (SE)	253	1	276240 195760
	BGS Measured Urban Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Grid: 275750, 196240 Soil Sample Type: Topsoil Sample Area: Swansea Arsenic Measured Concentration: 57.60 mg/kg Cadmium Measured Concentration: 2.00 mg/kg Chromium Measured Concentration: 78.00 mg/kg Lead Measured Concentration: 151.80 mg/kg Nickel Measured Concentration: 28.90 mg/kg	A13NW (NW)	274	1	275750 196240
	BGS Measured Urban Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Grid: 276270, 196260 Soil Sample Type: Topsoil Sample Area: Swansea Arsenic Measured Concentration: 19.80 mg/kg Cadmium Measured Concentration: 0.40 mg/kg Chromium Measured Concentration: 48.50 mg/kg Lead Measured Concentration: 54.10 mg/kg Nickel Measured Concentration: 21.00 mg/kg	A13NE (NE)	295	1	276270 196260
	BGS Measured Urban Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Grid: 275750, 195750 Soil Sample Type: Topsoil Sample Area: Swansea Arsenic Measured Concentration: 57.90 mg/kg Cadmium Measured Concentration: 1.30 mg/kg Chromium Measured Concentration: 66.80 mg/kg Lead Measured Concentration: 80.90 mg/kg Nickel Measured Concentration: 26.20 mg/kg	A13SW (SW)	349	1	275750 195750

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Measured Urban Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Grid: 276750, 195750 Soil Sample Type: Topsoil Sample Area: Swansea Arsenic Measured Concentration: 112.40 mg/kg Cadmium Measured Concentration: 0.70 mg/kg Chromium Measured Concentration: 71.20 mg/kg Lead Measured Concentration: 217.00 mg/kg Nickel Measured Concentration: 50.20 mg/kg	A14SE (E)	687	1	276750 195750
	BGS Measured Urban Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Grid: 275730, 196750 Soil Sample Type: Topsoil Sample Area: Swansea Arsenic Measured Concentration: 73.70 mg/kg Cadmium Measured Concentration: 3.30 mg/kg Chromium Measured Concentration: 77.50 mg/kg Lead Measured Concentration: 935.60 mg/kg Nickel Measured Concentration: 116.90 mg/kg	A18NW (NW)	694	1	275730 196750
	BGS Measured Urban Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Grid: 276250, 196760 Soil Sample Type: Topsoil Sample Area: Swansea Arsenic Measured Concentration: 80.10 mg/kg Cadmium Measured Concentration: 0.50 mg/kg Chromium Measured Concentration: 74.60 mg/kg Lead Measured Concentration: 237.30 mg/kg Nickel Measured Concentration: 37.50 mg/kg	A18NE (N)	704	1	276250 196760
	BGS Measured Urban Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Grid: 276780, 196260 Soil Sample Type: Topsoil Sample Area: Swansea Arsenic Measured Concentration: 71.00 mg/kg Cadmium Measured Concentration: 1.80 mg/kg Chromium Measured Concentration: 56.50 mg/kg Lead Measured Concentration: 119.80 mg/kg Nickel Measured Concentration: 33.60 mg/kg	A14NE (E)	712	1	276780 196260
	BGS Measured Urban Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Grid: 275250, 196250 Soil Sample Type: Topsoil Sample Area: Swansea Arsenic Measured Concentration: 60.20 mg/kg Cadmium Measured Concentration: 1.90 mg/kg Chromium Measured Concentration: 65.30 mg/kg Lead Measured Concentration: 188.70 mg/kg Nickel Measured Concentration: 36.40 mg/kg	A12NW (W)	750	1	275250 196250

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Measured Urban Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Grid: 275250, 195740 Soil Sample Type: Topsoil Sample Area: Swansea Arsenic Measured Concentration: 75.90 mg/kg Cadmium Measured Concentration: 1.90 mg/kg Chromium Measured Concentration: 63.10 mg/kg Lead Measured Concentration: 90.50 mg/kg Nickel Measured Concentration: 28.70 mg/kg	A12SW (W)	803	1	275250 195740
	BGS Measured Urban Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Grid: 276730, 196760 Soil Sample Type: Topsoil Sample Area: Swansea Arsenic Measured Concentration: 13.70 mg/kg Cadmium Measured Concentration: 0.40 mg/kg Chromium Measured Concentration: 58.20 mg/kg Lead Measured Concentration: 28.30 mg/kg Nickel Measured Concentration: 26.10 mg/kg	A19NE (NE)	971	1	276730 196760
	BGS Urban Soil Chemistry Averages Source: British Geological Survey, National Geoscience Information Service Sample Area: Swansea Count Id: 368 Arsenic Minimum Concentration: 8.00 mg/kg Arsenic Average Concentration: 79.00 mg/kg Arsenic Maximum Concentration: 2161.00 mg/kg Cadmium Minimum Concentration: 0.10 mg/kg Cadmium Average Concentration: 2.90 mg/kg Cadmium Maximum Concentration: 61.90 mg/kg Chromium Minimum Concentration: 13.00 mg/kg Chromium Average Concentration: 72.00 mg/kg Chromium Maximum Concentration: 562.00 mg/kg Lead Minimum Concentration: 23.00 mg/kg Lead Average Concentration: 413.00 mg/kg Lead Maximum Concentration: 10000.00 mg/kg Nickel Minimum Concentration: 8.00 mg/kg Nickel Average Concentration: 52.00 mg/kg Nickel Maximum Concentration: 384.00 mg/kg	A13SW (SE)	0	1	276040 196030
	Coal Mining Affected Areas Description: In an area which may be affected by coal mining activity. It is recommended that a coal mining report is obtained from the Coal Authority. Contact details are included in the Useful Contacts section of this report.	A13SW (SE)	0	6	276040 196030
	Mining Instability Mining Evidence: Inconclusive Coal Mining Source: Ove Arup & Partners Boundary Quality: As Supplied	A13SW (SE)	0	-	276040 196030
	Non Coal Mining Areas of Great Britain No Hazard				
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A13SW (SE)	0	1	276040 196030

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13SW (SE)	0	1	276040 196030
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13SW (SE)	0	1	276040 196030
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A13SW (SE)	0	1	276040 196030
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A13SW (SW)	15	1	275984 196002
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A13NE (NE)	116	1	276165 196121
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13SW (SE)	0	1	276040 196030
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A13NE (NE)	116	1	276165 196121
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13SW (SE)	0	1	276040 196030
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A13SW (SW)	15	1	275984 196002
	Radon Potential - Radon Affected Areas Affected Area: The property is an Intermediate probability radon area (3 to 5% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	A13SW (S)	0	1	276040 196026
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	A13SW (SE)	0	1	276040 196030
	Radon Potential - Radon Protection Measures Protection Measure: Basic radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	A13SW (S)	0	1	276040 196026
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	A13SW (SE)	0	1	276040 196030

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
240	**Contemporary Trade Directory Entries** Name: Peter Court Location: 1, Brynawel, Cimla, Neath, West Glamorgan, SA11 1JF Classification: Waste Disposal Services **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A13NE (N)	152	-	276076 196232
241	**Contemporary Trade Directory Entries** Name: Emec Ltd Location: 45, Moorland Road, Neath, West Glamorgan, SA11 1JW Classification: Mechanical Engineers **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A18SW (N)	299	-	276005 196405
241	**Contemporary Trade Directory Entries** Name: John Mcateer Location: 62, Moorland Road, Neath, West Glamorgan, SA11 1JN Classification: Coal & Smokeless Fuel Merchants & Distributors **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A18SW (N)	309	-	276036 196412
242	**Contemporary Trade Directory Entries** Name: Cimla Service Station Location: Cimla Rd, Neath, West Glamorgan, SA11 3UG Classification: Mot Testing Centres **Status: Inactive** Positional Accuracy: Manually positioned to the road within the address or location	A13NE (NE)	312	-	276176 196356
243	**Contemporary Trade Directory Entries** Name: Cimla Hospital Location: Cimla Common, Neath, West Glamorgan, SA11 3SU Classification: Hospitals **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A14SW (E)	323	-	276436 195989
243	**Contemporary Trade Directory Entries** Name: Cimla Hospital Location: Cimla Common, Neath, West Glamorgan, SA11 3SU Classification: Hospitals **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A14SW (E)	323	-	276436 195989
244	**Contemporary Trade Directory Entries** Name: D A B Haulage Location: 29, Lime Grove, Neath, West Glamorgan, SA11 3PT Classification: Waste Disposal Services **Status: Active** Positional Accuracy: Automatically positioned to the address	A14NW (E)	324	-	276417 196123
245	**Contemporary Trade Directory Entries** Name: The Cimla Gas Man Location: 129, Cimla Road, Neath, West Glamorgan, SA11 3UE Classification: Boilers - Servicing, Replacements & Repairs **Status: Active** Positional Accuracy: Automatically positioned to the address	A18SE (N)	348	-	276076 196443
245	**Contemporary Trade Directory Entries** Name: D T Hunkin Location: 117, Cimla Road, Neath, West Glamorgan, SA11 3UE Classification: Road Haulage Services **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A18SW (N)	364	-	276038 196467
246	**Contemporary Trade Directory Entries** Name: Appliance Repair Sos Location: 3, Alder Road, Neath, SA11 3NY Classification: Domestic Appliances - Servicing, Repairs & Parts **Status: Active** Positional Accuracy: Automatically positioned to the address	A18SE (N)	500	-	276136 196584
246	**Contemporary Trade Directory Entries** Name: Appliance Repairs Sos Location: 3, Alder Road, Neath, West Glamorgan, SA11 3NY Classification: Washing Machines - Servicing & Repairs **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A18SE (N)	500	-	276136 196584
247	**Contemporary Trade Directory Entries** Name: Gunner Xpress Location: 24, OAK GROVE, NEATH, SA11 3RA Classification: Freight Forwarders **Status: Active** Positional Accuracy: Automatically positioned to the address	A14NW (E)	543	-	276638 196151

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
248	**Contemporary Trade Directory Entries** Name: Pressed For Time Ironing Service Location: 146, Ridgewood Gardens, Cimla, Neath, West Glamorgan, SA11 3QG Classification: Ironing & Home Laundry Services **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A14SE (E)	768	-	276875 195913
248	**Contemporary Trade Directory Entries** Name: Imzanerz Location: 116, Ridgewood Gardens, Cimla, Neath, West Glamorgan, SA11 3QG Classification: Cleaning Services - Domestic **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A14SE (E)	786	-	276896 195931
249	**Contemporary Trade Directory Entries** Name: Wastebusters Location: 7, Osprey Drive, Neath, West Glamorgan, SA11 3SL Classification: Waste Disposal Services **Status: Active** Positional Accuracy: Automatically positioned to the address	A14NE (E)	798	-	276901 196138
250	**Contemporary Trade Directory Entries** Name: Measday Pool Services Ltd Location: 29, Cimla Crescent, Neath, West Glamorgan, SA11 3NN Classification: Swimming Pool Contractors, Repairers & Service **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A18NW (N)	843	-	275974 196950
251	**Contemporary Trade Directory Entries** Name: The 5 Star Laundry Location: 55, Castle Drive, Neath, West Glamorgan, SA11 3YF Classification: Laundries & Launderettes **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A19SE (NE)	868	-	276757 196593
252	**Contemporary Trade Directory Entries** Name: Lewis Road Motors Location: Lewis Road, Neath, West Glamorgan, SA11 1DX Classification: Garage Services **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A17NW (NW)	935	-	275342 196781
253	**Contemporary Trade Directory Entries** Name: Razzle Dazzle Location: 8, Edwards Street, Neath, West Glamorgan, SA11 1TU Classification: Carpet, Curtain & Upholstery Cleaners **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A17NW (NW)	1000	-	275206 196730
254	**Fuel Station Entries** Name: Cimla Service Station Location: Upper Cimla Road , , Neath, Neath Port Talbot, SA11 3UG Brand: Obsolete Premises Type: Not Applicable **Status: Obsolete** Positional Accuracy: Automatically positioned to the address	A18SE (N)	312	-	276116 196391
255	**Points of Interest - Commercial Services** Name: D T Hunkin Location: 117 Cimla Road, Neath, SA11 3UE Category: Transport, Storage and Delivery Class Code: Distribution and Haulage Positional Accuracy: Positioned to address or location	A18SW (N)	364	7	276038 196467
256	**Points of Interest - Commercial Services** Name: J T Contract Services Location: 8 Caederwen Road, Neath, SA11 1US Category: Transport, Storage and Delivery Class Code: Distribution and Haulage Positional Accuracy: Positioned to address or location	A17SE (NW)	527	7	275620 196483
257	**Points of Interest - Commercial Services** Name: Gunner Xpress Location: 24 Oak Grove, Neath, SA11 3RA Category: Transport, Storage and Delivery Class Code: Distribution and Haulage Positional Accuracy: Positioned to address or location	A14NW (E)	543	7	276638 196151
258	**Points of Interest - Commercial Services** Name: D T Hunkin Location: Crynallt Cottage, Crynallt, Neath, SA11 3RL Category: Transport, Storage and Delivery Class Code: Distribution and Haulage Positional Accuracy: Positioned to address or location	A14NW (E)	556	7	276670 196032

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
259	**Points of Interest - Commercial Services** Name: Morgans M O T Centre Location: Lewis Road, Neath, SA11 1DX Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A17NW (NW)	934	7	275342 196781
259	**Points of Interest - Commercial Services** Name: Lewis Road Motors Location: Lewis Road, Neath, SA11 1DX Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A17NW (NW)	935	7	275342 196781
260	**Points of Interest - Education and Health** Name: Cimla Hospital Location: Cimla Common, Neath, SA11 3SU Category: Health Practitioners and Establishments Class Code: Hospitals Positional Accuracy: Positioned to address or location	A14SW (E)	323	7	276436 195989
260	**Points of Interest - Education and Health** Name: Cimla Hospital Location: Cimla Common, Neath, SA11 3SU Category: Health Practitioners and Establishments Class Code: Hospitals Positional Accuracy: Positioned to address or location	A14SW (E)	323	7	276436 195989
260	**Points of Interest - Education and Health** Name: Cimla Hospital Location: Cimla Common, Neath, SA11 3SU Category: Health Practitioners and Establishments Class Code: Hospitals Positional Accuracy: Positioned to address or location	A14SW (E)	323	7	276436 195989
260	**Points of Interest - Education and Health** Name: Cimla Hospital Location: Cimla Common, Neath, SA11 3SU Category: Health Practitioners and Establishments Class Code: Hospitals Positional Accuracy: Positioned to address or location	A14SW (E)	323	7	276436 195989
261	**Points of Interest - Manufacturing and Production** Name: Tank Location: SA11 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A12NE (W)	519	7	275465 196124
262	**Points of Interest - Manufacturing and Production** Name: Tank Location: SA11 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A7SE (SW)	774	7	275686 195274
263	**Points of Interest - Public Infrastructure** Name: Peter Court Location: 1 Brynawel, Cimla, Neath, SA11 1JF Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to address or location	A13NE (N)	152	7	276076 196232
263	**Points of Interest - Public Infrastructure** Name: Peter Court Location: 1 Brynawel, Cimla, Neath, SA11 1JF Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to address or location	A13NE (N)	152	7	276076 196232
264	**Points of Interest - Public Infrastructure** Name: Neath Fire Station Location: Fire Station, Cimla Road, Neath, SA11 3UG Category: Central and Local Government Class Code: Fire Brigade Stations Positional Accuracy: Positioned to address or location	A13NE (NE)	254	7	276188 196266
265	**Points of Interest - Public Infrastructure** Name: D A B Haulage Location: 29 Lime Grove, Neath, SA11 3PT Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to address or location	A14NW (E)	324	7	276417 196123

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
265	**Points of Interest - Public Infrastructure** Name: D A B Haulage Location: 29 Lime Grove, Neath, SA11 3PT Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to address or location	A14NW (E)	324	7	276417 196123
266	**Points of Interest - Public Infrastructure** Name: Wastebusters Location: 7 Osprey Drive, Neath, SA11 3SL Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to address or location	A14NE (E)	798	7	276901 196138
267	**Points of Interest - Public Infrastructure** Name: Weir Location: SA11 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A12NW (W)	841	7	275150 196210
267	**Points of Interest - Public Infrastructure** Name: Weir Location: SA11 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A12NW (W)	843	7	275149 196213
268	**Points of Interest - Public Infrastructure** Name: Weir Location: SA11 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A17SW (W)	913	7	275116 196380
268	**Points of Interest - Public Infrastructure** Name: Weir Location: SA11 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A17SW (NW)	996	7	275055 196454
268	**Points of Interest - Public Infrastructure** Name: Weir Location: SA11 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A17SW (NW)	996	7	275055 196455
269	**Points of Interest - Public Infrastructure** Name: Weir Location: SA11 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A23SE (N)	970	7	276182 197057
269	**Points of Interest - Public Infrastructure** Name: Weir Location: SA11 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A23SE (N)	971	7	276179 197058
270	**Points of Interest - Public Infrastructure** Name: Weir Location: SA11 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A23SE (N)	979	7	276075 197081
270	**Points of Interest - Public Infrastructure** Name: Weir Location: SA11 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A23SE (N)	980	7	276078 197082
271	**Points of Interest - Recreational and Environmental** Name: Playground Location: Not Supplied Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to an adjacent address or location	A13NW (NW)	214	7	275910 196305

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
271	**Points of Interest - Recreational and Environmental** Name: Playground Location: (Bryn Awel), SA11 Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to address or location	A13NW (NW)	214	7	275910 196305
271	**Points of Interest - Recreational and Environmental** Name: Playground Location: Kingdon-Owen Road, SA11 Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to address or location	A13NW (NW)	238	7	275868 196311
271	**Points of Interest - Recreational and Environmental** Name: Playground Location: Not Supplied Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to an adjacent address or location	A13NW (NW)	243	7	275868 196317
272	**Points of Interest - Recreational and Environmental** Name: Playground Location: SA11 Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to an adjacent address or location	A13NE (NE)	220	7	276241 196189
273	**Points of Interest - Recreational and Environmental** Name: Play Area Location: SA11 Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to an adjacent address or location	A12NE (NW)	455	7	275566 196276
274	**Points of Interest - Recreational and Environmental** Name: Playground Location: Not Supplied Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to an adjacent address or location	A14NW (E)	456	7	276563 196085
274	**Points of Interest - Recreational and Environmental** Name: Playground Location: Lime Grove, SA11 Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to address or location	A14NW (E)	460	7	276567 196090
275	**Points of Interest - Recreational and Environmental** Name: Playground Location: Not Supplied Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to an adjacent address or location	A17SW (NW)	816	7	275249 196452
275	**Points of Interest - Recreational and Environmental** Name: Playground Location: Bryn Road, SA11 Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to address or location	A17SW (NW)	817	7	275247 196448
276	**Points of Interest - Recreational and Environmental** Name: Playground Location: Wellfield Avenue, SA11 Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to address or location	A17NE (NW)	953	7	275594 196974
276	**Points of Interest - Recreational and Environmental** Name: Playground Location: Not Supplied Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to an adjacent address or location	A17NE (NW)	959	7	275591 196979
277	**Points of Interest - Recreational and Environmental** Name: Playground Location: Not Supplied Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to an adjacent address or location	A17NE (NW)	961	7	275411 196874

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
277	**Points of Interest - Recreational and Environmental** Name: Playground Location: Maes-Y-Ffynnon Close, SA11 Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to address or location	A17NE (NW)	964	7	275411 196878

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
278	**Ancient Woodland** Name: Not Supplied Reference: 8058 Area(m²): 87385.89 Type: Ancient and Semi-Natural Woodland	A13SW (SW)	284	2	275772 195832
279	**Ancient Woodland** Name: Not Supplied Reference: 18283 Area(m²): 10328.45 Type: Ancient and Semi-Natural Woodland	A13SW (SW)	352	2	275721 195786
280	**Ancient Woodland** Name: Not Supplied Reference: 12253 Area(m²): 3968.67 Type: Ancient and Semi-Natural Woodland	A8NE (S)	358	2	276171 195610
281	**Ancient Woodland** Name: Not Supplied Reference: 18284 Area(m²): 3465.31 Type: Ancient and Semi-Natural Woodland	A13NE (NE)	405	2	276354 196335
282	**Ancient Woodland** Name: Not Supplied Reference: 7498 Area(m²): 19059.96 Type: Ancient and Semi-Natural Woodland	A12SE (W)	430	2	275581 195922
283	**Ancient Woodland** Name: Not Supplied Reference: 12256 Area(m²): 2592.18 Type: Ancient and Semi-Natural Woodland	A19SW (NE)	482	2	276418 196383
284	**Ancient Woodland** Name: Not Supplied Reference: 18282 Area(m²): 2805.64 Type: Ancient and Semi-Natural Woodland	A8NW (SW)	496	2	275802 195527
285	**Ancient Woodland** Name: Not Supplied Reference: 10086 Area(m²): 27998.02 Type: Ancient and Semi-Natural Woodland	A18SE (NE)	532	2	276352 196495
286	**Ancient Woodland** Name: Not Supplied Reference: 11354 Area(m²): 78966.9 Type: Restored Ancient Woodland Site	A18SE (NE)	642	2	276348 196639
287	**Ancient Woodland** Name: Not Supplied Reference: 7497 Area(m²): 1939.69 Type: Ancient and Semi-Natural Woodland	A12SW (W)	666	2	275332 195942
288	**Ancient Woodland** Name: Not Supplied Reference: 12254 Area(m²): 9319.44 Type: Ancient and Semi-Natural Woodland	A12SW (W)	695	2	275292 196008
289	**Ancient Woodland** Name: Not Supplied Reference: 11353 Area(m²): 21646.97 Type: Restored Ancient Woodland Site	A19SW (NE)	704	2	276625 196493
290	**Ancient Woodland** Name: Not Supplied Reference: 18280 Area(m²): 4537.47 Type: Ancient and Semi-Natural Woodland	A7SE (SW)	755	2	275665 195305
291	**Ancient Woodland** Name: Not Supplied Reference: 23145 Area(m²): 1296.34 Type: Restored Ancient Woodland Site	A19NW (NE)	762	2	276434 196724

Sensitive Land Use

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
292	**Ancient Woodland** Name: Not Supplied Reference: 12255 Area(m²): 5217.98 Type: Ancient and Semi-Natural Woodland	A12NW (W)	807	2	275189 196233
293	**Ancient Woodland** Name: Not Supplied Reference: 13985 Area(m²): 4166.88 Type: Ancient and Semi-Natural Woodland	A8SE (S)	817	2	276228 195153
294	**Ancient Woodland** Name: Not Supplied Reference: 18286 Area(m²): 44142.1 Type: Ancient and Semi-Natural Woodland	A18NW (N)	851	2	275906 196953
295	**Ancient Woodland** Name: Not Supplied Reference: 7766 Area(m²): 4327.93 Type: Ancient and Semi-Natural Woodland	A12NW (W)	867	2	275131 196255
296	**Ancient Woodland** Name: Not Supplied Reference: 23144 Area(m²): 5257.17 Type: Restored Ancient Woodland Site	A12NW (W)	886	2	275103 196196
297	**Ancient Woodland** Name: Not Supplied Reference: 23143 Area(m²): 2723.57 Type: Restored Ancient Woodland Site	A12SW (W)	900	2	275085 196015
298	**Ancient Woodland** Name: Not Supplied Reference: 11352 Area(m²): 20063.95 Type: Restored Ancient Woodland Site	A12SW (W)	918	2	275069 196003
299	**Ancient Woodland** Name: Not Supplied Reference: 7496 Area(m²): 1097.17 Type: Ancient and Semi-Natural Woodland	A7NW (W)	975	2	275095 195659
300	**Ancient Woodland** Name: Not Supplied Reference: 18277 Area(m²): 2683.96 Type: Ancient and Semi-Natural Woodland	A7SE (SW)	992	2	275609 195069
301	**Ancient Woodland** Name: Not Supplied Reference: 7495 Area(m²): 24539.37 Type: Ancient and Semi-Natural Woodland	A7NW (SW)	998	2	275100 195580
302	**Local Nature Reserves** Name: Eaglesbush Valley Multiple Area: N Area (m2): 79888.24 Source: Neath Port Talbot County Borough Council Designation Date: 31st December 2008	A12SE (W)	429	8	275580 195932

Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices		
Natural Resources Wales	June 2020	Annually
Neath Port Talbot County Borough Council - Environmental Health Department	October 2017	Annual Rolling Update
City and County of Swansea - Environmental Health Department	September 2017	Annual Rolling Update
Discharge Consents		
Environment Agency - Welsh Region	August 2014	Quarterly
Natural Resources Wales	January 2022	Quarterly
Enforcement and Prohibition Notices		
Environment Agency - Welsh Region	March 2013	
Integrated Pollution Controls		
Environment Agency - Welsh Region	January 2009	
Integrated Pollution Prevention And Control		
Environment Agency - Welsh Region	January 2021	Quarterly
Natural Resources Wales	January 2022	Quarterly
Local Authority Integrated Pollution Prevention And Control		
Swansea Bay Port Health Authority	April 2014	Variable
City and County of Swansea - Environmental Health Department	June 2014	Variable
Neath Port Talbot County Borough Council - Environmental Health Department	March 2014	Variable
Local Authority Pollution Prevention and Controls		
Swansea Bay Port Health Authority	April 2014	Annually
City and County of Swansea - Environmental Health Department	June 2014	Annual Rolling Update
Neath Port Talbot County Borough Council - Environmental Health Department	March 2014	Annual Rolling Update
Local Authority Pollution Prevention and Control Enforcements		
Swansea Bay Port Health Authority	April 2014	Variable
City and County of Swansea - Environmental Health Department	June 2014	Variable
Neath Port Talbot County Borough Council - Environmental Health Department	March 2015	Variable
Nearest Surface Water Feature		
Ordnance Survey	February 2022	
Pollution Incidents to Controlled Waters		
Environment Agency - Welsh Region	December 1998	
Prosecutions Relating to Authorised Processes		
Environment Agency - Welsh Region	July 2015	
Natural Resources Wales	July 2015	
Prosecutions Relating to Controlled Waters		
Environment Agency - Welsh Region	March 2013	
Natural Resources Wales	March 2013	
Registered Radioactive Substances		
Natural Resources Wales	January 2015	
Environment Agency - Welsh Region	June 2016	As notified
Substantiated Pollution Incident Register		
Environment Agency Wales - South West Area	January 2021	Quarterly
Natural Resources Wales	January 2022	Quarterly
Water Abstractions		
Environment Agency - Welsh Region	January 2022	Quarterly
Natural Resources Wales	January 2022	Quarterly
Water Industry Act Referrals		
Natural Resources Wales	January 2022	Quarterly
Environment Agency - Welsh Region	October 2017	
Groundwater Vulnerability Map		
Natural Resources Wales	June 2018	As notified
Bedrock Aquifer Designations		
Natural Resources Wales	January 2018	Annually

Data Currency

Agency & Hydrological	Version	Update Cycle
Superficial Aquifer Designations Natural Resources Wales	January 2018	Annually
Source Protection Zones Natural Resources Wales	July 2017	Annual Rolling Update
Extreme Flooding from Rivers or Sea without Defences Natural Resources Wales	September 2020	
Flooding from Rivers or Sea without Defences Natural Resources Wales	September 2020	
Areas Benefiting from Flood Defences Natural Resources Wales	November 2019	Quarterly
Flood Water Storage Areas Natural Resources Wales	August 2019	Quarterly
Flood Defences Natural Resources Wales	November 2019	Quarterly
OS Water Network Lines Ordnance Survey	January 2022	Quarterly
Surface Water 1 in 30 year Flood Extent Natural Resources Wales	May 2018	Annually
Surface Water 1 in 100 year Flood Extent Natural Resources Wales	May 2018	Annually
Surface Water 1 in 1000 year Flood Extent Natural Resources Wales	May 2018	Annually
Surface Water Suitability Natural Resources Wales	February 2016	Annually
BGS Groundwater Flooding Susceptibility British Geological Survey - National Geoscience Information Service	May 2013	As notified

Data Currency

Waste	Version	Update Cycle
BGS Recorded Landfill Sites		
British Geological Survey - National Geoscience Information Service	November 2002	As notified
Historical Landfill Sites		
Natural Resources Wales	July 2019	Quarterly
Integrated Pollution Control Registered Waste Sites		
Environment Agency - Welsh Region	January 2009	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries)		
Environment Agency Wales - South West Area	October 2021	Quarterly
Natural Resources Wales	October 2021	Quarterly
Licensed Waste Management Facilities (Locations)		
Natural Resources Wales	January 2022	Quarterly
Environment Agency Wales - South West Area	July 2021	Quarterly
Local Authority Landfill Coverage		
City and County of Swansea - Environmental Health Department	February 2003	Not Applicable
Neath Port Talbot County Borough Council - Environmental Health Department	February 2003	Not Applicable
Local Authority Recorded Landfill Sites		
City and County of Swansea - Environmental Health Department	October 2018	
Neath Port Talbot County Borough Council - Environmental Health Department	October 2018	
Potentially Infilled Land (Non-Water)		
Landmark Information Group Limited	December 1999	Not Applicable
Potentially Infilled Land (Water)		
Landmark Information Group Limited	December 1999	
Registered Landfill Sites		
Environment Agency Wales - South West Area	March 2006	Not Applicable
Registered Waste Transfer Sites		
Environment Agency Wales - South West Area	April 2018	
Registered Waste Treatment or Disposal Sites		
Environment Agency Wales - South West Area	June 2015	
Hazardous Substances	**Version**	**Update Cycle**
Control of Major Accident Hazards Sites (COMAH)		
Health and Safety Executive	January 2022	Bi-Annually
Explosive Sites		
Health and Safety Executive	March 2017	Annually
Notification of Installations Handling Hazardous Substances (NIHHS)		
Health and Safety Executive	August 2001	
Planning Hazardous Substance Enforcements		
City and County of Swansea - Planning Department	January 2016	Variable
Neath Port Talbot County Borough Council - Planning Department	October 2015	Variable
Planning Hazardous Substance Consents		
City and County of Swansea - Planning Department	January 2016	Variable
Neath Port Talbot County Borough Council - Planning Department	October 2015	Variable

Data Currency

Geological	Version	Update Cycle
BGS 1:625,000 Solid Geology British Geological Survey - National Geoscience Information Service	January 2009	As notified
BGS Estimated Soil Chemistry British Geological Survey - National Geoscience Information Service	December 2015	As notified
BGS Recorded Mineral Sites British Geological Survey - National Geoscience Information Service	November 2021	Bi-Annually
BGS Urban Soil Chemistry British Geological Survey - National Geoscience Information Service	December 2015	As notified
BGS Urban Soil Chemistry Averages British Geological Survey - National Geoscience Information Service	December 2015	As notified
CBSCB Compensation District Cheshire Brine Subsidence Compensation Board (CBSCB) Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011 November 2020	As notified
Coal Mining Affected Areas The Coal Authority - Property Searches	March 2014	Annual Rolling Update
Mining Instability Ove Arup & Partners	June 1998	Not Applicable
Non Coal Mining Areas of Great Britain British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Potential for Collapsible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	April 2020	As notified
Potential for Compressible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Ground Dissolution Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Landslide Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Running Sand Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Shrinking or Swelling Clay Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Radon Potential - Radon Affected Areas British Geological Survey - National Geoscience Information Service	July 2011	Annually
Radon Potential - Radon Protection Measures British Geological Survey - National Geoscience Information Service	July 2011	Annually

Data Currency

Industrial Land Use	Version	Update Cycle
Contemporary Trade Directory Entries Thomson Directories	January 2022	Quarterly
Fuel Station Entries Catalist Ltd - Experian	March 2022	Quarterly
Gas Pipelines National Grid	October 2021	Bi-Annually
Points of Interest - Commercial Services PointX	March 2022	Quarterly
Points of Interest - Education and Health PointX	March 2022	Quarterly
Points of Interest - Manufacturing and Production PointX	March 2022	Quarterly
Points of Interest - Public Infrastructure PointX	March 2022	Quarterly
Points of Interest - Recreational and Environmental PointX	March 2022	Quarterly
Underground Electrical Cables National Grid	May 2021	Bi-Annually

Data Currency

Sensitive Land Use	Version	Update Cycle
Ancient Woodland		
Natural Resources Wales	September 2018	Bi-Annually
Areas of Adopted Green Belt		
City and County of Swansea	October 2020	Quarterly
Neath Port Talbot County Borough Council - Planning Services	October 2020	Quarterly
Areas of Unadopted Green Belt		
City and County of Swansea	October 2020	Quarterly
Neath Port Talbot County Borough Council - Planning Services	October 2020	Quarterly
Areas of Outstanding Natural Beauty		
Natural Resources Wales	June 2019	Bi-Annually
Environmentally Sensitive Areas		
The National Assembly for Wales - GI Services (Department of Planning & Countryside)	January 2017	
Forest Parks		
Forestry Commission	April 1997	Not Applicable
Local Nature Reserves		
City and County of Swansea	August 2018	Bi-Annually
Neath Port Talbot County Borough Council	August 2018	Bi-Annually
Marine Nature Reserves		
Natural Resources Wales	August 2018	Bi-Annually
National Nature Reserves		
Natural Resources Wales	February 2022	Bi-Annually
National Parks		
Natural Resources Wales	February 2018	Annually
Nitrate Vulnerable Zones		
The National Assembly for Wales - GI Services (Department of Planning & Countryside)	April 2016	
Natural Resources Wales	July 2019	Bi-Annually
Ramsar Sites		
Natural Resources Wales	July 2019	Bi-Annually
Sites of Special Scientific Interest		
Natural Resources Wales	March 2020	Bi-Annually
Special Areas of Conservation		
Natural Resources Wales	August 2020	Bi-Annually
Special Protection Areas		
Natural Resources Wales	August 2018	Bi-Annually

Data Suppliers


A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	Map data
Environment Agency	Environment Agency
Scottish Environment Protection Agency	SEPA Scottish Environment Protection Agency
The Coal Authority	The Coal Authority
British Geological Survey	British Geological Survey NATURAL ENVIRONMENT RESEARCH COUNCIL
Centre for Ecology and Hydrology	Centre for Ecology & Hydrology NATURAL ENVIRONMENT RESEARCH COUNCIL
Natural Resources Wales	Cyfoeth Naturiol Cymru Natural Resources Wales
Scottish Natural Heritage	SCOTTISH NATURAL HERITAGE
Natural England	NATURAL ENGLAND
Public Health England	Public Health England
Ove Arup	ARUP
Stantec UK Ltd	Stantec

Useful Contacts

Contact	Name and Address	Contact Details
1	**British Geological Survey - Enquiry Service** British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
2	**Natural Resources Wales** Ty Cambria, 29 Newport Road, Cardiff, CF24 0TP	Telephone: 0300 065 3000 Email: enquiries@naturalresourceswales.gov.uk
3	**Environment Agency - National Customer Contact Centre (NCCC)** PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk
4	**Ordnance Survey** Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: 03456 05 05 05 Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.gov.uk
5	**Neath Port Talbot County Borough Council - Environmental Health Department** Room 322, Neath Civic Centre, Neath, West Glamorgan, SA11 3QZ	Telephone: 01639 763333 Fax: 01693 763444 Website: www.neath-porttalbot.gov.uk
6	**The Coal Authority - Property Searches** 200 Lichfield Lane, Mansfield, Nottinghamshire, NG18 4RG	Telephone: 0345 762 6848 Fax: 01623 637 338 Email: groundstability@coal.gov.uk Website: www2.groundstability.com
7	**PointX** 7 Abbey Court, Eagle Way, Sowton, Exeter, Devon, EX2 7HY	Website: www.pointx.co.uk
8	**Neath Port Talbot County Borough Council** Civic Centre, Port Talbot, West Glamorgan, SA13 1PJ	Telephone: 01639 763333 Fax: 01693 763444 Website: www.neath-porttalbot.gov.uk
-	**Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards** Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org
-	**Landmark Information Group Limited** Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9952 Fax: 0844 844 9951 Email: customerservices@landmarkinfo.co.uk Website: www.landmarkinfo.co.uk

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.



Intégral
Géotechnique

Groundwater Vulnerability

General


Specified Site | Specified Buffer(s) | Bearing Reference Point
Slice | Map ID

Agency and Hydrological

Bedrock Aquifers	Superficial Aquifers
High Vulnerability, Principal Aquifer	High Vulnerability, Principal Aquifer
High Vulnerability, Secondary Aquifer	High Vulnerability, Secondary Aquifer
Medium Vulnerability, Principal Aquifer	Medium Vulnerability, Principal Aquifer
Medium Vulnerability, Secondary Aquifer	Medium Vulnerability, Secondary Aquifer
Low Vulnerability, Principal Aquifer	Low Vulnerability, Principal Aquifer
Low Vulnerability, Secondary Aquifer	Low Vulnerability, Secondary Aquifer

Unproductive Aquifer
Soluble Rock

Site Sensitivity Context Map - Slice A




Order Details

Order Number:	294212658_1_1
Customer Ref:	14036/LP
National Grid Reference:	276040, 196030
Slice:	A
Site Area (Ha):	0.78
Search Buffer (m):	1000

Site Details

Phase 1, Former Tudor Inn, Beacons View, Cimla, Neath, SA11 3SB

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Intégral Géotechnique

Bedrock Aquifer Designation

General


Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice | Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice A




Order Details

Order Number:	294212658_1_1
Customer Ref:	14036/LP
National Grid Reference:	276040, 196030
Slice:	A
Site Area (Ha):	0.78
Search Buffer (m):	1000

Site Details

Phase 1, Former Tudor Inn, Beacons View, Cimla, Neath, SA11 3SB

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Intégral
Géotechnique

Superficial Aquifer Designation

General


Specified Site | Specified Buffer(s) | Bearing Reference Point
Slice | Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice A




Order Details

Order Number:	294212658_1_1
Customer Ref:	14036/LP
National Grid Reference:	276040, 196030
Slice:	A
Site Area (Ha):	0.78
Search Buffer (m):	1000

Site Details

Phase 1, Former Tudor Inn, Beacons View, Cimla, Neath, SA11 3SB

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Intégral Géotechnique

Source Protection Zones


General

Specified Site | Specified Buffer(s) | Bearing Reference Point
Slice | Map ID

Agency and Hydrological

- Inner zone (Zone 1)
- Inner zone - subsurface activity only (Zone 1c)
- Outer zone (Zone 2)
- Outer zone - subsurface activity only (Zone 2c)
- Total catchment (Zone 3)
- Total catchment - subsurface activity only (Zone 3c)
- Special interest (Zone 4)

Site Sensitivity Context Map - Slice A




Order Details

Order Number:	294212658_1_1
Customer Ref:	14036/LP
National Grid Reference:	276040, 196030
Slice:	A
Site Area (Ha):	0.78
Search Buffer (m):	1000

Site Details

Phase 1, Former Tudor Inn, Beacons View, Cimla, Neath, SA11 3SB

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Intégral Géotechnique

Sensitive Land Uses


General

Specified Site | Specified Buffer(s) | Bearing Reference Point
Slice | Map ID

Sensitive Land Uses

- Ancient Woodland
- Area of Adopted Green Belt
- Area of Unadopted Green Belt
- Area of Outstanding Natural Beauty
- Environmentally Sensitive Area
- Forest Park
- Local Nature Reserve
- Marine Nature Reserve
- National Nature Reserve
- National Park
- Nitrate Sensitive Area
- Nitrate Vulnerable Zone
- Ramsar Site
- Site of Special Scientific Interest
- Special Area of Conservation
- Special Protection Area
- World Heritage Sites

Site Sensitivity Context Map - Slice A




Order Details

Order Number:	294212658_1_1
Customer Ref:	14036/LP
National Grid Reference:	276040, 196030
Slice:	A
Site Area (Ha):	0.78
Search Buffer (m):	1000

Site Details

Phase 1, Former Tudor Inn, Beacons View, Cimla, Neath, SA11 3SB



Intégral Géotechnique

BGS Flood GFS Data


General

Specified Site
Specified Buffer(s)
Bearing Reference Point
Slice

Agency and Hydrological (Flood)

Limited Potential for Groundwater Flooding to Occur
Potential for Groundwater Flooding of Property Situated Below Ground Level
Potential for Groundwater Flooding to Occur at Surface

Site Sensitivity Context Map - Slice A




Order Details

Order Number:	294212658_1_1
Customer Ref:	14036/LP
National Grid Reference:	276040, 196030
Slice:	A
Site Area (Ha):	0.78
Search Buffer (m):	1000

Site Details

Phase 1, Former Tudor Inn, Beacons View, Cimla, Neath, SA11 3SB

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Intégral Géotechnique

General

Specified Site | Specified Buffer(s) | Bearing Reference Point | Map ID

Several of Type at Location

Agency and Hydrological

- Contaminated Land Register Entry or Notice (Location)
- Contaminated Land Register Entry or Notice
- Discharge Consent
- Enforcement or Prohibition Notice
- Integrated Pollution Control
- Integrated Pollution Prevention Control
- Local Authority Integrated Pollution Prevention and Control
- Local Authority Pollution Prevention and Control
- Local Authority Pollution Prevention and Control Enforcement
- Pollution Incident to Controlled Waters
- Prosecution Relating to Authorised Processes
- Prosecution Relating to Controlled Waters
- Registered Radioactive Substance
- River Network or Water Feature
- River Quality Sampling Point
- Substantiated Pollution Incident Register
- Water Abstraction
- Water Industry Act Referral

Hazardous Substances

- COMAH Site
- Explosive Site
- NIHHS Site
- Planning Hazardous Substance Consent
- Planning Hazardous Substance Enforcement


Geological

- BGS Recorded Mineral Site

Waste

- BGS Recorded Landfill Site (Location)
- BGS Recorded Landfill Site
- EA Historic Landfill (Buffered Point)
- EA Historic Landfill (Polygon)
- Integrated Pollution Control Registered Waste Site
- Licensed Waste Management Facility (Landfill Boundary)
- Licensed Waste Management Facility (Location)
- Local Authority Recorded Landfill Site (Location)
- Local Authority Recorded Landfill Site
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Water)
- Potentially Infilled Land (Water)
- Potentially Infilled Land (Water)
- Registered Landfill Site
- Registered Landfill Site (Location)
- Registered Landfill Site (Point Buffered to 100m)
- Registered Landfill Site (Point Buffered to 250m)
- Registered Waste Transfer Site (Location)
- Registered Waste Transfer Site
- Registered Waste Treatment or Disposal Site (Location)
- Registered Waste Treatment or Disposal Site

Site Sensitivity Map - Slice A



Order Details


Order Number:	294212658_1_1
Customer Ref:	14036/LP
National Grid Reference:	276040, 196030
Slice:	A
Site Area (Ha):	0.78
Search Buffer (m):	1000

Site Details

Phase 1, Former Tudor Inn, Beacons View, Cimla, Neath, SA11 3SB

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Intégral Géotechnique

Industrial Land Use Map


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Industrial Land Use

- Contemporary Trade Directory Entry
- Fuel Station Entry
- Gas Pipeline
- Points of Interest - Commercial Services
- Points of Interest - Education and Health
- Points of Interest - Manufacturing and Production
- Points of Interest - Public Infrastructure
- Points of Interest - Recreational and Environmental
- Underground Electrical Cables

Industrial Land Use Map - Slice A




Order Details

Order Number:	294212658_1_1
Customer Ref:	14036/LP
National Grid Reference:	276040, 196030
Slice:	A
Site Area (Ha):	0.78
Search Buffer (m):	1000

Site Details

Phase 1, Former Tudor Inn, Beacons View, Cimla, Neath, SA11 3SB

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

Intégral Géotechnique


General

- Specified Site
- Specified Buffer(s)
- X Bearing Reference Point

Agency and Hydrological (Flood)

- Extreme Flooding from Rivers or Sea without Defences (Zone 2)
- Flooding from Rivers or Sea without Defences (Zone 3)
- Area Benefiting from Flood Defence
- Flood Water Storage Areas
- Flood Defence

Flood Map - Slice A




Order Details

Order Number:	294212658_1_1
Customer Ref:	14036/LP
National Grid Reference:	276040, 196030
Slice:	A
Site Area (Ha):	0.78
Search Buffer (m):	1000

Site Details

Phase 1, Former Tudor Inn, Beacons View, Cimla, Neath, SA11 3SB

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

Intégral Géotechnique

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Map ID
- Several of Type at Location


Agency and Hydrological (Boreholes)

- BGS Borehole Depth 0 - 10m
- BGS Borehole Depth 10 - 30m
- BGS Borehole Depth 30m +
- Confidential
- Other

For Borehole information please refer to the Borehole .csv file which accompanied this slice.

A copy of the BGS Borehole Ordering Form is available to download from the Support section of www.envirocheck.co.uk.

Borehole Map - Slice A




Order Details

Order Number:	294212658_1_1
Customer Ref:	14036/LP
National Grid Reference:	276040, 196030
Slice:	A
Site Area (Ha):	0.78
Search Buffer (m):	1000

Site Details

Phase 1, Former Tudor Inn, Beacons View, Cimla, Neath, SA11 3SB

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

Intégral Géotechnique

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point

OS Water Network Data

- Canal
- Reservoir
- Foreshore
- Marsh
- Tidal River
- Inland River
- Drain
- Other
- Lake
- Transfer
- Lock Or Flight Of Locks
- Sea

Contours (height in meters)


Standard Contour 105 100 95

Master Contour

Spot Height 167.3

- MLW Mean Low Water
- MHW Mean High Water

OS Water Network Map - Slice A



Order Details


Order Number:	294212658_1_1
Customer Ref:	14036/LP
National Grid Reference:	276040, 196030
Slice:	A
Site Area (Ha):	0.78
Search Buffer (m):	1000

Site Details

Phase 1, Former Tudor Inn, Beacons View, Cimla, Neath, SA11 3SB

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

Intégral Géotechnique

General

- Specified Site
- Specified Buffer(s)
- X Bearing Reference Point

Risk of Flooding from Surface Water


- High - 30 Year Return
- Medium - 100 Year Return
- Low - 1000 Year Return

Suitability

See the suitability map below

- National to county
- County to town
- Town to street
- Street to parcels of land
- Property

EA/NRW Suitability Map - Slice A



Order Details


Order Number:	294212658_1_1
Customer Ref:	14036/LP
National Grid Reference:	276040, 196030
Slice:	A
Site Area (Ha):	0.78
Search Buffer (m):	1000

Site Details

Phase 1, Former Tudor Inn, Beacons View, Cimla, Neath, SA11 3SB

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

Intégral Géotechnique

General

Specified Site | Specified Buffer(s) | X Bearing Reference Point


Urban Soil Chemistry Arsenic

● BGS Urban Soil Chemistry Measured Concentration Values (mg/kg)

Arsenic Concentrations mg/kg

- < 15
- 15 - 25
- 25 - 35
- 35 - 45
- 45 - 60
- 60 - 120
- > 120

Urban Soil Chemistry Arsenic - Slice A




Order Details

Order Details:	294212658_1_1
Customer Ref:	14036/LP
National Grid Reference:	276040, 196030
Slice:	A
Site Area (Ha):	0.78
Search buffer (m):	1000

Site Details

Phase 1, Former Tudor Inn, Beacons View, Cimla, Neath, SA11 3SB

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Intégral Géotechnique

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Arsenic

Arsenic Concentrations mg/kg

- < 15
- 15 - 25
- 25 - 35
- 35 - 45
- 45 - 60
- 60 - 120
- > 120

Estimated Soil Chemistry Arsenic - Slice A




Order Details

Order Details:	294212658_1_1
Customer Ref:	14036/LP
National Grid Reference:	276040, 196030
Slice:	A
Site Area (Ha):	0.78
Search buffer (m):	1000

Site Details

Phase 1, Former Tudor Inn, Beacons View, Cimla, Neath, SA11 3SB

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

Intégral Géotechnique

General

Specified Site | Specified Buffer(s) | Bearing Reference Point


Urban Soil Chemistry Cadmium

BGS Urban Soil Chemistry Measured Concentration Values (mg/kg)

Cadmium Concentrations mg/kg

- < 1.8
- 1.8 - 2.2
- 2.2 - 3.0
- > 3.0

Urban Soil Chemistry Cadmium - Slice A




Order Details

Order Details:	294212658_1_1
Customer Ref:	14036/LP
National Grid Reference:	276040, 196030
Slice:	A
Site Area (Ha):	0.78
Search buffer (m):	1000

Site Details

Phase 1, Former Tudor Inn, Beacons View, Cimla, Neath, SA11 3SB

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

Intégral Géotechnique

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Cadmium

Cadmium Concentrations mg/kg

- < 1.8
- 1.8 - 2.2
- 2.2 - 3.0
- > 3.0

Estimated Soil Chemistry Cadmium - Slice A



Order Details

Order Details:	294212658_1_1
Customer Ref:	14036/LP
National Grid Reference:	276040, 196030
Slice:	A
Site Area (Ha):	0.78
Search buffer (m):	1000

Site Details

Phase 1, Former Tudor Inn, Beacons View, Cimla, Neath, SA11 3SB

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk