






Floor Detail
1 : 10




Wall Detail
1 : 10




Roof Detail
1 : 10


- U-VALUES:**
(Compliant with Approved Document L, Volume 2 buildings other than dwellings)
- Suspended timber floor achieving approximately 0.18 W/m²K
 - Timber frame walls achieving approximately 0.17 W/m²K
 - Timber flat roof achieving approximately 0.17 W/m²K
- WINDOW & DOOR PERFORMANCE:**
- Aluminium windows 1.3 W/m²K
 - Aluminium doors 1.3 W/m²K




Classroom Internal Elev A
1 : 50




Classroom Internal Elev B
1 : 50




Classroom Internal Elev C
1 : 50




Classroom Internal Elev D
1 : 50




DWC Internal Elev A
1 : 50



DWC Internal Elev B
1 : 50




DWC Internal Elev C
1 : 50




DWC Internal Elev D
1 : 50


- INTERNAL SPECIFICATION**
- Fully plastered and painted interior walls.
 - 600 x 600mm suspended grid ceiling to classroom & lobby.
 - Plastered & painted ceilings to WCs.
 - Altro flooring with coved skirtings to all areas.
 - All internal doors to be single ply painted white finish with standard door handle and kickplate. Architraves to be MDF painted white.
 - Pattress to be installed for smart screen (location tbc).




WC Internal Elev A
1 : 50




WC Internal Elev B
1 : 50




WC Internal Elev C
1 : 50




WC Internal Elev D
1 : 50




Lobby Internal Elev A
1 : 50



Lobby Internal Elev B
1 : 50



Lobby Internal Elev C
1 : 50



Lobby Internal Elev D
1 : 50



REVISION	DESCRIPTION	DATE
----------	-------------	------

PURPOSE OF ISSUE
QUOTATION

PROJECT
Proposed Detached Classroom @ 39 St. Johns Terrace, Neath Abbey, Neath, SA10 7ND

TITLE
Proposed Details & Internal Room Elevations

CLIENT
KNOX & WELLS LTD

DRAWN BY J.Bennett	SCALE (@A1) As indicated	DATE March 26
DRAWING NUMBER CD02		REV