Knox & Wells Limited

YGG TREGELES, ST JOHN'S TERRACE, NEATH ABBEY

Desk Study Report

14560/LP/26/DS

Intégral
Géotechnique

CLIENT:	**Knox & Wells Limited**
PROJECT:	**YGG Tregeles, St John's Terrace, Neath Abbey**
TITLE:	**Desk Study Report**
JOB NO:	**14560**
DOCUMENT REF:	**14560/LP/26/DS**

Revision	Purpose Description	Originated	Reviewed	Authorised	Date
0	Final	LP	JJ	RB	Feb' 2026

Geotechnical Engineers:

Intégral Géotechnique (Wales) Limited
Integral House
7 Beddau Way
Castlegate Business Park
Caerphilly
CF83 2AX

Tel: 029 2080 7991

CONTENTS

1.0 INTRODUCTION

1.1 General
1.2 Proposed Development
1.3 Scope of Works
1.4 Limitations

2.0 THE SITE

2.1 Site Location and Description
2.2 Site Operations
2.3 Surrounding Land Use
2.4 Available Site Investigation Data

3.0 SITE HISTORY

4.0 SITE ENVIRONMENTAL SETTING

4.1 Physical Setting
4.2 Geology
4.3 Radon
4.4 Mining
4.5 Hydrology, Hydrogeology & Flood Risk
4.6 Landfill Sites
4.7 Potential Contamination
4.8 Other Environmental Issues

5.0 PRELIMINARY CONCEPTUAL SITE MODEL

5.1 Risk Assessment Framework
5.2 Conceptual Model Framework
5.3 Critical Sensitive Receptor – Human Health
5.4 Critical Sensitive Receptor – Controlled Waters
5.5 Potential Contaminant Sources
5.6 Potential Exposure Pathways
5.7 Summary of Conceptual Exposure Model

6.0 ANTICIPATED GROUND CONDITIONS

7.0 SITE ASSESSMENT

7.1 Environmental Risk Assessment
7.2 Geotechnical Hazards and Constraints
7.3 Site Appraisal

8.0 SITE INVESTIGATION PROPOSALS

CONTENTS (CONTINUED)

APPENDICES

Appendix A Envirocheck Report

Appendix B Consultants Coal Mining Report from the Mining Remediation Authority

FIGURES

Figure 1 Site Location

Figure 2 Site Plan

Figure 3 Geology

1.0 INTRODUCTION

1.1 GENERAL

Knox & Wells Limited are proposing to redevelop a site at YGG Tregeles in Neath Abbey for continued educational use. The site location is shown in Figure 1.

Cambria Consulting are the appointed Consulting Civil and Structural Engineers for the scheme.

Intégral Géotechnique (Wales) Limited have been appointed as the Geotechnical and Geoenvironmental Engineers to undertake a Phase 1 Desk Study of the site.

The approximate red line site boundary considered as part of this Phase 1 Desk Study is shown in Figure 2.

The objectives of the Phase 1 Desk Study are to:

- Identify potential sources of contamination and assess their implications for the proposed development,
- Identify potential pollutant linkages and associated risks to human health, controlled waters and other sensitive receptors,
- Identify potential geotechnical hazards or constraints that may affect development,
- Provide recommendations for intrusive geoenvironmental and geotechnical site investigation works.

This report presents the findings of the Phase 1 Desk Study and provides guidance on the scope of any recommended geoenvironmental and geotechnical site investigation works.

The opinions and preliminary assessments presented herein are based solely on available desk-based information and should be reviewed following completion of intrusive site investigation works, where required.

This report (including all appendices to it and any subsequent addendums or correspondence) has been prepared for the sole benefit, use and information of Knox & Wells Limited and no third party is entitled or permitted to rely on it. This report may not be used, reproduced or circulated (in whole or part) for any purpose without the written consent of Intégral Géotechnique (Wales) Limited. Intégral Géotechnique (Wales) Limited shall not be liable to any third party who does not have such express written permission to rely on the report for any losses they may suffer.

1.2 PROPOSED DEVELOPMENT

The detailed development proposals have not been made available at the time of writing. However, sketch plans indicate a proposed single-storey framed structure within the northern area of the site.

The development will involve the demolition of the northern school building together with smaller ancillary structure within the northern area of the site. Sections of the existing boundary walls are also proposed to be removed. The main school building is to be retained.

1.3 SCOPE OF WORKS

The work instructed included a desk study of available information, together with the development of an initial Conceptual Site Model (CSM). The desk study comprised a review of:

- An Envirocheck Report obtained for the site,
- Historical Ordnance Survey maps included within the Envirocheck Report,
- A Consultants Coal Mining Report from the Mining Remediation Authority (MRA),
- Geological maps of the area provided by the British Geological Survey (BGS),
- Natural Resources Wales (NRW) groundwater vulnerability map and aquifer database for the area,
- Existing site investigation information (where available).

The desk study has been undertaken in general accordance with the principles of BS10175:2011+A2:2017 (Investigation of Potentially Contaminated Sites – Code of Practice) and the Land Contamination Risk Management (LCRM) framework published by the Environment Agency.

1.4 LIMITATIONS

This document is intended to be a working document for further development in discussion with all concerned including the Local Planning Authority and Natural Resources Wales as appropriate.

"Contamination" is taken throughout the report to mean the "presence of one or more potentially harmful substances as a result of human activity". The use of the term in this way does not imply that harm is being or might be caused by the contamination.

1.4 LIMITATIONS (CONTINUED)

It should be noted that "contamination" can have different meanings under different regulatory regimes, for example, planning, building control and Part IIA of the Environmental Protection Act 1990. Naturally elevated concentrations of potentially harmful substances may also occur. Where relevant, the potential for such naturally occurring substances to be present has been considered.

2.0 THE SITE

2.1 SITE LOCATION AND DESCRIPTION

The site is located at YGG Tregeles in Neath Abbey at a National Grid Reference of 273240, 197470, see Figure 1.

The site is irregular in shape and occupies an area of approximately 0.72 hectares. The boundaries of the site are defined by St John's Terrace to the south and west, an existing cemetery to the east, and a densely vegetated railway embankment to the north. A site plan is presented in Figure 2.

The site is located on ground which gently rises towards the northeast, from an approximate minimum elevation of 19m Above Ordnance Datum (AOD) within the southwest corner to an approximate maximum elevation of 24m AOD within the northeast corner.

The railway embankment forming the northern boundary rises more steeply from the maximum site level of approximately 24m AOD to the railway line at an elevation of approximately 32m AOD.

The western half of the site is developed with the existing school which comprises two main buildings and several smaller ancillary structures. The school buildings are surrounded by areas of hardstanding that provide playground facilities.

The eastern half of the site is undeveloped and grass covered. This area has been utilised as playing fields/sports pitches for the school in the past. Access to this area is available from the school playground.

2.2 SITE OPERATIONS

The site is currently utilised as a primary school including school buildings and external play areas.

2.3 SURROUNDING LAND USE

The immediate surrounding areas are typically developed for residential use with a cemetery located to the east. Further to the south the development is mainly for commercial use within an existing business park.

2.4 AVAILABLE SITE INVESTIGATION DATA

There is no available site investigation data for the site to our knowledge.

3.0 SITE HISTORY

The recent history of the site has been traced with the aid of an Envirocheck Report, a copy of which is included in Appendix A. The Envirocheck Report includes the following scaled historical maps:

Map Scale	Dates
1:2,500	1876-1881, 1899, 1918, 1940, 1952, 1964
1:1,250	1951-1952, 1962-1970, 1962-1988, 1970-1975, 1986-1989, 1989, 1993, 1996, 2000 (aerial photo)
1:10,560	1884, 1900, 1921, 1938-1951, 1945 (aerial photo), 1951-1952
1:10,000	1965, 1970, 1980, 1992, 1999, 2006, 2025

The earliest edition of the map dated 1876-1881 indicated the site to be developed as a school with the main school building located within the western area of the site and with the southwest area indicated to be a playground. A north to south orientated tree lined boundary separated the school site from the undeveloped field which occupied the eastern half of the site. The South Wales Division of the Great Western Railway line, constructed on an embankment, formed the northern boundary of the site. A road lined by a tramway formed the southern boundary, and the areas to the south and west were developed for mixed use including residential properties and a hotel. Neath Abbey was also well-established approximately 250m to the northeast, including St John's Church with associated graveyard located approximately 120m to the east. The Vale of Neath Section of the GWR was located approximately 120m to the southeast and the Tennant Canal was located beyond the railway approximately 160m to the south of the site. There were areas of Salt Marsh in between the railway and the River Neath which was located approximately 580m to the south. The Salt Marsh was partially developed with Mines Royal Works (Copper) approximately 300m to the south, Cheadle Works approximately 440m to the southeast and Crown Works (Copper and Spelter) approximately 750m to the southwest.

The 1899 edition of the map indicated that the school building within the western area of the site had been extended slightly. The north to south orientated boundary, approximately through the centre of the site was no longer indicated to be tree lined. Development continued in the vicinity of the site, and the road which formed the southern boundary was now known as New Road. St John's Church graveyard to the east had been extended westwards towards the site. All the works buildings developed across the Salt Marsh to the south, southeast and southwest were now disused.

3.0 SITE HISTORY (CONTINUED)

The 1918 edition of the map indicated that the site and the immediate surrounding areas remained relatively unchanged. Development continued in the wider surrounding areas as Skewen continued to develop to the west and southwest and Neath Abbey continued to develop to the northeast. Main Colliery was also indicated at this time approximately 150m to the south.

The 1940 edition of the map indicated that the school had expanded with a new building constructed within the northwest area of the site and some additional smaller buildings within the western area. The eastern half of the site remained undeveloped. The surrounding areas remained relatively unchanged although the road to the south was no longer lined with a tramway and the buildings associated with Main Colliery to the south had been removed.

The site and the surrounding areas remained relatively unchanged over the subsequent years. The 1962-1970 edition of the map indicated that the school buildings still occupied the western half of the site and was now known as Mynachlog Nedd Junior Mixed School. The area of former salt marsh to the south and southeast of the site, in between the canal and the river was now indicated to be a refuse tip. The road network in the vicinity of the site was now more established with roads in the area generally widened or straightened to accommodate new infrastructure.

By the edition of the map dated 1962-1988 the main original school building had been extended slightly and was known as Ysgol Gymraeg Mynachlog Nedd. The other school building within the northwest area was known as Mynachlog Nedd County Junior School. The eastern area of the site remained undeveloped, and the immediate surrounding areas remained relatively unchanged. The configuration at this time was much as it is during the present day. The construction of buildings associated with Neath Abbey Business Park commenced during the 1980's between the railway line and the canal and between the canal and the river to the southeast of the site as the former Salt Marsh areas were reclaimed and developed.

The year 2000 aerial photo indicated the school buildings occupied the western area of the site and were surrounded by areas of hardstanding to provide external playground areas. The eastern half of the site remained undeveloped, and grass covered and over the years indicated to have utilised as playing fields and sports pitches. The cemetery associated with St John's Church had extended westward over the years up to, but not encroaching across, the eastern site boundary. The site and the immediate surrounding areas have remained relatively unchanged between the year 2000 and the present day.

4.0 SITE ENVIRONMENTAL SETTING

4.1 PHYSICAL SETTING

The site is located in a mixed setting in Neath Abbey characterised by residential, educational and infrastructure land uses.

The site is located on gently sloping ground that rises towards the northeast, between approximately 19m and 24m Above Ordnance Datum (AOD).

The Tennant Canal is located approximately 170m to the south of the site, and the River Neath lies approximately 550m further to the south.

4.2 GEOLOGY

The British Geological Society (BGS) Geology Viewer and the 1:10,560 scale geological map (Sheet No. SS 79 NW) indicate the site to be underlain by bedrock strata of the Swansea Member of the Carboniferous period. These strata typically comprise green-grey Pennant sandstones with thin mudstone, siltstone and seatearth interbeds, and mainly thin coals. The strata are indicated to dip at approximately 18° towards the northeast

The nearest conjectural coal outcrop is the Swansea Five Feet seam located approximately 60m to the northeast of the site. Based on the indicated north easterly strata dips, this seam would not underlie the site. The conjectural coal outcrops of the Tir Edmond and the Graigola seams are located approximately 370m and 470m to the southwest respectively and, based on the regional dip, may extend beneath the site at depth. The coal seams terminate at two north to south orientated faults namely the Dyffryn Fault located approximately 170m to the west and the Cwm Felin Fault located approximately 550m to the east.

Superficial Devensian Till deposits of the Quaternary period are indicated to overlie the bedrock strata. These deposits are typically poorly sorted and variable comprising clays, sands and gravel. The mapped geological boundary of these deposits is indicated at the northeast corner of the site and therefore the deposits may thin in a north easterly direction.

An extract from the geology map is shown on Figure 3.

A variable thickness of made ground is anticipated above the superficial deposits across the western developed area of the site in the vicinity of the school buildings and associated infrastructure. Made ground may be thin or absent from across the eastern area of the site which has remained historically undeveloped.

4.2 GEOLOGY (CONTINUED)

A summary of the anticipated geological succession is given below in Table 1.

Table 1: Summary of Anticipated Site Geology

Geological unit	Horizon	Description
Recent	Made ground and/or topsoil	Various materials
Quaternary	Devensian Till	Poorly sorted and variable clays, sands and gravel
Carboniferous	Swansea Member	Green-grey, Pennant sandstones with thin mudstone, siltstone and seatearth interbeds, and mainly thin coals

4.3 RADON

Information regarding Radon Protective Measures is provided within the Envirocheck Report as presented in Appendix A. The Envirocheck Report indicates the site lies within a low to low-intermediate radon probability area, as between less than 1% and between 1% to 3% of properties are above the radon action level. On this basis, no radon protective measures would be necessary in the construction of new buildings within the site.

4.4 MINING

Several data sources have been reviewed to provide an appraisal of potential coal mining legacy issues at the site. The data sources utilised include:

- Historical Ordnance Survey maps covering the site,
- Geological maps of the area provided by the British Geological Survey (BGS),
- A Consultants Coal Mining Report obtained from the Mining Remediation Authority as presented in Appendix B,
- The Mining Remediation Authority online interactive map viewer.

An appraisal of the mining data and its significance is presented below.

4.4.1 Past Underground Mine Workings (Recorded)

The Mining Remediation Authority records indicate past underground mining within three seams of coal at approximate depths of 46m, 68m and 74m depth, last worked in 1846.

4.4 MINING (CONTINUED)

The shallowest workings are recorded at approximately 46m depth within the Swansea Six Feet seam. These workings are indicated to dip at approximately 15.1º to the northeast. An extraction thickness of 170cm is recorded.

The next workings at approximately 68m and 74m depth are recorded within an unnamed seam and the Swansea Three Feet seam. The workings are indicated to dip at approximately 15.2º and 14.0º respectively to the northeast. The extraction thicknesses of these workings is recorded as 205cm and 109cm. The last working date is recorded as 1846.

It should be noted that the depths listed by the Mining Remediation Authority are an average depth across a larger area, and therefore the actual depths to the workings within these seams, beneath the site, may vary.

The Mining Remediation Authority online interactive map viewer indicates that the shallowest workings (at approximately 46m depth within the Swansea Six Feet) extend beneath the eastern area of the site. The additional deeper recorded workings are indicated to extend beneath the entire site.

Available information suggests that the Six Feet seam is an alternative name for the Graigola in this area of Neath. The Graigola seam is known to have been worked from Main Colliery to the south of the site.

Workings at the depths and age recorded by the Mining Remediation Authority would not pose a subsidence risk at the surface.

4.4.2 Past Underground Mine Workings (Unrecorded)

The Mining Remediation Authority states that probable unrecorded workings are recorded as "none". This indicates that no evidence of probable unrecorded workings is held by the Mining Remediation Authority; however, the absence of records does not confirm that shallow unrecorded workings are not present.

The shallowest recorded mine workings beneath the site are within the Swansea Six Feet (Graigola) seam at an approximate depth of 46m. Geological mapping indicates that the shallowest seams potentially underlying the site are the Tir Edmond and Little seams, which occur stratigraphically above the Graigola seam. The Generalised Vertical Section (GVS) indicates that the Swansea Five Feet seam overlies these units; however, this seam is inferred to outcrop to the north of the site and is therefore not expected to underlie the site.

4.4 MINING (CONTINUED)

The recorded depth to the Graigola seam represents an average value across a broader area and the seam may occur at greater depth beneath the site. Published geological mapping provides further indication of seam depths, with a shaft at Main Colliery (No. 8 Pit), located approximately 80m to the south of the site, recording the Graigola seam at approximately 223ft (68m) depth. Based on this information, together with the regional dip of the strata and local ground levels, the Graigola seam is interpreted to underlie the site at depths exceeding approximately 80m.

The GVS indicates that the Tir Edmond and Little seams occur approximately 25m above the Graigola seam within the stratigraphic sequence and therefore represent the shallowest seams potentially underlying the site. On this basis, these seams are anticipated to occur at depths of at least approximately 50m beneath the site.

Based on the available information, considering the depths of the coal seams underlying the site, the potential risk associated with shallow unrecorded mine workings is considered to be low.

4.4.3 Mine Entries

The Consultants Coal Mining Report indicates that one mine entry is recorded within 100m of the site boundary. A shaft (Ref: 273197-019) is recorded approximately 80m to the southeast of the site. This shaft corresponds to Main Colliery No. 8 Pit, described above, where the Graigola seam was recorded at a depth of approximately 68m.

Based on the available information, the shaft is not considered to lie within an influencing distance of the site and is therefore not considered to pose a risk to the proposed development.

4.4.4 Geological Faults, Fissures and Breaklines

The Mining Remediation Authority indicate that there are no faults, fissures or breaklines recorded within an influencing distance of the site.

4.4.5 Opencast Mines

The Mining Remediation Authority indicate that the site is not within an influencing distance of any opencast sites.

4.4 MINING (CONTINUED)

4.4.6 Mining Remediation Authority Managed Tips

The Mining Remediation Authority states that there are no managed tips recorded within 500m of the site boundary. The latest guidance published by the Welsh Government and its partners include a Mining and Coal Tip Safety document, published on the 14th of November 2023, which assigns an identification number (UID), a category, and the immediate status of each disused coal tip in Wales. This document also confirms that there are no managed tips within an influencing distance of the site.

4.4.7 Coal Mining Subsidence

The Mining Remediation Authority states that it *"has not received a damage notice or claim for the subject property, or any property within 50 metres of the enquiry boundary, since 31st October 1994"*

The Mining Remediation Authority also states that *"There is no current Stop Notice delaying the start of remedial works or repairs to the property."*

The Mining Remediation Authority states that it *"is not aware of any request having been made to carry out preventive works before coal is worked under Section 33 of the Coal Mining Subsidence Act 1991".*

4.4.8 Mine Gas

The Mining Remediation Authority states that no mine gas emissions have been recorded within 500m of the site boundary. The site is not located within a Mining Remediation Authority defined high-risk development area.

A mine gas risk assessment has been undertaken in accordance with CL:AIRE (2021) Good Practice for Risk Assessment for Coal Mine Gas Emissions, including reference to the associated Decision Support Tool. The assessment has been informed by information obtained from the Mining Remediation Authority (MRA), British Geological Survey (BGS) mapping and published geological data.

Stage 1 of the CL:AIRE Decision Support Tool considers whether all of the following criteria are satisfied:

- Mine entries located more than 50m from the site boundary;
- Coal mine workings at depths greater than 150m;
- No faults or other potential pathways connecting the surface to deeper unflooded workings; and
- The site located outside areas of past or probable shallow workings.

4.4 MINING (CONTINUED)

Based on the available information:

- Mine entries: No mine entries are recorded within 50m of the site boundary;
- Depth of workings: Mining Remediation Authority records indicate workings at approximately 46m depth; however, this represents an average depth across a wider area;
- Faults/pathways: No geological faults or other pathways capable of transmitting mine gas to the surface are recorded within influencing distance of the site; and
- Probable Shallow workings: The site is outside areas of past or probable shallow workings indicated on Mining Remediation Authority mapping.

Since all Stage 1 criteria are not met, the CL:AIRE Decision Support Tool indicates that the flow chart requires the next stage to be considered. The next Stage 2 of the flow chart then asks if all of the following statements are true:

- Workings between 30m and 150m but permanently flooded or covered by 10m+ of low permeability superficial deposits,
- Mine entries >50m from the site boundary.

The Mining Remediation Authority records indicate workings at approximately 46m depth; however, this represents an average depth across a wider area. Review of published geological mapping, shaft records at Main Colliery (No. 8 Pit), and consideration of the regional dip of the strata and local ground levels indicate that the Graigola seam is likely to underlie the site at depths exceeding approximately 80m.

At these depths, the workings would be overlain by superficial deposits together with a significant thickness of bedrock, which would be anticipated to significantly reduce potential gas migration pathways to the surface. Additionally, historical information from the Northern Mine Research Society indicates that workings associated with Main Colliery in Neath Abbey were inundated with water by 1859, and the workings beneath the site are therefore considered to be flooded. No mine entries are recorded within 50m of the site boundary.

On this basis, the Stage 2 screening criteria of the CL:AIRE Decision Support Tool are considered to be satisfied.

Accordingly, the CL:AIRE assessment indicates that the potential risk from mine gas is low. Mine gas protection measures are not anticipated to be required for the proposed development.

4.4 MINING (CONTINUED)

4.4.9 Site Assessment

Based on the available geological mapping, mining records and the Consultants Coal Mining Report, the potential risk associated with coal mining legacy features at the site is considered to be low. Additionally, the Mining Remediation Authority Map Viewer indicates that the site is not located within a high-risk development area.

4.5 HYDROLOGY, HYDROGEOLOGY AND FLOOD RISK

The Envirocheck Report records the nearest water feature to be located 64m to the south of the site. The OS Water Network Lines map indicates this to be an unnamed surface water feature.

A sink is recorded 68m to the northwest and an additional unnamed feature is recorded 89m to the west. The nearest named feature is the Tennant Canal located 169m to the southeast. The River Clydach flows 436m to the southeast site into the River Neath located 582m to the south.

The Natural Resources Wales groundwater vulnerability map and aquifer database classifies the bedrock beneath the site as a Secondary 'A' Aquifer. Secondary 'A' Aquifers are permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers.

The Natural Resources Wales groundwater vulnerability map and aquifer database classifies the superficial deposits beneath the site as Secondary Aquifer-Undifferentiated. This classification is assigned in cases where it has not been possible to attribute either category A or B to a soil type. In most cases, this means that the layer in question has previously been designated as both minor and non-aquifer in different locations due to the variable characteristics of the material.

A perched water body could be encountered within any made ground and / or superficial deposits. Vertical migration of groundwater is likely to be limited by the high clay content of the underlying Devensian Till.

There are eleven effective discharge consents recorded within 250m of the site boundary. The nearest three consents are Dwr Cymru storm overflow sewage discharges recorded 86m to 88m to the south with the discharges received by an unnamed tributary of the Tennant Canal.

4.5 HYDROLOGY, HYDROGEOLOGY AND FLOOD RISK (CONTINUED)

A further three Dwr Cymru storm overflow sewage discharges are recorded 107m to 152m to the southwest with the discharges received by a stream to the Tennant Canal. An additional four Dwr Cymru storm overflow sewage discharges are recorded 235m to the south and another is recorded 250m west with the discharges received by the River Clydach and a tributary of the Tennant Canal, respectively.

The Envirocheck Report states that there are no groundwater or surface water abstractions recorded within 1km of the site boundary.

Tables 2 and 3 present a summary of the hydrological features and key hydrogeological nature of the site.

Table 2: Summary of Site Hydrology

Feature	Distance from site	Flow	Classification	Abstraction	Discharge
Unnamed surface water feature	64m south	South easterly	Inland river	No	Tennant Canal
Sink	68m northwest	Not known	Inland river	No	Not known
Unnamed surface water feature	89m west	Southerly	Inland river	No	Unnamed surface water feature
Tennant Canal	169m southeast	Westerly	Canal	No	Swansea Docks/River Tawe
River Clydach	436m southeast	South westerly	Tidal River	No	River Neath
River Neath	582m south	South westerly	Tidal River	No	Swansea Bay
Surface run-off	On site	Into site drainage	N/A	No	Not known
Site Drainage	On site	Not known	N/A	No	Not known

4.5 HYDROLOGY, HYDROGEOLOGY AND FLOOD RISK (CONTINUED)

Table 3: Summary of Site Hydrogeology

Geological Unit	Aquifer Classification	Aquifer Characteristics	Source Protection Zone	Groundwater Abstractions
Made ground and/or topsoil	Not classified	Highly variable permeability and porosity. Perched water may be present with variable flow directions.	No	None
Devensian Till	Secondary Aquifer-Undifferentiated	Variable low to moderate permeability and porosity with intergranular flow possible. High clay content likely to restrict flow.	No	None
Swansea Member	Secondary A Aquifer	Variable moderate permeability sandstones, thin mudstone, siltstone, seatearth interbeds, and mainly thin coals capable of supporting water supplies at a local rather than strategic scale	No	None

The Groundwater Vulnerability map of the area indicates the secondary bedrock aquifer to have a medium vulnerability. The pollutant speed is indicated as low with well-connected fractures.

The Natural Resources Wales Flood Risk map as presented within the Envirocheck Report indicates that the site is not at risk to extreme flooding from rivers or sea without defences.

Surface water accumulation has been reported within the northern part of the site and adjacent playing field, which may be influenced by the raised railway embankment forming the northern boundary. The elevated embankment may both restrict natural surface water runoff from the site and contribute additional overland flow towards the site during rainfall events, resulting in locally elevated ground moisture conditions. Assessment of surface water runoff volumes and drainage requirements is a matter for detailed hydraulic design.

4.6 LANDFILL SITES

The Envirocheck Report indicates that there is one historical landfill site located within 250m of the site boundary. The former landfill site was located 155m to the southeast, but no further detail is supplied.

4.6 LANDFILL SITES (CONTINUED)

There are no BGS or local authority recorded landfill sites or any licensed waste management facilities recorded within 250m of the site boundary.

There is an area of potentially infilled land (non-water) recorded within 250m of the site boundary. The area is recorded 72m to the south within the former colliery area.

There are two areas of potentially infilled land (water) recorded within 250m of the site boundary. The areas are recorded 106m southwest and 158m southeast at the location of former surface water features.

4.7 POTENTIAL CONTAMINATION

The various activities in the vicinity of the site which may have resulted in ground or water resource contamination on this site are listed below in Tables 4 and 5. A summary of the potential contaminants can be found in the tables.

4.7.1 Previous Uses

Table 4: Potential Contaminants

Land Use: Developed as a school pre-1880's		
Material/Process	**Contamination/Hazard**	**Evidence**
School buildings and associated playground constructed within the western area of the site. Construction works would have disturbed the ground and may have utilised imported materials of unknown origin	Metals, semi metals, non-metals, PAH, asbestos	Historical maps
Eastern area of the site remained undeveloped and potentially used as playing fields	No potential contaminants	Historical maps

4.7 POTENTIAL CONTAMINATION (CONTINUED)

Table 4: Potential Contaminants (Continued)		
Land Use: Expansion of the school to the current configuration by the 1940's		
Material/Process	**Contamination/Hazard**	**Evidence**
Construction of a new building within the northwest area and slight expansion to the original buildings which would have disturbed the ground and may have utilised imported materials of unknown origin	Metals, semi metals, non-metals, PAH, asbestos	Historical maps
Operation of building services including boiler plant.	Petroleum hydrocarbons	Anecdotal
Potential asbestos containing material within the building fabric including buried service runs/ducts and pipework	Asbestos Containing Material (ACM)	Reflective of age of buildings
Naturally elevated arsenic within the topsoil/subsoil associated with historic industrial processes within the Neath/Swansea area	Arsenic	Envirocheck Urban Soil Chemistry

4.7.2 Existing Uses

The existing uses as a school with associated grounds including a playground and playing fields would not add any additional contamination concerns.

4.7.3 Adjacent Site Uses

Table 5: Potential Contaminants - Adjacent Site Uses		
Potential Contamination Source	**Boundary**	**Associated Contaminants and Hazards**
Heavily vegetated railway embankment	Northern	Metals, semi metals, non-metals, PAH, petroleum hydrocarbons, asbestos
St John's Terrace with residential development beyond	Western	No Potential Contaminants
St John's Terrace/New Road with residential development beyond	Southern	No Potential Contaminants
Cemetery - Potential decomposition products, nutrients and metals associated with burial activities	Eastern	Metals, ammoniacal nitrogen

4.8 OTHER ENVIRONMENTAL ISSUES

The Envirocheck Report indicates that there is one area of environmentally sensitive land located within 250m of the site boundary. An area of ancient and semi-natural woodland is located 134m to the north of the site.

The Envirocheck Report indicates that there have been no pollution incidents to controlled waters recorded on site but four recorded within 250m of the site boundary. The nearest incident was a Category 2-Significant Incident recorded 36m to the southwest involving mud/clay/soil, but no further information is provided. Two Category 3-Minor Incidents involving an unknown pollutant and oils/diesel (including agricultural) were recorded 73m and 74m west, but no further information is provided. One additional minor incident was recorded 124m to the south involving light oil but again no further information is provided.

There have been no substantiated pollution incidents registered on site or recorded within 1km of the site boundary.

There have been two historical prosecutions recorded within 250m of the site boundary. The nearest prosecution was recorded 92m to the west with the prosecution text reading "polluting an unnamed tributary of the River Clydach with industrial metal". A guilty verdict was reached and a fine was issued. The next prosecution was for flying tipping without a Waste Management Licence recorded 173m to the south. A guilty verdict was reached, and a one-year conditional discharge was served.

There are a number of active contemporary trade directory entries recorded within 250m of the site boundary. The nearest active entry is a blinds, awning and canopies manufacturer located 31m to the south. Other active entries include a car breakdown and recovery services, a refrigeration equipment business and a precision engineers.

Four vehicle repairs and servicing businesses are recorded between 74m and 85m to the west and south which are registered as Points of Interest-Commercial Services.

Five works buildings are recorded between 75m and 230m to the west, southwest and southeast which are registered as Points of Interest-Manufacturing and Production.

The eastern half of the site is grass covered with additional vegetation along the boundaries including the heavily vegetated railway embankment to the north. It is not known if any invasive plants are present and therefore it may be prudent to undertake a vegetation survey prior to development.

5.0 PRELIMINARY CONCEPTUAL SITE MODEL

5.1 RISK ASSESSMENT FRAMEWORK

In order to be consistent with current UK government policies and legislation, it is necessary to identify, assess, estimate, evaluate, and take appropriate action to deal with land contamination, in accordance with the procedures specified in the Environment Agency guidance Land Contamination Risk Management (LCRM) published in October 2020. This replaces the now withdrawn 'Model Procedures for the Management of Land Contamination CLR-11' (Environment Agency 2004).

The risk assessment process is designed to provide a reasoned, structured and pragmatic mechanism for the identification of any potential human health and controlled waters risks associated with land contamination and where necessary to develop a robust remediation strategy to ensure protection of the sensitive receptors (human health of future residents, controlled waters, etc).

In accordance with LCRM, the term 'land contamination' is defined as:

- All land affected by contamination – land that might have contamination present which may, or may not, meet the statutory definition of contaminated land,
- Land determined as contaminated land under Part 2A of the Environmental Protection Act 1990.

LCRM provides a tiered approach to risk assessment, comprising a preliminary risk assessment (including the development of an initial conceptual site model), a generic quantitative risk assessment and a detailed quantitative risk assessment. For each tier of risk assessment, the following steps must be followed:

1. Identify the hazard - establish contaminant sources,
2. Assess the hazard – use a source-pathway-receptor linkage approach to determine if there is potential for unacceptable risk,
3. Estimate the risk – predict what degree of harm or pollution may result and how likely it is to occur,
4. Evaluate the risk – decide whether a risk is unacceptable.

LCRM also provides definitions of the following terms:

- Hazard – a property or situation that in particular circumstances could lead to harm or pollution,

5.1 RISK ASSESSMENT FRAMEWORK (CONTINUED)

- Risk – a combination of the probability, or frequency of occurrence of a defined hazard and the magnitude of the consequences of the occurrence,
- Risk assessment – the formal process of identifying, assessing and evaluating the health and environmental risks that may be associated with a hazard,
- Risk management – the formal process to identify, assess and determine the risks, and to select and take action to mitigate them.

The three essential elements to any risk are defined by LCRM as follows:

- A contaminant, or pollutant, that is in, on, or under the land and that has the potential to cause harm, or pollution (Source),
- A route by which a receptor is, or could be affected by a contaminant (Pathway),
- A receptor, i.e. something that could be adversely affected by a contaminant, for example a person, controlled waters, an organism, an ecosystem, or Part 2A receptors such as buildings, crops or animals (Receptor).

In order for there to be a potential risk, all three of the above elements must be present. If there is a source of contamination and a receptor (for example a resident or site user), then there is only a potential risk if there is a pathway linking the two. Such an active pathway is known as a relevant pollutant linkage. It is possible for the same contaminant to be linked to a receptor via a number of pathways, and hence it is important that all relevant pollutant linkages, to both human health and controlled waters, are separately identified on a site in order that a comprehensive conceptual model can be formed and ultimately a robust remediation strategy designed.

Current practice during Generic Quantitative Risk Assessment of land affected by contamination is to use generic soil screening values based on the appropriate proposed end use. These usually comprise risk-based Soil Guideline values (SGVs) or Generic Assessment Criteria (GACs) derived by the Environment Agency's Contaminated Land Exposure Assessment Model (CLEA). The SGVs and the supporting technical guidance were developed in order to assist in the assessment of long-term risk to human health from the exposure to contaminated soils.

Revised Statutory Guidance, published in 2012, to support Part 2A of the Environmental Protection Act 1990, introduced a new four category system for classifying land under Part 2A. Category 1 includes land where the level of risk is clearly unacceptable and Category 4 includes land where the level of risk posed is considered to be acceptably low. Under Part 2A, land would be determined as contaminated if it falls within Categories 1 or 2.

5.1 RISK ASSESSMENT FRAMEWORK (CONTINUED)

The revised Part 2A Statutory Guidance was accompanied by an Impact Assessment that identified a role for new 'Category 4 Screening Levels' (C4SLs) that would provide a simple test for determining when land is suitable for use and definitely not contaminated land. A Policy Companion Document including the C4SLs was published in March 2014 (England) and May 2014 (Wales).

The C4SLs have been based on the CLEA methodology and derived using the CLEA model, with modified toxicological and exposure parameters. To date, C4SLs have been released for six substances (arsenic, cadmium, chromium (VI), lead, benzo(a)pyrene and benzene).

The C4SLs have been derived on the assumption that where they exist, they will be used as generic screening criteria within generic quantitative risk assessment.

Following publication of the C4SLs, Land Quality Management (LQM), in conjunction with the Chartered Institute for Environmental Health (CIEH) released Suitable 4 Use Levels (S4ULs) in January 2015.

The S4ULs have been derived in accordance with UK legislation, and using a modified version of the Environment Agency's CLEA software. As such, the S4ULs are based on the concept of minimal or tolerable risk as described in Human Health Toxicological Assessment of Contaminants in Soil (Science Report SR2, Environment Agency 2009a).

S4ULs have been derived for a wider number of substances.

In addition to the existing SGVs, C4SLs and S4ULs, Atkins ATRISK^{soil} also provide a set of Soil Screening Values. These are currently intended to be used in conjunction with SGVs, although they intend to update these values in line with the C4SLs in due course.

We have reviewed all sets of values and intend to use the most appropriate assessment criteria as Tier 1 screening values in the first instance. Where a published S4UL is available, and considered appropriate, this will be used in the first instance.

5.2 CONCEPTUAL MODEL FRAMEWORK

The preliminary stage of the risk assessment process is to develop and define a conceptual site model, based on the desk study and any existing site investigation data. This is used to establish any potential contaminant sources, identify existing and future receptors and assess if there are any potentially active pathways by which a potential risk may be present.

5.2 CONCEPTUAL MODEL FRAMEWORK (CONTINUED)

The preliminary conceptual site model will be developed and refined as site specific data is gathered, such as actual ground conditions and chemical data, resulting in a more robust conceptual understanding of the site.

5.3 CRITICAL SENSITIVE RECEPTOR – HUMAN HEALTH

The proposed redevelopment of the site is for a continued educational end use. Since this is a non-standard land use, a residential without homegrown produce end-use has been considered in the first instance as a conservative assessment.

In accordance with S4UL/C4SL and CLEA guidance for a standard residential without homegrown produce scenario, the critical sensitive receptor for a residential end use risk assessment is a female child, with exposure from 0 to 6 years.

The standard residential without homegrown produce end use conceptual model defined by S4UL/C4SL and CLEA is assumed to be suitable for the purposes of this assessment.

5.4 CRITICAL SENSITIVE RECEPTOR – CONTROLLED WATERS

Based on the proposed redevelopment of the site for a continued educational end use, and the findings of the desk study, the critical sensitive receptor from a controlled water perspective is groundwater within the Secondary 'A' Aquifer of the Swansea Member.

By considering groundwater as the critical sensitive receptor for controlled waters, the groundwater/hydrogeological risk assessment will also be protective of any nearby surface water features.

5.5 POTENTIAL CONTAMINANT SOURCES

Based on the findings of the desk study, potential sources of contamination at the site are primarily associated with historical and current site development together with adjacent land uses.

The western part of the site has been occupied by school buildings since at least the late 19th century, with subsequent extensions and redevelopment occurring over time. Construction activities may have resulted in the placement of made ground of variable composition within developed areas. Made ground is anticipated to be present across the western part of the site but may be thin or absent within the eastern part of the site, which has historically remained undeveloped and used as playing fields.

5.5 POTENTIAL CONTAMINANT SOURCES (CONTINUED)

Potential localised sources associated with building services should also be considered. These may include boiler plant/heating systems, which may have resulted in localised hydrocarbon contamination.

Consideration is also given to potential off-site sources. The railway embankment forming the northern boundary may comprise made ground or imported fill materials and may represent a potential source of contamination. In addition, the presence of the adjacent cemetery to the east may represent a potential source of contamination (possibly as a results of any localised ground disturbance or encroachment at the site boundary).

An historical landfill is recorded approximately 155m to the southeast of the site. Although limited information is available regarding the nature or period of waste deposition and the area has subsequently been developed as Neath Abbey Business Park, the landfill may represent a potential source of ground gas which could migrate towards the site.

Potential contaminants of concern associated with the identified sources include:

- Metals, metalloids and other inorganic constituents within shallow made ground and near-surface soils,
- Potential for elevated arsenic concentrations associated with regional background conditions,
- Polycyclic aromatic hydrocarbons (PAH) within shallow made ground,
- Asbestos within shallow made ground and potentially within building fabric and potential buried structures and infrastructure,
- Petroleum hydrocarbons associated with potential boiler plant,
- Metals, PAH, petroleum hydrocarbons and asbestos associated with potential made ground or imported fill within the adjacent railway embankment (representing an off-site source where migration or encroachment has occurred),
- Metals, ammoniacal nitrogen and organic decomposition products associated with the adjacent cemetery boundary (representing an off-site source where migration or encroachment has occurred),
- Ground gas (including methane and carbon dioxide) associated with the nearby historical landfill and potential migration through the ground.

These potential sources will be assessed through the proposed intrusive site investigation, including trial pitting, soil sampling, laboratory testing and ground gas monitoring.

5.6 POTENTIAL EXPOSURE PATHWAYS

Potential exposure pathways for the critical receptors (both human health and controlled waters) are listed below:

- Dermal contact with soil and/or soil derived dust,
- Ingestion of soil,
- Inhalation of soil derived dust and fibres,
- Inhalation of vapours – indoor and outdoor air,
- Leaching of contaminants from made ground to groundwater,
- Transportation of contaminants within groundwater.

In addition, the following exposure pathways have also been considered:

- Ground gas generation and migration,
- Building materials durability.

5.7 SUMMARY OF CONCEPTUAL EXPOSURE MODEL

A preliminary conceptual exposure model has been developed for the site. This is based on the findings of the desk study and historical review and includes all potential sources, pathways and receptors that may be present on site. Those that have been identified as being potentially active require further investigation in the form of sampling and testing of soils and / or groundwater and gas monitoring, followed by appropriate risk assessment.

The preliminary conceptual exposure model will be reviewed and refined following the completion of the site works, laboratory testing and gas monitoring.

The preliminary conceptual exposure model is presented below in Table 6.

5.7 SUMMARY OF CONCEPTUAL EXPOSURE MODEL (CONTINUED)

Table 6: Preliminary Conceptual Exposure Model

Source		Receptor	Pathway	Potentially Active Pathway?
Origin	Contaminant			
Potential made ground of unknown origin and historical land uses (on-site sources and potential encroachment from off-site sources)	Metals, semi-metals, non-metals, PAH, petroleum hydrocarbons, asbestos	School End User – human health	Dermal contact	✓
			Ingestion of soil	✓
			Inhalation of dust and fibres	✓
			Inhalation of vapours – indoor/outdoor	✓
	Metals, semi-metals, non-metals, PAH, petroleum hydrocarbons	Groundwater quality	Leaching from soil	✓
		Surface water quality	Transportation within groundwater	✓
Existing building fabric and associated buried structures and infrastructure (such as pipework/ducts/ foundations)	Asbestos	School End User – human health	Inhalation of dust and fibres	✓
Ground in vicinity of potential boiler plant	Petroleum hydrocarbons	School End User – human health	Dermal Contact	✓
			Ingestion of soil	✓
			Inhalation of dust	✓
			Inhalation of vapours – indoor/outdoor	✓
		Groundwater quality	Leaching from soil	✓
		Surface water quality	Transportation within groundwater	✓
Ground in vicinity of adjacent cemetery	Metals, ammoniacal nitrogen	School End User – human health	Dermal contact	✓
			Ingestion of soil	✓
			Inhalation of dust	✓
		Groundwater quality	Leaching from soil	✓
		Surface water quality	Transportation within groundwater	✓
Made Ground of unknown origin and natural ground	pH and water-soluble sulphate	Building Materials Durability	Direct contact	✓
Ground Gas – organic, gas producing materials	Methane, carbon dioxide	Human health	Accumulation of gases in confined spaces, and/or migration off site, leading to asphyxiation, or risk of explosion	✓ Off-site landfill source.

6.0 ANTICIPATED GROUND CONDITIONS

Based on the published geological mapping and, historical records, the following general strata succession beneath the site is anticipated:

Recent	
(Various)	Made ground and/or topsoil
Quaternary	
(Devensian Till)	Poorly sorted and variable clays, sands and gravels.
Carboniferous	
(Swansea Member)	Green-grey, Pennant sandstones with thin mudstone, siltstone and seatearth interbeds, and mainly thin coals

The thickness and nature of any made ground is not known but is likely to be associated with the construction of the school buildings. Made ground may be thin or absent within the historically undeveloped eastern half of the site. Topsoil is likely to present within the undeveloped areas. Localised made ground deposits may also be present immediately adjacent to the off-site railway embankment and cemetery.

The superficial deposits are likely to be heterogeneous, comprising variable mixtures of clays, sands, and gravels. The thickness of these deposits across the site is not currently known. Based on the information contained on the geology map these deposits may thin towards the northeast corner of the site.

The underlying bedrock is expected to consist of sandstones with thin interbeds of mudstone and siltstone, locally containing coal seams.

Localised seepages of perched water may occur within the made ground or superficial soils, particularly within granular horizons. Groundwater within the bedrock strata is expected to occur at greater depth.

7.0 SITE ASSESSMENT

7.1 ENVIRONMENTAL RISK ASSESSMENT

This assessment takes due regard of Contaminated Land Guidance issued by DEFRA and RICS. The methods used follow a risk-based approach with the potential environmental risk assessed qualitatively using the 'source-pathway-receptor' pollutant linkage concept set out in the Environment Protection Act 1990.

Although the risk presented in the following tables and above is descriptive, it is correlated to a numerical chance of occurrence. Therefore, the range and percentage chance of occurrence is given in order that the reader may assess the datum for the risk level. Although the percentage chance is quoted, this is still a subjective evaluation and is not prepared by probabilistic determination. Therefore, the chance of occurrence is a value judgement and not a numerical calculation. The evaluation is a simple qualitative risk assessment, which cannot make a judgement on the probability of occurrence or level of contamination. The latter two aspects require site specific information.

Reference to risk classifications is made according to the following definitions.

Low Risk	It is unlikely that the issue will arise as a liability/cost.
Medium Risk	It is possible that the issue could arise as a liability/cost. Further work is needed to clarify the risk and consequences.
High Risk	It is likely that the issue will arise as a liability/cost.

In consideration of the information gathered and presented in this report the following risk appraisal is considered appropriate.

Table 7: Environmental Risk Assessment

Issue	Risk Category	Comments
Site sensitivity		
Sensitivity of site location	Low	• Site is not located within an environmentally sensitive area
Environmental sensitivity of adjacent land uses	Low	• Site situated in a developed mainly residential area with commercial development further to the south and southeast

7.1 ENVIRONMENTAL RISK ASSESSMENT (CONTINUED)

Table 7: Environmental Risk Assessment (Continued)

Issue	Risk Category	Comments
Contamination potential		
Potential for significant on-site contamination	Medium	• Site has always been developed and utilised as a school • Potential for hot spots/areas within the made ground associated with past and existing development • Potential for contamination associated with building fabric (asbestos) • Site bounded to the north by a railway embankment, the nature and composition of which is not known • Site bounded by a cemetery to the east
Potential for contaminants migrating off from the site	Low	
Potential for contaminants migrating onto the site	Medium	
Potential for other environmental issues to give rise to liabilities	Low	
Environmental Consequences		
Risk of pollution of controlled waters	Low	• Any made ground encountered beneath the site is most likely to be associated with the construction of the school buildings • Potential for additional contamination associated with the building fabric (asbestos)
Risk of damage to future property	Low/medium	
Risk of harm to human health	Medium	
Business Consequences		
Risk of liability for owner	Low/medium	• Previous and current land use not likely to produce significant contaminants but hot spots/areas are possible. Asbestos may be present within the building fabric • If contamination is detected this can be treated / managed by appropriate remediation / mitigation
Likelihood of designation as Contaminated Land under EPA 1990	Low/medium	
Risk of site value and/or saleability being affected	Low/medium	
Overall Risk	Medium	

7.2 GEOTECHNICAL HAZARDS AND CONSTRAINTS

A summary of commonly occurring geotechnical hazards is given in Table 8, together with an assessment of whether the site may be affected by each of the stated hazards. This information would be required prior to any future construction works.

Table 8: Summary of Potential Geotechnical Hazards

Issue (excluding contamination issues)	**Hazard Status**			**Engineering considerations**
	Likely to be present on site	Could be present on site	Unlikely to be present and/or affect the site	
Shrinkable clays		✓		Special requirements for foundation and floor slab design
Filled and made ground	✓			Special requirements for foundation and floor slab design
Highly compressible and low bearing capacity soils including peat and soft clay		✓		Allowances should be made for the removal and replacement of any soft spots/areas
Silt rich soils susceptible to rapid loss of strength in wet conditions	✓			All formations should be protected from wet weather and site traffic
Adverse ground chemistry (including expansive slags, weathering of sulphides to sulphates)			✓	
Combustibility potential			✓	
Solution features			✓	
Evaporite dissolution features and subsidence			✓	
Ground subject to peri-glacial valley cambering with gulls present			✓	
Sudden lateral changes in ground conditions		✓		Potential for differences in founding levels between the previously developed and undeveloped areas of the site. Also, potential for the superficial soils to be variable in nature
Existing sub structures (e.g. foundations and pits)	✓			Buildings currently present on site. Allowances should be made for deeper foundations if grubbing out of sub structures causes significant disturbance

7.2 GEOTECHNICAL HAZARDS AND CONSTRAINTS (CONTINUED)

Table 8: Summary of Potential Geotechnical Hazards (Continued)

Issue (excluding contamination issues)	**Hazard Status**			**Engineering considerations**
	Likely to be present on site	Could be present on site	Unlikely to be present and/or affect the site	
Ground subject to vibration		✓		Site is located adjacent to an existing railway line. Appropriate vibration surveys may be required prior to development
Underground mining (shallow)			✓	
Mine entries (shafts and adits, bell pits)			✓	
Ground subject to or at risk of coastal or river erosion			✓	
Ground subject to, or at risk from landslips or slope instability		✓		Care should be taken during construction works due to the railway embankment which forms the northern boundary of the site. Construction works should be designed and implemented to avoid causing instability to the existing feature.
High water table (including waterlogged ground)	✓			Reports of saturated and waterlogged ground in the northern area of the site (due to proximity of railway embankment)
Culverted watercourses			✓	
Rising groundwater table due to diminishing abstraction in urban areas or cessation of deep mining			✓	

7.3 SITE APPRAISAL

The site has not had any past heavy industrial uses and has been developed as a school since pre-1880's. The eastern half of the site has remained as an undeveloped field.

7.3 SITE APPRAISAL (CONTINUED)

With detailed site investigation works, risk assessment, and an appropriately designed and implemented remediation strategy, it is considered that any contamination and geotechnical risks can be safely mitigated, and the site can made suitable for continued educational use.

7.3.1 Coal Mining Legacy

The site is not located within a Mining Remediation Authority defined high risk development area. The desk study, which included a review of the geological maps, concluded that the risk of shallow mining beneath the site is low and that no specific coal mining related investigation would be required

7.3.2 Potential Contamination

The site has been historically developed for use as a school with the eastern area remaining undeveloped. Extensive contamination would not be anticipated, but the potential for hot spots/areas within the made ground should not be ruled out. Due to the age of the building, there is a risk of asbestos containing material (ACM) within the building fabric including buried service runs/ducts and pipework. An appropriate demolition strategy should be designed and implemented.

The findings of the site investigation works will facilitate the production of an appropriate remediation strategy to prepare areas of the site, where a potential contamination risk has been identified, up to a standard suitable for a continued educational end use.

7.3.3 Geotechnical Concerns

Grubbing up of foundations and buried structures associated with the existing buildings may cause significant ground disturbance and may affect the final foundation choice.

Care should be taken during construction works due to the railway embankment which forms the northern boundary of the site. Construction works should be designed and implemented to avoid causing instability to the existing feature.

Site investigation works will be required to confirm the nature and strength of the ground within the developed areas and across the wider site area to enable the design of appropriate foundation solutions.

8.0 SITE INVESTIGATION PROPOSALS

Prior to redevelopment of the site, an intrusive site investigation will be required, in order to facilitate a detailed geotechnical and geoenvironmental appraisal.

Site investigation works should consider the following:

- Foundation design,
- Excavation stability design,
- Remediation requirements,
- Soil infiltration potential,
- Groundwater control.

In particular, the principal geoenvironmental and geotechnical issues to be addressed are:

- Foundation strata - level, strength, compressibility, and chemical characteristics,
- Presence or absence of shrinkable clays,
- The extent of any ground contamination, including potential asbestos in the ground,
- Infiltration characteristics of the shallow soils,
- The potential for ground gas to be present beneath the site.

Site investigation works should comprise:

- Trial pits to examine the nature and strength of the shallow ground conditions and to undertake BRE 365 compliant soil infiltration testing,
- Windowless sample boreholes to examine the shallow ground conditions and to include in-situ strength testing,
- Installation of gas monitoring standpipes within selected boreholes followed by a gas monitoring programme,
- Laboratory chemical testing to determine soil chemistry to include a range of organic and inorganic contaminants, and also screening for asbestos,
- Laboratory geotechnical testing to determine soil plasticity.

Further works in the form of additional testing, sampling or monitoring may be required, if deemed necessary, based upon the findings of the intrusive investigation. The need for any additional works would be best determined following the completion of the initial intrusive site investigation.

APPENDIX A

ENVIROCHECK REPORT

Intégral
Géotechnique

Envirocheck® Report:

Datasheet

Order Details:

Order Number:
395481999_1_1

Customer Reference:
14560/LP

National Grid Reference:
273240, 197470

Slice:
A

Site Area (Ha):
0.72

Search Buffer (m):
1000

Site Details:

YGG Tregeles
Neath Abbey
Neath
SA10 7ND

Client Details:

MR H Pritchard
Integral Geotechnique
Integral House
7 Beddau Way
Castlegate Business Park
Caerphilly
CF83 2AX

Intégral Géotechnique

Contents

Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	60
Hazardous Substances	-
Geological	66
Industrial Land Use	84
Sensitive Land Use	102
Data Currency	103
Data Suppliers	109
Useful Contacts	110

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination.
For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client.
In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2026. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer.
A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report.
© Environment Agency & United Kingdom Research and Innovation 2026. © Natural Resources Wales & United Kingdom Research and Innovation 2026.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3.0.

Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Stantec Copyright Notice

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England. The probability result is only valid for properties above ground. All basement and cellar areas are considered to be at additional risk from high radon levels. If an underground room such as a cellar or basement makes up part of the living or working accommodation, the property should be tested regardless of Radon Affected Area status.

Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2026. Land & Property Services © Crown copyright and database right.

Report Version v53.0

Intégral Géotechnique

Summary

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Agency & Hydrological					
BGS Groundwater Flooding Susceptibility	pg 1	Yes	Yes	Yes	n/a
Contaminated Land Register Entries and Notices					
Discharge Consents	pg 2		12	2	40
Prosecutions					
Enforcement and Prohibition Notices					
Integrated Pollution Controls					
Integrated Pollution Prevention And Control					
Local Authority Integrated Pollution Prevention And Control					
Local Authority Pollution Prevention and Controls	pg 16			2	3
Local Authority Pollution Prevention and Control Enforcements	pg 16				1
Nearest Surface Water Feature	pg 16		Yes		
Pollution Incidents to Controlled Waters	pg 17		4	2	12
Historical Prosecutions	pg 20		2		1
Registered Radioactive Substances	pg 20			1	
Substantiated Pollution Incident Register					
Water Abstractions					
Water Industry Act Referrals	pg 20			1	
Groundwater Vulnerability Map	pg 20	Yes	n/a	n/a	n/a
Bedrock Aquifer Designations	pg 21	Yes	n/a	n/a	n/a
Superficial Aquifer Designations	pg 21	Yes	n/a	n/a	n/a
Source Protection Zones					
Extreme Flooding from Rivers or Sea without Defences	pg 21		Yes	n/a	n/a
Flooding from Rivers or Sea without Defences	pg 22		Yes	n/a	n/a
Areas Benefiting from Flood Defences				n/a	n/a
Flood Water Storage Areas				n/a	n/a
Flood Defences				n/a	n/a
OS Water Network Lines	pg 23		25	17	278
Water Framework Directive - Catchment	pg 58		Yes		Yes
Water Framework Directive - Groundwater	pg 58	Yes			
Water Framework Directive - Surface Waters	pg 58		Yes	Yes	Yes

Intégral Géotechnique

Summary

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Waste					
BGS Recorded Landfill Sites					
Historical Landfill Sites	pg 60		1		1
Integrated Pollution Control Registered Waste Sites					
Licensed Waste Management Facilities (Landfill Boundaries)					
Licensed Waste Management Facilities (Locations)	pg 60			2	9
Local Authority Landfill Coverage	pg 63	1	n/a	n/a	n/a
Local Authority Recorded Landfill Sites	pg 63				1
Potentially Infilled Land (Non-Water)	pg 63		1	1	15
Potentially Infilled Land (Water)	pg 64		2	13	9
Registered Landfill Sites					
Registered Waste Transfer Sites					
Registered Waste Treatment or Disposal Sites	pg 65				1
Hazardous Substances					
Control of Major Accident Hazards Sites (COMAH)					
Explosive Sites					
Notification of Installations Handling Hazardous Substances (NIHHS)					
Planning Hazardous Substance Consents					
Planning Hazardous Substance Enforcements					

Intégral Géotechnique

Summary

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Geological					
BGS 1:625,000 Solid Geology	pg 66	Yes	n/a	n/a	n/a
BGS Estimated Soil Chemistry	pg 66	Yes	Yes	Yes	Yes
BGS Recorded Mineral Sites	pg 72		4	2	33
BGS Urban Soil Chemistry	pg 79		Yes	Yes	Yes
BGS Urban Soil Chemistry Averages	pg 82	Yes			
CBSCB Compensation District			n/a	n/a	n/a
Coal Mining Affected Areas	pg 82	Yes	n/a	n/a	n/a
Mining Instability	pg 82	Yes	n/a	n/a	n/a
Man-Made Mining Cavities					
Natural Cavities	pg 82				1
Non Coal Mining Areas of Great Britain				n/a	n/a
Potential for Collapsible Ground Stability Hazards	pg 82	Yes		n/a	n/a
Potential for Compressible Ground Stability Hazards	pg 82		Yes	n/a	n/a
Potential for Ground Dissolution Stability Hazards				n/a	n/a
Potential for Landslide Ground Stability Hazards	pg 83	Yes	Yes	n/a	n/a
Potential for Running Sand Ground Stability Hazards	pg 83	Yes		n/a	n/a
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 83	Yes		n/a	n/a
Radon Potential - Radon Affected Areas	pg 83	Yes	n/a	n/a	n/a
Radon Potential - Radon Protection Measures			n/a	n/a	n/a
Industrial Land Use					
Contemporary Trade Directory Entries	pg 84		16	48	46
Fuel Station Entries	pg 93				1
Points of Interest - Commercial Services	pg 94		4	12	11
Points of Interest - Education and Health					
Points of Interest - Manufacturing and Production	pg 96		5	14	19
Points of Interest - Public Infrastructure	pg 99			1	18
Points of Interest - Recreational and Environmental	pg 101			5	5
Underground Electrical Cables					

Intégral Géotechnique

Summary

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Sensitive Land Use					
Ancient Woodland	pg 102		1	2	10
Areas of Adopted Green Belt					
Areas of Unadopted Green Belt					
Areas of Outstanding Natural Beauty					
Environmentally Sensitive Areas					
Forest Parks					
Local Nature Reserves					
Marine Nature Reserves					
National Nature Reserves					
National Parks					
Nitrate Sensitive Areas					
Nitrate Vulnerable Zones					
Ramsar Sites					
Sites of Special Scientific Interest					
Special Areas of Conservation					
Special Protection Areas					
World Heritage Sites					

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A13NE (S)	0	1	273240 197469
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A13NW (NW)	7	1	273200 197500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A13NE (NE)	43	1	273300 197550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A13NE (E)	53	1	273350 197469
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A13NW (NW)	95	1	273100 197550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A13SW (SW)	106	1	273150 197350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A13SE (S)	117	1	273240 197300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A13NW (W)	123	1	273050 197500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A13NW (NW)	137	1	273050 197550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A13SW (SW)	144	1	273150 197300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A13NE (E)	152	1	273450 197469
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A13NW (NW)	166	1	273050 197600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A13NW (W)	173	1	273000 197469
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A13NW (W)	183	1	273000 197550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A13SW (W)	194	1	273000 197400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A13SE (S)	214	1	273250 197200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A13SW (SW)	214	1	273100 197250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A13SW (SW)	222	1	273000 197350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A13NW (NW)	236	1	273000 197650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A13SW (S)	270	1	273200 197150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A13SW (SW)	300	1	273100 197150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A14SW (E)	302	1	273600 197450

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A8NW (S)	320	1	273200 197100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A13NW (NW)	343	1	272950 197750
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A8NW (S)	345	1	273100 197100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A13SE (SE)	354	1	273500 197150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A8NW (S)	378	1	273150 197050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A18SE (N)	406	1	273400 197900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A8NE (S)	417	1	273240 197000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A8NE (S)	417	1	273250 197000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A14SW (E)	452	1	273750 197450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A8NW (S)	457	1	273050 197000
1	**Discharge Consents** Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Old Road Cso Old Road Skewen Neath, Next To 135, Old Road, Skewen, Neath, Sa10 6at Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bp0353701 Permit Version: Not Supplied Effective Date: 15th January 2020 Issued Date: 15th January 2020 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: Un-Named Tributary Of The Tennant Canal **Status:** **Effective** Positional Accuracy: Located by supplier to within 10m	A13SE (S)	86	2	273248 197331
1	**Discharge Consents** Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Old Road Cso Old Road Skewen Neath, Old Road, Skewen Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bp0353701 Permit Version: 1 Effective Date: 31st March 2006 Issued Date: 31st March 2006 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: Un-Named Trib Of Tennant Canal **Status:** **Effective** Positional Accuracy: Located by supplier to within 10m	A13SE (S)	88	2	273250 197330

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
1	**Discharge Consents** Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Old Road Cso Old Road Skewen Neath, Old Road, Skewen Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bp0353701 Permit Version: 1 Effective Date: 31st March 2006 Issued Date: 31st March 2006 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: Un-Named Trib Of Tennant Canal **Status: Effective** Positional Accuracy: Located by supplier to within 10m	A13SE (S)	88	2	273250 197330
2	**Discharge Consents** Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Pumping Staions Location: Cso No 31 Opp New Road Skewen, Opposite New Road, Neath Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bp0303801 Permit Version: 1 Effective Date: 5th March 2003 Issued Date: 5th March 2003 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: Stream To The Tennant Canal **Status: Effective** Positional Accuracy: Located by supplier to within 10m	A13SW (SW)	107	2	273107 197400
2	**Discharge Consents** Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Pumping Staions Location: Cso No 31 Opp New Road Skewen, Opposite New Road, Neath Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bp0303801 Permit Version: 1 Effective Date: 5th March 2003 Issued Date: 5th March 2003 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: Stream To The Tennant Canal **Status: Effective** Positional Accuracy: Located by supplier to within 10m	A13SW (SW)	107	2	273107 197400
2	**Discharge Consents** Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Pumping Staions Location: New Road Nursing Home Cso, Skewen, New Rd Nursing Home, Swansea, Sa10 6ye Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bp0303801 Permit Version: Not Supplied Effective Date: 7th October 2019 Issued Date: 7th October 2019 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: Unnamed Stream To The Tennant Canal **Status: Effective** Positional Accuracy: Located by supplier to within 10m	A13SW (SW)	152	2	273077 197366

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
3	**Discharge Consents** Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Skewen N'Th Abbey Swo12 Neath Authority: Natural Resources Wales Catchment Area: River Neath Reference: BW2902501 Permit Version: 1 Effective Date: 20th October 1989 Issued Date: 20th October 1989 Revocation Date: 31st March 2006 Discharge Type: Unspecified Discharge Environment: Not Supplied Receiving Water: River Neath **Status: Revoked (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 100m	A13SE (SE)	150	2	273360 197300
4	**Discharge Consents** Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Pumping Staions Location: Neath Abbey Ps Skewen Neath Port T, Neath Abbey Pumping Station, Skewen, Neath, Neath Port Talbot Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bp0224301 Permit Version: 2 Effective Date: 31st March 2009 Issued Date: 7th March 2005 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: River Clydach **Status: Effective** Positional Accuracy: Located by supplier to within 10m	A13SE (S)	235	2	273310 197190
4	**Discharge Consents** Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Pumping Staions Location: Neath Abbey Ps Skewen Neath Port T, Neath Abbey Pumping Station, Skewen, Neath, Neath Port Talbot Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bp0224301 Permit Version: 2 Effective Date: 31st March 2009 Issued Date: 7th March 2005 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: River Clydach **Status: Effective** Positional Accuracy: Located by supplier to within 10m	A13SE (S)	235	2	273310 197190
4	**Discharge Consents** Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Pumping Staions Location: Neath Abbey Ps Skewen Neath Port T, Neath Abbey Pumping Station, Skewen, Neath, Neath Port Talbot Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: BP0224201 Permit Version: 1 Effective Date: 23rd December 1993 Issued Date: 23rd December 1993 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: River Clydach **Status: Effective** Positional Accuracy: Located by supplier to within 100m	A13SE (S)	235	2	273310 197190

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
4	**Discharge Consents** Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Pumping Staions Location: Neath Abbey Ps Skewen Neath Port T, Neath Abbey Pumping Station, Skewen, Neath, Neath Port Talbot Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bp0224201 Permit Version: Not Supplied Effective Date: 23rd December 1993 Issued Date: 23rd December 1993 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: River Clydach **Status:** **Effective** Positional Accuracy: Located by supplier to within 10m	A13SE (S)	235	2	273310 197190
5	**Discharge Consents** Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Cso At R/O 38 Caenant Terrace, Neath, R/O 38 Caenant Terrace, Port Talbot, Sa10 6up Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bp0316501 Permit Version: Not Supplied Effective Date: 18th September 2019 Issued Date: 18th September 2019 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: A Tributary Of The Tennant Cannal **Status:** **Effective** Positional Accuracy: Located by supplier to within 10m	A13SW (W)	250	2	272954 197368
6	**Discharge Consents** Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Cso 34 Rear 38 Caenant Trce Neath, Cso 34 Rear Of 38 Caenant Terrac, Neath Port Talbot, Wales Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bp0316501 Permit Version: 1 Effective Date: 31st March 2004 Issued Date: 31st March 2004 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: Trib Of Tennant Canal **Status:** **Effective** Positional Accuracy: Located by supplier to within 10m	A12NE (W)	418	2	272756 197526
6	**Discharge Consents** Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Cso 34 Rear 38 Caenant Trce Neath, Cso 34 Rear Of 38 Caenant Terrac, Neath Port Talbot, Wales Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bp0316501 Permit Version: 1 Effective Date: 31st March 2004 Issued Date: 31st March 2004 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: Trib Of Tennant Canal **Status:** **Effective** Positional Accuracy: Located by supplier to within 10m	A12NE (W)	418	2	272756 197526

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
7	**Discharge Consents** Operator: Neath Port Talbot County Borough Council Property Type: Not Supplied Location: Tregelles Court Depot Neath Abbey, Neath, Neath Port Talbot, Sa10 7df Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bp0273501 Permit Version: Not Supplied Effective Date: 8th September 1998 Issued Date: 8th September 1998 Revocation Date: Not Supplied Discharge Type: Trade And Other Matter Discharge Discharge Environment: Freshwater Stream/River Receiving Water: River Clydach **Status: Effective** Positional Accuracy: Located by supplier to within 100m	A14SW (E)	504	2	273800 197400
7	**Discharge Consents** Operator: Neath Port Talbot County Borough Council Property Type: Other Road Passenger Transport Location: Tregelles Court Depot Neath Abbey, Neath, Neath Port Talbot, Sa10 7df Authority: Natural Resources Wales Catchment Area: River Neath Reference: BP027350101 Permit Version: 1 Effective Date: 8th September 1998 Issued Date: 8th September 1998 Revocation Date: Not Supplied Discharge Type: Trade Effluent Discharge Environment: Freshwater Stream/River Receiving Water: River Clydach **Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Manually corrected supplier location	A14SW (E)	504	2	273800 197400
8	**Discharge Consents** Operator: Dwr Cymru Cyfyngedig Property Type: Undefined Or Other Location: Swo.Point S. Southeast Of Neat Authority: Natural Resources Wales Catchment Area: River Neath Reference: Bb4000513 Permit Version: 1 Effective Date: 8th November 1972 Issued Date: 8th November 1972 Revocation Date: 14th March 1994 Discharge Type: Unspecified Discharge Environment: Not Supplied Receiving Water: River Clydach **Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	A14SW (SE)	550	2	273770 197160
8	**Discharge Consents** Operator: Dwr Cymru Cyfyngedig Property Type: Undefined Or Other Location: Swo.Point S. Southeast Of Neat Authority: Natural Resources Wales Catchment Area: River Neath Reference: Bw2902201 Permit Version: 1 Effective Date: 8th November 1972 Issued Date: 8th November 1972 Revocation Date: 14th March 1994 Discharge Type: Unspecified Discharge Environment: Not Supplied Receiving Water: River Clydach **Status: Consent expired** Positional Accuracy: Located by supplier to within 10m	A14SW (SE)	550	2	273770 197160

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
8	**Discharge Consents** Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Pumping Station - Water Company Location: Neath Abbey Ps Neath Authority: Natural Resources Wales Catchment Area: River Neath Reference: BP0224301 Permit Version: 1 Effective Date: 20th December 1993 Issued Date: 20th December 1993 Revocation Date: 27th July 2005 Discharge Type: Public Sewage: Storm Sewage Overflow Discharge Environment: Not Supplied Receiving Water: River Clydach **Status:** **New Consent, by Application (Water Resources Act 1991, Section 88)** Positional Accuracy: Located by supplier to within 100m	A14SW (SE)	566	2	273800 197180
8	**Discharge Consents** Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Pumping Staions Location: Neath Abbey Sps, Adj 4, Cheadle Works Cottages, Monastery Road, Neath, Sa10 7dp Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bp0224301 Permit Version: Not Supplied Effective Date: 6th February 2020 Issued Date: 6th February 2020 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: River Clydach **Status:** **Effective** Positional Accuracy: Located by supplier to within 10m	A14SW (SE)	568	2	273807 197190
8	**Discharge Consents** Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Pumping Staions Location: Neath Abbey Sps, Adj 4, Cheadle Works Cottages, Monastery Road, Neath, Sa10 7dp Authority: Natural Resources Wales Catchment Area: CLYDACH - HEADWATERS TO CONF WITH RIVER NEATH Reference: Bp0224301 Permit Version: 3 Effective Date: 6th February 2020 Issued Date: 6th February 2020 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: River Clydach **Status:** **Effective** Positional Accuracy: Located by supplier to within 10m	A14SW (SE)	568	2	273807 197190
9	**Discharge Consents** Operator: Neath Port Talbot County Borough Council Property Type: Not Supplied Location: Vehicle Maintenance Workshop Tregel, Tregelles Court, Neath Abbey, Neath, Sa10 7df Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Ba1000201 Permit Version: Not Supplied Effective Date: 22nd October 1951 Issued Date: 22nd October 1951 Revocation Date: Not Supplied Discharge Type: Not Supplied Discharge Environment: Freshwater Stream/River Receiving Water: River Clydach **Status:** **Effective** Positional Accuracy: Located by supplier to within 10m	A14NW (E)	551	2	273841 197531

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
9	**Discharge Consents** Operator: Dwr Cymru Cyfyngedig Property Type: Sewage Disposal Works Location: Monastery Road Cso (Cso 35) Neath, Neath Abbey, Neath Port Talbot Authority: Natural Resources Wales Catchment Area: CLYDACH - HEADWATERS TO CONF WITH RIVER NEATH Reference: Bp0336901 Permit Version: 1 Effective Date: 31st March 2005 Issued Date: 31st March 2005 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: Clydach River **Status: Effective** Positional Accuracy: Located by supplier to within 10m	A14NW (E)	571	2	273866 197494
9	**Discharge Consents** Operator: Dwr Cymru Cyfyngedig Property Type: Sewage Disposal Works Location: Monastery Road Cso (Cso 35) Neath, Neath Abbey, Neath Port Talbot Authority: Natural Resources Wales Catchment Area: CLYDACH - HEADWATERS TO CONF WITH RIVER NEATH Reference: Bp0336901 Permit Version: 1 Effective Date: 31st March 2005 Issued Date: 31st March 2005 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: Clydach River **Status: Effective** Positional Accuracy: Located by supplier to within 10m	A14NW (E)	571	2	273866 197494
10	**Discharge Consents** Operator: Matt Price (Motor Engineers) Ltd Property Type: Undefined Or Other Location: Discharge Of Surface Water Poi Authority: Natural Resources Wales Catchment Area: River Neath Reference: Bb3030703 Permit Version: 1 Effective Date: 9th August 1972 Issued Date: 9th August 1972 Revocation Date: 7th December 1993 Discharge Type: Unspecified Discharge Environment: Not Supplied Receiving Water: River Clydach **Status: Consent expired** Positional Accuracy: Located by supplier to within 10m	A14NW (E)	566	2	273830 197640
10	**Discharge Consents** Operator: Matt Price (Motor Engineers) Ltd Property Type: Undefined Or Other Location: Discharge Of Surface Water Authority: Natural Resources Wales Catchment Area: River Neath Reference: Bb3030702 Permit Version: 1 Effective Date: 9th August 1972 Issued Date: 9th August 1972 Revocation Date: 7th December 1993 Discharge Type: Unspecified Discharge Environment: Not Supplied Receiving Water: River Clydach **Status: Consent expired** Positional Accuracy: Located by supplier to within 10m	A14NW (E)	569	2	273830 197650

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
10	**Discharge Consents** Operator: Matt Price (Motor Engineers) Ltd Property Type: Undefined Or Other Location: Discharge Of Surface Water Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Ba2031201 Permit Version: 1 Effective Date: 19th February 1965 Issued Date: 19th February 1965 Revocation Date: 22nd November 1993 Discharge Type: Unspecified Discharge Environment: Not Supplied Receiving Water: River Clydach **Status: Consent expired** Positional Accuracy: Located by supplier to within 10m	A14NW (E)	569	2	273830 197650
10	**Discharge Consents** Operator: Matt Price (Motor Engineers) Ltd Property Type: Undefined Or Other Location: Discharge Of Surface Water Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Ba2005501 Permit Version: 1 Effective Date: 21st August 1963 Issued Date: 21st August 1963 Revocation Date: 22nd November 1993 Discharge Type: Unspecified Discharge Environment: Not Supplied Receiving Water: River Clydach **Status: Consent expired** Positional Accuracy: Located by supplier to within 10m	A14NW (E)	569	2	273830 197650
10	**Discharge Consents** Operator: Matt Price (Motor Engineers) Ltd Property Type: Undefined Or Other Location: Discharge Of Surface Water Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Ba2005502 Permit Version: 1 Effective Date: 21st August 1963 Issued Date: 21st August 1963 Revocation Date: 22nd November 1993 Discharge Type: Unspecified Discharge Environment: Not Supplied Receiving Water: River Clydach **Status: Consent expired** Positional Accuracy: Located by supplier to within 10m	A14NW (E)	569	2	273830 197650
10	**Discharge Consents** Operator: Matt Price (Motor Engineers) Ltd Property Type: Undefined Or Other Location: Discharge Of Rainwater To Clyd Authority: Natural Resources Wales Catchment Area: River Neath Reference: Bb3030701 Permit Version: 1 Effective Date: 9th August 1972 Issued Date: 9th August 1972 Revocation Date: 7th December 1993 Discharge Type: Unspecified Discharge Environment: Not Supplied Receiving Water: River Clydach **Status: Consent expired** Positional Accuracy: Located by supplier to within 10m	A14NW (E)	574	2	273830 197670

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
11	**Discharge Consents** Operator: Dwr Cymru Cyfyngedig Property Type: Sewage Disposal Works Location: Monastery Road Cso (Cso 35) Neath, Opp 1 Monastery Rd, Neath Abbey, Neath, Sa10 7dh Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bp0336901 Permit Version: Not Supplied Effective Date: 6th February 2020 Issued Date: 6th February 2020 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: River Clydach **Status: Effective** Positional Accuracy: Located by supplier to within 10m	A14SW (E)	570	2	273868 197446
12	**Discharge Consents** Operator: Dwr Cymru Cyfyngedig Property Type: Water Supply Grid Location: Longford Chlor.Overflow Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bp0189901 Permit Version: 1 Effective Date: 2nd October 1989 Issued Date: 2nd October 1989 Revocation Date: 14th March 1994 Discharge Type: Unspecified Discharge Environment: Not Supplied Receiving Water: To Land **Status: Consent expired** Positional Accuracy: Located by supplier to within 100m	A18SW (N)	592	2	273200 198100
13	**Discharge Consents** Operator: David Walsh Gibbon And Sarah Lousie Walsh Gibbon Property Type: Domestic Property (Single) Location: No2 Taillwydd Road Neath Abbey, Neath Port Talbot, Wales, Sa10 7dt Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bp0315701 Permit Version: 1 Effective Date: 15th December 2003 Issued Date: 15th December 2003 Revocation Date: 3rd April 2009 Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge Environment: Freshwater Stream/River Receiving Water: A Trib Of The Afon Clydach **Status: Revoked (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	A14NW (NE)	605	2	273833 197753
13	**Discharge Consents** Operator: Mr Timothy Burden Property Type: Domestic Property (Single) Location: 2 Taillwyd Road, Neath Abbey, Neath, West Glamorgan, Sa10 7dt Authority: Natural Resources Wales Catchment Area: River Neath Reference: Npswqd007510 Permit Version: 1 Effective Date: 28th April 2009 Issued Date: 28th April 2009 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge Environment: Freshwater Stream/River Receiving Water: The River Clydach **Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	A14NW (NE)	611	2	273839 197753

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
14	**Discharge Consents** Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Pentre Fynnon Skewen Neath Authority: Natural Resources Wales Catchment Area: River Neath Reference: Bp0064317 Permit Version: 3 Effective Date: 29th March 1996 Issued Date: 28th March 1996 Revocation Date: 31st December 1997 Discharge Type: Unspecified Discharge Environment: Not Supplied Receiving Water: Estuarial Waters Of River Neat **Status: Consent expired** Positional Accuracy: Located by supplier to within 10m	A8NE (S)	618	2	273280 196800
14	**Discharge Consents** Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Pentre Fynnon Skewen Neath Authority: Natural Resources Wales Catchment Area: River Neath Reference: Bp0064317 Permit Version: 2 Effective Date: 28th November 1992 Issued Date: 28th August 1992 Revocation Date: 28th March 1996 Discharge Type: Unspecified Discharge Environment: Not Supplied Receiving Water: Estuarial Waters Of River Neat **Status: Authorisation revoked** Positional Accuracy: Located by supplier to within 100m	A8NE (S)	618	2	273280 196800
14	**Discharge Consents** Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Pentre Fynnon Skewen Neath Authority: Natural Resources Wales Catchment Area: River Neath Reference: Bp0064317 Permit Version: 1 Effective Date: 9th October 1987 Issued Date: 9th October 1987 Revocation Date: 27th November 1992 Discharge Type: Unspecified Discharge Environment: Not Supplied Receiving Water: Estuarial Waters Of River Neat **Status: Authorisation revoked** Positional Accuracy: Located by supplier to within 10m	A8NE (S)	618	2	273280 196800
15	**Discharge Consents** Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Swo Pt.R.Nth Old Dock On W Ba Authority: Natural Resources Wales Catchment Area: River Neath Reference: Bb4000508 Permit Version: 1 Effective Date: 8th November 1972 Issued Date: 8th November 1972 Revocation Date: 14th March 1994 Discharge Type: Unspecified Discharge Environment: Not Supplied Receiving Water: River Neath **Status: Consent expired** Positional Accuracy: Located by supplier to within 10m	A8SE (S)	653	2	273330 196770

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
16	**Discharge Consents** Operator: West Glamorgan County Council Property Type: Undefined Or Other Location: Waunceirch Primary School Neath Authority: Natural Resources Wales Catchment Area: River Neath Reference: Bb4006202 Permit Version: 1 Effective Date: 8th October 1973 Issued Date: 8th October 1973 Revocation Date: 28th September 1992 Discharge Type: Unspecified Discharge Environment: Not Supplied Receiving Water: Dwr-Y-Felin Brook Thence River **Status: Consent expired** Positional Accuracy: Located by supplier to within 10m	A19SW (NE)	669	2	273830 197890
16	**Discharge Consents** Operator: The Land Authority For Wales Property Type: Domestic Property (Multiple) Location: Res Developement Caerwern Waunceirc, Caerwern Waunceirch Neath Authority: Natural Resources Wales Catchment Area: Not Given Reference: Bb4025201 Permit Version: 1 Effective Date: 26th January 1978 Issued Date: 26th January 1978 Revocation Date: 1st August 1996 Discharge Type: Unspecified Discharge Environment: Not Supplied Receiving Water: River Clydach **Status: Consent expired** Positional Accuracy: Located by supplier to within 100m	A19SW (NE)	672	2	273820 197910
17	**Discharge Consents** Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Pumping Staions Location: Pentreffynnon Sewage Pumping Station At Neath Abbey Ind Estate, Neath, Neath Abbey Business Park, Caewern, Neath, Sa10 7dr Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bp0256101 Permit Version: Not Supplied Effective Date: 6th February 2020 Issued Date: 6th February 2020 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Saline Estuary Receiving Water: Estuarial Waters Of The River Neath **Status: Effective** Positional Accuracy: Located by supplier to within 10m	A8SE (S)	674	2	273237 196743
17	**Discharge Consents** Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Pumping Staions Location: Pentreffynnon Sewage Pumping Station At Neath Abbey Ind Estate, Neath, Neath Abbey Business Park, Caewern, Neath, Sa10 7dr Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bp0256101 Permit Version: Not Supplied Effective Date: 6th February 2020 Issued Date: 6th February 2020 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Pumping Station - Water Company Discharge Environment: Saline Estuary Receiving Water: Estuarial Waters Of The River Neath **Status: Effective** Positional Accuracy: Located by supplier to within 10m	A8SE (S)	674	2	273237 196743

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
17	**Discharge Consents** Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Pumping Staions Location: Pentreffynnon Ps Neath Abbey Ind Es, Neath Abbey Ind Est Neath Authority: Natural Resources Wales Catchment Area: NEATH ESTUARY Reference: BP0256101 Permit Version: 1 Effective Date: 31st December 1997 Issued Date: 19th September 1996 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Saline Estuary Receiving Water: Estuarial Waters River Neath **Status: Effective** Positional Accuracy: Located by supplier to within 100m	A8SE (S)	677	2	273240 196740
17	**Discharge Consents** Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Pumping Staions Location: Pentreffynnon Ps Neath Abbey Ind Es, Neath Abbey Ind Est Neath Authority: Natural Resources Wales Catchment Area: NEATH ESTUARY Reference: Bp0256101 Permit Version: 1 Effective Date: 31st December 1997 Issued Date: 19th September 1996 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Saline Estuary Receiving Water: Estuarial Waters River Neath **Status: Effective** Positional Accuracy: Located by supplier to within 10m	A8SE (S)	677	2	273240 196740
18	**Discharge Consents** Operator: Histow Overalls Ltd Property Type: Not Supplied Location: Abbey Mills Neath Abbey Neath, Neath Abbey, Neath Port Talbot Cbc, Sa10 7dy Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: BB4024101 Permit Version: Not Supplied Effective Date: 20th October 1977 Issued Date: 20th October 1977 Revocation Date: Not Supplied Discharge Type: Not Supplied Discharge Environment: Freshwater Stream/River Receiving Water: River Clydach **Status: Effective** Positional Accuracy: Located by supplier to within 100m	A19SW (NE)	707	2	273760 198030
19	**Discharge Consents** Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Longford Road Neath Abbey Cso, Nr 83 Lonford Rd, Longford Road, Neath, Port Talbot, Sa10 7hf Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bw2901101 Permit Version: Not Supplied Effective Date: 24th September 2019 Issued Date: 24th September 2019 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: River Clydach **Status: Effective** Positional Accuracy: Located by supplier to within 10m	A19SW (NE)	719	2	273664 198120

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
19	**Discharge Consents** Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Longford Road Cso Longford Road, Neath, Neath Port Talbot Authority: Natural Resources Wales Catchment Area: CLYDACH - HEADWATERS TO CONF WITH RIVER NEATH Reference: Bw2901101 Permit Version: 3 Effective Date: 31st March 2006 Issued Date: 31st March 2006 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: Tributary Of River Clydach (Ne **Status:** **Effective** Positional Accuracy: Located by supplier to within 10m	A19SW (NE)	719	2	273664 198120
19	**Discharge Consents** Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Longford Road Cso Longford Road, Neath, Neath Port Talbot Authority: Natural Resources Wales Catchment Area: CLYDACH - HEADWATERS TO CONF WITH RIVER NEATH Reference: Bw2901101 Permit Version: 3 Effective Date: 31st March 2006 Issued Date: 31st March 2006 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: Tributary Of River Clydach (Ne **Status:** **Effective** Positional Accuracy: Located by supplier to within 10m	A19SW (NE)	719	2	273664 198120
19	**Discharge Consents** Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Longford Swo 8 Op.S.Stel Opp.S Authority: Natural Resources Wales Catchment Area: River Neath Reference: Bw2901101 Permit Version: 2 Effective Date: 18th March 2005 Issued Date: 18th March 2005 Revocation Date: 30th March 2006 Discharge Type: Public Sewage: Storm Sewage Overflow Discharge Environment: Freshwater Stream/River Receiving Water: Tributary Of River Clydach (Ne **Status:** **New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	A19SW (NE)	723	2	273670 198120
19	**Discharge Consents** Operator: Dwr Cymru Cyfyngedig Property Type: Sewerage Network - Sewers - Water Company Location: Longford Swo 8 Op.S.Stel Opp.S Authority: Natural Resources Wales Catchment Area: River Neath Reference: BW2901101 Permit Version: 1 Effective Date: 17th June 1963 Issued Date: 17th June 1963 Revocation Date: 17th March 2005 Discharge Type: Unspecified Discharge Environment: Not Supplied Receiving Water: Tributary Of River Clydach (Ne **Status:** **New Consent, by Application (Water Resources Act 1991, Section 88)** Positional Accuracy: Located by supplier to within 100m	A19SW (NE)	723	2	273670 198120

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
20	**Discharge Consents** Operator: Freezeramp Limited Property Type: Not Supplied Location: Gillards Waste Management Site, Old Crown Works, Nr Neath Abbey Wharf, Skewen, Neath Port Talbot, Sa10 6bl Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bp0325901 Permit Version: Not Supplied Effective Date: 26th November 2012 Issued Date: 26th November 2012 Revocation Date: Not Supplied Discharge Type: Trade Discharges - Site Drainage Discharge Environment: Into Land Receiving Water: Groundwater Via Infiltration System **Status: Effective** Positional Accuracy: Located by supplier to within 10m	A8SW (S)	811	2	273046 196630
20	**Discharge Consents** Operator: Mr M P Gillards Property Type: Industrial Waste Site Location: Gillards Waste Management Site, Old Crown Works, Nr Neath Abbey Wharf, Skewen, Neath Port Talbot, Sa10 6bl Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bp0325901 Permit Version: 1 Effective Date: 27th September 2005 Issued Date: 27th September 2005 Revocation Date: 25th November 2012 Discharge Type: Trade Discharges - Site Drainage Discharge Environment: Into Land Receiving Water: Into Land **Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	A8SW (S)	811	2	273046 196630
21	**Discharge Consents** Operator: Bryn Ogwy Estates Ltd Property Type: Undefined Or Other Location: Housing Dev' Between Highlands Authority: Natural Resources Wales Catchment Area: Not Supplied Reference: Bb3031101 Permit Version: 1 Effective Date: 2nd October 1972 Issued Date: 2nd October 1972 Revocation Date: 7th December 1993 Discharge Type: Unspecified Discharge Environment: Not Supplied Receiving Water: River Clydach **Status: Consent expired** Positional Accuracy: Located by supplier to within 10m	A18NW (N)	901	2	273120 198400
22	**Discharge Consents** Operator: West Glamorgan County Council Property Type: Undefined Or Other Location: Waunceirch Primary School Neath Authority: Natural Resources Wales Catchment Area: River Neath Reference: Bb4006201 Permit Version: 1 Effective Date: 8th October 1973 Issued Date: 8th October 1973 Revocation Date: 28th September 1992 Discharge Type: Unspecified Discharge Environment: Not Supplied Receiving Water: Dwr-Y-Felin Brook Thence River **Status: Consent expired** Positional Accuracy: Located by supplier to within 10m	A19NW (NE)	995	2	273800 198360

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
23	**Local Authority Pollution Prevention and Controls** Name: S Wernick & Sons Ltd Location: Nidum Works, Monastery Road, Neath Abbey, NEATH, West Glamorgan, SA10 7DS Authority: Neath Port Talbot County Borough Council, Environmental Health Department Permit Reference: Not Given Dated: Not Supplied Process Type: Local Authority Air Pollution Control Description: PG6/2 Manufacture of timber and wood-based products **Status: Authorisation revoked** Positional Accuracy: Automatically positioned to the address	A14SW (E)	334	3	273623 197364
24	**Local Authority Pollution Prevention and Controls** Name: Tarmac Topmix Ltd Location: Neath Abbey Transmix Depot, Neath Abbey, NEATH, West Glamorgan, SA10 7DR Authority: Neath Port Talbot County Borough Council, Environmental Health Department Permit Reference: B04 Dated: 19th December 1992 Process Type: Local Authority Air Pollution Control Description: PG3/1Blending, packing, loading and use of bulk cement **Status: Authorisation revoked** Positional Accuracy: Manually positioned within the geographical locality	A14SW (E)	432	3	273714 197326
25	**Local Authority Pollution Prevention and Controls** Name: Tesco Stores LtdTesco Petrol Filling Station Location: Neath Abbey Road, NEATH, West Glamorgan, SA10 7FE Authority: Neath Port Talbot County Borough Council, Environmental Health Department Permit Reference: E3/1/88 Dated: 2nd September 1999 Process Type: Local Authority Pollution Prevention and Control Description: PG1/14 Petrol filling station **Status: Permitted** Positional Accuracy: Manually positioned to the address or location	A14NE (E)	806	3	274098 197534
26	**Local Authority Pollution Prevention and Controls** Name: Steel Supply Co (Western) Limited Location: Neath Abbey Wharf, Jenkins Road, Skewen, NEATH, West Glamorgan, SA10 6BL Authority: Neath Port Talbot County Borough Council, Environmental Health Department Permit Reference: E3/1/43 Dated: 27th January 1993 Process Type: Local Authority Air Pollution Control Description: PG3/5 Coal, coke and coal product processes **Status: Authorised** Positional Accuracy: Manually positioned to the address or location	A8SW (S)	810	3	273015 196639
26	**Local Authority Pollution Prevention and Controls** Name: Johnson Brothers Coal Factors Limited Location: Abbey Site, Neath Abbey Wharf, Skewen, NEATH, West Glamorgan, SA10 6BL Authority: Neath Port Talbot County Borough Council, Environmental Health Department Permit Reference: E3/1/50 Dated: 27th January 1993 Process Type: Local Authority Air Pollution Control Description: PG3/5 Coal, coke and coal product processes **Status: Authorisation has varied** Positional Accuracy: Automatically positioned to the address	A8SW (S)	820	3	273015 196629
27	**Local Authority Pollution Prevention and Control Enforcements** Location: Neath Abbey Wharf, Jenkins Road, Skewen, Neath, West Glamorgan, Sa10 6bl Type: Air Pollution Control Enforcement Notice Reference: E3/1/43 Date Issued: 27th January 1993 Enforcement Date: Not Supplied Details: Required To Re-Instate Fully Operational Industrial Wheelwash Positional Accuracy: Manually positioned to the address or location	A8SW (S)	810	3	273015 196639
	Nearest Surface Water Feature	A13SW (S)	64	-	273222 197356

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
28	**Pollution Incidents to Controlled Waters** Property Type: Other Transport Location: Windows Factory, NEATH ABBEY Authority: Environment Agency, Welsh Region Pollutant: Mud/Clay/Soil Note: Neglect Incident Date: 12th September 1994 Incident Reference: 21147 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Spillage Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m	A13SW (SW)	36	4	273200 197400
29	**Pollution Incidents to Controlled Waters** Property Type: Not Given Location: Location Description Not Available Authority: Environment Agency, Welsh Region Pollutant: Unknown Note: Not Supplied Incident Date: 9th October 1994 Incident Reference: 21548 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Unknown Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A13NW (W)	73	4	273100 197495
29	**Pollution Incidents to Controlled Waters** Property Type: Not Given Location: Electro-Plating Company Authority: Environment Agency, Welsh Region Pollutant: Oils - Diesel (Including Agricultural) Note: Not Supplied Incident Date: 9th October 1994 Incident Reference: 21548 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Unknown Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A13NW (W)	74	4	273100 197500
30	**Pollution Incidents to Controlled Waters** Property Type: Abandoned mine Location: Abbey Ruins, Near Coalworks And Scrapyard Authority: Environment Agency, Welsh Region Pollutant: Light Oil Note: Not Supplied Incident Date: 9th October 1995 Incident Reference: 26326 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Unknown Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A13SW (S)	124	4	273200 197300
31	**Pollution Incidents to Controlled Waters** Property Type: Not Given Location: Culvert, CLYDACH Authority: Environment Agency, Welsh Region Pollutant: Milk/Creamery Wastes Note: Not Supplied Incident Date: 16th September 1991 Incident Reference: 3538 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Unknown Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m	A14SW (E)	426	4	273700 197300
32	**Pollution Incidents to Controlled Waters** Property Type: Not Given Location: NEATH ABBEY Authority: Environment Agency, Welsh Region Pollutant: Oils - Diesel (Including Agricultural) Note: River Clydach; Spillage Incident Date: 3rd April 1998 Incident Reference: 35374 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Accidental Spillage/Leakage Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A8NW (SW)	479	4	273000 197000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
33	**Pollution Incidents to Controlled Waters** Property Type: Waste Handling Facilities Location: Below Road Bridge, NEATH ABBEY Authority: Environment Agency, Welsh Region Pollutant: Unknown Note: Blocked Sewer Incident Date: 2nd May 1991 Incident Reference: 763 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Overflow Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A14NW (E)	506	4	273800 197500
34	**Pollution Incidents to Controlled Waters** Property Type: Waste Handling Facilities Location: Adjacent Chip Shop, Smiths Arms, NEATH Authority: Environment Agency, Welsh Region Pollutant: Algae Note: Poor Operational Practise Incident Date: 1st May 1992 Incident Reference: 4720 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Direct Discharge Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m	A14NW (E)	526	4	273800 197600
35	**Pollution Incidents to Controlled Waters** Property Type: Water Company Sewage: Sewerage Location: CLYDACH Authority: Environment Agency, Welsh Region Pollutant: Farm Effluent/Slurry Note: Inadequate Design/Capacity Incident Date: 11th February 1992 Incident Reference: 3031 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Direct Discharge Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m	A9NW (SE)	528	4	273700 197100
36	**Pollution Incidents to Controlled Waters** Property Type: Not Given Location: Dwr Y Felin Road, NEATH Authority: Environment Agency, Welsh Region Pollutant: Light Oil Note: Not Supplied Incident Date: 16th April 1991 Incident Reference: 129 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Unknown Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m	A18SE (NE)	535	4	273500 198000
37	**Pollution Incidents to Controlled Waters** Property Type: Not Given Location: Monastery Abbey, By Ponderosa, NEATH ABBEY Authority: Environment Agency, Welsh Region Pollutant: Miscellaneous - Fire water / Foam Note: Mechanical/Electrical Plant Failure Incident Date: 30th September 1996 Incident Reference: 30081 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Overflow Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A14SW (SE)	557	4	273800 197200
38	**Pollution Incidents to Controlled Waters** Property Type: Warehouses Location: Monastery Road, NEATH ABBEY Authority: Environment Agency, Welsh Region Pollutant: Crude Sewage Note: Not Supplied Incident Date: 21st October 1994 Incident Reference: 21619 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Runoff Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m	A14SW (E)	619	4	273900 197300

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
39	**Pollution Incidents to Controlled Waters** Property Type: Water Company Sewage: Sewerage Location: Pentreffynnon Outfall Authority: Environment Agency, Welsh Region Pollutant: Unknown Note: Not Supplied Incident Date: 5th December 1994 Incident Reference: 22118 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Effluent Discharge Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A8NE (S)	620	4	273300 196800
40	**Pollution Incidents to Controlled Waters** Property Type: Not Given Location: SKEWEN Authority: Environment Agency, Welsh Region Pollutant: Unknown Note: Not Supplied Incident Date: 24th May 1991 Incident Reference: 751 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Unknown Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A12NW (W)	673	4	272500 197500
41	**Pollution Incidents to Controlled Waters** Property Type: Not Given Location: Dyffryn Clydach Authority: Environment Agency, Welsh Region Pollutant: Unknown Note: Inadequate Design/Capacity Incident Date: 15th July 1996 Incident Reference: 29290 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Direct Discharge Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A19SW (NE)	712	4	273650 198120
42	**Pollution Incidents to Controlled Waters** Property Type: Not Given Location: No 16 Taillwyd Road Authority: Environment Agency, Welsh Region Pollutant: Chemicals - Other Inorganic Note: Natural Causes Incident Date: 28th April 1995 Incident Reference: 23729 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Natural Causes Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m	A19NW (NE)	806	4	273700 198200
43	**Pollution Incidents to Controlled Waters** Property Type: Not Given Location: Longford Road, Opposite Telephone Kiosk, NEATH Authority: Environment Agency, Welsh Region Pollutant: Mud/Clay/Soil Note: Poor Management Control Incident Date: 16th August 1996 Incident Reference: 29469 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Runoff Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A19NW (NE)	863	4	273800 198200
44	**Pollution Incidents to Controlled Waters** Property Type: Water Company Sewage: Storm Overflow Location: NEATH ABBEY Authority: Environment Agency, Welsh Region Pollutant: Oils - Diesel (Including Agricultural) Note: Blocked Sewer Incident Date: 12th December 1995 Incident Reference: 26862 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Overflow Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A8SW (S)	948	4	273000 196500

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
45	**Historical Prosecutions** Location: River Clydach (tributary of), Drymau Road, NEATH, West Glamorgan, SA10 6NU Prosecution Text: EA Welsh Data 02/09/1999, Polluting an unnamed tributary of the River Clydach with industrial metal. Offence committed 25/04/1995. Prosecution Act: WRA91 s85(1) Hearing Date: 22nd April 1996 Verdict: Guilty Fine: 1500 Costs: 968 Positional Accuracy: Manually positioned to the road within the address or location	A13NW (W)	92	-	273081 197487
46	**Historical Prosecutions** Location: Land At Jenkins Road, Neath Abbey Wharf, Neath, Mid Glamorgan, Sa10 7 Prosecution Text: Two Armchairs Fly-Tipped On Land Without A Wml - One Year Conditional Discharge Served Prosecution Act: Epa90 S33 & S34 Hearing Date: 30th July 2003 Verdict: Guilty Fine: 0 Costs: 263 Positional Accuracy: Manually positioned to the road within the address or location	A13SW (S)	173	-	273197 197250
47	**Historical Prosecutions** Location: River Clydach, Taillwyd Road Area, Bryncoch, Skewen, Sa10 Prosecution Text: Allowing suspended solids to enter a nearby watercourse Prosecution Act: Wra91 S85(1) Hearing Date: 28th February 2005 Verdict: Guilty Fine: 4000 Costs: 1300 Positional Accuracy: Manually positioned within the geographical locality	A19NW (NE)	899	-	273779 198260
48	**Registered Radioactive Substances** Name: B.E.L. Geophysical Borehole Ser Ltd Location: Unit 16, Neath Abbey Industrial Estate, NEATH, SA10 7DR Authority: Scottish Environment Protection Agency, Head Office Permit Reference: IPB/3/3/234 Dated: 10th January 1995 Process Type: Registration under S10 RSA for the keeping and use of mobile Radioactive sources (was RSA60 S3) Description: Registration under S7 or S10 RSA for the keeping and use of radioactive material or apparatus for 1 or more tracer test sources dated pre April 1991 **Status:** **Not Given** Positional Accuracy: Manually positioned to the address or location	A8NE (S)	385	5	273261 197033
49	**Water Industry Act Referrals** Name: Clancy Docwra Ltd Location: CLANCY DOCWRA LTD, UNIT 15 NEATH ABBEY IND EST, NEATH ABBEY, NEATH, WEST GLAMORGAN, SA10 7DR Authority: Natural Resources Wales Permit Reference: AW3490 Dated: 29th July 1996 Process Type: Permissions or amendments to discharge under the Water Industry Act 1991 Description: Processes which result in the discharge of Special Category effluents under The Trade Effluents (Prescribed Processes and Substances) Regulations **Status:** **Application cancelled** Positional Accuracy: Manually positioned to the address or location	A8NW (S)	359	2	273228 197058
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: >550 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	A13NE (S)	0	2	273240 197469

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: >550 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	A13NE (N)	0	2	273250 197512
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	A13NE (S)	0	2	273240 197469
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	A13NE (S)	0	2	273240 197469
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	161	2	273329 197272
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (S)	166	2	273315 197261
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (S)	175	2	273319 197253
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	177	2	273441 197337
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	179	2	273359 197265
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (S)	183	2	273297 197241
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	196	2	273383 197260
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	213	2	273411 197261
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (S)	222	2	273247 197195
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	227	2	273437 197263
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	230	2	273445 197264
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	237	2	273473 197281

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (SE)	250	2	273473 197263
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	161	2	273329 197272
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	162	2	273339 197274
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Models Boundary Accuracy: As Supplied	A13SE (S)	164	2	273321 197266
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	165	2	273349 197276
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (S)	166	2	273315 197261
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	168	2	273359 197278
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (S)	171	2	273325 197259
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	172	2	273333 197261
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (S)	177	2	273311 197249
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (S)	183	2	273300 197241
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SE (S)	183	2	273297 197241
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	192	2	273397 197276
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (SE)	194	2	273381 197262
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A13SE (S)	228	2	273249 197189
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas None				
	Flood Defences None				

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
50	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 100.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13SW (S)	65	6	273223 197355
51	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 29.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NW (NW)	68	6	273167 197556
52	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 13.7 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13SE (S)	76	6	273242 197342
53	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 7.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13SE (S)	86	6	273252 197332
54	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 56.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13SW (W)	89	6	273105 197417
55	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 94.1 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13SE (S)	89	6	273259 197330
56	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 15.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NW (W)	90	6	273085 197468
57	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 6.1 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13SW (W)	90	6	273087 197463
58	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 7.4 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NW (W)	95	6	273078 197482

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
59	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 34.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NW (W)	98	6	273075 197488
60	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 64.9 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13SW (SW)	100	6	273130 197381
61	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 82.5 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13SW (SW)	102	6	273148 197359
62	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 30.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NW (W)	127	6	273046 197504
63	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 16.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NW (W)	141	6	273039 197534
64	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 16.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13SE (SE)	141	6	273349 197304
65	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 18.2 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13SE (SE)	150	6	273365 197304
66	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 139.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NW (W)	158	6	273023 197538
67	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 72.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13SE (SE)	164	6	273383 197300

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
68	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 39.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13SW (SW)	165	6	273065 197361
69	**OS Water Network Lines** Watercourse Form: Canal Watercourse Length: 261.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Tennant Canal Catchment Name: Neath Primacy: 1	A13SE (SE)	169	6	273327 197262
70	**OS Water Network Lines** Watercourse Form: Canal Watercourse Length: 20.4 Watercourse Level: Underground Permanent: True Watercourse Name: Tennant Canal Catchment Name: Neath Primacy: 1	A13SE (S)	170	6	273317 197257
71	**OS Water Network Lines** Watercourse Form: Canal Watercourse Length: 2116.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Tennant Canal Catchment Name: Neath Primacy: 1	A13SE (S)	177	6	273299 197246
72	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 57.5 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13SW (SW)	194	6	273028 197359
73	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 42.9 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13SE (SE)	219	6	273454 197288
74	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 18.0 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13SW (W)	238	6	272970 197364
75	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 76.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13SE (SE)	251	6	273497 197290
76	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 187.6 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A13NW (NW)	275	6	272957 197658

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
77	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 3.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A14SW (SE)	314	6	273573 197291
78	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 10.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A14SW (SE)	314	6	273573 197291
79	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 3.1 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A14SW (SE)	316	6	273574 197288
80	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 6.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A14SW (SE)	319	6	273576 197285
81	**OS Water Network Lines** Watercourse Form: Canal Watercourse Length: 1197.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Tennant Canal Catchment Name: Neath Primacy: 1	A14SW (SE)	322	6	273576 197279
82	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 61.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (NW)	402	6	272984 197844
83	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 143.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8NE (SE)	410	6	273501 197082
84	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 6.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NE (W)	430	6	272774 197650
85	**OS Water Network Lines** Watercourse Form: Tidal river Watercourse Length: 643.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Clydach Catchment Name: Neath Primacy: 1	A8NE (SE)	436	6	273502 197051

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
86	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 56.9 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (NW)	460	6	272977 197904
87	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 122.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8NE (SE)	470	6	273540 197036
88	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 62.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8NE (SE)	470	6	273549 197041
89	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 12.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NW (SE)	479	6	273601 197070
90	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 24.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NW (SE)	480	6	273601 197069
91	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 105.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NE (W)	487	6	272688 197529
92	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 10.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SW (NW)	510	6	272982 197961
93	**OS Water Network Lines** Watercourse Form: Foreshore Watercourse Length: 2.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8NE (SE)	518	6	273475 196945
94	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 67.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8NE (SE)	520	6	273474 196942

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
95	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 44.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NW (SE)	539	6	273601 196995
96	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 330.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Clydach Catchment Name: Neath Primacy: 1	A14NW (E)	546	6	273829 197571
97	**OS Water Network Lines** Watercourse Form: Tidal river Watercourse Length: 35.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Clydach Catchment Name: Neath Primacy: 1	A8NE (S)	551	6	273426 196893
98	**OS Water Network Lines** Watercourse Form: Foreshore Watercourse Length: 13.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Not Supplied Primacy: 1	A8NE (S)	551	6	273428 196893
99	**OS Water Network Lines** Watercourse Form: Tidal river Watercourse Length: 2.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Not Supplied Primacy: 1	A8NE (S)	551	6	273426 196893
100	**OS Water Network Lines** Watercourse Form: Tidal river Watercourse Length: 93.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8NE (SE)	553	6	273489 196912
101	**OS Water Network Lines** Watercourse Form: Foreshore Watercourse Length: 56.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8NE (SE)	554	6	273490 196913
102	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 55.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8NE (SE)	554	6	273543 196939
103	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 16.0 Watercourse Level: Underground Permanent: True Watercourse Name: River Clydach Catchment Name: Neath Primacy: 1	A14SW (E)	569	6	273867 197429

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
104	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 130.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Clydach Catchment Name: Neath Primacy: 1	A14SW (E)	569	6	273867 197429
105	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 88.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NW (SE)	572	6	273605 196956
106	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 10.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NW (SE)	573	6	273600 196951
107	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 25.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NW (SE)	576	6	273594 196943
108	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 62.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18SE (NE)	578	6	273516 198040
109	**OS Water Network Lines** Watercourse Form: Tidal river Watercourse Length: 96.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Nedd Catchment Name: Neath Primacy: 1	A8NE (S)	581	6	273396 196854
110	**OS Water Network Lines** Watercourse Form: Tidal river Watercourse Length: 74.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Nedd Catchment Name: Neath Primacy: 1	A8NE (S)	582	6	273418 196858
111	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 50.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NW (SE)	591	6	273790 197114
112	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 164.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8NW (S)	593	6	273100 196842

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
113	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 83.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NW (SE)	595	6	273680 196985
114	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 25.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NW (SE)	597	6	273618 196934
115	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 11.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NW (SE)	597	6	273618 196934
116	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 9.1 Watercourse Level: Underground Permanent: True Watercourse Name: River Clydach Catchment Name: Neath Primacy: 1	A14SW (E)	598	6	273879 197300
117	**OS Water Network Lines** Watercourse Form: Tidal river Watercourse Length: 39.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Clydach Catchment Name: Neath Primacy: 1	A14SW (E)	598	6	273873 197280
118	**OS Water Network Lines** Watercourse Form: Tidal river Watercourse Length: 20.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Clydach Catchment Name: Neath Primacy: 2	A14SW (E)	600	6	273879 197291
119	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 7.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NW (SE)	606	6	273629 196932
120	**OS Water Network Lines** Watercourse Form: Tidal river Watercourse Length: 28.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Clydach Catchment Name: Neath Primacy: 1	A14SW (E)	607	6	273874 197253
121	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 31.5 Watercourse Level: Underground Permanent: True Watercourse Name: River Clydach Catchment Name: Neath Primacy: 1	A14NW (NE)	610	6	273835 197761

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
122	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 56.9 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A19SW (NE)	611	6	273578 198046
123	**OS Water Network Lines** Watercourse Form: Tidal river Watercourse Length: 13.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Not Supplied Primacy: 1	A8NE (SE)	612	6	273498 196853
124	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 14.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NW (SE)	615	6	273613 196910
125	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 14.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NW (SE)	615	6	273613 196910
126	**OS Water Network Lines** Watercourse Form: Tidal river Watercourse Length: 28.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A14SW (E)	616	6	273891 197275
127	**OS Water Network Lines** Watercourse Form: Tidal river Watercourse Length: 512.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Nedd Catchment Name: Neath Primacy: 1	A8NE (S)	617	6	273489 196844
128	**OS Water Network Lines** Watercourse Form: Tidal river Watercourse Length: 38.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Not Supplied Primacy: 1	A8NE (S)	617	6	273489 196844
129	**OS Water Network Lines** Watercourse Form: Tidal river Watercourse Length: 576.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Afon Nedd Catchment Name: Neath Primacy: 1	A8NE (S)	617	6	273339 196808
130	**OS Water Network Lines** Watercourse Form: Tidal river Watercourse Length: 260.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8NE (S)	617	6	273339 196808

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
131	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 165.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Clydach Catchment Name: Neath Primacy: 1	A14NW (NE)	619	6	273830 197792
132	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 20.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NW (SE)	629	6	273803 197067
133	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 9.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A9NW (SE)	629	6	273807 197072
134	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 12.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NW (SE)	636	6	273663 196920
135	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 73.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A14SE (E)	639	6	273918 197285
136	**OS Water Network Lines** Watercourse Form: Tidal river Watercourse Length: 121.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8NE (SE)	640	6	273526 196834
137	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 26.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A19SW (NE)	643	6	273834 197836
138	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 39.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NW (SE)	646	6	273675 196916
139	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 10.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7NE (SW)	659	6	272898 196851

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
140	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 186.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8SE (S)	663	6	273459 196786
141	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 9.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8NW (SW)	664	6	272904 196842
142	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 140.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8SW (S)	668	6	273081 196769
143	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 17.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A19SW (NE)	668	6	273609 198093
144	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 35.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NW (SE)	677	6	273709 196903
145	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 56.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NW (SE)	677	6	273713 196907
146	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 47.4 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A19SW (NE)	683	6	273625 198101
147	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 180.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Clydach Catchment Name: Neath Primacy: 1	A19SW (NE)	688	6	273805 197956
148	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 3.9 Watercourse Level: Underground Permanent: True Watercourse Name: River Clydach Catchment Name: Neath Primacy: 1	A19SW (NE)	688	6	273805 197956

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
149	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 15.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7NE (SW)	689	6	272895 196817
150	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 18.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NW (SE)	697	6	273698 196870
151	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 30.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NW (SE)	697	6	273698 196870
152	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 140.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7NE (SW)	702	6	272892 196805
153	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 1.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7NE (SW)	702	6	272893 196804
154	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 4.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A14SE (E)	703	6	273990 197323
155	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 6.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A14SE (E)	703	6	273990 197322
156	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 1.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8NW (SW)	704	6	272906 196796
157	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 12.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A14SE (E)	704	6	273993 197331

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
158	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 20.9 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A14SE (E)	705	6	273991 197316
159	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 28.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A14SE (E)	705	6	273993 197325
160	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 62.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8SW (SW)	711	6	272903 196788
161	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 19.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NW (SE)	711	6	273696 196851
162	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 44.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NW (SE)	711	6	273696 196851
163	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 97.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8SE (S)	712	6	273411 196723
164	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 6.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NW (SE)	713	6	273728 196873
165	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 14.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NW (SE)	715	6	273759 196895
166	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 3.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NW (SE)	715	6	273759 196895

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
167	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 4.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NW (SE)	718	6	273759 196892
168	**OS Water Network Lines** Watercourse Form: Tidal river Watercourse Length: 53.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NW (SE)	721	6	273627 196794
169	**OS Water Network Lines** Watercourse Form: Tidal river Watercourse Length: 66.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NW (SE)	721	6	273627 196794
170	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 32.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A19SW (NE)	722	6	273668 198121
171	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 14.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (NW)	723	6	272925 198167
172	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 140.2 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (NW)	723	6	272925 198167
173	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 41.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NW (SE)	728	6	273772 196889
174	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 43.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NW (SE)	728	6	273772 196889
175	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 27.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NW (SE)	729	6	273710 196838

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
176	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 4.6 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (NW)	730	6	272911 198169
177	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 71.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A14SE (E)	730	6	274020 197334
178	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 130.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A14SE (E)	731	6	274020 197332
179	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 3.5 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (NW)	732	6	272905 198170
180	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 1.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (NW)	732	6	272906 198170
181	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 7.5 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (NW)	734	6	272901 198170
182	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 1.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (NW)	734	6	272902 198170
183	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 29.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17NE (NW)	739	6	272893 198172
184	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 51.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Clydach Catchment Name: Neath Primacy: 1	A19SW (NE)	746	6	273708 198123

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
185	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 193.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (N)	747	6	273052 198226
186	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 219.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8SE (S)	750	6	273535 196718
187	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 119.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8SE (S)	750	6	273535 196718
188	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 13.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Clydach Catchment Name: Neath Primacy: 1	A19SW (NE)	752	6	273694 198140
189	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 3.9 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17NE (NW)	755	6	272864 198177
190	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 58.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Clydach Catchment Name: Neath Primacy: 2	A19SW (NE)	756	6	273735 198115
191	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 162.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17NE (NW)	757	6	272860 198178
192	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 140.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8SW (S)	757	6	272945 196719
193	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 8.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NW (SE)	758	6	273784 196859

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
194	**OS Water Network Lines** Watercourse Form: Tidal river Watercourse Length: 150.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A14SE (SE)	762	6	273996 197137
195	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 283.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Clydach Catchment Name: Neath Primacy: 1	A19NW (NE)	764	6	273695 198153
196	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 44.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NW (SE)	764	6	273832 196895
197	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 11.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NW (SE)	768	6	273812 196872
198	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 2.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A9NE (SE)	769	6	273934 197009
199	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 21.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A9NE (SE)	771	6	273937 197010
200	**OS Water Network Lines** Watercourse Form: Foreshore Watercourse Length: 105.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9SW (SE)	771	6	273664 196757
201	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 27.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NW (SE)	774	6	273809 196861
202	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 278.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12NW (W)	778	6	272395 197495

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
203	**OS Water Network Lines** Watercourse Form: Tidal river Watercourse Length: 32.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Not Supplied Primacy: 1	A8SE (S)	778	6	273315 196642
204	**OS Water Network Lines** Watercourse Form: Tidal river Watercourse Length: 0.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Not Supplied Primacy: 2	A8SE (S)	778	6	273315 196642
205	**OS Water Network Lines** Watercourse Form: Tidal river Watercourse Length: 51.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A8SE (S)	779	6	273316 196642
206	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 68.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A14SE (E)	783	6	274078 197373
207	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 88.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NE (SE)	788	6	273958 197010
208	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 94.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NE (SE)	788	6	273958 197010
209	**OS Water Network Lines** Watercourse Form: Foreshore Watercourse Length: 6.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8SE (S)	790	6	273366 196637
210	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 37.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NW (SE)	794	6	273761 196797
211	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 259.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8SE (S)	795	6	273478 196654

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
212	**OS Water Network Lines** Watercourse Form: Tidal river Watercourse Length: 43.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8SE (S)	796	6	273364 196631
213	**OS Water Network Lines** Watercourse Form: Tidal river Watercourse Length: 61.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8SE (S)	796	6	273365 196631
214	**OS Water Network Lines** Watercourse Form: Tidal river Watercourse Length: 1.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Not Supplied Primacy: 1	A8SE (S)	804	6	273298 196615
215	**OS Water Network Lines** Watercourse Form: Tidal river Watercourse Length: 18.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Not Supplied Primacy: 1	A8SE (S)	804	6	273298 196615
216	**OS Water Network Lines** Watercourse Form: Tidal river Watercourse Length: 37.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8SE (S)	805	6	273299 196614
217	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 72.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A14NE (E)	806	6	274093 197571
218	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 15.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7SE (SW)	811	6	272748 196768
219	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 188.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NW (SE)	811	6	273845 196843
220	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 12.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NW (SE)	813	6	273843 196838

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
221	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 3.9 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7SE (SW)	819	6	272732 196769
222	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 21.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7NE (SW)	820	6	272656 196835
223	**OS Water Network Lines** Watercourse Form: Tidal river Watercourse Length: 160.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8SE (S)	820	6	273290 196599
224	**OS Water Network Lines** Watercourse Form: Foreshore Watercourse Length: 71.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8SE (S)	820	6	273290 196599
225	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 156.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A9NE (SE)	821	6	274011 197036
226	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 34.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7SE (SW)	822	6	272729 196768
227	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 89.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8SW (S)	826	6	272945 196645
228	**OS Water Network Lines** Watercourse Form: Tidal river Watercourse Length: 14.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8SE (S)	827	6	273331 196595
229	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 40.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NE (SE)	829	6	273946 196923

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
230	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 10.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A9NE (SE)	830	6	274031 197052
231	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 134.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9SW (SE)	830	6	273787 196770
232	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 43.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NE (SE)	831	6	274034 197058
233	**OS Water Network Lines** Watercourse Form: Tidal river Watercourse Length: 129.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8SE (S)	831	6	273345 196593
234	**OS Water Network Lines** Watercourse Form: Tidal river Watercourse Length: 36.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A9NE (SE)	833	6	274032 197049
235	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 21.3 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A14SE (E)	837	6	274134 197432
236	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 10.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A14SE (E)	837	6	274134 197432
237	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 57.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8SE (S)	837	6	273410 196596
238	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 64.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A14SE (E)	841	6	274139 197441

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
239	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 32.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A14SE (E)	841	6	274139 197441
240	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 133.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8SE (S)	842	6	273446 196597
241	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 20.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A14NE (E)	844	6	274138 197525
242	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 36.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NE (SE)	847	6	273921 196868
243	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 29.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NE (SE)	848	6	273980 196938
244	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 42.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A9NE (SE)	848	6	273980 196938
245	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 5.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NE (SE)	851	6	273946 196891
246	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 5.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NE (SE)	851	6	273946 196891
247	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 2.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NE (SE)	851	6	273950 196895

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
248	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 4.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NE (SE)	855	6	273948 196886
249	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 3.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NE (SE)	855	6	273948 196886
250	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 3.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A14SE (E)	856	6	274098 197137
251	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 10.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NE (SE)	856	6	273969 196911
252	**OS Water Network Lines** Watercourse Form: Lake Watercourse Length: 8.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A14SE (E)	856	6	274098 197137
253	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 25.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NE (SE)	859	6	273952 196885
254	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 145.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9SW (SE)	859	6	273620 196637
255	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 94.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9SW (SE)	859	6	273620 196637
256	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 61.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17NE (NW)	863	6	272808 198270

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
257	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 28.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A9NE (SE)	863	6	273971 196901
258	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 24.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9SW (SE)	863	6	273755 196707
259	**OS Water Network Lines** Watercourse Form: Tidal river Watercourse Length: 1.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NE (SE)	866	6	274065 197039
260	**OS Water Network Lines** Watercourse Form: Tidal river Watercourse Length: 36.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NE (SE)	867	6	274066 197038
261	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 5.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A14SE (E)	872	6	274170 197452
262	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 3.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A14SE (E)	872	6	274170 197450
263	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 8.1 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A14SE (E)	875	6	274173 197454
264	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 8.3 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A14SE (E)	876	6	274174 197452
265	**OS Water Network Lines** Watercourse Form: Marsh Watercourse Length: 91.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A9NE (SE)	879	6	273970 196875

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
266	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 3.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A14SE (E)	882	6	274179 197459
267	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 3.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A14SE (E)	883	6	274180 197457
268	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 7.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9SW (SE)	883	6	273778 196698
269	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 13.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A14SE (E)	885	6	274182 197460
270	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 100.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NE (SE)	886	6	274067 197002
271	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 73.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9SW (SE)	887	6	273785 196698
272	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 6.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8SE (S)	887	6	273270 196531
273	**OS Water Network Lines** Watercourse Form: Marsh Watercourse Length: 56.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A9NE (SE)	888	6	274010 196910
274	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 85.7 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A14NE (E)	893	6	274190 197470

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
275	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 30.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8SE (S)	893	6	273268 196525
276	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 18.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8SE (S)	893	6	273268 196525
277	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 153.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8SE (S)	894	6	273424 196541
278	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 109.7 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17NE (NW)	895	6	272723 198262
279	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 139.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NE (SE)	895	6	274053 196961
280	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 51.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A9NE (SE)	896	6	274026 196919
281	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 50.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NE (SE)	897	6	274058 196966
282	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 44.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (N)	900	6	273122 198400
283	**OS Water Network Lines** Watercourse Form: Tidal river Watercourse Length: 11.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NE (SE)	902	6	274101 197031

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
284	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 128.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (N)	903	6	273127 198403
285	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 7.3 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7SE (S)	906	6	272878 196585
286	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 120.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SW (W)	906	6	272269 197433
287	**OS Water Network Lines** Watercourse Form: Tidal river Watercourse Length: 104.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NE (SE)	906	6	274110 197038
288	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 76.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NE (SE)	909	6	274134 197084
289	**OS Water Network Lines** Watercourse Form: Lake Watercourse Length: 41.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NE (SE)	909	6	274134 197084
290	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 158.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A12SW (W)	910	6	272264 197441
291	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 135.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (N)	911	6	272910 198361
292	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 2.0 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (N)	912	6	273085 198405

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
293	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 19.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (N)	912	6	273051 198396
294	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 25.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (N)	913	6	273083 198405
295	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 75.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7SE (S)	913	6	272873 196580
296	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 110.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (N)	913	6	272957 198376
297	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 36.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8SE (S)	918	6	273250 196499
298	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 17.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8SE (S)	918	6	273250 196499
299	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 96.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (N)	918	6	273040 198399
300	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 114.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17NE (NW)	919	6	272785 198322
301	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 77.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9SW (SE)	920	6	273874 196725

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
302	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 2.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (N)	921	6	272919 198374
303	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 13.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NE (SE)	923	6	274130 197040
304	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 6.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (N)	926	6	273059 198413
305	**OS Water Network Lines** Watercourse Form: Lake Watercourse Length: 2.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NE (SE)	931	6	274142 197049
306	**OS Water Network Lines** Watercourse Form: Lake Watercourse Length: 2.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NE (SE)	931	6	274142 197049
307	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 47.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A9NE (SE)	931	6	274021 196854
308	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 5.6 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (N)	931	6	273054 198417
309	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 41.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NE (SE)	933	6	274144 197048
310	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 7.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NE (SE)	936	6	274077 196923

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
311	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 10.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8SE (S)	938	6	273393 196492
312	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 15.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NE (SE)	941	6	274084 196924
313	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 42.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A14SE (E)	942	6	274190 197141
314	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 20.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A9NE (SE)	942	6	274047 196872
315	**OS Water Network Lines** Watercourse Form: Tidal river Watercourse Length: 19.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8SW (S)	944	6	273196 196474
316	**OS Water Network Lines** Watercourse Form: Tidal river Watercourse Length: 29.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8SW (S)	944	6	273196 196474
317	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 24.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8SE (S)	947	6	273389 196482
318	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 104.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8SE (S)	947	6	273391 196482
319	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 4.6 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NE (N)	947	6	273238 198459

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
320	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 108.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A9SW (SE)	948	6	273855 196674
321	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 162.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NE (N)	949	6	273242 198462
322	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 7.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NE (SE)	953	6	274078 196894
323	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 19.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NE (SE)	953	6	274080 196896
324	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 7.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8SW (S)	955	6	273224 196462
325	**OS Water Network Lines** Watercourse Form: Tidal river Watercourse Length: 20.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8SE (S)	955	6	273368 196471
326	**OS Water Network Lines** Watercourse Form: Tidal river Watercourse Length: 2.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8SE (S)	955	6	273368 196471
327	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 37.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8SW (S)	955	6	273224 196462
328	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 156.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NE (N)	955	6	273240 198468

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
329	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 20.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A9NE (SE)	958	6	274055 196854
330	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 11.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A7SE (SW)	959	6	272780 196573
331	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 34.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A9NE (SE)	961	6	274006 196791
332	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 27.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8SW (S)	961	6	273185 196458
333	**OS Water Network Lines** Watercourse Form: Tidal river Watercourse Length: 10.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8SW (S)	961	6	273219 196457
334	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 75.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A8SE (S)	963	6	273481 196481
335	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 71.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A15NW (E)	964	6	274258 197523
336	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 24.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9SE (SE)	964	6	273971 196751
337	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 23.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NE (SE)	965	6	274110 196921

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
338	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 206.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A18NW (N)	967	6	272989 198437
339	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 30.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A3NW (S)	968	6	273226 196450
340	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 63.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9SE (SE)	969	6	273995 196768
341	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 30.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NE (E)	970	6	274207 197103
342	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 25.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A14SE (E)	970	6	274221 197143
343	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 5.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A9NE (SE)	970	6	274034 196810
344	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 93.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9SE (SE)	970	6	273991 196764
345	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 26.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NE (SE)	975	6	274050 196821
346	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 5.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A3NE (S)	976	6	273374 196451

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
347	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 22.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NE (SE)	977	6	274054 196823
348	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 10.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NE (SE)	978	6	274110 196897
349	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 20.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NE (SE)	978	6	274069 196840
350	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 71.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A3NE (S)	980	6	273377 196446
351	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 76.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A3NE (S)	980	6	273377 196446
352	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 9.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NE (SE)	981	6	274083 196855
353	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 42.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A9NE (SE)	981	6	274083 196855
354	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 8.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NE (E)	986	6	274231 197123
355	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 64.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NE (SE)	986	6	274112 196886

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
356	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 9.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A3NW (S)	988	6	273184 196431
357	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 12.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A3NW (S)	988	6	273187 196431
358	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 78.6 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A17NE (NW)	992	6	272806 198410
359	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 16.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NE (E)	992	6	274235 197116
360	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 23.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A9NE (E)	992	6	274235 197116
361	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 26.5 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 2	A17NE (NW)	992	6	272806 198410
362	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 43.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NE (SE)	993	6	274101 196858
363	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 18.1 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A15NW (E)	994	6	274282 197581
364	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 75.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A3NW (S)	996	6	273234 196421

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
365	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 20.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A3NW (S)	996	6	273234 196421
366	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 17.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A9NE (E)	997	6	274235 197100
367	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 31.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A3NW (S)	997	6	273180 196422
368	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 12.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A3NW (S)	997	6	273183 196422
369	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 185.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Neath Primacy: 1	A15NW (E)	1000	6	274285 197599
	Water Framework Directive - Catchment Class Code: River Catchment WaterBody Name: Clydach - headwaters to conf with River Neath WaterBody ID: GB110058026390 Operational Catchment: Neath Management Catchment: Tawe to Cadoxton Catchment Name: Not Supplied	A13NE (NE)	113	2	273380 197560
	Water Framework Directive - Catchment Class Code: River Catchment WaterBody Name: Crymlyn Brook - HW to conf with Tennant Canal WaterBody ID: GB110059025700 Operational Catchment: Tawe Management Catchment: Tawe to Cadoxton Catchment Name: Not Supplied	A7NW (SW)	995	2	272280 197050
	Water Framework Directive - Groundwater Waterbody Name: Swansea Carboniferous Coal Measures Waterbody ID: GB41002G201000 URL Address: Not Available Overall Rating: Poor Chemical Rating: Poor Quantitative Measure: Good Year: 2023	A13NE (S)	0	2	273240 197469
370	**Water Framework Directive - Surface Waters** Class Code: Canal Waterbody Name: Tennant Canal Waterbody ID: GB71010013 URL Address: Not Supplied Overall Rating: Moderate Chemical Rating: High Classification Year: 2024	A13SE (S)	169	2	273325 197261

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
371	**Water Framework Directive - Surface Waters** Class Code: Transitional Waterbody Name: Neath Estuary Waterbody ID: GB541005800700 URL Address: Not Supplied Overall Rating: Moderate Chemical Rating: High Classification Year: 2024	A8NE (SE)	406	2	273473 197069
	Water Framework Directive - Surface Waters Class Code: River Waterbody Name: Clydach - headwaters to conf with River Neath Waterbody ID: GB110058026390 URL Address: Not Supplied Overall Rating: Not Supplied Chemical Rating: High Classification Year: 2024	A14NW (E)	546	2	273828 197578

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
372	**Historical Landfill Sites** Licence Holder: Not Supplied Location: Neath Abbey, Port Talbot Name: Neath Abbey Refuse Sute Operator Location: Not Supplied Boundary Accuracy: As Supplied Provider Reference: EAHLD34828 First Input Date: Not Supplied Last Input Date: Not Supplied Specified Waste Type: Not Supplied EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: Not Supplied BGS Ref: Not Supplied Other Ref: Not Supplied	A13SE (SE)	155	2	273326 197276
373	**Historical Landfill Sites** Licence Holder: Neath Borough Council Location: Neath, West Glamorgan Name: Neath Abbey Operator Location: Not Supplied Boundary Accuracy: As Supplied Provider Reference: EAHLD14880 First Input Date: 31st December 1980 Last Input Date: 31st December 1980 Specified Waste Type: Deposited Waste included Inert, Industrial, Commercial, Household and Special Waste EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: 6930/0011 BGS Ref: Not Supplied Other Ref: Not Supplied	A14SE (E)	694	2	273970 197267
374	**Licensed Waste Management Facilities (Locations)** Licence Number: 102553 Location: Unit 9, Monastery Business Centre, Monastery Road, Neath Abbey, Neath, SA10 7DW Operator Name: Abbey Salvage Ltd Operator Location: Not Supplied Authority: Natural Resources Wales Site Category: Vehicle depollution facility **Licence Status: Modified** Issued: 7th April 2011 Last Modified: 21st February 2014 Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	A14NW (E)	433	2	273727 197497
374	**Licensed Waste Management Facilities (Locations)** Licence Number: VP3298VM Location: Abbey Salvage Vehicle Depollution Site, Neath Abbey, Neath, West Glamorgan, Neath Port Talbot, SA10 7DW Operator Name: Abbey Salvage Ltd Operator Location: Not Supplied Authority: Natural Resources Wales Site Category: Vehicle depollution facility **Licence Status: Expired** Issued: 7th April 2011 Last Modified: Not Supplied Expires: 19th August 2016 Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	A14NW (E)	433	2	273727 197497

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
375	**Licensed Waste Management Facilities (Locations)** Licence Number: 104887 Location: The Old Forge, Monastry Road, Neath Abbey, Neath, SA10 7DW Operator Name: Rees Jonathan Mark Operator Location: Not Supplied Authority: Natural Resources Wales Site Category: Metal Recycling Site <25000 tps **Licence Status: Issued** Issued: 4th January 2013 Last Modified: Not Supplied Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	A14SW (E)	575	2	273840 197249
375	**Licensed Waste Management Facilities (Locations)** Licence Number: MB3333DG Location: The Old Forge, Monastry Road, Neath Abbey, Neath, West Glamorgan, SA10 7DW Operator Name: Jonathan Mark Rees Operator Location: Not Supplied Authority: Natural Resources Wales Site Category: Metal Recycling Site <25000 tps **Licence Status: Effective** Issued: 4th January 2013 Last Modified: Not Supplied Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	A14SW (E)	575	2	273840 197249
376	**Licensed Waste Management Facilities (Locations)** Licence Number: MB3093HF Location: Neath Abbey Wharf, Skewen, Neath, Neath Port Talb, SA10 6BL Operator Name: Freezeramp Limited Operator Location: Not Supplied Authority: Natural Resources Wales Site Category: Metal Recycling Sites (Vehicle Dismantlers) **Licence Status: Effective** Issued: 8th August 1996 Last Modified: Not Supplied Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	A8SW (S)	812	2	272972 196650
376	**Licensed Waste Management Facilities (Locations)** Licence Number: 34141 Location: Neath Abbey Wharf, Skewen, Neath, SA10 6BL Operator Name: Freezeramp Limited Operator Location: Not Supplied Authority: Natural Resources Wales Site Category: Metal Recycling Sites (Vehicle Dismantlers) **Licence Status: Transferred** Issued: 12th May 1996 Last Modified: Not Supplied Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	A8SW (S)	812	2	272972 196650

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
377	**Licensed Waste Management Facilities (Locations)** Licence Number: 104190 Location: Neath Abbey Wharf, Neath Abbey, Neath, SA10 6BL Operator Name: Derwen Plant Company Ltd Operator Location: Not Supplied Authority: Natural Resources Wales Site Category: Physical Treatment Facilities **Licence Status: Modified** Issued: 20th June 2012 Last Modified: 5th June 2014 Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	A8SW (S)	881	2	273059 196555
378	**Licensed Waste Management Facilities (Locations)** Licence Number: GB3831AM Location: Neath Abbey Wharf, Neath, West Glam, SA10 6BL Operator Name: Derwen Aggregates Ltd Operator Location: Not Supplied Authority: Natural Resources Wales Site Category: Physical Treatment Facilities **Licence Status: Effective** Issued: 19th June 2018 Last Modified: Not Supplied Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	A8SW (S)	895	2	272995 196557
379	**Licensed Waste Management Facilities (Locations)** Licence Number: FP3893SF Location: Recycling and Recovery Facility, Neath Abbey Wharf, Skewen, Neath, Neath Port Talbot, SA10 6BL Operator Name: Derwen Recycling Ltd. Operator Location: Not Supplied Authority: Natural Resources Wales Site Category: Special Waste Transfer Stations **Licence Status: Effective** Issued: 6th August 2018 Last Modified: Not Supplied Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	A8SW (S)	996	2	272945 196466
379	**Licensed Waste Management Facilities (Locations)** Licence Number: FP3893SF Location: Neath Abbey Wharf, Skewen, Neath, SA10 6BL Operator Name: Derwen Recycling Ltd. Operator Location: Not Supplied Authority: Natural Resources Wales Site Category: Physical Treatment Facilities **Licence Status: Effective** Issued: 6th August 2018 Last Modified: Not Supplied Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	A8SW (S)	996	2	272945 196466

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
379	**Licensed Waste Management Facilities (Locations)** Licence Number: FP3893SF Location: Neath Abbey Wharf, Skewen, Neath, SA10 6BL Operator Name: Derwen Recycling Ltd. Operator Location: Not Supplied Authority: Natural Resources Wales Site Category: Household, Commercial And Industrial Transfer Stations **Licence Status: Effective** Issued: 6th August 2018 Last Modified: Not Supplied Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	A8SW (S)	996	2	272945 196466
	Local Authority Landfill Coverage Name: Neath Port Talbot County Borough Council - Has supplied landfill data		0	3	273240 197469
380	**Local Authority Recorded Landfill Sites** Location: Neath Abbey Reference: Not Supplied Authority: Neath Port Talbot County Borough Council, Environmental Health Department **Last Reported Status: Not Supplied** Types of Waste: Not Supplied Date of Closure: Not Supplied Positional Accuracy: Located by supplier to within 100m Boundary Quality: Not Applicable	A14SE (E)	873	3	274150 197250
381	**Potentially Infilled Land (Non-Water)** Bearing Ref: S Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A13SE (S)	72	8	273285 197350
382	**Potentially Infilled Land (Non-Water)** Bearing Ref: NW Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A18SW (NW)	427	8	273041 197895
383	**Potentially Infilled Land (Non-Water)** Bearing Ref: NW Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A17SE (NW)	557	8	272809 197911
384	**Potentially Infilled Land (Non-Water)** Bearing Ref: E Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A14NW (E)	568	8	273846 197595
385	**Potentially Infilled Land (Non-Water)** Bearing Ref: SW Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A12SE (SW)	584	8	272692 197158
386	**Potentially Infilled Land (Non-Water)** Bearing Ref: NW Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A17SE (NW)	594	8	272861 197995
387	**Potentially Infilled Land (Non-Water)** Bearing Ref: SW Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A7NE (SW)	631	8	272872 196901
388	**Potentially Infilled Land (Non-Water)** Bearing Ref: SW Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A7NE (SW)	669	8	272882 196849
389	**Potentially Infilled Land (Non-Water)** Bearing Ref: SW Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A7NE (SW)	727	8	272794 196838
390	**Potentially Infilled Land (Non-Water)** Bearing Ref: SW Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A7NE (SW)	746	8	272757 196843

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
391	**Potentially Infilled Land (Non-Water)** Bearing Ref: N Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A18NW (N)	748	8	273211 198258
392	**Potentially Infilled Land (Non-Water)** Bearing Ref: NE Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A19SW (NE)	763	8	273801 198069
393	**Potentially Infilled Land (Non-Water)** Bearing Ref: NE Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A19NW (NE)	799	8	273733 198170
394	**Potentially Infilled Land (Non-Water)** Bearing Ref: NE Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A19NW (NE)	906	8	273699 198316
395	**Potentially Infilled Land (Non-Water)** Bearing Ref: N Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A18NW (N)	945	8	273204 198455
396	**Potentially Infilled Land (Non-Water)** Bearing Ref: NE Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A19NE (NE)	948	8	273974 198156
397	**Potentially Infilled Land (Non-Water)** Bearing Ref: NW Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A17NE (NW)	982	8	272804 198399
398	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1900	A13SW (SW)	106	8	273121 197385
399	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1884	A13SE (SE)	158	8	273367 197295
400	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1940	A13SE (SE)	259	8	273485 197263
401	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A13NW (NW)	270	8	272985 197683
402	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1940	A18SE (N)	330	8	273256 197842
403	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1884	A14SW (E)	340	8	273627 197357
404	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1884	A12NE (W)	352	8	272826 197553
405	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1900	A13SE (SE)	354	8	273487 197140
406	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A14SW (SE)	370	8	273622 197263
407	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1940	A14SW (E)	381	8	273657 197312
408	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1900	A14SW (E)	384	8	273666 197332
409	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A8NE (SE)	388	8	273443 197073

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
410	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A14SW (SE)	410	8	273669 197267
411	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1884	A14SW (SE)	415	8	273647 197218
412	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1940	A14SW (E)	448	8	273715 197279
413	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A14SW (SE)	509	8	273715 197149
414	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1884	A14SE (E)	636	8	273927 197352
415	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1900	A8SW (S)	764	8	273008 196689
416	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A19SE (NE)	829	8	273939 198013
417	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1940	A7SE (SW)	830	8	272722 196763
418	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A18NW (N)	838	8	273118 198336
419	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A14SE (E)	864	8	274161 197461
420	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A14SE (E)	867	8	274165 197448
421	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1940	A19NW (NE)	888	8	273888 198158
422	**Registered Waste Treatment or Disposal Sites** Licence Holder: M P Gillard Licence Reference: SWW 157L Site Location: Old Crown Works, Neath Abbey Wharf, Skewen, Neath, West Glamorgan Operator Location: As Site Address Authority: Environment Agency Wales, South West Area Site Category: Scrapyard Max Input Rate: Very Small (Less than 10,000 tonnes per year) Waste Source Restrictions: No known restriction on source of waste Licence Status: Operational as far as is knownOperational Dated: 8th August 1996 Preceded By Licence: Not Given Superseded By Licence: Not Given Positional Accuracy: Manually positioned to the address or location Boundary Quality: Not Supplied Authorised Waste: Batteries Max.Stor; Engines Max.Stor; Liquids As Part Of Vehs Max.Stor; Scrap Vehicles Max.Stor; Tyres Max.Stor Prohibited Waste: Elemental Sodium/Potassium; Liquid Waste N.O.S.; Metal In Fine Powder Form; Oil Contam. Metal Swarf; Percussive/Explosive/Similar Waste; Spec.Waste (Epa'90:S62/1996 Regs)N.O.S; Sub'S Control. Radioactive Subs Act'60; Waste N.O.S.; Waste With Flam.Solvent (Except Petrol	A8SW (S)	791	4	273050 196650

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: South Wales Upper Coal Measures Formation	A13NE (S)	0	1	273240 197469
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 25 - 35 mg/kg Cadmium Concentration: 3.0 - 6.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A13NE (N)	0	1	273250 197512
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 35 - 45 mg/kg Cadmium Concentration: 3.0 - 6.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A13NE (S)	0	1	273240 197469
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 45 - 60 mg/kg Cadmium Concentration: 3.0 - 6.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A13NE (NE)	61	1	273290 197575
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 25 - 35 mg/kg Cadmium Concentration: 3.0 - 6.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A13SE (SE)	123	1	273386 197356
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 35 - 45 mg/kg Cadmium Concentration: 3.0 - 6.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A13NE (E)	140	1	273428 197497
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 35 - 45 mg/kg Cadmium Concentration: 3.0 - 6.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A13NW (W)	183	1	272989 197471

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 35 - 45 mg/kg Cadmium Concentration: 3.0 - 6.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 15 - 30 mg/kg	A13NE (E)	211	1	273500 197500
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 45 - 60 mg/kg Cadmium Concentration: 3.0 - 6.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 15 - 30 mg/kg	A13NE (E)	211	1	273500 197500
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 35 - 45 mg/kg Cadmium Concentration: 3.0 - 6.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A13SW (SW)	340	1	272931 197248
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 25 - 35 mg/kg Cadmium Concentration: 3.0 - 6.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 15 - 30 mg/kg	A14NW (E)	343	1	273636 197500
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 25 - 35 mg/kg Cadmium Concentration: 3.0 - 6.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A18SE (NE)	359	1	273416 197844
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 25 - 35 mg/kg Cadmium Concentration: 3.0 - 6.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 30 - 45 mg/kg	A18SE (NE)	378	1	273500 197819

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 35 - 45 mg/kg Cadmium Concentration: 3.0 - 6.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A8NW (SW)	384	1	273042 197085
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 35 - 45 mg/kg Cadmium Concentration: 3.0 - 6.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A18SE (NE)	404	1	273434 197886
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 35 - 45 mg/kg Cadmium Concentration: 3.0 - 6.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 30 - 45 mg/kg	A18SE (NE)	430	1	273500 197882
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 25 - 35 mg/kg Cadmium Concentration: 2.2 - 3.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A8NE (SE)	479	1	273500 197000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 35 - 45 mg/kg Cadmium Concentration: 3.0 - 6.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A8NW (SW)	482	1	272993 197000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 35 - 45 mg/kg Cadmium Concentration: 3.0 - 6.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A18SW (NW)	523	1	273011 197986

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 25 - 35 mg/kg Cadmium Concentration: 3.0 - 6.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A18SW (NW)	543	1	272990 198000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 25 - 35 mg/kg Cadmium Concentration: 3.0 - 6.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A19SW (NE)	586	1	273603 198000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 25 - 35 mg/kg Cadmium Concentration: 3.0 - 6.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 30 - 45 mg/kg	A14NW (E)	598	1	273842 197710
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 45 - 60 mg/kg Cadmium Concentration: 3.0 - 6.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 15 - 30 mg/kg	A14NW (E)	598	1	273842 197710
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 35 - 45 mg/kg Cadmium Concentration: 3.0 - 6.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A17SE (NW)	630	1	272840 198024
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 25 - 35 mg/kg Cadmium Concentration: 3.0 - 6.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 30 - 45 mg/kg	A19SW (NE)	643	1	273829 197843

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 45 - 60 mg/kg Cadmium Concentration: 3.0 - 6.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A19SW (NE)	679	1	273751 198000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 35 - 45 mg/kg Cadmium Concentration: 3.0 - 6.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A17SE (NW)	699	1	272687 197991
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 45 - 60 mg/kg Cadmium Concentration: 3.0 - 6.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A14NE (E)	718	1	274000 197592
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 25 - 35 mg/kg Cadmium Concentration: 3.0 - 6.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A19SW (NE)	738	1	273714 198108
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 25 - 35 mg/kg Cadmium Concentration: 3.0 - 6.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A19SW (NE)	754	1	273734 198114
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 25 - 35 mg/kg Cadmium Concentration: 3.0 - 6.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A14NE (E)	760	1	274000 197749

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: 3.0 - 6.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A14NE (E)	762	1	274042 197603
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 35 - 45 mg/kg Cadmium Concentration: 3.0 - 6.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A7NE (SW)	841	1	272607 196854
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 35 - 45 mg/kg Cadmium Concentration: 3.0 - 6.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A19NW (NE)	860	1	273831 198171
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 35 - 45 mg/kg Cadmium Concentration: 3.0 - 6.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A14NE (E)	888	1	274143 197713
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 35 - 45 mg/kg Cadmium Concentration: 3.0 - 6.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A7SE (SW)	915	1	272800 196612
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 25 - 35 mg/kg Cadmium Concentration: 3.0 - 6.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A7SE (SW)	935	1	272782 196599

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 25 - 35 mg/kg Cadmium Concentration: 3.0 - 6.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A19SE (NE)	959	1	274009 198134
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 35 - 45 mg/kg Cadmium Concentration: >6.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 30 - 45 mg/kg	A23SE (N)	987	1	273240 198500
423	**BGS Recorded Mineral Sites** Site Name: Main Colliery, No. 8 Pit Location: Neath Abbey, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 229858 Type: Underground **Status: Ceased** Operator: Main Colliery Co., Ltd. Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Graigola Coal (South Wales) Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A13SE (S)	131	1	273271 197290
424	**BGS Recorded Mineral Sites** Site Name: East Graigola Slant Location: Neath Abbey, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 229859 Type: Underground **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Member Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A13NW (NW)	139	1	273061 197571
425	**BGS Recorded Mineral Sites** Site Name: Graig Location: Birchgrove, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154120 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A13NW (N)	156	1	273168 197646
426	**BGS Recorded Mineral Sites** Site Name: Main Colliery, No. 7 Pit Location: Neath Abbey, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 229857 Type: Underground **Status: Ceased** Operator: Main Colliery Co., Ltd. Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Graigola Coal (South Wales) Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A13SW (S)	173	1	273174 197256

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
427	**BGS Recorded Mineral Sites** Site Name: Graig Location: Birchgrove, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154092 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A18SW (NW)	336	1	273071 197809
428	**BGS Recorded Mineral Sites** Site Name: Graig Level Location: Neath Abbey, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 229836 Type: Underground **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Member Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A18SW (NW)	407	1	273043 197874
429	**BGS Recorded Mineral Sites** Site Name: Graig Quarries Location: Neath Abbey, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154119 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A18SW (N)	548	1	273174 198051
430	**BGS Recorded Mineral Sites** Site Name: Graig Quarries Location: Neath Abbey, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 229835 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A18SW (N)	555	1	273112 198043
431	**BGS Recorded Mineral Sites** Site Name: Pentre-Ffynnon Location: Skewen, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154105 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Hughes Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A12SE (SW)	590	1	272677 197169
432	**BGS Recorded Mineral Sites** Site Name: Maesmelin Pit Location: Skewen, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 229840 Type: Underground **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Hughes Member Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A17SE (NW)	593	1	272724 197877

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
433	**BGS Recorded Mineral Sites** Site Name: Pentre-Ffynnon Location: Skewen, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154106 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Hughes Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A7NE (SW)	613	1	272875 196920
434	**BGS Recorded Mineral Sites** Site Name: Penshanel Level Location: Skewen, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 229838 Type: Underground **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Member Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A18SW (NW)	618	1	272927 198056
435	**BGS Recorded Mineral Sites** Site Name: Court Herbert Colliery Location: Neath Abbey, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 229862 Type: Underground **Status: Ceased** Operator: Main Colliery Co., Ltd. Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Member Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A14NE (E)	633	1	273928 197501
435	**BGS Recorded Mineral Sites** Site Name: Court Herbert Colliery Location: Neath Abbey, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 229861 Type: Underground **Status: Ceased** Operator: Main Colliery Co., Ltd. Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Member Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A14NE (E)	665	1	273955 197541
436	**BGS Recorded Mineral Sites** Site Name: Maesmelyn Location: Birchgrove, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154091 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A17SE (NW)	642	1	272755 197976
437	**BGS Recorded Mineral Sites** Site Name: Heol-Darw Location: Rhydding, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154089 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A19SW (NE)	667	1	273776 197956

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
438	**BGS Recorded Mineral Sites** Site Name: Pentre-Ffynnon Location: Skewen, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154125 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Hughes Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A7NE (SW)	671	1	272887 196843
439	**BGS Recorded Mineral Sites** Site Name: Maesmelyn Level Location: Skewen, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 229837 Type: Underground **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Graigola Coal (South Wales) Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A17SE (NW)	704	1	272589 197882
440	**BGS Recorded Mineral Sites** Site Name: Main Colliery Level Location: Skewen, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 229841 Type: Underground **Status: Ceased** Operator: Main Colliery Co., Ltd. Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Hughes Coal (South Wales) Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A12NW (W)	711	1	272490 197689
441	**BGS Recorded Mineral Sites** Site Name: Pentre-Ffynnon Location: Skewen, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154107 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Hughes Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A7NE (SW)	714	1	272797 196852
442	**BGS Recorded Mineral Sites** Site Name: Main Colliery No. 3 Pit Location: Skewen, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 188771 Type: Underground **Status: Ceased** Operator: Main Colliery Co., Ltd. Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Hughes Coal (South Wales) Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A12NW (W)	731	1	272490 197750
442	**BGS Recorded Mineral Sites** Site Name: Main Colliery No. 4 Pit Location: Neath, Neath Port Talbot Source: British Geological Survey, National Geoscience Information Service Reference: 188770 Type: Underground **Status: Ceased** Operator: Main Colliery Co., Ltd. Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Hughes Coal (South Wales) Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A12NW (W)	762	1	272452 197735

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
443	**BGS Recorded Mineral Sites** Site Name: Maesmelyn Location: Neath Abbey, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 228794 Type: Opencast **Status: Ceased** Operator: Bater Bros. & Co. (Materials) Ltd. Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A17SE (NW)	737	1	272733 198080
444	**BGS Recorded Mineral Sites** Site Name: Neath Abbey Colliery Location: Neath Abbey, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 229860 Type: Underground **Status: Ceased** Operator: Main Colliery Co., Ltd. Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Five Feet Coal (South Wales) Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A14NE (E)	741	1	274027 197572
445	**BGS Recorded Mineral Sites** Site Name: Maesmelyn Location: Birchgrove, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154121 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A17SW (NW)	775	1	272534 197927
446	**BGS Recorded Mineral Sites** Site Name: Bryn-Clydach Location: Rhydding, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154087 Type: Underground **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Member Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A19SW (NE)	786	1	273806 198095
447	**BGS Recorded Mineral Sites** Site Name: Stanley Pit Drainage Level Location: Neath Abbey, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 229834 Type: Underground **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Four Foot Coal (South Wales) Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A18NW (N)	837	1	273136 198338
448	**BGS Recorded Mineral Sites** Site Name: Maesmelyn Level Location: Moore Town, Skewen, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 229843 Type: Underground **Status: Ceased** Operator: Dynevor Main Colliery Co., Ltd. Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Hughes Member Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A12NW (W)	864	1	272325 197658

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
448	**BGS Recorded Mineral Sites** Site Name: Maesmelyn Level Location: Moore Town, Skewen, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 229844 Type: Underground **Status: Ceased** Operator: Dynevor Main Colliery Co., Ltd. Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Hughes Member Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A12NW (W)	886	1	272311 197695
449	**BGS Recorded Mineral Sites** Site Name: Skewen Main No. 4 Level Location: Skewen, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 229842 Type: Underground **Status: Ceased** Operator: Wm. Prestwich & Sons, Ltd Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Member Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A12NW (W)	884	1	272334 197769
449	**BGS Recorded Mineral Sites** Site Name: Skewen Main No. 4 Level Location: Neath, Neath Port Talbot Source: British Geological Survey, National Geoscience Information Service Reference: 188772 Type: Underground **Status: Ceased** Operator: D. L. Thomas Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Hughes Member Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A12NW (W)	900	1	272311 197748
450	**BGS Recorded Mineral Sites** Site Name: Ty-Llwyd Location: Rhydding, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154085 Type: Underground **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Grovesend Formation Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A19NW (NE)	899	1	273690 198312
451	**BGS Recorded Mineral Sites** Site Name: Court Herbert Quarry Location: Neath Abbey, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154090 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A19SE (E)	937	1	274165 197815
452	**BGS Recorded Mineral Sites** Site Name: Darran Colliery Level Location: Neath Abbey, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 229833 Type: Underground **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Tir Edmond Coal (South Wales) Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A17NE (NW)	942	1	272694 198300

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
453	**BGS Recorded Mineral Sites** Site Name: Bath Pit Location: Neath Abbey, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154082 Type: Underground **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Four Feet Coal (South Wales) Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A18NW (N)	952	1	273193 198461
454	**BGS Recorded Mineral Sites** Site Name: Darran Colliery Level Location: Neath Abbey, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 229832 Type: Underground **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Tir Edmond Coal (South Wales) Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A17NE (NW)	962	1	272728 198342
455	**BGS Recorded Mineral Sites** Site Name: Waun-Ceirch Coal Slant Location: Neath Abbey, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 229863 Type: Underground **Status: Ceased** Operator: Main Colliery Co., Ltd. Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Four Foot Coal (South Wales) Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A19NE (NE)	968	1	274001 198157
456	**BGS Recorded Mineral Sites** Site Name: Brithdir Quarries Location: Moore Town, Skewen, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154093 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A12NW (W)	982	1	272233 197774
457	**BGS Recorded Mineral Sites** Site Name: Darran Colliery Pit Location: Neath Abbey, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154081 Type: Underground **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Member Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A17NE (NW)	995	1	272788 198406

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Measured Urban Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Grid: 273250, 197220 Soil Sample Type: Topsoil Sample Area: Swansea Arsenic Measured Concentration: 199.30 mg/kg Cadmium Measured Concentration: 0.60 mg/kg Chromium Measured Concentration: 57.80 mg/kg Lead Measured Concentration: 251.90 mg/kg Nickel Measured Concentration: 34.10 mg/kg	A13SE (S)	197	1	273250 197220
	BGS Measured Urban Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Grid: 273240, 197740 Soil Sample Type: Topsoil Sample Area: Swansea Arsenic Measured Concentration: 184.00 mg/kg Cadmium Measured Concentration: 3.70 mg/kg Chromium Measured Concentration: 63.70 mg/kg Lead Measured Concentration: 261.30 mg/kg Nickel Measured Concentration: 46.10 mg/kg	A13NE (N)	230	1	273240 197740
	BGS Measured Urban Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Grid: 272780, 197250 Soil Sample Type: Topsoil Sample Area: Swansea Arsenic Measured Concentration: 84.90 mg/kg Cadmium Measured Concentration: 3.50 mg/kg Chromium Measured Concentration: 73.40 mg/kg Lead Measured Concentration: 618.40 mg/kg Nickel Measured Concentration: 76.10 mg/kg	A12SE (SW)	460	1	272780 197250
	BGS Measured Urban Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Grid: 272740, 197740 Soil Sample Type: Topsoil Sample Area: Swansea Arsenic Measured Concentration: 58.30 mg/kg Cadmium Measured Concentration: 1.40 mg/kg Chromium Measured Concentration: 81.70 mg/kg Lead Measured Concentration: 240.40 mg/kg Nickel Measured Concentration: 67.30 mg/kg	A12NE (NW)	500	1	272740 197740
	BGS Measured Urban Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Grid: 273760, 197240 Soil Sample Type: Topsoil Sample Area: Swansea Arsenic Measured Concentration: 109.10 mg/kg Cadmium Measured Concentration: 3.00 mg/kg Chromium Measured Concentration: 71.00 mg/kg Lead Measured Concentration: 510.30 mg/kg Nickel Measured Concentration: 60.80 mg/kg	A14SW (SE)	504	1	273760 197240

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Measured Urban Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Grid: 273740, 197720 Soil Sample Type: Topsoil Sample Area: Swansea Arsenic Measured Concentration: 170.20 mg/kg Cadmium Measured Concentration: 3.60 mg/kg Chromium Measured Concentration: 86.10 mg/kg Lead Measured Concentration: 673.30 mg/kg Nickel Measured Concentration: 81.50 mg/kg	A14NW (NE)	507	1	273740 197720
	BGS Measured Urban Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Grid: 273240, 196750 Soil Sample Type: Topsoil Sample Area: Swansea Arsenic Measured Concentration: 27.50 mg/kg Cadmium Measured Concentration: 0.90 mg/kg Chromium Measured Concentration: 219.10 mg/kg Lead Measured Concentration: 119.40 mg/kg Nickel Measured Concentration: 50.10 mg/kg	A8SE (S)	667	1	273240 196750
	BGS Measured Urban Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Grid: 273230, 198260 Soil Sample Type: Topsoil Sample Area: Swansea Arsenic Measured Concentration: 29.60 mg/kg Cadmium Measured Concentration: 1.00 mg/kg Chromium Measured Concentration: 69.10 mg/kg Lead Measured Concentration: 82.70 mg/kg Nickel Measured Concentration: 30.10 mg/kg	A18NW (N)	748	1	273230 198260
	BGS Measured Urban Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Grid: 272780, 196710 Soil Sample Type: Topsoil Sample Area: Swansea Arsenic Measured Concentration: 83.60 mg/kg Cadmium Measured Concentration: 1.50 mg/kg Chromium Measured Concentration: 51.00 mg/kg Lead Measured Concentration: 157.80 mg/kg Nickel Measured Concentration: 33.70 mg/kg	A7SE (SW)	841	1	272780 196710
	BGS Measured Urban Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Grid: 272750, 198250 Soil Sample Type: Topsoil Sample Area: Swansea Arsenic Measured Concentration: 427.70 mg/kg Cadmium Measured Concentration: 0.40 mg/kg Chromium Measured Concentration: 61.50 mg/kg Lead Measured Concentration: 431.10 mg/kg Nickel Measured Concentration: 61.20 mg/kg	A17NE (NW)	871	1	272750 198250

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Measured Urban Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Grid: 273760, 198270 Soil Sample Type: Topsoil Sample Area: Swansea Arsenic Measured Concentration: 71.80 mg/kg Cadmium Measured Concentration: 1.60 mg/kg Chromium Measured Concentration: 55.30 mg/kg Lead Measured Concentration: 270.70 mg/kg Nickel Measured Concentration: 34.70 mg/kg	A19NW (NE)	897	1	273760 198270
	BGS Measured Urban Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Grid: 272270, 197240 Soil Sample Type: Topsoil Sample Area: Swansea Arsenic Measured Concentration: 55.00 mg/kg Cadmium Measured Concentration: 3.00 mg/kg Chromium Measured Concentration: 76.80 mg/kg Lead Measured Concentration: 407.20 mg/kg Nickel Measured Concentration: 62.40 mg/kg	A12SW (W)	936	1	272270 197240
	BGS Measured Urban Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Grid: 273710, 196580 Soil Sample Type: Topsoil Sample Area: Swansea Arsenic Measured Concentration: 95.80 mg/kg Cadmium Measured Concentration: 0.70 mg/kg Chromium Measured Concentration: 96.80 mg/kg Lead Measured Concentration: 277.90 mg/kg Nickel Measured Concentration: 75.20 mg/kg	A9SW (SE)	949	1	273710 196580
	BGS Measured Urban Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Grid: 272240, 197750 Soil Sample Type: Topsoil Sample Area: Swansea Arsenic Measured Concentration: 59.90 mg/kg Cadmium Measured Concentration: 2.50 mg/kg Chromium Measured Concentration: 87.40 mg/kg Lead Measured Concentration: 150.00 mg/kg Nickel Measured Concentration: 56.20 mg/kg	A12NW (W)	969	1	272240 197750
	BGS Measured Urban Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Grid: 274250, 197230 Soil Sample Type: Topsoil Sample Area: Swansea Arsenic Measured Concentration: 56.80 mg/kg Cadmium Measured Concentration: 1.80 mg/kg Chromium Measured Concentration: 47.70 mg/kg Lead Measured Concentration: 135.40 mg/kg Nickel Measured Concentration: 324.20 mg/kg	A15SW (E)	975	1	274250 197230

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Urban Soil Chemistry Averages Source: British Geological Survey, National Geoscience Information Service Sample Area: Swansea Count Id: 368 Arsenic Minimum Concentration: 8.00 mg/kg Arsenic Average Concentration: 79.00 mg/kg Arsenic Maximum Concentration: 2161.00 mg/kg Cadmium Minimum Concentration: 0.10 mg/kg Cadmium Average Concentration: 2.90 mg/kg Cadmium Maximum Concentration: 61.90 mg/kg Chromium Minimum Concentration: 13.00 mg/kg Chromium Average Concentration: 72.00 mg/kg Chromium Maximum Concentration: 562.00 mg/kg Lead Minimum Concentration: 23.00 mg/kg Lead Average Concentration: 413.00 mg/kg Lead Maximum Concentration: 10000.00 mg/kg Nickel Minimum Concentration: 8.00 mg/kg Nickel Average Concentration: 52.00 mg/kg Nickel Maximum Concentration: 384.00 mg/kg	A13NE (S)	0	1	273240 197469
	Coal Mining Affected Areas Description: In an area which may be affected by coal mining activity. It is recommended that a coal mining report is obtained from the Coal Authority. Contact details are included in the Useful Contacts section of this report.	A13NE (S)	0	7	273240 197469
	Mining Instability Mining Evidence: Inconclusive Coal Mining Source: Ove Arup & Partners Boundary Quality: As Supplied	A13NE (S)	0	8	273240 197469
	Natural Cavities Easting: 272300 Northing: 197800 Distance: 927 Quadrant Reference: A12 Quadrant Reference: NW Bearing Ref: W Cavity Type: Unknown x 1 Solid Geology Detail: Millstone Grit Group Superficial Geology Detail: No Details	A12NW (W)	927	8	272300 197800
	Non Coal Mining Areas of Great Britain No Hazard				
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A13NE (S)	0	1	273240 197469
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13SE (SE)	143	1	273381 197325
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13NE (S)	0	1	273240 197469
	Potential for Compressible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A13SE (SE)	115	1	273331 197322
	Potential for Compressible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A13SE (SE)	178	1	273338 197256
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13NE (S)	0	1	273240 197469

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A13NE (S)	0	1	273240 197469
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A13NE (S)	0	1	273240 197468
	Potential for Landslide Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	A13NW (NW)	0	1	273232 197488
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A13SE (SE)	52	1	273327 197398
	Potential for Landslide Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	A13NE (E)	89	1	273373 197501
	Potential for Landslide Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	A13NW (NW)	106	1	273098 197564
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A13SE (S)	135	1	273239 197282
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13NE (N)	0	1	273252 197517
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A13NE (S)	0	1	273240 197469
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13SE (SE)	156	1	273326 197276
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13NE (N)	0	1	273252 197517
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A13NE (S)	0	1	273240 197469
	Radon Potential - Radon Affected Areas Affected Area: The property is in an Intermediate probability radon area (1 to 3% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	A13NE (N)	0	1	273240 197500
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	A13NE (S)	0	1	273240 197469
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	A13NE (N)	0	1	273240 197500
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	A13NE (S)	0	1	273240 197469

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
458	**Contemporary Trade Directory Entries** Name: Janela Shutters & Blinds Location: 20a St Johns Terrace, Neath Abbey, Neath, West Glamorgan, SA10 7NA Classification: Blinds, Awnings & Canopies **Status: Active** Positional Accuracy: Automatically positioned to the address	A13SW (S)	31	8	273232 197388
458	**Contemporary Trade Directory Entries** Name: Damp Guard Location: 21, St. Johns Terrace, Neath Abbey, Neath, West Glamorgan, SA10 7NA Classification: Damp & Dry Rot Control **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A13SW (S)	37	8	273217 197385
458	**Contemporary Trade Directory Entries** Name: Uk Mobility Ltd Location: Brookside House, Old Road, Skewen, Neath, West Glamorgan, SA10 7LT Classification: Disability Equipment - Manufacturers & Suppliers **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A13SW (S)	75	8	273213 197347
458	**Contemporary Trade Directory Entries** Name: B & M Autocare Location: Unit 1, Brookside House, Old Road, Skewen, SA10 7LT Classification: Car Breakdown & Recovery Services **Status: Active** Positional Accuracy: Automatically positioned to the address	A13SW (S)	85	8	273194 197343
459	**Contemporary Trade Directory Entries** Name: Kyle Evans Ltd Location: Whitegates Yard, Drummau Road, Skewen, Neath, SA10 6NU Classification: Refrigeration Equipment - Commercial **Status: Active** Positional Accuracy: Automatically positioned to the address	A13SW (W)	60	8	273143 197430
459	**Contemporary Trade Directory Entries** Name: G P Auto Centre Location: GP Auto Centre, Drummau Road, Neath Abbey, SA10 6NU Classification: Car Dealers - Used **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A13SW (W)	60	8	273143 197430
460	**Contemporary Trade Directory Entries** Name: Swan Fix (Uk) Ltd Location: Brookside House, Old Road, Skewen, Neath, West Glamorgan, SA10 7LT Classification: Window Frame Manufacturers **Status: Inactive** Positional Accuracy: Automatically positioned in the proximity of the address	A13SE (S)	68	8	273266 197353
460	**Contemporary Trade Directory Entries** Name: Brookside Autos Location: Old Rd, Skewen, Neath, West Glamorgan, SA10 7LT Classification: Tyre Dealers **Status: Inactive** Positional Accuracy: Manually positioned to the road within the address or location	A13SE (SE)	71	8	273300 197356
460	**Contemporary Trade Directory Entries** Name: Dragon Autos Location: Old Rd, Skewen, Neath, West Glamorgan, SA10 7LT Classification: Garage Services **Status: Inactive** Positional Accuracy: Manually positioned to the road within the address or location	A13SE (S)	81	8	273244 197336
460	**Contemporary Trade Directory Entries** Name: Abbey Services Location: Security House, Old Road, Skewen, Neath, West Glamorgan, SA10 7LT Classification: Mot Testing Centres **Status: Inactive** Positional Accuracy: Manually positioned to an adjacent address or location	A13SE (SE)	85	8	273309 197345
461	**Contemporary Trade Directory Entries** Name: Llanelec Precision Engineering Co Ltd Location: Jenkins Road, Skewen, Neath, West Glamorgan, SA10 7GA Classification: Precision Engineers **Status: Active** Positional Accuracy: Automatically positioned to the address	A13SW (S)	135	8	273205 197287
461	**Contemporary Trade Directory Entries** Name: G & L Staircases Location: JENKINS ROAD, SKEWEN, SA10 7GA Classification: Staircase, Balustrade & Handrail Manufacturers **Status: Active** Positional Accuracy: Automatically positioned to the address	A13SW (S)	135	8	273205 197287

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
462	**Contemporary Trade Directory Entries** Name: Ace Minimix Location: Croakes Yard, Neath Abbey, Neath, West Glamorgan, SA10 7DR Classification: Concrete & Mortar Ready Mixed **Status: Inactive** Positional Accuracy: Manually positioned within the geographical locality	A13SE (S)	206	8	273338 197226
463	**Contemporary Trade Directory Entries** Name: Swans Blinds Location: Niberian House, Neath Abbey Business Park, Neath Abbey, Neath, West Glamorgan, SA10 7DR Classification: Blinds, Awnings & Canopies **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A13SE (SE)	219	8	273473 197309
464	**Contemporary Trade Directory Entries** Name: Skewen Press Location: New Road, Skewen, Neath, West Glamorgan, SA10 6UU Classification: Printers **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A13SW (W)	232	8	272979 197362
465	**Contemporary Trade Directory Entries** Name: Randall & Daniels (Electrical) Ltd Location: Neath Abbey Business Park, Neath Abbey, Neath, West Glamorgan, SA10 7DR Classification: Under Floor Heating **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A13SE (E)	248	8	273529 197350
466	**Contemporary Trade Directory Entries** Name: Enterprise Tyres & Exhausts Location: Unit 36-37, Neath Abbey Business Park, Neath Abbey, Neath, SA10 7DR Classification: Tyre Dealers **Status: Active** Positional Accuracy: Automatically positioned to the address	A13SE (S)	277	8	273321 197149
466	**Contemporary Trade Directory Entries** Name: Att Engineering Ltd Location: Neath Abbey Business Park, Neath Abbey, Neath, West Glamorgan, SA10 7DR Classification: Tool Design, Manufacturers & Makers **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A13SE (S)	278	8	273320 197148
466	**Contemporary Trade Directory Entries** Name: Silver Seal Glass & Glazing Co Ltd Location: Unit 35, Neath Abbey Business Park, Neath Abbey, Neath, SA10 7DR Classification: Mirrors & Decorative Glass **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A13SE (S)	293	8	273335 197135
466	**Contemporary Trade Directory Entries** Name: Rainbow Blinds Interior Specialists Ltd Location: Unit 33, Neath Abbey Business Park, Neath Abbey, Neath, West Glamorgan, SA10 7DR Classification: Blinds, Awnings & Canopies **Status: Active** Positional Accuracy: Automatically positioned to the address	A8NE (S)	314	8	273349 197117
467	**Contemporary Trade Directory Entries** Name: Grime Busters Location: 25, Old Road, Skewen, Neath, West Glamorgan, SA10 6AF Classification: Carpet, Curtain & Upholstery Cleaners **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A13SW (SW)	285	8	272977 197279
468	**Contemporary Trade Directory Entries** Name: J R Body Worx Location: OLD ROAD, SKEWEN, SA10 7NF Classification: Car Body Repairs **Status: Active** Positional Accuracy: Automatically positioned to the address	A14SW (E)	289	8	273587 197453
468	**Contemporary Trade Directory Entries** Name: Old Road Garage Location: Old Road, Neath Abbey, Neath, West Glamorgan, SA10 7NF Classification: Crane Hire, Sales & Service **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A14SW (E)	289	8	273587 197453

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
469	**Contemporary Trade Directory Entries** Name: R & D Ventilation Systems Location: Unit 26, Neath Abbey Business Park, Neath Abbey, Neath, SA10 7DR Classification: Air Conditioning Equipment & Systems **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A8NE (S)	309	8	273299 197114
469	**Contemporary Trade Directory Entries** Name: Glamorgan Press Location: Unit 27, Neath Abbey Business Park, Neath Abbey, Neath, West Glamorgan, SA10 7DR Classification: Printers **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A8NE (S)	317	8	273303 197106
469	**Contemporary Trade Directory Entries** Name: Ken Thorne Location: Neath Abbey Business Park, Neath Abbey, Neath, West Glamorgan, SA10 7DR Classification: Car Dealers **Status: Inactive** Positional Accuracy: Automatically positioned in the proximity of the address	A8NE (S)	333	8	273313 197092
469	**Contemporary Trade Directory Entries** Name: Mechwind Services Ltd Location: Unit 24-25, Neath Abbey Business Park, Neath Abbey, Neath, SA10 7DR Classification: Electrical Engineers **Status: Active** Positional Accuracy: Automatically positioned to the address	A8NE (S)	340	8	273297 197082
469	**Contemporary Trade Directory Entries** Name: R & R Automation Location: Unit 30, Neath Abbey Business Park, Neath Abbey, Neath, West Glamorgan, SA10 7DR Classification: Automation Systems & Equipment **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A8NE (S)	343	8	273325 197083
469	**Contemporary Trade Directory Entries** Name: R & R Automation Location: Unit 30, Neath Abbey Business Park, Neath Abbey, Neath, West Glamorgan, SA10 7DR Classification: Control Panel Manufacturers **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A8NE (S)	343	8	273325 197083
469	**Contemporary Trade Directory Entries** Name: Diamond Precision Engineering Ltd Location: Unit 22/23, Neath Abbey Business Park, Neath Abbey, Neath, West Glamorgan, SA10 7DR Classification: Precision Engineers **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A8NE (S)	354	8	273312 197070
469	**Contemporary Trade Directory Entries** Name: Celtic Heritage Kitchens Location: Unit 31-32, Neath Abbey Business Park, Neath Abbey, Neath, West Glamorgan, SA10 7DR Classification: Kitchen Furniture Manufacturers **Status: Active** Positional Accuracy: Automatically positioned to the address	A8NE (S)	356	8	273335 197072
469	**Contemporary Trade Directory Entries** Name: G P Hydraulics Location: Unit 21, Neath Abbey Business Park, Neath Abbey, Neath, West Glamorgan, SA10 7DR Classification: Hydraulic Engineers **Status: Active** Positional Accuracy: Automatically positioned to the address	A8NE (S)	365	8	273321 197060
470	**Contemporary Trade Directory Entries** Name: Grove Autocare Ltd Location: Nidum House,Nidum Works, Neath Abbey, Neath, West Glamorgan, SA10 7DR Classification: Car Washing & Polishing Equipment & Supplies **Status: Inactive** Positional Accuracy: Manually positioned to the address or location	A14SW (E)	324	8	273609 197351

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
471	**Contemporary Trade Directory Entries** Name: Enterprise Print Location: New Rd, Skewen, Neath, West Glamorgan, SA10 6UU Classification: Printers **Status: Inactive** Positional Accuracy: Manually positioned to the road within the address or location	A12SE (W)	332	8	272852 197404
472	**Contemporary Trade Directory Entries** Name: Trade Centre Wales Location: NEATH ABBEY, SA10 7DR Classification: Car Dealers - Used **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A13SE (SE)	346	8	273515 197172
472	**Contemporary Trade Directory Entries** Name: Trade Centre Wales Location: Euro Centre, Neath Abbey Business Park, Neath Abbey, Neath, West Glamorgan, SA10 7DR Classification: Car Dealers - Used **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A13SE (SE)	347	8	273531 197184
473	**Contemporary Trade Directory Entries** Name: Neath Abbey Motor Body Repairs Location: Monastery Road, Neath, West Glamorgan, SA10 7DH Classification: Car Body Repairs **Status: Active** Positional Accuracy: Automatically positioned to the address	A14SW (E)	360	8	273652 197379
473	**Contemporary Trade Directory Entries** Name: King David Location: Monastery Road, Neath, West Glamorgan, SA10 7DH Classification: Tyre Dealers **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A14SW (E)	360	8	273652 197379
473	**Contemporary Trade Directory Entries** Name: Design Forge Location: Monastery Road, Neath, West Glamorgan, SA10 7DH Classification: Wrought Ironwork **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A14SW (E)	360	8	273652 197379
474	**Contemporary Trade Directory Entries** Name: M P Gillard Location: Access Road To Wharf, Skewen, Neath, West Glamorgan, SA10 7GA Classification: Car Breakers & Dismantlers **Status: Inactive** Positional Accuracy: Manually positioned within the geographical locality	A13SW (SW)	370	8	272924 197209
475	**Contemporary Trade Directory Entries** Name: Hilbar Autos Ltd Location: Unit 12, Neath Abbey Business Park, Neath Abbey, Neath, SA10 7DR Classification: Garage Services **Status: Active** Positional Accuracy: Automatically positioned to the address	A8NE (S)	384	8	273261 197034
475	**Contemporary Trade Directory Entries** Name: Automation Control Solutions Location: Unit 14, Neath Abbey Business Park, Neath Abbey, Neath, West Glamorgan, SA10 7DR Classification: Automation Systems & Equipment **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A8NW (S)	386	8	273209 197033
475	**Contemporary Trade Directory Entries** Name: C M B Engineering Location: Unit 17-18, Neath Abbey Business Park, Neath Abbey, Neath, SA10 7DR Classification: Mechanical Engineers **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A8NE (S)	392	8	273267 197026
475	**Contemporary Trade Directory Entries** Name: R G Location: Unit 17/18, Neath Abbey Business Park, Neath Abbey, Neath, West Glamorgan, SA10 7DR Classification: Tool Design, Manufacturers & Makers **Status: Inactive** Positional Accuracy: Manually positioned to the address or location	A8NE (S)	394	8	273267 197024

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
475	**Contemporary Trade Directory Entries** Name: Skewen Services Location: Neath Abbey Business Pk, Neath Abbey, Neath, West Glamorgan, SA10 7DR Classification: Petrol Filling Stations **Status: Inactive** Positional Accuracy: Manually positioned within the geographical locality	A8NE (S)	407	8	273247 197010
475	**Contemporary Trade Directory Entries** Name: Cimla Forge Location: Unit 13, Neath Abbey Business Park, Neath Abbey, Neath, SA10 7DR Classification: Wrought Ironwork **Status: Active** Positional Accuracy: Automatically positioned to the address	A8NE (S)	419	8	273261 196999
476	**Contemporary Trade Directory Entries** Name: Celtic Trailers Ltd Location: 25, New Road, Skewen, Neath, West Glamorgan, SA10 6UT Classification: Trailers & Towing Equipment **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A12SE (W)	393	8	272784 197427
477	**Contemporary Trade Directory Entries** Name: J & R Aqua Designs Location: Reaf Of G M F, Neath Abbey, Neath, West Glamorgan, SA10 7NH Classification: Wheel Manufacturers **Status: Inactive** Positional Accuracy: Manually positioned within the geographical locality	A14NW (E)	408	8	273690 197553
478	**Contemporary Trade Directory Entries** Name: Janiserve Ltd Location: 1b, Cardonnel Road, Neath, West Glamorgan, SA10 6DE Classification: Commercial Cleaning Services **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A12SE (SW)	438	8	272847 197195
478	**Contemporary Trade Directory Entries** Name: V I P Bin Cleaning Location: 2, QUEENS ROAD, SKEWEN, NEATH, SA10 6UH Classification: Hygiene & Cleansing Services **Status: Active** Positional Accuracy: Automatically positioned to the address	A12SE (SW)	452	8	272810 197219
479	**Contemporary Trade Directory Entries** Name: Neath Garage Transport & Haulage Co Ltd Location: Castle Garage,The Croft, Neath Abbey, Neath, West Glamorgan, SA10 7NW Classification: Garage Services **Status: Inactive** Positional Accuracy: Manually positioned to the address or location	A14NW (NE)	439	8	273692 197658
479	**Contemporary Trade Directory Entries** Name: Glamorgan Services Ltd Location: Rockfield, Longford Road, Neath Abbey, Neath, West Glamorgan, SA10 7HQ Classification: Commercial Vehicle Servicing, Repairs, Parts & Accessories **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A14NW (NE)	474	8	273716 197695
479	**Contemporary Trade Directory Entries** Name: Herbert Crane & Truck Hydraulics Location: Rockfield, Longford Road, Neath Abbey, Neath, West Glamorgan, SA10 7HQ Classification: Hydraulic Engineers **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A14NW (NE)	474	8	273716 197695
480	**Contemporary Trade Directory Entries** Name: P N A Joinery Location: Unit 1, Neath Abbey Business Park, Neath Abbey, Neath, West Glamorgan, SA10 7DR Classification: Staircase, Balustrade & Handrail Manufacturers **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A8NW (S)	446	8	273181 196975
480	**Contemporary Trade Directory Entries** Name: Blakes Supplies Location: Unit 11, Neath Abbey Business Park, Neath Abbey, NEATH, West Glamorgan, SA10 7DR Classification: Cleaning Materials & Equipment **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A8NW (S)	446	8	273230 196971

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
480	**Contemporary Trade Directory Entries** Name: Blakes Location: Unit 11, Neath Abbey Business Park, Neath Abbey, Neath, West Glamorgan, SA10 7DR Classification: Cleaning Materials & Equipment **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A8NW (S)	446	8	273230 196971
480	**Contemporary Trade Directory Entries** Name: Cleanlink Location: Unit 11, Neath Abbey Business Park, Neath Abbey, Neath, West Glamorgan, SA10 7DR Classification: Cleaning Materials & Equipment **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A8NW (S)	446	8	273230 196971
480	**Contemporary Trade Directory Entries** Name: Aspen Location: Unit 10, Neath Abbey Business Park, Neath Abbey, Neath, West Glamorgan, SA10 7DR Classification: Fencing Manufacturers **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A8NW (S)	451	8	273222 196966
480	**Contemporary Trade Directory Entries** Name: Vent Shop Ltd Location: Unit 10, Neath Abbey Business Park, Neath Abbey, Neath, West Glamorgan, SA10 7DR Classification: Ventilators & Ventilation Systems **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A8NW (S)	451	8	273222 196966
480	**Contemporary Trade Directory Entries** Name: Dragon Heat Transfer Location: Unit 7-8, Neath Abbey Business Park, Neath Abbey, Neath, West Glamorgan, SA10 7DR Classification: Heating Services - Industrial and Commercial **Status: Inactive** Positional Accuracy: Manually positioned to the address or location	A8NW (S)	474	8	273202 196945
481	**Contemporary Trade Directory Entries** Name: Monastery Motors Location: Monastery Road, Neath, SA10 7DH Classification: Mot Testing Centres **Status: Active** Positional Accuracy: Automatically positioned to the address	A14SW (E)	471	8	273750 197309
482	**Contemporary Trade Directory Entries** Name: On The Move Location: New Rd, Neath Abbey, Neath, West Glamorgan, SA10 7DG Classification: Garage Services **Status: Inactive** Positional Accuracy: Manually positioned to the road within the address or location	A14NW (E)	481	8	273752 197604
483	**Contemporary Trade Directory Entries** Name: Sorokin Joinery & Glazing Ltd Location: Unit 9, Monastery Road, Neath, SA10 7DH Classification: Joinery Manufacturers **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A14NW (E)	497	8	273793 197486
483	**Contemporary Trade Directory Entries** Name: Psp Fabrications Location: Monastery Road, Neath, SA10 7DH Classification: Sheet Metal Work **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A14NW (E)	497	8	273793 197486
484	**Contemporary Trade Directory Entries** Name: Day View Cars Location: 33, High Street, Skewen, Neath, West Glamorgan, SA10 6NB Classification: Car Dealers - Used **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A12SE (W)	525	8	272660 197376
485	**Contemporary Trade Directory Entries** Name: Karcher (Uk) Ltd Location: 31, Goshen Park, Skewen, Neath, West Glamorgan, SA10 6PT Classification: Cleaning Materials & Equipment **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A17SE (NW)	527	8	272803 197865

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
486	**Contemporary Trade Directory Entries** Name: J-Tech Motors Location: 52, Old Road, Skewen, Neath, West Glamorgan, SA10 6LS Classification: Mechanical Engineers **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A12SE (SW)	562	8	272682 197216
486	**Contemporary Trade Directory Entries** Name: Skewen Accident Repair Centre Location: 89, Old Road, Skewen, Neath, West Glamorgan, SA10 6LR Classification: Car Body Repairs **Status: Active** Positional Accuracy: Automatically positioned to the address	A12SE (SW)	601	8	272651 197190
486	**Contemporary Trade Directory Entries** Name: K D Motors Location: 89, Old Road, Skewen, Neath, West Glamorgan, SA10 6LR Classification: Garage Services **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A12SE (SW)	601	8	272651 197190
486	**Contemporary Trade Directory Entries** Name: Mister Window Co Location: Unit 2, 89, Old Road, Skewen, Neath, West Glamorgan, SA10 6LR Classification: Window Frame Manufacturers **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A12SE (SW)	603	8	272649 197191
487	**Contemporary Trade Directory Entries** Name: Mike Haller Aggregates Location: 16, Bosworth Road, Neath, West Glamorgan, SA10 6BU Classification: Quarries **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A7NE (SW)	580	8	272795 197036
488	**Contemporary Trade Directory Entries** Name: Auto Electrical Services Location: Picton Road Garage, Picton Road, Skewen, Neath, West Glamorgan, SA10 6UN Classification: Mot Testing Centres **Status: Active** Positional Accuracy: Automatically positioned to the address	A12SE (W)	585	8	272589 197455
488	**Contemporary Trade Directory Entries** Name: Skewen Motor Services Ltd Location: Picton Rd, Neath, West Glamorgan, SA10 6UN Classification: Garage Services **Status: Inactive** Positional Accuracy: Manually positioned to the road within the address or location	A12NE (W)	600	8	272573 197477
488	**Contemporary Trade Directory Entries** Name: G A Hopkins Location: Picton Rd, Neath, West Glamorgan, SA10 6UN Classification: Car Dealers - Used **Status: Inactive** Positional Accuracy: Manually positioned to the road within the address or location	A12NE (W)	601	8	272572 197470
489	**Contemporary Trade Directory Entries** Name: T H Williams Location: Neath Abbey, Neath, West Glamorgan, SA10 7LE Classification: Car Dealers - Used **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A14NW (E)	590	8	273851 197652
489	**Contemporary Trade Directory Entries** Name: T H Williams Car Sales Location: Riverside Works, Main Road, Neath Abbey, NEATH, West Glamorgan, SA10 7DG Classification: Car Dealers - Used **Status: Active** Positional Accuracy: Automatically positioned to the address	A14NW (E)	590	8	273851 197652
490	**Contemporary Trade Directory Entries** Name: Skewen Body Repairs Location: Unit 1, Old Road, Skewen, SA10 6LR Classification: Car Body Repairs **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A12SE (SW)	609	8	272673 197141

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
491	**Contemporary Trade Directory Entries** Name: U Wash I Dry Launderette Service Location: 47, Burrows Road, Skewen, Neath, SA10 6AB Classification: Dry Cleaners **Status: Active** Positional Accuracy: Automatically positioned to the address	A7NE (SW)	612	8	272720 197076
491	**Contemporary Trade Directory Entries** Name: Richards Coal Merchants Ltd Location: 1, Bosworth Road, Neath, West Glamorgan, SA10 6BU Classification: Coal & Smokeless Fuel Merchants & Distributors **Status: Active** Positional Accuracy: Automatically positioned to the address	A7NE (SW)	614	8	272742 197045
492	**Contemporary Trade Directory Entries** Name: West Wales Print Ltd Location: 63, New Road, Skewen, Neath, West Glamorgan, SA10 6HA Classification: T-Shirts **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A12SW (W)	637	8	272538 197429
493	**Contemporary Trade Directory Entries** Name: Day'S Location: Neath Abbey Road, Neath, West Glamorgan, SA10 7DF Classification: Car Dealers **Status: Active** Positional Accuracy: Manually positioned within the geographical locality	A14NE (E)	708	8	273982 197623
494	**Contemporary Trade Directory Entries** Name: Leo Optical Frames Location: 187, New Road, Skewen, Neath, West Glamorgan, SA10 6HD Classification: Optical Goods - Manufacturers **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A12SW (W)	711	8	272469 197384
494	**Contemporary Trade Directory Entries** Name: Skewen Launderette Location: 79, New Road, Skewen, Neath, West Glamorgan, SA10 6HE Classification: Laundries & Launderettes **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A12SW (W)	735	8	272442 197416
494	**Contemporary Trade Directory Entries** Name: Elite Blinds Location: New Rd, Skewen, Neath, West Glamorgan, SA10 6HG Classification: Blinds, Awnings & Canopies **Status: Inactive** Positional Accuracy: Manually positioned to the road within the address or location	A12SW (W)	737	8	272441 197403
495	**Contemporary Trade Directory Entries** Name: South Wales Cleaners Location: 130b, Dynevor Road, Skewen, Neath, West Glamorgan, SA10 6TH Classification: Cleaning Services - Domestic **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A12NW (W)	715	8	272461 197549
496	**Contemporary Trade Directory Entries** Name: Design Printers Location: Station Road, Skewen, Neath, West Glamorgan, SA10 6HF Classification: Printers **Status: Active** Positional Accuracy: Automatically positioned to the address	A12SW (W)	752	8	272421 197464
496	**Contemporary Trade Directory Entries** Name: Affordable Cars Location: 2, Station Road, Skewen, Neath, SA10 6HF Classification: Car Dealers - Used **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A12SW (W)	768	8	272406 197450
496	**Contemporary Trade Directory Entries** Name: Station Road Car Sales Location: 2a Station Road, Skewen, Neath, West Glamorgan, SA10 6HF Classification: Car Dealers - Used **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A12SW (W)	768	8	272406 197450
496	**Contemporary Trade Directory Entries** Name: Ritz Car Sales Location: Station Rd, Skewen, Neath, West Glamorgan, SA10 6TE Classification: Car Dealers **Status: Inactive** Positional Accuracy: Manually positioned to the road within the address or location	A12NW (W)	769	8	272404 197496

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
497	**Contemporary Trade Directory Entries** Name: Ritz Car Sales Location: Station Road, Skewen, Neath, West Glamorgan, SA10 6TG Classification: Car Dealers - Used **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A12NW (W)	785	8	272388 197509
497	**Contemporary Trade Directory Entries** Name: Motosave Location: Station Road, Skewen, Neath, West Glamorgan, SA10 6TG Classification: Car Dealers - Used **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A12NW (W)	785	8	272388 197509
497	**Contemporary Trade Directory Entries** Name: Station Road Ironing Service Location: Station Road, Skewen, Neath, West Glamorgan, SA10 6TG Classification: Ironing & Home Laundry Services **Status: Active** Positional Accuracy: Automatically positioned to the address	A12NW (W)	785	8	272388 197509
498	**Contemporary Trade Directory Entries** Name: Furniture Medic Location: 1, Darran Park, Neath Abbey, Neath, West Glamorgan, SA10 6PX Classification: Furniture - Repairing & Restoring **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A18NW (N)	789	8	272935 198241
499	**Contemporary Trade Directory Entries** Name: Tesco Petrol Filling Station Location: PETROL FILLING STATION, TESCO SUPERMARKET, NEATH ABBEY ROAD, NEATH, SA10 7FE Classification: Petrol Filling Stations **Status: Active** Positional Accuracy: Automatically positioned to the address	A14NE (E)	792	8	274083 197547
500	**Contemporary Trade Directory Entries** Name: D K B Locks Location: 87, New Road, Skewen, Neath, West Glamorgan, SA10 6HG Classification: Safes & Vaults - Suppliers & Installers **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A12SW (W)	800	8	272376 197412
500	**Contemporary Trade Directory Entries** Name: Steve Cooper Location: 165, New Road, Skewen, Neath, West Glamorgan, SA10 6HD Classification: Staircase, Balustrade & Handrail Manufacturers **Status: Active** Positional Accuracy: Automatically positioned to the address	A12SW (W)	802	8	272380 197369
501	**Contemporary Trade Directory Entries** Name: Clearway Cleaning Solutions Location: Neath, West Glamorgan, Sa10 7hf Classification: Cleaning Services - Domestic **Status: Active** Positional Accuracy: Manually positioned within the geographical locality	A19NW (NE)	810	8	273605 198254
502	**Contemporary Trade Directory Entries** Name: Johnson Bros Ltd Location: Neath Abbey Wharf, Skewen, Neath, West Glamorgan, SA10 6BL Classification: Coal & Smokeless Fuel Merchants & Distributors **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A8SW (S)	815	8	273015 196634
503	**Contemporary Trade Directory Entries** Name: Ovenclean Swansea Location: 16b, Taillwyd Road, Neath Abbey, Neath, West Glamorgan, SA10 7DY Classification: Oven cleaning **Status: Active** Positional Accuracy: Automatically positioned to the address	A19NW (NE)	838	8	273740 198212
503	**Contemporary Trade Directory Entries** Name: Clean Care Location: B, 16, Taillwyd Road, Neath Abbey, Neath, West Glamorgan, SA10 7DY Classification: Carpet, Curtain & Upholstery Cleaners **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A19NW (NE)	838	8	273740 198212

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
504	**Contemporary Trade Directory Entries** Name: Skewen Tyre & Auto Centre Ltd Location: Flat 1, Mount Pleasant Court, Evelyn Road, Skewen, Neath, West Glamorgan, SA10 6NE Classification: Garage Services **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A12SW (W)	841	8	272354 197295
505	**Contemporary Trade Directory Entries** Name: Kleenbee Location: 10, Parc Andrew, Neath, West Glamorgan, SA10 6BJ Classification: Cleaning Services - Domestic **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A7NE (SW)	851	8	272576 196875
506	**Contemporary Trade Directory Entries** Name: Fire Supplies Direct Location: Unit 5 Neath Abbey Business Park,Taillwyd Road, Neath Abbey, Neath, West Glamorgan, SA10 7DY Classification: Firefighting Equipment **Status: Active** Positional Accuracy: Manually positioned within the geographical locality	A19NW (NE)	882	8	273786 198234
507	**Contemporary Trade Directory Entries** Name: Galaxy Cleaning Location: 43, Mill Race, Neath Abbey, Neath, West Glamorgan, SA10 7FL Classification: Carpet, Curtain & Upholstery Cleaners **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A19SE (NE)	912	8	274062 197979
508	**Contemporary Trade Directory Entries** Name: P & T Autos Location: Evelyn Road, Neath, SA10 6LF Classification: Garage Services **Status: Active** Positional Accuracy: Automatically positioned to the address	A12SW (W)	940	8	272249 197315
509	**Contemporary Trade Directory Entries** Name: Bailey Location: Unit 7, Abbey Road Industrial Estate, Neath, West Glamorgan, SA10 7DN Classification: Blinds, Awnings & Canopies **Status: Active** Positional Accuracy: Automatically positioned to the address	A15SW (E)	975	8	274273 197464
509	**Contemporary Trade Directory Entries** Name: Sportec Embroidery & Printing Location: Unit 5, Abbey Road Industrial Estate, NEATH, West Glamorgan, SA10 7DN Classification: Sports Equipment Manufacturers & Distributors **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A15SW (E)	997	8	274294 197463
509	**Contemporary Trade Directory Entries** Name: Sportec Location: Unit 5, Abbey Road Industrial Estate, Neath, West Glamorgan, SA10 7DN Classification: Sports Equipment Manufacturers & Distributors **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A15SW (E)	997	8	274294 197463
510	**Contemporary Trade Directory Entries** Name: Derwen Aggregates Location: Neath Abbey Wharf, Skewen, Neath, SA10 6BL Classification: Recycling Services **Status: Active** Positional Accuracy: Automatically positioned to the address	A8SW (S)	998	8	272934 196467
510	**Contemporary Trade Directory Entries** Name: Derwen Location: Neath Abbey Wharf, Skewen, Neath, West Glamorgan, SA10 6BL Classification: Sand, Gravel & Other Aggregates **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A8SW (S)	999	8	272928 196468
511	**Fuel Station Entries** Name: Tesco Neath Abbey Location: Neath Abbey Road , Neath Abbey , Neath, Neath Port Talbot, SA10 7FE Brand: TESCO Premises Type: Hypermarket **Status: Open** Positional Accuracy: Manually positioned to the address or location	A14NE (E)	804	8	274096 197534

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
512	**Points of Interest - Commercial Services** Name: Dragon Autos Location: 2 Brookside Mews, Old Road, Skewen, Neath, SA10 7LT Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A13SW (S)	74	9	273220 197346
512	**Points of Interest - Commercial Services** Name: Abbey Services Location: Security House, Old Road, Skewen, Neath, SA10 7LT Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A13SE (S)	88	9	273277 197334
513	**Points of Interest - Commercial Services** Name: G P Auto Centre Location: 1 Drummau Road, Skewen, Neath, SA10 6NU Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A13SW (W)	78	9	273114 197438
513	**Points of Interest - Commercial Services** Name: Easyfreeze Ltd Location: Whitegates Yard, Drummau Road, Skewen, Neath, SA10 6NU Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A13SW (W)	85	9	273113 197427
514	**Points of Interest - Commercial Services** Name: J R Body Worx Location: Old Road, Skewen, SA10 7NF Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A14SW (E)	289	9	273587 197453
515	**Points of Interest - Commercial Services** Name: A S Manson Location: Unit 34, Neath Abbey Business Park, Neath Abbey, Neath, SA10 7DR Category: Transport, Storage and Delivery Class Code: Distribution and Haulage Positional Accuracy: Positioned to address or location	A8NE (S)	306	9	273344 197124
516	**Points of Interest - Commercial Services** Name: A & A Electrics Location: 31 Cae Nant Terrace, Skewen, SA10 6UP Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A12NE (W)	337	9	272836 197505
516	**Points of Interest - Commercial Services** Name: A J Auto Electrical Location: 31 Cae Nant Terrace, Neath, SA10 6UP Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A12NE (W)	337	9	272836 197505
516	**Points of Interest - Commercial Services** Name: A J Auto Electrical Location: 31 Cae Nant Terrace, Neath, SA10 6UP Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A12NE (W)	337	9	272836 197505
517	**Points of Interest - Commercial Services** Name: Neath Abbey Motor Body Repairs Location: Monastery Road, Neath, SA10 7DH Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A14SW (E)	360	9	273652 197379
518	**Points of Interest - Commercial Services** Name: Martyn Lewis Accident Repair Centre Location: Unit 19 Neath Abbey Business Park, Neath Abbey, SA10 7DR Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A8NE (S)	407	9	273279 197012
518	**Points of Interest - Commercial Services** Name: Cimla Forge Location: Unit 13b Neath Abbey Business Park, Neath Abbey, SA10 7DR Category: Construction Services Class Code: Metalworkers Including Blacksmiths Positional Accuracy: Positioned to address or location	A8NE (S)	419	9	273261 196999

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
518	**Points of Interest - Commercial Services** Name: Hilbar Autos Ltd Location: Unit 12, Neath Abbey Business Park, Neath Abbey, Neath, SA10 7DR Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A8NE (S)	439	9	273237 196978
519	**Points of Interest - Commercial Services** Name: Monastery Motors Location: The Abbey Bungalow, Monastery Road, Neath, SA10 7DW Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A14SW (E)	471	9	273750 197309
519	**Points of Interest - Commercial Services** Name: Neath Abbey Motor Body Repairs Location: Neath Abbey, Monastery Road, SA10 7DH Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A14SW (E)	484	9	273775 197360
520	**Points of Interest - Commercial Services** Name: Abbey Salvage Location: Unit 9 Monastery Business Centre, Neath, SA10 7DW Category: Recycling Services Class Code: Scrap Metal Merchants Positional Accuracy: Positioned to address or location	A14NW (E)	496	9	273792 197484
520	**Points of Interest - Commercial Services** Name: Monastery Motors Location: Monastery Road, Neath Abbey, SA10 7DH Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A14NW (E)	520	9	273809 197536
521	**Points of Interest - Commercial Services** Name: Mike Haller Aggregates Location: 16 Bosworth Road, Neath, SA10 6BU Category: Transport, Storage and Delivery Class Code: Distribution and Haulage Positional Accuracy: Positioned to address or location	A7NE (SW)	580	9	272795 197036
522	**Points of Interest - Commercial Services** Name: Auto Electrical Services Location: The Garage, Picton Road, Skewen, SA10 6UN Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A12SE (W)	588	9	272586 197455
523	**Points of Interest - Commercial Services** Name: T H Williams Car Sales Location: Riverside Works, Main Road, Neath Abbey, Neath, SA10 7DG Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A14NW (E)	590	9	273851 197652
523	**Points of Interest - Commercial Services** Name: Heritage Garage Location: Riverside Works, Main Road, Neath Abbey, Neath, SA10 7DG Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A14NW (E)	590	9	273851 197652
524	**Points of Interest - Commercial Services** Name: Skewen Accident Repair Centre Location: The Firs 89, Old Road, Skewen, SA10 6LR Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A12SE (SW)	601	9	272651 197190
525	**Points of Interest - Commercial Services** Name: Scrap Yard Location: SA10 Category: Recycling Services Class Code: Scrap Metal Merchants Positional Accuracy: Positioned to address or location	A8SW (S)	802	9	273029 196644
525	**Points of Interest - Commercial Services** Name: Scrap Yard Location: Not Supplied Category: Recycling Services Class Code: Scrap Metal Merchants Positional Accuracy: Positioned to an adjacent address or location	A8SW (S)	807	9	273081 196626

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
526	**Points of Interest - Commercial Services** Name: Car Wash Location: Neath Abbey Road, Neath Abbey, Neath, West Glamorgan, SA10 7DF Category: Personal, Consumer and other Services Class Code: Vehicle Cleaning Services Positional Accuracy: Positioned to address or location	A14NE (E)	804	9	274096 197534
526	**Points of Interest - Commercial Services** Name: Tesco Neath Abbey Location: Neath Abbey Road, Neath Abbey, Neath, SA10 7DF Category: Personal, Consumer and other Services Class Code: Vehicle Cleaning Services Positional Accuracy: Positioned to address or location	A14NE (E)	808	9	274101 197527
527	**Points of Interest - Commercial Services** Name: P & T Autos Location: Evelyn Road, Skewen, SA10 6LF Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A12SW (W)	940	9	272249 197315
528	**Points of Interest - Manufacturing and Production** Name: Works Location: Not Supplied Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A13SW (SW)	75	9	273131 197422
528	**Points of Interest - Manufacturing and Production** Name: Works Location: SA10 Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A13SW (SW)	75	9	273131 197422
529	**Points of Interest - Manufacturing and Production** Name: Works Location: Not Supplied Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A13SE (SE)	161	9	273356 197284
530	**Points of Interest - Manufacturing and Production** Name: Works Location: Not Supplied Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A13SW (W)	230	9	272978 197366
530	**Points of Interest - Manufacturing and Production** Name: Works Location: SA10 Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A13SW (W)	230	9	272978 197366
531	**Points of Interest - Manufacturing and Production** Name: Newby Business Centre Location: SA10 Category: Industrial Features Class Code: Business Parks and Industrial Estates Positional Accuracy: Positioned to an adjacent address or location	A13SE (SE)	297	9	273525 197250
532	**Points of Interest - Manufacturing and Production** Name: Neath Abbey Business Park Location: SA10 Category: Industrial Features Class Code: Business Parks and Industrial Estates Positional Accuracy: Positioned to an adjacent address or location	A13SE (SE)	322	9	273416 197134
533	**Points of Interest - Manufacturing and Production** Name: Factory Location: Not Supplied Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A14SW (E)	327	9	273611 197346
533	**Points of Interest - Manufacturing and Production** Name: Factory Location: SA10 Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to address or location	A14SW (E)	334	9	273617 197342

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
533	**Points of Interest - Manufacturing and Production** Name: Tanks Location: SA10 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A14SW (SE)	350	9	273616 197295
533	**Points of Interest - Manufacturing and Production** Name: Tank Location: SA10 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to address or location	A14SW (SE)	356	9	273624 197298
533	**Points of Interest - Manufacturing and Production** Name: Neath Abbey Business Park Location: SA10 Category: Industrial Features Class Code: Business Parks and Industrial Estates Positional Accuracy: Positioned to an adjacent address or location	A14SW (SE)	357	9	273602 197255
533	**Points of Interest - Manufacturing and Production** Name: Tank Location: SA10 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to address or location	A14SW (SE)	360	9	273629 197300
533	**Points of Interest - Manufacturing and Production** Name: Tank Location: SA10 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to address or location	A14SW (SE)	360	9	273628 197297
533	**Points of Interest - Manufacturing and Production** Name: Tank Location: SA10 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to address or location	A14SW (SE)	366	9	273635 197298
534	**Points of Interest - Manufacturing and Production** Name: Business Park Location: SA10 Category: Industrial Features Class Code: Business Parks and Industrial Estates Positional Accuracy: Positioned to an adjacent address or location	A8NW (S)	433	9	273211 196985
535	**Points of Interest - Manufacturing and Production** Name: Tank Location: SA10 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A14NW (E)	465	9	273754 197534
535	**Points of Interest - Manufacturing and Production** Name: Monastry Business Centre Location: SA10 Category: Industrial Features Class Code: Business Parks and Industrial Estates Positional Accuracy: Positioned to an adjacent address or location	A14NW (E)	485	9	273781 197488
535	**Points of Interest - Manufacturing and Production** Name: Monastry Business Centre Location: SA10 Category: Industrial Features Class Code: Business Parks and Industrial Estates Positional Accuracy: Positioned to an adjacent address or location	A14NW (E)	500	9	273796 197481
535	**Points of Interest - Manufacturing and Production** Name: Tank Location: SA10 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A14SW (E)	546	9	273844 197451
536	**Points of Interest - Manufacturing and Production** Name: Tank Location: SA10 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A14NW (NE)	506	9	273729 197741

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
537	**Points of Interest - Manufacturing and Production** Name: Mike Haller Aggregates Location: 16 Bosworth Road, Neath, SA10 6BU Category: Extractive Industries Class Code: Unspecified Quarries Or Mines Positional Accuracy: Positioned to address or location	A7NE (SW)	580	9	272795 197036
537	**Points of Interest - Manufacturing and Production** Name: Mike Haller Location: 16 Bosworth Road, Neath, SA10 6BU Category: Extractive Industries Class Code: Unspecified Quarries Or Mines Positional Accuracy: Positioned to address or location	A7NE (SW)	580	9	272795 197036
538	**Points of Interest - Manufacturing and Production** Name: Shaft Location: SA11 Category: Extractive Industries Class Code: Unspecified Quarries Or Mines Positional Accuracy: Positioned to an adjacent address or location	A9NW (SE)	678	9	273826 197016
539	**Points of Interest - Manufacturing and Production** Name: G J Isaac & Son Location: 70 New Road, Skewen, Neath, SA10 6HA Category: Extractive Industries Class Code: Stone Quarrying and Preparation Positional Accuracy: Positioned to address or location	A12SW (W)	678	9	272497 197426
540	**Points of Interest - Manufacturing and Production** Name: Quarry (Disused) Location: SA10 Category: Extractive Industries Class Code: Unspecified Quarries Or Mines Positional Accuracy: Positioned to an adjacent address or location	A17SE (NW)	689	9	272706 197996
540	**Points of Interest - Manufacturing and Production** Name: Quarry (Disused) Location: SA10 Category: Extractive Industries Class Code: Unspecified Quarries Or Mines Positional Accuracy: Positioned to address or location	A17SE (NW)	708	9	272753 198059
540	**Points of Interest - Manufacturing and Production** Name: Quarry (Disused) Location: SA10 Category: Extractive Industries Class Code: Unspecified Quarries Or Mines Positional Accuracy: Positioned to an adjacent address or location	A17SE (NW)	745	9	272720 198080
540	**Points of Interest - Manufacturing and Production** Name: Workings (Dis) Location: SA10 Category: Extractive Industries Class Code: Unspecified Quarries Or Mines Positional Accuracy: Positioned to an adjacent address or location	A17SE (NW)	756	9	272752 198117
541	**Points of Interest - Manufacturing and Production** Name: Quarry (Disused) Location: SA10 Category: Extractive Industries Class Code: Unspecified Quarries Or Mines Positional Accuracy: Positioned to an adjacent address or location	A17SW (NW)	769	9	272539 197924
541	**Points of Interest - Manufacturing and Production** Name: Quarry (Disused) Location: SA10 Category: Extractive Industries Class Code: Unspecified Quarries Or Mines Positional Accuracy: Positioned to address or location	A17SW (NW)	778	9	272531 197929
542	**Points of Interest - Manufacturing and Production** Name: Shaft (Dis) Location: SA10 Category: Extractive Industries Class Code: Unspecified Quarries Or Mines Positional Accuracy: Positioned to an adjacent address or location	A12NW (W)	881	9	272338 197772
542	**Points of Interest - Manufacturing and Production** Name: Tank Location: SA10 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A12NW (W)	955	9	272267 197791

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
543	**Points of Interest - Manufacturing and Production** Name: Quarry (Disused) Location: SA10 Category: Extractive Industries Class Code: Unspecified Quarries Or Mines Positional Accuracy: Positioned to an adjacent address or location	A19SE (E)	942	9	274170 197816
543	**Points of Interest - Manufacturing and Production** Name: Quarry (Disused) Location: SA10 Category: Extractive Industries Class Code: Unspecified Quarries Or Mines Positional Accuracy: Positioned to an adjacent address or location	A19SE (E)	943	9	274170 197817
544	**Points of Interest - Manufacturing and Production** Name: Abbey Road Industrial Estate Location: SA10 Category: Industrial Features Class Code: Business Parks and Industrial Estates Positional Accuracy: Positioned to an adjacent address or location	A15SW (E)	970	9	274268 197446
544	**Points of Interest - Manufacturing and Production** Name: Abbey Road Industrial Estate Location: SA10 Category: Industrial Features Class Code: Business Parks and Industrial Estates Positional Accuracy: Positioned to an adjacent address or location	A15SW (E)	999	9	274297 197448
545	**Points of Interest - Manufacturing and Production** Name: Tank Location: SA10 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A8SW (S)	978	9	272989 196472
546	**Points of Interest - Public Infrastructure** Name: Sewage Pumping Station Location: SA10 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	A14SW (SE)	447	9	273704 197255
547	**Points of Interest - Public Infrastructure** Name: D F & A M Bevan Location: 2 Capel Terrace, Skewen, Neath, SA10 6LY Category: Road And Rail Class Code: Petrol and Fuel Stations Positional Accuracy: Positioned to address or location	A12SE (SW)	501	9	272766 197197
548	**Points of Interest - Public Infrastructure** Name: Recycling Business Location: SA10 Category: Infrastructure and Facilities Class Code: Recycling Centres Positional Accuracy: Positioned to an adjacent address or location	A14SW (E)	573	9	273839 197254
548	**Points of Interest - Public Infrastructure** Name: Sluice Location: SA10 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A14SW (E)	582	9	273859 197287
548	**Points of Interest - Public Infrastructure** Name: Sluice Location: SA10 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A14SW (E)	586	9	273863 197287
549	**Points of Interest - Public Infrastructure** Name: Refuse Tip (Disused) Location: SA10 Category: Infrastructure and Facilities Class Code: Refuse Disposal Facilities Positional Accuracy: Positioned to an adjacent address or location	A17SE (NW)	638	9	272769 197983
550	**Points of Interest - Public Infrastructure** Name: Weir Location: SA10 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A19SW (NE)	687	9	273801 197958

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
550	**Points of Interest - Public Infrastructure** Name: Weir Location: SA10 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A19SW (NE)	691	9	273805 197959
551	**Points of Interest - Public Infrastructure** Name: Tesco Petrol Filling Station Location: Neath Abbey Road, Neath, SA10 7FE Category: Road And Rail Class Code: Petrol and Fuel Stations Positional Accuracy: Positioned to address or location	A14NE (E)	744	9	274039 197502
551	**Points of Interest - Public Infrastructure** Name: Tesco Petrol Filling Station Location: Petrol Filling Station Tesco Supermarket, Neath Abbey Road, Neath, SA10 7FE Category: Road And Rail Class Code: Petrol and Fuel Stations Positional Accuracy: Positioned to address or location	A14NE (E)	792	9	274083 197547
551	**Points of Interest - Public Infrastructure** Name: Tesco Neath Abbey Location: Neath Abbey Road, Neath Abbey, Neath, SA10 7DF Category: Road And Rail Class Code: Petrol and Fuel Stations Positional Accuracy: Positioned to address or location	A14NE (E)	804	9	274096 197534
552	**Points of Interest - Public Infrastructure** Name: Weir Location: SA10 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A19SW (NE)	763	9	273735 198124
552	**Points of Interest - Public Infrastructure** Name: Weir Location: SA10 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A19SW (NE)	766	9	273745 198120
553	**Points of Interest - Public Infrastructure** Name: Skewen Rail Station Location: Woodland Close, SA10 Category: Public Transport, Stations and Infrastructure Class Code: Railway Stations, Junctions and Halts Positional Accuracy: Positioned to address or location	A12NW (W)	804	9	272369 197478
553	**Points of Interest - Public Infrastructure** Name: Skewen Station Location: Woodland Close, SA10 Category: Public Transport, Stations and Infrastructure Class Code: Railway Stations, Junctions and Halts Positional Accuracy: Positioned to address or location	A12NW (W)	804	9	272369 197478
554	**Points of Interest - Public Infrastructure** Name: Skewen Police Station Location: 152 New Road, Skewen, Neath, SA10 6HH Category: Central and Local Government Class Code: Police Stations Positional Accuracy: Positioned to address or location	A12SW (W)	944	9	272240 197346
554	**Points of Interest - Public Infrastructure** Name: Skewen Police Station Location: 152 New Road, Skewen, Neath, West Glamorgan, SA10 6HH Category: Central and Local Government Class Code: Police Stations Positional Accuracy: Positioned to address or location	A12SW (W)	944	9	272240 197346
555	**Points of Interest - Public Infrastructure** Name: Refuse Tip (Disused) Location: SA10 Category: Infrastructure and Facilities Class Code: Refuse Disposal Facilities Positional Accuracy: Positioned to an adjacent address or location	A18NW (N)	949	9	273207 198460
556	**Points of Interest - Public Infrastructure** Name: Aggregates Location: Neath Abbey Wharf, Skewen, Neath, SA10 6BL Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to address or location	A8SW (S)	998	9	272934 196467

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
557	**Points of Interest - Recreational and Environmental** Name: Playground Location: Not Supplied Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to an adjacent address or location	A12SE (W)	321	9	272872 197378
557	**Points of Interest - Recreational and Environmental** Name: Playground Location: New Road, SA10 Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to address or location	A12SE (W)	323	9	272870 197376
558	**Points of Interest - Recreational and Environmental** Name: Playground Location: SA10 Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to an adjacent address or location	A18SE (NE)	434	9	273508 197881
558	**Points of Interest - Recreational and Environmental** Name: Playground Location: Not Supplied Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to an adjacent address or location	A18SE (NE)	434	9	273508 197881
558	**Points of Interest - Recreational and Environmental** Name: Playground Location: The Drive (Y Rhodfa), SA10 Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to address or location	A18SE (NE)	445	9	273525 197883
559	**Points of Interest - Recreational and Environmental** Name: Playground Location: Not Supplied Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to an adjacent address or location	A18NW (N)	688	9	273053 198166
559	**Points of Interest - Recreational and Environmental** Name: Playground Location: The Highlands, SA10 Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to address or location	A18NW (N)	701	9	273050 198179
560	**Points of Interest - Recreational and Environmental** Name: Playground Location: Nr Christopher Road, SA10 Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to address or location	A7NW (SW)	896	9	272395 197045
560	**Points of Interest - Recreational and Environmental** Name: Playground Location: Not Supplied Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to an adjacent address or location	A7NW (SW)	899	9	272391 197045
561	**Points of Interest - Recreational and Environmental** Name: Play Area Location: SA10 Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to an adjacent address or location	A19SE (NE)	981	9	274035 198136

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
562	**Ancient Woodland** Name: Not Supplied Reference: 14000 Area(m²): 2937.25 Type: Ancient and Semi-Natural Woodland	A13NW (N)	134	2	273194 197630
563	**Ancient Woodland** Name: Not Supplied Reference: 41104 Area(m²): 7341.02 Type: Plantation on Ancient Woodland	A13NW (NW)	268	2	273085 197742
564	**Ancient Woodland** Name: Not Supplied Reference: 14001 Area(m²): 5713.97 Type: Ancient and Semi-Natural Woodland	A13NW (N)	279	2	273161 197769
565	**Ancient Woodland** Name: Not Supplied Reference: 21390 Area(m²): 12115.59 Type: Restored Ancient Woodland Site	A17SE (NW)	565	2	272811 197923
566	**Ancient Woodland** Name: Not Supplied Reference: 21719 Area(m²): 14743.78 Type: Restored Ancient Woodland Site	A12NW (W)	713	2	272504 197737
567	**Ancient Woodland** Name: Not Supplied Reference: 11533 Area(m²): 127585.2 Type: Restored Ancient Woodland Site	A17NE (NW)	763	2	272836 198173
568	**Ancient Woodland** Name: Not Supplied Reference: 14839 Area(m²): 8349.5 Type: Ancient and Semi-Natural Woodland	A17SW (NW)	765	2	272497 197849
569	**Ancient Woodland** Name: Not Supplied Reference: 21391 Area(m²): 4204.12 Type: Restored Ancient Woodland Site	A17NE (NW)	767	2	272856 198188
570	**Ancient Woodland** Name: Not Supplied Reference: 14002 Area(m²): 1158.14 Type: Ancient and Semi-Natural Woodland	A17SW (NW)	804	2	272516 197951
571	**Ancient Woodland** Name: Not Supplied Reference: 10339 Area(m²): 111132.63 Type: Restored Ancient Woodland Site	A17NE (NW)	860	2	272756 198241
572	**Ancient Woodland** Name: Not Supplied Reference: 14841 Area(m²): 8163.42 Type: Ancient and Semi-Natural Woodland	A17SW (NW)	874	2	272444 197971
573	**Ancient Woodland** Name: Not Supplied Reference: 14837 Area(m²): 4050.36 Type: Ancient and Semi-Natural Woodland	A12NW (W)	920	2	272288 197742
574	**Ancient Woodland** Name: Not Supplied Reference: 14004 Area(m²): 12337.05 Type: Ancient and Semi-Natural Woodland	A18NW (N)	966	2	273058 198454

Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices		
Natural Resources Wales	November 2023	Annually
Neath Port Talbot County Borough Council - Environmental Health Department	October 2017	Annual Rolling Update
City and County of Swansea - Environmental Health Department	September 2017	Annual Rolling Update
Discharge Consents		
Environment Agency - Welsh Region	August 2014	Quarterly
Natural Resources Wales	December 2025	Quarterly
Enforcement and Prohibition Notices		
Environment Agency - Welsh Region	March 2013	
Integrated Pollution Controls		
Environment Agency - Welsh Region	January 2009	
Integrated Pollution Prevention And Control		
Natural Resources Wales	December 2025	Quarterly
Environment Agency - Welsh Region	July 2024	Bi-Annually
Local Authority Integrated Pollution Prevention And Control		
Swansea Bay Port Health Authority	April 2014	Variable
City and County of Swansea - Environmental Health Department	December 2020	Variable
Neath Port Talbot County Borough Council - Environmental Health Department	March 2014	Variable
Local Authority Pollution Prevention and Controls		
Swansea Bay Port Health Authority	April 2014	Annually
City and County of Swansea - Environmental Health Department	December 2020	Annual Rolling Update
Neath Port Talbot County Borough Council - Environmental Health Department	March 2014	Annual Rolling Update
Local Authority Pollution Prevention and Control Enforcements		
Swansea Bay Port Health Authority	April 2014	Variable
City and County of Swansea - Environmental Health Department	June 2014	Variable
Neath Port Talbot County Borough Council - Environmental Health Department	March 2015	Variable
Nearest Surface Water Feature		
Ordnance Survey	November 2025	
Pollution Incidents to Controlled Waters		
Environment Agency - Welsh Region	December 1998	
Historical Prosecutions		
Environment Agency, Welsh Region	March 2013	Not Applicable
Natural Resources Wales	March 2013	Not Applicable
Registered Radioactive Substances		
Scottish Environment Protection Agency - Head Office	January 1998	
Natural Resources Wales	January 2015	
Environment Agency - Welsh Region	June 2016	
Substantiated Pollution Incident Register		
Natural Resources Wales	December 2025	Quarterly
Environment Agency Wales - South West Area	January 2021	Quarterly
Water Abstractions		
Environment Agency - Welsh Region	January 2026	Quarterly
Natural Resources Wales	November 2025	Quarterly
Water Industry Act Referrals		
Environment Agency - Welsh Region	October 2017	
Natural Resources Wales	October 2022	
Groundwater Vulnerability Map		
Natural Resources Wales	June 2018	As notified
Bedrock Aquifer Designations		
Natural Resources Wales	January 2018	As notified
Superficial Aquifer Designations		
Natural Resources Wales	January 2018	As notified

Data Currency

Agency & Hydrological	Version	Update Cycle
Source Protection Zones Natural Resources Wales	July 2022	Annual Rolling Update
Extreme Flooding from Rivers or Sea without Defences Natural Resources Wales	September 2020	
Flooding from Rivers or Sea without Defences Natural Resources Wales	September 2020	
Areas Benefiting from Flood Defences Natural Resources Wales	November 2019	Quarterly
Flood Water Storage Areas Natural Resources Wales	June 2025	Quarterly
Flood Defences Natural Resources Wales	November 2019	
OS Water Network Lines Ordnance Survey	January 2026	Quarterly
Surface Water 1 in 30 year Flood Extent Natural Resources Wales	May 2018	Annually
Surface Water 1 in 100 year Flood Extent Natural Resources Wales	May 2018	Annually
Surface Water 1 in 1000 year Flood Extent Natural Resources Wales	May 2018	Annually
Surface Water Suitability Natural Resources Wales	February 2016	Annually
BGS Groundwater Flooding Susceptibility British Geological Survey - National Geoscience Information Service	May 2013	As notified
Water Framework Directive - Catchment Natural Resources Wales	July 2025	Annually
Water Framework Directive - Groundwater Natural Resources Wales	July 2025	Annually
Water Framework Directive - Surface Waters Natural Resources Wales	January 2026	Annually

Data Currency

Waste	Version	Update Cycle
BGS Recorded Landfill Sites		
British Geological Survey - National Geoscience Information Service	November 2002	As notified
Historical Landfill Sites		
Natural Resources Wales	March 2023	
Integrated Pollution Control Registered Waste Sites		
Environment Agency - Welsh Region	January 2009	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries)		
Natural Resources Wales	August 2024	Quarterly
Environment Agency Wales - South West Area	January 2023	Quarterly
Licensed Waste Management Facilities (Locations)		
Natural Resources Wales	December 2025	Quarterly
Environment Agency Wales - South West Area	July 2024	Bi-Annually
Local Authority Landfill Coverage		
City and County of Swansea - Environmental Health Department	February 2003	Not Applicable
Neath Port Talbot County Borough Council - Environmental Health Department	February 2003	Not Applicable
Local Authority Recorded Landfill Sites		
City and County of Swansea - Environmental Health Department	October 2018	
Neath Port Talbot County Borough Council - Environmental Health Department	October 2018	
Potentially Infilled Land (Non-Water)		
Landmark Information Group Limited	December 1999	
Potentially Infilled Land (Water)		
Landmark Information Group Limited	December 1999	
Registered Landfill Sites		
Environment Agency Wales - South West Area	March 2006	Not Applicable
Registered Waste Transfer Sites		
Environment Agency Wales - South West Area	April 2018	
Registered Waste Treatment or Disposal Sites		
Environment Agency Wales - South West Area	June 2015	
Hazardous Substances	**Version**	**Update Cycle**
Control of Major Accident Hazards Sites (COMAH)		
Health and Safety Executive	June 2025	Bi-Annually
Explosive Sites		
Health and Safety Executive	March 2017	
Notification of Installations Handling Hazardous Substances (NIHHS)		
Health and Safety Executive	August 2001	
Planning Hazardous Substance Enforcements		
City and County of Swansea - Planning Department	June 2023	Variable
Neath Port Talbot County Borough Council - Planning Department	October 2015	Variable
Planning Hazardous Substance Consents		
City and County of Swansea - Planning Department	October 2022	Variable
Neath Port Talbot County Borough Council - Planning Department	September 2022	Variable

Data Currency

Geological	Version	Update Cycle
BGS 1:625,000 Solid Geology British Geological Survey - National Geoscience Information Service	January 2009	As notified
BGS Estimated Soil Chemistry British Geological Survey - National Geoscience Information Service	December 2015	As notified
BGS Recorded Mineral Sites British Geological Survey - National Geoscience Information Service	April 2025	Bi-Annually
BGS Urban Soil Chemistry British Geological Survey - National Geoscience Information Service	December 2015	As notified
BGS Urban Soil Chemistry Averages British Geological Survey - National Geoscience Information Service	December 2015	As notified
CBSCB Compensation District Cheshire Brine Subsidence Compensation Board (CBSCB) Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011 November 2020	As notified
Coal Mining Affected Areas The Coal Authority - Property Searches	February 2023	
Mining Instability Ove Arup & Partners	June 1998	Not Applicable
Non Coal Mining Areas of Great Britain British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Potential for Collapsible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	April 2020	As notified
Potential for Compressible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Ground Dissolution Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Landslide Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Running Sand Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Shrinking or Swelling Clay Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Radon Potential - Radon Affected Areas British Geological Survey - National Geoscience Information Service	November 2025	Annually
Radon Potential - Radon Protection Measures British Geological Survey - National Geoscience Information Service	November 2025	Annually

Industrial Land Use	Version	Update Cycle
Contemporary Trade Directory Entries Thomson Directories	December 2025	Quarterly
Fuel Station Entries Green Street Advisor (UK) Ltd	November 2025	Quarterly
Points of Interest - Commercial Services PointX	December 2025	Quarterly
Points of Interest - Education and Health PointX	December 2025	Quarterly
Points of Interest - Manufacturing and Production PointX	December 2025	Quarterly
Points of Interest - Public Infrastructure PointX	December 2025	Quarterly
Points of Interest - Recreational and Environmental PointX	December 2025	Quarterly
Underground Electrical Cables National Grid	January 2024	

Data Currency

Sensitive Land Use	Version	Update Cycle
Ancient Woodland		
Natural Resources Wales	September 2025	Bi-Annually
Areas of Adopted Green Belt		
City and County of Swansea	July 2025	Quarterly
Neath Port Talbot County Borough Council - Planning Services	July 2025	Quarterly
Areas of Unadopted Green Belt		
City and County of Swansea	July 2025	Quarterly
Neath Port Talbot County Borough Council - Planning Services	July 2025	Quarterly
Areas of Outstanding Natural Beauty		
Natural Resources Wales	November 2025	Bi-Annually
Environmentally Sensitive Areas		
The National Assembly for Wales - GI Services (Department of Planning & Countryside)	January 2017	
Forest Parks		
Forestry Commission	May 2023	Not Applicable
Local Nature Reserves		
City and County of Swansea	January 2026	Bi-Annually
Neath Port Talbot County Borough Council	January 2026	Bi-Annually
Marine Nature Reserves		
Natural Resources Wales	August 2025	Bi-Annually
National Nature Reserves		
Natural Resources Wales	January 2026	Bi-Annually
National Parks		
Natural Resources Wales	October 2025	Annually
Nitrate Vulnerable Zones		
The National Assembly for Wales - GI Services (Department of Planning & Countryside)	April 2016	
Natural Resources Wales	February 2026	Annually
Ramsar Sites		
Natural Resources Wales	August 2025	Bi-Annually
Sites of Special Scientific Interest		
Natural Resources Wales	November 2025	Bi-Annually
Special Areas of Conservation		
Natural Resources Wales	January 2026	Bi-Annually
Special Protection Areas		
Natural Resources Wales	November 2025	Bi-Annually

Data Suppliers


A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	Map data
Environment Agency	Environment Agency
Scottish Environment Protection Agency	SEPA Scottish Environment Protection Agency
The Coal Authority	The Coal Authority
British Geological Survey	British Geological Survey NATURAL ENVIRONMENT RESEARCH COUNCIL
Centre for Ecology and Hydrology	Centre for Ecology & Hydrology NATURAL ENVIRONMENT RESEARCH COUNCIL
Natural Resources Wales	Cyfoeth Naturiol Cymru Natural Resources Wales
Scottish Natural Heritage	SCOTTISH NATURAL HERITAGE
Natural England	NATURAL ENGLAND
Public Health England	Public Health England
Ove Arup	ARUP
Stantec UK Ltd	Stantec

Useful Contacts

Contact	Name and Address	Contact Details
1	**British Geological Survey - Enquiry Service** British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
2	**Natural Resources Wales** Ty Cambria, 29 Newport Road, Cardiff, CF24 0TP	Telephone: 0300 065 3000 Email: enquiries@naturalresourceswales.gov.uk
3	**Neath Port Talbot County Borough Council - Environmental Health Department** Room 322, Neath Civic Centre, Neath, West Glamorgan, SA11 3QZ	Telephone: 01639 763333 Fax: 01693 763444 Website: www.neath-porttalbot.gov.uk
4	**Environment Agency - National Customer Contact Centre (NCCC)** PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk
5	**Scottish Environment Protection Agency - Head Office** Erskine Court, The Castle Business Park, Stirling, Stirlingshire, FK9 4TR	Telephone: 01786 457700 Fax: 01786 446885
6	**Ordnance Survey** Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: 03456 05 05 05 Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.co.uk
7	**The Coal Authority - Property Searches** 200 Lichfield Lane, Mansfield, Nottinghamshire, NG18 4RG	Telephone: 0345 762 6848 Fax: 01623 637 338 Email: groundstability@coal.gov.uk Website: www2.groundstability.com
8	**Landmark Information Group Limited** Landmark Information Group, Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0330 036 6619 Fax: 0844 844 9951 Email: helpdesk@landmark.co.uk Website: www.landmark.co.uk
9	**PointX** 5-6 Abbey Court, Eagle Way, Sowton, Exeter, Devon, EX2 7HY	Website: www.pointx.co.uk
10	**Neath Port Talbot County Borough Council** Civic Centre, Port Talbot, West Glamorgan, SA13 1PJ	Telephone: 01639 763333 Fax: 01693 763444 Website: www.neath-porttalbot.gov.uk
-	**Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards** Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org
-	**Landmark Information Group Limited** Landmark Information Group, Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0330 036 6618 Fax: 0844 844 9951 Email: helpdesk@landmark.co.uk Website: www.landmark.co.uk

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.



Intégral Géotechnique

Groundwater Vulnerability

General


Specified Site | Specified Buffer(s) | Bearing Reference Point
Slice | Map ID

Agency and Hydrological

Bedrock Aquifers	Superficial Aquifers
High Vulnerability, Principal Aquifer	High Vulnerability, Principal Aquifer
High Vulnerability, Secondary Aquifer	High Vulnerability, Secondary Aquifer
Medium Vulnerability, Principal Aquifer	Medium Vulnerability, Principal Aquifer
Medium Vulnerability, Secondary Aquifer	Medium Vulnerability, Secondary Aquifer
Low Vulnerability, Principal Aquifer	Low Vulnerability, Principal Aquifer
Low Vulnerability, Secondary Aquifer	Low Vulnerability, Secondary Aquifer

Unproductive Aquifer
Soluble Rock

Site Sensitivity Context Map - Slice A




Order Details

Order Number:	395481999_1_1
Customer Ref:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Search Buffer (m):	1000

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Intégral Géotechnique

Bedrock Aquifer Designation

General


Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice | Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice A




Order Details

Order Number:	395481999_1_1
Customer Ref:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Search Buffer (m):	1000

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark® INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Intégral Géotechnique

Superficial Aquifer Designation

General


Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice | Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice A




Order Details

Order Number:	395481999_1_1
Customer Ref:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Search Buffer (m):	1000

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND



Intégral Géotechnique

Source Protection Zones


General

Specified Site | Specified Buffer(s) | Bearing Reference Point
Slice | Map ID

Agency and Hydrological

- Inner zone (Zone 1)
- Inner zone - subsurface activity only (Zone 1c)
- Outer zone (Zone 2)
- Outer zone - subsurface activity only (Zone 2c)
- Total catchment (Zone 3)
- Total catchment - subsurface activity only (Zone 3c)
- Special interest (Zone 4)

Site Sensitivity Context Map - Slice A




Order Details

Order Number:	395481999_1_1
Customer Ref:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Search Buffer (m):	1000

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Intégral Géotechnique

Sensitive Land Uses


General

Specified Site | Specified Buffer(s) | Bearing Reference Point
Slice | Map ID

Sensitive Land Uses

- Ancient Woodland
- Area of Adopted Green Belt
- Area of Unadopted Green Belt
- Area of Outstanding Natural Beauty
- Environmentally Sensitive Area
- Forest Park
- Local Nature Reserve
- Marine Nature Reserve
- National Nature Reserve
- National Park
- Nitrate Sensitive Area
- Nitrate Vulnerable Zone
- Ramsar Site
- Site of Special Scientific Interest
- Special Area of Conservation
- Special Protection Area
- World Heritage Sites

Site Sensitivity Context Map - Slice A




Order Details

Order Number:	395481999_1_1
Customer Ref:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Search Buffer (m):	1000

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Intégral
Géotechnique

BGS Flood GFS Data


General

Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice

Agency and Hydrological (Flood)

- Limited Potential for Groundwater Flooding to Occur
- Potential for Groundwater Flooding of Property Situated Below Ground Level
- Potential for Groundwater Flooding to Occur at Surface

Site Sensitivity Context Map - Slice A




Order Details

Order Number:	395481999_1_1
Customer Ref:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Search Buffer (m):	1000

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark® INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Intégral Géotechnique

General

Specified Site
Specified Buffer(s)
Bearing Reference Point
Map ID
Several of Type at Location

Agency and Hydrological

- Contaminated Land Register Entry or Notice (Location)
- Contaminated Land Register Entry or Notice
- Discharge Consent
- Enforcement or Prohibition Notice
- Integrated Pollution Control
- Integrated Pollution Prevention Control
- Local Authority Integrated Pollution Prevention and Control
- Local Authority Pollution Prevention and Control
- Local Authority Pollution Prevention and Control Enforcement
- Pollution Incident to Controlled Waters
- Historical Prosecutions
- Prosecutions
- Registered Radioactive Substance
- River Network or Water Feature
- Substantiated Pollution Incident Register
- Water Abstraction
- Water Industry Act Referral

Hazardous Substances

- COMAH Site
- Explosive Site
- NIHHS Site
- Planning Hazardous Substance Consent
- Planning Hazardous Substance Enforcement


Geological

- BGS Recorded Mineral Site

Waste

- BGS Recorded Landfill Site (Location)
- BGS Recorded Landfill Site
- EA Historic Landfill (Buffered Point)
- EA Historic Landfill (Polygon)
- Integrated Pollution Control Registered Waste Site
- Licensed Waste Management Facility (Landfill Boundary)
- Licensed Waste Management Facility (Location)
- Local Authority Recorded Landfill Site (Location)
- Local Authority Recorded Landfill Site
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Water)
- Potentially Infilled Land (Water)
- Potentially Infilled Land (Water)
- Registered Landfill Site
- Registered Landfill Site (Location)
- Registered Landfill Site (Point Buffered to 100m)
- Registered Landfill Site (Point Buffered to 250m)
- Registered Waste Transfer Site (Location)
- Registered Waste Transfer Site
- Registered Waste Treatment or Disposal Site (Location)
- Registered Waste Treatment or Disposal Site

Site Sensitivity Map - Slice A




Order Details

Order Number:	395481999_1_1
Customer Ref:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Search Buffer (m):	1000

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Intégral Géotechnique

Industrial Land Use Map


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Industrial Land Use

- Contemporary Trade Directory Entry
- Fuel Station Entry
- Points of Interest - Commercial Services
- Points of Interest - Education and Health
- Points of Interest - Manufacturing and Production
- Points of Interest - Public Infrastructure
- Points of Interest - Recreational and Environmental
- Underground Electrical Cables

Industrial Land Use Map - Slice A



Order Details


Order Number:	395481999_1_1
Customer Ref:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Search Buffer (m):	1000

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Intégral Géotechnique


General

- Specified Site
- Specified Buffer(s)
- X Bearing Reference Point

Agency and Hydrological (Flood)

- Extreme Flooding from Rivers or Sea without Defences (Zone 2)
- Flooding from Rivers or Sea without Defences (Zone 3)
- Area Benefiting from Flood Defence
- Flood Water Storage Areas
- Flood Defence

Flood Map - Slice A



Order Details


Order Number:	395481999_1_1
Customer Ref:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Search Buffer (m):	1000

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Intégral Géotechnique

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Map ID
- Several of Type at Location


Agency and Hydrological (Boreholes)

- BGS Borehole Depth 0 - 10m
- BGS Borehole Depth 10 - 30m
- BGS Borehole Depth 30m +
- Confidential
- Other

For Borehole information please refer to the Borehole .csv file which accompanied this slice.

A copy of the BGS Borehole Ordering Form is available to download from the Support section of www.envirocheck.co.uk.

Borehole Map - Slice A




Order Details

Order Number:	395481999_1_1
Customer Ref:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Search Buffer (m):	1000

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2026 OS AC0000813445

Intégral Géotechnique

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point

OS Water Network Data

- Canal
- Reservoir
- Foreshore
- Marsh
- Tidal River
- Inland River
- Drain
- Other
- Lake
- Transfer
- Lock Or Flight Of Locks
- Sea

Contours (height in meters)


Standard Contour 105 100 95

Master Contour

Spot Height 167.3

- MLW Mean Low Water
- MHW Mean High Water

OS Water Network Map - Slice A




Order Details

Order Number:	395481999_1_1
Customer Ref:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Search Buffer (m):	1000

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Intégral Géotechnique

General

- Specified Site
- Specified Buffer(s)
- X Bearing Reference Point

Risk of Flooding from Surface Water


- High - 30 Year Return
- Medium - 100 Year Return
- Low - 1000 Year Return

Suitability

See the suitability map below

- National to county
- County to town
- Town to street
- Street to parcels of land
- Property

EA/NRW Suitability Map - Slice A



Order Details

Order Number:	395481999_1_1
Customer Ref:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Search Buffer (m):	1000

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Intégral Géotechnique

WFD Surface Waters Map

General

Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice | Map ID

Water Framework Directive - Surface Water Quality


High
Good
Moderate
Poor
Bad

Contours (height in meters)

Standard Contour 105
Master Contour 100 95
Spot Height 167.3

MLW Mean Low Water
MHW Mean High Water

WFD Surface Waters Map - Slice A



Order Details


Order Number:	395481999_1_1
Customer Ref:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Search Buffer (m):	1000

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

© Crown copyright and database rights 2026 OS AC0000813445

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Intégral Géotechnique

General

Specified Site | Specified Buffer(s) | X Bearing Reference Point


Urban Soil Chemistry Arsenic

● BGS Urban Soil Chemistry Measured Concentration Values (mg/kg)

Arsenic Concentrations mg/kg

- < 15
- 15 - 25
- 25 - 35
- 35 - 45
- 45 - 60
- 60 - 120
- > 120

Urban Soil Chemistry Arsenic - Slice A




Order Details

Order Details:	395481999_1_1
Customer Ref:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Search buffer (m):	1000

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2026 OS AC0000813445

Intégral Géotechnique

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Arsenic

Arsenic Concentrations mg/kg

- < 15
- 15 - 25
- 25 - 35
- 35 - 45
- 45 - 60
- 60 - 120
- > 120

Estimated Soil Chemistry Arsenic - Slice A



Order Details


Order Details:	395481999_1_1
Customer Ref:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Search buffer (m):	1000

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Intégral Géotechnique

General

Specified Site | Specified Buffer(s) | Bearing Reference Point


Urban Soil Chemistry Cadmium

BGS Urban Soil Chemistry Measured Concentration Values (mg/kg)

Cadmium Concentrations mg/kg

< 1.8
1.8 - 2.2
2.2 - 3.0
> 3.0

Urban Soil Chemistry Cadmium - Slice A



Order Details


Order Details:	395481999_1_1
Customer Ref:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Search buffer (m):	1000

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2026 OS AC0000813445

Intégral Géotechnique

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Cadmium

Cadmium Concentrations mg/kg

- < 1.8
- 1.8 - 2.2
- 2.2 - 3.0
- > 3.0

Estimated Soil Chemistry Cadmium - Slice A



Order Details


Order Details:	395481999_1_1
Customer Ref:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Search buffer (m):	1000

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Intégral Géotechnique

General

Specified Site | Specified Buffer(s) | X Bearing Reference Point


Urban Soil Chemistry Chromium

● BGS Urban Soil Chemistry Measured Concentration Values (mg/kg)

Chromium Concentrations mg/kg

- < 20
- 20 - 40
- 40 - 60
- 60 - 90
- 90 - 120
- 120 - 180
- > 180

Urban Soil Chemistry Chromium - Slice A



Order Details

Order Details:	395481999_1_1
Customer Ref:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Search buffer (m):	1000

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2026 OS AC0000813445

Intégral Géotechnique

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Chromium

Chromium Concentrations mg/kg

- < 20
- 20 - 40
- 40 - 60
- 60 - 90
- 90 - 120
- 120 - 180
- > 180

Estimated Soil Chemistry Chromium - Slice A




Order Details

Order Details:	395481999_1_1
Customer Ref:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Search buffer (m):	1000

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2026 OS AC0000813445

Intégral Géotechnique

General

Specified Site | Specified Buffer(s) | X Bearing Reference Point


Urban Soil Chemistry Lead

● BGS Urban Soil Chemistry Measured Concentration Values (mg/kg)

Lead Concentrations mg/kg

- < 150
- 150 - 300
- 300 - 600
- 600 - 900
- > 900

Urban Soil Chemistry Lead - Slice A




Order Details

Order Details:	395481999_1_1
Customer Ref:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Search buffer (m):	1000

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Intégral Géotechnique

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Lead

Lead Concentrations mg/kg

- <100 mg/kg
- 100 - 200
- 200 - 300
- 300 - 600
- 600 - 1200
- >1200

Estimated Soil Chemistry Lead - Slice A




Order Details

Order Details:	395481999_1_1
Customer Ref:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Search buffer (m):	1000

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Intégral Géotechnique

General

Specified Site | Specified Buffer(s) | X Bearing Reference Point


Urban Soil Chemistry Nickel

● BGS Urban Soil Chemistry Measured Concentration Values (mg/kg)

Nickel Concentrations mg/kg

- < 15
- 15 - 30
- 30 - 45
- 45 - 60
- 60 - 80
- 80 - 100
- > 100

Urban Soil Chemistry Nickel - Slice A



Order Details

Order Details:	395481999_1_1
Customer Ref:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Search buffer (m):	1000

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Intégral Géotechnique

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Nickel

Nickel Concentrations mg/kg

- < 15
- 15 - 30
- 30 - 45
- 45 - 60
- 60 - 80
- 80 - 100
- > 100

Estimated Soil Chemistry Nickel - Slice A



Order Details


Order Details:	395481999_1_1
Customer Ref:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Search buffer (m):	1000

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2026 OS AC0000813445

Intégral Géotechnique

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Map ID
- Several of Type at Location
- Pylon
- Overhead Transmission Line

Agency and Hydrological

- Contaminated Land Register Entry or Notice (Location)
- Contaminated Land Register Entry or Notice
- Discharge Consent
- Enforcement or Prohibition Notice
- Integrated Pollution Control
- Integrated Pollution Prevention Control
- Local Authority Integrated Pollution Prevention and Control
- Local Authority Pollution Prevention and Control
- Local Authority Pollution Prevention and Control Enforcement
- Pollution Incident to Controlled Waters
- Historical Prosecutions
- Prosecutions
- Registered Radioactive Substance
- River Network or Water Feature
- Substantiated Pollution Incident Register
- Water Abstraction
- Water Industry Act Referral

Waste

- BGS Recorded Landfill Site (Location)
- BGS Recorded Landfill Site
- EA Historic Landfill (Buffered Point)
- EA Historic Landfill (Polygon)
- Integrated Pollution Control Registered Waste Site
- Licensed Waste Management Facility (Landfill Boundary)
- Licensed Waste Management Facility (Location)
- Local Authority Recorded Landfill Site (Location)
- Local Authority Recorded Landfill Site
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Water)
- Potentially Infilled Land (Water)
- Potentially Infilled Land (Water)
- Registered Landfill Site
- Registered Landfill Site (Location)
- Registered Landfill Site (Point Buffered to 100m)
- Registered Landfill Site (Point Buffered to 250m)
- Registered Waste Transfer Site (Location)
- Registered Waste Transfer Site
- Registered Waste Treatment or Disposal Site (Location)
- Registered Waste Treatment or Disposal Site


Hazardous Substances

- COMAH Site
- Explosive Site
- NIHHS Site
- Planning Hazardous Substance Consent
- Planning Hazardous Substance Enforcement

Geological

- BGS Recorded Mineral Site

Site Sensitivity Map - Segment A13



Order Details

Order Number:	395481999_1_1
Customer Ref:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Plot Buffer (m):	100

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Geology 1:50,000 Maps Legends

Artificial Ground and Landslip

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	MGR	Made Ground (Undivided)	Artificial Deposit	Not Supplied - Holocene
	LSGR	Landscaped Ground (Undivided)	Artificially Modified Ground	Not Supplied - Holocene
	WGR	Worked Ground (Undivided)	Void	Not Supplied - Holocene
	SLIP	Landslide Deposit	Unknown/Unclassified Entry	Not Supplied - Quaternary

Superficial Geology

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	TFD	Tidal Flat Deposits	Clay, Silt and Sand	Not Supplied - Holocene
	ALV	Alluvium	Clay, Silt, Sand and Gravel	Not Supplied - Holocene
	TILLD	Till, Devensian	Diamicton	Not Supplied - Devensian
	GFSDD	Glaciofluvial Sheet Deposits, Devensian	Sand and Gravel	Not Supplied - Devensian
	PEAT	Peat	Peat	Not Supplied - Quaternary

Bedrock and Faults

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	SW	Swansea Member	Mudstone, Siltstone and Sandstone	Not Supplied - Westphalian
	SW	Swansea Member	Sandstone	Not Supplied - Westphalian
	H	Hughes Member	Sandstone	Not Supplied - Westphalian
	H	Hughes Member	Mudstone, Siltstone and Sandstone	Not Supplied - Westphalian
	GDB	Grovesend Formation	Mudstone, Siltstone and Sandstone	Not Supplied - Westphalian
	GDB	Grovesend Formation	Sandstone	Not Supplied - Westphalian
	BD	Brithdir Member	Sandstone	Not Supplied - Westphalian
	BD	Brithdir Member	Mudstone, Siltstone and	Not Supplied - Westphalian

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
			Sandstone	
	RA	Rhondda Member	Mudstone, Siltstone and Sandstone	Not Supplied - Westphalian
	RA	Rhondda Member	Sandstone	Not Supplied - Westphalian
		Rock Segments		
		Faults		

Intégral Géotechnique


Geology 1:50,000 Maps

This report contains geological map extracts taken from the BGS Digital Geological map of Great Britain at 1:50,000 scale and is designed for users carrying out preliminary site assessments who require geological maps for the area around the site. This mapping may be more up to date than previously published paper maps.
The various geological layers - artificial and landslip deposits, superficial geology and solid (bedrock) geology are displayed in separate maps, but superimposed on the final 'Combined Surface Geology' map. All map legends feature on this page. Not all layers have complete nationwide coverage, so availability of data for relevant map sheets is indicated below.

Geology 1:50,000 Maps Coverage

Map ID:	**1**
Map Sheet No:	**247**
Map Name:	**Swansea**
Map Date:	**2011**
Bedrock Geology:	**Available**
Superficial Geology:	**Available**
Artificial Geology:	**Available**
Faults:	**Not Supplied**
Landslip:	**Available**
Rock Segments:	**Not Supplied**

Geology 1:50,000 Maps - Slice A




Order Details:

Order Number:	395481999_1_1
Customer Reference:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Search Buffer (m):	1000

Site Details:

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2026 OS AC0000813445

Intégral
Géotechnique

Artificial Ground and Landslip


Artificial ground is a term used by BGS for those areas where the ground surface has been significantly modified by human activity. Information about previously developed ground is especially important, as it is often associated with potentially contaminated material, unpredictable engineering conditions and unstable ground.

Artificial ground includes:

- Made ground - man-made deposits such as embankments and spoil heaps on the natural ground surface.
- Worked ground - areas where the ground has been cut away such as quarries and road cuttings.
- Infilled ground - areas where the ground has been cut away then wholly or partially backfilled.
- Landscaped ground - areas where the surface has been reshaped.
- Disturbed ground - areas of ill-defined shallow or near surface mineral workings where it is impracticable to map made and worked ground separately.

Mass movement (landslip) deposits on BGS geological maps are primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground. The dataset also includes foundered strata, where the ground has collapsed due to subsidence.

Artificial Ground and Landslip Map - Slice A




Order Details:

Order Number:	395481999_1_1
Customer Reference:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Search Buffer (m):	1000

Site Details:

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2026 OS AC0000813445

Intégral
Géotechnique


Superficial Geology

Superficial Deposits are the youngest geological deposits formed during the most recent period of geological time, the Quaternary, which extends back about 1.8 million years from the present.

They rest on older deposits or rocks referred to as Bedrock. This dataset contains Superficial deposits that are of natural origin and 'in place'. Other superficial strata may be held in the Mass Movement dataset where they have been moved, or in the Artificial Ground dataset where they are of man-made origin.

Most of these Superficial deposits are unconsolidated sediments such as gravel, sand, silt and clay, and onshore they form relatively thin, often discontinuous patches or larger spreads.

Superficial Geology Map - Slice A




Order Details:

Order Number:	395481999_1_1
Customer Reference:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Search Buffer (m):	1000

Site Details:

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2026 OS AC0000813445

Intégral
Géotechnique

Bedrock and Faults


Bedrock geology is a term used for the main mass of rocks forming the Earth and are present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

The bedrock has formed over vast lengths of geological time ranging from ancient and highly altered rocks of the Proterozoic, some 2500 million years ago, or older, up to the relatively young Pliocene, 1.8 million years ago.

The bedrock geology includes many lithologies, often classified into three types based on origin: igneous, metamorphic and sedimentary.

The BGS Faults and Rock Segments dataset includes geological faults (e.g. normal, thrust), and thin beds mapped as lines (e.g. coal seam, gypsum bed). Some of these are linked to other particular 1:50,000 Geology datasets, for example, coal seams are part of the bedrock sequence, most faults and mineral veins primarily affect the bedrock but cut across the strata and post date its deposition.

Bedrock and Faults Map - Slice A




Order Details:

Order Number:	395481999_1_1
Customer Reference:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Search Buffer (m):	1000

Site Details:

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2026 OS AC0000813445

Intégral
Géotechnique

Combined Surface Geology

The Combined Surface Geology map combines all the previous maps into one combined geological overview of your site.

Please consult the legends to the previous maps to interpret the Combined "Surface Geology" map.


Additional Information

More information on 1:50,000 Geological mapping and explanations of rock classifications can be found on the BGS website. Using the LEX Codes in this report, further descriptions of rock types can be obtained by interrogating the 'BGS Lexicon of Named Rock Units'. This database can be accessed by following the 'Information and Data' link on the BGS website.

Contact

British Geological Survey
Kingsley Dunham Centre
Keyworth
Nottingham
NG12 5GG
Telephone: 0115 936 3143
Fax: 0115 936 3276
email: enquiries@bgs.ac.uk
website: www.bgs.ac.uk

Combined Geology Map - Slice A



Order Details:

Order Number:	395481999_1_1
Customer Reference:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Search Buffer (m):	1000

Site Details:

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Historical Mapping Legends

Ordnance Survey County Series 1:10,560

Gravel Pit
Sand Pit
Other Pits
Quarry
Shingle
Orchard
Osiers
Reeds
Marsh
Mixed Wood
Deciduous
Brushwood
Fir
Furze
Rough Pasture
Arrow denotes flow of water
Trigonometrical Station
Site of Antiquities
Bench Mark
Pump, Guide Post, Signal Post
Well, Spring, Boundary Post
·285 Surface Level
Sketched Contour
Instrumental Contour
Main Roads
Fenced
Un-Fenced
Minor Roads
Fenced
Un-Fenced
Sunken Road
Raised Road
Road over Railway
Railway over River
Railway over Road
Level Crossing
Road over River or Canal
Road over Stream
Road over Stream
County Boundary (Geographical)
County & Civil Parish Boundary
Administrative County & Civil Parish Boundary
Co. Boro. Bdy. County Borough Boundary (England)
Co. Burgh Bdy. County Burgh Boundary (Scotland)
R.D. Bdy. Rural District Boundary
Civil Parish Boundary

Ordnance Survey Plan 1:10,000

Chalk Pit, Clay Pit or Quarry
Gravel Pit
Sand Pit
Disused Pit or Quarry
Refuse or Slag Heap
Lake, Loch or Pond
Dunes
Boulders
Coniferous Trees
Non-Coniferous Trees
Orchard
Scrub
Coppice
Bracken
Heath
Rough Grassland
Marsh
Reeds
Saltings
Building
Direction of Flow of Water
Shingle
Sand
Glasshouse
Pylon
Electricity Transmission Line
Pole
Sloping Masonry
Cutting
Embankment
Standard Gauge Multiple Track
Road Under
Road Over
Level Crossing
Foot Bridge
Standard Gauge Single Track
Siding, Tramway or Mineral Line
Narrow Gauge
Geographical County
Administrative County, County Borough or County of City
Municipal Borough, Urban or Rural District, Burgh or District Council
Borough, Burgh or County Constituency
Shown only when not coincident with other boundaries
Civil Parish
Shown alternately when coincidence of boundaries occurs

BP, BS	Boundary Post or Stone	Pol Sta	Police Station
Ch	Church	PO	Post Office
CH	Club House	PC	Public Convenience
F E Sta	Fire Engine Station	PH	Public House
FB	Foot Bridge	SB	Signal Box
Fn	Fountain	Spr	Spring
GP	Guide Post	TCB	Telephone Call Box
MP	Mile Post	TCP	Telephone Call Post
MS	Mile Stone	W	Well

1:10,000 Raster Mapping


Gravel Pit
Refuse tip or slag heap
Rock
Rock (scattered)
Boulders
Boulders (scattered)
Shingle
Mud
Sand
Sand Pit
Slopes
Top of cliff
General detail
Underground detail
Overhead detail
Narrow gauge railway
Multi-track railway
Single track railway
County boundary (England only)
Civil, parish or community boundary
District, Unitary, Metropolitan, London Borough boundary
Constituency boundary
Area of wooded vegetation
Non-coniferous trees
Non-coniferous trees (scattered)
Coniferous trees
Coniferous trees (scattered)
Positioned tree
Orchard
Coppice or Osiers
Rough Grassland
Heath
Scrub
Marsh, Salt Marsh or Reeds
Water feature
Flow arrows
MHW(S) Mean high water (springs)
MLW(S) Mean low water (springs)
Telephone line (where shown)
Electricity transmission line (with poles)
BM 123.45 m Bench mark (where shown)
Triangulation station
Point feature (e.g. Guide Post or Mile Stone)
Pylon, flare stack or lighting tower
Site of (antiquity)
Glasshouse
General Building
Important Building

Intégral Géotechnique

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Glamorganshire	1:10,560	1884	3
Glamorganshire	1:10,560	1900	4
Glamorganshire	1:10,560	1921	5
Glamorganshire	1:10,560	1921	6
Glamorganshire	1:10,560	1935 - 1936	7
Glamorganshire	1:10,560	1938 - 1951	8
Historical Aerial Photography	1:10,560	1945	9
Glamorganshire	1:10,560	1951 - 1952	10
Ordnance Survey Plan	1:10,000	1965	11
Ordnance Survey Plan	1:10,000	1970	12
Swansea	1:10,000	1976	13
Ordnance Survey Plan	1:10,000	1980	14
Ordnance Survey Plan	1:10,000	1992	15
10K Raster Mapping	1:10,000	1999	16
10K Raster Mapping	1:10,000	2006	17
VectorMap Local	1:10,000	2025	18

Historical Map - Slice A



Order Details

Order Number:	395481999_1_1
Customer Ref:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Search Buffer (m):	1000

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Russian Military Mapping Legends

1:5,000 and 1:10,000 mapping

a. Not drawn to scale b. Drawn to scale

- Government and Administrative Buildings
- Military and Industrial Buildings
- Military and Communication Areas
- Subway Entrance
- Fireproof Building
- Prominent Fireproof Building
- Non-fireproof Building
- Non-fireproof Building (non-dwelling)
- Factory, mill, and flour mill, with chimneys
- Factory, mill, and flour mill, without chimneys
- Power Station, drawn to scale
- Hydroelectric Power Station
- Radio Station, drawn to scale
- Telephone Station, drawn to scale
- Abandoned Open-pit Mine or Quarry
- Open-pit Salt Mine
- Pit
- Oil Deposit or Well
- Oil Seepage
- Tailings Pile
- Fuel Storage Tanks
- Natural Gas Tank
- Bench Mark
- Drill Hole
- Burial Mound
- Triangulation Point on Burial Mound
- Single-track Railroad
- Double-track Railroad and Station Building
- Coniferous Forest
- Deciduous Forest
- Mixed Forest
- Lawns
- Citrus Orchard
- Wet Ground
- Scattered Vegetation

243,8 Values for prominent elevations

186.0 Numbers for spot elevations, depth soundings, contour lines, etc.

0,2 Velocity of the current, width of river bed, depth of river

Fractional terms: length and capacity of bridges; depth of fords and condition of the river bottom; height of forest and the diameter of trees

Russian Alphabet (For reference and phonetic interpretation of map text)

А а (A)	З з (Z)	П п (P)	Ч ч (CH)
Б б (B)	И и (I)	Р р (R)	Ш ш (SH)
В в (V)	Й й (Y)	С с (S)	Щ щ (SHCH)
Г г (G)	К к (K)	Т т (T)	ъ (–)
Д д (D)	Л л (L)	У у (U)	ы (Y)
Е е (E)	М м (M)	Ф ф (F)	ь (')
Ё ё (YO)	Н н (N)	Х х (KH)	Э э (E)
Ж ж (ZH)	О о (O)	Ц ц (TS)	Ю ю (YU or IU)
			Я я (YA or IA)

1:25,000 mapping

a. Not drawn to scale b. Drawn to scale

- Government and Administrative Buildings
- Military and Industrial Buildings
- Military and Communication Areas
- Subway Entrance
- Partly Demolished Buildings
- Demolished Buildings
- Built-Up Area with Fireproof Buildings Predominant
- Built-Up Area with Non-Fireproof Buildings Predominant
- Individual Fireproof Building
- Prominent Industrial Building
- Individual Dwelling, Fireproof
- Ruins of an Individual Dwelling
- Factory or Mill Chimney
- Factory or Mill with Chimney
- Factory or Mill without Chimney
- Mine or Open Pit Mine
- Operating Shaft or Mine
- Non-Operating Shaft or Mine
- Salt Mine
- Tailings Pile
- Pit
- Stone Quarry
- Gas Pump or Service Station
- Fuel Storage or Natural Gas Tank
- Oil or Natural Gas Derrick
- Small Hydroelectric Power Station
- Power Station
- Transformer Station
- Cemetery
- Burial Mound (height in metres)
- Triangulation Point on Burial Mound
- Triangulation Point
- Bench Mark
- Bench Mark (monumented)
- Telegraph Office
- Telephone Station
- Radio Station
- Radio Tower
- Airfield or Seaplane Base
- Landing Strip
- Main Highway
- Highway under Construction
- Improved Dirt Road (former truck road)
- Double-track Railroad with First Class Station
- Dismantled Railroad
- Railroad Under Construction
- Shore Embankment
- River or Ditch with Embankment
- Direction and velocity of current
- Well
- Water Reservoir or Rain Water Pit
- Spring
- Isobath with value
- Heavy (Index) Contour Line
- Contour Line and Value
- Half Contour Line
- Spot Elevation Value
- Coniferous
- Deciduous
- Mixed
- Scrub


Key to Numbers on Mapping

Intégral Géotechnique

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Glamorganshire	1:10,560	1884	3
Glamorganshire	1:10,560	1900	4
Glamorganshire	1:10,560	1921	5
Glamorganshire	1:10,560	1921	6
Glamorganshire	1:10,560	1935 - 1936	7
Glamorganshire	1:10,560	1938 - 1951	8
Historical Aerial Photography	1:10,560	1945	9
Glamorganshire	1:10,560	1951 - 1952	10
Ordnance Survey Plan	1:10,000	1965	11
Ordnance Survey Plan	1:10,000	1970	12
Swansea	1:10,000	1976	13
Ordnance Survey Plan	1:10,000	1980	14
Ordnance Survey Plan	1:10,000	1992	15
10K Raster Mapping	1:10,000	1999	16
10K Raster Mapping	1:10,000	2006	17
VectorMap Local	1:10,000	2025	18

Russian Map - Slice A



Order Details


Order Number:	395481999_1_1
Customer Ref:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Search Buffer (m):	1000

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2026. All Rights Reserved.

Intégral Géotechnique


Glamorganshire

Published 1884


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details

Order Number:	395481999_1_1
Customer Ref:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Search Buffer (m):	1000

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Intégral Géotechnique



© Crown copyright and Landmark Information Group Limited 2026. All Rights Reserved.


Glamorganshire

Published 1900


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number: 395481999_1_1
Customer Ref: 14560/LP
National Grid Reference: 273240, 197470
Slice: A
Site Area (Ha): 0.72
Search Buffer (m): 1000

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2026. All Rights Reserved.

Intégral Géotechnique

Glamorganshire

Published 1921


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

015NE 1921 1:10,560	016NW 1921 1:10,560
015SE 1921 1:10,560	016SW 1921 1:10,560

Historical Map - Slice A



Order Details


Order Number: 395481999_1_1
Customer Ref: 14560/LP
National Grid Reference: 273240, 197470
Slice: A
Site Area (Ha): 0.72
Search Buffer (m): 1000

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2026. All Rights Reserved.

Intégral Géotechnique


Glamorganshire

Published 1921


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A




Order Details

Order Number:	395481999_1_1
Customer Ref:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Search Buffer (m):	1000

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2026. All Rights Reserved.

Intégral Géotechnique


Glamorganshire

Published 1935 - 1936


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A




Order Details

Order Number:	395481999_1_1
Customer Ref:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Search Buffer (m):	1000

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2026. All Rights Reserved.

Intégral Géotechnique


Glamorganshire

Published 1938 - 1951


Source map scale - 1:10,560


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A





Order Details

Order Number: 395481999_1_1
Customer Ref: 14560/LP
National Grid Reference: 273240, 197470
Slice: A
Site Area (Ha): 0.72
Search Buffer (m): 1000

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Landmark Information Group and/or Data Suppliers 2026.

0 400 m

Intégral Géotechnique

Historical Aerial Photography


Published 1945

Source map scale - 1:10,560


The Historical Aerial Photos were produced by the Ordnance Survey at a scale of 1:1,250 and 1:10,560 from Air Force photography. They were produced between 1944 and 1951 as an interim measure, pending preparation of conventional mapping, due to post war resource shortages. New security measures in the 1950's meant that every photograph was re-checked for potentially unsafe information with security sites replaced by fake fields or clouds. The original editions were withdrawn and only later made available after a period of fifty years although due to the accuracy of the editing, without viewing both revisions it is not easy to spot the edits. Where available Landmark have included both revisions.

© Landmark Information Group and/or Data Suppliers 2010.

Map Name(s) and Date(s)



Historical Aerial Photography - Slice A



Order Details


Order Number:	395481999_1_1
Customer Ref:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Search Buffer (m):	1000

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2026. All Rights Reserved.

Intégral Géotechnique


Glamorganshire

Published 1951 - 1952


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number:	395481999_1_1
Customer Ref:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Search Buffer (m):	1000

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Intégral Géotechnique

Ordnance Survey Plan

Published 1965


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

SS79NW
1965
1:10,560

Historical Map - Slice A




Order Details

Order Number:	395481999_1_1
Customer Ref:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Search Buffer (m):	1000

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2026. All Rights Reserved.

Intégral Géotechnique


Ordnance Survey Plan

Published 1970


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A




Order Details

Order Number:	395481999_1_1
Customer Ref:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Search Buffer (m):	1000

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Copyright Landmark Information Group Ltd. All Rights Reserved.

Intégral Géotechnique


Swansea

Published 1976


Source map scale - 1:10,000

These maps were produced by the Russian military during the Cold War between 1950 and 1997, and cover 103 towns and cities throughout the U.K. The maps are produced at 1:25,000, 1:10,000 and 1:5,000 scale, and show detailed land use, with colour-coded areas for development, green areas, and non-developed areas. Buildings are coloured black and important building uses (such as hospitals, post offices, factories etc.) are numbered, with a numbered key describing their use.
They were produced by the Russians for the benefit of navigation, as well as strategic military sites and transport hubs, for use if they were to have invaded the U.K. The detailed information provided indicates that the areas were surveyed using land-based personnel, on the ground, in the cities that are mapped.

Map Name(s) and Date(s)



Russian Map - Slice A




Order Details

Order Number:	395481999_1_1
Customer Ref:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Search Buffer (m):	1000

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Intégral Géotechnique


Ordnance Survey Plan

Published 1980


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A




Order Details

Order Number:	395481999_1_1
Customer Ref:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Search Buffer (m):	1000

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2026. All Rights Reserved.

Intégral Géotechnique


Ordnance Survey Plan

Published 1992


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number: 395481999_1_1
Customer Ref: 14560/LP
National Grid Reference: 273240, 197470
Slice: A
Site Area (Ha): 0.72
Search Buffer (m): 1000

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Intégral Géotechnique

10k Raster Mapping

Published 1999


Source map scale - 1:10,000

The historical maps shown were produced from the Ordnance Survey`s 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)

SS79NW
1999
1:10,000

Historical Map - Slice A




Order Details

Order Number:	395481999_1_1
Customer Ref:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Search Buffer (m):	1000

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2026 OS AC0000813445

Intégral Géotechnique


10k Raster Mapping

Published 2006


Source map scale - 1:10,000

The historical maps shown were produced from the Ordnance Survey`s 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number:	395481999_1_1
Customer Ref:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Search Buffer (m):	1000

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP


Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk




VectorMap Local
Published 2025
Source map scale - 1:10,000

VectorMap Local (Raster) is Ordnance Survey's highest detailed 'backdrop' mapping product. These maps are produced from OS's VectorMap Local, a simple vector dataset at a nominal scale of 1:10,000, covering the whole of Great Britain, that has been designed for creating graphical mapping. OS VectorMap Local is derived from large-scale information surveyed at 1:1250 scale (covering major towns and cities),1:2500 scale (smaller towns, villages and developed rural areas), and 1:10 000 scale (mountain, moorland and river estuary areas).

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details

Order Number: 395481999_1_1
Customer Ref: 14560/LP
National Grid Reference: 273240, 197470
Slice: A
Site Area (Ha): 0.72
Search Buffer (m): 1000

Site Details


YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Historical Mapping Legends


Ordnance Survey County Series and Ordnance Survey Plan 1:2,500



County Boundary (Geographical)
County & Civil Parish Boundary
Administrative County & Civil Parish Boundary
Co. Boro. Bdy. County Borough Boundary (England)
Co. Burgh Bdy. County Burgh Boundary (Scotland)

B P B S	Boundary Post or Stone	P.C.B	Police Call Box
B.R.	Bridle Road	P	Pump
E.P	Electricity Pylon	S.P	Signal Post
F.B.	Foot Bridge	St.	Sluice
F.P.	Foot Path	Sp.	Spring
G.P	Guide Post or Board	T.C.B	Telephone Call Box
M.S	Mile Stone	Tr.	Trough
M.P M.R	Mooring Post or Ring	W	Well


Ordnance Survey Plan, Additional SIMs and Supply of Unpublished Survey Information 1:2,500 and 1:1,250



County Boundary (Geographical)
County & Civil Parish Boundary
Civil Parish Boundary
Admin. County or County Bor. Boundary
L B Bdy London Borough Boundary
Symbol marking point where boundary mereing changes

BH	Beer House	P	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
El P	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
H	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	Wr Pt, Wr T	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

Large-Scale National Grid Data 1:2,500 and 1:1,250



Civil parish/community boundary
District boundary
County boundary
Boundary post/stone
Boundary mereing symbol (note: these always appear in opposed pairs or groups of three)


Bks	Barracks	P	Pillar, Pole or Post
Bty	Battery	PO	Post Office
Cemy	Cemetery	PC	Public Convenience
Chy	Chimney	Pp	Pump
Cis	Cistern	Ppg Sta	Pumping Station
Dismtd Rly	Dismantled Railway	PW	Place of Worship
El Gen Sta	Electricity Generating Station	Sewage Ppg Sta	Sewage Pumping Station
El P	Electricity Pole, Pillar	SB, S Br	Signal Box or Bridge
El Sub Sta	Electricity Sub Station	SP, SL	Signal Post or Light
FB	Filter Bed	Spr	Spring
Fn / D Fn	Fountain / Drinking Ftn.	Tk	Tank or Track
Gas Gov	Gas Valve Compound	Tr	Trough
GVC	Gas Governer	Wd Pp	Wind Pump
GP	Guide Post	Wr Pt, Wr T	Water Point, Water Tap
MH	Manhole	Wks	Works (building or area)
MP, MS	Mile Post or Mile Stone	W	Well

Intégral Géotechnique

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Glamorganshire	1:2,500	1876 - 1881	2
Glamorganshire	1:2,500	1899	3
Glamorganshire	1:2,500	1918	4
Glamorganshire	1:2,500	1940	5
Ordnance Survey Plan	1:1,250	1951 - 1952	6
Ordnance Survey Plan	1:2,500	1952	7
Ordnance Survey Plan	1:1,250	1962 - 1970	8
Additional SIMs	1:1,250	1962 - 1988	9
Ordnance Survey Plan	1:2,500	1964	10
Ordnance Survey Plan	1:1,250	1970 - 1975	11
Additional SIMs	1:1,250	1986 - 1989	12
Additional SIMs	1:1,250	1989	13
Large-Scale National Grid Data	1:1,250	1993	14
Large-Scale National Grid Data	1:1,250	1996	15
Historical Aerial Photography	1:2,500	2000	16

Historical Map - Segment A13




Order Details

Order Number:	395481999_1_1
Customer Ref:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Search Buffer (m):	100

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2026. All Rights Reserved.

Intégral Géotechnique


Glamorganshire

Published 1876 - 1881


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A13




Order Details

Order Number:	395481999_1_1
Customer Ref:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Search Buffer (m):	100

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Intégral Géotechnique


Glamorganshire

Published 1899


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A13




Order Details

Order Number:	395481999_1_1
Customer Ref:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Search Buffer (m):	100

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2026. All Rights Reserved.

Intégral Géotechnique


Glamorganshire

Published 1918


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A13




Order Details

Order Number:	395481999_1_1
Customer Ref:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Search Buffer (m):	100

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2026. All Rights Reserved.

Intégral Géotechnique


Glamorganshire

Published 1940


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A13




Order Details

Order Number:	395481999_1_1
Customer Ref:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Search Buffer (m):	100

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2026. All Rights Reserved.

Intégral Géotechnique

Ordnance Survey Plan

Published 1951 - 1952


Source map scale - 1:1,250

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)

SS7297NE 1951 1:1,250	SS7397NW 1952 1:1,250	SS7397NE 1952 1:1,250
SS7297SE 1951 1:1,250	SS7397SW 1952 1:1,250	SS7397SE 1952 1:1,250

Historical Map - Segment A13




Order Details

Order Number:	395481999_1_1
Customer Ref:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Search Buffer (m):	100

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2026. All Rights Reserved.

Intégral
Géotechnique


Ordnance Survey Plan

Published 1952


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A13



N

Order Details


Order Number: 395481999_1_1
Customer Ref: 14560/LP
National Grid Reference: 273240, 197470
Slice: A
Site Area (Ha): 0.72
Search Buffer (m): 100

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2026. All Rights Reserved.

Intégral Géotechnique

Ordnance Survey Plan

Published 1962 - 1970


Source map scale - 1:1,250

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)

SS7297NE 1963 1:1,250	SS7397NW 1962 1:1,250	SS7397NE 1962 1:1,250
SS7297SE 1963 1:1,250	SS7397SW 1964 1:1,250	SS7397SE 1970 1:1,250

Historical Map - Segment A13




Order Details

Order Number:	395481999_1_1
Customer Ref:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Search Buffer (m):	100

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2026. All Rights Reserved.

Intégral Géotechnique

Additional SIMs

Published 1962 - 1988


Source map scale - 1:1,250

The SIM cards (Ordnance Survey's `Survey of Information on Microfilm') are further, minor editions of mapping which were produced and published in between the main editions as an area was updated. They date from 1947 to 1994, and contain detailed information on buildings, roads and land-use. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)

SS7297NE 1984 1:1,250	SS7397NW 1962 1:1,250	SS7397NE 1988 1:1,250
SS7297SE 1985 1:1,250	SS7397SW 1984 1:1,250	SS7397SE 1977 1:1,250

Historical Map - Segment A13



Order Details


Order Number: 395481999_1_1
Customer Ref: 14560/LP
National Grid Reference: 273240, 197470
Slice: A
Site Area (Ha): 0.72
Search Buffer (m): 100

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2026. All Rights Reserved.

0 100 m

Intégral Géotechnique


Ordnance Survey Plan

Published 1964


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A13



Order Details


Order Number:	395481999_1_1
Customer Ref:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Search Buffer (m):	100

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Intégral Géotechnique


Ordnance Survey Plan

Published 1970 - 1975


Source map scale - 1:1,250

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A13



Order Details


Order Number:	395481999_1_1
Customer Ref:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Search Buffer (m):	100

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2026. All Rights Reserved.

Intégral Géotechnique

Additional SIMs

Published 1986 - 1989


Source map scale - 1:1,250

The SIM cards (Ordnance Survey's `Survey of Information on Microfilm') are further, minor editions of mapping which were produced and published in between the main editions as an area was updated. They date from 1947 to 1994, and contain detailed information on buildings, roads and land-use. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)

SS7297NE 1989 1:1,250	SS7397NW 1989 1:1,250	SS7397NE 1989 1:1,250
SS7297SE 1989 1:1,250	SS7397SW 1986 1:1,250	SS7397SE 1986 1:1,250

Historical Map - Segment A13



Order Details


Order Number: 395481999_1_1
Customer Ref: 14560/LP
National Grid Reference: 273240, 197470
Slice: A
Site Area (Ha): 0.72
Search Buffer (m): 100

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Intégral Géotechnique


Additional SIMs

Published 1989


Source map scale - 1:1,250

The SIM cards (Ordnance Survey's `Survey of Information on Microfilm') are further, minor editions of mapping which were produced and published in between the main editions as an area was updated. They date from 1947 to 1994, and contain detailed information on buildings, roads and land-use. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment A13



Order Details


Order Number:	395481999_1_1
Customer Ref:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Search Buffer (m):	100

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2026. All Rights Reserved.

Intégral Géotechnique


Large-Scale National Grid Data

Published 1993


Source map scale - 1:1,250

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment A13



Order Details

Order Number:	395481999_1_1
Customer Ref:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Search Buffer (m):	100

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk


197800

197800

197600

197400

197200



© Crown copyright and Landmark Information Group Limited 2026. All Rights Reserved.

0 100 m

Intégral Géotechnique


Large-Scale National Grid Data

Published 1996


Source map scale - 1:1,250

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment A13



Order Details

Order Number: 395481999_1_1
Customer Ref: 14560/LP
National Grid Reference: 273240, 197470
Slice: A
Site Area (Ha): 0.72
Search Buffer (m): 100

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk




Intégral Géotechnique

Historical Aerial Photography

Published 2000

This aerial photography was produced by Getmapping, these vertical aerial photographs provide a seamless, full colour survey of the whole of Great Britain

Historical Aerial Photography - Segment A13



Order Details

Order Number:	395481999_1_1
Customer Ref:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Search Buffer (m):	100

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Intégral
Géotechnique

Envirocheck® Report:

Mining and Ground Stability Datasheet

Order Details:

Order Number:
395481999_1_1

Customer Reference:
14560/LP

National Grid Reference:
273240, 197470

Slice:
A

Site Area (Ha):
0.72

Search Buffer (m):
1000

Site Details:

YGG Tregeles
Neath Abbey
Neath
SA10 7ND

Client Details:

MR H Pritchard
Integral Geotechnique
Integral House
7 Beddau Way
Castlegate Business Park
Caerphilly
CF83 2AX

Intégral Géotechnique

Contents

Report Section and Details	Page Number
Summary	-
The Summary section provides an overview of the data contained within the report, detailing the number of data set features or the existence of a data set in relation to the buffer selected. For ease of reference, the report is broken down into 4 sections of data; Mining and Natural Cavities Data, Historical Land Use Information (1:2,500), Historical Land Use Information (1:10,000) and Ground Stability Data (1:50,000).	
Mining and Natural Cavities Data	1
The Mining and Natural Cavities Data section features data sets related to the existence of mining areas and their potential hazards; and details of naturally formed cavities. Data sets within this section are not plotted, with the exception of BGS Recorded Mineral Sites and Potential Mining Areas which feature on the Historical Land Use Information (1:10,000) map.	
Historical Land Use Information (1:2,500)	12
The Historical Land Use Information (1:2,500) section contains data captured from analysis carried out by Landmark of 1:1,250 and 1:2,500 scale historical Ordnance Survey mapping, identifying areas where, historically, the land uses were potentially contaminative. For the purpose of this Envirocheck module, only historical data relating to mining and ground stability has been included and plotted on the corresponding Historical Land Use Information (1:2,500) map. This section also includes the Subterranean Features data set, which details various man-made and man-used underground spaces obtained from the Subterranea Britannica society.	
Historical Land Use Information (1:10,000)	14
The Historical Land Use (1:10,000) section covers data captured from the systematic analysis carried out by Landmark of 1:10, 560 and 1:10,000 scale historical Ordnance Survey mapping dating back to the mid-19th century, identifying potentially contaminative past industrial land uses. For the purpose of this Envirocheck module, only data relating to mining and ground stability has been included and plotted on the accompanying Historical Land Use Information (1:10,000) map.	
Ground Stability Data (1:50,000)	19
The Ground Stability (1:50,000) section includes the BGS Geosure data suite, reporting features to 250m and plotted onto 3 separate maps. Also reported is brine subsidence, brine mining and salt mining data sets, of which Brine Pumping and Salt Mining Related Features are plotted, and subsidence insurance claims and insurance investigations data, which is not plotted.	
Historical Map List	20
The Historical Map List section details the historical mapping that has been analysed for your site, in relation to the Historical Land Use Information sections.	
Data Currency	21
Data Suppliers	22
Useful Contacts	23

Copyright Notice

© Landmark Information Group Limited 2026. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, and the Environment Agency/Natural Resources Wales, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer. A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report.

© Copyright Stantec UK Limited. All rights reserved.

The brine subsidence data relating to the Driotwich area as provided in this report is derived from JPB studies and physical monitoring undertaken annually over more than 35 years. For more detailed interpretation contact enquiries@jpb.co.uk. JPB retain the copyright and intellectual rights to this data and accept no liability for any loss or damage, including in direct or consequential loss, arising from the use of this data.

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Report Version v53.0

Intégral Géotechnique

Summary

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m
Mining and Natural Cavities Data					
BGS Recorded Mineral Sites	pg 1		4	2	33
Coal Mining Affected Areas	pg 7	Yes	n/a	n/a	n/a
Man Made Mining Cavities					
Mining Instability	pg 7	Yes	n/a	n/a	n/a
Natural Cavities	pg 7				1
Non Coal Mining Areas of Great Britain				n/a	n/a
Potential Mining Areas	pg 7	3	6	10	7
Historical Land Use Information (1:2,500)					
Extractive Industries or Potential Excavations from 1855-1909 (100m)	pg 12		3	n/a	n/a
Extractive Industries or Potential Excavations from 1893-1915 (100m)	pg 12	1	2	n/a	n/a
Extractive Industries or Potential Excavations from 1906-1937 (100m)	pg 12	1	2	n/a	n/a
Extractive Industries or Potential Excavations from 1924-1949 (100m)	pg 12	1	1	n/a	n/a
Extractive Industries or Potential Excavations from 1950-1980 (100m)	pg 13	1	2	n/a	n/a
Subterranean Features (100m)				n/a	n/a
Historical Land Use Information (1:10,000)					
Air Shafts	pg 14				2
Disturbed Ground					
General Quarrying	pg 14		1	1	11
Heap, unknown constituents	pg 14			1	1
Mineral Railway	pg 14		6	9	4
Mining & quarrying general	pg 15			1	2
Mining of coal & lignite	pg 15		1		7
Quarrying of sand & clay, operation of sand & gravel pits					
Former Marshes	pg 16			1	1
Potentially Infilled Land (Non-Water)	pg 16		1	1	15
Potentially Infilled Land (Water)	pg 17		2	13	9
Ground Stability Data (1:50,000)					
CBSCB Compensation District			n/a	n/a	n/a
Brine Pumping Related Features					
Brine Subsidence Solution Area					
Potential for Collapsible Ground Stability Hazards	pg 19	Yes	Yes	n/a	n/a
Potential for Compressible Ground Stability Hazards	pg 19	Yes	Yes	n/a	n/a
Potential for Ground Dissolution Stability Hazards	pg 19	Yes		n/a	n/a
Potential for Landslide Ground Stability Hazards	pg 19	Yes	Yes	n/a	n/a
Potential for Running Sand Ground Stability Hazards	pg 19	Yes	Yes	n/a	n/a
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 19	Yes		n/a	n/a
Salt Mining Related Features					

Intégral Géotechnique

Summary

Report Version v53.0

Intégral Géotechnique

Mining and Natural Cavities Data

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
1	**BGS Recorded Mineral Sites** Site Name: Main Colliery, No. 8 Pit Location: Neath Abbey, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 229858 Type: Underground **Status: Ceased** Operator: Main Colliery Co., Ltd. Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Graigola Coal (South Wales) Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A13SE (S)	131	1	273271 197290
2	**BGS Recorded Mineral Sites** Site Name: East Graigola Slant Location: Neath Abbey, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 229859 Type: Underground **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Member Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A13NW (NW)	139	1	273061 197571
3	**BGS Recorded Mineral Sites** Site Name: Graig Location: Birchgrove, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154120 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A13NW (N)	156	1	273168 197646
4	**BGS Recorded Mineral Sites** Site Name: Main Colliery, No. 7 Pit Location: Neath Abbey, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 229857 Type: Underground **Status: Ceased** Operator: Main Colliery Co., Ltd. Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Graigola Coal (South Wales) Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A13SW (S)	173	1	273174 197256
5	**BGS Recorded Mineral Sites** Site Name: Graig Location: Birchgrove, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154092 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A18SW (NW)	336	1	273071 197809
6	**BGS Recorded Mineral Sites** Site Name: Graig Level Location: Neath Abbey, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 229836 Type: Underground **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Member Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A18SW (NW)	407	1	273043 197874

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
7	**BGS Recorded Mineral Sites** Site Name: Graig Quarries Location: Neath Abbey, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154119 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A18SW (N)	548	1	273174 198051
8	**BGS Recorded Mineral Sites** Site Name: Graig Quarries Location: Neath Abbey, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 229835 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A18SW (N)	555	1	273112 198043
9	**BGS Recorded Mineral Sites** Site Name: Pentre-Ffynnon Location: Skewen, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154105 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Hughes Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A12SE (SW)	590	1	272677 197169
10	**BGS Recorded Mineral Sites** Site Name: Maesmelin Pit Location: Skewen, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 229840 Type: Underground **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Hughes Member Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A17SE (NW)	593	1	272724 197877
11	**BGS Recorded Mineral Sites** Site Name: Pentre-Ffynnon Location: Skewen, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154106 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Hughes Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A7NE (SW)	613	1	272875 196920
12	**BGS Recorded Mineral Sites** Site Name: Penshanel Level Location: Skewen, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 229838 Type: Underground **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Member Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A18SW (NW)	618	1	272927 198056

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
13	**BGS Recorded Mineral Sites** Site Name: Court Herbert Colliery Location: Neath Abbey, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 229862 Type: Underground **Status: Ceased** Operator: Main Colliery Co., Ltd. Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Member Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A14NE (E)	633	1	273928 197501
13	**BGS Recorded Mineral Sites** Site Name: Court Herbert Colliery Location: Neath Abbey, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 229861 Type: Underground **Status: Ceased** Operator: Main Colliery Co., Ltd. Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Member Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A14NE (E)	665	1	273955 197541
14	**BGS Recorded Mineral Sites** Site Name: Maesmelyn Location: Birchgrove, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154091 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A17SE (NW)	642	1	272755 197976
15	**BGS Recorded Mineral Sites** Site Name: Heol-Darw Location: Rhydding, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154089 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A19SW (NE)	667	1	273776 197956
16	**BGS Recorded Mineral Sites** Site Name: Pentre-Ffynnon Location: Skewen, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154125 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Hughes Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A7NE (SW)	671	1	272887 196843
17	**BGS Recorded Mineral Sites** Site Name: Maesmelyn Level Location: Skewen, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 229837 Type: Underground **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Graigola Coal (South Wales) Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A17SE (NW)	704	1	272589 197882

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
18	**BGS Recorded Mineral Sites** Site Name: Main Colliery Level Location: Skewen, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 229841 Type: Underground **Status: Ceased** Operator: Main Colliery Co., Ltd. Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Hughes Coal (South Wales) Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A12NW (W)	711	1	272490 197689
19	**BGS Recorded Mineral Sites** Site Name: Pentre-Ffynnon Location: Skewen, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154107 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Hughes Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A7NE (SW)	714	1	272797 196852
20	**BGS Recorded Mineral Sites** Site Name: Main Colliery No. 3 Pit Location: Skewen, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 188771 Type: Underground **Status: Ceased** Operator: Main Colliery Co., Ltd. Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Hughes Coal (South Wales) Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A12NW (W)	731	1	272490 197750
20	**BGS Recorded Mineral Sites** Site Name: Main Colliery No. 4 Pit Location: Neath, Neath Port Talbot Source: British Geological Survey, National Geoscience Information Service Reference: 188770 Type: Underground **Status: Ceased** Operator: Main Colliery Co., Ltd. Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Hughes Coal (South Wales) Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A12NW (W)	762	1	272452 197735
21	**BGS Recorded Mineral Sites** Site Name: Maesmelyn Location: Neath Abbey, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 228794 Type: Opencast **Status: Ceased** Operator: Bater Bros. & Co. (Materials) Ltd. Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A17SE (NW)	737	1	272733 198080
22	**BGS Recorded Mineral Sites** Site Name: Neath Abbey Colliery Location: Neath Abbey, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 229860 Type: Underground **Status: Ceased** Operator: Main Colliery Co., Ltd. Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Five Feet Coal (South Wales) Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A14NE (E)	741	1	274027 197572

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
23	**BGS Recorded Mineral Sites** Site Name: Maesmelyn Location: Birchgrove, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154121 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A17SW (NW)	775	1	272534 197927
24	**BGS Recorded Mineral Sites** Site Name: Bryn-Clydach Location: Rhydding, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154087 Type: Underground **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Member Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A19SW (NE)	786	1	273806 198095
25	**BGS Recorded Mineral Sites** Site Name: Stanley Pit Drainage Level Location: Neath Abbey, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 229834 Type: Underground **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Four Foot Coal (South Wales) Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A18NW (N)	837	1	273136 198338
26	**BGS Recorded Mineral Sites** Site Name: Maesmelyn Level Location: Moore Town, Skewen, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 229843 Type: Underground **Status: Ceased** Operator: Dynevor Main Colliery Co., Ltd. Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Hughes Member Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A12NW (W)	864	1	272325 197658
26	**BGS Recorded Mineral Sites** Site Name: Maesmelyn Level Location: Moore Town, Skewen, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 229844 Type: Underground **Status: Ceased** Operator: Dynevor Main Colliery Co., Ltd. Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Hughes Member Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A12NW (W)	886	1	272311 197695
27	**BGS Recorded Mineral Sites** Site Name: Skewen Main No. 4 Level Location: Skewen, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 229842 Type: Underground **Status: Ceased** Operator: Wm. Prestwich & Sons, Ltd Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Member Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A12NW (W)	884	1	272334 197769

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
27	**BGS Recorded Mineral Sites** Site Name: Skewen Main No. 4 Level Location: Neath, Neath Port Talbot Source: British Geological Survey, National Geoscience Information Service Reference: 188772 Type: Underground **Status: Ceased** Operator: D. L. Thomas Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Hughes Member Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A12NW (W)	900	1	272311 197748
28	**BGS Recorded Mineral Sites** Site Name: Ty-Llwyd Location: Rhydding, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154085 Type: Underground **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Grovesend Formation Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A19NW (NE)	899	1	273690 198312
29	**BGS Recorded Mineral Sites** Site Name: Court Herbert Quarry Location: Neath Abbey, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154090 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A19SE (E)	937	1	274165 197815
30	**BGS Recorded Mineral Sites** Site Name: Darran Colliery Level Location: Neath Abbey, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 229833 Type: Underground **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Tir Edmond Coal (South Wales) Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A17NE (NW)	942	1	272694 198300
31	**BGS Recorded Mineral Sites** Site Name: Bath Pit Location: Neath Abbey, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154082 Type: Underground **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Four Feet Coal (South Wales) Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A18NW (N)	952	1	273193 198461
32	**BGS Recorded Mineral Sites** Site Name: Darran Colliery Level Location: Neath Abbey, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 229832 Type: Underground **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Tir Edmond Coal (South Wales) Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A17NE (NW)	962	1	272728 198342

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
33	**BGS Recorded Mineral Sites** Site Name: Waun-Ceirch Coal Slant Location: Neath Abbey, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 229863 Type: Underground **Status: Ceased** Operator: Main Colliery Co., Ltd. Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Four Foot Coal (South Wales) Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A19NE (NE)	968	1	274001 198157
34	**BGS Recorded Mineral Sites** Site Name: Brithdir Quarries Location: Moore Town, Skewen, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154093 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A12NW (W)	982	1	272233 197774
35	**BGS Recorded Mineral Sites** Site Name: Darran Colliery Pit Location: Neath Abbey, Neath, West Glamorgan Source: British Geological Survey, National Geoscience Information Service Reference: 154081 Type: Underground **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Swansea Member Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A17NE (NW)	995	1	272788 198406
	Coal Mining Affected Areas Description: In an area which may be affected by coal mining activity. It is recommended that a coal mining report is obtained from the Coal Authority. Contact details are included in the Useful Contacts section of this report.	A13NE (S)	0	2	273240 197469
	Mining Instability Mining Evidence: Inconclusive Coal Mining Source: Ove Arup & Partners Boundary Quality: As Supplied	A13NE (S)	0	3	273240 197469
	Natural Cavities Cavity Type: Unknown x 1 Solid Geology Detail: Millstone Grit Group Superficial Geology Detail: No Details	A12NW (W)	927	3	272300 197800
	Non Coal Mining Areas of Great Britain No Hazard				
36	**Potential Mining Areas** Name: Main Ceased Operation: 1925 Commodity: Coal; Four Feet; Little Reference: 8146 Alternate Name/Mine: No. 7 Custodian: Not Supplied	A13NE (S)	0	4	273240 197469
37	**Potential Mining Areas** Name: Main Ceased Operation: 1925 Commodity: Coal; Graigola Reference: 8160 Alternate Name/Mine: Nos. 7, 8 Custodian: Not Supplied	A13NE (S)	0	4	273240 197469

Mining and Natural Cavities Data

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
38	**Potential Mining Areas** Name: Main Ceased Operation: Not Supplied Commodity: Coal; Victoria Reference: 11521 Alternate Name/Mine: Birchgrove Alternate Name/Mine: Brithdir Alternate Name/Mine: Bryndewi Alternate Name/Mine: Court-herbert Alternate Name/Mine: Nos. 1, 2, 6, 7, 8 Alternate Name/Mine: Parson's Alternate Name/Mine: Wernddu Custodian: Not Supplied	A13NE (S)	0	4	273240 197469
39	**Potential Mining Areas** Name: Main Ceased Operation: Not Supplied Commodity: Coal; Wernffraith Reference: 11523 Alternate Name/Mine: Cwmnantllwyd Alternate Name/Mine: Fforest Goch Alternate Name/Mine: Fire Engine Alternate Name/Mine: Nos. 1, 2, 6 Alternate Name/Mine: Pencae Alternate Name/Mine: Primrose Alternate Name/Mine: Rhydding Alternate Name/Mine: Tycoch Alternate Name/Mine: Waunceirch Alternate Name/Mine: Wernddu Custodian: Not Supplied	A13NE (N)	21	4	273242 197535
40	**Potential Mining Areas** Name: Main (Duffryn Trough) Ceased Operation: Not Supplied Commodity: Coal; Wernffraith Reference: Not Supplied Alternate Name/Mine: Not Supplied Custodian: Main Colliery Co. Ltd., Neath Abbey, Neath.	A13NE (N)	21	4	273242 197535

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
41	**Potential Mining Areas** Name: Main Ceased Operation: 1873 Commodity: Coal; Seams unnamed (Probably Wernffraith; Graigola and Greenway) Reference: 10961 Alternate Name/Mine: Bath Alternate Name/Mine: Blaenhonddan Alternate Name/Mine: Bryn Dewi (Brynddewy) Alternate Name/Mine: Bryncoch Alternate Name/Mine: Cwm Clydach Alternate Name/Mine: Cwmfelin Alternate Name/Mine: Fire Engine Alternate Name/Mine: Forest Goch Alternate Name/Mine: Greenway Alternate Name/Mine: Primrose Alternate Name/Mine: Rhydding (Rheeding) Alternate Name/Mine: Stanley Alternate Name/Mine: Tir Edmund Alternate Name/Mine: Wernddu Custodian: Not Supplied	A13NW (N)	38	4	273218 197535
42	**Potential Mining Areas** Name: Main Ceased Operation: 1929 Commodity: Coal; Hughes Reference: 9889 Alternate Name/Mine: Nos. 3, 4 Custodian: Not Supplied	A13NW (N)	38	4	273218 197535
43	**Potential Mining Areas** Name: Parsons Old Ceased Operation: Not Supplied Commodity: Coal; Seam unnamed Reference: 10964 Alternate Name/Mine: Not Supplied Custodian: Not Supplied	A13NW (N)	38	4	273218 197535
44	**Potential Mining Areas** Name: Greenway Ceased Operation: 1874 Commodity: Coal; Greenway Reference: 182 Alternate Name/Mine: Not Supplied Custodian: Not Supplied	A13NW (N)	38	4	273218 197535
45	**Potential Mining Areas** Name: Court Herbert (Neath Abbey) Ceased Operation: 1924 Commodity: Coal; Graigola Reference: 7873 Alternate Name/Mine: Not Supplied Custodian: Not Supplied	A14SW (E)	321	4	273619 197461
46	**Potential Mining Areas** Name: Court Herbert (Neath Abbey) Ceased Operation: 1876 Commodity: Coal; Graigola Reference: 465 Alternate Name/Mine: Not Supplied Custodian: Not Supplied	A14SW (E)	321	4	273619 197461

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
47	**Potential Mining Areas** Name: Neath Abbey (District) Ceased Operation: 1868 Commodity: Coal; Greenway; Graigola; Victoria Reference: Not Supplied Alternate Name/Mine: Not Supplied Custodian: W.F. Clark and Son, Aldridge, Walsall, Staffs.	A14SW (E)	321	4	273619 197461
48	**Potential Mining Areas** Name: Main Ceased Operation: 1929 Commodity: Coal; Graigola; Four Feet or Victoria; Three Feet or Little Reference: 9888 Alternate Name/Mine: Court Herbert Alternate Name/Mine: Nos. 1, 2 Custodian: Not Supplied	A14SW (E)	321	4	273619 197461
49	**Potential Mining Areas** Name: Cwrt-y-Bettws Ceased Operation: 1914 Commodity: Coal; Bwdwr; Hughes Reference: 6634 Alternate Name/Mine: Not Supplied Custodian: Not Supplied	A12NE (W)	358	4	272815 197478
50	**Potential Mining Areas** Name: Graigola Lower Ceased Operation: 1926 Commodity: Coal; Graigola Reference: 8507 Alternate Name/Mine: Cwmdu Old Alternate Name/Mine: Penshanel Custodian: Not Supplied	A12NE (W)	361	4	272816 197544
51	**Potential Mining Areas** Name: Cwm Ceased Operation: 1921 Commodity: Coal; Wernffraith Reference: 7385 Alternate Name/Mine: Not Supplied Custodian: Not Supplied	A18SE (N)	423	4	273250 197937
52	**Potential Mining Areas** Name: Wernffraith Ceased Operation: 1930 Commodity: Coal; Wernffraith Reference: 10294 Alternate Name/Mine: Not Supplied Custodian: Not Supplied	A18SE (N)	423	4	273250 197937
53	**Potential Mining Areas** Name: Maesmelyn Ceased Operation: 1882 Commodity: Coal; Graigola Reference: 1349 Alternate Name/Mine: Not Supplied Custodian: Not Supplied	A18SW (N)	427	4	273227 197937
54	**Potential Mining Areas** Name: Graigola Lower Ceased Operation: 1866 Commodity: Coal; Four Feet; Five Feet; Twenty Inch Reference: Not Supplied Alternate Name/Mine: Cwmdu Alternate Name/Mine: Maesmelyn Custodian: E. Evans Bevan, High Street, Neath.	A18SW (N)	427	4	273227 197937

Mining and Natural Cavities Data

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
55	**Potential Mining Areas** Name: Bryncoch Main Ceased Operation: Not Supplied Commodity: Coal; Seam unnamed Reference: 8603 Alternate Name/Mine: (including old shafts and levels) Custodian: Not Supplied	A19SW (NE)	544	4	273629 197929
56	**Potential Mining Areas** Name: Maesmelyn Ceased Operation: 1924 Commodity: Coal; Upper Maesmelyn Reference: 9575 Alternate Name/Mine: Not Supplied Custodian: Not Supplied	A12NW (W)	761	4	272414 197553
57	**Potential Mining Areas** Name: Main Ceased Operation: 1929 Commodity: Coal; Four Feet or Victoria; Three Feet or Little Reference: 9890 Alternate Name/Mine: Brithdir Alternate Name/Mine: Drivage Alternate Name/Mine: No. 4 Custodian: Not Supplied	A12NW (W)	761	4	272414 197553
58	**Potential Mining Areas** Name: Darran Court Ceased Operation: Not Supplied Commodity: Coal; Four Feet Reference: Not Supplied Alternate Name/Mine: Not Supplied Custodian: E. Evans Bevan, High Street, Neath.	A18NE (N)	827	4	273236 198340
59	**Potential Mining Areas** Name: Ty Coch Old Ceased Operation: 1865 Commodity: Coal; Seam unnamed Reference: Not Supplied Alternate Name/Mine: Not Supplied Custodian: E. Evans Bevan, High Street, Neath.	A19SE (NE)	857	4	274031 197920
60	**Potential Mining Areas** Name: Brithdir and Cwmdu Ceased Operation: 1896 Commodity: Coal; Four Feet Reference: 3469 Alternate Name/Mine: Not Supplied Custodian: Not Supplied	A17SW (NW)	883	4	272423 197955
61	**Potential Mining Areas** Name: Fire Engine Ceased Operation: 1882 Commodity: Coal; Seam unnamed Reference: 1445 Alternate Name/Mine: Waunceirch Custodian: Not Supplied	A19NW (NE)	894	4	273638 198331

Historical Land Use Information (1:2,500)

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
62	**Extractive Industries or Potential Excavations from 1855-1909** Use: Railway Embankment First Map Published Date: 1876 Last Map Published Date: Not Applicable	A13NE (N)	7	3	273236 197510
63	**Extractive Industries or Potential Excavations from 1855-1909** Use: Railway Cutting First Map Published Date: 1876 Last Map Published Date: Not Applicable	A13SW (W)	90	3	273106 197417
64	**Extractive Industries or Potential Excavations from 1855-1909** Use: Grave Yard First Map Published Date: 1876 Last Map Published Date: Not Applicable	A13SE (E)	99	3	273395 197465
65	**Extractive Industries or Potential Excavations from 1893-1915** Use: Railway Embankment First Map Published Date: 1899 Last Map Published Date: Not Applicable	A13NW (N)	0	3	273235 197498
66	**Extractive Industries or Potential Excavations from 1893-1915** Use: Grave Yard First Map Published Date: 1899 Last Map Published Date: Not Applicable	A13NE (E)	36	3	273323 197490
67	**Extractive Industries or Potential Excavations from 1893-1915** Use: Railway Cutting First Map Published Date: 1899 Last Map Published Date: Not Applicable	A13SW (SW)	88	3	273110 197414
68	**Extractive Industries or Potential Excavations from 1906-1937** Use: Railway Embankment First Map Published Date: 1918 Last Map Published Date: Not Applicable	A13NE (N)	0	3	273236 197499
69	**Extractive Industries or Potential Excavations from 1906-1937** Use: Grave Yard First Map Published Date: 1918 Last Map Published Date: Not Applicable	A13NE (E)	36	3	273324 197489
70	**Extractive Industries or Potential Excavations from 1906-1937** Use: Main Colliery (No. 7. Pit) First Map Published Date: 1918 Last Map Published Date: Not Applicable	A13SE (SE)	74	3	273301 197353
71	**Extractive Industries or Potential Excavations from 1924-1949** Use: Railway Embankment First Map Published Date: 1940 Last Map Published Date: Not Applicable	A13NE (N)	0	3	273236 197499
72	**Extractive Industries or Potential Excavations from 1924-1949** Use: Grave Yard First Map Published Date: 1940 Last Map Published Date: Not Applicable	A13NE (E)	33	3	273321 197489

Historical Land Use Information (1:2,500)

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
73	**Extractive Industries or Potential Excavations from 1950-1980** Use: Railway Embankment First Map Published Date: 1951 Last Map Published Date: 1952	A13NW (N)	0	3	273233 197499
74	**Extractive Industries or Potential Excavations from 1950-1980** Use: Grave Yard First Map Published Date: 1952 Last Map Published Date: 1952	A13NE (E)	43	3	273328 197493
75	**Extractive Industries or Potential Excavations from 1950-1980** Use: Railway Cutting First Map Published Date: 1952 Last Map Published Date: 1952	A13NE (NE)	100	3	273369 197555

Historical Land Use Information (1:10,000)

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
76	**Air Shafts** Use: Not Supplied Date of Mapping: 1965 - 1992	A9NW (SE)	687	3	273840 197019
77	**Air Shafts** Use: Not Supplied Date of Mapping: 1884 - 1900	A18NW (N)	748	3	273211 198258
78	**General Quarrying** Use: Not Supplied Date of Mapping: 1900	A13NW (NW)	142	3	273155 197630
79	**General Quarrying** Use: Not Supplied Date of Mapping: 1884 - 1900	A18SW (NW)	338	3	273069 197810
80	**General Quarrying** Use: Not Supplied Date of Mapping: 1884 - 1940	A18SW (N)	555	3	273170 198058
81	**General Quarrying** Use: Not Supplied Date of Mapping: 1921 - 1940	A18SW (N)	565	3	273113 198054
82	**General Quarrying** Use: Not Supplied Date of Mapping: 1884 - 1900	A12SE (SW)	584	3	272692 197158
83	**General Quarrying** Use: Not Supplied Date of Mapping: 1900 - 1965	A17SE (NW)	624	3	272778 197972
84	**General Quarrying** Use: Not Supplied Date of Mapping: 1884 - 1900	A7NE (SW)	631	3	272872 196901
85	**General Quarrying** Use: Not Supplied Date of Mapping: 1884	A19SW (NE)	665	3	273790 197936
86	**General Quarrying** Use: Not Supplied Date of Mapping: 1884	A7NE (SW)	669	3	272882 196849
87	**General Quarrying** Use: Not Supplied Date of Mapping: 1900 - 1921	A7NE (SW)	727	3	272794 196838
88	**General Quarrying** Use: Not Supplied Date of Mapping: 1900	A17SW (NW)	772	3	272539 197929
89	**General Quarrying** Use: Not Supplied Date of Mapping: 1884 - 1900	A17SW (NW)	827	3	272417 197826
90	**General Quarrying** Use: Not Supplied Date of Mapping: 1884 - 1900	A14NE (E)	942	3	274174 197800
91	**Heap, unknown constituents** Use: Not Supplied Date of Mapping: 1921 - 1940	A13SE (E)	269	3	273562 197394
92	**Heap, unknown constituents** Use: Not Supplied Date of Mapping: 1992	A17SE (NW)	626	3	272764 197963
93	**Mineral Railway** Use: Not Supplied Date of Mapping: 1884 - 1940	A13SW (SW)	87	3	273110 197415
94	**Mineral Railway** Use: Not Supplied Date of Mapping: 1884 - 1940	A13SE (S)	97	3	273296 197327
95	**Mineral Railway** Use: Not Supplied Date of Mapping: 1884 - 1921	A13NW (W)	111	3	273068 197527
96	**Mineral Railway** Use: Not Supplied Date of Mapping: 1921 - 1940	A13SW (S)	115	3	273231 197303

Historical Land Use Information (1:10,000)

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
97	**Mineral Railway** Use: Not Supplied Date of Mapping: 1884 - 1921	A13SW (S)	146	3	273185 197282
98	**Mineral Railway** Use: Not Supplied Date of Mapping: 1900 - 1940	A13SW (S)	192	3	273221 197226
99	**Mineral Railway** Use: Not Supplied Date of Mapping: 1884 - 1900	A13NW (NW)	295	3	272955 197687
100	**Mineral Railway** Use: Not Supplied Date of Mapping: 1921 - 1940	A13NW (NW)	300	3	272947 197686
101	**Mineral Railway** Use: Not Supplied Date of Mapping: 1884 - 1900	A14NW (E)	411	3	273703 197511
102	**Mineral Railway** Use: Not Supplied Date of Mapping: 1921 - 1940	A14SW (E)	424	3	273722 197432
103	**Mineral Railway** Use: Not Supplied Date of Mapping: 1900	A17SE (NW)	460	3	272890 197851
104	**Mineral Railway** Use: Not Supplied Date of Mapping: 1921 - 1940	A17SE (NW)	461	3	272880 197845
105	**Mineral Railway** Use: Not Supplied Date of Mapping: 1884 - 1938	A18SW (NW)	471	3	272898 197872
106	**Mineral Railway** Use: Not Supplied Date of Mapping: 1884 - 1940	A14NW (E)	479	3	273768 197536
107	**Mineral Railway** Use: Not Supplied Date of Mapping: 1900	A17SE (NW)	498	3	272880 197891
108	**Mineral Railway** Use: Not Supplied Date of Mapping: 1921 - 1940	A17SE (NW)	548	3	272886 197955
109	**Mineral Railway** Use: Not Supplied Date of Mapping: 1884 - 1900	A14NE (E)	749	3	274037 197564
110	**Mineral Railway** Use: Not Supplied Date of Mapping: 1884 - 1900	A8SW (S)	811	3	272939 196663
111	**Mineral Railway** Use: Not Supplied Date of Mapping: 1884	A19SE (NE)	937	3	273988 198125
112	**Mining & quarrying general** Use: Not Supplied Date of Mapping: 1900	A18SW (NW)	427	3	273041 197895
113	**Mining & quarrying general** Use: Not Supplied Date of Mapping: 1884	A19SW (NE)	763	3	273801 198069
114	**Mining & quarrying general** Use: Not Supplied Date of Mapping: 1884	A18NW (N)	945	3	273204 198455
115	**Mining of coal & lignite** Use: Not Supplied Date of Mapping: 1921	A13SE (S)	72	3	273285 197350
116	**Mining of coal & lignite** Use: Not Supplied Date of Mapping: 1921 - 1965	A17SE (NW)	557	3	272809 197911
117	**Mining of coal & lignite** Use: Not Supplied Date of Mapping: 1884 - 1940	A14NW (E)	565	3	273852 197555

Historical Land Use Information (1:10,000)

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
118	**Mining of coal & lignite** Use: Not Supplied Date of Mapping: 1884	A17SE (NW)	594	3	272861 197995
119	**Mining of coal & lignite** Use: Not Supplied Date of Mapping: 1884	A19NW (NE)	799	3	273733 198170
120	**Mining of coal & lignite** Use: Not Supplied Date of Mapping: 1900	A19NW (NE)	906	3	273699 198316
121	**Mining of coal & lignite** Use: Not Supplied Date of Mapping: 1884 - 1900	A19NE (NE)	948	3	273974 198156
122	**Mining of coal & lignite** Use: Not Supplied Date of Mapping: 1900	A17NE (NW)	982	3	272804 198399
123	**Former Marshes** Use: Former Marsh Date of Mapping: 1940	A13SE (E)	256	3	273536 197347
124	**Former Marshes** Use: Former Marsh Date of Mapping: 1965	A14SE (E)	937	3	274198 197181
125	**Potentially Infilled Land (Non-Water)** Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A13SE (S)	72	3	273285 197350
126	**Potentially Infilled Land (Non-Water)** Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A18SW (NW)	427	3	273041 197895
127	**Potentially Infilled Land (Non-Water)** Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A17SE (NW)	557	3	272809 197911
128	**Potentially Infilled Land (Non-Water)** Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A14NW (E)	568	3	273846 197595
129	**Potentially Infilled Land (Non-Water)** Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A12SE (SW)	584	3	272692 197158
130	**Potentially Infilled Land (Non-Water)** Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A17SE (NW)	594	3	272861 197995
131	**Potentially Infilled Land (Non-Water)** Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A7NE (SW)	631	3	272872 196901
132	**Potentially Infilled Land (Non-Water)** Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A7NE (SW)	669	3	272882 196849
133	**Potentially Infilled Land (Non-Water)** Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A7NE (SW)	727	3	272794 196838
134	**Potentially Infilled Land (Non-Water)** Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A7NE (SW)	746	3	272757 196843
135	**Potentially Infilled Land (Non-Water)** Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A18NW (N)	748	3	273211 198258
136	**Potentially Infilled Land (Non-Water)** Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A19SW (NE)	763	3	273801 198069
137	**Potentially Infilled Land (Non-Water)** Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A19NW (NE)	799	3	273733 198170
138	**Potentially Infilled Land (Non-Water)** Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A19NW (NE)	906	3	273699 198316

Historical Land Use Information (1:10,000)

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
139	**Potentially Infilled Land (Non-Water)** Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A18NW (N)	945	3	273204 198455
140	**Potentially Infilled Land (Non-Water)** Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A19NE (NE)	948	3	273974 198156
141	**Potentially Infilled Land (Non-Water)** Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A17NE (NW)	982	3	272804 198399
142	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1900	A13SW (SW)	106	3	273121 197385
143	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1884	A13SE (SE)	158	3	273367 197295
144	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1940	A13SE (SE)	259	3	273485 197263
145	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A13NW (NW)	270	3	272985 197683
146	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1940	A18SE (N)	330	3	273256 197842
147	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1884	A14SW (E)	340	3	273627 197357
148	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1884	A12NE (W)	352	3	272826 197553
149	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1900	A13SE (SE)	354	3	273487 197140
150	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A14SW (SE)	370	3	273622 197263
151	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1940	A14SW (E)	381	3	273657 197312
152	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1900	A14SW (E)	384	3	273666 197332
153	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A8NE (SE)	388	3	273443 197073
154	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A14SW (SE)	410	3	273669 197267
155	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1884	A14SW (SE)	415	3	273647 197218
156	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1940	A14SW (E)	448	3	273715 197279
157	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A14SW (SE)	509	3	273715 197149
158	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1884	A14SE (E)	636	3	273927 197352
159	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1900	A8SW (S)	764	3	273008 196689

Historical Land Use Information (1:10,000)

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
160	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A19SE (NE)	829	3	273939 198013
161	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1940	A7SE (SW)	830	3	272722 196763
162	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A18NW (N)	838	3	273118 198336
163	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A14SE (E)	864	3	274161 197461
164	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A14SE (E)	867	3	274165 197448
165	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1940	A19NW (NE)	888	3	273888 198158

Ground Stability Data (1:50,000)

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	CBSCB Compensation District The site does not fall within the brine compensation area.				
	Brine Subsidence Solution Area The site does not fall within the brine subsidence solution area.				
166	**Potential for Collapsible Ground Stability Hazards** Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A13NE (S)	0	1	273240 197469
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13SE (SE)	143	1	273381 197325
167	**Potential for Compressible Ground Stability Hazards** Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A13SE (SE)	115	1	273331 197322
168	**Potential for Compressible Ground Stability Hazards** Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A13SE (SE)	178	1	273338 197256
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13NE (S)	0	1	273240 197469
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13NE (S)	0	1	273240 197469
169	**Potential for Landslide Ground Stability Hazards** Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A13NE (S)	0	1	273240 197469
170	**Potential for Landslide Ground Stability Hazards** Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A13NE (S)	0	1	273240 197468
171	**Potential for Landslide Ground Stability Hazards** Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	A13NW (NW)	0	1	273232 197488
172	**Potential for Landslide Ground Stability Hazards** Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A13SE (SE)	52	1	273327 197398
173	**Potential for Landslide Ground Stability Hazards** Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	A13NE (E)	89	1	273373 197501
174	**Potential for Landslide Ground Stability Hazards** Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	A13NW (NW)	106	1	273098 197564
175	**Potential for Landslide Ground Stability Hazards** Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A13SE (S)	135	1	273239 197282
176	**Potential for Running Sand Ground Stability Hazards** Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A13NE (S)	0	1	273240 197469
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13NE (N)	0	1	273252 197517
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13SE (SE)	156	1	273326 197276
177	**Potential for Shrinking or Swelling Clay Ground Stability Hazards** Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A13NE (S)	0	1	273240 197469
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13NE (N)	0	1	273252 197517

Historical Map List

The following mapping has been analysed for Historical Land Use Information (1:2,500):

1:2,500	Mapsheet	Published Date
Glamorganshire	015_12	1876
Glamorganshire	015_16	1881
Glamorganshire	015_12	1899
Glamorganshire	015_16	1899
Glamorganshire	015_12	1918
Glamorganshire	015_16	1918
Glamorganshire	015_12	1940
Glamorganshire	015_16	1940
Ordnance Survey Plan	SS7397	1952

The following mapping has been analysed for Historical Land Use Information (1:10,000):

1:10,560	Mapsheet	Published Date
Glamorganshire	015_00	1884
Glamorganshire	016_00	1884
Glamorganshire	015_NE	1900
Glamorganshire	015_SE	1900
Glamorganshire	016_NW	1900
Glamorganshire	016_SW	1900
Glamorganshire	015_NE	1921
Glamorganshire	015_SE	1921
Glamorganshire	016_NW	1921
Glamorganshire	016_SW	1921
Glamorganshire	016_NW	1935
Glamorganshire	016_SW	1935
Glamorganshire	015_NE	1938
Glamorganshire	015_SE	1940
Ordnance Survey Plan	SS79NW	1965
1:10,000	**Mapsheet**	**Published Date**
Ordnance Survey Plan	SS79NW	1992

Data Currency

Mining and Cavities Data	Version	Update Cycle
BGS Recorded Mineral Sites British Geological Survey - National Geoscience Information Service	April 2025	Bi-Annually
Coal Mining Affected Areas The Coal Authority - Property Searches	February 2023	
Man Made Mining Cavities Stantec UK Ltd	December 2025	Bi-Annually
Mining Instability Ove Arup & Partners	June 1998	Not Applicable
Natural Cavities Stantec UK Ltd	December 2025	Bi-Annually
Non Coal Mining Areas of Great Britain British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Historical Land Use Information (1:2,500)	**Version**	**Update Cycle**
Subterranean Features Landmark Information Group Limited	July 2023	Bi-Annually
Ground Stability Data (1:50,000)	**Version**	**Update Cycle**
CBSCB Compensation District Cheshire Brine Subsidence Compensation Board (CBSCB) Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011 November 2020	 As notified
Potential for Collapsible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	April 2020	As notified
Potential for Compressible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Ground Dissolution Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Landslide Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Running Sand Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Shrinking or Swelling Clay Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Brine Subsidence Solution Area Johnson Poole & Bloomer	December 2020	


Data Suppliers

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	Map data
British Geological Survey	British Geological Survey NATURAL ENVIRONMENT RESEARCH COUNCIL
The Coal Authority	The Coal Authority
Ove Arup	ARUP
Stantec UK Ltd	Stantec
Wardell Armstrong	wardell armstrong your earth our world
Johnson Poole & Bloomer	JPB

Useful Contacts

Contact	Name and Address	Contact Details
1	**British Geological Survey - Enquiry Service** British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
2	**The Coal Authority - Property Searches** 200 Lichfield Lane, Mansfield, Nottinghamshire, NG18 4RG	Telephone: 0345 762 6848 Fax: 01623 637 338 Email: groundstability@coal.gov.uk Website: www2.groundstability.com
3	**Landmark Information Group Limited** Landmark Information Group, Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0330 036 6619 Fax: 0844 844 9951 Email: helpdesk@landmark.co.uk Website: www.landmark.co.uk
4	**Landmark Information Group Limited** Landmark Information Group, Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0330 036 6627 Fax: 0844 844 9951 Email: customerservice@promap.co.uk Website: www.landmark.co.uk
-	**Landmark Information Group Limited** Landmark Information Group, Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0330 036 6618 Fax: 0844 844 9951 Email: helpdesk@landmark.co.uk Website: www.landmark.co.uk



Intégral Géotechnique

Historical Land Use Information (1:2,500)

General

Specified Site | Specified Buffer(s) | Bearing Reference Point | Map ID

Several of Type at Location


Potentially Contaminative Industrial Uses (Extractive Industries Activity)

	Point	Line	Polygon
Extractive Industries Activity from 1855 - 1909	▲	—	▭
Extractive Industries Activity from 1893 - 1915	▲	—	▨
Extractive Industries Activity from 1906 - 1937	▲	—	▤
Extractive Industries Activity from 1924 - 1949	▲	—	▨
Extractive Industries Activity from 1950 - 1980	▲	—	▥

Subterranean Features

	Point	Line	Polygon
Subterranean Features	▼	- - -	▭

Mining and Ground Stability - Segment A13



Order Details


Order Number:	395481999_1_1
Customer Ref:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Plot Buffer (m):	100

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Intégral Géotechnique

Historical Land Use Information (1:10,000)

General

Specified Site | Specified Buffer(s) | Bearing Reference Point | Map ID

Several of Type at Location

Potentially Contaminative Industrial Uses (Past Land Uses - Mining)

	Point	Line	Polygon
Air Shafts	◆		
Disturbed Ground	◆		
General Quarrying	◆		
Heap, unknown constituents	◆		
Mineral Railway	◆		
Mining and Quarrying General	◆		
Mining of Coal & Lignite	◆		
Quarrying of Sand and Clay, Operation of Sand and Gravel Pits	◆		

Historical Land Use


	Point	Line	Polygon
Potentially Infilled Land (Non-Water)	●		
Potentially Infilled Land (Water)	●		
Former Marsh	✠		

Mining Data

Potential Mining Area

BGS Recorded Mineral Site

Mining and Ground Stability - Slice A



Order Details


Order Number:	395481999_1_1
Customer Ref:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Search Buffer (m):	1000

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Intégral Géotechnique

Ground Stability Data (1:50,000)

General

Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice | Map ID

Potential for Compressible Ground Stability Hazards

High | Low | Moderate | Very Low


Potential for Collapsible Ground Stability Hazards

High | Low | Moderate | Very Low

Brine Pumping and Salt Mining

	Point	Polygon
Brine Pumping Related Feature		
Salt Mining Related Feature		

Mining and Ground Stability - Slice A




Order Details

Order Number:	395481999_1_1
Customer Ref:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Search Buffer (m):	1000

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark® INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Intégral
Géotechnique

Ground Stability Data (1:50,000)

General

Specified Site | Specified Buffer(s) | Bearing Reference Point
Slice | Map ID


Potential for Landslide Ground Stability Hazards

High | Low
Moderate | Very Low

Potential for Ground Dissolution Stability Hazards

High | Low
Moderate | Very Low

Mining and Ground Stability - Slice A




Order Details

Order Number:	395481999_1_1
Customer Ref:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Search Buffer (m):	1000

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark® INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Intégral Géotechnique

Ground Stability Data (1:50,000)

General

Specified Site | Specified Buffer(s) | Bearing Reference Point
Slice | Map ID


Potential for Running Sand Ground Stability Hazards

High | Low
Moderate | Very Low

Potential for Shrinking or Swelling Clay Ground Stability Hazards

High | Low
Moderate | Very Low

Mining and Ground Stability - Slice A




Order Details

Order Number:	395481999_1_1
Customer Ref:	14560/LP
National Grid Reference:	273240, 197470
Slice:	A
Site Area (Ha):	0.72
Search Buffer (m):	1000

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Intégral Géotechnique

Index Map

For ease of identification, your site and buffer have been split into Slices, Segments and Quadrants. These are illustrated on the Index Map opposite and explained further below.

Slice
Each slice represents a 1:10,000 plot area (2.7km x 2.7km) for your site and buffer. A large site and buffer may be made up of several slices (represented by a red outline), that are referenced by letters of the alphabet, starting from the bottom left corner of the slice "grid". This grid does not relate to National Grid lines but is designed to give best fit over the site and buffer.

Segment
A segment represents a 1:2,500 plot area. Segments that have plot files associated with them are shown in dark green, others in light blue. These are numbered from the bottom left hand corner within each slice.

Quadrant
A quadrant is a quarter of a segment. These are labelled as NW, NE, SW, SE and are referenced in the datasheet to allow features to be quickly located on plots. Therefore a feature that has a quadrant reference of A7NW will be in Slice A, Segment 7 and the NW Quadrant.

A selection of organisations who provide data within this report:

Map data

British Geological Survey
NATURAL ENVIRONMENT RESEARCH COUNCIL

Cyfoeth Naturiol Cymru
Natural Resources Wales

Envirocheck reports are compiled from 136 different sources of data.

Client Details

MR H Pritchard, Integral Geotechnique, Integral House, 7 Beddau Way, Castlegate Business Park, Caerphilly, CF83 2AX

Order Details

Order Number:	395481999_1_1
Customer Ref:	14560/LP
National Grid Reference:	273240, 197470
Site Area (Ha):	0.72
Search Buffer (m):	1000

Site Details

YGG Tregeles, Neath Abbey, Neath, SA10 7ND

Full Terms and Conditions can be found on the following link:
http://www.landmarkinfo.co.uk/Terms/Show/515

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

APPENDIX B

CONSULTANTS COAL MINING REPORT FROM THE MINING REMEDIATION AUTHORITY


The Coal Authority

Consultants

Coal Mining Report

Ysgol Gynradd Gymraeg Tregeles
St Johns Terrace
Neath Abbey
Neath Port Talbot
SA10 7ND

Date of enquiry:	**10 February 2026**
Date enquiry received:	**10 February 2026**
Issue date:	**10 February 2026**
Our reference:	**51003552333001**
Your reference:	**14560/LP**



Consultants
Coal Mining Report


This report is based on and limited to the records held by the Coal Authority at the time the report was produced.

Client name

INTEGRAL GEOTECHNIQUE (WALES) LTD.

Enquiry address

Ysgol Gynradd Gymraeg Tregeles
St Johns Terrace
Neath Abbey
Neath Port Talbot
SA10 7ND



Approximate position of property

Reproduced by permission of Ordnance Survey on behalf of HMSO. © Crown copyright and database right 2018. All rights reserved.

Ordnance Survey Licence number: AC0000820577

How to contact us

0345 762 6848 (UK)
+44 (0)1623 637 000 (International)

200 Lichfield Lane
Mansfield
Nottinghamshire
NG18 4RG

reports@miningremediation.gov.uk

Section 1 – Mining activity and geology

Past underground mining

Colliery	Seam	Mineral	Coal Authority reference	Depth (m)	Direction to working	Dipping rate of seam worked (degrees)	Dipped direction of seam worked	Extraction thickness (cm)	Year last mined
unnamed	SWANSEA 6FT	Coal	4DKB	46	Beneath Property	15.1	North-East	170	1830
unnamed	UNNAMED	Coal	4DKE	68	Beneath Property	15.2	North-East	205	1846
unnamed	SWANSEA NO.3	Coal	4DK7	74	Beneath Property	14.0	North-East	109	1846

Probable unrecorded shallow workings

None.

Spine roadways at shallow depth

No spine roadway recorded at shallow depth.

Mine entries

Entry type	Reference	Grid reference	Treatment description	Mineral	Conveyancing details
Shaft	273197-019	273300 197345	Treatment details unknown.*	Coal	

*For your information, before the coal industry was nationalised in 1947, there was no requirement for a mine operator to record mine entry treatment details when a mine was abandoned. Therefore, it is not unusual for us to have no treatment details for many of the 176,000 recorded mine entries on our database. Despite this lack of information, please be assured that the fact we have no treatment recorded does not necessarily mean that the mine entry was left untreated when abandoned.

Copyright © 2026 The Coal Authority

Abandoned mine plan catalogue numbers

The following abandoned mine plan catalogue numbers intersect with some, or all, of the enquiry boundary:

SWR1661	SWR2654	R12052
SW1929	SW1984	SW1916
12494	SW1674	SWR1680

Our records show we have more plans than those shown above which could affect the enquiry boundary.

For assistance in identifying the specific abandoned mine plans relevant to your requirements, **please contact us at InformationManagers@MiningRemediation.gov.uk**.

Outcrops

No outcrops recorded.

Geological faults, fissures and breaklines

No faults, fissures or breaklines recorded.

Opencast mines

None recorded within 500 metres of the enquiry boundary.

Coal Authority managed tips

None recorded within 500 metres of the enquiry boundary.

Copyright © 2026 The Coal Authority

Section 2 – Investigative or remedial activity

Please refer to the 'Summary of findings' map (on separate sheet) for details of any activity within the area of the site boundary.

Site investigations
None recorded within 50 metres of the enquiry boundary.

Remediated sites
None recorded within 50 metres of the enquiry boundary.

Coal mining subsidence
The Coal Authority has not received a damage notice or claim for the subject property, or any property within 50 metres of the enquiry boundary, since 31 October 1994.

There is no current Stop Notice delaying the start of remedial works or repairs to the property.

The Coal Authority is not aware of any request having been made to carry out preventive works before coal is worked under section 33 of the Coal Mining Subsidence Act 1991.

Mine gas
None recorded within 500 metres of the enquiry boundary.

Mine water treatment schemes
None recorded within 500 metres of the enquiry boundary.

Copyright © 2026 The Coal Authority

Section 3 – Licensing and future mining activity

Future underground mining
None recorded.

Coal mining licensing
None recorded within 200 metres of the enquiry boundary.

Court orders
None recorded.

Section 46 notices
No notices have been given, under section 46 of the Coal Mining Subsidence Act 1991, stating that the land is at risk of subsidence.

Withdrawal of support notices
The property is not in an area where a notice to withdraw support has been given.

The property is not in an area where a notice has been given under section 41 of the Coal Industry Act 1994, cancelling the entitlement to withdraw support.

Payments to owners of former copyhold land
The property is not in an area where a relevant notice has been published under the Coal Industry Act 1975/Coal Industry Act 1994.

Copyright © 2026 The Coal Authority

Section 4 – Further information

The following potential risks have been identified and as part of your risk assessment should be investigated further.

Future development

If development proposals are being considered, technical advice relating to both the investigation of coal and former coal mines and their treatment should be obtained before beginning work on site. All proposals should apply specialist engineering practice required for former mining areas. No development should be undertaken that intersects, disturbs or interferes with any coal or coal mines without first obtaining the permission of the Coal Authority.

MINE GAS: Please note, if there are no recorded instances of mine gas within 500m of the enquiry boundary, this does not mean that mine gas is not present within the vicinity. The Coal Authority Mine Gas data is limited to only those sites where a Mine Gas incident has been recorded. Developers should be aware that the investigation of coal seams, mine workings or mine entries may have the potential to generate and/or displace underground gases. Associated risks both to the development site and any neighbouring land or properties should be fully considered when undertaking any ground works. The need for effective measures to prevent gases migrating onto any land or into any properties, either during investigation or remediation work, or after development must also be assessed and properly addressed. In these instances, the Coal Authority recommends that a more detailed Gas Risk Assessment is undertaken by a competent assessor.

Development advice

The site is within an area of historical coal mining activity. Should you require advice and/or support on understanding the mining legacy, its risks to your development or what next steps you need to take, please contact us.

For further information on specific site or ground investigations in relation to any issues raised in Section 4, please email us at reports@miningremediation.gov.uk.

Copyright © 2026 The Coal Authority

Section 5 – Data definitions

The datasets used in this report have limitations and assumptions within their results. For more guidance on the data and the results specific to the enquiry boundary, please **email us at reports@miningremediation.gov.uk.**

Past underground coal mining

Details of all recorded underground mining relative to the enquiry boundary. Only past underground workings where the enquiry boundary is within 0.7 times the depth of the workings (zone of likely physical influence) allowing for seam inclination, will be included.

Probable unrecorded shallow workings

Areas where the Coal Authority believes there to be unrecorded coal workings that exist at or close to the surface (less than 30 metres deep).

Spine roadways at shallow depth

Connecting roadways either, working to working, or, surface to working, both in-seam and cross measures that exist at or close to the surface (less than 30 metres deep), either within or within 10 metres of the enquiry boundary.

Mine entries

Details of any shaft or adit either within, or within 100 metres of the enquiry boundary including approximate location, brief treatment details where known, the mineral worked from the mine entry and conveyance details where the mine entry has previously been sold by the Authority or its predecessors British Coal or the National Coal Board.

Abandoned mine plan catalogue numbers

Plan numbers extracted from the abandoned mines catalogue containing details of coal and other mineral abandonment plans deposited via the Mines Inspectorate in accordance with the Coal Mines Regulation Act and Metalliferous Mines Regulation Act 1872. A maximum of 9 plan extents that intersect with the enquiry boundary will be included. This does not infer that the workings and/or mine entries shown on the abandonment plan will be relevant to the site/property boundary.

Outcrops

Details of seam outcrops will be included where the enquiry boundary intersects with a conjectured or actual seam outcrop location (derived by either the British Geological Survey or the Coal Authority) or intersects with a defined 50 metres buffer on the coal (dip) side of the outcrop. An indication of whether the Coal Authority believes the seam to be of sufficient thickness and/or quality to have been worked will also be included.

Geological faults, fissures and breaklines

Geological disturbances or fractures in the bedrock. Surface fault lines (British Geological Survey derived data) and fissures and breaklines (Coal Authority derived data) intersecting with the enquiry boundary will be included. In some circumstances faults, fissures or breaklines have been known to contribute to surface subsidence damage as a consequence of underground coal mining.

Copyright © 2026 The Coal Authority

Opencast mines
Opencast coal sites from which coal has been removed in the past by opencast (surface) methods and where the enquiry boundary is within 500 metres of either the licence area, site boundary, excavation area (high wall) or coaling area.

Coal Authority managed tips
Locations of disused colliery tip sites owned and managed by the Coal Authority, located within 500 metres of the enquiry boundary.

Site investigations
Details of site investigations within 50 metres of the enquiry boundary where the Coal Authority has received information relating to coal mining risk investigation and/or remediation by third parties.

Remediated sites
Sites where the Coal Authority has undertaken remedial works either within or within 50 metres of the enquiry boundary following report of a hazard relating to coal mining under the Coal Authority's Emergency Surface Hazard Call Out procedures.

Coal mining subsidence
Details of alleged coal mining subsidence claims made since 31 October 1994 either within or within 50 metres of the enquiry boundary. Where the claim relates to the enquiry boundary confirmation of whether the claim was accepted, rejected or whether liability is still being determined will be given. Where the claim has been discharged, whether this was by repair, payment of compensation or a combination of both, the value of the claim, where known, will also be given.

Details of any current 'Stop Notice' deferring remedial works or repairs affecting the property/site, and if so the date of the notice.

Details of any request made to execute preventative works before coal is worked under section 33 of the Coal Mining Subsidence Act 1991. If yes, whether any person withheld consent or failed to comply with any request to execute preventative works.

Mine gas
Reports of alleged mine gas emissions received by the Coal Authority, either within or within 500 metres of the enquiry boundary that subsequently required investigation and action by the Coal Authority to mitigate the effects of the mine gas emission. Please note, if there are no recorded instances of mine gas reported, this does not mean that mine gas is not present within the vicinity. The Coal Authority Mine Gas data is limited to only those sites where a Mine Gas incident has been recorded.

Copyright © 2026 The Coal Authority

Mine water treatment schemes
Locations where the Coal Authority has constructed or operates assets that remove pollutants from mine water prior to the treated mine water being discharged into the receiving water body.

These schemes are part of the UK's strategy to meet the requirements of the Water Framework Directive. Schemes fall into 2 basic categories: Remedial – mitigating the impact of existing pollution or Preventative – preventing a future pollution incident.

Mine water treatment schemes generally consist of one or more primary settlement lagoons and one or more reed beds for secondary treatment. A small number are more specialised process treatment plants.

Future underground mining
Details of all planned underground mining relative to the enquiry boundary. Only those future workings where the enquiry boundary is within 0.7 times the depth of the workings (zone of likely physical influence) allowing for seam inclination will be included.

Coal mining licensing
Details of all licenses issued by the Coal Authority either within or within 200 metres of the enquiry boundary in relation to the under taking of surface coal mining, underground coal mining or underground coal gasification.

Court orders
Orders in respect of the working of coal under the Mines (Working Facilities and Support) Acts of 1923 and 1966 or any statutory modification or amendment thereof.

Section 46 notices
Notice of proposals relating to underground coal mining operations that have been given under section 46 of the Coal Mining Subsidence Act 1991.

Withdrawal of support notices
Published notices of entitlement to withdraw support and the date of the notice. Details of any revocation notice withdrawing the entitlement to withdraw support given under Section 41 of the Coal Industry Act 1994.

Payment to owners of former copyhold land
Relevant notices which may affect the property and any subsequent notice of retained interests in coal and coal mines, acceptance or rejection notices and whether any compensation has been paid to a claimant.

Copyright © 2026 The Coal Authority

The Coal Authority

Summary of findings


Reproduced by permission of Ordnance Survey on behalf of HMSO.
© Crown copyright and database right 2018. All rights reserved.
Ordnance Survey Licence number: AC0000820577

The map highlights any specific surface or subsurface features within or near to the boundary of the site.

Key

Approximate position of the enquiry boundary shown

Disused mine shaft



How to contact us
0345 762 6848 (UK)
+44 (0)1623 637 000 (International)
reports@miningremediation.gov.uk

FIGURES





Figure 1: Site Location

Project: YGG Tregeles, Neath Abbey	Job no.: 14560	**Intégral** Géotechnique	Integral House, 7 Beddau Way, Castlegate Business Park, Caerphilly, CF83 2AX. Tel: 029 2080 7991
Client: Knox & Wells Limited	Scale: NTS		



Figure 2: Site Plan

Project: YGG Tregeles, Neath Abbey	Job No.: 14560	Intégral Géotechnique	Integral House, 7 Beddau Way, Castlegate Business Park, Caerphilly, CF83 2AX. Tel: 029 2080 7991
Client: Knox & Wells Limited	Scale: NTS		






Figure 3: Geology

Project: YGG Tregeles, Neath Abbey	Job No.: 14560	Intégral Géotechnique	Integral House, 7 Beddau Way, Castlegate Business Park, Caerphilly, CF83 2AX. Tel: 029 2080 7991
Client: Knox & Wells Limited	Scale: NTS		