


Neath Sports Centre

Creation of 2Nr. Padel Courts





CONSULTANTS
Surfacing Standards LTD
Office 1, Tregynon House,
Aston Road, Llantrisant, LE15 8NY
01558 400172

1. DO NOT SCALE FROM DRAWING UNLESS FOR PLANNING PURPOSES ONLY. ALL DIMENSIONS TO BE CHECKED ON SITE PRIOR TO COMMENCEMENT OF WORKS.

2. THIS DRAWING IS COPYRIGHT TO SURFACING STANDARDS LTD.

3. ALL PERSONNEL SHOULD BE AWARE OF THE HEALTH AND SAFETY PLAN WHICH IS RETAINED IN THE SITE MANAGERS OFFICE.



25 Lux Environmental Zone 4
10 Lux Environmental Zone 3
5 Lux Environmental Zone 2
2 Lux Environmental Zone 1

Chart of example lux levels for reference			
Lighting conditions	Lux level	Lighting conditions	Lux level
British summer sunshine	50,000	Typical side road lighting	5
Overcast sky	5,000	Minimum security lighting	2
Well-lit office	500	Twilight	1
Minimum for easy reading	300	Clear full moon	0.25 to <1
Passageway or outside working area	50	Typical moonlight/cloudy sky	0.1
Good main road lighting	5-20	Typical starlight	0.001
Sunset	10	Poor starlight	0.0001


Source: IPCCTV specialists use-IP Ltd

00 PLANNING ISSUE
REV DESCRIPTION
ME
REV CK
DATE

16/06/26



Surfacing Standards Limited
SPORTS PITCH CONSULTANTS



AUTHOR
ME

TITLE
Neath Sports Centre
Creation of 2Nr. Padel Courts
Floodlighting Scheme

PROJECT
ss3605

SCALE
1:500

SIZE
A1

DRAWING No
06

REVISION
00