

Rev.	
Dwg No.	
Project	

External Ramp.


50mm dia. galvanised with PPC finish m/s tubular handrail, posts and intermediate rails, Mesh ppc panels inbetween.

150mm thick Ramp/landing area constructed from Grade C35 concrete mix to conform to BS 8500. to form profile as indicated including 100 x 100 concrete upstand with 25mm chamfers to top edges. All ramps to have A393 mesh reinforcement with minimum 25mm cover. Thicken slab below edges and landing junctions.

Ramp and Landing area to have brush finish with 100mm wide smooth banding to perimeter of ramp and landing areas, tactile paving to be as indicated.

Type 1 compacted hardcore fill to underside of concrete taken down 150mm below lowest concrete/slab level.

Make good existing surface (as shown) to match and line through with existing finishes.



SECTION THROUGH NEW 1:15 RAMP

NOTES

1. All dimensions in millimetres unless otherwise stated.

Rev	Details	Dr	Ch	Apr	Date
-----	---------	----	----	-----	------



Neath Port Talbot
Castell-nedd Port Talbot
County Borough Council Cyngor Bwrdeistref Sirol
Making a difference Gwahaniaeth er gwell

PROPERTY & REGENERATION
Nicola Pearce BSc(Hons) DipTP MRTPI
DIRECTOR OF ENVIRONMENT AND REGENERATION
THE QUAYS, BRUNEL WAY
BAGLAN ENERGY PARK SA11 2GG
www.npt.gov.uk

Project

GNOLL PRIMARY SCHOOL
NEW COMMUNITY ROOM
AND RECEPTION REFURBISHMENT

Drawing Title

NEW RAMP

File No.	Property Ref. No.
Drawn	WGh
Checked	
Date	JUNE 26
Scale	1:50@A3
Drawing No.	A1350 - 004

Rev.	
------	--